Architectural Evolution and Command Logic of AutoCAD 2.x: From Version 2.18 to 2.6

The history of computer-aided design is inextricably linked to the architectural decisions made during the mid-1980s by Autodesk, specifically throughout the lifecycle of AutoCAD Version 2.x. This era, which spanned from late 1984 to 1987, transformed a rudimentary vector-based drafting tool into a sophisticated, programmable, and spatially aware platform that would eventually dominate the global engineering and architectural landscape.[1] The progression from Version 2.0 through to Version 2.6 was not merely a series of incremental updates; it represented a fundamental reimagining of how a microcomputer could handle complex geometric data under the severe memory and processing constraints of the MS-DOS environment.[3] Within this developmental arc, two milestones stand out for their lasting impact on the industry: Version 2.18, which democratized CAD through the introduction of the AutoLISP programming language, and Version 2.6, which finalized the transition to high-precision drafting and established the second-generation 3D modeling standard known as 3D Level 2.[4]

The Technical Landscape and Version Chronology

The development of AutoCAD 2.x occurred against a backdrop of rapidly evolving hardware. When AutoCAD Version 2.0 was released in October 1984, the industry was transitioning from the original 8088-based IBM PC to the more robust 80286-based IBM PC/AT. Version 2.0 introduced the Advanced Drafting Extensions (ADE-1), which provided the initial framework for object attributes—a feature that allowed designers to attach non-graphical information, such as material costs or part numbers, directly to geometric entities.[4] This was a revolutionary shift from drawing simple pictures to managing a functional database of engineering information.

By May 1985, Version 2.1 was released, introducing "3D Level 1" and the ability to assign thickness and elevation to two-dimensional entities, creating a "pseudo-3D" effect that was highly efficient for architectural floor plans.[3] However, the most significant shift for developers and power users arrived in January 1986 with Version 2.18. This sub-release was the first to include AutoLISP, a dialect of the LISP programming language that provided a direct interface to AutoCAD's internal entity database.[5] The ability for users to write their own commands and automate repetitive drafting tasks turned AutoCAD into a customizable platform, essentially creating the first "CAD manager" profession.

The 2.x series reached its technical zenith in April 1987 with the release of Version 2.6. This version introduced 3D Level 2, which added the capability to define non-planar surfaces using the 3DFACE command and introduced associative dimensioning.[4] Notably, Version 2.6 was the

final release of AutoCAD that could be run on a system without a math co-processor (the Intel 8087), though the performance degradation without such hardware was so severe that it was rarely done in professional environments.[3] This requirement for high-precision floating-point arithmetic underscored the increasing complexity of the geometry being handled by the software.

AutoCAD Version	Release Date	Primary Technical Milestone	DWG File Format Tag
Version 2.0	October 1984	ADE-1, Attributes, Object Snap [4]	AC1.50
Version 2.1	May 1985	3D Level 1, Polylines, Variables [4]	AC2.10
Version 2.18	January 1986	Introduction of AutoLISP [5]	AC2.10
Version 2.5	June 1986	Trim, Extend, Stretch, Explode [3]	AC1002
Version 2.6	April 1987	3D Level 2, Associative Dimensioning [4]	AC1002

Memory Management and System Architecture

The internal structure of AutoCAD 2.x was defined by the rigorous management of the 640KB conventional memory limit imposed by MS-DOS.[8] Because drawing files could easily exceed the available RAM, Autodesk implemented a sophisticated paging system that utilized Expanded Memory (EMS) and disk-based swapping.[8]

The Role of Expanded Memory (EMS)

In the DOS era, memory above 1MB was largely inaccessible to standard programs. To bypass this, AutoCAD utilized the LIM EMS (Lotus-Intel-Microsoft Expanded Memory Specification).[8] This technology used bank-switching to map "pages" of memory into a 64KB window in the Upper Memory Area, allowing the software to address up to 8MB (in EMS 3.2) or 32MB (in EMS 4.0) of data.[7] AutoCAD used this space to store the active drawing database, ensuring that while the central processing unit (CPU) worked on a small segment of geometry in conventional memory, the rest of the drawing remained ready in EMS for rapid retrieval.[9]

If EMS was unavailable, the system resorted to "paging" to the hard drive, a process where portions of the drawing were written to temporary files (often with a .swp or .tmp extension).[10] This significantly slowed performance, leading to the frequent "Regenerating drawing" messages familiar to users of that era. The efficiency of the memory manager was critical; it had to predict which objects would become visible as the user performed a PAN or ZOOM operation, pre-fetching those entities from disk or EMS to prevent lag.[10]

Hardware Constraints and the Math Co-processor

The geometry engine of AutoCAD 2.x relied heavily on floating-point math to maintain the precision required for engineering tolerances. Most IBM PCs and clones were equipped with the Intel 8088 or 8086 CPU, which lacked a built-in Floating Point Unit (FPU).[3] Consequently, mathematical operations like calculating the intersection of two arcs or rotating a complex block were handled through software emulation, which was excruciatingly slow.

The addition of an Intel 8087 math co-processor was the single most effective hardware upgrade for an AutoCAD workstation in the mid-1980s.[7] This dedicated chip took over the heavy lifting of trigonometric and logarithmic calculations. By Version 2.6, the software had become so complex that it pushed the limits of what a non-FPU system could handle, leading Autodesk to mandate a co-processor for all subsequent releases, starting with Release 9.[3]

Internal Data Structure: The DWG and DXF Ecosystem

The structural integrity of an AutoCAD drawing is maintained through its internal database, which is stored natively in the binary DWG format or exchanged through the ASCII-based Drawing Interchange Format (DXF).[14]

The Evolution of the DWG Binary Format

During the 2.x lifecycle, the DWG format evolved to support new entity types and greater precision. Version 2.0 utilized the AC1.50 format, while Version 2.1 introduced AC2.10. The release of Version 2.5 saw a major shift to the AC1002 format, which would remain the standard through Version 2.6.[1] A binary DWG file from this era is a compact, non-human-readable record of every geometric entity and setting in the drawing. It is organized into distinct sections:

- **File Header:** Contains the version identifier (e.g., "AC1002") and bit-flags representing the state of system variables like SNAP, GRID, and ORTHO.[15]
- **Tables Section:** Definitions for administrative objects. This includes the LAYER table (storing names, colors, and visibility), the LTYPE table (dash-dot patterns), and the STYLE table (mapping text fonts to SHX files).[15]
- **Blocks Section:** Storage for block definitions—geometric groupings that can be inserted multiple times without duplicating the underlying data.[14]
- **Entity Data:** The sequential list of every line, arc, circle, and polyline drawn in the model

space.[14]

The DXF Group Code System

Because the binary DWG format was proprietary and optimized for the AutoCAD engine, Autodesk provided the DXF format as a "least common denominator" for data exchange.[14] DXF uses a "tagged data" format where every value is preceded by an integer group code.[14]

Group Code	Value Type	Description and Context
0	String	Identifies the start of an entity or section (e.g., SECTION, LINE, CIRCLE) [20]
1	String	Primary text value for a TEXT or ATTRIB entity [20]
2	String	Name of a block, layer, or section identifier [20]
5	String	Unique entity handle (introduced for database consistency) [23]
8	String	Layer name associated with the entity [23]
10	Double	Primary X-coordinate (start of a line, center of a circle) [23]
20	Double	Primary Y-coordinate [23]
30	Double	Primary Z-coordinate (crucial for 3D Levels 1 and 2) [23]
39	Double	Entity thickness (used for 2.5D extrusion in Version 2.1) [23]

40	Double	Floating-point values such as radius or text height [23]
62	Integer	Color number (AutoCAD Color Index or ACI) [23]
70	Integer	Bit-coded flags for mode settings or repeat counts [23]

In a Version 2.6 DXF file, the structure is strictly hierarchical. The HEADER section must come first, followed by the TABLES, BLOCKS, and ENTITIES sections.[14] This order is vital because entities in the ENTITIES section often reference definitions (like layer names or block names) that must have already been parsed from the preceding sections.[17]

The Command Interface and User Interaction

Interaction with AutoCAD 2.x was a multifaceted experience involving the keyboard, a side-screen menu, and often a digitizer tablet.[27] Unlike the modern point-and-click interface, the 2.x era was heavily reliant on the command line for precise input.

The Side Screen Menu Hierarchy

The side-screen menu was a unique feature of early AutoCAD, providing a hierarchical text-based navigation system on the right side of the monitor.[29] Selecting a word with the pointing device would swap the current menu for a submenu of related commands.[28]

The root menu typically included:

- **DRAW:** Navigated to a submenu for LINE, CIRCLE, ARC, TRACE, POINT, and SOLID.[30]
- **EDIT:** Navigated to MOVE, COPY, ERASE, ROTATE, SCALE, and ARRAY.[30]
- **DISPLAY:** Controlled the viewing window with ZOOM, PAN, VIEW, and REGEN.
- **SETTINGS:** Provided access to environment variables such as LAYER, COLOR, LTYPE, and SNAP.
- **INQUIRY:** Used for technical verification via DIST, AREA, ID, and LIST.
- **BLOCKS:** Handled the creation and insertion of symbols with BLOCK, INSERT, and WBLOCK.
- **UTILITY:** Managed file operations and system settings through SAVE, QUIT, and FILES.

This menu was defined by a .MNU file, which was a simple ASCII text file that could be customized by the user.[31] The ability to rewrite the menu file allowed firms to create bespoke interfaces tailored to specific industries like civil engineering or electronics design.[32]

Functional Shortcuts and Toggle Keys

Efficiency in AutoCAD 2.x was achieved through the use of function keys and control

sequences that toggled various drafting aids.[34]

Key/Sequence	Function	Technical Implementation
F1	Help	Invokes the context-sensitive help system.[35]
F2	Flip Screen	Toggles between the graphics display and the text-only history screen.[35]
F3	OSNAP Toggle	Activates/deactivates running object snaps (End, Mid, Cen, etc.).[35]
F5	Isoplane Cycle	Rotates through Left, Top, and Right isometric planes.[35]
F6	Coords Toggle	Toggles the dynamic coordinate display on the status line.[35]
F7	Grid Toggle	Displays a dot grid for visual reference.[35]
F8	Ortho Toggle	Restricts cursor movement to horizontal and vertical axes.[35]
F9	Snap Toggle	Forces the cursor to jump to predefined grid increments.[35]
Ctrl+C	Cancel	Aborts the current command and returns to the Command: prompt.[35]

Core Drawing and Primitive Commands

The 2.x command set was built around the creation of primitive vector objects. Each command

was designed to accept input either as absolute coordinates (e.g., 10,10), relative coordinates (@5,0), or polar coordinates (@10<45).[39]

Fundamental 2D Geometry

The LINE command was the workhorse of the system, creating individual segments between two specified points.[40] In Version 2.1, the PLINE (Polyline) command was introduced as a major structural upgrade.[5] A polyline is stored in the database as a single complex entity containing multiple line and arc segments.[41] This was a critical advancement because it allowed for the calculation of the area and perimeter of a closed shape using a single command, whereas previous versions required the user to manually sum the lengths of individual lines.[5]

Command	Usage	Database Impact
LINE	Draws straight segments	Creates one LINE entity per segment.[38]
CIRCLE	Creates a circle	Stores a CIRCLE entity with a center and radius.[40]
ARC	Creates curves	Stores an ARC entity with center, radius, and angles.[34]
PLINE	Unified line/arc sequences	Creates a POLYLINE header followed by VERTEX entries.[5]
POINT	Single node	Creates a POINT entity at specified coordinates.[5]
SOLID	Filled areas	Creates a SOLID entity (usually a triangle or quad).[43]

Text and Annotation

Before the advent of Multi-line Text (MTEXT), AutoCAD 2.x relied on the TEXT and DTEXT (Dynamic Text) commands.[5] These commands created single-line string entities. The introduction of DTEXT was particularly significant because it allowed users to see the text appear on the graphics screen as they typed it at the command line.[5] Annotation also included the DIM command mode, which was a separate environment for placing dimensions.[5] By Version 2.6, "associative dimensioning" was introduced, meaning the dimension would update

its value if the underlying entity was stretched or moved.[4]

The Transformation Suite: Advanced Editing in Version 2.5 and 2.6

The release of Version 2.5 represented a massive leap in productivity, as it introduced commands that could manipulate existing geometry in ways that were previously impossible without re-drawing.[3]

Topological Editing

The TRIM and EXTEND commands introduced a "boundary" logic to the engine.[5] A user would select "cutting edges" or "boundary edges" and then select the objects to be modified. The engine would calculate the intersection points in real-time and truncate or lengthen the entities accordingly.[5]

Even more impactful was the STRETCH command.[5] Using a "crossing window" selection, the user could capture a group of vertices; AutoCAD would then shift those vertices while keeping the other ends of the affected lines and arcs at their original coordinates.[5] This allowed for the rapid resizing of architectural features like windows or walls without destroying the drawing's connectivity.

Manipulation and Replication

The ARRAY command allowed for the mass replication of objects in rectangular or polar patterns.[5] This was an "ADE" feature that automated the placement of repeating elements like desks in an office or bolts on a flange.[5] Similarly, MIRROR allowed for the creation of symmetrical geometry around a user-defined axis, effectively halving the drawing time for symmetrical parts.[5]

The EXPLODE command, also a Version 2.5 addition, was the safety valve for complex entities.[5] It allowed a user to break a BLOCK reference or a POLYLINE back into its constituent LINE and ARC primitives.[5] This was essential for modifying standard symbols that had been inserted into a drawing.

AutoLISP: The Programmable Architecture of Version 2.18

January 1986 marked the most important architectural shift in AutoCAD's history with the introduction of AutoLISP in Version 2.18.[5] This LISP-based environment was not just a macro recorder; it was a full functional programming language that resided inside the AutoCAD process.

The LISP-to-Database Interface

AutoLISP provided functions that could "reach into" the drawing database.[6] The (entget) function allowed a programmer to retrieve the data for any entity in the drawing as a list of dotted pairs representing DXF group codes.[48] For example, (entget (car (entsel))) would return the full geometric and organizational definition of a selected object.

Once retrieved, the data could be modified in memory using standard LISP functions and then pushed back into the database using (entmod).[47] This enabled:

- **Parametric Design:** Programs that asked for a few dimensions and then drew a complex assembly automatically.[6]
- **Batch Property Modification:** Changing the color of every line on a specific layer or changing the height of every text object in the drawing.[48]
- **External Data Integration:** Linking attributes to external text files for bill-of-materials generation.[40]

Variables and Persistent Logic

AutoLISP introduced the concept of variables that persisted throughout a drawing session.[5] This allowed for the creation of intelligent drafting tools that "remembered" the last offset distance or the standard text height used by a particular firm. The implementation in Version 2.18 was remarkably stable for its time, providing a foundation for thousands of third-party applications that specialized AutoCAD for fields like mechanical engineering, surveying, and HVAC design.[52]

3D Modeling: Levels 1 and 2

Before the arrival of full 3D solid modeling in Release 11, AutoCAD 2.x utilized a tiered approach to 3D representation.[3]

3D Level 1: The Extrusion Era (Version 2.1)

In Version 2.1, 3D was limited to what is often called "2.5D".[5] Every 2D entity possessed two hidden properties: "elevation" (its height above the Z=0 plane) and "thickness" (the distance it was extruded along the Z-axis).[23] A circle with a thickness of 10 would appear as a cylinder. This was exceptionally efficient for architectural modeling, where walls could be drawn in 2D and then "raised" into 3D simply by changing their thickness.[41]

The VPOINT (Viewpoint) command was the primary tool for visualizing these models.[54] By specifying a vector, the user could orbit the model and view it from any angle.[56] To see which objects were in front of others, the HIDE command performed a hidden-line removal, a process that could take several minutes on an 8088 machine depending on the drawing's complexity.[5]

3D Level 2: Surface Modeling (Version 2.6)

Version 2.6 advanced the engine to 3D Level 2, which introduced the 3DFACE command.[5] Unlike

the extruded objects of Level 1, a 3DFACE could have four vertices at completely different X, Y, and Z coordinates.[58] This allowed for the modeling of truly three-dimensional surfaces, such as pitched roofs, terrains, and complex mechanical housings.[58]

Level 2 also introduced "Point Acquisition Filters".[5] These allowed a user to pick a coordinate by taking the X value from one existing point, the Y from another, and the Z from a third.[42] This was a critical "transparent" command modifier (invoked with a period, e.g., .XY) that allowed for precise construction in three-dimensional space without the need for a mouse with Z-axis tracking.[42]

3D Command	Version	Capability and Implementation
ELEV	2.1	Sets the default Z-height and thickness for new entities.[5]
VPOINT	2.1	Defines the viewing angle in 3D space.[54]
HIDE	2.1	Removes hidden lines for a clearer 3D view.[5]
3DLINE	2.6	Creates lines with distinct Z-coordinates for each end.[53]
3DFACE	2.6	Creates non-planar 3- or 4-sided surfaces.[58]
FILTERS	2.6	Coordinate acquisition modifiers (.X,.Y,.Z,.XY, etc.).[5]

The Advanced Drafting Extensions (ADE) Packages

Autodesk's marketing strategy for the 2.x era involved selling the software in tiers.[5] While the base "AutoCAD" product provided simple drafting, the "ADE" packages provided the advanced tools necessary for professional production.

ADE-1: Attributes and Grouping

Introduced in Version 2.0, ADE-1 focused on object intelligence.[5] The ATTDEF (Attribute Definition) and ATTEDIT (Attribute Edit) commands allowed for the creation of "smart" blocks.[5]

This enabled firms to create drawings that weren't just lines, but databases where each desk block knew its cost and each pipe block knew its diameter.[40] ADE-1 also introduced the OSNAP (Object Snap) system, which allowed the cursor to "magnetize" to endpoints, midpoints, and centers, ensuring mathematical perfection in the drawing.[5]

ADE-2: Polylines and 3D Level 1

ADE-2 accompanied the release of Version 2.1 and was centered on complex entity types.[5] This included the PLINE and PEDIT commands, as well as the initial 3D visualization tools.[5] For many users, ADE-2 was the most critical tier because it allowed for the creation of efficient, multi-segment geometry and the first generation of 3D presentations.

ADE-3: Productivity and Level 2 Modeling

By the time of Version 2.6, ADE-3 added the high-end features like 3DFACE, associative dimensioning, and advanced viewport controls.[5] It also included the STRETCH, TRIM, and EXTEND commands that transformed the editing workflow.[5] Most professional firms by 1987 were running "AutoCAD with ADE-3," as the productivity gains of these commands far outweighed the additional licensing costs.

Technical Maintenance and Data Integrity

Working with AutoCAD 2.x required a proactive approach to file maintenance. Because of the limited memory and the propensity for DOS systems to crash, drawing files could become corrupted, leading to the development of several utility commands.[38]

Auditing and Purging

The PURGE command was (and is) essential for keeping file sizes manageable.[37] Over the course of a project, a user might define hundreds of layers or blocks that are eventually no longer used. PURGE scanned the database and removed these unreferenced definitions, freeing up critical memory in the EMS and conventional RAM.[37]

The AUDIT command was later introduced to check the internal database for consistency.[5] It verified that every entity handle pointed to a valid object and that the block table was properly linked. If a drawing became so corrupted that it could not be opened, the RECOVER command was used as a last resort to reconstruct the database from the readable bits of the DWG file.[5]

The OOPS Command

A unique quirk of the 2.x era was the OOPS command.[38] While standard UNDO was available, OOPS was a specialized tool that only restored the last set of objects deleted by the ERASE command, without undoing any intervening drawing or editing actions.[38] This was highly useful if a user realized they had accidentally erased a critical boundary five minutes prior but didn't want to lose all the work they had done in the meantime.

Conclusion: The Structural Legacy of AutoCAD 2.x

The architecture of AutoCAD 2.18 and 2.6 established the fundamental concepts that still underpin the CAD industry nearly forty years later. By developing a system that could manage a high-precision geometric database within the 640KB limit of MS-DOS, Autodesk proved that professional engineering was possible on personal computers.[7] The introduction of the AutoLISP environment in Version 2.18 moved CAD from a drafting tool to an extensible platform, while the 3D Level 2 innovations in Version 2.6 bridged the gap between 2D plans and 3D spatial models.[5]

The internal structure of the DXF group codes and the binary DWG sections (Header, Tables, Blocks, Entities) remains the blueprint for CAD data exchange globally.[14] Even as modern versions move toward BIM, cloud collaboration, and real-time rendering, the core logic of the command line, the hierarchy of the entity database, and the importance of mathematical precision remain a direct legacy of the 2.x development cycle.[15] Understanding this era is essential for any professional peer looking to comprehend the technical DNA of modern design software.

Works cited

1. Versions of AutoCAD - AutoXchange 2026 Technical Documentation - CADViewer, accessed May 5, 2026, https://cadviewer.com/autoxchangetechdocs/operation/versions/
2. A Brief History of AutoCAD - Scan2CAD, accessed May 5, 2026, https://www.scan2cad.com/blog/tips/autocad-brief-history/
3. AutoCAD version history - Wikipedia, accessed May 5, 2026, https://en.wikipedia.org/wiki/AutoCAD_version_history
4. AutoCAD information - JTB World, accessed May 5, 2026, https://jtbworld.com/autocad-information
5. Product Release History - Fourmilab, accessed May 5, 2026, https://www.fourmilab.ch/autofile/e5/chapter2_115.html
6. Key features of AutoCAD 2026 - Autodesk, accessed May 5, 2026, https://www.autodesk.com/products/autocad/features
7. Remembering Memory: EMS, And TSRs - Hackaday, accessed May 5, 2026, https://hackaday.com/2025/05/13/remembering-memory-ems-and-tsrs/
8. Expanded memory - Wikipedia, accessed May 5, 2026, https://en.wikipedia.org/wiki/Expanded_memory
9. Expanded Memory - DevX, accessed May 5, 2026, https://www.devx.com/terms/expanded-memory/
10. Understanding MCE in CAD/CAM | PDF | Random Access Memory | Computer Aided Design - Scribd, accessed May 5, 2026, https://www.scribd.com/document/705164751/MCE-316-Lecture-Note
11. The DOS memory management: - FreeDOS Help (installed language list), accessed May 5, 2026, https://help.fdos.org/en/hhstndrd/help/memory.htm

12. Dos memory management for beginners - Reddit, accessed May 5, 2026, https://www.reddit.com/r/DOS/comments/1pxjlkm/dos_memory_management_for_beginners/
13. Management of Large Amounts of Data in Interactive Building Walkthroughs. - cs.Princeton, accessed May 5, 2026, https://www.cs.princeton.edu/~funk/symp92.pdf
14. AutoCAD DXF - Wikipedia, accessed May 5, 2026, https://en.wikipedia.org/wiki/AutoCAD_DXF
15. Understanding the DWG File Format — Structure, Entity Types & Versions - Innerscene, accessed May 5, 2026, https://www.innerscene.com/tools/dwg-file-format
16. AutoCAD 2027 for Mac Developer and ObjectARX Hilfe | About the DXF Format (DXF), accessed May 5, 2026, https://help.autodesk.com/view/OARXMAC/2027/DEU/?guid=GUID-235B22E0-A567-4CF6-92D3-38A2306D73F3
17. DXF File Structure — ezdxf 1.4.3 documentation, accessed May 5, 2026, https://ezdxf.readthedocs.io/en/stable/dxfinternals/filestructure.html
18. DXF Reference, accessed May 5, 2026, https://help.autodesk.com/cloudhelp/2018/ENU/AutoCAD-DXF/files/index.htm
19. AutoCAD DXF: Summary from the Encyclopedia of Graphics File Formats - FileFormat.Info, accessed May 5, 2026, https://www.fileformat.info/format/dxf/egff.htm
20. GFF Format Summary: AutoCAD DXF, accessed May 5, 2026, https://netghost.narod.ru/gff/graphics/summary/autodxf.htm
21. File Formats: Drawing Interchange Format (DXF) | Raster, Medical, Document Help, accessed May 5, 2026, https://www.leadtools.com/help/sdk/dh/to/file-formats-drawing-interchange-format-dxf.html
22. Help | About Group Codes in DXF Files (DXF) | Autodesk, accessed May 5, 2026, https://help.autodesk.com/cloudhelp/2018/ENU/AutoCAD-DXF/files/GUID-89CB823D-614D-4D1E-8204-568EC72DF869.htm
23. DXF Tags — ezdxf 1.4.3 documentation - Read the Docs, accessed May 5, 2026, https://ezdxf.readthedocs.io/en/stable/dxfinternals/dxftags.html
24. DXF Group Codes - AfraLISP, accessed May 5, 2026, https://www.afralisp.net/reference/dxf-group-codes.php
25. Help: DXF Group Codes in Numerical Order Reference, accessed May 5, 2026, https://help.autodesk.com/cloudhelp/2015/ENU/AutoCAD-DXF/files/GUID-3F0380A5-1C15-464D-BC66-2C5F094BCFB9.htm
26. Structure of DXF File | Sanpreet Singh, accessed May 5, 2026, https://ersanpreet.wordpress.com/2013/07/25/structure-of-dxf-file/
27. Solved: Screen side menu - AutoCAD Forums, accessed May 5, 2026, https://forums.autodesk.com/t5/autocad-forum/screen-side-menu/td-p/8954089
28. Interactive Intersection Design Using an Expert Systems Approach - Transportation Research Board (TRB), accessed May 5, 2026, https://onlinepubs.trb.org/Onlinepubs/trr/1989/1239/1239-002.pdf

29. Show/Edit Polyline - Novapoint Help - Trimble, accessed May 5, 2026, https://novapointhelp.trimble.com/Bridge/Inspect-Polyline-Edit/Show-Edit-Polyline
30. Computer-Aided Graphics and Design [3 ed.] 0824791649, 9780824791643 - dokumen.pub, accessed May 5, 2026, https://dokumen.pub/computer-aided-graphics-and-design-3nbsped-0824791649-9780824791643.html
31. Create Screen Menus (Concept) - AutoCAD Documentation, accessed May 5, 2026, https://documentation.help/AutoCAD-ACG/WS73099cc142f4875513fb5cd10c4aa30d6b-7bf8.htm
32. Creating menus using .MNU files? - AutoLISP, Visual LISP & DCL - AutoCAD Forums, accessed May 5, 2026, https://www.cadtutor.net/forum/topic/50602-creating-menus-using-mnu-files/
33. Automating creation of ribbon or tool bar to run lisps - Forums, Autodesk, accessed May 5, 2026, https://forums.autodesk.com/t5/visual-lisp-autolisp-and-general/automating-creation-of-ribbon-or-tool-bar-to-run-lisps/td-p/13352489
34. AutoCAD Keyboard Commands & Shortcuts Guide - Autodesk, accessed May 5, 2026, https://www.autodesk.com/shortcuts/autocad
35. AutoCAD Keyboard Commands & Shortcuts Guide | Autodesk, accessed May 5, 2026, https://www.autodesk.com/asean/shortcuts/autocad
36. Shortcuts Guide, accessed May 5, 2026, https://damassets.autodesk.net/content/dam/autodesk/www/shortcuts/autocad/AutoCAD-Shortcuts-Guide-Autodesk.pdf
37. 200 AutoCAD Commands and Shortcut list [With PDF eBook] - SourceCAD, accessed May 5, 2026, https://sourcecad.com/autocad-commands-pdf/
38. 150 AutoCAD Command and Shortcut List, accessed May 5, 2026, https://ugmit.org.in/wp-content/uploads/2022/09/3_AutoCAD_Command_and_Shortcut_List.pdf
39. Harnessing Autocad 2000 - The Master's University Online Bookstore, accessed May 5, 2026, https://masters.ecampus.com/harnessing-autocad-2000-1st/bk/9780766812321
40. 50+ Most Useful AutoCAD Commands with Examples - The Knowledge Academy, accessed May 5, 2026, https://www.theknowledgeacademy.com/blog/autocad-commands/
41. AutoCAD 2D Command List Guide | PDF | Ellipse | 2 D Computer Graphics - Scribd, accessed May 5, 2026, https://www.scribd.com/document/943665813/LIST-OF-2D-AND-3D-COMMANDS-in-AutoCAD-with-icons-and-keyboard-shortcuts
42. 2009 - AUTOCAD DRAWINGS, accessed May 5, 2026, https://dwgcad.blogspot.com/2009/
43. AutoCAD 2026 Help | Autodesk, accessed May 5, 2026, https://help.autodesk.com/view/ACD/2026/ENU/?page=commands&q=S*
44. progeCAD for AutoCAD Users autoCAD is popular, but it expensive. Over its

lifetime, Autodesk quadrupled the price to, accessed May 5, 2026, https://progecad.dk/files/ProgeCAD_for_AutoCAD_Users_Tutorial.pdf
45. Common AutoCAD Commands Every User Should Know - Superprof, accessed May 5, 2026, https://www.superprof.com/blog/autocad-commands/
46. AutoCAD LT Features | 2026 New Features - Autodesk, accessed May 5, 2026, https://www.autodesk.com/products/autocad-lt/features
47. AutoCAD LT 2026 Help | About Management of Extended Data Memory Use (AutoLISP), accessed May 5, 2026, https://help.autodesk.com/view/ACDLT/2026/ENU/?caas=caas/documentation/ACD/2014/ENU/files/GUID-48A12BAA-E785-4E2B-B7A7-E3B976E75891-htm.html
48. Adding XData to AutoCAD entities using .NET - Through the Interface, accessed May 5, 2026, https://keanw.com/2007/04/adding_xdata_to.html
49. Lesson 3 A First Look at Code for my First AutoCAD Plug-In - Autodesk, accessed May 5, 2026, https://www.autodesk.com/support/technical/article/caas/tsarticles/ts/4BhYkP2xNWmzZ8jiF603R7.html
50. Querying AutoCAD objects of a particular type using .NET - Through the Interface, accessed May 5, 2026, https://keanw.com/2013/04/querying-autocad-objects-of-a-particular-type-using-net.html
51. User's Guide - Autodesk, accessed May 5, 2026, https://images.autodesk.com/adsk/files/autocad_aca_user_guide_english.pdf
52. OMF API: Power to Customize AutoCAD Architecture and AutoCAD MEP - Autodesk, accessed May 5, 2026, https://www.autodesk.com/autodesk-university/class/OMF-API-Power-Customize-AutoCAD-Architecture-and-AutoCAD-MEP-2016
53. AutoCAD 3D Commands Overview | PDF | 3 D Computer Graphics | Sphere - Scribd, accessed May 5, 2026, https://www.scribd.com/document/654936305/AutoCad-3D-Commands-2
54. AutoCAD 2026 Help | Autodesk, accessed May 5, 2026, https://help.autodesk.com/view/ACD/2026/ENU/?page=commands&q=*
55. AutoCAD Civil 3D Help | VPOINT (Command) | Autodesk, accessed May 5, 2026, https://help.autodesk.com/view/CIV3D/2017/ENU/?caas=caas/CloudHelp/cloudhelp/2017/ENU/AutoCAD-Core/files/GUID-82771983-982A-4F34-886E-FDAC966DF16D-htm.html
56. AutoCAD 2026 Help | VPOINT (Command) - Autodesk product documentation, accessed May 5, 2026, https://help.autodesk.com/view/ACD/2026/ENU/?caas=caas/documentation/ACDLT/2014/ENU/files/GUID-82771983-982A-4F34-886E-FDAC966DF16D-htm.html
57. Complete List of AutoCAD Commands - XL n CAD, accessed May 5, 2026, https://xlncad.com/complete-list-of-autocad-commands/
58. AutoCAD 3DFACE Command - YouTube, accessed May 5, 2026, https://www.youtube.com/shorts/L8JVmt7cHug
59. AutoCAD Civil 3D Help | 3DFACE (Command) | Autodesk, accessed May 5, 2026, https://help.autodesk.com/view/CIV3D/2017/ENU/?caas=caas/CloudHelp/cloudhel

p/2017/ENU/AutoCAD-Core/files/GUID-5E88BB23-9110-45FB-B54A-3FF2E2002585-htm.html
60. AutoCAD LT 2026 Help | 3DFACE (Command) - Autodesk product documentation, accessed May 5, 2026, https://help.autodesk.com/view/ACDLT/2026/ENU/?caas=caas/documentation/ACD/2014/ENU/files/GUID-5E88BB23-9110-45FB-B54A-3FF2E2002585-htm.html
61. Create Stunning 3D Face in Minutes AutoCAD 3D Face Command Tricks #autocadd #tutorial #autocadtips - YouTube, accessed May 5, 2026, https://www.youtube.com/shorts/E74d7oGR6aM
62. AutoCAD 2026 Help | Coordinate Filters (Command Modifier) | Autodesk, accessed May 5, 2026, https://help.autodesk.com/view/ACD/2026/ENU/?caas=caas/documentation/ACDLT/2014/ENU/files/GUID-46A720EC-712F-44E3-95F7-ABBCC08F8B85-htm.html
63. Using Point Filters in 2D - Autodesk, accessed May 5, 2026, https://www.autodesk.com/support/technical/article/caas/tsarticles/ts/2rcHJv4fd08nEqBzYbo1Oh.html
64. 1. TurboCAD LTE 6 Users Guide . . .