

Karelia University of Applied Sciences
Information and Communication Technology


API Programming IC10025-3003


Weekly exercise 4


Madani sarighiyeh
Elham
2505489
11.11.2026



File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
package.json
server.js
api-tests.rest
todos.js
Response(3ms)
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
7. Test 400 Bad Request
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"description": "This should fail"
}
8. Test 404 Not Found
Send Request
GET http://localhost:3000/todos/12345
HTTP/1.1 404 Not Found
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 26
ETag: W/"1a-hwodwbWGyVn+6gaESAkhR6ThSk4"
Date: Thu, 12 Nov 2026 11:54:57 GMT
Connection: close
{
"error": "Todo not found"
}
Outline
Timeline
Launchpad
No Environment
Go Live
Prettier



File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
package.json
server.js
api-tests.rest
todos.js
Response(5ms)
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Create a todo (POST)
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo"
}
2. Get all todos
Send Request
GET http://localhost:3000/todos
3. Get todos by state (Filter)
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
HTTP/1.1 201 Created
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 214
ETag: W/"d6-ij7aoXMc1ue6f3yR0Z6fY3R41nM"
Date: Thu, 12 Nov 2026 11:51:21 GMT
Connection: close
{
"id": "bed434be-ea06-48cd-ac7a-6d0be363c594",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo",
"createdAt": "2026-11-12T11:51:21.951Z",
"updatedAt": "2026-11-12T11:51:21.951Z"
}
Problems
Output
Debug Console
Terminal
Ports
node
PS C:\Elham\UNI\3. API\4\todo-api> npm start
> node server.js
Server is running on http://localhost:3000
Outline
Timeline
Launchpad
Ln 31, Col 72
Spaces: 4
UTF-8
CRLF
{ } HTTP
No Environment
Go Live
Prettier



File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
package.json
server.js
api-tests.rest
todos.js
Response(3ms)
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Create a todo (POST)
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo"
}
2. Get all todos
Send Request
GET http://localhost:3000/todos
3. Get todos by state (Filter)
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
HTTP/1.1 200 OK
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 648
ETag: W/"288-O5YRdE/8tmZmfyK44SJq4+VacZw"
Date: Thu, 12 Nov 2026 11:53:07 GMT
Connection: close
[
{
"id": "76cbd861-1dce-49af-9911-0b8128e8c600",
"title": "Study REST APIs",
"description": "Read a dissertation by Roy Fielding",
"state": "todo",
"createdAt": "2026-11-12T11:38:20.946Z",
"updatedAt": "2026-11-12T11:38:20.946Z"
},
{
"id": "618c232e-bf0a-4256-8fdc-a20b6556f8ac",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo",
"createdAt": "2026-11-12T11:45:13.309Z",
"updatedAt": "2026-11-12T11:45:13.309Z"
},
{
"id": "bed434be-ea06-48cd-ac7a-6d0be363c594",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo",
"createdAt": "2026-11-12T11:51:21.951Z",
"updatedAt": "2026-11-12T11:51:21.951Z"
}
Outline
Timeline
Launchpad
No Environment
Go Live
Prettier


File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
Outline
Timeline
package.json
server.js
api-tests.rest
todos.js
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Create a todo (POST)
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo"
}
2. Get all todos
Send Request
GET http://localhost:3000/todos
3. Get todos by state (Filter)
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
Response(3ms)
HTTP/1.1 200 OK
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 648
ETag: W/"288-O5YRdE/8tmZmfyK44SJq4+Vac2w"
Date: Thu, 12 Nov 2026 11:53:54 GMT
Connection: close
[
{
"id": "76cbd861-1dce-49af-9911-0b8128e8c600",
"title": "Study REST APIs",
"description": "Read a dissertation by Roy Fielding",
"state": "todo",
"createdAt": "2026-11-12T11:38:20.946Z",
"updatedAt": "2026-11-12T11:38:20.946Z"
},
{
"id": "618c232e-bf0a-4256-8fdc-a20b6556f8ac",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo",
"createdAt": "2026-11-12T11:45:13.309Z",
"updatedAt": "2026-11-12T11:45:13.309Z"
},
{
"id": "bed434be-ea06-48cd-ac7a-6d0be363c594",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo",
"createdAt": "2026-11-12T11:51:21.951Z",
"updatedAt": "2026-11-12T11:51:21.951Z"
}
Launchpad
3ms
820 B
No Environment
Go Live
Prettier


File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
Outline
Timeline
package.json
server.js
api-tests.rest
todos.js
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Create a todo (POST)
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo"
}
2. Get all todos
Send Request
GET http://localhost:3000/todos
3. Get todos by state (Filter)
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
Response(2ms)
HTTP/1.1 200 OK
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 214
ETag: W/"d6-ij7aoXMc1ue6f3yR0Z6fY3R41nM"
Date: Thu, 12 Nov 2026 11:54:03 GMT
Connection: close
{
"id": "bed434be-ea06-48cd-ac7a-6d0be363c594",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo",
"createdAt": "2026-11-12T11:51:21.951Z",
"updatedAt": "2026-11-12T11:51:21.951Z"
}
Launchpad
2ms
385 B
No Environment
Go Live
Prettier


File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
Outline
Timeline
package.json
server.js
api-tests.rest
todos.js
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Create a todo (POST)
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "todo"
}
2. Get all todos
Send Request
GET http://localhost:3000/todos
3. Get todos by state (Filter)
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
Response(3ms)
HTTP/1.1 200 OK
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 215
ETag: W/"d7-O5AvuM11mUboh8E/2UVz8W4p0Hk"
Date: Thu, 12 Nov 2026 11:54:14 GMT
Connection: close
{
"id": "bed434be-ea06-48cd-ac7a-6d0be363c594",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "doing",
"createdAt": "2026-11-12T11:51:21.951Z",
"updatedAt": "2026-11-12T11:54:14.881Z"
}
Launchpad
3ms
386 B
No Environment
Go Live
Prettier


File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
Outline
Timeline
package.json
server.js
api-tests.rest
todos.js
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
7. Test 400 Bad Request
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"description": "This should fail"
}
8. Test 404 Not Found
Send Request
GET http://localhost:3000/todos/12345
Response(2ms)
HTTP/1.1 200 OK
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 265
ETag: W/"109-Nxiu+yAd29HkQP/NkdCOOH8/rso"
Date: Thu, 12 Nov 2026 11:54:24 GMT
Connection: close
{
"message": "Todo deleted successfully",
"deleted": {
"id": "bed434be-ea06-48cd-ac7a-6d0be363c594",
"title": "Write API documentation",
"description": "OpenAPI + README examples",
"state": "doing",
"createdAt": "2026-11-12T11:51:21.951Z",
"updatedAt": "2026-11-12T11:54:14.881Z"
}
}
Launchpad
2ms
437 B
No Environment
Go Live
Prettier


File Edit Selection View Go Run Terminal Help
todo-api
Update
Explorer
todo-api
node_modules
api-tests.rest
New Text Document....
package-lock.json
package.json
server.js
todos.js
Outline
Timeline
package.json
server.js
api-tests.rest
todos.js
api-tests.rest > DELETE /todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Send Request
GET http://localhost:3000/todos?state=todo
4. Get a single todo
Send Request
GET http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
5. Update a todo
Send Request
PUT http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c594
Content-Type: application/json
{
"state": "doing"
}
6. Delete a todo
Send Request
DELETE http://localhost:3000/todos/bed434be-ea06-48cd-ac7a-6d0be363c
7. Test 400 Bad Request
Send Request
POST http://localhost:3000/todos
Content-Type: application/json
{
"description": "This should fail"
}
8. Test 404 Not Found
Send Request
GET http://localhost:3000/todos/12345
Response(5ms)
HTTP/1.1 400 Bad Request
X-Powered-By: Express
Content-Type: application/json; charset=utf-8
Content-Length: 50
ETag: W/"32-qRhM8mDFkh3UA31oJqG8puAvLb8"
Date: Thu, 12 Nov 2026 11:54:42 GMT
Connection: close
{
"error": "Title is required and must be a string"
}
Launchpad
5ms
220 B
No Environment
Go Live
Prettier