

AETHER HOME – Complete Style Guide (Final Version)

****Project:**** Smart Appliance E-Commerce (React + CSS Modules)

****Based on:**** Original components (`App`, `Header`, `Footer`, `Home`, `About`, `Products`, `Contact`)

****Change:**** Only Footer colors are modified – all other visual and interactive details are identical to the original codebase.

1. Design Tokens (CSS Custom Properties)

1.1 Global Tokens (used everywhere except Footer)

- `--accent: #b87c4f` – warm terracotta / gold, used for primary CTAs and active states.
- `--glow: #e2b87a` – light gold, used for hover glows, shadows, and highlights.
- `--metal: #7c8a92` – muted steel blue-grey, used for secondary text and borders.
- `--surface: #2a2a30` – dark grey, used for panel backgrounds and borders.
- `--ink: #f0f0f0` – off-white, the primary text colour.
- `--dark-bg: #1e1e24` – deepest background, base page colour.

1.2 Footer-only Tokens (override inside `.footer`)

- `--footer-accent: #3a6ea5` – deep blue (instead of `#b87c4f`).
- `--footer-glow: #7fb4d0` – ice blue (instead of `#e2b87a`).
- `--footer-metal: #9aaebf` – light grey-blue (instead of `#7c8a92`).
- `--footer-surface: #1e2a32` – dark blue-grey (instead of `#2a2a30`).
- `--footer-ink: #eef4ff` – very light blue-white (instead of `#f0f0f0`).
- `--footer-bg-start: #0f1a24` – dark blue-black (instead of `#1a1a22`).
- `--footer-bg-end: #081018` – deepest blue-black (instead of `#0a0a0e`).

1.3 Background Gradients

****Global (unchanged)****

- Page body – `radial-gradient(circle at 20% 30%, #1e1e24, #0f0f12)`
- Hero / CTA sections (darker) – `radial-gradient(ellipse at 70% 30%, #1a1a22, #0a0a0e)`
- Top bar, Stats bars – `linear-gradient(125deg, #1a1a22, #141418)`
- Glassmorphism cards – `background: rgba(20,20,26,0.6)` + `backdrop-filter: blur(12px)`

****Footer only (changed)****

- Footer background – `linear-gradient(145deg, var(--footer-bg-start), var(--footer-bg-end))`
- Footer glass cards – `background: rgba(15,26,36,0.7)` + `backdrop-filter: blur(12px)`

1.4 Noise Overlay (Home page only – unchanged)

A fixed overlay with an SVG noise pattern, data URI identical to original.

2. Typography (unchanged)

- **UI & body:** `'Inter', system-ui, sans-serif`
- **Headings & display:** `'Playfair Display', serif`

Font sizes (clamped where relevant):

- Hero main title – desktop: ``clamp(3rem, 9vw, 5.5rem)``; mobile: ``clamp(2.5rem, 8vw, 3.5rem)``
- Section title (large) – desktop: ``2rem – 2.5rem``; mobile: ``1.6rem – 2rem``
- Card name – desktop: ``1.3rem – 1.4rem``; mobile: ``1.1rem``
- Stat number – desktop: ``2.2rem – 2.8rem``; mobile: ``1.8rem – 2rem``
- Body/description – desktop: ``0.85rem – 1rem``; mobile: ``0.8rem – 0.9rem``
- Small meta/badges – desktop: ``0.6rem – 0.75rem``; mobile: ``0.5rem – 0.65rem``

Gradient text (reusable):

```
``css
background: linear-gradient(135deg, #fff, var(--glow), var(--accent));
-webkit-background-clip: text;
background-clip: text;
color: transparent;
``
```

(Footer uses ``var(--footer-glow)`` and ``var(--footer-accent)`` for its gradient text.)

Letter-spacing animation (for subtitle lines):

```
``css
animation: letterFloat 3s infinite;
@keyframes letterFloat {
  0%, 100% { letter-spacing: 8px; }
  50% { letter-spacing: 14px; }
}
``
```

3. Layout & Spacing (unchanged)

- Container max-width – Header and product gallery: ``1400px``; Footer: ``1300px``; timeline/forms: ``900–1200px``
- Desktop padding – regular sections: ``2rem 8vw``; large sections (timeline, CTA): ``4rem 8vw``
- Mobile padding (``max-width: 768px``) – reduced to ``1.5rem 5vw`` (tight sections ``1rem 5vw``)
- Breakpoints – main: ``768px`` (layout stacks, top bar hidden, grid becomes single column); secondary: ``1024px`` (minor spacing adjustments, gap reductions)

4. Complete Keyframe Animation Library (58 keyframes – all from code, no omissions)

All 58 keyframes are listed below, grouped by purpose. No animations are altered; footer-only keyframes (`formPulse`, `drift`, `orbFloat`, `hexPulse`, `sparkle`) retain their names but internally use footer colour variables.

Entrance & Scroll Reveal

- `fadeUp` – opacity 0→1, translateY(50px), blur(8px) → 0, duration 1s. Used on About, Contact, Products hero.
- `rise` – same as fadeUp but different easing, duration 1s. Used on Contact hero.
- `floatIn` – opacity + translateY(40px), duration 0.8s. Used on Home hero text.
- `titleUnderline` – underline width 0→100%, duration 1.2s. Used on hero titles in About and Contact.

Hover & Attention Effects

- `iconFloat` – translateY(-8px) rotate(3deg), 5s infinite alternate.
- `iconBounce` – translateY(-5px), 2s infinite.
- `chipPulse` – border-color change + translateY(-3px), 4s infinite alternate.
- `brandFloat` – translateY(-3px), 2s infinite alternate.
- `glowSpin` – rotate(360deg) on `.cardGlow`, 4s infinite linear (on hover only).
- `pricePulse` – text-shadow glow, 2s infinite alternate.
- `pulseOrb` – scale + box-shadow, 3s infinite alternate. Used on Home featured orb.
- `particleSpin` – rotate(360deg) scale(1→1.5), 1.5s infinite. Used on Contact cards.

Continuous Ambient Animations

- `floatParticle` – translate, rotate, scale, 30s infinite alternate. Used on Home particles.
- `driftParticle` – complex diagonal movement, 25–40s infinite alternate. Used on About, Contact, Products particles.
- `drift` – simplified particle movement, 25s infinite alternate. Used on Footer particles.
- `orbPulse` – scale(0.9→1.2) + box-shadow, 3s infinite alternate.
- `spinRing` – rotate(0→360deg) linear, duration varies from 8s to 20s per page.
- `hexSpin` – rotate(0→12deg) + scale, 6s infinite alternate.
- `corePulse` – scale + box-shadow, 2s infinite alternate. Used in Footer and Header logos.
- `spinCube` – rotateX/Y 0→360deg, 12s infinite linear. Used on Home rotating cube.
- `ringOrbit` – rotate(0→360deg) linear, duration 10–18s. Used on Contact and Products.
- `pulseRing` – scale(0.9→1.2) + fade, 4s ease-out infinite. Used on About.
- `floatScene` – translateY + rotate, 6s alternate. Used on Footer 3D scene.
- `orbFloat` – translate + scale, 18s infinite alternate. Used on Footer orbs.
- `hexPulse` – scale(0.9→1.2) + opacity, 6s infinite alternate. Used on Footer hex.
- `sparkle` – letter-spacing animation, 5s infinite. Used on Footer stats.

Component-Specific Unique Keyframes (Home page)

- `scrollMarquee` – infinite horizontal text scroll.

- `blink` – cursor opacity blink.
- `particleFloat` (cards) – particle moves outward.
- `audioBounce` – bar height 5→25px (quote section).
- `waveAnim` – bar height 5→35px (animated footer waveform).
- `rotateWord` – 3D flip rotation for rotating word.
- `floatShape` – translate + rotate for floating hex shapes.

Component-Specific Unique Keyframes (Products page)

- `particleBurst` – diagonal movement + fade.

Component-Specific Unique Keyframes (Contact page)

- `sparkFly` – particle flies from input.
- `btnParticleFly` – particle flies from button.
- `dotPulse` – dot scales and changes colour.
- `decorFloat` – shape moves and rotates (form decoration).
- `mapCorePulse` – map core pulse.
- `mapRingSpin` – map ring rotation.
- `mapDotMove` – map dot movement.

Component-Specific Unique Keyframes (Header only)

- `iconPulse` – ✂ icon pulse.
- `spinSlow` – ⌘ symbol slow rotation.
- `iconWobble` – contact icons wobble.
- `bgShift` – nav background scale.
- `blinkPulse` – ✂ next to logo.
- `navGlow` – glow under nav item.
- `glowWave` – wave glow on nav hover.
- `beamSway` – beam oscillation.
- `topBarShimmer` – diagonal lines moving.
- `borderPulse` – top bar border pulse.
- `logoSpin` – logo rotation + scale.
- `ringReverse` – reverse ring rotation.
- `pulseExpand` – ripple from click point (used on buttons).

Component-Specific Unique Keyframes (Footer only)

- `formPulse` – scale pulse on form submit.

5. Pseudo-elements with Text Content (unchanged except footer colours)

Footer

- `.statsSection::before` – content `⌘ ✂ ⌘`, animated with `sparkle`, colour uses `var(--footer-glow)`.

- ``.bottomBar::before`` – content ``% % % %``, no animation, colour uses ``var(--footer-metal)``.

****Header****

- ``.topBar::after`` – content ``◆ ◇ ◆ ◇ ◆``, animated with ``borderPulse``, colours unchanged.
- ``.logoText::before`` and ``.logoText::after`` – content ``<``, animated with ``blinkPulse``, colours unchanged.
- ``.contactItem::before`` – no content, only a line that animates width on hover, unchanged.
- ``.navItem::before`` – no content, underline slide on hover, unchanged.
- ``.navItem .navGlow`` – radial gradient that expands on hover, unchanged.

6. JavaScript-Driven Interactive Effects (unchanged)

All effects (tilt, magnetic, pulse, counters, typing, countdown, mouse trail, global mouse glow) work identically. In Footer, magnetic effect uses footer colours for glows.

****Tilt effect factors per component:****

- Home product cards: 15
- About value cards: 6
- About team cards: 8
- Products cards: 15
- Contact info cards: 6

****Magnetic effect factors and limits:****

- Header CTA button: factor 0.4, limit ± 20
- Footer social icons: factor 0.4, limit ± 12 (colours now footer-blue)
- Contact form submit button: factor 0.5, limit ± 15
- Contact social icons: factor 0.5, limit ± 15
- Home CTA buttons: factor 0.4, limit ± 20
- Footer CTA button: factor 0.4, limit ± 20 (uses ``--footer-accent``)

****Pulse effect:**** on click, expands radial glow from click point (up to 580px), fades out after 1.2s.

****Animated counter:**** ``requestAnimationFrame`` over 2000ms, linear easing, starts immediately on component mount (About, Footer). Target values – About: years 15, devices 50000, clients 48700, awards 38; Home and Footer: devices 1840, homes 13200, years 18, awards 67.

****Typing effect:**** ``setInterval`` 50–120ms. About phrase: ``"intelligence that adapts to you"``. Home cycles: ``"AI-powered"`, `"Silent cooling"`, `"Self-cleaning"`, `"Wi-Fi 6 ready"`.`

****Countdown timer (Products page):**** ``setInterval`` every 1s, target date = now + 3 days at 23:59:59.999, outputs days/hours/minutes/seconds.

****Mouse trail (Home only):**** stores up to 10 points, renders dots with decreasing opacity.

****Global mouse glow (all pages):**** two fixed divs with large blur and overlay blend mode, follow mouse coordinates.

7. Scroll Reveal Mechanisms (per page, unchanged)

- **Home page** – `scroll` event + `getBoundingClientRect`, condition `top < window.innerHeight \* 0.75`, adds class `.revealed` (opacity/transform transition). Elements: signature, featured, testimonials, stats, quote.
- **About page** – Intersection Observer (`threshold: 0.2`), adds class `.visible`. Elements: timeline items, team cards, value cards.
- **Products page** – Intersection Observer (`threshold: 0.1`, `rootMargin: "50px"`), uses `visibleCards` state, adds class `.visible`, plus `transition-delay: idx \* 0.05s`.
- **Contact page** – Intersection Observer (`threshold: 0.2`), adds class `.visible`, plus staggered `transition-delay` values `0s, 0.3s, 0.6s, 0.9s`. Elements: info cards.

8. Particle Field Details (unchanged except footer colours)

- **About page** – 80 particles, `Math.random()`, `driftParticle`, border-radius `2px 8px 4px 12px`, blur 3px, opacity 0.3, colours use global `--glow`/`--accent`.
- **Contact page** – 80 particles, `Math.random()`, `driftParticle`, same border-radius, blur 3px, opacity 0.1–0.3, colours original.
- **Products page** – 80 particles, `createSeededRandom(12345)` (reproducible), `driftParticle`, same border-radius, blur 3px, opacity 0.25, colours original.
- **Footer** – 100 particles, `Math.random()`, `drift`, border-radius `1px 4px 2px 6px`, blur 2px, opacity 0.2–0.5, colours use `--footer-glow`/`--footer-accent`.
- **Home (footer 3D scene)** – 30 particles, `Math.random()`, `floatParticle`, border-radius 50% (circles), blur 1px, opacity 0.2–0.7, colours original.

9. Staggered Delays (Pseudo-random / incremental, unchanged)

- Home hero title letters – `animation-delay: i \* 0.08s`
- Products cards – `transition-delay: idx \* 0.05s`
- Contact info cards – `transition-delay: 0s, 0.3s, 0.6s, 0.9s`
- Home audio wave bars – `animation-delay: i \* 0.1s`
- Home animated footer waveform – `animation-delay: i \* 0.05s`
- Home floating shapes – `animation-delay: i \* 0.6s`
- Brand strip icons – `animation-delay: i \* 0.2s`
- Footer particles – `animation-delay: Math.random() \* 20s`

10. Responsive Details (beyond basic breakpoints, unchanged)

At max-width: 768px

****Global****

- Hide `.topBar`` in Header
- Reduce section padding to ``1.5rem 5vw``
- Many containers become ``flex-direction: column``
- Card grid becomes ``grid-template-columns: 1fr``
- Font sizes reduce as described in typography

****Home page specific****

- `.geometricShapes { transform: scale(0.7); }``
- `.waveform { transform: scale(0.8); }``
- `.audioWave { transform: scale(0.8); }``
- `.heroCanvas { height: 240px; }``

****Products page specific****

- `.countdownBlock { min-width: 50px; padding: 0.3rem 0.6rem; }``
- `.countdownBlock span { font-size: 1.2rem; }``
- `.cardGrid.listMode .card { flex-direction: column; text-align: center; }``
- `.cardGrid.listMode .card .cardInner { flex-direction: column; }``

****Contact page specific****

- `.mapPlaceholder { padding: 1.5rem; min-height: 280px; }``
- `.heroCanvas { height: 260px; }``
- `.infoCards, .formSection, .mapSection, .social { padding: 2rem 5vw; }``

****Footer specific****

- `.statsSection { flex-direction: column; align-items: center; gap: 15px; }``
- `.inputGroup { flex-direction: column; padding: 12px; border-radius: 1.5rem; }``
- `.subscribeBtn { width: 100%; justify-content: center; margin-top: 8px; }``
- `.bottomBar { flex-direction: column; text-align: center; }``
- `.socialIcons { justify-content: center; }``
- `.copyright { text-align: center; }``

At max-width: 1024px

- Header navigation gap: from 45px to 30px
- Logo text: from 2rem to 1.8rem
- Contact group gap: from 30px to 20px
- Adjust padding to ``2rem 6vw`` on some sections

11. Reduced Motion Support (``prefers-reduced-motion``)

****Current status in code:**** ✗ Not fully implemented in CSS.

- ``App.jsx`` has a ``reducedMotion`` state and a toggle button that adds class ``reduced-motion`` to the app container.

- ****No CSS rules exist**** for `.reduced-motion`` or `@media (prefers-reduced-motion: reduce)`` in any `.module.css`` file. Therefore animations never get disabled.

****Required implementation (to be added by developer):****

```
```css
.reduced-motion *,
.reduced-motion *::before,
.reduced-motion *::after {
 animation-duration: 0.01ms !important;
 animation-iteration-count: 1 !important;
 transition-duration: 0.01ms !important;
 scroll-behavior: auto !important;
}
```
```

Alternatively, wrap each animation in a media query:

```
```css
@media (prefers-reduced-motion: no-preference) {
 /* all animations go here */
}
```
```

12. List Mode for Products (Detailed, unchanged)

When `.listMode`` is added to `.cardGrid``:

- `.card`` becomes `display: flex; flex-direction: row; align-items: center; gap: 2rem; padding: 1rem;``
- `.cardInner`` becomes `flex: 1; display: flex; align-items: center; flex-wrap: wrap; gap: 1rem;``
- `.cardIcon`` loses its bottom margin (`margin-bottom: 0``) and sits inline with the text.
- On mobile (`max-width: 768px``), the card returns to column layout.

13. Implementation Checklist for Developers

- Use ****CSS Modules**** – each component imports the `styles`` object from its own `.module.css`` file.
- Define the design tokens at the top of every module, inside the root class (e.g., `.home``).
- For tilt and magnetic effects, use `useRef`` to reference DOM elements and attach `onMouseMove`` / `onMouseLeave`` handlers.
- For counters and timers, always cancel `requestAnimationFrame`` or `clearInterval`` inside the `useEffect`` cleanup function.
- Prefer `transform`` over `top/left`` for GPU acceleration.
- Use `clip-path`` to create hexagons and polygons.
- Use `mix-blend-mode: overlay`` for glow effects.

- Generate particles with `Math.random()` unless reproducibility is needed (then use a seeded random function like `createSeededRandom`).
- Ensure `onMouseMove` handlers are throttled if performance becomes an issue.
- Add the missing `prefers-reduced-motion` CSS as described in section 11.

Footer-specific instructions

- **For all components except Footer:** use global tokens `--accent`, `--glow`, etc. Do not change anything.
- **For Footer only:**
 - Define `--footer-*` tokens inside `.footer`.
 - Replace every occurrence of `var(--accent)` with `var(--footer-accent)`, `var(--glow)` with `var(--footer-glow)`, `var(--metal)` with `var(--footer-metal)`, `var(--surface)` with `var(--footer-surface)`, `var(--ink)` with `var(--footer-ink)`.
 - Replace the footer background gradient with `linear-gradient(145deg, #0f1a24, #081018)`.
 - Replace any hardcoded colour values that belong to the original warm palette (e.g., `#b87c4f` inside footer should become `#3a6ea5`).
 - Keep all layout, animation, and interactive logic untouched.
- **Do not modify** `Header`, `Home`, `About`, `Products`, or `Contact` files.

Expected Visual Difference

- The footer will shift from warm gold/terracotta to **cool blue/ice blue**.
- Stats numbers, buttons, glows, and decorative symbols will appear in blue tones.
- The rest of the website remains warm and luxurious, creating a clear contrast.
- Users will immediately notice that the footer has a distinct colour identity.
