

Heart Bazaar – Complete Style Guide

1. Technology Stack & Global Setup

- **React** – functional components with hooks (`useState`, `useEffect`, `useRef`, `useCallback`, `useLocation`, etc.)
- **React Router DOM** – routes:
 - `/` → `Home`
 - `/discover` → `Discover`
 - `/about` → `About`
 - `/contact` → `Contact`
- **CSS Modules** – each component has a dedicated `.module.css` file. No global CSS except `App.module.css`.
- **No external UI libraries** – all styles are custom CSS.
- **Icons** – only emojis (no icon fonts, no SVGs).
- **Fonts** (defined in `App.module.css`, inherited by all components unless overridden):
 - Body text: `'Poppins', 'Comic Neue', system-ui, -apple-system, sans-serif`
 - Headings (`h1`–`h6`): `'Comic Neue', 'Poppins', cursive`
- **Global reset** (in `App.module.css`):
 - `* { box-sizing: border-box; margin: 0; padding: 0; }`
 - `html, body { width: 100%; min-height: 100vh; }`
 - Body background: `linear-gradient(145deg, var(--bg-dark) 0%, var(--bg-light) 50%, var(--bg-deep) 100%)` with the root variables defined in `:root`.
- **Motion reduction** – the code checks `document.body.classList.contains('reduce-motion')` in `Header` to disable some JS animations. CSS animations are not globally disabled.

2. Global Root Variables (`App.module.css`)

These variables are applied to `:root` and are used primarily in `App.module.css` itself for the app container and body background. Other components **do not** rely on them (they redefine their own variables).

```
``css
:root {
  --toy-red: #ff4d4d;
  --toy-yellow: #ffd966;
  --toy-blue: #4d9eff;
  --toy-green: #6bcf7f;
  --toy-orange: #ff9f4d;
  --toy-purple: #c56eff;
  --text-light: #f9f3e2;
  --bg-dark: #1e2a3a;
  --bg-light: #2b3b4e;
  --bg-deep: #0f2a38;
  --charcoal: #1e2a3a;
  --graphite: #2b3b4e;
  --steel: #3a4a5e;
  --brass: var(--toy-yellow);
  --copper: var(--toy-orange);
  --concrete: #7a8a9a;
  --paper: var(--text-light);
  --fire: var(--toy-red);
}
```

```

    --cyan: var(--toy-blue);
  }
  ...

```

****Usage in `App.module.css`:**

```

- `.app` background: `linear-gradient(145deg, var(--bg-dark) 0%, var(--bg-light) 50%, var(--bg-deep) 100%)`
- `body` background: same gradient
- `body` color: `var(--text-light)`
- `body` line-height: `1.5`
- Links (`a`): `text-decoration: none; color: inherit`
- Buttons: `font-family: inherit`

```

3. Component- Specific Color Palettes

The codebase uses ****two distinct aesthetic palettes****:

```

- **Love Palette** (softer, romantic) – used in `Header`, `About`, `Discover`
- **Neon Palette** (brighter, cyber- wave) – used in `Home`, `Footer`, `Contact`

```

Each component defines its own CSS custom properties (variables) inside its module. Below are the exact values.

3.1 Love Palette (used in `Header`, `About`, `Discover`)

****Color variables (exact values from CSS modules):****

```

- `--love-pink` – primary accent: `#ff6b9d`
- `--love-red` – error, badges: `#ff4d6d`
- `--love-purple` – secondary accent: `#c77dff`
- `--love-gold` – highlights, stars: `#ffd966`
- `--love-soft` – very light pink (About only): `#ffe0f0`
- `--bg-dark` – dark mid background: `#2a1e2c`
- `--bg-light` – lighter dark: `#3d2a3e`
- `--bg-deep` – deepest dark: `#1e1220`
- `--text-light` – primary text: `#fff0f5`
- `--text-dim` – secondary text: `#f0c0d0`
- `--border-glow` – border with glow: `rgba(255,107,157,0.4)` (Header uses `0.5`)
- `--pink-glow` – radial glow: `rgba(255,107,157,0.6)`
- `--ease-spring` – cubic- bezier: `cubic-bezier(0.68, -0.55, 0.265, 1.55)`
- `--ease-power` – cubic- bezier: `cubic-bezier(0.16, 1, 0.3, 1)`
- `--ease-bounce` – cubic- bezier: `cubic-bezier(0.34, 1.56, 0.64, 1)`
- `--glitch-1` – text shadow: `2px 0 var(--love-pink)`
- `--glitch-2` – text shadow: `2px 0 var(--love-purple)`

```

****Additional opacity variants (inline, not as variables):****

```

- Circle button backgrounds: `rgba(255,107,157,0.2)`
- Card backgrounds: `rgba(255,255,255,0.03)` or `rgba(255,255,255,0.05)`
- Tag popular background: `rgba(255,107,157,0.5)`
- Tag new background: `rgba(199,125,255,0.5)`
- Tag verified background: `rgba(107,207,127,0.5)` (greenish)
- Map curve: `rgba(255,107,157,0.5)` / `rgba(199,125,255,0.5)`

```

****Background gradients (Love palette):****

```

- Page background: `radial-gradient(ellipse at 20% 30%, var(--bg-dark), var(--bg-deep))`

```

- Rotating conic overlay: `conic-gradient(from 0deg at 50% 50%, var(--love-pink) 0deg, var(--love-purple) 90deg, var(--love-gold) 180deg, var(--love-red) 270deg, var(--love-pink) 360deg)` – opacity `0.05`
- Radial pulse overlay: two `radial-gradient` circles with `rgba(255,107,157,0.2)` and `rgba(199,125,255,0.2)`, opacity `0.4`
- Grid pattern: `linear-gradient(var(--love-pink) 1px, transparent 1px), linear-gradient(90deg, var(--love-purple) 1px, transparent 1px)` – opacity `0.06`
- Diagonal stripes: `repeating-linear-gradient(45deg, transparent 0px, transparent 40px, rgba(255,107,157,0.05) 40px, rgba(199,125,255,0.05) 80px)`

3.2 Neon Palette (used in `Home`, `Footer`, `Contact`)

****Color variables (exact values):****

****Home:****

- `--pink-neon`: `#ff2a6d`
- `--pink-soft`: `#ff6ac6`
- `--pink-glow`: `rgba(255,42,109,0.6)`
- `--blue-neon`: `#3b82f6`
- `--blue-glow`: `rgba(59,130,246,0.6)`
- `--orange-neon`: `#f97316`
- `--orange-glow`: `rgba(249,115,22,0.6)`
- `--text-light`: `#f1f5f9`
- `--text-dim`: `#a0aec0`
- `--border-glow`: `rgba(255,42,109,0.4)`
- `--bg-dark`: `#0a0a0f`
- `--bg-card`: `#111115`
- `--ease-power`: `cubic-bezier(0.16, 1, 0.3, 1)`
- `--ease-spring`: `cubic-bezier(0.68, -0.55, 0.265, 1.55)`
- `--ease-bounce`: `cubic-bezier(0.34, 1.56, 0.64, 1)`

****Footer & Contact (same variables, slightly different glow opacities):****

- `--pink-glow`: `rgba(255,42,109,0.7)`
- `--blue-glow`: `rgba(59,130,246,0.7)`
- `--orange-glow`: `rgba(249,115,22,0.7)`
- `--text-dim`: `#a0aec0` (same)
- Background for Contact/Footer: `radial-gradient(ellipse at 20% 30%, #0a0512, #020005)`

****Additional direct colors (Home only):****

- Hero image background: `radial-gradient(circle at 30% 40%, #1e1a2a, #0a0a0f)`
- Portfolio section background: `radial-gradient(ellipse at 50% 30%, #111115, #050508)`
- Portfolio card background: `#0b0b10`
- Contact section background (inside Home): `linear-gradient(145deg, #0f0a1a, #05030a)`
- Footer (inside Home component) background: `#020005`
- Stat number gradient: `linear-gradient(135deg, var(--pink-neon), var(--blue-neon))`

****Footer specific neon gradients:****

- Conic rotating: `conic-gradient(from 0deg at 50% 50%, #ff2a6d 0deg, #3b82f6 90deg, #f97316 180deg, #ff2a6d 270deg, #3b82f6 360deg)` – opacity `0.06`
- Wave 1: `repeating-linear-gradient(90deg, transparent 0px, transparent 30px, #ff2a6d 30px, #3b82f6 45px, #f97316 60px, transparent 80px)`
- Wave 2: `repeating-linear-gradient(45deg, transparent 0px, transparent 20px, rgba(255,42,109,0.5) 20px, rgba(59,130,246,0.5) 35px, transparent 50px)`
- Wave 3: `repeating-linear-gradient(135deg, transparent 0px, transparent 15px, rgba(249,115,22,0.4) 15px, rgba(255,42,109,0.4) 30px, transparent 45px)`
- Laser line: `linear-gradient(90deg, transparent, #ff2a6d, #3b82f6, #f97316, transparent)`

****Contact specific:****

- Form input background: `rgba(0,0,0,0.4)`
- Modal background: `linear-gradient(145deg, #0f0a1a, #05030a)`

4. Typography (Exact Values – No Tables)

All font sizes are in `rem`. `rem` base is browser default (usually 16px). No `letter-spacing` is used except the logo (see below).

****Body text****

- Font family: `'Poppins', 'Comic Neue', system-ui, -apple-system, sans-serif`
- Font weight: `400` (normal)
- Font size (desktop): `1rem`
- Font size (mobile $\leq 768\text{px}$): `1rem`
- Line height: `1.5`
- Color: `var(--text-light)` (varies per component)

****Headings (`h1`–`h6`)****

- Font family: `'Comic Neue', 'Poppins', cursive`
- Font weight: `600` to `800` (depending on heading level)
- Sizes:
 - `h1` in Home hero: `4.2rem`
 - `h1` in Contact title: `4rem`
 - `h1` in About glitch title: `3.5rem`
 - `h1` in Discover glitch title: `3rem`
 - Section titles (`.sectionTitle` in Home): `3rem`
 - Section titles in other pages: `2.5rem`

****Card headings****

- Font family: `'Poppins', cursive`
- Font weight: `700`
- Font size (desktop): `1.6rem`
- Font size (mobile): `1.4rem`

****Navigation links (Header)****

- Font family: `'Poppins', sans-serif`
- Font weight: `600`
- Font size (desktop): `1rem`
- Font size (mobile): `1rem`

****Buttons****

- Font family: inherit from body
- Font weight: `700` (bold)
- Font size: `0.9rem` to `1.1rem` (same on mobile)

****Small text (credits, footnotes, metadata)****

- Font family: same as body
- Font weight: `500`
- Font size (desktop): `0.75rem` (12px)
- Font size (mobile): `0.7rem` (11.2px)

****Logo text (Header)****

- Font family: same as headings
- Font weight: `800`
- Font size (desktop): `1.8rem`

- Font size (mobile): approximately `1.4rem`
- `letter-spacing: 2px`

****Other specific text styles:****

- `.badge` in Home: `0.8rem`, `font-weight: 700`
- `.statNumber` in Home: `3rem`, `font-weight: 800`
- `.faqQuestion` in Home: `font-weight: bold`
- `.filterBtn` in Discover: `0.8rem` on mobile
- `.infoText span` in Contact: `0.75rem`

5. Spacing & Layout (Key Values – No Tables)

****Container****

- Max width: `1400px`
- Margin: `0 auto`

****Horizontal padding****

- Desktop: `2rem` (32px)
- Mobile ($\leq 768px$): `1rem` (16px)

****Vertical spacing between sections****

- Common values: `4rem`, `5rem`, `6rem`
- Examples:
 - `padding: 6rem 0` (Home hero, Services)
 - `margin: 4rem 0` (Home contact, About mission)
 - `padding: 4rem 2rem` (Contact page)
 - `margin: 5rem 0` (About team, timeline)

****Card grids****

- Display: `grid`
- Grid template: `repeat(auto-fit, minmax(280px, 1fr))`
- Gap: `2rem` (desktop), `1.5rem` (mobile)
- Cards have `border-radius: 1.5rem` or `2rem`

****Flex gaps****

- Desktop: `2rem`
- Mobile (nav in Header): `1rem`
- Social icons gap: `1rem` to `1.2rem`

****Border radius****

- Cards: `1.5rem` (24px) or `2rem` (32px)
- Buttons: `60px` (pill shape)
- Inputs (search, form): `40px`
- Modals: `2rem`

****Responsive breakpoints****

****`≤1024px` (tablet):****

- Reduce page padding: `3rem 1.5rem` (Contact) or `2rem 1rem` (Discover)
- Reduce title sizes
- Reduce grid gaps

****`≤768px` (mobile):****

- Most flex containers become `column` (`flex-direction: column`)
- Text alignment becomes `center` on many wrappers

- `.promoStrip` in Header is hidden (`display: none`)
- `.statsGlow` font size reduced to `0.7rem`
- Card heights reduced (Discover: `350px` instead of `380px`)
- Avatar sizes reduced (Discover: `80px` instead of `100px`)
- Mission section padding reduced to `1.5rem`
- Timeline padding reduced

6. All Animation Keyframes (Complete Alphabetical List)

Below is every `@keyframes` rule found in the CSS modules, with a description of its effect. No tables – each keyframe is described in plain text.

- `avatarPulseGlow` (Home) – Expands a pulsing ring around avatar: `box-shadow` from `0 0 0 0` to `0 0 0 12px` with opacity fade, scales avatar.
- `badgePulse` (Home) – Alternates `border-color` and `box-shadow` between pink and blue.
- `bgPulse` (Home, About, Contact, Footer) – Scales and changes opacity of radial gradient backgrounds.
- `bloomEffect` (Header) – Expands a radial gradient from 20px to 150px, opacity 1→0, blur increases.
- `borderPulse` (Discover, About) – Alternates `border-color` and `box-shadow` between pink and gold.
- `borderRainbow` (Home) – Moves gradient position on border-image.
- `cardFadeIn` (Discover) – From `translateY(40px) rotateX(15deg)` to normal, opacity 0→1.
- `cardRise` (Footer, Contact) – From `translateY(60px) rotateX(20deg)` to normal, opacity 0→1.
- `conicSpin` (Footer, Contact, About) – Rotates conic gradient 360°.
- `curveGlow` (Contact, About) – Changes opacity and blur of curved map lines.
- `dotPulse` (About, Discover) – Scales a dot and changes opacity.
- `dotPulseMap` (About, Contact) – Scales map dots (specific to map simulation).
- `driftDots` (Home) – Moves radial gradient background positions.
- `fadeIn` (Contact) – From opacity 0, `translateY(-5px)` to opacity 1, `translateY(0)`.
- `fadeUp` (About) – From opacity 0, `translateY(40px)` to normal.
- `float3d` (Home) – Translates Y, rotates X/Y, changes border- radius.
- `floatComplex` (Footer, About) – 5- step keyframe (0%,20%,40%,60%,100%) changing translate and rotate.
- `floatParticle` (Discover) – Simple `translate(40px, -30px)` with opacity change.
- `glitchHero` (Home) – Skew, `translateY`, and text- shadow glitch entrance.
- `glitchText` (About, Discover) – Skew and coloured text- shadow at 90% keyframe.
- `gradientFlow` (Header logo, title) – Shifts `background-position` from 0% to 100%.
- `gradientShift` (Home) – Shifts background-position for animated gradient text.
- `gridMove` (Footer, Contact, About, Discover) – Translates grid pattern by 50px or 30px.
- `heartbeat` (About) – Scales heart and changes text- shadow.
- `hologramPulse` (Contact) – Pulses box- shadow and border- color between pink and blue.
- `iconOrbit` (Home) – Bounces icon and changes text- shadow.
- `laserMove` (Header) – Moves laser beam gradient from -100% to 100%.
- `laserScan` (Footer) – Moves `background-position` from -200% to 200% on laser lines.
- `logoGlitch` (Footer) – Skew and coloured text- shadow at 90–96% keyframes.
- `mapGridMove` (Contact, About) – Translates map grid by 30px or 40px.
- `modalPop` (Contact) – Scales from 0.7 with slight rotation.
- `numberPulse` (Home) – Pulses text- shadow on stat numbers.
- `orbitSpin` (About, Discover) – Rotates dashed ring 360°.
- `particleFly` (Header) – Moves three small particles outward with opacity fade.
- `pulseHeart` (Header) – Scales heart from 1 to 1.2, changes text- shadow.
- `rippleShimmer` (Home) – Sliding diagonal overlay on portfolio images.
- `rotateContactBg` (Contact) – Rotates a large radial glow 360°.

- `rotateGlow` (Home) – Rotates a background ellipse and changes colour from pink to blue to orange.
- `shake` (Contact, Footer) – Translates X by -6px, +6px, then back (error animation).
- `slideFade` (Home) – Slide and rotateY entrance for hero text.
- `slidePromo` (Header) – Horizontal translation cycle: 0 → -110% → +110% → 0 with opacity changes.
- `spin3dFull` (Home) – Full 3D rotation (rotateY, rotateX) of hero image emoji.
- `spinRing` (Header) – Rotates logo ring 360°.
- `stripesMove` (Contact, Discover, About) – Moves diagonal stripes background position.
- `titleGlitch` (Home) – Skew and text- shadow glitch for section titles.
- `waveMove` (Footer, Contact, About) – Horizontal translation -50% for repeating gradients.
- `waveMoveReverse` (Footer, Contact, About) – Horizontal translation +50%.

> **Note:** When reusing these animations, copy the entire `@keyframes` rule from the respective CSS module to preserve exact timing, easing, and step values.

7. Component Behaviors (Detailed – No Tables)

7.1 Header (`Header.jsx`)

- **Sticky positioning** with `position: sticky; top: 0; z-index: 1000`.
- **Scrolled state**: changes `backdrop-filter` to `blur(20px)` and adds box-shadow.
- **Canvas particles**: floating hearts emojis (array of `💕💕💕💕💕`) moving randomly with rotation.
- **Mouse trail**: a pink radial gradient circle that follows mouse, fades out after 150ms.
- **Magnetic nav items**: on mouse move, each nav link translates slightly toward cursor (max $\pm 12\text{px}$ X, $\pm 8\text{px}$ Y) with `transform`. On mouse leave, resets.
- **Bloom button** ("FIND MATCH"): on click, a radial gradient expands from click position (`--bloom-x`, `--bloom-y`) with `bloomEffect` animation.
- **Live matches counter**: JavaScript `requestAnimationFrame` with `easeOutCubic` from 0 to `targetMatches` (28400) over 2200ms. Respects `reduce-motion`.
- **Promo strip**: horizontal scrolling text items (NEW, 30% OFF, etc.) with `slidePromo` animation (each item has staggered animation delay).
- **Search**: click magnifying glass expands input field (scaleY). On Enter, alerts search value.
- **Likes counter**: click heart icon increments counter (state).
- **Bottom bar** contains promo strip and stats glow (matches count, rating 4.9/5) with laser beam line underneath.
- **Wave mask** SVG at bottom of header for decorative curve.

7.2 Footer (`Footer.jsx`)

- **Radial gradient background** from `#0a0512` to `#020005`.
- **Rotating conic overlay** (opacity 0.06) spins infinitely.
- **Three wave layers** at top edge, each with repeating linear gradients and horizontal movement (some reverse).
- **15 floating particles** with unique `--dur`, `--x1..4`, `--y1..4` custom properties for complex 4- step paths.
- **Grid pattern** and diagonal stripes as additional background layers.
- **Newsletter form**: email input with inline validation (must contain '@'). On error, shake animation and red border.
- **Back to top button**: smooth scroll to `top: 0`.
- **Social icons**: on hover, rotateY(360deg) and scale, with glow.
- **Hologram card** with pulsing border and glow.
- **Five laser lines** at the top of bottom bar, each with different height, blur, and animation speed (some reverse).
- All links have a pseudo- element `↗` that appears on hover with left offset.

7.3 Home (`Home.jsx`)

- **Hero section**:
 - Glitch text animation on heading.
 - Two buttons (Enter the Void, Watch Trailer) with hover effects and sliding shine.
 - Hero image: a large `span` with emoji `🌌` that has 3D spin animation (`spin3dFull`).
 - Floating glow ellipse behind hero that rotates and changes color.
- **Stats section**: 4 stat cards with animated number gradients and border that changes color (`borderRainbow`).
- **Services grid**: 4 cards with 3D tilt on hover (`rotateY(8deg) rotateX(5deg)`). Icons have bouncing animation.
- **Portfolio section**: 3 cards with shimmer overlay that slides on hover. Cards tilt slightly.
- **Testimonials**: glass cards that on hover rotate in 3D (`rotateY(12deg) translateZ(30px)`).
- **Team section**: avatars with pulsing ring (`avatarPulseGlow`), cards lift and rotate on hover.
- **FAQ accordion**: click on question expands answer with max- height transition and rotates arrow.
- **Contact section** (built- in, not the separate Contact page): form with name, email, textarea, and submit button. Background has rotating radial glow.
- **Footer section** (built- in, not the global Footer): dark background with laser border at top.

7.4 Discover (`Discover.jsx`)

- **Filter bar**: buttons for All, Popular, New, Verified. Stateful filter updates displayed profiles.
- **Profiles array**: 8 sample profiles with name, age, city, avatar emoji, tag, description.
- **3D flip cards**: on hover, card rotates 180deg on Y axis to show back side with like button.
- **Like button**: toggles like state per profile (stored in `liked` object). Button text changes from "👍 Like" to "👍 Liked".
- **Particle background**: 20 floating particles with random sizes and complex float animation.
- **Grid pattern**, diagonal stripes, and conic rotating overlay.
- **CTA section**: pulsing border card with button "Start Matching →".
- Card entrance staggered with `animation-delay` based on index.

7.5 About (`About.jsx`)

- **Story section**:
 - Text with three story cards (Happy Hearts, Countries, Daily Matches).
 - Animated heart with `pulseHeart` and orbit ring (dashed circle rotating).
- **Counter stats** (Users, Daily Matches, Countries, Happiness Rate):
 - Uses `IntersectionObserver` to detect when stats section is visible (threshold 0.3).
 - On visibility, `requestAnimationFrame` animates numbers from 0 to targets over 2500ms with cubic ease.
- **Team section**: 4 team members with avatar, role, bio, and social icons. Cards lift and rotate on hover.
- **Mission & Values**:
 - Mission card centered.
 - Values grid (Authenticity, Innovation, Trust, Inclusivity) with icons and hover effects.
- **Timeline**: vertical timeline with years (2015, 2017, 2019, 2022, 2025) and pulsing dots. On hover, each timeline item translates X.
- **Map simulation**: grid background, curved lines, pulsing dots, and labels (NYC, London, Tokyo, Sydney).
- **Join CTA**: pulsing border card with button.
- Layered backgrounds: conic spin, radial pulse, grid, stripes, particles (20 total with complex paths).

7.6 Contact (`Contact.jsx`)

- **Two info cards**:
 - Main Hub: address, phone, email, hours.
 - Tech Support: 24/7 support, live chat, plus a map simulation (canvas- like with grid, curves, dots).
- **Form card**:
 - Fields: name (required), email (required, regex validation), phone (optional but validated if present), priority (radio: low/medium/high), message (required), agree checkbox (required).
 - Real- time error clearing on change.

- On submit, if validation fails, errors displayed and input fields with errors get shake animation.
- On success, modal appears (auto- closes after 4 seconds) and form resets.
- **Social section**: 6 social cards (Facebook, Instagram, Twitter, LinkedIn, TikTok, YouTube). On hover, icon rotates 360deg and card lifts.
- **Modal**: overlay with blur, modal content with icon, message, and close button.
- **Background layers**: conic spin, radial pulse, grid, stripes, and three wave containers at top.
- Particles: 20 particles (7 small, 7 medium, 6 large) with `floatComplex` animation.

8. File Structure & Conventions

...

```
/src
  /components
    Header.jsx
    Header.module.css
    Footer.jsx
    Footer.module.css
  /pages
    Home.jsx
    Home.module.css
    Discover.jsx
    Discover.module.css
    About.jsx
    About.module.css
    Contact.jsx
    Contact.module.css
  App.jsx
  App.module.css
  main.jsx
```

...

- **CSS Modules**: each `.module.css` file is imported as `import styles from './file.module.css'`. Classes are accessed as `styles.className`.
- **Class naming**: camelCase (e.g., `.homeContainer`, `.glitchTitle`).
- **Global styles**: only in `App.module.css` (reset, body, root variables, `.app` container). No other component imports global styles.
- **Motion reduction class**: the code checks `document.body.classList.contains('reduce-motion')`. This class must be added manually to the body element if desired.

9. How to Use This Guide

- Colors** – Refer to sections 3.1 and 3.2 for the exact hex/RGBA values. Use the component's own CSS variables when available.
- Typography** – Follow section 4 exactly. Do not add `letter-spacing` except the Header logo.
- Animations** – Use keyframe names from section 6. Copy the full `@keyframes` rule from the corresponding CSS module to preserve timing and easing.
- Layout** – Respect the container max-width (`1400px`), horizontal padding (`2rem` desktop, `1rem` mobile), and breakpoints.
- If in doubt** – Check the original component's CSS module – this guide is a direct mirror of the code.

> **This guide is complete and fully synchronized with the provided source code. No table markup is used anywhere.**

End of Complete Style Guide – Heart Bazaar v1.0