







Front view




Left view




Section view B-B




Isometric view




Top view



Section view A-A



Detail C








Mixer

19	2	PT100	-----	AISI 304
18	1	Guard	-----	AISI 304
17	1	Ladder	-----	AISI 304
16	1	Sampling Valve	-----	AISI 304
15	1	Thermometer	0-120°	AISI 304
14	1	Thermometer Sensor	-----	AISI 304
13	1	2nd Layer Safety Valve Installation Place	G3/4"	AISI 304
12	1	2nd Layer Drain Pipe	G1"	AISI 304
11	1	2nd Layer Outlet Pipe	G2"	AISI 304
10	1	2nd Layer Inlet Pipe	G2"	AISI 304
9	1	Antifoam Inlet Pipe + Union	Ø50.8	AISI 304
8	1	Product Outlet Pipe + Butterfly Valve	Ø50.8	AISI 304
7	2	Lifting Lug	T=8	AISI 304
6	1	Lighting	-----	AISI 304
5	1	Air Vent	3"	AISI 304
4	1	Mixer (SEW / 1.1Kw / 15-20 Rpm)	KAF67	AISI 304
3	3	C.I.P (Rotary Ball)	Ø38.1	AISI 304
2	6	Adjustable Leg	Conical	AISI 316
1	1	Manhole	Ø460	AISI 304
00	---	REV.	DATE	ITEM QTY DESCRIPTION SIZE MATERIAL

INNER SHELL		OUTER SHELL		JACKET		DRAWN by: Elham zangane		DATE: --		DRAWING NO.: VPO-033-15	
Material	AISI 304 L	Material	AISI 304	Material	AISI 304	CHECKED by: --	DATE: --	SCALE: 1:38	EMPTY WEIGHT: --±5% Kg	ORDER/CONTRACT NO.: 1403/15650/4371	PURCHASER:
Roughness (µm)	-----	INSULATION		Capacity (L)	90	QTY: 01 SET	TOLERANCE: ISO 2768-VL	UNIT: mm	SHEET: 1 of --	SIZE: A4	
Working Pressure (bar)	atm.	Material	Glass Wool	Working Pressure (bar)	4						
Working Temperature min/max (°c)	4 / 90	Thickness (mm)	50	Working Temperature min/max (°c)	4 / 110						

TITLE:
?? M³ - Process Tank




Baharhooni Company



INNER SHELL		OUTER SHELL		JACKET	
Material	AISI 304 L	Material	AISI 304	Material	AISI 304
Roughness (μm)	-----	INSULATION		Capacity (L)	65
Working Pressure (bar)	atm.	Material	Glass Wool	Working Pressure (bar)	4
Working Temperature min/max (°c)	4 / 90	Thickness (mm)	50	Working Temperature min/max (°c)	4 / 110



DRAWN by:	Elham zangane	DATE:	--	DRAWING NO.:	VPO-033-15
CHECKED by:	--	DATE:	--	ORDER/CONTRACT NO.:	1403/15650/4371
SCALE:	1:38	EMPTY WEIGHT:	--±5% Kg	PURCHASER: Rena Company	
QTY:	01 SET	TOLERANCE:	ISO 2768-VL		
UNIT:	mm	SHEET:	1 of --	SIZE:	A4

TITLE:
?? M³ - Process Tank
(A)




Detail K
Scale: 1:1

CNC cutting need
Turning need







Section view L-L
Scale: 1:4










Detail M
Scale: 1:1

CNC cutting need

Turning need



INNER SHELL		OUTER SHELL		JACKET		DRAWED by: Elham zangane		DATE: --		DRAWING NO.: VPO-033-15		TITLE: ?? M ³ - Process Tank (A)
Material	AISI 304 L	Material	AISI 304	Material	AISI 304	CHECKED by: --		DATE: --		ORDER/CONTRACT NO.:1403/15650/4371		
Roughness (μm)	-----	INSULATION		Capacity (L)		65	SCALE: 1:38	EMPTY WEIGHT: --±5% Kg		PURCHASER: Rena Company		
Working Pressure (bar)	atm.	Material	Glass Wool	Working Pressure (bar)		4	QTY: 01 SET	TOLERANCE: ISO 2768-VL				
Working Temperature min/max (°c)	4 / 90	Thickness (mm)	50	Working Temperature min/max (°c)		4 / 110	UNIT: mm	SHEET:1 of --	SIZE: A4			



18	1	Guard	-----	AISI 304
17	1	Ladder	-----	AISI 304
16	1	Sampling Valve	-----	AISI 304
15	1	Thermometer	0-120°	AISI 304
14	1	Thermometer Sensor	-----	AISI 304
13	1	2nd Layer Safety Valve Installation Place	G3/4"	AISI 304
12	1	2nd Layer Drain Pipe	G1"	AISI 304
11	1	2nd Layer Outlet Pipe	G2"	AISI 304
10	1	2nd Layer Inlet Pipe	G2"	AISI 304
9	1	Antifoam Inlet Pipe + Union	Ø50.8	AISI 304
8	1	Product Outlet Pipe + Butterfly Valve	Ø50.8	AISI 304
7	2	Lifting Lug	T=8	AISI 304
6	1	Lighting	-----	AISI 304
5	1	Air Vent	3"	AISI 304
4	1	Mixer (SEW / 1.5Kw / 15-20 Rpm)	KAF67	AISI 304
3	2	C.I.P (Rotary Ball)	Ø38.1	AISI 304
2	4	Adjustable Leg	Conical	AISI 304
1	1	Manhole	Ø460	AISI 304
ITEM	QTY	DESCRIPTION	SIZE	MATERIAL

INNER SHELL		OUTER SHELL		JACKET		DRAWN by: Elham zangane	DATE: --	DRAWING NO.: VPO-033-15	
Material	AISI 304 L	Material	AISI 304	Material	AISI 304	CHECKED by: --	DATE: --	ORDER/CONTRACT NO.:1403/15650/4371	
Roughness (µm)	-----	INSULATION		Capacity (L)	90	SCALE: 1:38	EMPTY WEIGHT: --±5% Kg	PURCHASER:	
Working Pressure (bar)	atm.	Material	Glass Wool	Working Pressure (bar)	4	QTY: 01 SET	TOLERANCE: ISO 2768-VL	Baharhooni Company	
Working Temperature min/max (°c)	4 / 90	Thickness (mm)	50	Working Temperature min/max (°c)	4 / 110	UNIT: mm	SHEET:1 of --		

TITLE:
?? M³ - Process Tank

