









TYP03



From Vulnerability to Stability: Inside TP03's Security Process

5





Sign in · GitLab

gitlab-test.local/users/sign_in

☆



GitLab Enterprise Edition

Username or primary email

Password

👁

[Forgot your password?](#)

☐ Remember me

Sign in

Don't have an account yet? [Register now](#)

[Explore](#) [Help](#) [About GitLab](#) [Community forum](#)

🌐 English ▾

Burp Suite Community Edition v2025.6.5 - Temporary Project

Dashboard

Target

Proxy

Intruder

Repeater

Collaborator

Sequencer

Decoder

⚙

Comparer

Logger

Organizer

Extensions

Learn

Intercept

HTTP history

WebSockets history

Match and replace

⚙ Proxy settings

👁 Intercept off

→ Forward all ▾

Drop ▾

🌐 Open browser

?

⋮

Time	Type	Direction	Method	URL
 Intercept is off If you turn Intercept on, messages between Burp's browser and your target servers are held here. This enables you to analyze and modify these messages, before you forward them.				

root@gitlab-test.local

issues

🕒 Memory: 180.3MB

⚙ Disabled ▾

Mailpit - gitlab-test.local

⌂

⬅ ➡ ↺

🛡 Nicht sicher

http://gitlab-test.local:8025

🔍 ☆

👤

📁

☰

 Mailpit

Search mailbox

🔍

50 ▾

0 of 0

⬅

➡

✉ Inbox




👁 Mark all read

🗑 Delete all

No messages in your mailbox

📄 About

⚙



? WHY SECURITY MATTERS – **GITLAB CRITICAL VULNERABILITY**

