

Quantitative Methods

Human Sciences, 2020–21

Elias Nosrati

Lecture 7: 26 November 2020

Today

Today

- ▶ Statistical models (continued).

Today

- ▶ Statistical models (continued).
- ▶ Introduction to causal inference.


Model notation

Model notation

Common notation: $y = \alpha + x\beta + \epsilon$, where $\epsilon \sim \mathcal{N}(0, \sigma^2)$.


Model notation

Common notation: $y = \alpha + x\beta + \epsilon$, where $\epsilon \sim \mathcal{N}(0, \sigma^2)$.



Model notation

Common notation: $y = \alpha + x\beta + \epsilon$, where $\epsilon \sim \mathcal{N}(0, \sigma^2)$.



Model notation (cont.)

```
# Specify regression line
model <- lm(y ~ x, data)
model

##
## Call:
## lm(formula = y ~ x, data = data)
##
## Coefficients:
## (Intercept)          x
##      1.647      4.888
```

Model notation (cont.)

```
# Extract residuals  
Residuals <- model$residuals
```

Model notation (cont.)

```
# Extract residuals
```

```
Residuals <- model$residuals
```

```
head(Residuals)
```

##	1	2	3	4	5	6
##	-5.24	-3.83	-1.63	9.09	-2.26	8.79

Model notation (cont.)

```
# Extract residuals
```

```
Residuals <- model$residuals
```

```
head(Residuals)
```


```
##      1      2      3      4      5      6  
## -5.24 -3.83 -1.63  9.09 -2.26  8.79
```

```
summary(Residuals)
```

```
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.  
## -15.49   -3.29     0.02    0.00    3.47   13.95
```

Model notation (cont.)

```
# Plot residuals  
hist(Residuals, main = "")
```



Model notation (cont.)

- ▶ Alternative notation:

Model notation (cont.)

- Alternative notation:

$$Y \sim \mathcal{N}(y \mid \mu, \sigma^2) \tag{1}$$


$$\mu = x\beta \tag{2}$$

Model notation (cont.)

- Alternative notation:

$$Y \sim \mathcal{N}(y \mid \mu, \sigma^2) \quad (1)$$

$$\mu = x\beta \quad (2)$$




Model notation (cont.)

- ▶ Alternative notation:

$$Y \sim \mathcal{N}(y \mid \mu, \sigma^2) \quad (1)$$

$$\mu = x\beta \quad (2)$$

- ▶ (1) is the stochastic component of the model.




Model notation (cont.)

- ▶ Alternative notation:

$$Y \sim \mathcal{N}(y \mid \mu, \sigma^2) \quad (1)$$

$$\mu = x\beta \quad (2)$$

- ▶ (1) is the stochastic component of the model.
- ▶ (2) is the systematic component of the model.



Conditional expectation function

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

- ▶ A conditional expectation tells us how the population average of Y changes as we change the conditioning variable X .

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

- ▶ A conditional expectation tells us how the population average of Y changes as we change the conditioning variable X .
- ▶ The collection of all possible population averages of Y is known as the *conditional expectation function* (CEF).

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

- ▶ A conditional expectation tells us how the population average of Y changes as we change the conditioning variable X .
- ▶ The collection of all possible population averages of Y is known as the *conditional expectation function* (CEF).
- ▶ $\mathbb{E}(Y \mid X)$ is the CEF function.

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

- ▶ A conditional expectation tells us how the population average of Y changes as we change the conditioning variable X .
- ▶ The collection of all possible population averages of Y is known as the *conditional expectation function* (CEF).
- ▶ $\mathbb{E}(Y \mid X)$ is the CEF function.
- ▶ $\mathbb{E}(Y \mid X = x)$ is a specific value of the CEF function.

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

- ▶ A conditional expectation tells us how the population average of Y changes as we change the conditioning variable X .
- ▶ The collection of all possible population averages of Y is known as the *conditional expectation function* (CEF).
- ▶ $\mathbb{E}(Y \mid X)$ is the CEF function.
- ▶ $\mathbb{E}(Y \mid X = x)$ is a specific value of the CEF function.
- ▶ The CEF is exactly linear if it is a linear function of X :

$$\mathbb{E}(Y \mid X) = \alpha + x\beta.$$

Conditional expectation function

- ▶ To understand the association between Y and X , we are interested in a *conditional expectation*:

$$\mathbb{E}(Y \mid X = x).$$

- ▶ A conditional expectation tells us how the population average of Y changes as we change the conditioning variable X .
- ▶ The collection of all possible population averages of Y is known as the *conditional expectation function* (CEF).
- ▶ $\mathbb{E}(Y \mid X)$ is the CEF function.
- ▶ $\mathbb{E}(Y \mid X = x)$ is a specific value of the CEF function.
- ▶ The CEF is exactly linear if it is a linear function of X :

$$\mathbb{E}(Y \mid X) = \alpha + x\beta.$$

- ▶ If the CEF is not exactly linear, then the regression of Y on X gives the *best linear approximation* to this non-linear CEF (this is done by minimising the squared deviation between the values of the linear model and those of the CEF).

Regression anatomy

Regression anatomy

Recall that $\mathbb{V}(X)$ is measure of variation in X and $\text{Cov}(Y, X)$ is a measure of the tendency of Y and X to go up or down together.

Regression anatomy

Recall that $\mathbb{V}(X)$ is measure of variation in X and $\text{Cov}(Y, X)$ is a measure of the tendency of Y and X to go up or down together.

Theorem

If $\mathbb{E}(Y \mid X) = \alpha + x\beta$, then

$$\beta = \frac{\text{Cov}(Y, X)}{\mathbb{V}(X)}.$$

Regression anatomy

Recall that $\mathbb{V}(X)$ is measure of variation in X and $\text{Cov}(Y, X)$ is a measure of the tendency of Y and X to go up or down together.

Theorem

If $\mathbb{E}(Y \mid X) = \alpha + x\beta$, then

$$\beta = \frac{\text{Cov}(Y, X)}{\mathbb{V}(X)}.$$

- In words: β quantifies the portion of variation in X that is also associated with variation in Y .

Regression anatomy

Recall that $\mathbb{V}(X)$ is measure of variation in X and $\text{Cov}(Y, X)$ is a measure of the tendency of Y and X to go up or down together.

Theorem

If $\mathbb{E}(Y \mid X) = \alpha + x\beta$, then

$$\beta = \frac{\text{Cov}(Y, X)}{\mathbb{V}(X)}.$$

- ▶ In words: β quantifies the portion of variation in X that is also associated with variation in Y .
- ▶ If Y and X are uncorrelated, then $\beta = 0$.

Regression anatomy

Recall that $\mathbb{V}(X)$ is measure of variation in X and $\text{Cov}(Y, X)$ is a measure of the tendency of Y and X to go up or down together.

Theorem

If $\mathbb{E}(Y | X) = \alpha + x\beta$, then

$$\beta = \frac{\text{Cov}(Y, X)}{\mathbb{V}(X)}.$$

- ▶ In words: β quantifies the portion of variation in X that is also associated with variation in Y .
- ▶ If Y and X are uncorrelated, then $\beta = 0$.
- ▶ But if $\beta \neq 0$, does that mean X *causes* Y ?

Association and causation

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects:

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded:

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.
- ▶ Correlation between deaths from becoming tangled in bedsheets and total revenue generated by ski facilities:

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.
- ▶ Correlation between deaths from becoming tangled in bedsheets and total revenue generated by ski facilities: 0.97.

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.
- ▶ Correlation between deaths from becoming tangled in bedsheets and total revenue generated by ski facilities: 0.97.
- ▶ Correlation between US spending on science, space, and technology and suicides by hanging, strangulation, and suffocation:

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.
- ▶ Correlation between deaths from becoming tangled in bedsheets and total revenue generated by ski facilities: 0.97.
- ▶ Correlation between US spending on science, space, and technology and suicides by hanging, strangulation, and suffocation: 0.99.

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.
- ▶ Correlation between deaths from becoming tangled in bedsheets and total revenue generated by ski facilities: 0.97.
- ▶ Correlation between US spending on science, space, and technology and suicides by hanging, strangulation, and suffocation: 0.99.
- ▶ (For more, see tylervigen.com.)

Association and causation

- ▶ Correlation between age of Miss America and murders by steam, hot vapours, and hot objects: 0.87.
- ▶ Correlation between consumption of mozzarella cheese and civil engineering doctorates awarded: 0.96.
- ▶ Correlation between deaths from becoming tangled in bedsheets and total revenue generated by ski facilities: 0.97.
- ▶ Correlation between US spending on science, space, and technology and suicides by hanging, strangulation, and suffocation: 0.99.
- ▶ (For more, see tylervigen.com.)
- ▶ How do we know if an association is causal?

Causality: intuition

Causality: intuition

- ▶ Patient *A* receives a heart transplant. Five days later, he dies.

Causality: intuition

- ▶ Patient A receives a heart transplant. Five days later, he dies.
- ▶ Patient B receives a heart transplant. Five days later, she is alive.

Causality: intuition

- ▶ Patient A receives a heart transplant. Five days later, he dies.
- ▶ Patient B receives a heart transplant. Five days later, she is alive.
- ▶ Counterfactual: what would have happened if A and B had not received heart transplants?

Causality: intuition

- ▶ Patient A receives a heart transplant. Five days later, he dies.
- ▶ Patient B receives a heart transplant. Five days later, she is alive.
- ▶ Counterfactual: what would have happened if A and B had not received heart transplants?
- ▶ Causal inference involves the comparison of outcomes between scenarios where an action is taken versus when the action is withheld.

Causality: intuition

- ▶ Patient A receives a heart transplant. Five days later, he dies.
- ▶ Patient B receives a heart transplant. Five days later, she is alive.
- ▶ Counterfactual: what would have happened if A and B had not received heart transplants?
- ▶ Causal inference involves the comparison of outcomes between scenarios where an action is taken versus when the action is withheld.
- ▶ If the two outcomes differ, we say that the action had a causal effect (positive or negative) on the outcome. Otherwise, the action has no causal effect.

Causality: intuition

- ▶ Patient A receives a heart transplant. Five days later, he dies.
- ▶ Patient B receives a heart transplant. Five days later, she is alive.
- ▶ Counterfactual: what would have happened if A and B had not received heart transplants?
- ▶ Causal inference involves the comparison of outcomes between scenarios where an action is taken versus when the action is withheld.
- ▶ If the two outcomes differ, we say that the action had a causal effect (positive or negative) on the outcome. Otherwise, the action has no causal effect.
- ▶ The action is referred to as an *intervention*, an *exposure*, or a *treatment*.

Formal definition of a causal effect

Formal definition of a causal effect

- ▶ Consider a binary treatment variable T (treated versus untreated) and an outcome variable Y .

Formal definition of a causal effect

- ▶ Consider a binary treatment variable T (treated versus untreated) and an outcome variable Y .
- ▶ Every individual has two *potential or counterfactual outcomes*: Y_1 and Y_0 .

Formal definition of a causal effect

- ▶ Consider a binary treatment variable T (treated versus untreated) and an outcome variable Y .
- ▶ Every individual has two *potential or counterfactual outcomes*: Y_1 and Y_0 .
- ▶ Y_1 is the outcome under treatment: the value of outcome variable when the individual has treatment value $T = 1$.

Formal definition of a causal effect

- ▶ Consider a binary treatment variable T (treated versus untreated) and an outcome variable Y .
- ▶ Every individual has two *potential* or *counterfactual outcomes*: Y_1 and Y_0 .
- ▶ Y_1 is the outcome under treatment: the value of outcome variable when the individual has treatment value $T = 1$.
- ▶ Y_0 is the outcome under non-treatment (or *control*): the value of outcome variable when the individual has treatment value $T = 0$.

Formal definition of a causal effect

- ▶ Consider a binary treatment variable T (treated versus untreated) and an outcome variable Y .
- ▶ Every individual has two *potential* or *counterfactual outcomes*: Y_1 and Y_0 .
- ▶ Y_1 is the outcome under treatment: the value of outcome variable when the individual has treatment value $T = 1$.
- ▶ Y_0 is the outcome under non-treatment (or *control*): the value of outcome variable when the individual has treatment value $T = 0$.
- ▶ The treatment T has a *causal effect* on an individual's outcome Y if $Y_1 \neq Y_0$ for that individual.

Formal definition of a causal effect

- ▶ Consider a binary treatment variable T (treated versus untreated) and an outcome variable Y .
- ▶ Every individual has two *potential* or *counterfactual outcomes*: Y_1 and Y_0 .
- ▶ Y_1 is the outcome under treatment: the value of outcome variable when the individual has treatment value $T = 1$.
- ▶ Y_0 is the outcome under non-treatment (or *control*): the value of outcome variable when the individual has treatment value $T = 0$.
- ▶ The treatment T has a *causal effect* on an individual's outcome Y if $Y_1 \neq Y_0$ for that individual.
- ▶ The causal effect itself is defined as $Y_1 - Y_0$.

Fundamental problem of causal inference

Fundamental problem of causal inference

- ▶ Individual causal effects are defined as a contrast between values of counterfactual outcomes.

Fundamental problem of causal inference

- ▶ Individual causal effects are defined as a contrast between values of counterfactual outcomes.
- ▶ Problem: only one counterfactual outcome is observed for each individual.

Fundamental problem of causal inference

- ▶ Individual causal effects are defined as a contrast between values of counterfactual outcomes.
- ▶ Problem: only one counterfactual outcome is observed for each individual.
- ▶ Next best thing: average causal effect in the population.

Fundamental problem of causal inference

- ▶ Individual causal effects are defined as a contrast between values of counterfactual outcomes.
- ▶ Problem: only one counterfactual outcome is observed for each individual.
- ▶ Next best thing: average causal effect in the population.
- ▶ An average causal effect in the population is present if

$$\mathbb{E}(Y_1) \neq \mathbb{E}(Y_0).$$

Fundamental problem of causal inference

- ▶ Individual causal effects are defined as a contrast between values of counterfactual outcomes.
- ▶ Problem: only one counterfactual outcome is observed for each individual.
- ▶ Next best thing: average causal effect in the population.
- ▶ An average causal effect in the population is present if

$$\mathbb{E}(Y_1) \neq \mathbb{E}(Y_0).$$

- ▶ The *population average treatment effect* (PATE) is defined as a contrast between expected values of counterfactual outcomes:

$$\mathbb{E}(Y_1 - Y_0) = \mathbb{E}(Y_1) - \mathbb{E}(Y_0).$$

Identifying causal effects

Identifying causal effects

- ▶ You are interested in the average causal effect of T on Y .

Identifying causal effects

- ▶ You are interested in the average causal effect of T on Y .
- ▶ You collect information on Y for two groups: a treatment group ($T = 1$) and a control group ($T = 0$).

Identifying causal effects

- ▶ You are interested in the average causal effect of T on Y .
- ▶ You collect information on Y for two groups: a treatment group ($T = 1$) and a control group ($T = 0$).
- ▶ You calculate $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$.

Identifying causal effects

- ▶ You are interested in the average causal effect of T on Y .
- ▶ You collect information on Y for two groups: a treatment group ($T = 1$) and a control group ($T = 0$).
- ▶ You calculate $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$.
- ▶ Have you obtained your quantity of interest?

Association and causation revisited

Association and causation revisited

- ▶ $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$ calculates a contrast between the portion of the population who receive treatment and the portion who receive no treatment.

Association and causation revisited

- ▶ $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$ calculates a contrast between the portion of the population who receive treatment and the portion who receive no treatment.
- ▶ An *association* involves a contrast between two (disjoint) subsets of the population defined by the actual value of T .

Association and causation revisited

- ▶ $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$ calculates a contrast between the portion of the population who receive treatment and the portion who receive no treatment.
- ▶ An *association* involves a contrast between two (disjoint) subsets of the population defined by the actual value of T .
- ▶ Problem: the two subsets can be systematically different in ways that affect the association between T and Y .

Association and causation revisited

- ▶ $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$ calculates a contrast between the portion of the population who receive treatment and the portion who receive no treatment.
- ▶ An *association* involves a contrast between two (disjoint) subsets of the population defined by the actual value of T .
- ▶ Problem: the two subsets can be systematically different in ways that affect the association between T and Y .
- ▶ Causal inferences are concerned with “what if” questions in counterfactual worlds where *everyone* would receive treatment *and* control (not at the same time!).

Association and causation revisited

- ▶ $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$ calculates a contrast between the portion of the population who receive treatment and the portion who receive no treatment.
- ▶ An *association* involves a contrast between two (disjoint) subsets of the population defined by the actual value of T .
- ▶ Problem: the two subsets can be systematically different in ways that affect the association between T and Y .
- ▶ Causal inferences are concerned with “what if” questions in counterfactual worlds where *everyone* would receive treatment *and* control (not at the same time!).
- ▶ Hence, *causation* is defined by a contrast in the same population (or two otherwise identical populations) under two different values of T .

Association and causation revisited

- ▶ $\mathbb{E}(Y \mid T = 1) - \mathbb{E}(Y \mid T = 0)$ calculates a contrast between the portion of the population who receive treatment and the portion who receive no treatment.
- ▶ An *association* involves a contrast between two (disjoint) subsets of the population defined by the actual value of T .
- ▶ Problem: the two subsets can be systematically different in ways that affect the association between T and Y .
- ▶ Causal inferences are concerned with “what if” questions in counterfactual worlds where *everyone* would receive treatment *and* control (not at the same time!).
- ▶ Hence, *causation* is defined by a contrast in the same population (or two otherwise identical populations) under two different values of T .
- ▶ Key challenge: how do we ensure that the treatment and control groups are *exchangeable* (they have the same *pre-treatment characteristics*)?

Randomised experiments

Randomised experiments

- ▶ In a *randomised controlled trial*, each unit is randomly assigned to either the treatment or the control group.

Randomised experiments

- ▶ In a *randomised controlled trial*, each unit is randomly assigned to either the treatment or the control group.
- ▶ The randomisation of treatment assignment guarantees that the average difference in outcome between the treatment and control groups is caused by the treatment alone, because the two groups are otherwise identical (on average).

Randomised experiments

- ▶ In a *randomised controlled trial*, each unit is randomly assigned to either the treatment or the control group.
- ▶ The randomisation of treatment assignment guarantees that the average difference in outcome between the treatment and control groups is caused by the treatment alone, because the two groups are otherwise identical (on average).
- ▶ *Exchangeability* implies that the assigned treatment is independent of the potential outcomes:

$$\mathbb{E}(Y_T \mid T = 1) = \mathbb{E}(Y_T \mid T = 0).$$

Randomised experiments

- ▶ In a *randomised controlled trial*, each unit is randomly assigned to either the treatment or the control group.
- ▶ The randomisation of treatment assignment guarantees that the average difference in outcome between the treatment and control groups is caused by the treatment alone, because the two groups are otherwise identical (on average).
- ▶ *Exchangeability* implies that the assigned treatment is independent of the potential outcomes:

$$\mathbb{E}(Y_T \mid T = 1) = \mathbb{E}(Y_T \mid T = 0).$$

- ▶ This does *not* mean that the treatment is independent of the observed outcome.

Randomised experiments

- ▶ In a *randomised controlled trial*, each unit is randomly assigned to either the treatment or the control group.
- ▶ The randomisation of treatment assignment guarantees that the average difference in outcome between the treatment and control groups is caused by the treatment alone, because the two groups are otherwise identical (on average).
- ▶ *Exchangeability* implies that the assigned treatment is independent of the potential outcomes:

$$\mathbb{E}(Y_T \mid T = 1) = \mathbb{E}(Y_T \mid T = 0).$$

- ▶ This does *not* mean that the treatment is independent of the observed outcome.
- ▶ **Quiz:** What is the difference between an observed outcome and a potential (counterfactual) outcome?