

Release 1.0.3 — Product photos

Responsive WebP photos for 29 of the 30 shop products, licence credits, and the “images are illustrative” notice.

VERSION

1.0.3

DATE

2026-10-03

ASSETS

58 WebP files · ~0.97 MB

DEPENDS ON

1.0.2 shop

1 Summary

Each product card now shows a square photo on a white background instead of its category emoji. Photos are served in two widths and chosen by the browser, load lazily below the first row, and reserve their space so the grid does not shift. All photos come from Wikimedia Commons; the CC BY / CC BY-SA licences require attribution, so the shop gains a “Créditos de imágenes” list. Because several photos show a similar rather than the exact part, the shop footer and the terms page (section *Productos*) state that images are illustrative.

2 Files

File	Change
img/productos/<id>-400.webp ×29	Square, white background, ~80 quality. Measured: 237 KB total, ~8.2 KB average.
img/productos/<id>-800.webp ×29	Same image at 800 px. Measured: 759 KB total, ~26 KB average (readme says ~19 KB).
pages/components/index.html lines 85–144	IMAGE_CREDITS map and ProductImage component; card and cart use it; credits list at the bottom.
pages/terminos/index.html line 117	Illustrative-image sentence in <i>Productos</i> .

3 How it works

3.1 Naming contract

```
/img/productos/<product.id>-400.webp    // card src, cart thumbnail
/img/productos/<product.id>-800.webp    // 2x / wide screens via srcset
```

A photo is shown only when [IMAGE_CREDITS\[product.id\]](#) exists. The file name is never checked: a credit entry without files gives a broken image; files without a credit entry are ignored and the emoji stays.

3.2 ProductImage

[pages/components/index.html](#) · line 120

```
<img src={`${base}-400.webp`}
  srcSet={`${base}-400.webp 400w, ${base}-800.webp 800w`}
  sizes="(min-width: 1024px) 340px, (min-width: 640px) 45vw, 90vw"
  width="400" height="400"
  loading={eager ? 'eager' : 'lazy'} fetchpriority={eager ? 'high' : undefined}
  decoding="async"
  alt={`${product.name} compatible con ${product.compat}`} />
```

- **Eager first row:** [ShopPage](#) passes `eager={i < 3}`, matching the three-column desktop grid, so the likely LCP image is not lazy.
- **No layout shift:** explicit `width` / `height` plus `aspect-square`.
- **Thumbnail** (`size="thumb"`): 56×56 in the cart, always the 400 file, empty `alt` because the name is next to it.
- **Fallback:** no credit entry → category icon in a grey square (currently [of-hinge-5490](#), the hinge pair).

3.3 Credits

```
'of-kb-hp840': { author: "Alberto Garcia", license: 'CC BY-SA 2.0',
  licenseUrl: 'https://creativecommons.org/licenses/by-sa/2.0/', source:
  "https://commons.wikimedia.org/wiki/File:..." }
```

Rendered in a [<details>](#) “Créditos de imágenes” as *product (compat): author, licence, vía Wikimedia Commons (recortada y con fondo blanco)*. Public-domain entries have an empty `licenseUrl` and print the licence as text. Licences in use: CC BY-SA 2.0 / 2.0 de / 3.0 /

4 Adding or replacing a photo

1. Crop square, put on white, export `<id>-400.webp` and `<id>-800.webp` at quality ~80 into `img/productos/`.
2. Add `IMAGE_CREDITS['<id>']` with author, licence, licence URL and the Commons file page.
3. Check the card, the cart thumbnail and the credits list.

5 Known issues and limits

- **5.1 Manual pipeline.** Cropping, background and WebP export are done by hand; `tools/` exists but is empty.
- **5.2 Shared stand-in photos.** Three pairs reuse one source image: both USB-C chargers, both iPhone batteries (a CAT B25 battery), and the iPhone 13 / Galaxy A54 screens (a Fairphone 2). Covered by the illustrative notice, but they are the first to replace with real stock photos.
- **5.3 No existence check** between `IMAGE_CREDITS` and the files on disk.
- **5.4 One format.** WebP only, no AVIF; acceptable for the browsers the site targets.

5.5 Unreleased data layer already in the folder. After the 1.0.3 entry was written, `public/db/productos.json` (30 products) and `public/db/categorias.json` (6 categories), schema `lameyer.shop/v1`, were added. Nothing loads them yet. They duplicate `PRODUCTS`, `CATEGORIES` and `IMAGE_CREDITS` with extra fields (`slug`, `sku`, `stock`, `active`, `description`, `specs`, `compatible_models`, `image.*`). Their `_note` points to `public/db/README.md`, which does not exist. Until the page reads them, edits must be made in both places.

6 Repository state after 1.0.3

Finding	Detail
No version control in this copy	The OneDrive folder has no <code>.git</code> ; versions exist only as readme entries. Releases 1.0.1–1.0.3 cannot be diffed or rolled back.
Unused stylesheets	<code>css/layout.css</code> and <code>css/blog.css</code> are not linked by any page; readme says <code>site.css</code> is the only stylesheet. <code>site.css</code> 's header comment still says “Styles for /blog/ pages”.
No <code>sitemap.xml</code> / <code>robots.txt</code>	Notable for a site whose blog covers crawlability and structured data.
Legacy URL handling	Hash redirects in <code>index.html</code> and the <code>moved</code> map in <code>404.html</code> ; both must survive any build change.

7 What 1.0.3 is missing for the 1.2.0 JavaScript version

#	Gap	What 1.2.0 needs	Priority
1	One catalogue source	Make <code>public/db/*.json</code> the only source; derive cards, credits list and image paths from <code>product.image</code> . Delete the inline <code>PRODUCTS</code> , <code>CATEGORIES</code> , <code>IMAGE_CREDITS</code> . Write <code>public/db/README.md</code> .	BLOCKER
2	Schema validation	A build-time check (e.g. Zod or JSON Schema) that every product has a valid category, price, grade, and either an image with credit or none — and that both image files exist.	HIGH
3	Image script	<code>tools/images.js</code> (Node + <code>sharp</code>): source photo → square, white background, 400/800 WebP; fails if a credit is missing.	MED
4	Git and tagged releases	Initialise git (or clone the GitHub Pages repo here), tag <code>v1.0.1 – v1.0.3</code> , move the readme “Versions” list to <code>CHANGELOG.md</code> , keep the version in <code>package.json</code> .	BLOCKER
5	Clean-up	Remove or merge <code>css/layout.css</code> and <code>css/blog.css</code> ; fix the <code>site.css</code> comment.	LOW
6	Real photos	Replace the six shared stand-ins (business task).	LOW

Suggested path to 1.2.0

Step	Scope
------	-------

Foundation	git + tags, package.json , Vite/esbuild, Tailwind CLI, GitHub Actions deploy of dist/ with CNAME and 404.html . Site looks identical.
Modules	Convert layout.jsx , tienda.jsx , blog.jsx to ES modules; port the chat widget (1.0.1) to mountChat() ; one contact config.
Data	Shop reads public/db ; validation; image script; tests for cart, currency and order message.
Output	Pre-render pages, product JSON-LD, sitemap.xml , robots.txt ; cache rates.

If “Foundation” and “Modules” ship separately, they fit a 1.1.x line, leaving 1.2.0 as the release where the shop is data-driven and pre-rendered.