

AI workshop

Oct 23rd, 2024

Why care about local?

- Privacy

- Privacy
- Environmental

- Privacy
- Environmental
- Cost

Attention Is All You Need

Ashish Vaswani*

Google Brain

avaswani@google.com

Noam Shazeer*

Google Brain

noam@google.com

Niki Parmar*

Google Research

nikip@google.com

Jakob Uszkoreit*

Google Research

usz@google.com

Llion Jones*

Google Research

llion@google.com

Aidan N. Gomez*[†]

University of Toronto

aidan@cs.toronto.edu

Łukasz Kaiser*


Google Brain

lukaszkaizer@google.com

Illia Polosukhin*[‡]

illia.polosukhin@gmail.com

00051



Important concepts for transformer-based models

- Context Window and Tokens

Important concepts for transformer-based models

- Context Window and Tokens
- Temperature

Important concepts for transformer-based models

- Context Window and Tokens
- Temperature
- Parameters

Important concepts for transformer-based models

- Context Window and Tokens
- Temperature
- Parameters
- Training

Important concepts for transformer-based models

- Context Window and Tokens
- Temperature
- Parameters
- Training
- The Random Seed.

Important concepts for transformer-based models

- Context Window and Tokens
- Temperature
- Parameters
- Training
- The Random Seed.
- The Prompt, aka "Programming for English Majors"



Andrej Karpathy ✓

@karpathy



The hottest new programming language is English

8:14 PM · Jan 24, 2023 · **4.6M** Views



- Context Window is the "memory" of an LLM

- Context Window is the "memory" of an LLM
- And Tokens – words, roughly – fill up that "memory"

- Context Window is the "memory" of an LLM
- And Tokens – words, roughly – fill up that "memory"
- And the *response* also takes tokens.



Temperature

Training

- Usually done on text corpuses

Training

- Usually done on text corpuses
- The Pile (825GiB), Github, ShareGPT, etc.

Training

- Usually done on text corpuses
- The Pile (825GiB), Github, ShareGPT, etc.
- (cough) books3, others

- Usually done on text corpuses
- The Pile (825GiB), Github, ShareGPT, etc.
- (cough) books3, others
- And other terms like RLHF (Reinforcement Learning from Human Feedback)

- Usually done on text corpuses
- The Pile (825GiB), Github, ShareGPT, etc.
- (cough) books3, others
- And other terms like RLHF (Reinforcement Learning from Human Feedback)
- The larger the model, the more resources it takes to train or re-train.

Parameters

- Roughly corresponds to how "Complex" or "Smart" a model is.

Parameters

- Roughly corresponds to how "Complex" or "Smart" a model is.
- (...very roughly)

Parameters

- Roughly corresponds to how "Complex" or "Smart" a model is.
- (...very roughly)
- But *definitely* correlates to resources needed to run the model.

Parameters

- Roughly corresponds to how "Complex" or "Smart" a model is.
- (...very roughly)
- But *definitely* correlates to resources needed to run the model.
- Which is why, say, GPT-4 requires this....



And you can run a 7B model on this....

