4.7 R16 ZONE (DETACHED DWELLINGS ON A CEC - ROAD)

4.7.1 R16 Permitted Uses and Zone Regulations

All **buildings** and **structures** shall comply with the provisions contained in Parts 1 to 3 and Section 4.1 of this By-law, and the **uses** and zone regulations specified within the applicable zone column contained in Table 4.7.1 - R16 Permitted Uses and Zone Regulations.

Table 4.7.1 - R16 Permitted Use and Zone Regulations
(0325-2008), (0379-2009), (0297-2013), (0190-2014), (0144-2016), (0181-2018/LPAT Order 2019 February 15), (0018-2021), (0182-2024)

Column	**A**	**B**
Line 1.0	**ZONES**	**R16**
PERMITTED USES		
2.0	RESIDENTIAL	
2.1	**Detached dwelling** on a **CEC - road**	✓
ZONE REGULATIONS		
3.0	MINIMUM **LOT AREA**	
3.1	**Interior lot**	550 m^2
3.2	**CEC - corner lot**	720 m^2
4.0	MINIMUM **LOT FRONTAGE**	
4.1	**Interior lot**	15.0 m
4.2	**CEC - corner lot**	19.5 m
5.0	MAXIMUM **LOT COVERAGE**	35%
6.0	MINIMUM **FRONT YARD**	
6.1	**Interior lot/CEC - corner lot**	7.5 m (2)
6.2	Minimum setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk	7.5 m
7.0	MINIMUM **EXTERIOR SIDE YARD**	
7.1	**Lot** with an **exterior side lot line** abutting a **street**	6.0 m (2)
7.2	**Lot** with an **exterior side lot line** abutting a **CEC - road**	6.0 m (2)
7.3	**Lot** with an **exterior side lot line** abutting a CEC - sidewalk	3.3 m (2)
7.4	Minimum setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk	6.0 m
8.0	MINIMUM **INTERIOR SIDE YARD**	
8.1	**Interior lot/corner lot**	1.2 m plus 0.61 m for each additional **storey** or portion thereof above one **storey** (2)
8.2	Where **interior side lot line** is the **rear lot line** of abutting parcel	2.5 m (2)
9.0	MINIMUM **REAR YARD**	
9.1	**Interior lot/CEC - corner lot**	7.5 m (2)
10.0	MAXIMUM **HEIGHT**	10.7 m

Table 4.7.1 continued on next page

Column	**A**	**B**
Line 1.0	**ZONES**	**R16**
Table 4.7.1 continued from previous page		
11.0	ENCROACHMENTS, PROJECTIONS AND SETBACKS	
11.1	Maximum encroachment of a **porch** or **deck** inclusive of stairs located at and accessible from the **first storey** or below the **first storey** into the required **front** and **exterior side yards**	1.5 m (2)
11.2	Maximum encroachment of an awning, window, **chimney**, pilaster or corbel, window well, and stairs with a maximum of three risers, into the required **front** and **exterior side yards**	0.6 m (2)
11.3	Maximum encroachment of a **porch** or **deck** inclusive of stairs located at and accessible from the **first storey** or below the **first storey**, or awning into the required **rear yard**	5.0 m (2)
11.4	Maximum encroachment of a **balcony**, window, **chimney**, pilaster or corbel, window well, and stairs with a maximum of three risers, into the required **rear yard**	1.0 m (2)
11.5	Minimum setback of a **detached dwelling** to a CEC - visitor **parking space**	3.3 m
11.6	Minimum setback of a **detached dwelling** to a **CEC - amenity area**	1.5 m
12.0	ATTACHED **GARAGE**, PARKING AND **DRIVEWAY**	
12.1	Attached **garage**	Permitted (3)
12.2	*deleted by 0379-2009*	
12.3	Minimum **parking spaces**	✓ (4)
12.4	Minimum visitor **parking spaces**	✓ (4)(5)
12.5	Maximum **driveway** width	✓ (6)
13.0	**CEC - ROAD**, **AISLES** AND SIDEWALKS	
13.1	Minimum width of a **CEC - road**	7.0 m (7)
13.2	Minimum width of a **CEC - road** with an abutting parallel common visitor **parking space**	6.0 m (7)
13.3	**CEC - roads** and **aisles** are permitted to be shared with abutting lands with the same R16 Base Zone and/or R16 Exception Zone	✓
13.4	Minimum width of a sidewalk	2.0 m
14.0	**ACCESSORY BUILDINGS** AND **STRUCTURES**	✓ (8)

NOTES:
(1) *deleted by 0018-2021.*
(2) See also Subsections 4.1.7 and 4.1.8 of this By-law.
(3) See Subsection 4.1.12 of this By-law.
(4) See Part 3 of this By-law.
(5) See Article 4.1.14.1 of this By-law.
(6) See Subsection 4.1.9 of this By-law.
(7) See also Article 4.1.14.2 of this By-law.
(8) See Subsection 4.1.2 of this By-law.

4.7.2 R16 Exception Zones

Refer to Article 1.1.2.3 - Exception Zones and Exception Zone Schedules

4.7.2.1	Exception: R16-1	Map # 15	By-law: 0379-2009
In a R16-1 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.1.1	Maximum number of **dwelling units** on all lands zoned R16-1		14
4.7.2.1.2	Minimum **lot area**		750 m^2
4.7.2.1.3	Minimum **lot frontage - interior lot**		22.5 m
4.7.2.1.4	Minimum **exterior side yard**		7.5 m
4.7.2.1.5	Minimum **interior side yard**		1.8 m
4.7.2.1.6	Trailer and recreational vehicle parking shall not be permitted in a **common element**		
4.7.2.1.7	An attached **garage** shall be provided on each **lot**		
4.7.2.1.8	All site development plans shall comply with Schedule R16-1 of this Exception		



Schedule R16-1
Map 15

4.7.2.2	Exception: R16-2	Map # 44W	By-law: 0253-2011, 0181-2018/LPAT Order 2019 February 15
In a R16-2 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.2.1	The provisions contained in Article 4.1.9.5 and the regulations of Line 7.0 contained in Table 4.1.8.1 of this By-law shall not apply		
4.7.2.2.2	Maximum number of **dwelling units** on all lands zoned R16-2		7
4.7.2.2.3	Minimum **lot area - interior lot**		450 m^2
4.7.2.2.4	Minimum **lot area - corner lot**		2 000 m^2
4.7.2.2.5	Minimum **lot frontage** of a **lot** with a **lot area** greater than 1 200 m^2 and less than 1 300 m^2		8.1 m
4.7.2.2.6	Minimum **front yard**		4.5 m
4.7.2.2.7	Notwithstanding Sentence 4.7.2.2.6 of this Exception, the minimum **front yard** for an **existing detached dwelling** on a **corner lot**		2.4 m
4.7.2.2.8	Notwithstanding Sentence 4.7.2.2.6 of this Exception, the minimum **front yard** on a **lot** with a **lot area** greater than 1 200 m^2 and less than 1 300 m^2		19.0 m
4.7.2.2.9	Minimum **rear yard - corner lot**		7.0 m
4.7.2.2.10	Minimum setback from a **garage face** to a **CEC - road** or CEC - sidewalk		6.0 m
4.7.2.2.11	Minimum **parking spaces** per **dwelling unit**		3
4.7.2.2.12	Minimum visitor **parking spaces** per **dwelling unit**		0.0
4.7.2.2.13	"Front Lot Line - Corner Lot" means the **lot line** that divides the **lot** from the **CEC - road**		

4.7.2.3	Exception: R16-3	Map # 45E	By-law: 0395-2009
In a R16-3 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.3.1	Minimum **lot area**		860 m^2
4.7.2.3.2	Minimum **lot frontage**		22.5 m
4.7.2.3.3	Maximum **lot coverage**		30%
4.7.2.3.4	Minimum **interior side yard - interior lot**		1.8 m on one side of the **lot** and 4.2 m on the other side
4.7.2.3.5	Minimum **parking spaces** per unit		3
4.7.2.3.6	Minimum visitor **parking spaces** per unit		0
4.7.2.3.7	All site development plans shall comply with Schedule R16-3 of this Exception		



Schedule R16-3
Map 45E

4.7.2.4	Exception: R16-4	Map # 45E	By-law: 0395-2009, 0048-2025
In a R16-4 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.4.1	Minimum **lot area - interior lot**		680 m^2
4.7.2.4.2	Minimum **lot frontage - interior lot**		18.0 m
4.7.2.4.3	Minimum **interior side yard - interior lot** abutting a RL-63 zone		3.0 m
4.7.2.4.4	Minimum **parking spaces** per unit		3
4.7.2.4.5	Minimum visitor **parking spaces** per unit		0

4.7.2.5	Exception: R16-5	Map # 14	By-law: 0077-2011, 0181-2018/LPAT Order 2019 February 15
In a R16-5 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.5.1	The regulations of Lines 11.1, 11.2, 11.3 and 11.4 in Table 4.7.1 contained in Subsection 4.7.1 of this By-law shall apply		
4.7.2.5.2	Maximum number of **dwelling units** on all lands zoned R16-5		10
4.7.2.5.3	Minimum **lot area - corner lot**		680 m^2
4.7.2.5.4	Minimum **lot frontage - corner lot**		18.5 m
4.7.2.5.5	Maximum **height - highest ridge**: **sloped roof**		9.5 m
4.7.2.5.6	Maximum **height**: **flat roof**		7.5 m
4.7.2.5.7	Maximum **height** of eaves: from **average grade** to lower edge of the eaves		7.5 m
4.7.2.5.8	Minimum setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk for Lots 1 and 5 to 8 identified on Schedule R16-5 of this Exception:		
	(1) minimum setback to **garage face** - Lot 1		6.0 m
	(2) minimum setback to **garage face** - Lots 5 to 8		6.5 m
4.7.2.5.9	The **main front entrance** of a **dwelling unit** located on Lots 1 and 2 identified on Schedule R16-5 of this Exception, shall face Camilla Road		
4.7.2.5.10	All site development plans shall comply with Schedule R16-5 of this Exception		



Schedule R16-5
Map 14

4.7.2.6	Exception: R16-6	Map # 13	By-law: 0079-2011, *deleted by 0076-2017*, 0198-2019, 0208-2022
In a R16-6 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.6.1	The provisions contained in Subsection 2.1.14 of this By-law shall not apply		
4.7.2.6.2	Maximum number of **dwelling units** on all lands zoned R16-6		18
4.7.2.6.3	Minimum **lot area - interior lot**		245 m^2
4.7.2.6.4	Minimum **lot area - CEC - corner lot**		285 m^2
4.7.2.6.5	Minimum **lot frontage - interior lot**		9.0 m
4.7.2.6.6	Minimum **lot frontage - CEC - corner lot**		11.0 m
4.7.2.6.7	Maximum **lot coverage**		41%
4.7.2.6.8	Minimum **front yard**		4.5 m
4.7.2.6.9	Minimum setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk		6.0 m
4.7.2.6.10	Minimum **interior side yard - interior lot/corner lot**		1.2 m
4.7.2.6.11	Maximum **height - highest ridge**: **sloped roof**		11.2 m
4.7.2.6.12	Maximum **dwelling unit depth**		16.0 m
4.7.2.6.13	Maximum projection of a **porch** outside the **buildable area** identified on Schedule R16-6 of this Exception		1.5 m
4.7.2.6.14	Maximum projection of an awning, **chimney**, pilaster or corbel, window well, and stairs with a maximum of three risers, into the required **front** and **exterior side yards** of the dwelling, outside the **buildable area** identified on Schedule R16-6 of this Exception		0.6 m
4.7.2.6.15	Maximum projection of a **balcony**, window, **chimney**, pilaster or corbel, window well, and stairs with a maximum of three risers, into the required **rear yard** of the dwelling, outside the **buildable area** identified on Schedule R16-6 of this Exception		1.0 m
4.7.2.6.16	Maximum **driveway** width where accessing a single car **garage**		3.0 m
4.7.2.6.17	Maximum **driveway** width where accessing a double car **garage**		6.0 m
4.7.2.6.18	All site development plans shall comply with Schedule R16-6 of this Exception		



Schedule R16-6
Map 13

4.7.2.7	Exception: R16-7	Map # 44W	By-law: 0199-2010, 0181-2018/LPAT Order 2019 February 15
In a R16-7 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.7.1	Minimum **lot area - interior lot**		660 m^2
4.7.2.7.2	Minimum **lot area - corner lot**		750 m^2
4.7.2.7.3	Minimum **lot area** of Lots A and B identified on Schedule R16-7 of this Exception		660 m^2
4.7.2.7.4	Minimum **lot frontage - interior lot**		18.0 m
4.7.2.7.5	Minimum **lot frontage - corner lot**		21.0 m
4.7.2.7.6	Maximum **lot coverage**		30%
4.7.2.7.7	Minimum **front yard - interior lot**		6.0 m
4.7.2.7.8	Minimum **front yard - corner lot**		6.0 m
4.7.2.7.9	Minimum **exterior side yard** abutting a **street** or a **CEC - road**		4.5 m
4.7.2.7.10	Minimum **parking spaces** per unit		3
4.7.2.7.11	Minimum visitor **parking spaces** per unit		0
4.7.2.7.12	The **rear yard** for Lot C identified on Schedule R16-7 of this Exception, shall be as identified on Schedule R16-7 of this Exception		



Schedule R16-7
Map 44W

4.7.2.8	Exception: R16-8	Map # 05	By-law: 0064-2013, 0181-2018/LPAT Order 2019 February 15
In a R16-8 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.8.1	Minimum **lot area - interior lot**		345 m^2
4.7.2.8.2	Minimum **lot area - corner lot**		397 m^2
4.7.2.8.3	Minimum **lot frontage - interior lot**		14.0 m
4.7.2.8.4	Minimum **lot frontage - corner lot**		16.3 m
4.7.2.8.5	Minimum **front yard - interior lot/corner lot**, unless otherwise identified on Schedule R16-8 of this Exception		4.5 m
4.7.2.8.6	Minimum setback from a **garage face** to a **CEC - road**		6.0 m
4.7.2.8.7	Minimum **exterior side yard**, unless otherwise identified on Schedule R16-8 of this Exception		4.5 m
4.7.2.8.8	Minimum **interior side yard - interior lot/corner lot**		1.8 m
4.7.2.8.9	All site development plans shall comply with Schedule R16-8 of this Exception		



Schedule R16-8
Map 05

4.7.2.9	Exception: R16-9	Map # 31	By-law: 0191-2012, 0212-2015, 0181-2018/LPAT Order 2019 February 15
In a R16-9 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.9.1	The provisions contained in Article 1.1.4.1, Lines 2.0, 4.0 and 6.0 contained in Table 4.1.8.1 and Line 1.0 contained in Table 4.1.12.1 of this By-law shall not apply		
4.7.2.9.2	Maximum number of **dwelling units** on all lands zoned R16-9		11
4.7.2.9.3	Minimum **lot area - interior lot**		475 m^2
4.7.2.9.4	Minimum **lot area - corner lot** unless otherwise identified on Schedule R16-9 of this Exception		670 m^2
4.7.2.9.5	Minimum **lot frontage - corner lot**		22.0 m
4.7.2.9.6	Maximum **lot coverage**		45%
4.7.2.9.7	Minimum **front yard**		6.0 m
4.7.2.9.8	Minimum setback from a **garage face** to a **CEC - road** or CEC - sidewalk		6.0 m
4.7.2.9.9	Minimum **interior side yard - interior lot**		1.8 m
4.7.2.9.10	Minimum **exterior side yard** abutting a **street**		7.5 m
4.7.2.9.11	Minimum number of **parking spaces** per **dwelling unit**		3
4.7.2.9.12	Maximum number of **dwelling units** with two attached **garages**		5
4.7.2.9.13	Maximum **driveway** width for each **driveway** on a **lot** with two attached **garages**		3.5 m
4.7.2.9.14	Minimum setback from the inside wall of an outdoor **swimming pool** to all lands zoned G1 or G2-4(17)		1.5 m
4.7.2.9.15	All site development plans shall comply with Schedule R16-9 of this Exception		



Schedule R16-9
Map 31

4.7.2.10	Exception: R16-10	Map # 15	By-law: OMB Order 2017 May 31, 0181-2018/ LPAT Order 2019 February 15, 0208-2022
In a R16-10 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.10.1	The regulations of Line 12.4 contained in Table 4.7.1 of this By-law shall not apply		
4.7.2.10.2	Maximum number of **dwelling units**		7
4.7.2.10.3	Minimum **lot area**		826 m^2
4.7.2.10.4	Minimum **lot frontage - interior lot**		18.0 m
4.7.2.10.5	Minimum **front yard**		6.5 m
4.7.2.10.6	Minimum setback from a **garage face** to a **CEC - road**		6.0 m
4.7.2.10.7	Minimum **interior side yard**		3.0 m
4.7.2.10.8	Minimum **interior side yard** to a CEC - walkway		1.5 m
4.7.2.10.9	An attached **garage** shall be provided on each **lot**		
4.7.2.10.10	**Swimming pools** shall be permitted outside the **buildable area**, with the exception of Lot 5, identified on Schedule R16-10 of this Exception		
4.7.2.10.11	All site development plans shall comply with Schedule R16-10 of this Exception		



Schedule R16-10
Map 15

4.7.2.11	Exception: R16-11	Map # 05	By-law: 0162-2022, 0208-2022
In a R16-11 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.11.1	Minimum **lot area - interior lot**		250 m^2
4.7.2.11.2	Minimum **lot area - CEC - corner lot**		275 m^2
4.7.2.11.3	Minimum **lot frontage - interior lot**		11.0 m
4.7.2.11.4	Minimum **lot frontage - CEC - corner lot**		12.0 m
4.7.2.11.5	Maximum **lot coverage**		45%
4.7.2.11.6	Minimum **front yard**		4.5 m
4.7.2.11.7	Minimum setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk		6.0 m
4.7.2.11.8	Minimum **exterior side yard - lot** with an **exterior side lot line** abutting a **CEC - road**		4.5 m
4.7.2.11.9	Minimum **interior side yard**		1.2 m on one side of the **lot** and 0.6 m on the other side
4.7.2.11.10	Maximum **height**		11.2 m
4.7.2.11.11	Maximum encroachment of a **balcony** into the required **rear yard**		1.5 m
4.7.2.11.12	Notwithstanding Sentence 1.1.2.3.2 of this By-law, only development located within Areas 'A', 'B', 'C', and 'D' identified on Schedule R16-11 of this Exception shall be subject to the **buildable area**		



Schedule R16-11
Map 05

4.7.2.12	Exception: R16-12	Map # 14	By-law: OLT Order 2023 March 07
In a R16-12 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.12.1	The regulations contained in Table 3.1.3.1 of this By-law shall not apply		
4.7.2.12.2	Minimum **lot area - interior lot**		230 m^2
4.7.2.12.3	Minimum **lot area - CEC - corner lot**		239 m^2
4.7.2.12.4	Minimum **lot frontage**		10.0 m
4.7.2.12.5	Maximum **lot coverage**		46%
4.7.2.12.6	Minimum **front yard - interior lot/CEC - corner lot**		4.5 m
4.7.2.12.7	Minimum **front yard** setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk		6.0 m
4.7.2.12.8	Minimum **exterior side yard - lot** with an **exterior side lot line** abutting a **CEC - road**		3.0 m
4.7.2.12.9	Minimum **interior side yard - interior lot**		1.2 m on one side, 0.61 m on the other side
4.7.2.12.10	Minimum **interior side yard - corner lot**		0.65 m
4.7.2.12.11	Minimum **interior side yard** where **interior side lot line** is the **rear lot line** of abutting parcel		3.0 m
4.7.2.12.12	Minimum **rear yard - interior lot/CEC - corner lot**		6.0 m
4.7.2.12.13	Maximum **height**		11.0 m
4.7.2.12.14	Maximum encroachment of a **porch** or **deck**, inclusive of stairs, located at and accessible from the **first storey** or below the **first storey** of the dwelling into the required **rear yard**		3.5 m
4.7.2.12.15	Minimum setback of a **detached dwelling** to a CEC - visitor **parking space**		1.7 m
4.7.2.12.16	Maximum **driveway** width		5.2 m
4.7.2.12.17	All site development plans shall comply with Schedule R16-12 of this Exception		



Schedule R16-12
Map 14

4.7.2.13	Exception: R16-13	Map #	By-law:

4.7.2.14	Exception: R16-14	Map # 03	By-law: 0131-2024
In a R16-14 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.14.1	The provisions contained in Article 4.1.5.6 and the regulations of Lines 11.5 and 11.6 contained in Table 4.7.1 of this By-law shall not apply		
4.7.2.14.2	Minimum **lot area - interior lot**		450 m^2
4.7.2.14.3	Maximum **lot coverage**		45%
4.7.2.14.4	Lots '4' and '5' identified on Schedule R16-14 of this Exception shall be considered **interior lots**		
4.7.2.14.5	Maximum **height - highest ridge**: **sloped roof**		9.5 m
4.7.2.14.6	Maximum **height**: **flat roof**		7.7 m
4.7.2.14.7	Notwithstanding Sentence 4.7.2.14.13 of this Exception, maximum encroachment of a **porch** or **deck** inclusive of stairs located at and accessible from the **first storey** or below the **first storey** into the required **front** and **exterior side yards**		1.5 m
4.7.2.14.8	Notwithstanding Sentence 4.7.2.14.13 of this Exception, maximum encroachment of an awning, window, **chimney**, pilaster or corbel, window well, and stairs with a maximum of three risers, into the required **front** and **exterior side yards**		0.6 m
4.7.2.14.9	Notwithstanding Sentence 4.7.2.14.13 of this Exception, maximum encroachment of a **porch** or **deck** inclusive of stairs located at and accessible from the **first storey** or below the **first storey**, or awning into the required **rear yard**		5.0 m
4.7.2.14.10	Notwithstanding Sentence 4.7.2.14.13 of this Exception, maximum encroachment of a **balcony**, window, **chimney**, pilaster or corbel, window well and stairs with a maximum of three risers, into the required **rear yard**		1.0 m
4.7.2.14.11	Minimum number of **parking spaces** per **dwelling unit**		3
4.7.2.14.12	Notwithstanding Sentence 4.7.2.14.13 of this Exception, **accessory buildings** and **structures** are permitted and shall comply with the regulations contained in Subsection 4.1.2 of this By-law		

Exception R16-14 continued on next page

4.7.2.14	Exception: R16-14	Map # 03	By-law: 0131-2024
Exception R16-14 continued from previous page			
4.7.2.14.13	All site development plans shall comply with Schedule R16-14 of this Exception		
Holding Provision			
	The holding symbol H is to be removed from the whole or any part of the lands zoned H-R16-14 by further amendment to Map 03 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements: (1) delivery of an executed Development Agreement in a form and on terms satisfactory to The Corporation of the City of Mississauga ("City"); (2) submission of Low Impact Development (LID) details to the satisfaction of the City and Credit Valley Conservation ("CVC"); (3) receipt of a revised grading plan and section drawings to the satisfaction of the City and CVC; (4) receipt of a revised servicing plan to the satisfaction of the City and CVC; (5) submission of landscape plans and a tree inventory plan to the satisfaction of the City; (6) submission of a buffer planting, restoration and compensation plan to the satisfaction of the City and CVC; (7) submission of a Phase Two Environmental Site Assessment and reliance letter to the satisfaction of the City's Transportation and Works Department; (8) submission of a signed and certified letter by a qualified professional regarding the suitability of fill materials located on-site and that land to be dedicated to the City is environmentally suitable for the proposed use to the satisfaction of the City's Transportation and Works Department; (9) receipt of an Environmental Compliance Approval for the proposed municipal stormwater works; (10) receipt of a survey prepared by an Ontario Land Surveyor to the satisfaction of the City's Transportation and Works Department; (11) submission of a Draft Reference Plan illustrating the lands to be dedicated to the satisfaction of the City; (12) the dedication of lands zoned G2 into public ownership to the satisfaction of the City.		



Schedule R16-14
Map 03

4.7.2.15	Exception: R16-15	Map # 22	By-law: 0218-2024
In a R16-15 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.15.1	Minimum **lot area - interior lot**		350 m^2
4.7.2.15.2	Minimum **lot frontage - interior lot**		10.0 m
4.7.2.15.3	Maximum **lot coverage**		40%
4.7.2.15.4	Minimum **interior side yard**		1.2 m on one side of the **lot** and 0.6 m on the other side
4.7.2.15.5	Minimum **accessible parking spaces**		0
4.7.2.15.6	Minimum visitor **parking spaces**		0
4.7.2.15.7	Maximum **driveway** width		6.0 m
Holding Provision			
	The holding symbol H is to be removed from the whole or any part of the lands zoned H-R16-15 by further amendment to Map 22 of Schedule B contained in Part 13 of this By-law, as amended, upon satisfaction of the following requirements: (1) completion of a turnaround facility on the adjacent lands located at 130 Fairview Road West, along with an extension to the **CEC - road** as required, to the satisfaction of the City of Mississauga ("City"); (2) conveyance of a public access easement, permitting access on the adjacent lands located at 130 Fairview Road West for the turnaround facility, and the extension of the **CEC - road** as required, to the satisfaction of the City.		

4.7.2.16	Exception: R16-16	Map # 17	By-law: 0230-2024
In a R16-16 zone the permitted **uses** and applicable regulations shall be as specified for a R16 zone except that the following **uses**/regulations shall apply:			
Regulations			
4.7.2.16.1	The provisions contained in Article 4.1.5.13 of this By-law shall not apply		
4.7.2.16.2	The provisions contained in Subsection 4.1.8 of this By-law shall not apply to the encroachment of a **porch**, **deck**, **balcony**, **chimney**, awning, window, pilaster or corbel, window well, or stairs with a maximum of three risers		
4.7.2.16.3	Minimum **lot area - interior lot**		225 m^2
4.7.2.16.4	Minimum **lot area - CEC - corner lot**		245 m^2
4.7.2.16.5	Minimum **lot frontage - interior lot/CEC - corner lot**		10.0 m
4.7.2.16.6	Maximum **lot coverage**		53%
4.7.2.16.7	Minimum **front yard - interior lot/CEC - corner lot**		4.5 m
4.7.2.16.8	Minimum setback from a **garage face** to a **street**, **CEC - road** or CEC - sidewalk		6.0 m
4.7.2.16.9	Minimum **interior side yard - lot** with an **exterior side lot line** abutting a **CEC - road**		0.6 m
4.7.2.16.10	Minimum **interior side yard - interior lot**		1.2 m on one side of the **lot** and 0.6 m on the other side
4.7.2.16.11	Minimum **interior side yard** where **interior side lot line** is the **rear lot line** of abutting parcel		1.2 m
4.7.2.16.12	Minimum **rear yard - interior lot/CEC - corner lot**		6.0 m
4.7.2.16.13	Maximum **height**		12.6 m
4.7.2.16.14	Notwithstanding Sentence 4.7.2.16.19 of this Exception, maximum encroachment of a **porch** or **deck** inclusive of stairs into the required **front** and **exterior side yards**		1.5 m
4.7.2.16.15	Notwithstanding Sentence 4.7.2.16.19 of this Exception, maximum encroachment of an awning, window, **chimney**, pilaster or corbel, window well, and stairs with a maximum of three risers, into the required **front** and **exterior side yards**		0.6 m
4.7.2.16.16	Notwithstanding Sentence 4.7.2.16.19 of this Exception, maximum encroachment of a **deck** inclusive of stairs located at and accessible from the **first storey** or below the **first storey**, or awning into the required **rear yard**		5.0 m
4.7.2.16.17	Notwithstanding Sentence 4.7.2.16.19 of this Exception, maximum encroachment of a **balcony**, window, **chimney**, pilaster or corbel, window well and stairs with a maximum of three risers, into the required **rear yard**		1.8 m
4.7.2.16.18	Notwithstanding Sentence 4.7.2.16.19 of this Exception, **accessory buildings** and **structures** shall comply with the provisions contained in Subsection 4.1.2 of this By-law		
4.7.2.16.19	Site development related to any **buildable areas** shall comply with Schedule R16-16 of this Exception		



Schedule R16-16
Map 17