Final deliverable C. Backlog and first user stories

Project: Fittybird x Kiabi, 360° Framework
Deliverable: C, Period 4 (initialize the backlog)
Companion file: `decision-log.docx` (dated product decisions by checkpoint review)
Terms: `shared/glossary.docx`

1. Backlog

The backlog has 33 items, ordered by priority and risk. Sizes: S about 1.5 person-days, M about 4, L about 8. Every item names a persona, so a developer can see who the work is for (`2a-personas/personas.docx`). Items that build the platform or protect privacy (TECH, PRIV, SP-02) name the persona whose need they protect first.

ID	Epic	Story	Persona	Priority	Size	Sprint
SP-01	Avatar	Spike: build or buy the photo-to-avatar pipeline	Léa	Must	M	1
SP-02	Try on	Spike: choose the try-on rendering approach on 5 pilot articles	Léa	Must	S	1
OPS-01	Operations	Data request to Kiabi: return cost, return reasons, orders, size charts	Claire	Must	S	1
PRIV-01	Privacy	Privacy checklist and consent text before anyone outside the team uploads a photo	Nadia	Must	S	1
TECH-01	Platform	Hosting in the EU, four environments and secrets	Nadia	Must	M	1
TECH-03	Platform	Kiabi adapter core, with a mock feed	Lucas	Must	M	1
US-01	Start	Consent screen before any photo is taken	Nadia	Must	S	1
US-02	Start	Delete my avatar and data	Nadia	Must	S	1
US-03	Start	Sign in with an account	Léa	Must	M	1
US-04	Avatar	Guided photo capture	Léa	Must	M	2
US-05	Avatar	Generate an avatar from photos	Léa	Must	L	2
US-06	Avatar	Confirm height and size	Léa	Must	S	2
US-22	Operations	Event tracking and control group for the KPIs	Claire	Must	M	2
TECH-02	Platform	Delivery pipeline: build, test and deploy on every merge	Léa	Must	M	2
US-07	Browse	Browse a sample Kiabi catalog	Lucas	Must	M	3
US-08	Try on	See a garment on my avatar	Léa	Must	L	3
US-09	Fit	Fit view per body zone	Léa	Must	L	3
US-10	Fit	Size advice for the chosen item	Nadia	Must	M	3
US-11	Avatar	Photo quality check with live tips	Nadia	Should	M	4
US-12	Buy	Add to the Kiabi cart	Lucas	Must	M	4
US-13	Store	Mirror loads my avatar after my phone scans its pairing QR code	Karim	Must	M	4
US-14	Store	Size request from the mirror to the staff tablet	Karim, Inès	Must	M	4
US-23	Store	Link my loyalty card to my account once	Karim	Must	M	4
OPS-02	Operations	Pilot shop and staff briefing	Inès	Must	M	4
US-15	After purchase	One-question fit feedback and return reason	Claire	Must	S	5

ID	Epic	Story	Persona	Priority	Size	Sprint
PRIV-02	Privacy	Full privacy review before the pilot (D10)	Nadia	Must	M	5
TECH-04	Platform	Monitoring, alerts and backups	Karim	Must	S	5
US-17	Store	Staff tablet shows my fit view	Inès	Should	M	5
US-18	Dashboard	Usage and fit dashboard for the e-commerce team	Claire	Should	L	5
US-16	Fit	Compare two sizes side by side	Léa	Should	M	Later
US-19	Try on	Save and share looks	Lucas	Nice	M	Later
US-20	Browse	Outfit suggestions	Lucas	Nice	L	Later
US-21	Store	Real NFC tap instead of QR code	Karim	Nice	L	Later

Sprint 6 holds no new stories: it is the pilot, bug fixing and handover.

Eight items were added at the 3a review (D15): TECH-01 to TECH-04, SP-02, PRIV-01, PRIV-02 and US-23, 24.5 person-days in all. With US-16 moved, sprint loads become 23.5, 21.5, 24, 24 and 19 against 24, which is 112 of 120 person-days. US-16 is set to Later as proposed in D15. It can return to sprint 5 if capacity allows (it is 4 person-days, so sprint 5 would be 23).

2. First user stories

SP-01. Spike: build or buy the photo-to-avatar pipeline

- As the AI lead, I want to compare existing avatar and body-estimation options, so that the team picks one by the end of sprint 1 and Léa gets a reliable avatar.
- Done when: three options are tested on the same 10 sample photo sets, a one-page comparison covers quality, cost, speed and privacy, and the recommendation is logged as decision D4.

OPS-01. Data request to Kiabi

- As Claire's counterpart on the project, I want Kiabi to give us the cost of a return, the return reasons, monthly orders and size charts for the pilot articles, so that the business case rests on real figures.
- Done when: the five requests in `00-bootstrap/01-data-analysis.docx`, section 3, are sent in week 1, each answer is recorded, and any gap is written into the risk register (R2, R13).

US-01. Consent before any photo

- As Nadia, I want to understand what happens to my photos before I take any, so that I can decide whether to continue.
- Given I open photo capture for the first time, when the screen loads, then I see what is stored, for how long and why, and the camera stays off until I tick consent.
- Given I decline, then I can still browse the catalog.
- Given I accept, then the consent date and version are logged.

US-02. Delete my data

- As Nadia, I want to delete my avatar and photos in one action, so that I stay in control.
- Given I tap delete in my profile, when I confirm, then my avatar, photos and measurements are removed within 24 hours and I see a confirmation.

US-03. Sign in with an account

- As Léa, I want to sign in once, so that my avatar is saved and I can use it on my phone and on the web.
- Given I have no account, when I choose to create one, then I can sign up with an email and a password.
- Given I am signed in, then my avatar and consent are linked to my account.

US-04. Guided photo capture

- As Léa, I want clear on-screen steps to take my photos, so that my avatar is accurate on the first try.
- Given I start capture, when the camera opens, then I see an outline and one instruction per photo (front, side, back).
- Given a photo is too dark or blurry, then I am asked to retake it before moving on.

US-05. Generate an avatar

- As Léa, I want an avatar built from my photos, so that I can see clothes on a body like mine.
- Given I submitted valid photos, when processing ends, then my avatar is shown within 60 seconds. This limit is a proposal to test in sprint 2.
- Given processing fails, then I see a clear message and can retry without retaking all photos.

US-06. Confirm height and size

- As Léa, I want to confirm my height and usual size, so that the avatar scale is right.
- Given the avatar is shown, when I enter my height and usual size, then the avatar scale updates and the values are saved to my profile.

US-22. Event tracking and control group

- As Claire, I want every step of the avatar and try-on flow recorded and a control group of shoppers without try-on, so that I can see whether Fittybird lowers the return rate.
- Given a shopper is in the pilot, when they view an article, then they are assigned to the try-on group or the control group and the assignment is stored.
- Given any step of the flow completes, then an event is recorded without storing photos.
- Done when: the events needed by the KPIs in the manifesto (section 7) are defined and reach the dashboard.

SP-02. Spike: choose the try-on rendering approach

- As the AI lead, I want to test a 2D garment overlay on five pilot articles, so that the team knows by the end of sprint 1 whether the try-on looks real enough for Léa.
- Done when: five adult tops from the pilot set are drawn on three test avatars made from consenting team members, at least three people have judged the result, a one-page note covers realism, effort and the garment images Kiabi must supply, and the choice is logged as decision D16.

PRIV-01. Privacy checklist before outside photos

- As Nadia, I want the team to check how my photos are used before anyone outside the team uploads one, so that I can trust the app.
- Done when: the checklist covers what is stored, where, for how long, who can see it and how it is deleted, and the consent text has been read by Kiabi's privacy contact (or by the product manager and the tech lead until a contact is named).
- Done when: until the checklist is signed off, user tests use only photos of consenting team members, and the retention periods are recorded as decision D19.

TECH-01. Hosting in the EU, four environments and secrets

- As Nadia, I want my data hosted in the European Union and kept out of test systems, so that my body photos stay protected.
- Done when: the hosting region is in the EU, the Local, Dev, Staging and Production environments exist, no real photo can reach Dev or Staging, secrets are kept out of the repository, and the provider choice is logged.

TECH-03. Kiabi adapter core, with a mock feed

- As Lucas, I want to browse real Kiabi articles with their sizes, so that I can try on what I might buy.

- Done when: the adapter returns the catalog, size charts and garment images from a mock feed for 20 pilot articles, nothing else in the product calls Kiabi systems directly, and switching to Kiabi's real feed needs no change outside the adapter.

TECH-02. Delivery pipeline

- As Léa, I want every new version tested before I see it, so that my avatar flow keeps working.
- Done when: every merge is built, runs the automated tests on the API and the fit engine, and is deployed to Dev, and Staging is updated from the same pipeline before each sprint review.

US-13. Mirror loads my avatar from a pairing QR code

- As Karim, I want to load my avatar on the mirror with my phone, so that I get a fit view without starting over.
- Given I am signed in on my phone and have an avatar, when I scan the pairing QR code shown on the mirror, then the mirror loads my avatar.
- Given the code is older than 2 minutes (a proposal to confirm), then it is refused and the mirror shows a new one.
- Given I am not signed in or have no avatar, then my phone asks me to sign in or create one first.
- Given my session has been idle for 30 minutes (a proposal to confirm), then the mirror closes it and clears my avatar from the screen.

US-14. Size request from the mirror to the staff tablet

- As Karim, I want to ask for another size from the mirror, so that I do not have to go back to the shelves.
- Given I choose a size and tap request, when the associate's tablet is online, then the request appears on the tablet within 5 seconds (a proposal to test in sprint 4).
- Given the tablet loses its connection, then it still receives the request through the polling fallback.
- Given an associate opens the tablet, then they sign in with the shop-level role and see only the requests for their shop.

US-23. Link my loyalty card to my account

- As Karim, I want to link my loyalty card to my account once, so that my avatar follows me into the shop.
- Given I am signed in, when I enter my card number, then Kiabi checks it through the adapter and the card is linked to my account.
- Given Kiabi cannot check the number, then I am told that card linking is not available yet and I can still use the mirror with the pairing QR code (D18).
- Given I delete my data (US-02), then the card link is removed with it.

TECH-04. Monitoring, alerts and backups

- As Karim, I want the mirror to work when I visit the pilot shop, so that my visit stays short.
- Done when: errors and slow responses alert the team, daily backups run and one restore has been tested, and backups expire after the retention period set in the privacy review.

PRIV-02. Full privacy review before the pilot

- As Nadia, I want my photos and measurements checked before real shoppers use the product, so that I stay in control (D10).
- Done when: the review covers consent, retention, deletion, backups, the events sent to analytics and, if an avatar provider is bought, processing in the EU and a data processing agreement. Kiabi's privacy contact has seen the result, and open points are in the risk register (R9, R16) before the pilot starts.

3. Definitions

- **Ready:** the story names a persona and the Kiabi data behind it, has acceptance criteria and a size, and has no unanswered dependency.

- **Done:** acceptance criteria pass, a second person reviewed the work, it runs in staging, the product manager has seen it in a sprint review, and the events for its KPI are tracked.

4. Why the backlog looks like this

The order of the backlog follows six rules, each tied to a decision recorded with its evidence in `decision-log.docx`:

Rule	Decision	Effect on the backlog
Riskiest first	D4, D9	The spike, consent, deletion and Kiabi data come in sprint 1
Web first	B3	Sprints 1 to 3 build the web flow. Store items start in sprint 4
Measure the effect	D14	Event tracking (US-22) comes before try-on is shown to real users
Platform first	D15	TECH-01 and TECH-03 in sprint 1 and TECH-02 in sprint 2, so stories are built on real environments and a mock Kiabi feed
Privacy before outside photos	D19, D22	PRIV-01 in sprint 1 and PRIV-02 in sprint 5, before the pilot
Stay within capacity	D15	US-16 is set to Later. Sprint loads are 23.5, 21.5, 24, 24 and 19