Shared domain glossary

Project: Fittybird x Kiabi, 360° Framework
Purpose: one meaning per term, used the same way in documents, user stories, code and conversations. If a term changes, change it here first.
Owner: product manager (Elie). Anyone can propose a term in a pull request.

Product terms

Term	Definition	Do not confuse with
Fittybird	The product name, with the cartoon bird that holds the magic mirror. Written "Fittybird x Kiabi" when named with the client	FitMe, the earlier name, which is taken
Avatar	The shopper's body model built from photos, with height and usual size. It stays on the shopper's account until deleted	A game character, or a photo of the shopper
Try-on	Showing one catalog item on the avatar	A fitting-cabin trial with the real item
Fit view	The result screen that rates each body zone as tight, right or loose for the chosen size	A promise of fit
Fit zone	A body area rated by the fit view: shoulders, chest, waist, sleeve length (for tops)	A clothing size
Tight, right, loose	The three fit states. Each shows a color, an icon and a word	Good or bad
Size advice	The size the fit engine suggests, shown with the fit view	An order decision. The shopper decides
Size chart	Kiabi's table of garment measurements per size, used by the fit engine	The shopper's body measurements
Fit engine	The component that compares the avatar with a size chart	The avatar service
Avatar service	The component that turns photos into an avatar	The fit engine
Mirror	The in-store screen that shows the avatar and the fit view. Built on the fitting-cabin screen idea	A physical mirror
Cabin screen	The screen in the renovated fitting cabin that lets a customer ask for another size or color (brief p.1)	The mirror, until we extend it
Size request	A customer's request for another size or color, sent from the cabin screen or the mirror to a staff tablet	An order
Pilot	The first real use: web for chosen articles, then one shop	A full rollout
Pilot articles	The small set of Kiabi articles with prepared size charts	The whole catalog
Control group	Shoppers who see the same articles without try-on, used to measure the effect on returns	A test user

Term	Definition	Do not confuse with
Consent	The shopper's recorded agreement to use their photos, with date and version	A cookie banner
Pairing QR code	The code shown on the mirror. The shopper scans it with a phone to load their avatar. It expires after 2 minutes (to confirm)	The loyalty-card tap (NFC)
Store session	The short link between one shopper and one mirror, opened by the pairing QR code and closed after 30 minutes idle (to confirm)	The shopper's account
Loyalty card link	The one-time link between a loyalty-card number and a shopper's account, checked through the Kiabi adapter	The NFC tap, which only counts entries today
Kiabi adapter	The one component that talks to Kiabi systems (catalog, images, cart, card check). Nothing else in the product calls Kiabi directly	The Kiabi cart itself
Try-on renderer	The component that draws a catalog garment on the avatar (2D overlay in version 1)	The fit engine, which only rates fit
Mock feed	A set of 20 hand-prepared articles used in place of the Kiabi feed until Kiabi supplies the real one	Real Kiabi data
Retention	How long a piece of data is kept before it is deleted. Photos are deleted at creation. The avatar stays until deleted or after 12 months of inactivity (to confirm)	Consent

Kiabi and retail terms

Term	Definition	Source
PAP (prêt-à-porter)	Ready-to-wear clothing. The dashboard splits PAP turnover into women 53%, men 32%, children 15%	Brief p.3
C.A. (chiffre d'affaires)	Turnover	Deck slide 2
Return rate	Share of items sold that come back. 26.5% online, 3.7% in store	Brief p.3
Average cart (basket)	Average value of one purchase: 67.53 € online, 29.08 € in store	Brief p.3
Cross-channel	A customer who uses both the web and the shops. Kiabi says such a customer is 3 times more profitable	Deck slide 6
Phygital	Physical and digital combined, for example the cabin screen	Brief p.1
Click and collect	Order online, pick up in store. Offered in 75 of 85 stores	Brief p.3
Fidelity (loyalty) card	Kiabi's customer card. It carries an NFC tag that currently only counts shop entries	Brief p.1
NFC	Near-field communication, the contactless tap on the loyalty card	Brief p.1

Term	Definition	Source
Clienteling tool	Kiabi's internal tool at checkout that scores satisfaction so staff can adapt their speech to the customer type	Deck slide 21
LSA terminals	In-store terminals showing the whole collection (about 6,000 items per season)	Deck slide 19
Market segment	One of the seven groups the deck uses to describe the French ready-to-wear market (Les Désimpliqués, Les Résignés, Les Intemporels, Les Connectés, Les Fashion Pressés, Les Compulsifs, Les Sans Limites)	Deck slide 2
Macro trend	One of the numbered long-term trends in the Kiabi deck (9 of 15 are in our file)	Deck slides 9 to 17

Project and method terms

Term	Definition
Persona	A fictional user built from Kiabi data and interviews. Every user story names one
Storymap	The macro-functionalities ordered by customer activity and priority
Must, Should, Nice	The three priority levels: needed for the pilot, makes it good, can wait
Epic	A group of related user stories
User story	One need written from a persona's point of view, with acceptance criteria
Spike (SP)	A short, time-boxed study to answer a technical question before building
Backlog	The ordered list of everything to build
Sprint	A fixed 2-week work period with a goal
Definition of Ready	The conditions a story meets before a sprint can take it
Definition of Done	The conditions a story meets to count as finished
Retrospective (retro)	The end-of-sprint meeting to decide what to change
Risk register	The table of risks with scores, owners and decisions
Arbitration	The collective process the team uses to score a risk and pick a response (3b-risks/risk-management.docx)
Risk class	The response chosen for a risk: Resolved (gone), Owned (one person acts), Accepted (we live with it) or Managed (we follow it with actions)
Enabler	A backlog item that builds the platform, privacy or a spike rather than a user story. IDs start with TECH, PRIV or SP
Decision log	The dated record of product decisions, by checkpoint (C-backlog/decision-log.docx)
Gandalf	The platform where each checkpoint file is handed in