Final deliverable C. Backlog and first user stories

Project: Fittybird x Kiabi, 360° Framework
Deliverable: C, Period 4 (initialize the backlog)
Companion file: `decision-log.docx` (dated product decisions by checkpoint review)
Terms: `shared/glossary.docx`

1. Backlog

The backlog has 33 items, ordered by priority and risk. Sizes: S about 1.5 person-days, M about 4, L about 8. Every item names a persona, so a developer can see who the work is for (`2a-personas/personas.docx`). Items that build the platform or protect privacy (TECH, PRIV, SP-02) name the persona whose need they protect first.

ID	Epic	Story	Persona	Priority	Size	Sprint
SP-01	Avatar	Spike: build or buy the photo-to-avatar pipeline	Léa	Must	M	1
SP-02	Try on	Spike: choose the try-on rendering approach on 5 pilot articles	Léa	Must	S	1
OPS-01	Operations	Data request to Kiabi: return cost, return reasons, orders, size charts, garment images, card-number check, privacy contact	Claire	Must	S	1
PRIV-01	Privacy	Privacy checklist and consent text before anyone outside the team uploads a photo	Nadia	Must	S	1
TECH-01	Platform	Hosting in the EU, four environments and secrets	Nadia	Must	M	1
TECH-03	Platform	Kiabi adapter core, with a mock feed	Lucas	Must	M	1
US-01	Start	Consent screen before any photo is taken	Nadia	Must	S	1
US-02	Start	Delete my avatar and data	Nadia	Must	S	1
US-03	Start	Sign in with an account	Léa	Must	M	1
US-04	Avatar	Guided photo capture	Léa	Must	M	2

ID	Epic	Story	Persona	Priority	Size	Sprint
US-05	Avatar	Generate an avatar from photos	Léa	Must	L	2
US-06	Avatar	Confirm height and size	Léa	Must	S	2
US-22	Operations	Event tracking and control group for the KPIs	Claire	Must	M	2
TECH-02	Platform	Delivery pipeline: build, test and deploy on every merge	Léa	Must	M	2
US-07	Browse	Browse a sample Kiabi catalog	Lucas	Must	M	3
US-08	Try on	See a garment on my avatar	Léa	Must	L	3
US-09	Fit	Fit view per body zone	Léa	Must	L	3
US-10	Fit	Size advice for the chosen item	Nadia	Must	M	3
US-11	Avatar	Photo quality check with live tips	Nadia	Should	M	4
US-12	Buy	Add to the Kiabi cart	Lucas	Must	M	4
US-13	Store	Mirror loads my avatar after my phone scans its pairing QR code	Karim	Must	M	4
US-14	Store	Size request from the mirror to the staff tablet	Karim, Inès	Must	M	4
US-23	Store	Link my loyalty card to my account once	Karim	Must	M	4
OPS-02	Operations	Pilot shop and staff briefing	Inès	Must	M	4
US-15	After purchase	One-question fit feedback and return reason	Claire	Must	S	5
PRIV-02	Privacy	Full privacy review before the pilot (D10)	Nadia	Must	M	5
TECH-04	Platform	Monitoring, alerts and backups	Karim	Must	S	5
US-17	Store	Staff tablet shows my fit view	Inès	Should	M	5

ID	Epic	Story	Persona	Priority	Size	Sprint
US-18	Dashboard	Usage and fit dashboard for the e-commerce team	Claire	Should	L	5
US-16	Fit	Compare two sizes side by side	Léa	Should	M	Later
US-19	Try on	Save and share looks	Lucas	Nice	M	Later
US-20	Browse	Outfit suggestions	Lucas	Nice	L	Later
US-21	Store	Real NFC tap instead of QR code	Karim	Nice	L	Later

Sprint 6 holds no new stories: it is the pilot, bug fixing and handover.

Eight items were added at the 3a review (D15): TECH-01 to TECH-04, SP-02, PRIV-01, PRIV-02 and US-23, 24.5 person-days in all. With US-16 moved, sprint loads become 23.5, 21.5, 24, 24 and 19 against 24, which is 112 of 120 person-days. US-16 is set to Later as proposed in D15. It can return to sprint 5 if capacity allows (it is 4 person-days, so sprint 5 would be 23).

2. First user stories

SP-01. Spike: build or buy the photo-to-avatar pipeline

- As the AI lead, I want to compare existing avatar and body-estimation options, so that the team picks one by the end of sprint 1 and Léa gets a reliable avatar.
- Done when: three options are tested on the same 10 sample photo sets, a one-page comparison covers quality, cost, speed and privacy, and the recommendation is logged as decision D4.

OPS-01. Data request to Kiabi

- As Claire's counterpart on the project, I want Kiabi to give us the cost of a return, the return reasons, monthly orders, size charts and garment images for the pilot articles, an answer on checking a loyalty-card number, and the name of a privacy contact, so that the business case and the try-on rest on real material.
- Done when: the eight requests in 00-bootstrap/01-data-analysis.docx, section 3, are sent in week 1, each answer is recorded, and any gap is written into the risk register (R2, R13, R15, R9).

US-01. Consent before any photo

- As Nadia, I want to understand what happens to my photos before I take any, so that I can decide whether to continue.
- Given I open photo capture for the first time, when the screen loads, then I see what is stored, for how long and why, and the camera stays off until I tick consent.
- Given I decline, then I can still browse the catalog.
- Given I accept, then the consent date and version are logged.

US-02. Delete my data

- As Nadia, I want to delete my avatar and photos in one action, so that I stay in control.
- Given I tap delete in my profile, when I confirm, then my avatar, photos and measurements are removed within 24 hours and I see a confirmation.

US-03. Sign in with an account

- As Léa, I want to sign in once, so that my avatar is saved and I can use it on my phone and on the web.

- Given I have no account, when I choose to create one, then I can sign up with an email and a password.
- Given I am signed in, then my avatar and consent are linked to my account.

US-04. Guided photo capture

- As Léa, I want clear on-screen steps to take my photos, so that my avatar is accurate on the first try.
- Given I start capture, when the camera opens, then I see an outline and one instruction per photo (front, side, back).
- Given a photo is too dark or blurry, then I am asked to retake it before moving on.

US-05. Generate an avatar

- As Léa, I want an avatar built from my photos, so that I can see clothes on a body like mine.
- Given I submitted valid photos, when processing ends, then my avatar is shown within 60 seconds. This limit is a proposal to test in sprint 2.
- Given processing fails, then I see a clear message and can retry without retaking all photos.

US-06. Confirm height and size

- As Léa, I want to confirm my height and usual size, so that the avatar scale is right.
- Given the avatar is shown, when I enter my height and usual size, then the avatar scale updates and the values are saved to my profile.

US-22. Event tracking and control group

- As Claire, I want every step of the avatar and try-on flow recorded and a control group of shoppers without try-on, so that I can see whether Fittybird lowers the return rate.
- Given a shopper is in the pilot, when they view an article, then they are assigned to the try-on group or the control group and the assignment is stored.
- Given any step of the flow completes, then an event is recorded without storing photos.
- Done when: the events needed by the KPIs in the manifesto (section 7) are defined and reach the dashboard.

SP-02. Spike: choose the try-on rendering approach

- As the AI lead, I want to test a 2D garment overlay on five pilot articles, so that the team knows by the end of sprint 1 whether the try-on looks real enough for Léa.
- Done when: five adult tops from the pilot set are drawn on three test avatars made from consenting team members, at least three people have judged the result, a one-page note covers realism, effort and the garment images Kiabi must supply, and the choice is logged as decision D16.

PRIV-01. Privacy checklist before outside photos

- As Nadia, I want the team to check how my photos are used before anyone outside the team uploads one, so that I can trust the app.
- Done when: the checklist covers what is stored, where, for how long, who can see it and how it is deleted, and the consent text has been read by Kiabi's privacy contact (or by the product manager and the tech lead until a contact is named).
- Done when: until the checklist is signed off, user tests use only photos of consenting team members, and the retention periods are recorded as decision D19.

TECH-01. Hosting in the EU, four environments and secrets

- As Nadia, I want my data hosted in the European Union and kept out of test systems, so that my body photos stay protected.
- Done when: the hosting region is in the EU, the Local, Dev, Staging and Production environments exist, no real photo can reach Dev or Staging, secrets are kept out of the repository, and the provider choice is logged.

TECH-03. Kiabi adapter core, with a mock feed

- As Lucas, I want to browse real Kiabi articles with their sizes, so that I can try on what I might buy.
- Done when: the adapter returns the catalog, size charts and garment images from a mock feed for 20 pilot articles, nothing else in the product calls Kiabi systems directly, and switching to Kiabi's real feed needs no change outside the adapter.

TECH-02. Delivery pipeline

- As Léa, I want every new version tested before I see it, so that my avatar flow keeps working.
- Done when: every merge is built, runs the automated tests on the API and the fit engine, and is deployed to Dev, and Staging is updated from the same pipeline before each sprint review.

US-13. Mirror loads my avatar from a pairing QR code

- As Karim, I want to load my avatar on the mirror with my phone, so that I get a fit view without starting over.
- Given I am signed in on my phone and have an avatar, when I scan the pairing QR code shown on the mirror, then the mirror loads my avatar.
- Given the code is older than 2 minutes (a proposal to confirm), then it is refused and the mirror shows a new one.
- Given I am not signed in or have no avatar, then my phone asks me to sign in or create one first.
- Given my session has been idle for 30 minutes (a proposal to confirm), then the mirror closes it and clears my avatar from the screen.

US-14. Size request from the mirror to the staff tablet

- As Karim, I want to ask for another size from the mirror, so that I do not have to go back to the shelves.
- Given I choose a size and tap request, when the associate's tablet is online, then the request appears on the tablet within 5 seconds (a proposal to test in sprint 4).
- Given the tablet loses its connection, then it still receives the request through the polling fallback.
- Given an associate opens the tablet, then they sign in with the shop-level role and see only the requests for their shop.

US-23. Link my loyalty card to my account

- As Karim, I want to link my loyalty card to my account once, so that my avatar follows me into the shop.
- Given I am signed in, when I enter my card number, then Kiabi checks it through the adapter and the card is linked to my account.
- Given Kiabi cannot check the number, then I am told that card linking is not available yet and I can still use the mirror with the pairing QR code (D18).
- Given I delete my data (US-02), then the card link is removed with it.

TECH-04. Monitoring, alerts and backups

- As Karim, I want the mirror to work when I visit the pilot shop, so that my visit stays short.
- Done when: errors and slow responses alert the team, daily backups run and one restore has been tested, and backups expire after the retention period set in the privacy review.

PRIV-02. Full privacy review before the pilot

- As Nadia, I want my photos and measurements checked before real shoppers use the product, so that I stay in control (D10).
- Done when: the review covers consent, retention, deletion, backups, the events sent to analytics and, if an avatar provider is bought, processing in the EU and a data processing agreement. Kiabi's privacy contact has seen the result, and open points are in the risk register (R9, R16) before the pilot starts.

3. Definitions

- **Ready:** the story names a persona and the Kiabi data behind it, has acceptance criteria and a size, and has no unanswered dependency.
- **Done:** acceptance criteria pass, a second person reviewed the work, it runs in staging, the product manager has seen it in a sprint review, and the events for its KPI are tracked.

4. Why the backlog looks like this

The order of the backlog follows six rules, each tied to a decision recorded with its evidence in `decision-log.docx`:

Rule	Decision	Effect on the backlog
Riskiest first	D4, D9	The spike, consent, deletion and Kiabi data come in sprint 1
Web first	B3	Sprints 1 to 3 build the web flow. Store items start in sprint 4
Measure the effect	D14	Event tracking (US-22) comes before try-on is shown to real users
Platform first	D15	TECH-01 and TECH-03 in sprint 1 and TECH-02 in sprint 2, so stories are built on real environments and a mock Kiabi feed
Privacy before outside photos	D19, D22	PRIV-01 in sprint 1 and PRIV-02 in sprint 5, before the pilot
Stay within capacity	D15	US-16 is set to Later. Sprint loads are 23.5, 21.5, 24, 24 and 19

Product decision log, by checkpoint review

Project: Fittybird x Kiabi, 360° Framework
Part of: final deliverable C
Terms: `shared/glossary.docx`

This log records each product decision at the checkpoint review where it was taken, in order. It replaces a single retrospective table: each entry says what was decided, on what evidence, which options were set aside, and what it changed in the backlog.

How to use this log

- Add entries at the end of each checkpoint review, the same day.
- Never edit an old entry. If a decision changes, add a new entry and mark the old one "Superseded by ".
- **Status:** *Confirmed* (the team has stated it), *Proposed* (the author's proposal, to confirm at the review) or *Pending* (to be decided by a named spike or session).
- Review dates are not in the brief. Fill the [DATE] fields when the school's dates are known.

1. Bootstrap review (before 1a)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
B1	The problem to solve is fitting and returns, mostly online	Online fitting 13% satisfied and grade 3, against 75% and 8 in store. Online returns 26.5% against 3.7% (00-bootstrap/01-data-analysis.docx, F1 and F2)	Store payment: Kiabi is already deploying self-checkout (deck slide 20). Store research: the cause is not in the data. NFC card alone: does not address the largest gap	Epics Avatar, Try on, Fit	Confirmed (idea). Evidence added in this version
B2	The avatar is built from simple photos, with no body scan	Product idea stated by the team. Fits trend 15, virtual try-on at home (deck slide 17)	Body-scan booth and scan hardware: cost and shop dependency. Measurements form only: no visual try-on	Epic Avatar built on photo capture	Confirmed
B3	Web first, then one store pilot	Largest pain online. About one fifth of turnover online (F7, approximate). Store needs hardware, training and NFC (00-bootstrap/03-growth-levers-and-web-first.docx)	Store first: slow feedback, many dependencies. Both at once: too much for a 4-person team in 12 weeks	Sprints 1 to 3 web, sprints 4 to 6 store	Proposed
B4	Product name: Fittybird x Kiabi	"FitMe" was taken	Keep "FitMe": not usable	Name used across all files	Confirmed

2. Review of checkpoint 1a (manifesto)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
D1	Adults only. No avatar try-on for children	Stated by the team. Children are 15% of ready-to-wear turnover (brief p.3), so some value is left out	Include children: privacy risk is higher and avatars for growing bodies are harder	No children's stories. Risk R4 accepted, revisit after the pilot	Confirmed
D2	Hand off to Kiabi's cart. No own checkout	Online payment is already 88% satisfied, grade 7.4	Own payment: adds liability and scope for no measured gain	US-12 is a hand-off only	Proposed
D3	Separate success criteria for web and store	Fitting is 13% online and 75% in store	One shared criterion: it would hide that the store pilot proves speed and identity, not fit	Manifesto section 7 has separate rows. US-13 and US-14 judged on speed	Proposed

3. Review of checkpoint 1b (team and rituals)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
T1	Four roles with named backups	One absence must not stop an area (risk R5)	Three roles with no backups	None	Proposed
T2	Hadeed takes the interview methodology expert role (buying patterns), plus the operations and data tasks	Nobody owns the data requests, tracking, test plan and pilot logistics	Spread those tasks across three people, already full	OPS-01, US-22, OPS-02 added, owned by Hadeed	Pending: Hadeed and the team confirm the role (1b-team-and-rituals)

4. Review of checkpoint 2a (personas)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
P1	Four personas map to customer segments (70% of buyers, 64% of turnover). Fashion Pressés and Sans Limites left out of version 1	Deck slide 2	A persona for every segment: spreads the pilot too thin. Sans Limites (12% of turnover) to revisit after the pilot	Stories name one of the six personas	Proposed

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
P2	Persona details not found in the data (age, job, city) removed. Interviews in sprint 1 add them	A review found the first version rested on hypotheses	Keep invented details: not traceable to Kiabi data	Interview task for the UX lead in sprint 1	Confirmed

5. Review of checkpoint 2b (storymap)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
M1	Fit per body zone and size advice are Must. Outfit suggestions are Nice	Fitting is the weakest online stage	Outfit suggestions first: improves research, which is the best-rated online stage	US-09 and US-10 are Must. US-20 is Nice	Proposed
M2	Guest mode is Should, not Must	Sign-in links the avatar to the account	Guest-first: needs temporary storage and weakens the cross-channel link	US-03 Must in sprint 1. Guest mode not in the backlog	Proposed

6. Review of checkpoint 3a (architecture)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
D4	Build or buy the avatar pipeline is decided at the end of sprint 1	Largest technical unknown (R6, R7)	Decide now: no evidence yet	SP-01 in sprint 1	Pending: SP-01, Fri 2026-11-20
D5	Photos are deleted after avatar creation unless the shopper opts in	Body photos are sensitive	Keep photos by default: higher privacy exposure	US-01, US-02	Proposed
D6	A QR code stands in for the NFC tap in the first pilot	The NFC tag only counts entries today (brief p.1). Integration is uncertain (R10)	Wait for NFC: puts the pilot at risk	US-13 uses a QR code. US-21 (NFC) is Nice	Proposed
D7	Fit is shown as a range with a size confirmation step	A wrong fit claim could raise returns (R3)	A single "this fits" answer: false precision	US-09 and US-10 wording	Proposed
D8	The fit engine is rule-based at first. Hosting is in the EU	Explainable, no training data needed. Personal data of French shoppers	A learned model: needs data we do not have	US-09	Proposed

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
D15	Add the technical backlog items and move US-16 to Later, or confirm capacity above 3 days a week	The components in 3a had no story, and the 91.5 person-days cover user stories only. With 24.5 person-days added, 116 of 120 are used (97%) and slack falls from 28.5 to 4	Leave the work unplanned: it would surface in sprint 3, which is already full	TECH-01 to TECH-04, SP-02, PRIV-01, PRIV-02 and US-23 added. Sprint loads become 23.5, 21.5, 24, 24 and 23	Proposed
D16	Version 1 try-on is a 2D garment overlay from catalog images, adult tops first. Confirmed by SP-02	Risk R8. The fit zones in the glossary (shoulders, chest, waist, sleeve length) are tops zones	3D garment models: assets and skills we do not have (R6)	US-08 scope and wording	Proposed
D17	In-store identity: the mirror shows a pairing QR code and the shopper's signed-in phone scans it	Risk R10. The NFC tag only counts entries today (brief p.1)	A camera on the mirror: extra hardware. An NFC read: needs access to Kiabi identity	US-13 wording	Proposed
D18	The loyalty card is linked once to the account by card number, checked through the Kiabi adapter. If Kiabi cannot check it, the link waits	Growth lever L1. The card is rated 7.3 in store and 4.8 online (brief p.4)	An NFC read: depends on Kiabi. No link at all: the same avatar through the card is lost	US-23 added	Proposed
D19	Photos are deleted at creation. The avatar is kept until the shopper deletes it, or after 12 months without use (to confirm). Backups are kept for a fixed period	Risks R1 and R9. Periods are proposals for the Kiabi privacy contact to confirm	Keep data without limit: weak on privacy	US-02 and PRIV-01	Proposed
D20	Size requests are pushed to the staff tablet in real time, with a polling fallback. The tablet uses a shop-level sign-in in the pilot	US-14: an associate must act within seconds. Risk R17 (weak shop network)	Polling only: slow. Personal staff accounts: needs Kiabi identity integration	US-14 acceptance criteria	Proposed

7. Review of checkpoint 3b (risks)

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
D9	Risks are scored by the whole team in a written arbitration process	A risk register scored by one person is not a team decision	Scoring by the product manager alone	Risk review inside every retro	Proposed. First session: sprint 1
D10	A privacy review is required before any real user photo	R9: body data is sensitive	Review after launch: too late	Review task in sprint 5	Proposed
D21	Every risk is also classed Resolved, Owned, Accepted or Managed. The first arbitration is held in two parts, after a pre-vote in a shared sheet	The brief (p.7) asks for this classification. 19 risks at 7 to 12 minutes each take over two hours in one meeting	One long session with all risks. Responses (avoid, reduce, transfer, accept) only, with no class	Risk review in every retro also moves Owned risks to Managed. No backlog change	Proposed
D22	A privacy checklist (PRIV-01) is done in sprint 1, before any photo from outside the team. The full review (PRIV-02) stays before the pilot, as in D10	D10 asks for a review before any real user photo, but the review is in sprint 5 while user tests are planned in sprints 1 to 3 (1b)	Wait for sprint 5: blocks early tests. Test with real photos before any review: breaks D10	PRIV-01 in sprint 1, PRIV-02 in sprint 5	Proposed

8. Review of final deliverables A, B and C

Review date: [DATE]

ID	Decision	Evidence	Options set aside, and why	Effect on the backlog	Status
D11	Sprint order: US-03 moves to sprint 1 and US-11 moves to sprint 4	Sprint 3 would exceed capacity with US-11 (28 against 24 person-days)	Keep US-11 in sprint 3: overloads the sprint that holds the try-on	Roadmap loads: 12.5, 17.5, 24, 20, 17.5	Proposed
D12	No work is planned beyond 2027-02-12	The brief says three months, beyond that is too uncertain	A 6-month plan	None	Confirmed by the brief
D13	Scrum with a Kanban board and a limit of 4 stories in progress	Fixed review dates for Kiabi, and a flow limit for four people	Pure Kanban, pure Scrum	Board columns	Proposed
D14	Event tracking and a control group come before real users see try-on	Without them we cannot test the 3-point return-rate hypothesis	Measure after launch: no baseline	US-22 in sprint 2	Proposed

9. Backlog changes, in order

When	Change	Caused by
Bootstrap review	Epics Avatar, Try on, Fit created	B1, B2
1b review	OPS-01, US-22, OPS-02 added	T2
2b review	US-03 set as Must	M2

When	Change	Caused by
3a review	US-13 uses a QR code. US-21 (NFC) set to Nice	D6
Final review	US-03 moved from sprint 2 to sprint 1. US-11 moved from sprint 3 to sprint 4	D11
3a review (proposed)	TECH-01, TECH-02, TECH-03, TECH-04, SP-02, PRIV-01, PRIV-02 and US-23 added. US-13 reworded to the pairing QR. Staff sign-in and real-time push added to the US-14 acceptance criteria. US-16 moved to Later, unless capacity above 3 days a week is confirmed	D15, D16, D17, D18, D20
3b review (proposed)	PRIV-01 set in sprint 1 and PRIV-02 in sprint 5	D22