Checkpoint 2b. Storymap

Project: Fittybird x Kiabi, 360° Framework
Checkpoint: 2b, Period 2 (identify the macro-functionalities)
Terms: `shared/glossary.docx`

The product follows the customer along eight activities. Each macro-functionality has a priority (Must, Should, Nice), a persona it serves, the journey stage it improves, and the skill it needs.

Must means the pilot cannot run without it. Should makes the pilot good. Nice can wait.

1. Overview by activity

Activity	Must have	Should have	Nice to have
1. Start and consent	Sign-in with an account. Link a loyalty card to the account once. Clear consent before photos. Delete my data	Guest mode with a temporary avatar	Sign-in with a social account
2. Create the avatar	Guided photo capture. Avatar from photos. Height and size confirmation	Photo quality check with live tips. Avatar edit (posture, hair)	Avatar from a short video
3. Browse and choose	Catalog from Kiabi. Filters by category and size	Search. Favorites	Outfit suggestions
4. Try on	Garment shown on the avatar, front and back views	Rotate and zoom. Color switch	Save and share looks
5. Judge the fit	Size advice. Fit view per body zone (tight, right, loose)	Compare two sizes side by side	Fit confidence score
6. Buy	Add to the Kiabi cart and hand off to Kiabi checkout	Back-in-stock alerts	Wishlist sync across channels
7. In-store experience	Mirror loads my avatar after my phone scans its pairing QR code. Size request from the mirror to the staff tablet	Staff tablet shows the fit view with the request	Loyalty-card tap on the mirror (NFC). Mirror in more shops. Queue-free reservation
8. After purchase	One-question fit feedback. Return reason capture	Return reason linked to the try-on	Style profile that improves advice
Kiabi team (extra area)	Event tracking for the KPIs	Usage and fit dashboard	Export to Kiabi's own reporting

2. Traceability: activity, persona, journey stage

Activity	Primary persona	Journey stage improved	Channel
1. Start and consent	Nadia	All stages (trust)	Web, store
2. Create the avatar	Léa	Online fitting (13%)	Web
3. Browse and choose	Lucas	Online research	Web
4. Try on	Léa	Online fitting	Web, store
5. Judge the fit	Léa, Nadia	Online fitting, online return	Web, store
6. Buy	Lucas	Online payment (kept as is)	Web
7. In-store experience	Karim, Inès	In-store research (20%) and fitting	Store
8. After purchase	Claire	Online return (26.5%)	Web, store
Kiabi team	Claire	Measurement	Dashboard

3. Job and skill prioritization

This view answers "who builds what, and with which skill". Each macro-functionality is matched to the skill that dominates the work and to the role that holds that skill, and the sprint column places it on the three-month roadmap. An owner is read together with the named backups in 1b: sprint 1 planning checks each assignment against availability and against the two open technical spikes, then records any change as a new entry in C-backlog/decision-log.docx so that this table stays a stable reference.

Macro-functionality	Priority	Main skill	Owner (proposed)	Sprint
Consent and delete my data	Must	Back-end, privacy	Muhammad	1
Sign-in	Must	Back-end	Muhammad	1
Avatar creation	Must	AI, computer vision	Muhammad	1 to 2
Photo capture screens	Must	Front-end, UX	Boyu	2
Catalog	Must	Front-end, integration	Boyu	3
Try-on	Must	AI, 3D, front-end	Muhammad, Boyu	1 to 3
Fit view and size advice	Must	AI, data	Muhammad	3
Cart hand-off	Must	Integration	Muhammad	4
Mirror and staff tablet	Must	Front-end, integration	Boyu	4
Loyalty-card link	Must	Back-end, integration	Muhammad	4
Event tracking and KPIs	Must	Data	Hadeed	2
Hosting, environments and delivery pipeline	Must	Back-end, DevOps	Muhammad	1 to 2
Kiabi adapter (mock feed, then real feed)	Must	Integration	Muhammad	1
Privacy checklist and review	Must	Back-end, privacy	Muhammad	1 and 5
Monitoring, alerts and backups	Must	Back-end, DevOps	Muhammad	5
Data requests to Kiabi	Must	Operations	Hadeed	1
Pilot shop and staff briefing	Must	Operations	Hadeed	4
Product ordering and priorities	Must	Product	Elie	All
Fit feedback after purchase	Must	Front-end, data	Boyu, Hadeed	5
Dashboard for Kiabi	Should	Data, front-end	Hadeed, Boyu	5

4. Screens

Screens are derived from the story map itself. Each of the eight customer activities, and the Kiabi team area, is broken into the tasks a user performs; each task becomes one screen with an entry point, a primary action and an exit. Every screen keeps a trace back to its activity, the persona it serves, the journey stage it improves and its Must, Should or Nice class, so the screen set reads against the overview in section 1, the traceability in section 2 and the skill matrix in section 3. The Must screens describe the shortest complete pilot journey; Should and Nice screens extend it.

Designing a screen begins with the data it needs and the decision the user takes on it. The avatar, the garment, the fit view and the chosen size are the objects shared by the whole set: the same wording, the same tight / right / loose scale and the same size advice appear wherever they are shown. Four clients present these objects - the shopper's web view, the store mirror, the associate tablet and the Kiabi dashboard - and each shows only the actions its own user can take. The mirror opens a session, the tablet receives size requests and the dashboard reads aggregates. One shared object model keeps the web and store journeys from drifting apart.

Consent and privacy govern the opening screens. The camera stays off until consent is recorded, a screen explains what is stored, where and for how long before any photo is taken, and the photos are used to build the avatar and are

then deleted. Profile views expose the consent version, withdrawal and delete-my-data. In the store a session opens through a pairing QR code shown on the mirror together with a one-time link of the loyalty card number to the account (D17, D18); the size request then reaches the associate tablet, with a polling fallback when a push is unavailable. These rules follow the consent, avatar storage, card link, mirror pairing, size request, deletion and analytics flows of 3a.

The acceptance test for a screen covers the main path and its interruptions: what the user sees on arrival, what the primary action changes, which data is read or written, what happens when a photo fails, an article is missing, the tablet is offline or a pairing code expires, and where the user goes next. Each screen is read against one persona's journey and against the event tracking that feeds the pilot indicators, so a design choice can be tied to a measurable effect rather than to a visual preference.

Screen	Activity
01 Welcome, 02 Consent and privacy, 06 Profile and privacy	1. Start and consent
03 Photo capture, 04 Building the avatar, 05 Confirm avatar	2. Create the avatar
07 Catalog	3. Browse and choose
08 Try-on	4. Try on
09 Fit view	5. Judge the fit
10 Cart hand-off	6. Buy
11 Store mirror, 12 Staff tablet	7. In-store experience
13 Kiabi dashboard	Kiabi team

The table above groups the core screens under the activities they serve. Section 6 gives the design guidance for each screen and for the states that sit beside the main paths: section 4 fixes the structure of the screen set, section 6 fixes what each screen and state must cover. Reading the two together keeps the interface described in the same terms as the architecture, the backlog and the pilot indicators.

5. Notes

The detailed interview notes and the Kiabi deck stay at hand. Priorities can change as the sprint 1 research comes in. Each change is recorded in C-backlog/decision-log.docx. Version 2 follows the target architecture (3a) and risk review (3b): the pairing QR code replaces the card tap in the pilot (D17), the loyalty card is linked once to the account (D18), and the technical and privacy work now appear as their own lines in section 3.

6. Screen and state inventory

The tables in this section turn the screen set into design guidance. Each row is read as an instruction: name the screen, state the primary action, list what it must show, then add the states that can interrupt the main path. The second table covers both the core screens and the states that fall outside a single main path - entry, identity linking, pairing, post-purchase feedback, and empty or error conditions.

States are enumerated from the failure points of the nine data flows in 3a and from the places where a user can abandon a task: no article returned, no avatar yet, an upload error, an offline tablet, an expired pairing code, a withdrawn consent. For each one the design fixes what stays visible, which action remains available and how the user returns to the main path. Progress and retry belong on the photo capture and avatar building screens; the fit view keeps the size advice visible while the garment loads; the dashboard shows aggregates without exposing individual photos.

Each row is read together with section 3, which names the skill and the proposed owner for the macro-functionality and places it in a sprint. A developer can therefore take a row, find its data flow and its owner, and work out both the main path and its exceptions from the same source.

Screen / state	Activity	Content specification
01 Welcome	1. Start and consent	Product introduction, sign-in and create-avatar entry points
02 Consent and privacy	1. Start and consent	What is stored, where, for how long; camera stays off until consent is ticked
03 Photo capture	2. Create the avatar	Outline and one instruction per photo, front, side and back
04 Building the avatar	2. Create the avatar	Progress state with the 60-second target and a retry path
05 Confirm avatar	2. Create the avatar	Avatar preview, height and usual-size confirmation
06 Profile and privacy	1. Start and consent	Delete my data, consent version and withdrawal date
07 Catalog	3. Browse and choose	Kiabi articles with category and size filters
08 Try-on	4. Try on	Garment on the avatar, front and back views
09 Fit view	5. Judge the fit	Tight, right or loose per body zone plus size advice
10 Cart hand-off	6. Buy	Chosen article and size handed to the Kiabi cart
11 Store mirror	7. In-store experience	Pairing QR code, loaded avatar, size request
12 Staff tablet	7. In-store experience	Shop-level sign-in, incoming size requests, fit view
13 Kiabi dashboard	Kiabi team	Usage, fit and cross-channel aggregates
S1 Sign-in	1. Start and consent	Additional state: email and password, validation and recovery
S2 Loyalty-card link	1. Start and consent	Additional state: one-time card number, adapter check, fallback message
S3 Pairing QR on mirror	7. In-store experience	Additional state: 2-minute code, refresh, 30-minute idle expiry
S4 Post-purchase feedback	8. After purchase	Additional state: one-question fit feedback and return reason

S5 Empty and error states	All activities	Additional state: no articles, no avatar, upload error, offline tablet