Elif Cemre Durgut -26493 - C5302 HW8

Question 3

$$\rightarrow (\#ab\timesb)L_{\times}\rightarrow (\#ab\timesb)L\rightarrow (\#ab\timesb)\times\rightarrow (\#a\times\timesb)R_{\#}\rightarrow (\#a\times\timesb\#)b$$

$$\rightarrow (\# \times \times \times bba) L_{\#} \rightarrow (\# \times \times bba) \# \rightarrow (\# \# \times \times bba) R_{\times} \rightarrow (\# \# \times \times bba) \#$$

$$\rightarrow$$
 (###xbba) Rx \rightarrow (####bba) # \rightarrow (####bba) ν

| Label | condition | Next TM |
|-------|--------------|-----------------------------------------------|
| > | | R# LB |
| В | ∇ ≠ # | x R# TLx C |
| C | J+X | |
| B | ▽=# | h go left until you find the first non-x. (La |

ii) (s, #w) - +m (h, #ww)

Test: w=abb f(w)=abbabb

$$\rightarrow (\# \times bba)a \rightarrow (\# abba)R \rightarrow (\# abba) \times (\# a \times ba)R \rightarrow (\# a \times ba)R \rightarrow (\# a \times ba)B$$

$$\rightarrow$$
 (#abxab#) b \rightarrow (#abxabb) Lx \rightarrow (#abxabb) b \rightarrow (#abbabb)

iii) (s, #w) - *m (h, #w#wR)

Test: w=abb f(w) = abb # bba

$$\rightarrow (\#abxx\#)b\rightarrow (\#abxxb)L_{\#}\rightarrow (\#abxxb)R_{X}\rightarrow (\#abxxb)b$$

$$\rightarrow$$
 (#abbxb) $L \rightarrow$ (#abbxb) $x \rightarrow$ (#axbxb) $R_{\#} \rightarrow$ (#axbxb#) b

The your depotent with the property of the second

a several any office.

$$\rightarrow$$
 (#abbxbb) $x \rightarrow (\# xbbxbb) R_{H} \rightarrow (\# xbbxbb#) a \rightarrow (\# xbbxbba) L_{H} \rightarrow$

- halt

| Label | condition | Next TM |
|-------|-----------|---------------|
| 7 | Falk | R# X L B |
| В | σ≠# | XR# OLH RXOLB |
| B | σ=# | h |