Presentation Task B

Application Cases, Metrics and Data Augmentation

other competitions (kaggle/codalab)

Cloud classification from satellite images

https://www.kaggle.com/competitions/understanding cloud organization

Coco Detection Challenge https://codalab.lisn.upsaclay.fr/competitions/7384

SemanticKitti - Semantic Segmentation https://codalab.lisn.upsaclay.fr/competitions/6280

Object Detection (3D Lidar)

https://paperswithcode.com/sota/3d-object-detection-on-nuscenes https://paperswithcode.com/sota/3d-object-detection-on-kitti-cars-easy

Use Case

Problem to be solved:

- Object Detection for autonomous driving
 - accurately detect objects (i.e. pedestrians, vehicles, cyclists)
 - o differentiation between drivable vs non-drivable areas

Problems of natural data:

- data privacy
 - o faces, license plates

Synthetic data to our help:

- no human individuals
- data gathering less cheap and time consuming

Datasets

 datasets: nuScene, Kitti, ScanNet, Waymo, S3DISCityscapes, Argoverse, CARLA, Synscapes

FileSpace	Name Li	-10	License	Year	3B point cloud segmentation	∢ 3D object detection & tracking	3D drivable area	₹ 2D segmention	2D freespace	2D drivable area		Motion forcasting	image / Other Annotation Format	Lidar Annotation Format	Relevance		RGB	RGB-C	Lidar	Kabar FLR/NR	-	Marie	Dotaits
PRECIDING Pascal VICE Pa			non-commercial	2016	X				\square	_	_	-	?	?	high	forest	Х	X	_			_	Bumblebee2 Stereo
PFRSD									\square	_	1	1		map based + object coordinates					X	XX			Velodynce HDL-32E, Delphi ESR Radar, Flir A65,
PEED						X	X		\vdash		_	1 8							_)	(
RELUS-30 Integrummancial Concernmental					Х		_	+-	\sqcup	_	_	-		(*)				-	_	_	+	-	
## PRINCE						Х				_				-							-		
SemanticUSL Ntps://pubm.nept.mem.ne					X			-		_	-			SemanticKITTI (.label files)			Х	Х		-	-	1000	
SugarBeels Into /www inb unit Dublic 2016								X					rgb/png files	-			Х				3		
Value		https://unmannedla	non-commercial		X							1		SemanticKITTI (label files)	high	campus & off-road							
CIT MOMA	SugarBeets	http://www.ipb.uni-l	public	2016			- 15				X		?	?	high	sugar beets / field	X	х	X		7		2x Velodyne VLP-16, Camera JAI AD-130GE, Kine
Marulan	YCOR		unknown	?	X								?	?	high	off-road	Х						
Name	KIT MOMA		unknown		11.5		х				3	1.8	?	?	mid	construction sides	Х						
SemanticXTTT Into //semantic-kitt Into	Marulan	http://sdi.acfr.usyd.	unknown	2009		х	х							1729	mid	dust, smoke, rain	х		X :	x x	2		Sick LaserStarboard/Port, FMCW Radar, Raytheor
Date	Rosario	https://www.cifasis	unknown	2019		1000						Х	3D position GT		mid	soybean field		Ж)	(ZED Stereo Camera, LSM6DS0 6-DoF IMU
DALES	SemanticKITTI	http://semantic-kitti	non-commercial	2019	X		- 10				- 3	100	2 % a	SemanticKITTI (.label files)	mid	urban		- 1	X				Velodyne HDL-64E
Compliance Into Afdian Lond Infect Into Afdian Lond Infect Into Afdian Lond Infect Into Afdian Lond Infect Into Afdian Lond Into A	RAGE	https://download.vi	unknown	2016				X	X			П			mid	urban simulator	X			- 0	T		Simulation based semantic labels
SPRS	DALES	https://udayton.edu	non-commercial	2020	x										none	arial scans	X		X				airborn laser scanner
Dark	IQmulus	http://data.ign.fr/ber	non-commercial	2015	X		- 13			2 2	3	8 8	3		none	urban road scans		8 - 9	X	13			MLS (3d mobile laser scanner)
Daldand 3-D Point Cloud https://www.csc.mm unknown 2009 x	ISPRS	https://www2.isprs	unknown	2012	х										none	arial scans			X				airborn laser scanner
Paris-Liel-3D https://momisd.fr/page non-commercial 2018 x	Oakland 3-D Point Cloud	https://www.cs.cmu	unknown	2009	х								0		none	urban road scans			X				
Pais-rue-Hadame http://www.cmm.ml non-commercial 2014 x x x x x x x x x	Paris-Lille-3D	https://npm3d.fr/pa	non-commercial	2018	X										none			G 4	X				Velodyne HDL-32E
SanNet	Paris-rue-Madame	http://www.cmm.mi		2014	X			\top	П						none	urban road scans			X			\neg	MLS (3d mobile laser scanner)
ScanNet/2 Into //www.scan.e.e seamete2 Into //www.scan.e.e seamete2 Into //www.scan.e.e Into //w	S3DIS				X							16.28	8				X		X	1 3			
Semantic2D Intos/Newwi.semar none	ScanNet	http://www.scan-ne	unknown	2017	X										none	indoor	x	x			2		
Semantic2D Intos/Newwi.semar none	ScanNetV2	http://www.scap-pe	unknown	2018		x		\top							none	indoor	-	х			7		
SUN RGB-0	Semantic3D				Х						1	1 9					X	1 8	X				Terrestrial Laser Scanner
Intro-30 Intro-30						x												х					
Drive Act Ditos // Drive Act D	Toronto-3D				X														X				MLS (3d mobile laser scanner)
A	Drive&Act											1 2					x	X		X	8		
hptildscape	A*3D					X													x	-			Velodyne HDL-64E, 2x PointGrey Chameleon2 ca
Argoverse https://www.argove unknown urban x x x x Velodyne Pucks, Stereo and Mono Cameras, 20K100K https://www.chysca unknown urban x x x x Velodyne Pucks, Stereo and Mono Cameras, 20K100K unknown urban x x x x X Velodyne Pucks, Stereo and Mono Cameras, 20K100K unknown urban x x X X X X X X X X X X X X X X X X X					1 8	-	x	X)	(x						х			1		The state of the s
DK100K					8.3	X				x		×	3						X	9 3	1	()	Velodyne Pucks, Stereo and Mono Cameras, HD-
Cityscape https://www.citysca non-commercial x x x unknown urban x x x Cityscape 3D https://www.citysca non-commercial 2020 x x x x x x x x x						-	×	×			(-						- 53					
Cityscape 3D https://www.cityscal non-commercial 2020 x unknown urban x x x x x x					Y			-					(Х			1		
				2020	-	Y		-			2								Y		1		
			university only	2020		-	_	+			_				unknown	urban	x	-	X				4x Velofyne HDL-32E, 6 Point Grey 1.3 MP Camer:

Datasets

KITTI https://www.cvlibs.net/datasets/kitti/eval object.php?obj benchmark=3d

Data collection and privacy

- Funding: KIT, TTI-C
- Privacy: academic use only (registration required, Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License)
- Footprint: equipped with Radar, LiDAR, camera data
- classes: building, tree, sky, car, sign, road, pedestrian, fence, pole, sidewalk, bicyclist
- 73.7km driving distance
- 7481 training images; 7519 test images (80256 labeled objects)

•

Datasets Virtual KITTI

Data generation:

- Unity game engine with 5 different virtual worlds under different lightning and weather conditions
- Creative COmmons Attribution-NonCommercial-ShareAlike 3.0 License restrictions on commercial use and distribution
- corresponds to real KITTI scenes
- "measuring the real-to-virtual gap, deep learning with virtual data, and measuring the generalization performance under changes in imaging and weather conditions"

https://github.com/VisualComputingInstitute/vkitti3D-dataset/blob/master/tools/download raw vkitti.sh (try out for download)

- Radar, LiDAR, camera data
- classes: building, tree, sky, car, sign, road, pedestrian, fence, pole, sidewalk, bicyclist
- 7481 training images; 7519 test images (80256 labeled objects)

Datasets NuScene

- https://www.nuscenes.org/download
- •

Datasets Waymo

- tfds.load('waymo_open_dataset/v1.0',data_dir='gs://waymo_open_dataset_v_1_0_0_individual_files/tensorflow_datasets')
- Creative COmmons Attribution-NonCommercial-ShareAlike 3.0 License restrictions on commercial use and distribution; registration required for download
- objects in motion: vehicle, pedestrians, cyclists and more
- Footprint: LiDAR, Camera with annotations for scene understanding in 2D and 3D

•

Metrics

- Mean Average Precision
- Intersection over Union
- Standard accuracy measures

Virtual KITTI: MSE and Edge-Aware Smoothing loss (https://arxiv.org/pdf/2006.04080v2)

Al models

Models: PointNet, SalsaNext, Faster R-CNN

GANs for mixed datasets

0

THANK YOU FOR YOUR ATTENTION!

Sources

- 1. Lightning NeRF: Efficient Hybrid Scene Representation for Autonomous Driving https://arxiv.org/pdf/2403.05907
- 2