


Eli Heuer
Type Specimen
2011—2016



Family Name: Toren
Style Name: Regular

Units Per Em: 1000
Year: 2014

Repo: github.com/eliheuer/Toren
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j k

l m n o p q r s

t u v w x y z

1 2 3 4 5 6 7 8 9 0

Family Name: Toren
Style Name: Regular

Units Per Em: 1000
Year: 2014

Repo: github.com/eliheuer/Toren
License: SIL Open Font License v1.1

72pt

Wristwatch Render-farm

11pt

GNU, which stands for Gnu's Not Unix, is the name for the complete Unix-compatible software system which I am writing so that I can give it away free to everyone who can use it. Several other volunteers are helping me. Contributions of time, money, programs and equipment are greatly needed. So far we have an Emacs text editor with Lisp for writing editor commands, a source level debugger, a yacc compatible parser generator, a linker, and around 35 utilities. A shell (command interpreter) is nearly completed. A new portable optimizing C compiler has compiled itself and may be released this year. An initial kernel exists but many more features are needed to emulate Unix. When the kernel and compiler are finished, it will be possible to distribute a GNU system suitable for program development. We will use TeX as our text formatter, but an nroff is being worked on. We will use the free, portable X Window System as well. After this we will add a portable Common Lisp, an Empire game, a spreadsheet, and hundreds of other things, plus online documentation. We hope to supply, eventually, everything useful that normally comes with a Unix system, and more. GNU will be able to run Unix programs, but will not be identical to Unix. We will make all improvements that are conve-

Mathematics books and journals do not look as beautiful as they used to. It is not that their mathematical content is unsatisfactory, rather that the old and well-developed traditions of typesetting have become too expensive. Fortunately, it now appears that mathematics itself can be used to solve this problem. A first step in the solution is to devise a method for unambiguously specifying mathematical manuscripts in such a way that they can easily be manipulated by machines. Such languages, when properly designed, can be learned quickly by authors and their typists, yet manuscripts in this form will lead directly to high quality plates for the printer with little or no human intervention. A second step in the solution makes use of classical mathematics to design the shapes of the letters and symbols themselves. It is possible to give a rigorous definition of the exact shape of the letter "a", for example, in such a way that infinitely many styles (bold, extended, sans-serif, italic, etc.) are obtained from a single definition by changing only a few parameters. When the same is done for the other letters and symbols, we obtain a mathematical definition of type fonts, a definition that can be used on all machines both now and in the future. The main significance of this approach is that new symbols can

Family Name: Toren
Style Name: Mono

Units Per Em: 1000
Year: 2014

Repo: github.com/eliheuer/Toren
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j

k l m n o p q r s

t u v w x y z

1 2 3 4 5 6 7 8 9 0

Family Name: Toren
Style Name: Mono

Units Per Em: 1000
Year: 2014

Repo: github.com/eliheuer/Toren
License: SIL Open Font License v1.1

72pt

CLOCKWORK
Hello World

11pt

GNU, which stands for Gnu's Not Unix, is the name for the complete Unix-compatible software system which I am writing so that I can give it away free to everyone who can use it. Several other volunteers are helping me. Contributions of time, money, programs and equipment are greatly needed. So far we have an Emacs text editor with Lisp for writing editor commands, a source level debugger, a yacc compatible parser generator, a linker, and around 35 utilities. A shell (command interpreter) is nearly completed. A new portable optimizing C compiler has compiled itself and may be released this year. An initial kernel exists but many more features are needed to emulate Unix. When the kernel and compiler are finished, it will be possible to distribute a GNU system suitable for program development. We will use TeX as our text formatter, but an nroff is being worked on. We will use the free, portable X Window System as

Mathematics books and journals do not look as beautiful as they used to. It is not that their mathematical content is unsatisfactory, rather that the old and well-developed traditions of typesetting have become too expensive. Fortunately, it now appears that mathematics itself can be used to solve this problem. A first step in the solution is to devise a method for unambiguously specifying mathematical manuscripts in such a way that they can easily be manipulated by machines. Such languages, when properly designed, can be learned quickly by authors and their typists, yet manuscripts in this form will lead directly to high quality plates for the printer with little or no human intervention. A second step in the solution makes use of classical mathematics to design the shapes of the letters and symbols themselves. It is possible to give a rigorous definition of the exact shape of the letter "a", for exam-

Family Name: Toren
Style Name: Rotalic

Units Per Em: 1000
Year: 2014

Repo: github.com/eliheuer/Toren
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j k

l m n o p q r s

t u v w x y z

1 2 3 4 5 6 7 8 9 0

Family Name: Toren
Style Name: Rotalic

Units Per Em: 1000
Year: 2014

Repo: github.com/eliheuer/Toren
License: SIL Open Font License v1.1

72pt

Polyominoes Common Lisp

11pt

GNU, which stands for Gnu's Not Unix, is the name for the complete Unix-compatible software system which I am writing so that I can give it away free to everyone who can use it. (1) Several other volunteers are helping me. Contributions of time, money, programs and equipment are greatly needed. So far we have an Emacs text editor with Lisp for writing editor commands, a source level debugger, a yacc-compatible parser generator, a linker, and around 35 utilities. A shell (command interpreter) is nearly completed. A new portable optimizing C compiler has compiled itself and may be released this year. An initial kernel exists but many more features are needed to emulate Unix. When the kernel and compiler are finished, it will be possible to distribute a GNU system suitable for program development. We will use TeX as our text formatter, but an nroff is being worked on. We will use the free, portable X Window System as well. After this we will add a portable Common Lisp, an Empire game, a spreadsheet, and hundreds of other things, plus online documentation. We hope to supply, eventually, everything useful that normally comes with a Unix system, and more.

Mathematics books and journals do not look as beautiful as they used to. It is not that their mathematical content is unsatisfactory, rather that the old and well-developed traditions of typesetting have become too expensive. Fortunately, it now appears that mathematics itself can be used to solve this problem. A first step in the solution is to devise a method for unambiguously specifying mathematical manuscripts in such a way that they can easily be manipulated by machines. Such languages, when properly designed, can be learned quickly by authors and their typists, yet manuscripts in this form will lead directly to high quality plates for the printer with little or no human intervention. A second step in the solution makes use of classical mathematics to design the shapes of the letters and symbols themselves. It is possible to give a rigorous definition of the exact shape of the letter "a", for example, in such a way that infinitely many styles (bold, extended, sans-serif, italic, etc.) are obtained from a single definition by changing only a few parameters. When the same is done for the other letters and symbols, we obtain a mathematical definition of type fonts, a definition that can be used on all machines both now and in the future. The main significance of this approach is that new symbols can readily be added in such a way that they

Revival: Behrens Antiqua
Foundry: Klingspor

Designer: Peter Behrens
Year: 1907

github.com/eliheuer/behrens-antiqua
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j k l m n

o p q r s t u v w x y z

1 2 3 4 5 6 7 8 9 0

& * ? ! ß

Revival: Behrens Antiqua
Foundry: Klingspor

Designer: Peter Behrens
Year: 1907

github.com/eliheuer/behrens-antiqua
License: SIL Open Font License v1.1

72pt

Wristwatch Nano Render-farm

11pt

GNU, which stands for Gnu's Not Unix, is the name for the complete Unix-compatible software system which I am writing so that I can give it away free to everyone who can use it. Several other volunteers are helping me. Contributions of time, money, programs and equipment are greatly needed. So far we have an Emacs text editor with Lisp for writing editor commands, a source level debugger, a yacc-compatible parser generator, a linker, and around 35 utilities. A shell (command interpreter) is nearly completed. A new portable optimizing C compiler has compiled itself and may be released this year. An initial kernel exists but many more features are needed to emulate Unix. When the kernel and compiler are finished, it will be possible to distribute a GNU system suitable for program development. We will use TeX as our text formatter, but an nroff is being worked on. We will use the free, portable X Window System as well. After this we will add a portable Common Lisp, an Empire game, a spreadsheet, and hundreds of other things, plus on-line documentation. We hope to supply, eventually, everything useful that normally comes with a Unix system, and more.

Mathematics books and journals do not look as beautiful as they used to. It is not that their mathematical content is unsatisfactory, rather that the old and well-developed traditions of typesetting have become too expensive. Fortunately, it now appears that mathematics itself can be used to solve this problem. A first step in the solution is to devise a method for unambiguously specifying mathematical manuscripts in such a way that they can easily be manipulated by machines. Such languages, when properly designed, can be learned quickly by authors and their typists, yet manuscripts in this form will lead directly to high quality plates for the printer with little or no human intervention. A second step in the solution makes use of classical mathematics to design the shapes of the letters and symbols themselves. It is possible to give a rigorous definition of the exact shape of the letter "a", for example, in such a way that infinitely many styles (bold, extended, sans-serif, italic, etc.) are obtained from a single definition by changing only a few parameters. When the same is done for the other letters and symbols, we obtain a mathematical definition of type fonts, a definition that can be used on all machines both now and in the future. The main significance of this approach is that new symbols can readily be added in such a way that they are automatically consistent with the old ones.

Family Name: UPM256
Style Name: Regular

Units Per Em: 256
Year: 2015

Repo: github.com/eliheuer/upm256
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J K

L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j k

l m n o p q r s

t u v w x y z

Family Name: UPM256
Style Name: Regular

Units Per Em: 256
Year: 2015

Repo: github.com/eliheuer/upm256
License: SIL Open Font License v1.1

72pt

Kowloon Nano Denim Courier

11pt

GNU, which stands for Gnu's Not Unix, is the name for the complete Unix-compatible software system which I am writing so that I can give it away free to everyone who can use it. Several other volunteers are helping me. Contributions of time, money, programs and equipment are greatly needed. So far we have an Emacs text editor with Lisp for writing editor commands, a source level debugger, a yacc-compatible parser generator, a linker, and around 35 utilities. A shell (command interpreter) is nearly completed. A new portable optimizing C compiler has compiled itself and may be released this year. An initial kernel exists but many more features are needed to emulate Unix. When the kernel and compiler are finished, it will be possible to distribute a GNU system suitable for program development. We will use TeX as our text formatter, but an nroff is being worked on. We will use the free, portable X Window System as well. After this we will add a portable Common Lisp, an Empire game, a spreadsheet, and hundreds of other things, plus online documentation. We hope to supply, eventually, everything useful that normally comes with a Unix system, and more.

Mathematics books and journals do not look as beautiful as they used to. It is not that their mathematical content is unsatisfactory, rather that the old and well-developed traditions of typesetting have become too expensive. Fortunately, it now appears that mathematics itself can be used to solve this problem. A first step in the solution is to devise a method for unambiguously specifying mathematical manuscripts in such a way that they can easily be manipulated by machines. Such languages, when properly designed, can be learned quickly by authors and their typists, yet manuscripts in this form will lead directly to high quality plates for the printer with little or no human intervention. A second step in the solution makes use of classical mathematics to design the shapes of the letters and symbols themselves. It is possible to give a rigorous definition of the exact shape of the letter "a", for example, in such a way that infinitely many styles (bold, extended, sans-serif, italic, etc.) are obtained from a single definition by changing only a few parameters. When the same is done for the other letters and symbols, we obtain a mathematical definition of type fonts, a definition that can be used on all machines both now and in the future.

Family Name: Isotherma
Style Name: Regular

Units Per Em: 1000
Release Date: 2014

Repo: github.com/eliheuer/isotherma
License: SIL Open Font License v1.1

72pt

Œ œ ſ 6 7 8 9 0 P R T
a b c d e f g h i j k l m n o p
q r s t u v w x y
ſ 7 8 9

36pt

Emacs Hypertext Rendering
Geodesic Happy Hardcore
Tschicholdian algorithms
Open beautiful documents
functional programming language

Name: Heuer Schrift
Style Name: Regular

Units Per Em: 1000
Release Date: 2013

Repo: github.com/eliheuer/HeuerSchrift
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R

S T U V W X Y Z

1 2 3 4 5 6 7 8 9 0

36pt

ETMACS HYPERTEXT RENDERING

GEODESIC HAPPY HARDCORE

TSCHICHOLDIAN ALGORITHMS

OPEN BEAUTIFUL DOCUMENT

FUNCTIONAL PROGRAMMING LANGUAGE

Family Name: Moves
Style Name: Regular

Units Per Em: 1000
Release Date: 2011

Repo: github.com/eliheuer/moves
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

1 2 3 4 5 6 7 8 9 0

36pt

EMACS HYPERTEXT RENDERING

GEODESIC HAPPY Hardcore

TSCHICHOLDIAN ALGORITHMS

OPEN BEAUTIFUL DOCUMENTS

FUNCTIONAL PROGRAMMING LANGUAGE

Family Name: fony
Style Name: Regular

Units Per Em: 1000
Release Date: 2013

Repo: github.com/eliheuer/fony
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J
K L M N O P Q R S
T U V W X Y Z
1 2 3 4 5 6 7 8 9 0

36pt

EMACS HYPertext
GEODESIC HAPPY HARDCORE
TSCHICHOLDIAN ALGORITHMS
OPEN BEAUTIFUL DOCUMENTS
FUNCTIONAL PROGRAMMING

Family Name: MMXI
Style Name: Medium

Units Per Em: 2048
Release Date: 2013

Repo: github.com/eliheuer/MMXI
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j k

l m n o p q r s

t u v w x y z

1 2 3 4 5 6 7 8 9 0

Family Name: MMXI
Style Name: Medium

Units Per Em: 2048
Release Date: 2013

Repo: github.com/eliheuer/MMXI
License: SIL Open Font License v1.1

72pt

Mathematical Artificial

36pt

Emacs Hypertext Rendering
Geodesic Happy Hardcore
Tschicholdian algorithms
Open beautiful documents
Functional programming language

12pt

Finally, a simple thought struck me. Those letters were designed by people. If I could understand what those people had in their minds when they were drawing the letters, then I could program a computer to carry out the same ideas. Instead of merely copying the form of the letters, my new goal was therefore to copy the intelligence underlying that form. I decided to learn what type designers knew, and to teach that knowledge to a computer.

Family Name: MMXI
Style Name: Med Oblique

Units Per Em: 2048
Release Date: 2013

Repo: github.com/eliheuer/MMXI
License: SIL Open Font License v1.1

72pt

ABCDEFGHIJ

KLMNOPQRS

TUVWXYZ

abcdefghijkl

mnopqrs

tuvwxyz

1234567890

Family Name: MMXI
Style Name: Med Oblique

Units Per Em: 2048
Release Date: 2013

Repo: github.com/eliheuer/MMXI
License: SIL Open Font License v1.1

72pt

***Mathematical
Artificial***

36pt

***Emacs Hypertext Rendering
Geodesic Happy Hardcore
Tschicholdian algorithms
Open beautiful documents
Functional programming language***

12pt

Finally, a simple thought struck me. Those letters were designed by people. If I could understand what those people had in their minds when they were drawing the letters, then I could program a computer to carry out the same ideas. Instead of merely copying the form of the letters, my new goal was therefore to copy the intelligence underlying that form. I decided to learn what type designers knew, and to teach that knowledge to a computer.

Family Name: MMXI
Style Name: Black

Units Per Em: 2048
Release Date: 2013

Repo: github.com/eliheuer/MMXI
License: SIL Open Font License v1.1

72pt

A B C D E F G H I J

K L M N O P Q R S

T U V W X Y Z

a b c d e f g h i j k

l m n o p q r s

t u v w x y z

1 2 3 4 5 6 7 8 9 0

Family Name: MMXI
Style Name: Black

Units Per Em: 2048
Year: 2013

Repo: github.com/eliheuer/MMXI
License: SIL Open Font License v1.1

72pt

Mathematical Artificial

36pt

**Emacs Hypertext Rendering
Geodesic Happy Hardcore
Tschicholdian algorithms
Open beautiful documents
Functional programming**

12pt

Finally, a simple thought struck me. Those letters were designed by people. If I could understand what those people had in their minds when they were drawing the letters, then I could program a computer to carry out the same ideas. Instead of merely copying the form of the letters, my new goal was therefore to copy the intelligence underlying that form. I decided to learn what type designers knew, and to teach that knowledge to a computer.

Family Name: Ashley
Style Name: Regular

Units Per Em: 1000
Release Date: 2014

Repo: None
License: None

72pt

A B C D E F G H I J
K L M N O P Q R S
T U V W X Y Z

36pt

THIS FONT WAS
DESIGNED BY ASHLEY
IN A WORKSHOP
ELI TAUGHT AT
POWERPOINT

Info:

git repo here: <https://github.com/eliheuer/type-specimens>