



1. Data Consistency Check


Period Label vs Filename



Area Covered Validity




Move Count Validity





2. Outlier Analysis


Move Count
Outliers (IQR): 28





Area Covered (px)
Outliers (IQR): 21



Z-score distribution – Move Count



Z-score distribution – Area Covered (px)



3. Missing Data Analysis




Missing Value Count per Column



Missing Value Heatmap (rows × columns)




4. Missing Data Type Classification




5. Distribution and Statistical Summary


Move Count – Histogram




Area (px) – Histogram



Move Count – KDE per Period






Area (px) – KDE per Period




Move Count	Value
n	468
mean	97.62
median	68.00
std	102.38
min	1.00
max	1054.00
skew	2.89
kurtosis	17.16

Area (px)	Value
n	468
mean	5265.66
median	4428.00
std	3214.51
min	634.00
max	21230.00
skew	1.56
kurtosis	3.43




6. Repeated Data Check


Duplicate Count by Type



Top 20 Most Frequent Move Values




Content Label Frequency




7. Bias Check


Sample Size per Period
(sampling bias)




Label Distribution per Period (%)




Mean Move per Period
($\pm$ std)



Mean Area Covered per Period
($\pm$ std)



Move vs Area Covered
(period bias check)



Correlation Matrix

