


Welcome to the test HTML

共用文字區

Submit



```
1 from flask import Flask, request, render_template, redirect, url_for
2
3 app = Flask(__name__)
4
5
6 @app.route('/login', methods=['GET', 'POST'])
7 def login():
8     if request.method == 'POST':
9         return redirect(url_for('hello', username=request.form.get('username')))
10
11     return render_template('login.html')
12
13
14 @app.route('/hello/<username>')
15 def hello(username):
16     return render_template('hello.html', username=username)
17
18
19 if __name__ == '__main__':
20     app.debug = True
21     app.run()
```

FlaskApp About

Posts

2024-05-29 08:02:39

項目一

Content for the first post


2024-05-29 08:02:39

項目二

Content for the second post

```
IAN0508
> kenvi
01.py
02.py

01.py
1  from flask import Flask
2
3  app = Flask(__name__)
4
5  @app.route("/")
6  def hello_world():
7      return "<h1>中華Hello, World!</h1>"
8
9  if __name__ == "__main__":
10     app.run(debug=True)
```



The screenshot shows a web browser's developer console with the 'Console' tab selected. The console displays the following JavaScript code and its output:

```
> let trafficLight = "green";
let message = ""


< undefined

> let trafficLight = "green";
let message = ""

switch (trafficLight){
  case "red":
    message = "Stop immediately.";
    break;
  case "yellow":
    message = "prepare to stop.";
    break;
  case "green":
    message = "proceed orcontinue driving.";
    break;
  default:
    message = "Invalid traffic light color.";
}

console.log(message)
```

The output of the `console.log(message)` statement is `undefined`, which is displayed on the right side of the console entry. A timestamp `VM1107:18` is visible at the bottom right of the console entry.



The screenshot shows a code editor with a dark theme. The Explorer panel on the left shows a project structure with a folder named `IAN0508` containing files `01.py` and `02.py`. The main editor area displays the content of `01.py`, which is a Python Flask application:

```
1 from flask import Flask
2
3 app = Flask(__name__)
4
5 @app.route("/")
6 def hello_world():
7     return "<h1>中華Hello, World!</h1>"
8
9 if __name__ == "__main__":
10     app.run()
```

```
IAN0508
> kenvi
01.py
02.py

01.py
1  from flask import Flask
2
3  app = Flask(__name__)
4
5  @app.route("/")
6  def hello_world():
7      return "<h1>中華Hello, World!</h1>"
8
9  if __name__ == "__main__":
10     app.run(debug=True)

Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [08/May/2024 15:59:25] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [08/May/2024 15:59:25] "GET /favicon.ico HTTP/1.1" 404 -


(kenvi) C:\ian0508>python 02.py
* Serving Flask app '02'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [08/May/2024 16:17:12] "GET / HTTP/1.1" 200 -

(kenvi) C:\ian0508>python 01.py
* Serving Flask app '01'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [08/May/2024 16:35:14] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [08/May/2024 16:35:19] "GET / HTTP/1.1" 200 -

(kenvi) C:\ian0508>python 01.py
* Serving Flask app '01'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [08/May/2024 16:35:48] "GET / HTTP/1.1" 200 -

(kenvi) C:\ian0508>python 01.py
Traceback (most recent call last):
  File "C:\ian0508\01.py", line 10, in <module>
    app.run(debug=true)
            ^^^^^
NameError: name 'true' is not defined. Did you mean: 'True'?

(kenvi) C:\ian0508>python 01.py
* Serving Flask app '01'
* Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
* Restarting with stat
* Debugger is active!
* Debugger PIN: 135-015-234
127.0.0.1 - - [08/May/2024 16:41:18] "GET / HTTP/1.1" 200 -
```



-BLOG- 文章列表 新增文章

-文章列表-

编号	标题	内容	图片	编辑	删除
1	文章一	文章一内容		编辑	删除
2	文章二	文章二内容		编辑	删除
3	文章三	文章三内容		编辑	删除
4	文章四	文章四内容		编辑	删除

```

KeyError: 'photo'
127.0.0.1 - - [29/May/2024 16:41:35] "GET /paper HTTP/1.1" 500 -
[2024-05-29 16:41:41,475] ERROR in app: Exception on /write [POST]
Traceback (most recent call last):
  File "C:\b11118003\dfg\Lib\site-packages\flask\app.py", line 1473, in wsgi_app
    response = self.full_dispatch_request()
                ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\b11118003\dfg\Lib\site-packages\flask\app.py", line 882, in full_dispatch_request
    rv = self.handle_user_exception(e)
        ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\b11118003\dfg\Lib\site-packages\flask\app.py", line 880, in full_dispatch_request
    rv = self.dispatch_request()
        ^^^^^^^^^^^^^^^^^^^^^
  File "C:\b11118003\dfg\Lib\site-packages\flask\app.py", line 865, in dispatch_request
    return self.ensure_sync(self.view_functions[rule.endpoint])(**view_args) # type: ignore[no-any-return]
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "C:\b11118003\11\11.py", line 23, in write
    file.save(os.path.join(app.config['UPLOAD'], filename))
  File "C:\b11118003\dfg\Lib\site-packages\werkzeug\datastructures\file_storage.py", line 125, in save
    dst = open(dst, "wb")
          ^^^^^^^^^^^^^
FileNotFoundError: [Errno 2] No such file or directory: 'static\photo\'

127.0.0.1 - - [29/May/2024 16:41:41] "POST /write HTTP/1.1" 500 -
127.0.0.1 - - [29/May/2024 16:42:54] "POST /write HTTP/1.1" 302 -
127.0.0.1 - - [29/May/2024 16:42:54] "GET /paper HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:42:55] "GET /static/photo/article-6453324d225d2.jpg HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:42:57] "GET /write HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:43:08] "POST /write HTTP/1.1" 302 -
127.0.0.1 - - [29/May/2024 16:43:08] "GET /paper HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:43:08] "GET /static/photo/article-6453324d225d2.jpg HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:43:38] "GET /paper HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:43:38] "GET /static/photo/article-6453324d225d2.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:43:39] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:43:40] "GET /write HTTP/1.1" 200 -

(df) C:\b11118003\11>cd C:\b11118003\12

(df) C:\b11118003\12>python 12.py
* Serving Flask app '12'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit
127.0.0.1 - - [29/May/2024 16:53:18] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:18] "GET /static/uploads/b.jpg HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:18] "GET /static/uploads/a.jpg HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:18] "GET /static/uploads/c.jpg HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:18] "GET /static/uploads/d.jpg HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:22] "GET /create HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/a.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/b.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/c.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/d.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET / HTTP/1.1" 200 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/a.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/c.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/b.jpg HTTP/1.1" 304 -
127.0.0.1 - - [29/May/2024 16:53:24] "GET /static/uploads/d.jpg HTTP/1.1" 304 -

```

```

05.py
1  from flask import Flask, request, render_template, redirect, url_for
2
3  app = Flask(__name__)
4
5
6  @app.route('/login', methods=['GET', 'POST'])
7  def login():
8      if request.method == 'POST':
9          return redirect(url_for('hello', username=request.form.get('username')))
10
11         return render_template('login.html')
12
13
14  @app.route('/hello/<username>')
15  def hello(username):
16      return render_template('hello.html', username=username)
17
18
19  if __name__ == '__main__':
20      app.debug = True
21      app.run()

```