

1. Create an IAM Policy & User Permissions

Step 1

Step 2

Step 3

Step 4

Specify user details

Set permissions

Review and create

Retrieve password

Specify user details

User details

User name

test

The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and +, =, @, _ (hyphen)

☒ Provide user access to the AWS Management Console - optional

In addition to console access, users with `SignInLocalDevelopmentAccess` permissions can use the same console credentials for programmatic access without the need for access keys.

Console password

☐ Autogenerated password

You can view the password after you create the user.

☒ Custom password

Enter a custom password for the user.

☐ Show password

☒ Users must create a new password at next sign-in - Recommended

Users automatically get the `IAMUserChangePassword` policy to allow them to change their own password.

📘 If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user.

[Learn more](#)

Cancel

Next

Step 1

Step 2

Specify permissions

Review and create

Specify permissions

Add permissions by selecting services, actions, resources, and conditions. Build permission statements using the JSON editor.

Policy editor

```
1  {
2    "Version": "2012-10-17",
3    "Statement": [
4      {
5        "Sid": "IAMReadOnlyBasics",
6        "Effect": "Allow",
7        "Action": [
8          "iam:GetAccountSummary",
9          "iam:GetUser",
10         "iam:ListUsers",
11         "iam:ListGroups",
12         "iam:ListPolicies",
13         "iam:ListAttachedUserPolicies",
14         "iam:ListAttachedGroupPolicies"
15       ],
16       "Resource": "*"
17     }
18   ]
19 }
```

Visual

Policy lab4_policy created.

View policy

lab4_policy

Edit

Delete

Policy details

Type	Creation time	Edited time	ARN
Customer managed	February 27, 2026, 22:32 (UTC-08:00)	February 27, 2026, 22:32 (UTC-08:00)	arn:aws:iam::204312534875:policy/lab4_policy

Permissions

Entities attached

Tags

Policy versions (1)

Last Accessed

Permissions defined in this policy

Edit

Summary

JSON

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it

Search

Allow (1 of 463 services)

Show remaining 462 services

Service	Access level	Resource	Request condition
IAM	Limited: List, Read	All resources	None

Summary

Edit

User group name

admin

Creation time

February 27, 2026, 22:34 (UTC-08:00)

ARN

 arn:aws:iam::204312534875:group/admin

Permissions policies (1) Info

Simulate

Remove

Add permissions

You can attach up to 10 managed policies.

Q Search

Filter by Type

All types

< 1 >

☐	Policy name	Type	Attached entities
☐	 lab4_policy	Customer managed	1

Review and create

Review your choices. After you create the user, you can view and download the autogenerated password, if enabled.

User details

User name

test

Console password type

Custom password

Require password reset

Yes

Permissions summary

< 1 >

Name	Type	Used as
admin	Group	Permissions group
IAMUserChangePassword	AWS managed	Permissions policy

Tags - optional

Tags are key-value pairs you can add to AWS resources to help identify, organize, or search for resources. Choose any tags you want to associate with this user.

No tags associated with the resource.

Add new tag

You can add up to 50 more tags.

Summary

ARN

 arn:aws:iam::204312534875:user/test

Created

February 27, 2026, 22:36 (UTC-08:00)

Console access

 Enabled without MFA

Last console sign-in

 Never

Access key 1

Create access key

Permissions policies (2)

Filter by Type

All types

Permissions are defined by policies attached to the user directly or through groups.

Q Search


Filter by Type

All types

< 1 >

☐	Policy name	Type	Attached via
☐	  IAMUserChangePassword	AWS managed	Directly
☐	 lab4_policy	Customer managed	Group admin

2. Generate an Access Key for Programmatic Access



Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- User groups
- Users
- Roles
- Policies
- Identity providers
- Account settings
- Root access management

Access keys (1)

Use access keys to send programmatic calls to AWS from the AWS CLI, AWS Tools for PowerShell, AWS SDKs, or direct AWS API calls. You can have a maximum of two access keys (active or inactive) at a time. [Learn more](#)


Create access key

AKIAS7EPZ35NTG2OHAUG	Status
Description	Active
Last used	Created
None	Now
Last used region	Last used service
N/A	N/A

Actions

```
Last login: Fri Feb 27 15:13:35 on ttys001
[jane@Janes-MacBook-Air ~ % aws configure
AWS Access Key ID [*****XFYT]: AKIAS7EPZ35NTG2OHAUG
AWS Secret Access Key [*****2Xn0]: p+BY3RiMV4bJ1ZXRRFFmQXi9eY7b58Jymov
Agauz1
Default region name [us-west-1]: us-west-1
Default output format [json]: json
[jane@Janes-MacBook-Air ~ % aws sts get-caller-identity
{
  "UserId": "AIDAS7EPZ35NXBS4ID4GP",
  "Account": "204312534875",
  "Arn": "arn:aws:iam::204312534875:user/test"
}
jane@Janes-MacBook-Air ~ %
```

3. Set Up IAM Roles & Enable Multi-Factor Authentication (MFA)



IAM > Roles > Create role

Step 1: Select trusted entity

Step 2: Add permissions

Step 3: Name, review, and create

Select trusted entity

Trusted entity type

- ☒ **AWS service**
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
- ☐ **AWS account**
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
- ☐ **Web identity**
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
- ☐ **SAML 2.0 federation**
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
- ☐ **Custom trust policy**
Create a custom trust policy to enable others to perform actions in this account.

Add permissions [Info](#)

Permissions policies (1/1119) [Info](#)

Choose one or more policies to attach to your new role.

Q AmazonS3ReadOnlyAccess X

Filter by Type
All types ▼ 1 n

☒ Policy name [↗](#) ▲ | Type

☒   [AmazonS3ReadOnlyAccess](#) AWS managed

✔ Role lab4-ec2 created.

Roles (8) [Info](#)

An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities.

Q Search

☐ Role name	▲ Trusted entities	Last activity
☐ AWSServiceRoleForAPIGateway	AWS Service: ops.apigateway (Service-Linked Role)	-
☐ AWSServiceRoleForECS	AWS Service: ecs (Service-Linked Role)	6 days ago
☐ AWSServiceRoleForResourceExplorer	AWS Service: resource-explorer-2 (Service-Linked Role)	1 hour ago
☐ AWSServiceRoleForSupport	AWS Service: support (Service-Linked Role)	-
☐ AWSServiceRoleForTrustedAdvisor	AWS Service: trustedadvisor (Service-Linked Role)	-
☐ ecsTaskExecutionRole	AWS Service: ecs-tasks	6 days ago
☐ FUNCTION_NAME-role-iv52pazx	AWS Service: lambda	7 hours ago
☐ lab4-ec2	AWS Service: ec2	-

IAM > Users > test > Assign MFA device

Step 1 Select MFA device

- Step 2
Set up device

Select MFA device [Info](#)

MFA device name

Device name

This name will be used within the identifying ARN for this device.

lab4_mfa

Maximum 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)

MFA device

Device options

In addition to username and password, you will use this device to authenticate into your account.

- ☐  **Passkey or security key**
Authenticate using your fingerprint, face, or screen lock. Create a passkey on this device or use another device, like a FIDO2 security key.
- ☒  **Authenticator app**
Authenticate using a code generated by an app installed on your mobile device or computer.

MFA device assigned

You can register up to 8 MFA devices of any combination of the currently supported MFA types with your AWS account root and IAM user. With multiple MFA devices, you only need one MFA device to sign in to the AWS console or create a session through the AWS CLI with that user.

Summary

ARN

arn:aws:iam::204312534875:user/test

Console access

Enabled with MFA

Access key 1

AKIAS7EPZ35NTG2OHAUG - Active

ⓘ Never used. Created today.

Created

February 27, 2026, 22:36 (UTC-08:00)

Last console sign-in

ⓘ Never

Access key 2

Create access key

Permissions

Groups (1)

Tags

Security credentials

Last Accessed

Console sign-in

Manage console access

Console sign-in link

https://204312534875.signin.aws.amazon.com/console

Console password

Updated 24 minutes ago (2026-02-27 22:36 PST)

Last console sign-in

ⓘ Never

Multi-factor authentication (MFA) (1)

Remove

Resync

Assign MFA device

Use MFA to increase the security of your AWS environment. Signing in with MFA requires an authentication code from an MFA device. Each user can have a maximum of 8 MFA devices assigned. [Learn more](#)

Type	Identifier	Certifications	Created on
☐ Virtual	arn:aws:iam::204312534875:mfa/lab4_mfa	Not Applicable	Fri Feb 27 2026

11:02

ID.me

Push Notification

ID.ME

nyx525@gmail.com

Code Generator

AMAZON WEB SERVICES

461 580

lab4_mfa@204312534875

4. Design a Secure Access Policy for a Small Team

a. Admins

Create user group

Name the group

User group name

Enter a meaningful name to identify this group.

team-admins

Maximum 128 characters. Use alphanumeric and '+=, @, _' characters.

Add users to the group - Optional (1) Info

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search

< 1 > ⚙

☐

User name

▲

Groups

▼

Last activity

▼

Creation time

▼

☐

[test](#)

1

23 minutes ago

34 minutes ago

Attach permissions policies - Optional (1/1119) Info

You can attach up to 10 policies to this user group. All the users in this group will have permissions that are defined in the selected policies.

AdministratorAccess

×

Filter by Type

All types

▼

5 matches

< 1 > ⚙

☒

Policy name

▲

Type

▼

Used as

▼

Description

▼

☒

AdministratorAccess

AWS managed - job function

None

Provides full access to AWS services an...

Name the group

User group name

Enter a meaningful name to identify this group.

team-dev

Maximum 128 characters. Use alphanumeric and '+=, @, _' characters.

Add users to the group - Optional (1) Info

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search

< 1 > ⚙

☐

User name

▲

Groups

▼

Last activity

▼

Creation time

▼

☐

[test](#)

1

30 minutes ago

40 minutes ago

Attach permissions policies - Optional (1/1119) Info

You can attach up to 10 policies to this user group. All the users in this group will have permissions that are defined in the selected policies.

AmazonEC2FullAccess

×

Filter by Type

All types

▼

1 match

< 1 > ⚙

☒

Policy name

▲

Type

▼

Used as

▼

Description

▼

☒

AmazonEC2FullAccess

AWS managed

None

Provides full access to Amazon EC2 via...

Summary

Edit

User group name

team-test

Creation time

February 27, 2026, 23:19 (UTC-08:00)

ARN

 arn:awsiam::204312534875:group/team-test

Permissions policies (1)

Info



Simulate

Remove

Add permissions

You can attach up to 10 managed policies.

Search

Filter by Type

All types

<

1

>



☐

Policy name

▲

Type

▼

Attached entities

▼

☐

  AmazonEC2ReadOnlyAccess

AWS managed

1