


Moodle Question Editor

User Manual

Content

Import the XML File.....	1
Searching for Questions.....	1
Edit Questions	2
Multiple Choice	2
Coderunner.....	3
Add Questions	4

Import the XML File



Searching for Questions



Searching for a term will reveal all questions containing it in its question text in real time.

Edit Questions

Multiple Choice

The screenshot shows the 'Edit Questions' interface for a Multiple Choice question. The interface is divided into several sections:

- 1.** Titel: Multiple Choice
- 2.** Enter your question text here
- 3.** Default Grade: 1
- 4.** Penalty: 0,1
- 5.** Single Choice: true
- 6.** Shuffle Answers: true
- 7.** Answer option 1 (with 'Entfernen' button)
- 8.** Antworttext: Answer option 1
- 9.** Bewertung: 100
- 10.** Antwort-Feedback: Correct!
- 11.** Answer option 2 (with 'Entfernen' button)

A green button at the bottom left says '+ Antwort hinzufügen'.

1. Enter the Question Title
2. Enter the Question Text
3. Enter the Default Grade
4. Enter the given Penalty
5. Choose if Single Choice or not
6. Choose if Shuffle Answers should be on.
7. Click to remove answer option
8. Enter the Answer Text
9. Choose the Grading
10. Enter given Feedback
11. Click to add answer

Coderunner

The screenshot shows the Coderunner web interface. At the top is a blue header with the word 'Coderunner' on both sides. Below the header, the form is divided into several sections. The first section has a 'Titel' label and a text input field containing 'Coderunner', with a red '1.' next to it. The second section has a rich text editor with bold, italic, and underline icons, and a text area containing 'Schreibe eine Java-Klasse "What", mit einer Methode "toll" die "Das ist toll!" ausgibt.', with a red '2.' next to it. The third section has a 'CodeRunner Type' label and a dropdown menu showing 'Java', with a red '3.' next to it. The fourth section has a 'Startercode (template)' label and a large text area containing 'Startercode / Vorlage...', with a red '4.' next to it. The fifth section is titled 'Testcases' and contains a list of test cases. The first test case is 'Testcase 1 — Mark: 1.0000000', with a red '5.' next to it. To the right of this list is a green '+ Testcase' button. Below the list, there is a 'Mark' input field with '1,0000000' and a red '7.' next to it, and a 'Use as example' dropdown menu with '0' and a red '8.' next to it. To the right of these is a red 'Entfernen' button with a red '6.' next to it. Below these are two text areas: 'stdin' with a red '9.' next to it, and 'expected' with 'Das ist toll!' and a red '10.' next to it.

1. Enter the Question Title
2. Enter the Question Text
3. Enter the CodeRunner Type
4. Enter the Startercode
5. Click to add a new Testcase
6. Click to delete Testcase
7. Enter the Mark
8. Choose if Testcase should be used as an Example
9. Click to enter your Standard Input
10. Click to enter the expected output

Add Questions

Question type
Multiple Choice

Add

New Question Multiple Choice

Titel
New Question

B I U

Enter your question text here...

Default Grade
1

Penalty
0,1

Single Choice
true

Shuffle Answers
true

Answer option 1

Answer option 2

+ Antwort hinzufügen

Cancel Add to list

1. Select your Question Type and click “Add”.
2. After having filled out all input fields click on “Add to List” the Question will then be created and listed at the bottom of the page.