

ME315_Lista04_Elisa

Conexão R » SQLite

```
library(DBI)
library(RSQLite)

con <- dbConnect(SQLite(), "me315.sqlite")
```

```
SELECT *
FROM PRESERVE
```

Table 1: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0

```
SELECT *
FROM EMPLOYEE
```

Table 2: 6 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
2000	LARRY	2000	10
3000	CURLY	3000	20
4000	SHEMP	500	40
5000	JOE	400	10
6000	GEORGE	9000	20

Hands - on

- 1) Exiba todas as informações de qualquer reserva natural que possua um número de reserva no conjunto {2, 4, 6, 8, 10}.

```
SELECT *
FROM PRESERVE
WHERE PNO IN (2, 4, 6, 8, 10)
```

Table 3: 3 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
10	HOFT FARM	MA	90	0

- 2) Exiba todas as informações sobre todas as reservas naturais, exceto: DANCING PRAIRIE, MULESHOE RANCH, MCELWAIN-OLSEN e TATKON.

```
SELECT *
FROM PRESERVE
WHERE PNAME NOT IN ('DANCING PRAIRIE', 'MULESHOE RANCH', 'MCELWAIN-OLSEN', 'TATKON')
```

Table 4: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
40	SOUTH FORK MADISON	MT	121	0
9	DAVID H. SMITH	MA	830	0

PNO	PNAME	STATE	ACRES	FEE
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
10	HOFT FARM	MA	90	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

- 3) Exiba todas as informações de qualquer reserva natural que possua um valor de PNO entre e incluindo 3 e 10.

```
SELECT *
FROM PRESERVE
WHERE PNO BETWEEN 3 AND 10
```

Table 5: 6 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
5	HASSAYAMPA RIVER	AZ	660	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3
7	MULESHOE RANCH	AZ	49120	0
9	DAVID H. SMITH	MA	830	0
10	HOFT FARM	MA	90	0

- 4) Exiba todas as informações de qualquer reserva natural que possua um valor de PNO menor que 3 ou maior que 10.

```
SELECT *
FROM PRESERVE
WHERE PNO < 3 OR PNO > 10
```

Table 6: 8 records

PNO	PNAME	STATE	ACRES	FEE
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
11	MIACOMET MOORS	MA	4	0

PNO	PNAME	STATE	ACRES	FEE
12	MOUNT PLANTAIN	MA	730	0
13	TATKON	MA	40	0
14	MCELWAIN-OLSEN	MA	66	0
40	SOUTH FORK MADISON	MT	121	0
80	RAMSEY CANYON	AZ	380	3

- 5) Exiba o estado, o número da reserva e o tamanho de qualquer reserva natural que não esteja em Montana e não esteja no Arizona e seja menor que 50 acres ou maior que 800 acres. Ordene o resultado pelo número da reserva em sequência decendente

```
SELECT STATE, PNO, ACRES
FROM PRESERVE
WHERE STATE NOT IN ('MT', 'AZ')
AND (ACRES < 50 OR ACRES > 800)
ORDER BY PNO DESC
```

Table 7: 3 records

STATE	PNO	ACRES
MA	13	40
MA	11	4
MA	9	830

(Professor, tava dando trabalho copiar os enunciados, mas continua a lista organizadinha)

6)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE 'D%'
```

Table 8: 2 records

PNAME
DANCING PRAIRIE
DAVID H. SMITH

7)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%TOWN%'
```

Table 9: 1 records

PNAME
COMERTOWN PRAIRIE

8)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%PRAIRIE'
```

Table 10: 2 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE

9)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%ING%'
```

Table 11: 1 records

PNAME
DANCING PRAIRIE

10)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%E'
```

Table 12: 2 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE

11)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%ME%'
```

Table 13: 2 records

PNAME
MIACOMET MOORS
COMERTOWN PRAIRIE

12)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%M%E%'
```

Table 14: 6 records

PNAME
HASSAYAMPA RIVER
MULESHOE RANCH
MCELWAIN-OLSEN
MIACOMET MOORS
COMERTOWN PRAIRIE
RAMSEY CANYON

13)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '_A%'
```

Table 15: 6 records

PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
TATKON
DAVID H. SMITH
RAMSEY CANYON
PAPAGONIA-SONOITA CREEK

14)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '% %'
```

Table 16: Displaying records 1 - 10

PNAME
HASSAYAMPA RIVER
DANCING PRAIRIE
MULESHOE RANCH
SOUTH FORK MADISON
DAVID H. SMITH
MIACOMET MOORS
MOUNT PLANTAIN
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
RAMSEY CANYON

15)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%FARM%'
      OR PNAME LIKE '%SWAMP%'
      OR PNAME LIKE '%PRAIRIE%'
```

Table 17: 4 records

PNAME
DANCING PRAIRIE
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
HOFT FARM

16)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '%.%'
      OR PNAME LIKE '%-%'
```

Table 18: 3 records

PNAME
MCELWAIN-OLSEN
DAVID H. SMITH
PAPAGONIA-SONOITA CREEK

17)

```
SELECT PNAME
FROM PRESERVE
WHERE PNAME LIKE '____R%PRAIRIE'
```

Table 19: 1 records

PNAME
COMERTOWN PRAIRIE

Tabela employee

18)


```
SELECT *
FROM EMPLOYEE
WHERE DNO IN (10, 40)
```

Table 20: 3 records

ENO	ENAME	SALARY	DNO
2000	LARRY	2000	10
4000	SHEMP	500	40
5000	JOE	400	10

19)

```
SELECT *
FROM EMPLOYEE
WHERE DNO NOT IN (10, 40)
```

Table 21: 3 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
3000	CURLY	3000	20
6000	GEORGE	9000	20

20)

```
SELECT *
FROM EMPLOYEE
WHERE SALARY BETWEEN 500.00 AND 2000.00
```

Table 22: 3 records

ENO	ENAME	SALARY	DNO
1000	MOE	2000	20
2000	LARRY	2000	10
4000	SHEMP	500	40

21)

```
SELECT *  
FROM EMPLOYEE  
WHERE SALARY < 500.00 OR SALARY > 2000.00
```

Table 23: 3 records

ENO	ENAME	SALARY	DNO
3000	CURLY	3000	20
5000	JOE	400	10
6000	GEORGE	9000	20

```
Sys.setenv(TZ = "America/Sao_Paulo")  
Sys.time()
```

```
[1] "2026-09-09 22:58:15 -03"
```