

Input Variables

List of the 121 HRQoL variables required to reproduce the clustering procedure described in the Methods, grouped by questionnaire/instrument.

SF-12 (12-Item Short Form Health Survey) (n = 13)

- SF12_health
- SF12_moderate_activities
- SF12_climbing_flights_stairs
- SF12_4weeks_accomplished_less
- SF12_4weeks_work_limited
- SF12_emotional_activities_less
- SF12_emotional_activities_carefully
- SF12_past4weeks_pain
- SF12_calm_peaceful
- SF12_energy
- SF12_downhearted
- SF12_emotional_during_social
- SF12_total_score

EQ-5D (n = 7)

- EQ5D_mobility
- EQ5D_self_care
- EQ5D_usual_activities
- EQ5D_pain_discomfort
- EQ5D_anxiety_depression
- EQ5D_total
- EQ5D_health_today_scale

GAD-7 (Generalized Anxiety Disorder) (n = 8)

- GAD7_nervous_anxious
- GAD7_not_able_stop_worrying
- GAD7_worrying_too_much
- GAD7_trouble_relaxing
- GAD7_being_restless
- GAD7_easily_annoyed
- GAD7_afraid_awful_might_happen
- GAD7_total_score

PHQ-9 (Patient Health Questionnaire) (n = 11)

- PHQ9_little_interest_pleasure
- PHQ9_down_depressed
- PHQ9_sleeping
- PHQ9_tired

- PHQ9_appetite
- PHQ9_bad_yourself
- PHQ9_concentrate
- PHQ9_speak_slowly
- PHQ9_thoughts_dead
- PHQ9_total
- PHQ9_psychiatric_evaluation

MFIS (Modified Fatigue Impact Scale) (n = 25)

- MFIS_less_alert
- MFIS_attention
- MFIS_unable_think_clearly
- MFIS_clumsy
- MFIS_forgetful
- MFIS_physical_act
- MFIS_less_motivated
- MFIS_less_motivated_social
- MFIS_away_home
- MFIS_trouble_physical
- MFIS_decisions
- MFIS_less_motivated_thinking
- MFIS_muscles_weak
- MFIS_phys_uncomfort
- MFIS_finishing_tasks
- MFIS_organizing_thoughts
- MFIS_less_able_tasks
- MFIS_thinking_slow
- MFIS_trouble_concentrate
- MFIS_limited_phy_activities
- MFIS_rest_more
- MFIS_total_score_physical
- MFIS_total_score_cognitive
- MFIS_total_score_phychosocial
- MFIS_total_score

SSS-8 (Somatic Symptom Scale) (n = 9)

- SSS8_stomach
- SSS8_back_pain
- SSS8_pain_arms_legs
- SSS8_headaches
- SSS8_chest_pain_shortness_breath
- SSS8_dizziness
- SSS8_feeling_tired
- SSS8_trouble_sleeping
- SSS8_total_score

SSD-12 (Somatic Symptom Disorder) (n = 16)

- SSD12_physical_signs
- SSD12_worried
- SSD12_health_concerns
- SSD12_sympt_serious
- SSD12_sympt_scare_me
- SSD12_physical_day
- SSD12_others_tell
- SSD12_worried_complaints
- SSD12_worries_energy
- SSD12_doctors
- SSD12_worried_future
- SSD12_poor_concentration
- SSD12_total_score_cognitive
- SSD12_total_score_affective
- SSD12_total_score_behavioral
- SSD12_total_score_total

BMQ (Beliefs about Medicines Questionnaire) (n = 19)

- BMQ_spec_depends_on_medicines
- BMQ_spec_worries
- BMQ_spec_impossible_without_med
- BMQ_spec_longterm_worries
- BMQ_spec_without_med_ill
- BMQ_spec_mystery
- BMQ_spec_health_depend_med
- BMQ_spec_disrupt
- BMQ_spec_worry_too_dependent
- BMQ_spec_protect
- BMQ_spec_side_effects
- GMQ_gen_too_many_med
- BMQ_gen_stop_treatment
- BMQ_gen_addictive
- BMQ_gen_natural_remedies
- BMQ_gen_harm
- BMQ_gen_poisons
- BMQ_gen_doctors_trust_med
- BMQ_gen_doctors_more_time

VAS (Visual Analogue Scale) (n = 1)

- VAS_score

MLQ (Meaning in Life Questionnaire) (n = 12)

- MLQ_life_meaning
- MLQ_looking_meaningful

- MLQ_life_purpose
- MLQ_life_clear_purpose
- MLQ_life_meaningful
- MLQ_satisfying_life_purpose
- MLQ_searching_life
- MLQ_seeking_mission_life
- MLQ_life_no_purpose
- MLQ_searching_meaning_life
- MLQ_total_score_presence_of_meaning
- MLQ_total_score_search_of_meaning