



Standard Operating Procedures

Repeatable operating procedures for project maintenance, reporting, meetings, travel, formal review, support, administration, export, and incident response within PULSE.

AUDIENCE

PULSE users and administrators

SCOPE

Current source package

USE

Internal operating reference



Use the procedure. Preserve the evidence.

These procedures organize the source-supported operating steps for PULSE. They explain the expected process, the record created or changed, the verification that should follow, and the point at which a user should stop and escalate.

OPERATING RULE

Refresh before declaring success.

A visible save indication is not the final check. In SharePoint mode, refresh or reopen the affected record and confirm the expected values remain.

EVIDENCE BOUNDARY

Local screenshots show routes, not transactions.

The screenshots in this document were captured in a clean local workspace. SharePoint identity, permissions, persistence, notifications, and audit behavior require live-site verification.

01 Project and tracker
Pages 4-5

02 Planning and reporting
Page 6

03 Weekly and project meetings
Pages 7-8

04 Travel and debriefs
Pages 9-10

05 Formal Document Review
Pages 11-12

06 Tickets and notifications
Pages 13-14

07 Administration
Pages 15-16

08 Export and troubleshooting
Pages 17-18

09 Policy boundaries
Page 19

10 Quick reference
Page 20

Terminology: use the labels displayed in the current PULSE interface. Do not treat a generated report, screenshot, meeting note, or project document as a substitute for the underlying source record.

One action. One owner. One durable record.

PULSE supports daily execution by connecting project settings, work items, meetings, travel, reviews, support activity, and audit evidence. The procedure is complete only when the action is saved, verified, and traceable.

BEFORE

Confirm authority

Use the correct role, project, record, and source information before changing data.

DURING

State the action clearly

Record the owner, timing, condition, reason, and expected recovery or completion.

AFTER

Verify and preserve

Refresh the record, confirm downstream state, and retain required activity or release evidence.

Common boundaries

Area	Operational boundary	Escalate when
Project Documents	Reference files and project storage.	A formal approval, revision, or signature record is required.
Document Review	Controlled reviewer decisions, revision history, and final-pack activity.	Reviewer state, revision, or archive behavior is incorrect.
Boards	Board-specific workflow.	A user assumes board activity changed the Tracker without verification.
Generated reports	Output assembled from source records.	The output disagrees with settings, tracker, risks, or meeting records.
Local fallback	Visible route and layout verification only.	Identity, permissions, persistence, notifications, or audit evidence must be proven.

Ownership Who is responsible?	Timing When is action due?	Condition What is current state?	Evidence How is success verified?
---	--------------------------------------	--	---

Stop condition: do not repeatedly retry a failed save or permission action without preserving the route, time, role, record identifier, expected result, and actual result.

SOP 01

Maintain a project and tracker

Purpose


Keep project delivery records current.

Applies to

Authorized project members and leads.

Trigger

Ownership, timing, health, scope, or work changes.



Prerequisites: correct PULSE role, access to the project, and current source information for the change.

SOP 01 / PROCEDURE

Update the source record, not the summary.

- 01

Open **Projects**, locate or create the project, and confirm the project identity before editing.
- 02

In **Settings**, maintain lifecycle, technical health, ownership, dates, portfolios, program, and end-item configuration as applicable.
- 03

In **People**, maintain the roster and responsibilities so ownership remains current.
- 04

In **Tracker**, create or update work items with owner, start date, due date, workflow value, health, notes, and related documents.
- 05

Use **Blocked** only when a dependency prevents progress; record the dependency and the recovery action. Use **On Hold** only with a reason and restart condition.
- 06

Use **Gantt** to confirm schedule placement. Use **Boards** only for the board workflow; do not assume board activity updated Tracker items.
- 07

Confirm the save indication, refresh the record, and review the Activity Log when required.

EXPECTED RESULT

The project summary and Tracker show the updated owner, timing, condition, and work.

VERIFICATION

Refresh or reopen the affected project in SharePoint mode and confirm the values remain.

Exception handling


Condition	Action
Save does not persist	Stop editing. Capture route, record, role, expected result, actual result, and time; file a support ticket.
Control is unavailable	Verify the project and user role. Escalate access changes to an administrator.
Field or list error	Do not create an ad hoc SharePoint field. Escalate schema repair through Admin setup.
Conflicting source information	Pause the update and obtain the current approved source from the responsible owner.

Project	Action items	Risks	Activity
Identity and settings	Owner and schedule	Condition and mitigation	Change evidence

SOP 02

Plan and report project work

Produce a project or group report that agrees with the current operational records and is reviewed before distribution.



- 01
- Review current project settings, Tracker, Gantt, risks, meeting records, and formal review records.
- 02
- Open **Reporting** and verify technical bullets, milestones, risks, timeline, selected projects, and export settings.
- 03
- Generate the project or group PowerPoint output.
- 04
- Inspect the file for current dates, names, condition statements, project selection, and intended audience.
- 05
- When operating in SharePoint mode, confirm the approved destination and file access; otherwise record the approved storage location.

EXPECTED RESULT

Output matches the source.

The report agrees with the settings, tracker, risks, meetings, and records used to generate it.

Caution: a generated PowerPoint does not supersede the source records and should not be edited into a conflicting version.

Check	Verify before release
Scope	Correct project, portfolio, program, end-item configuration, or selected project set.
Dates	Current reporting date, milestones, due dates, and next actions.
Ownership	Current project lead, responsible owner, and action ownership.
Condition	Current health statement, blockers, risks, and recovery actions.
Distribution	Approved filename, storage location, audience, and access.

Records: reporting configuration, generated file, approved destination, and release evidence.

SOP 03

Run a weekly or project meeting

Purpose


Convert discussion into decisions and owned work.

Applies to

Participants, facilitators, and meeting administrators.

Trigger

Scheduled weekly session or project meeting.



Prerequisites: correct meeting scope, current roster, known agenda, active project context, and authority to facilitate the session.

SOP 03 / PROCEDURE

End with owners, timing, and a saved record.

- 01

Open **Weekly Meeting** or the project **Meeting** tab and confirm the correct scope.
- 02

Confirm the date, roster, agenda, attendance, Rocks, carry-forward items, and active project context.
- 03

Capture decisions separately from general notes so the decision remains easy to retrieve.
- 04

Create or update a Tracker item for each follow-up that requires an owner or timing.
- 05

Review action ownership and dates with participants before closing the session.
- 06

End or save the meeting through the displayed workflow.
- 07

Open meeting history and verify the session record and carry-forward items.

EXPECTED RESULT

Decisions and follow-up work remain traceable to the meeting and its participants.

ESCALATE

Inability to save, incorrect roster, missing meeting authority, or inaccessible history.

Meeting close checklist


Check	Question
Attendance	Are participants and guests recorded accurately?
Decisions	Is each decision distinct from narrative notes?
Actions	Does each follow-up have an owner and timing?
Carry-forward	Are unresolved items visible for the next session?
History	Can the completed session be reopened after refresh?

Session	Notes	Decisions	Actions
Date and scope	Discussion record	Outcome record	Owner and timing

SOP 04

Submit, approve, and debrief travel

Manage travel and leave records through the applicable request, decision, finance, and debrief workflow.



APPLIES TO

Requesters, approvers, finance users, and travelers according to role.

PREREQUISITES

Approved business need and the required traveler, destination, date, purpose, project, estimate, and supporting information.

SOP 04 / PROCEDURE

Keep the request and the debrief connected.

Requester

- 01
- Open **Travel** and select **New Request**.
- 02
- Enter the required request, traveler, destination, dates, purpose, related project, estimate, and supporting information.
- 03
- Review the request for completeness and submit it.
- 04
- Monitor the request in the applicable travel view and respond to returned information requests.

Approver, finance, and traveler

- 01
- Use only the role-restricted decision actions displayed for the current record.
- 02
- Record the required approval, denial, return, or finance information.
- 03
- After travel, create the required debrief and connect it to the request.
- 04
- Record systems or subjects, classification, summary, issues, and follow-up as required.

VERIFICATION

Refresh and confirm the request and debrief retain their current values and relationship.

EXCEPTION

Correct incomplete information before approval. Escalate role, persistence, or workflow faults.

Decision controls

Situation	Required discipline
Incomplete request	Return or correct it before approval according to the displayed workflow.
Role action missing	Do not route around the control. Verify role assignment with an administrator.
Approved details change	Use the current edit workflow and preserve the approval history.
Post-travel follow-up	Record the debrief and create owned follow-up work when required.

Request	Decision	Debrief	Audit
Trip or leave data	Approval history	After-action record	Change evidence

Policy boundary: required lead time, approval evidence, finance authority, debrief timing, and retention periods require organizational policy confirmation.

SOP 05

Conduct formal Document Review

Purpose


Preserve controlled review, revision, completion, and signature evidence.

Applies to

Owners, reviewers, signers, and administrators.

Prerequisites

Current file, project, reviewers, due date, and required signers.



Do not confuse workflows: project Documents provide file storage and reference. Formal Document Review creates reviewer decisions, revision history, and completion evidence.

SOP 05 / PROCEDURE

Never overwrite the evidence trail.

- 01
- 02
- 03
- 04
- 05
- 06
- 07

- Open **Document Review** and select **New Review**.
- Record the project, type, title, due date, revision label, current file, reviewers, and required signers.
- Reviewers open the assigned review record, assess the current revision, and record a decision with actionable comments.
- When changes are requested, upload a new revision and preserve the prior revision history. Run the review again for the new revision.
- When all required reviewers approve, follow the displayed workflow for review completion or final-pack signing.
- Archive only through the workflow after required review and signature activity is complete.
- Refresh the record and verify reviewer decisions, revision history, and workflow state.

EXPECTED RESULT

The record shows who reviewed which revision, what decision was made, and the current workflow state.

ESCALATE

Missing reviewer state, incorrect revision reset, inaccessible signer control, or unexpected archive behavior.

Required evidence


Evidence	What it must show
Review record	Project, document identity, due date, revision, reviewers, and current workflow state.
Revision history	Prior file versions remain distinguishable and retrievable.
Reviewer decision	Reviewer identity, decision, comments when required, and time.
Completion/signature	Required completion or signing activity according to the displayed path.
Audit trail	Change history sufficient to reconstruct the workflow.

Records: review record, revision files, decisions, comments, signature activity, notifications, and audit history.

SOP 06

Manage tickets and notifications

Create an actionable support record, preserve factual updates, and maintain personal notification preferences.



File the issue

- 01 Use **Report issue** or **Tickets** to open a ticket.
- 02 State the affected route, project or record identifier, expected result, actual result, priority, and approved screenshot.
- 03 Include the time, user role, browser or device, and any approved workaround.
- 04 Submit the ticket and retain its identifier.
- 05 Add factual updates as the condition changes.

GOOD TICKET

Someone new can act.

The ticket explains the context, source record, failure, impact, evidence, and next useful diagnostic step without depending on verbal history.


Do not include: credentials, tokens, private URLs, personal data, classified content, or unapproved screenshots.

Required field	Example of useful content
Route	Projects - Tracker - selected project
Record	Project or ticket identifier, not personal data
Expected	What should have saved, opened, routed, or changed
Actual	What occurred, including visible message
Evidence	Approved screenshot, time, role, and browser/device

SOP 06 / NOTIFICATION SETTINGS

Control the channel without losing the signal.

Users manage their own notification areas and delivery channels. Administrators maintain platform configuration only through authorized Admin workflows.



- 01 Open **Notification Settings** from the user or account surface.
- 02 Review the available areas and delivery channels.
- 03 Enable only the notifications required for your responsibilities.
- 04 Confirm the preferences persist after refresh in SharePoint mode.
- 05 Use the available test-notification control when appropriate.

EXPECTED RESULT

Your current preference record matches the selected areas and channels.


Admin only: change organization-wide notification configuration only through authorized Admin controls.

Verification boundary: a preference visible in the local screenshot is not evidence that email or Teams delivery succeeded. Delivery requires live-site verification.

SOP 07

Administer users, roles, configuration, logs, and setup

Maintain access and schema without uncontrolled changes, while preserving the records that explain what was changed and why.



Admin only: this procedure applies to authorized PULSE administrators. Broad access, schema, retention, hosting, and production changes require organizational authorization.

SOP 07 / PROCEDURE

Use the provided controls. Avoid ad hoc repairs.

- 01
- 02
- 03
- 04
- 05
- 06
- 07

- Open **Admin** and confirm the current-user and site diagnostics.
- In **Users**, locate the approved person, associate them with PULSE, and apply the least-privileged appropriate role.
- Retain required role metadata and deactivate a departing user record rather than removing history.
- Use **SharePoint Setup** to validate or provision the defined lists and fields. Do not create ad hoc schema changes.
- Maintain locations and application configuration only through the provided administrative workflows.
- Use **Activity Log** and diagnostics to investigate operational problems.
- Refresh or reopen the affected area and verify role resolution, setup result, or configuration behavior.

EXPECTED RESULT

The authorized action is reflected in role resolution, setup results, configuration behavior, and audit evidence.

ESCALATE

Authorization uncertainty, production-host change, retention decision, or schema behavior outside the defined setup process.

Least-privilege checks

Question	Required answer before completion
Identity	Is this the correct approved person or service identity?
Role	Is this the minimum role needed for the approved responsibility?
History	Will the action preserve prior records and attribution?
Schema	Is the change defined by the current setup workflow?
Audit	Can the action be reconstructed from the Activity Log and approval evidence?

Role Access decision	Config Approved settings	Setup Validation result	Audit Change history
--------------------------------	------------------------------------	-----------------------------------	--------------------------------

SOP 08

Export, troubleshoot, and preserve evidence

Safely produce exports and respond to application faults without destroying the information needed to diagnose or recover.

EXPORT**Verify the source first.**

Confirm the records, scope, filename, destination, intended audience, and access before release.

FAULT RESPONSE**Preserve the failure state.**

Capture the route, time, role, record, action, expected result, actual result, device, and approved screenshot.

Export procedure

- 01 Verify the source records and the access required for the output.
- 02 Generate the export through the current PULSE workflow.
- 03 Open the file and verify content, dates, scope, filename, and intended destination.
- 04 Confirm the approved storage location and audience access.
- 05 Retain release evidence according to organizational policy.

Fault response procedure

- 01 Stop repeated retries when the fault could alter data or obscure evidence.
- 02 Capture time, route, user role, record identifier, action, expected result, actual result, browser or device, and approved screenshot.
- 03 Check diagnostics and Activity Log when authorized.
- 04 File or update the support ticket with factual evidence.
- 05 Maintainers validate locally, then on a safe SharePoint site, then on the actual hosted page.

Deployment regression: restore the prior known-good package, preserve the failed artifact and evidence, and isolate the source change before trying a new release.

SOP 08 / TROUBLESHOOTING MATRIX

Diagnose in the smallest safe scope.

Symptom	First check	Next action
Save appears successful but data returns	Refresh and confirm SharePoint mode, role, and record identity.	Capture evidence and file a ticket; do not continue editing.
Control or module is missing	Confirm current role and project membership.	Ask an administrator to verify role resolution.
List or field error	Review Admin diagnostics and setup status.	Use the defined setup repair workflow; do not add ad hoc fields.
Notification not received	Check personal settings, area, channel, and address data.	Verify queue or delivery behavior on the live site.
Export is incomplete	Compare project settings, tracker, risk, and reporting selections.	Correct source data or configuration, then regenerate.
Hosted page regressed	Compare to the prior known-good package and acceptance evidence.	Rollback, preserve artifacts, and isolate the change.
Local mode differs from SharePoint	Determine whether the behavior depends on identity, role, list data, or persistence.	Validate on an approved SharePoint site.

VALIDATION ORDER

Local - safe site - hosted page

Move outward only after the smaller scope behaves as expected and the evidence is retained.

ROLLBACK EVIDENCE

Keep both sides.

Retain the prior known-good artifact, failed artifact, validation notes, acceptance evidence, and incident ticket.

CORE RESPONSE

Stabilize. Preserve. Isolate. Verify.

Recovery is complete only when the restored service and the underlying source records have been verified.

Application behavior is not organizational policy.

The source package supports the procedures in this document, but several governance decisions require an authoritative organizational answer before operational use.

VERIFY AUTHORITY

- Production deployment and rollback approval
- Change control, peer review, release validation, and incident escalation
- Roles allowed to create, edit, archive, restore, export, or delete records

VERIFY HANDLING

- Retention periods for project, meeting, travel, review, ticket, notification, and activity records
- Classification markings and approved storage locations
- Handling of generated PowerPoint and other exports

TRAVEL POLICY

- Required approval and finance evidence
- Denial, revocation, and cancellation authority
- Required debrief timing and content

AI CAPABILITY

- Whether grammar review is approved
- Authorized endpoint and identity mechanism
- Data handling and model authorization

Do not convert an assumption into a procedure. When policy is unresolved, preserve the question, identify the authority needed, and avoid stating a requirement as enforced by PULSE unless the tool actually enforces it.

Procedure readiness

Procedure	Evidence still needed before full operational validation
Project and tracker	Live create, update, refresh, and activity evidence.
Reporting	Output review, upload destination, and access confirmation.
Meetings	Session save, action linkage, and history retrieval.
Travel and review	Role-restricted decisions, persistence, notifications, and complete workflow evidence.
Administration	Approved-site role, setup, and audit operation.
Deployment response	Hosted-page release, rollback, and evidence-retention authority.

Before you close the record.

1 / CORRECT SCOPE

Right project, person, route, and record?

Confirm the identity before making the change.

2 / COMPLETE INFORMATION

Owner, timing, condition, reason, and next action?

Do not leave an operational state without the context needed to act.

3 / EXPECTED DOWNSTREAM EFFECT

What should route, notify, generate, or appear?

Know the result before declaring completion.

4 / VERIFIED EVIDENCE

Refresh, reopen, and preserve.

Confirm persistence and retain the evidence required by policy.

Escalation package

When Date and time	Where Route and record	Who User role	What Expected vs actual
Device Browser and device	Evidence Approved screenshot	Impact Work affected	Workaround Approved temporary path

OPERATING STANDARD

Clear action. Verified state. Durable evidence.

Use PULSE to make work visible and accountable without creating a parallel record outside the system.

Related documents: General Overview for orientation, Internal User Guide for screen-by-screen use, and Technical Reference for architecture, deployment, schema, diagnostics, and maintainer handoff.