NAV Purebred Beef genetic evaluation - Genomic evaluation for weight/growth and carcass traits

Elisenda Rius-Vilarrasa (Växa)

2026-02-25

Contents

March 2026 NAV PbB evaluation

Distribution files:

- /nav/nav/PbB/Lastrun/Distribution/nav_PbB_ebv_pub
- /nav/nav/PbB/Lastrun/Distribution/nav_PbB_sires_pub
- /nav/nav/PbB/Lastrun/Distribution/alive.nav

Changes compared to the November 2025 evaluation:

Reverse reliabilities (reliabilities including genomic information) for AAN, CHA, HER, LIM and SIM and for traits in the weight/growth and carcass evaluation

Summary of the results

Number of genotypes by breed and country added to the March 2026 evaluation



Calving evaluation

- Danish, Finnish and Swedish correlations between previous and current breeding values are high and in general as expected.

Carcass evaluation

- Danish, Finnish and Swedish correlations between previous and current breeding values are high and in general as expected.

Calving

Correlations between previous and current evaluation for the subindex traits for publishable animals from the calving evaluation




corr(prev,last) − pub−animals (n>10)::CHA
CALV
DNK
FIN
SWE
correlation
byear
1.0
0.9
0.8
0.7
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
Trait_name
Birth index
Calving index
Dam index



corr(prev,last) − pub−animals (n>10)::HER
CALV
DNK
FIN
SWE
correlation
1.0
0.9
0.8
0.7
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
byear
Trait_name
Birth index
Calving index
Dam index


corr(prev,last) − pub−animals (n>10)::LIM
CALV
DNK
FIN
SWE
correlation
1.0
0.9
0.8
0.7
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
byear
Trait_name
Birth index
Calving index
Dam index


corr(prev,last) − pub−animals (n>10)::SIM
CALV
DNK
FIN
SWE
correlation
1.0
0.9
0.8
0.7
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
byear
Trait_name
Birth index
Calving index
Dam index

Genetic trends and standard deviation of BV from the previous (ebv.p) and current (ebv.l)






Mean − calving indexes ::CHA
Birth index
Calving index
Dam index
DNK
FIN
SWE
mean EBV
Year of birth
eval
ebv.p
ebv.l


std − calving index ::CHA
Birth index
Calving index
Dam index
DNK
FIN
SWE
std of rbv
Year of birth
eval
ebv.p
ebv.l


Mean − calving indexes ::HER
Birth index
Calving index
Dam index
DNK
FIN
SWE
mean EBV
105
102
99
96
93
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
Year of birth
eval
ebv.p
ebv.l


std − calving index ::HER
Birth index
Calving index
Dam index
DNK
FIN
SWE
std of rbv
10
8
6
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
Year of birth
eval
ebv.p
ebv.l



Mean − calving indexes ::LIM
Birth index
Calving index
Dam index
DNK
FIN
SWE
mean EBV
Year of birth
eval
ebv.p
ebv.l



std − calving index ::LIM
Birth index
Calving index
Dam index
DNK
FIN
SWE
std of rbv
Year of birth
eval
ebv.p
ebv.l


Mean − calving indexes ::SIM
Birth index
Calving index
Dam index
DNK
FIN
SWE
mean EBV
104
100
96
92
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
Year of birth
eval
ebv.p
ebv.l


std − calving index ::SIM
Birth index
Calving index
Dam index
DNK
FIN
SWE
std of rbv
10
8
6
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
Year of birth
eval
ebv.p
ebv.l

Carcass

Correlations between previous and current evaluation for the subindex traits for publishable animals from the weight/growth evaluation







corr(prev,last) − pub−animals (n>10)::HER
–
NAV G
DNK
FIN
SWE
correlation
1.0
0.9
0.8
0.7
byear
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
Trait_name
Growth index
Production index
Slaughter quality index



corr(prev,last) − pub−animals (n>10)::LIM
−
NAV G
DNK
FIN
SWE
1.0
0.9
0.8
0.7
correlation
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
byear
Trait_name
Growth index
Production index
Slaughter quality index


corr(prev,last) − pub−animals (n>10)::SIM
−
NAV G
DNK
FIN
SWE
correlation
1.0
0.9
0.8
0.7
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
byear
Trait_name
Growth index
Production index
Slaughter quality index

Genetic trends and standard deviation of BV from the previous (ebv.p) and current (ebv.l)







Mean − carcass indexes ::CHA
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
mean EBV
Year of birth
eval
ebv.p
ebv.I



std − carcass index ::CHA
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
std of rbv
Year of birth
eval
ebv.p
ebv.I


Mean − carcass indexes ::HER
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
mean EBV
108
104
100
96
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
Year of birth
eval
ebv.p
ebv.l


std − carcass index ::HER
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
std of rbv
10
8
6
2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025
Year of birth
eval
ebv.p
ebv.l


Mean − carcass indexes ::LIM
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
mean EBV
Year of birth
eval
ebv.p
ebv.l


std − carcass index ::LIM
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
std of rbv
Year of birth
eval
ebv.p
ebv.l



Mean − carcass indexes ::SIM
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
mean EBV
Year of birth
eval
ebv.p
ebv.I



std − carcass index ::SIM
Growth index
Production index
Slaughter quality index
DNK
FIN
SWE
std of rbv
Year of birth
eval
ebv.p
ebv.I