

NAV Purebred Beef Genetic Evaluation

PbB_RUN2026_04

Elisenda Rius-Vilarrasa, Khrystyna Kurta and Patricia Ask-Gullstrand (Växa)

13 April 2026

Contents

1	April 2026 NAV PbB evaluation	2
1.1	Distribution files	2
1.2	Changes compared to March 2026 evaluation	2
1.3	Summary of results	3
1.3.1	Genotypes added since the previous evaluation	3
1.3.2	Cumulative genotypes by breed and birth year	4
2	Calving	5
2.1	Correlations between previous and current evaluation	5
2.2	Genetic trends and standard deviation of BV	10
3	Carcass	15
3.1	Correlations between previous and current evaluation	15
3.2	Genetic trends and standard deviation of BV	20
4	Overview of changes in reliabilities, previous to current run.	31
4.1	Index traits	31
4.2	Maternal traits	32
4.3	Single traits	33
4.4	Filtered single traits (rel > 30)	34

1 April 2026 NAV PbB evaluation

1.1 Distribution files


```
/nav/nav/PbB/Lastrun/Distribution/nav_PbB_ebv_pub  
/nav/nav/PbB/Lastrun/Distribution/nav_PbB_sires_pub  
/nav/nav/PbB/Lastrun/Distribution/alive.nav
```

1.2 Changes compared to March 2026 evaluation


There are no changes in methodology or software compared to the previous evaluation.

1.3 Summary of results

1.3.1 Genotypes added since the previous evaluation



1.3.2 Cumulative genotypes by breed and birth year




2 Calving

2.1 Correlations between previous and current evaluation


Breed: AAN — Calving traits

Correlation between previous and current evaluation (published animals, $n > 10$)




Breed: CHA — Calving traits

Correlation between previous and current evaluation (published animals, $n > 10$)




Breed: HER — Calving traits

Correlation between previous and current evaluation (published animals, $n > 10$)




Breed: LIM — Calving traits

Correlation between previous and current evaluation (published animals, $n > 10$)





Breed: SIM — Calving traits


Correlation between previous and current evaluation (published animals, $n > 10$)




2.2 Genetic trends and standard deviation of BV




Breed: CHA — Calving indices — Mean EBV




Breed: CHA — Calving indices — SD of BV




Breed: HER — Calving indices — Mean EBV




Breed: HER — Calving indices — SD of BV




Breed: LIM — Calving indices — Mean EBV




Breed: LIM — Calving indices — SD of BV



Breed: SIM — Calving indices — Mean EBV




Breed: SIM — Calving indices — SD of BV




3 Carcass

3.1 Correlations between previous and current evaluation




Breed: CHA — Carcass traits

Correlation between previous and current evaluation (published animals, n > 10)




Breed: HER — Carcass traits

Correlation between previous and current evaluation (published animals, n > 10)




Breed: LIM — Carcass traits

Correlation between previous and current evaluation (published animals, n > 10)




Breed: SIM — Carcass traits

Correlation between previous and current evaluation (published animals, n > 10)




3.2 Genetic trends and standard deviation of BV




Breed: AAN — Carcass indices — SD of BV




Breed: CHA — Carcass indices — Mean EBV




Breed: CHA — Carcass indices — SD of BV




Breed: HER — Carcass indices — Mean EBV



Breed: HER — Carcass indices — SD of BV




Breed: LIM — Carcass indices — Mean EBV




Breed: LIM — Carcass indices — SD of BV



Breed: SIM — Carcass indices — Mean EBV




Breed: SIM — Carcass indices — SD of BV




4 Overview of changes in reliabilities, previous to current run.

4.1 Index traits




For each breed and trait, the plotted points correspond to the country-specific summaries for DNK, FIN, and SWE


4.2 Maternal traits



4.3 Single traits



4.4 Filtered single traits (rel > 30)



Subset: suspicious records with unchanged number of observations (nr.p = nr.l), reliability above 30 (rel.p > 30)
For each breed and trait, the plotted points correspond to the country-specific summaries for DNK, FIN, and SWI