# Coding Challenge - Users Hierarchy

## Users hierarchy

In our system each user belongs to a user-group with a defined set of permissions.

We name such a group "Role". A certain role (unless it is the root) must have a parent role to whom it reports to.

For example a customer may have these 4 roles in their account:

```
objRole1 = {
    "Id": 1,
    "Name": "System Administrator",
    "Parent": 0
};
objRole2 = {
    "Id": 2,
    "Name": "Location Manager",
    "Parent": 1,
};
objRole3 = {
    "Id": 3,
    "Name": "Supervisor",
    "Parent": 2,
};
objRole4 = {
    "Id": 4,
    "Name": "Employee",
    "Parent": 3,
};
objRole5 = {
    "Id": 5,
    "Name": "Trainer",
    "Parent": 3,
};
```

Notice how the System Administrator has no parent role and how Employee has as parent role the Supervisor.

Naturally this cascading parent-child relationship means that Location Manager, Supervisor, Employee, Trainer are all children roles to System Administrator.

Some users in that account may look as follows:

```
objUser1 = {
    "Id": 1,
    "Name": "Adam Admin",
    "Role": 1
};
objUser2 = {
    "Id": 2,
    "Name": "Emily Employee",
    "Role": 4
};
objUser3 = {
    "Id": 3,
    "Name": "Sam Supervisor",
    "Role": 3
};
objUser4 = {
    "Id": 4,
    "Name": "Mary Manager",
    "Role": 2
};
objUser5 = {
    "Id": 5,
    "Name": "Steve Trainer",
    "Role": 5
};
```

#### **Task**

Come up with a function, for an arbitrary collection of roles and users, given a user Id returns a list of **ALL** their subordinates (i.e. including their subordinate's subordinates).

For example if you were given user #3 in the above example (Sam Supervisor), you should output objUser2 (Emily Employee) and objUser5 (Steve Trainer)

Another example is if you were give user #1 in the above example (Adam Admin), you should output a list containing [objUser2, objUser3, objUser4, objUser5] in no particular order.

#### **Tips**

- Any role with parent 0 is a top level role. i.e: has no parents.
- A form of Object Oriented design might help in this case!

### Sample Input

```
roles = [
   {
        "Id": 1,
        "Name": "System Administrator",
        "Parent": 0
    },
        "Id": 2,
        "Name": "Location Manager",
        "Parent": 1,
    },
        "Id": 3,
        "Name": "Supervisor",
        "Parent": 2,
    },
        "Id": 4,
        "Name": "Employee",
        "Parent": 3,
   },
 {
    "Id": 5,
     "Name": "Trainer",
     "Parent": 3,
}
]
users = [
   {
        "Id": 1,
        "Name": "Adam Admin",
        "Role": 1
    },
        "Id": 2,
        "Name": "Emily Employee",
        "Role": 4
    },
        "Id": 3,
        "Name": "Sam Supervisor",
        "Role": 3
    },
        "Id": 4,
        "Name": "Mary Manager",
        "Role": 2
    },
```

```
"Id": 5,
    "Name": "Steve Trainer",
    "Role": 5
}

setRoles(roles);
setUsers(users);
getSubOrdinates(3); // should return [{"Id": 2,"Name": "Emily
Employee","Role": 4}, {"Id": 5, "Name": "Steve Trainer","Role": 5}]
getSubOrdinates(1); // should return [{"Id": 2,"Name": "Emily
```

```
Employee", "Role": 4}, {"Id": 3,"Name": "Sam Supervisor", "Role": 3},
{"Id": 4,"Name": "Mary Manager", "Role": 2}, {"Id": 5, "Name": "Steve
Trainer", "Role": 5}]
```

#### **Ground rules**

- Package your solution in any way you would like (e.g. zip file, github repo, etc)
- · Include a README.md with your solution to tell us how to get it running in some unix environment
- Produce a test suite that we can run with everything passing
- Make sure you write readable code.
- · Feel free to write comments explaining your solution so we understand your thinking behind it
- Email the solution to your recruiter. They will forward it to the engineers involved in your role
- · Have fun!