


Reward Points & Discount Coupons

獎勵積分及優惠券 · 使用說明 · 奖励积分及优惠券 · 使用说明

User manual — English · 繁體中文 · 简体中文

English
🎁 Reward points 🎟 Discount coupons 🧾 At the payment desk

繁體中文
🎁 獎勵積分 🎟 優惠券 🧾 收費櫃檯

简体中文
🎁 奖励积分 🎟 优惠券 🧾 收费柜台

⚠ Where · 位置 · 位置

Configuration → 🎁 Reward Points / 🎟 Discount Coupons — 📖 How to use opens this manual.
設定 → 🎁 獎勵積分 / 🎟 優惠券 — 按 📖 使用說明開啟本手冊。
设置 → 🎁 奖励积分 / 🎟 优惠券 — 点 📖 使用说明打开本手册。

Patient info banner → **Rewards** 📖 — front-desk steps: 🧾 At the payment desk.
病人資料橫額 → **積分** 📖 — 前台步驟：🧾 收費櫃檯。
病人资料横幅 → **积分** 📖 — 前台步骤：🧾 收费柜台。

💳 **HK$3,000** — Using points on one bill · 單張賬單使用積分上限 · 单张账单使用积分上限

🎁 Reward Points — set-up guide

English

Patients earn reward points on what they pay. **1 point = HK$1** off a later bill. Points used as a discount are **not counted as clinic income**. This page explains every control in **Configuration** → 🎁 **Reward Points**.

Before you start

- Everyone can open the page, but only **Admin** can change it. Other logins see the values with "Only Admin can change this setting."
- Most cards have their own **Save** button. Ticks (SMS, Join) save as soon as you click them.
- The red card needs the admin **SMS code** and the **Google Authenticator** code.

1 Earn rate

- Type the percentage of each payment that comes back as points (default **10%**), then press **Save**.
- Points already earned do not change. Points earned on a payment can be used from the **next** payment, not the same one.

2 SMS notify on balance change


- Tick **Send Twilio SMS when points change** to text the patient each time the balance goes up or down.
- Untick to stop the SMS. It saves at once.

3 Refer a friend (points)

- Tick **Give reward points for referrals**, fill in **Points** and **Min first-visit payment HK$ (full or part payment)**, then press **Save**.
- The referrer gets the points as soon as the new patient has paid **at least the minimum in cash on one bill** — a full payment or a part payment both count. A small **Refer a friend bonus activated** message then pops up at the bottom right of the screen. Leave the minimum blank for any amount.
- On the patient form, staff pick the referrer under **Referred by** and choose **points** or a **discount coupon**. A choice is greyed out where the clinic is not in that scheme.


4 Using points on one bill

- Set the most points one bill can use: a **% of the bill**, an amount **up to HK$**, or both. Press **Save**.
- Both limits apply and the **smaller one wins**. Leave a box blank to drop that limit. The % is of the bill total.
- Default: **up to HK$3,000** per bill, no %. The patient's phone page shows the limit you save here (for example "Maximum usage per bill is HK$3,000."); with both boxes blank it shows no limit line.
- It counts **every payment on the same bill**. At the payment desk the points box stops at the limit, an amber note shows what is left, and ✓ **Confirm Payment** refuses anything over it.



5 Reset reward points to zero

- Choose how balances are cleared: **Manual** (default, points never clear by themselves), **every year on 31 Dec 23:59** (HK time), or a **life span** of 1–24 months (points clear after that many months with no new points).
- Press **Save**, then enter the **SMS code** and the **Google Authenticator** code.
- **Manual RESET ZERO**: press **RESET ZERO** → verify (SMS + Authenticator) → tick **All clinics** or single clinics → **Confirm set zero** → type the word **confirm** → **Wipe points now**.
- Every reset keeps a **safety log**. **Step back and recover last balance before set zero** brings the last reset back. The grey line under the buttons shows the last safety log.



6 Clinics in scheme

- One tab per clinic. A **dot** on the tab means the clinic is joined. Default: **PL · All Doctors**.
- Each row has a **Gain & Redeem** tick. **All Doctors** joins the whole clinic; a doctor row joins only that doctor. It saves at once ("Saved").
- Points belong to the **doctor** who earned them. A bill can use only points earned with the **same doctor** — at any clinic where that doctor earned them. The doctor must be chosen on the bill.

7 Summary log

- The latest 80 point changes: when, clinic, doctor, chart no., patient, type, points, balance after, and who did it.

At the payment desk

- In **Add payment**, tick **Use reward points as discount**, then type **Points to use** or press **Redeem all** (takes the smallest clinic balance first).
- In the patient's points ledger, 📱 **Points on the phone** makes a QR code and a WhatsApp message so the patient can see the balance.

Problems?

"Only Admin can change this setting."	You are not logged in as Admin. Ask an Admin to change it.
The points box stops below the balance	It stops at the smallest of: the bill balance, the points for this doctor, and the per-bill limit. The amber note shows the limit.
"No reward points for Dr … to redeem."	Points belong to the doctor who earned them. Check the bill has the right doctor, and the doctor is joined in Clinics in scheme.
Today's points cannot be used	By design: points earned on a payment can be used from the next payment.
Balances were reset by mistake	Press Step back… on the red card. It recovers the last RESET ZERO from its safety log.
Step back is greyed out	There is no RESET ZERO safety log left to recover.
The SMS code does not arrive	Press Resend SMS code. If SMS cannot be sent, only the Google Authenticator code is asked.

🎟 Discount Coupons — set-up guide

English

Coupons are separate from reward points. Patients collect them in a wallet and use them on later bills. This page explains every control in **Configuration** → 🎟 **Discount Coupons**.

Before you start


- There is **no Save button**: each change saves as soon as you leave the box or click the tick. The one exception is the red **Set discount coupons to zero** card, which has its own Save and needs the admin SMS + Google Authenticator codes.
- A yellow banner at the top lists the clinics where coupons are **switched off**.
- **Coupon rules (tap to open)** lists the rules staff and patients follow (see the summary at the end).

1 Clinics in scheme

- One tab per clinic; a **dot** means joined. **Join** on the clinic row switches the whole clinic. KT is joined by default; other clinics stay off until you tick them.
- Under it, **All Doctors** and each doctor have their own **Join**.
- Bills at a clinic that is off neither use nor earn coupons.

2 Expenditure coupons

- Five spend rows. The first three are filled in (spend HK$1,000 / 5,000 / 10,000 → get HK$100 / 500 / 1,000); the last two stay blank until you fill them.
- Each row: the **switch**, **Spend HK$**, **Coupon HK$**, **Days** (valid for), **Hold up to** (most unused coupons of this kind one patient can hold), **Issue cap** and **Budget HK$**.
- A row issues only when it is on and both amounts are filled. One bill earns **every row it reaches**; the picture shows the tiers.
- Spend counts all cash paid on the bill (not reward points, balance transfer or voided payments). The coupon can be used from the **next** bill.



3 Campaigns

- Every other offer, each with a switch, a preview ticket and its boxes: **HK$**, **%** (percentage coupons), **Days**, **Ceiling** (most HK$ it can take off), **Hold up to**, **Issue cap**, **Budget HK$**.
- **Whole-bill coupons**: Cash coupon (staff gift HK$1–200), New chart and Refer a friend (both issued automatically; Refer a friend has **Min first-visit payment HK$ (full or part payment)**).
- **Treatment coupons**: Free scaling, Free filling, Free extraction, Implant, Orthodontic, Crown and bridge, Root canal, Whitening. They only cover the treatment items ticked for them (step 5).
- The badge shows **On**, **Off**, **Needs setup** or **Limit reached**. Issue cap and budget are optional; voided coupons do not count.

4 Using cash coupons on one bill

- Inside the Cash coupon card. **Cash coupons per bill**: No limit, or 1–10.
- **Max cash off per bill**: a **% of the bill** and/or **up to HK$**. Both apply and the smaller one wins; blank drops that limit.
- Default: any number of cash coupons, **50% of the bill up to HK$3,000**. The % is of the whole bill before coupons.
- Only cash coupons stack. Spend, new-chart and referral coupons stay one per bill and are not combined with cash.




5 Treatment items for a treatment coupon

- **Smart keyword filter**: items whose name has one of the **Keywords** (comma separated) and none of the **Exclude words** are ticked for you.
- Open **Treatment items: … ticked** to see the list. Search, then tick or untick any item. Tags: *keyword* = ticked by keyword, *unticked* = keyword match you took out, *not in list* = no longer in the treatment list.
- A line typed on the bill counts only if its name is exactly the same as the treatment list.

6 Set discount coupons to zero

- The red card above Referrals. Admin only; other logins see the option in use. Setting zero **voids every unused coupon** in the chosen clinics (a coupon belongs to the clinic that issued it). Used and expired coupons are not touched.
- Choose how coupons are cleared: **Manual** (**default** — coupons are never cleared by themselves), **every year on 31 Dec 23:59** (HK time; clears coupons issued before 1 Jan), or a **life span** of 1, 2, 3, 4, 6, 9, 12 or 24 months (clears unused coupons issued longer ago, even if their own expiry is later).
- **Every change of option needs the admin SMS code and the Google Authenticator code. Save** lights up only after you pick a different option or month; press it, then enter both codes. Nothing changes until both codes pass.
- Year-end and life span run by themselves when the Discount Coupons config page is opened (year-end once a year, life span at most once a day). Turning on year-end part way through a year starts with the coming 31 Dec.
- **Manual RESET ZERO**: press **RESET ZERO** → verify → tick **All clinics** or single clinics → **Confirm set zero** → type **confirm** → **Void coupons now**.
- Every clear keeps a **safety log** and a line in the Coupon log. **Step back and give back the coupons of the last set zero** makes those coupons usable again. The grey line under the buttons shows the last safety log.



7 Referrals

- Each new patient with a referrer. **Pending** waits until the new patient has paid the minimum on a bill (full or part payment); **blocked** shows why no coupon was given.

8 Coupon log

- Pick the dates (from → to) and an optional **Chart no.**, then press **Show**. The chips filter by action; **Export CSV** downloads the list.
- It lists every coupon issued, gifted, transferred, given back on a void, or cancelled. Gifts show the login that gave them.

Coupon rules in short

- Per bill: one treatment coupon plus either one whole-bill coupon (spend, new chart, referral) or cash coupons. The treatment coupon comes off first.
- No change and no cash back: if a coupon is worth more than the bill, the rest is lost.
- New-chart and referral coupons stay with the patient; other coupons can be transferred to another chart no.
- Voiding a bill returns the coupons used on it and cancels coupons it issued.
- Expired coupons cannot be used; patients get an SMS 7 days before expiry. A wallet holds up to 20 unused coupons.

Problems?

Badge "Needs setup"	Fill in the HK$ amount (both amounts for a spend row), or tick at least one treatment item.
Badge "Limit reached"	The Issue cap or Budget is used up. Raise it, or clear the box for no limit.
"Coupons are switched off at …"	Those clinics are not joined. Open the clinic tab and tick Join.
A patient did not get a coupon	The clinic or doctor is not joined, the row is off, or the patient already holds the Hold up to number (or 20 coupons in all).
A coupon cannot be used on a bill	The clinic or doctor is not joined, the treatment is not ticked for that coupon, the coupon has expired, or a whole-bill coupon is already on the bill.
Cash coupons stop short	The per-bill cash limit applies (default 50% of the bill, up to HK$3,000).
Coupons were set to zero by mistake	Press Step back… on the red card. It gives back the coupons of the last set zero from its safety log.
Save on the set zero card is greyed out	You have not picked a different option or month yet. Every change needs the SMS and Google Authenticator codes.
"Run discount_coupon_zero.sql in Supabase first."	The set zero tables are not in the database yet. Ask the system admin to run discount_coupon_zero.sql once.

🧾 At the payment desk — reward points & discount coupons

English

For front-desk staff using Banana. This part shows, step by step, how to use **discount coupons** and **reward points** while you take a payment: **Bill Detail** → 🎟 coupon row → **+ Add Payment**.

Before you start


- Each scheme works only at clinics (and doctors) that are joined. Where a clinic is not in a scheme, its controls are hidden or greyed out.
- Choose the **treating doctor** on the bill first. Reward points belong to the doctor who earned them.
- Work in this order: **coupon first, then payment**. The coupon row locks as soon as any payment is on the bill.

1 See what the patient has

- On the patient info banner, the **Rewards** button shows the points balance. The 📖 **How to use** link next to it opens this manual.
- Click **Rewards** to open the panel with two tabs: 🎁 **Reward points** (ledger) and 🎟 **Discount coupons** (wallet). A tab is greyed out ("Clinic not in scheme") where the clinic is not joined.
- The same panel opens from **Patients** → ⋯ → **Rewards**. On the patient **Dashboard**, the 🎁 card shows the points and the 🎟 **Coupon wallet** card shows how many coupons are live.

2 Use a discount coupon on the bill

- In **Bill Detail**, press **Choose** on the 🎟 **Discount coupon** row. The **Use** tab lists the patient's live coupons.
- Each ticket shows its value, **Whole bill** or **Treatment**, the expiry, and how much it takes off. **Best** marks the biggest saving.
- Tap a ticket to pick it (✓ **Selected**). The line at the bottom shows the new total. Press **Apply**.
- A ticket that cannot be used shows the reason instead of an amount (for example the treatment is not on the bill, or it has expired).
- To take a coupon off, press **Choose** → **Do not use a coupon**. Once a payment is saved, **Choose** is greyed out.



3 Gift or transfer a coupon

- **Gift** tab: pick the coupon type (cash coupon HK$1–200, or a treatment coupon that is turned on), then press the 🔒 button and log in with your staff login.
- **Transfer** tab: pick the coupon, type the other patient's **chart no.**, then 🔒 log in. New-chart and referral coupons cannot be moved.
- You can do the same without a bill: **Rewards** → 🎟 **Discount coupons** tab → **Wallet** / **Gift** / **Transfer**. Wallet there is for browsing only. Press Esc to close the login box without closing the panel.

4 Use reward points in Add Payment

- Press **+ Add Payment**. The green reward box shows the **Doctor** and **Available for this doctor (all clinics)**.
- Tick **Use reward points as discount**. Under **By clinic (same doctor)**, tick the clinics to take points from.
- Type **Points to use**, or press **Redeem all** (it takes the smallest clinic balance first). **Will take:** shows which clinic pays for it.
- The **Amount** box drops by the points, so it shows the cash still to pay. If you hit the per-bill limit, an amber note shows what is left.
- Fill in the payment method, then press ✓ **Confirm Payment**. Points used are a discount, **not clinic income**.



5 After the payment

- Points earned on this payment appear in the **Rewards** balance. They can be used from the **next** payment, not the same one.
- Coupons earned by spending are issued when the bill is **fully paid**. The green box under the balance shows **Earned from this bill**, or how much more to spend for the next coupon.
- The **Saved on this bill** line adds up line discounts, extra discount and coupons.

6 Give the patient the phone page

- Points: **Rewards** → 🎁 tab → 📱 **Points on the phone**. Coupons: **Rewards** → 🎟 tab → **Wallet QR**, or the 🎟 **Coupon wallet** card on the patient Dashboard.
- The patient scans the QR code with the phone camera. You can also copy the link, download the PNG, print a slip, or send it by **WhatsApp**.
- **New QR code** stops the old link from working (for example if the patient lost the phone). The phone page is browse only.

7 Fixing a mistake

- **Void a payment**: the points used on it come back, and the points it earned are taken away.
- **Void a bill**: coupons used on it go back to the wallet, and coupons it issued are cancelled. Points are reversed the same way.
- Wrong coupon before any payment? Press **Choose** again and pick another one, or **Do not use a coupon**.

Quick order at the desk

- Doctor on the bill → **Choose** a coupon → **Apply**.
- **+ Add Payment** → tick **Use reward points** → **Points to use** or **Redeem all** → **✓ Confirm Payment**.
- Tell the patient about the phone page (points, Wallet QR for coupons).

Problems?

The green reward box is not in Add Payment	The clinic or the bill's doctor is not joined in Reward Points → Clinics in scheme.
"Use reward points" cannot be ticked	No doctor on the bill, or this patient has no points with this doctor.
Choose is greyed out	A payment is already on the bill. Coupons must be chosen before the first payment.
A coupon shows a reason instead of an amount	The treatment is not on the bill, the coupon has expired, a whole-bill coupon is already used, or the clinic is not in the coupon scheme.
The points box stops early	It stops at the smallest of: the bill balance, this doctor's points, and the per-bill limit.
Points from today cannot be used	By design: points earned on a payment are usable from the next payment.

🎁 獎勵積分 — 設定說明

繁體中文

病人按付款金額賺取獎勵積分，**1 積分 = HK$1**，可在之後的賬單抵扣。積分抵扣**不計作診所收入**。本頁說明 **設定 → 🎁 獎勵積分** 內每一項設定。

開始前

- 所有人都可開啟此頁，但只有**管理員**可以更改。其他登入只會看到數值及「僅管理員可更改此設定。」
- 大部分設定卡有自己的**儲存**按鈕；剔選（短訊、加入）一按即儲存。
- 紅色設定卡需要管理員的**短訊驗證碼**及 **Google 驗證器**驗證碼。

1 賺取比率

- 輸入每筆付款轉為積分的百分比（預設 10%），然後按**儲存**。
- 已賺取的積分不會改變。今次付款賺取的積分可於**下一筆**付款使用，不可在同一筆付款內抵扣。

2 結餘變動短訊通知

- 剔選**積分變動時發送 Twilio 短訊**，結餘每次增減都會以短訊通知病人。
- 取消剔選即停止發送，一按即儲存。

3 介紹新客（積分）

- 剔選**介紹新客可獲積分**，填寫**積分**及**首次診症最低付款 HK$（全數或部分付款）**，然後按**儲存**。
- 新病人在**同一張賬單的現金付款累計達最低金額**（全數或部分付款均計算），介紹人即獲得積分，畫面右下角會彈出**介紹新客獎賞已啟動**的小提示。最低金額留空即不設下限。
- 在病人資料表的**轉介人**選擇介紹人，再選**積分**或**優惠券**。如該診所未參加某計劃，該選項會變灰。

4 單張賬單使用積分上限

- 設定每張賬單最多可用多少積分：**賬單金額 %**、**最多 HK$**，或兩者都設，然後按**儲存**。
- 兩個上限同時適用，**以較小者為準**；留空即取消該上限。百分比以賬單總額計算。
- 預設：每張賬單**最多 HK$3,000**，不設百分比。病人手機頁面會顯示此處儲存的上限（例如「每張賬單最高使用額為 HK$3,000。」）；兩格都留空則不顯示上限。
- 同一張賬單的**每次付款合併計算**。付款時積分欄不能超過上限，琥珀色提示顯示尚餘多少，超出時**✓ 確認付款**會被拒絕。



5 將獎勵積分清零

- 選擇清零方式：**手動**（預設，積分不會自動清零）、**每年 12 月 31 日 23:59**（香港時間）自動清零，或**有效期** 1–24 個月（連續該月數沒有新積分便清零）。
- 按**儲存**，再輸入**短訊驗證碼**及 **Google 驗證器**驗證碼。
- **手動清零**：按**清零重置** → 驗證（短訊 + 驗證器）→ 剔選**全部診所**或個別診所 → **確認清零** → 輸入 **confirm** 一字 → **立即清零**。
- 每次清零都會保留**安全日誌**。**回退並還原清零前的上次結餘**可把上一次清零還原；按鈕下方的灰字顯示上一個安全日誌。



6 參與診所

- 每間診所一個分頁，分頁上的**圓點**表示已加入。預設：**PL · 全部醫生**。
- 每行有**賺取 & 兌換**剔選。**全部醫生**即整間診所加入；醫生行只加入該醫生。一按即儲存（「已儲存」）。
- 積分屬於賺取它的**醫生**。賬單只可使用**同一醫生**賺取的積分 — 該醫生在任何診所賺取的都可以。賬單上必須選擇醫生。

7 匯總日誌

- 最近 80 筆積分變動：時間、診所、醫生、病歷號、病人、類型、積分、變動後結餘及經手人。

在收費處

- 在**新增付款**剔選**使用積分抵扣**，再輸入**使用積分數**或按**全部兌換**（先扣結餘較少的診所）。
- 在病人的積分紀錄面板按 📱 **手機查看積分**，可產生 QR 碼及 WhatsApp 訊息，讓病人在手機查看結餘。

遇到問題？

「僅管理員可更改此設定。」	目前不是以管理員登入。請管理員更改。
積分欄停在結餘以下	上限取以下最小者：賬單結欠、該醫生的積分、每張賬單上限。琥珀色提示會顯示上限。
「Dr … 沒有可兌換積分。」	積分屬於賺取它的醫生。請確認賬單上的醫生正確，並已在「參與診所」加入。
今天賺取的積分不能用	設計如此：今次付款賺取的積分可於下一筆付款使用。
誤把結餘清零	在紅色設定卡按「回退並還原…」，系統會按安全日誌還原上一次清零。
「回退」按鈕是灰色	沒有可還原的清零安全日誌。
收不到短訊驗證碼	按「重新發送短訊驗證碼」。如短訊無法發送，系統只會要求 Google 驗證器驗證碼。

🎟 優惠券 — 設定說明

繁體中文

優惠券與獎勵積分分開運作。病人把優惠券存入錢包，於之後的賬單使用。本頁說明 **設定** → 🎟 **優惠券** 內每一項設定。

開始前

- 此頁**沒有儲存按鈕**：離開輸入格或按剔選後即自動儲存。唯一例外是紅色的**優惠券清零**卡片，它有自己的儲存按鈕，並需管理員短訊及 Google 驗證器驗證碼。
- 頂部的黃色橫額列出**未開啟**優惠券的診所。
- **優惠券使用規則（點擊展開）**列出員工及病人須遵守的規則（摘要見本頁末）。

1 參與診所

- 每間診所一個分頁，**圓點**表示已加入。診所行的**加入**開關整間診所。KT 預設已加入，其他診所須剔選後才開啟。
- 下方**全部醫生**及每位醫生各有**加入**剔選。
- 未加入的診所，賬單既不能使用、也不會獲發優惠券。

2 消費滿額券



- 共五行。首三行已填好（消費 HK$1,000 / 5,000 / 10,000 → 送 HK$100 / 500 / 1,000），最後兩行留空，待你填寫。
- 每行：**開關**、**消費 HK$**、**優惠 HK$**、**有效日數**、**最多持有**（每位病人最多持有多少張未用的此類券）、**發放上限**及**預算 HK$**。
- 只有已開啟且兩個金額都已填寫的行才會發券。一張賬單可獲得**所有達到的級別**，圖示顯示各級別。
- 消費金額計算賬單上所有現金付款（不包括積分、結餘轉移或已作廢付款）。獲發的券可於**下一張**賬單使用。

3 優惠活動

- 其餘每項優惠都有開關、預覽票券及以下輸入格：**HK$**、**%**（百分比券）、**有效日數**、**上限**（最多扣減 HK$）、**最多持有**、**發放上限**、**預算 HK$**。
- **全單券**：現金券（員工可贈送 HK$1–200）、新客券及介紹新客（兩者自動發放；介紹新客設有**首次診症最低付款 HK$（全數或部分付款）**）。
- **治療券**：免費洗牙、免費補牙、免費脫牙、植牙、矯齒、牙套牙橋、根管、美白優惠 — 只適用於為該券剔選的治療項目（第 5 步）。
- 標籤顯示**已開啟**、**已關閉**、**需設定**或**已達上限**。發放上限及預算可留空；已作廢的券不計算在內。

4 同一張單使用現金券

- 位於「現金券」設定卡內。**每張單現金券數量**：不限，或 1–10 張。
- **每張單現金券扣減上限**：**賬單金額 %** 及 / 或**最多 HK$**。兩者同時適用，以較小者為準；留空即取消該上限。
- 預設：現金券數量不限，**賬單金額 50%，最多 HK$3,000**。百分比以使用優惠券前的整張賬單計算。
- 只有現金券可以疊加。消費滿額券、新客券及介紹新客券每張單只限一張，且不可與現金券同用。



5 治療券的治療項目

- **智能關鍵字篩選**：名稱含有**關鍵字**（以逗號分隔）而不含**排除字詞**的項目會自動剔選。
- 打開**適用治療項目：... 項已勾選**查看清單，可搜尋並剔選或取消任何項目。標記：*關鍵字* = 由關鍵字剔選；*已剔除* = 符合關鍵字但被你取消；*不在項目表* = 已不在治療項目清單。
- 賬單上手動輸入的項目，名稱必須與治療項目清單完全相同才計算。

6 優惠券清零

- 位於「介紹記錄」上方的紅色卡片。只限管理員；其他登入只會看到現用的選項。清零會**作廢所選診所內所有未使用的優惠券**（優惠券屬於發出它的診所）。已使用及已過期的券不受影響。
- 選擇清零方式：**手動**（**預設**，優惠券不會自動清零）、**每年 12 月 31 日 23:59**（香港時間；作廢 1 月 1 日前發出的券），或**有效期** 1、2、3、4、6、9、12 或 24 個月（作廢發出時間早於該月數的未使用券，即使其自身到期日較後）。
- **每次更改清零選項都需輸入管理員短訊驗證碼及 Google 驗證器驗證碼。**只有選了不同的選項或月數，**儲存**才可按；按下後輸入兩個驗證碼，兩者通過後才會更改。
- 年終及有效期清零會在開啟優惠券設定頁時自動執行（年終每年一次，有效期最多每日一次）。年中才開啟年終清零，會由今年 12 月 31 日開始。
- **手動清零**：按**清零重置** → 驗證 → 剔選**全部診所**或個別診所 → **確認清零** → 輸入 **confirm** → **立即作廢優惠券**。
- 每次清零都會保留**安全日誌**，並在優惠券記錄留下一行。**回退並退回上次清零的優惠券**可令該批券重新可用；按鈕下方的灰字顯示上一個安全日誌。



7 介紹記錄

- 列出每位有介紹人的新病人。**待定**表示等待新病人在一張賬單付款達最低金額（全數或部分付款）；**受阻**顯示未發券的原因。

8 優惠券記錄

- 選擇日期（由 → 至）及可選的**病歷號**，按**顯示**。可用標籤按動作篩選；**匯出 CSV** 下載清單。
- 列出每張券的發出、贈送、轉移、作廢退回或取消。贈送會顯示經手的登入帳戶。

優惠券規則摘要

- 每張賬單：一張治療券，加上一張全單券（消費滿額、新客、介紹）或多張現金券。先扣治療券。
- 不設找贖、不退現金：券面值高於賬單時，餘額作廢。
- 新客券及介紹券只限本人使用；其他券可轉給另一病歷號。
- 作廢賬單會退回該單已用的券，並取消該單發出的券。
- 過期券不能使用；到期前 7 天會以短訊提醒病人。每個錢包最多持有 20 張未用的券。

遇到問題？

標籤「需設定」	填寫 HK$ 金額（消費滿額券兩個金額都要填），或最少剔選一個治療項目。
標籤「已達上限」	發放上限或預算已用完。提高數值，或清空輸入格即不設上限。
「...未開啟優惠券」	這些診所未加入。打開該診所分頁並剔選「加入」。
病人沒有獲發優惠券	診所或醫生未加入、該行已關閉，或病人已持有「最多持有」的張數（或合共 20 張）。
賬單不能使用某張券	診所或醫生未加入、該治療項目未為此券剔選、券已過期，或賬單已有一張全單券。
現金券扣減不足	受每張單現金券上限限制（預設賬單金額 50%，最多 HK$3,000）。
誤把優惠券清零	在紅色卡片按「回退...」，會按安全日誌退回上次清零的優惠券。
清零卡片的「儲存」是灰色	你尚未選擇不同的選項或月數。每次更改都需短訊及 Google 驗證器驗證碼。
「請先在 Supabase 執行 discount_coupon_zero.sql。」	資料庫尚未有清零用的資料表。請系統管理員執行一次 discount_coupon_zero.sql。

收費櫃檯 — 獎勵積分及優惠券

繁體中文

給使用 Banana 的前台同事。本部分逐步說明收款時如何使用**優惠券**及**獎勵積分**：**帳單詳情** → 🎟 優惠券一行 → **+ 新增付款**。

開始前

- 兩個計劃只在已加入的診所（及醫生）適用。診所未加入時，相關按鈕會隱藏或變灰。
- 先在賬單選好**主診醫生**。獎勵積分屬於賺取積分時的醫生。
- 次序：**先選優惠券，後收款**。賬單一有付款，優惠券一行便會鎖定。

1 查看病人擁有甚麼

- 病人資料橫額上的**積分**按鈕顯示積分結餘；旁邊的 📖 **使用說明** 開啟本手冊。
- 按**積分**開啟面板，有兩個分頁：🎁 **獎勵積分**（賬本）及 🎟 **優惠券**（錢包）。診所未加入的計劃，其分頁會變灰（「診所未加入」）。
- 在**病人** → ⋯ → **獎賞**亦會開啟同一面板。病人**總覽**頁的 🎁 卡顯示積分，🎟 **優惠券錢包**卡顯示可用優惠券數目。

2 在賬單使用優惠券

- 在**帳單詳情**的 🎟 **優惠券**一行按**選擇**。**使用**分頁列出病人可用的優惠券。
- 每張券顯示面值、**全單券**或**治療券**、到期日及可扣減金額。**最優**表示節省最多。
- 按一下券即選取（✓ **已選**），底部顯示新總額，然後按**使用**。
- 不能使用的券會顯示原因而不是金額（例如賬單上沒有該治療，或已過期）。
- 要取消優惠券，按**選擇** → **不使用優惠券**。付款儲存後，**選擇**會變灰。



3 贈送或轉讓優惠券

- **贈送**分頁：選擇券種（現金券 HK$1–200，或已開啟的治療券），按 🔒 按鈕並以職員帳戶登入。
- **轉讓**分頁：選擇優惠券，輸入對方的**病歷號**，再 🔒 登入。新客券及介紹新客券不能轉讓。
- 不經賬單亦可操作：**積分** → 🎟 **優惠券**分頁 → **錢包 / 贈送 / 轉讓**。該處的錢包只供瀏覽。按 Esc 可關閉登入框而不關閉面板。

4 在新增付款使用獎勵積分

- 按 **＋ 新增付款**。綠色積分框顯示**醫生**及**本醫生可用積分（全部診所）**。
- 剔選**使用積分抵扣**，在**按診所（同一醫生）**剔選要扣除積分的診所。
- 輸入**使用積分數**，或按**全部兌換**（先扣結餘較少的診所）。**將扣除：**顯示由哪間診所扣除。
- **金額**欄會減去積分，顯示仍需支付的現金。到達每張賬單上限時，琥珀色提示顯示尚餘多少。
- 填寫付款方式，按 **✓ 確認付款**。積分抵扣屬折扣，**不計作診所收入**。



5 付款之後

- 今次付款賺取的積分會加入**積分**結餘，可於**下一筆**付款使用，不可在同一筆付款使用。
- 消費優惠券在賬單**全數付清**後發出。結餘下方的綠色框顯示**本單獲得**，或再消費多少可獲下一張券。
- 賬單上的**本單共節省**一行合計項目折扣、額外折扣及優惠券。

6 給病人手機頁

- 積分：**積分** → 🎁 分頁 → 📱 **手機查看積分**。優惠券：**積分** → 🎟 分頁 → **錢包 QR 碼**，或病人總覽頁的 🎟 **優惠券錢包**卡。
- 病人用手機相機掃描 QR 碼。亦可複製連結、下載 PNG、列印紙條，或以 **WhatsApp** 發送。
- **重新產生 QR 碼**會令舊連結失效（例如病人遺失手機）。手機頁只供瀏覽。

7 更正錯誤

- **作廢付款**：該次使用的積分會退回，該次賺取的積分會扣除。
- **作廢賬單**：已使用的優惠券退回錢包，該單發出的優惠券會取消；積分亦同樣還原。
- 未收款前選錯優惠券？再按**選擇**另選一張，或按**不使用優惠券**。

櫃檯快速次序

- 賬單選醫生 → **選擇**優惠券 → **使用**。
- **＋ 新增付款** → 剔選**使用積分抵扣** → **使用積分數**或**全部兌換** → **✓ 確認付款**。
- 告訴病人手機頁（📱 積分，優惠券用錢包 QR 碼）。

遇到問題？

新增付款沒有綠色積分框	診所或賬單醫生未在 獎勵積分 → 參與診所 加入。
「使用積分抵扣」不能剔選	賬單未選醫生，或病人沒有此醫生的積分。
「選擇」變灰	賬單已有付款。優惠券須在第一筆付款前選擇。
優惠券顯示原因而不是金額	賬單上沒有該治療、優惠券已過期、已使用全單券，或診所未加入優惠券計劃。
積分欄提早停止	以下最小者為上限：賬單結欠、此醫生的積分、每張賬單上限。
今天賺取的積分不能使用	按設計：付款賺取的積分可於下一筆付款使用。

🎁 奖励积分 — 设置说明

简体中文

病人按付款金额赚取奖励积分，**1 积分 = HK$1**，可在之后的账单抵扣。积分抵扣**不计作诊所收入**。
本页说明 **设置** → 🎁 **奖励积分** 内每一项设置。

开始前

- 所有人都可打开此页，但只有**管理员**可以更改。其他登录只会看到数值及「仅管理员可更改此设置。」
- 大部分设置卡有自己的**保存**按钮；勾选（短信、加入）一点即保存。
- 红色设置卡需要管理员的**短信验证码**及 **Google 验证器**验证码。

1 赚取比率

- 输入每笔付款转为积分的百分比（默认 **10%**），然后点**保存**。
- 已赚取的积分不会改变。本次付款赚取的积分可于**下一笔**付款使用，不可在同一笔付款内抵扣。

2 余额变动短信通知

- 勾选**积分变动时发送 Twilio 短信**，余额每次增减都会以短信通知病人。
- 取消勾选即停止发送，一点即保存。

3 介绍新客（积分）

- 勾选**介绍新客可获积分**，填写**积分**及**首次就诊最低付款 HK$（全数或部分付款）**，然后点**保存**。
- 新病人在**同一张账单的现金付款累计达最低金额**（全数或部分付款均计算），介绍人即获得积分，画面右下角会弹出**介绍新客奖赏已启动**的小提示。最低金额留空即不设下限。
- 在病人资料表的**转介人**选择介绍人，再选**积分**或**优惠券**。如该诊所未参加某计划，该选项会变灰。

4 单张账单使用积分上限

- 设置每张账单最多可用多少积分：**账单金额 %**、**最多 HK$**，或两者都设，然后点**保存**。
- 两个上限同时适用，**以较小者为准**；留空即取消该上限。百分比以账单总额计算。
- 默认：每张账单**最多 HK$3,000**，不设百分比。病人手机页面会显示此处保存的上限（例如「每张账单最高使用额为 HK$3,000。」）；两格都留空则不显示上限。
- 同一张账单的**每次付款合并计算**。付款时积分栏不能超过上限，琥珀色提示显示尚余多少，超出时✓ **确认付款**会被拒绝。



5 将奖励积分清零

- 选择清零方式：**手动**（默认，积分不会自动清零）、**每年 12 月 31 日 23:59**（香港时间）自动清零，或**有效期** 1–24 个月（连续该月数没有新积分便清零）。
- 点**保存**，再输入**短信验证码**及 **Google 验证器**验证码。
- **手动清零**：点**清零重置** → 验证（短信 + 验证器）→ 勾选**全部诊所**或个别诊所 → **确认清零** → 输入 **confirm** 一词 → **立即清零**。
- 每次清零都会保留**安全日志。回退并恢复清零前的上次余额**可把上一次清零恢复；按钮下方的灰字显示上一个安全日志。



6 参与诊所

- 每间诊所一个标签，标签上的**圆点**表示已加入。默认：**PL • 全部医生**。
- 每行有**赚取 & 兑换**勾选。**全部医生**即整间诊所加入；医生行只加入该医生。一点即保存（「已保存」）。
- 积分属于赚取它的**医生**。账单只可使用**同一医生**赚取的积分 — 该医生在任何诊所赚取的都可以。账单上必须选择医生。

7 汇总日志

- 最近 80 笔积分变动：时间、诊所、医生、病历号、病人、类型、积分、变动后余额及经手人。

在收费处

- 在**添加付款**勾选**使用积分抵扣**，再输入**使用积分数**或点**全部兑换**（先扣余额较少的诊所）。
- 在病人的积分记录面板点 **手机查看积分**，可生成 QR 码及 WhatsApp 信息，让病人在手机查看余额。

遇到问题?

「仅管理员可更改此设置。」	当前不是以管理员登录。请管理员更改。
积分栏停在余额以下	上限取以下最小者：账单结欠、该医生的积分、每张账单上限。琥珀色提示会显示上限。
「Dr … 没有可兑换积分。」	积分属于赚取它的医生。请确认账单上的医生正确，并已在「参与诊所」加入。
今天赚取的积分不能用	设计如此：本次付款赚取的积分可于下一笔付款使用。
误把余额清零	在红色设置卡点「回退并恢复…」，系统会按安全日志恢复上一次清零。
「回退」按钮是灰色	没有可恢复的清零安全日志。
收不到短信验证码	点「重新发送短信验证码」。如短信无法发送，系统只会要求 Google 验证器验证码。

优惠券 — 设置说明

简体中文

优惠券与奖励积分分开运作。病人把优惠券存入钱包，于之后的账单使用。本页说明 **设置** → **优惠券** 内每一项设置。

开始前

- 此页**没有保存按钮**：离开输入框或点勾选后即自动保存。唯一例外是红色的**优惠券清零**卡片，它有自己的保存按钮，并需管理员短信及 Google 验证器验证码。
- 顶部的黄色横幅列出**未开启**优惠券的诊所。
- **优惠券使用规则（点击展开）**列出员工及病人须遵守的规则（摘要见本页末）。

1 参与诊所

- 每间诊所一个标签，**圆点**表示已加入。诊所行的**加入**开关整间诊所。KT 默认已加入，其他诊所须勾选后才开启。
- 下方**全部医生**及每位医生各有**加入**勾选。
- 未加入的诊所，账单既不能使用、也不会获发优惠券。

2 消费满额券

- 共五行。前三行已填好（消费 HK$1,000 / 5,000 / 10,000 → 送 HK$100 / 500 / 1,000），最后两行留空，待你填写。
- 每行：**开关**、**消费 HK$**、**优惠 HK$**、**有效日数**、**最多持有**（每位病人最多持有多少张未用的此类券）、**发放上限**及**预算 HK$**。
- 只有已开启且两个金额都已填写的行才会发券。一张账单可获得**所有达到的级别**，图示显示各级别。
- 消费金额计算账单上所有现金付款（不包括积分、余额转移或已作废付款）。获发的券可于**下一张**账单使用。



3 优惠活动

- 其余每项优惠都有开关、预览票券及以下输入框：**HK$**、**%**（百分比券）、**有效日数**、**上限**（最多扣减 HK$）、**最多持有**、**发放上限**、**预算 HK$**。
- **全单券**：现金券（员工可赠送 HK$1–200）、新客券及介绍新客（两者自动发放；介绍新客设有**首次就诊最低付款 HK$（全数或部分付款）**）。
- **治疗券**：免费洗牙、免费补牙、免费脱牙、植牙、矫齿、牙套牙桥、根管、美白优惠 — 只适用于为该券勾选的治疗项目（第 5 步）。
- 标签显示**已开启**、**已关闭**、**需设定**或**已达上限**。发放上限及预算可留空；已作废的券不计算在内。

4 同一张单使用现金券

- 位于「现金券」设置卡内。**每张单现金券数量**：不限，或 1–10 张。
- **每张单现金券扣减上限**：**账单金额 %** 及 / 或**最多 HK$**。两者同时适用，以较小者为准；留空即取消该上限。
- 默认：现金券数量不限，**账单金额 50%，最多 HK$3,000**。百分比以使用优惠券前的整张账单计算。
- 只有现金券可以叠加。消费满额券、新客券及介绍新客券每张单只限一张，且不可与现金券同用。



5 治疗券的治疗项目

- **智能关键字筛选**：名称含有**关键字**（以逗号分隔）而不含**排除字词**的项目会自动勾选。
- 打开**适用治疗项目：… 项已勾选**查看清单，可搜索并勾选或取消任何项目。标记：*关键字* = 由关键字勾选；*已剔除* = 符合关键字但被你取消；*不在项目表* = 已不在治疗项目清单。
- 账单上手动输入的项目，名称必须与治疗项目清单完全相同才计算。

6 优惠券清零

- 位于「介绍记录」上方的红色卡片。只限管理员；其他登录只会看到现用的选项。清零会**作废所选诊所内所有未使用的优惠券**（优惠券属于发出它的诊所）。已使用及已过期的券不受影响。
- 选择清零方式：**手动**（**默认**，优惠券不会自动清零）、**每年 12 月 31 日 23:59**（香港时间；作废 1 月 1 日前发出的券），或**有效期** 1、2、3、4、6、9、12 或 24 个月（作废发出时间早于该月数的未使用券，即使其自身到期日较后）。
- **每次更改清零选项都需输入管理员短信验证码及 Google 验证器验证码。**只有选了不同的选项或月数，**保存**才可点；点下后输入两个验证码，两者通过后才会更改。
- 年终及有效期清零会在打开优惠券设置页时自动执行（年终每年一次，有效期最多每日一次）。年中才开启年终清零，会由今年 12 月 31 日开始。
- **手动清零**：点**清零重置** → 验证 → 勾选**全部诊所**或个别诊所 → **确认清零** → 输入 **confirm** → **立即作废优惠券**。
- 每次清零都会保留**安全日志**，并在优惠券记录留下一行。**回退并退回上次清零的优惠券**可令该批券重新可用；按钮下方的灰字显示上一个安全日志。



7 介绍记录

- 列出每位有介绍人的新病人。**待定**表示等待新病人在一张账单付款达最低金额（全数或部分付款）；**受阻**显示未发券的原因。

8 优惠券记录

- 选择日期（由 → 至）及可选的**病历号**，点**显示**。可用标签按动作筛选；**导出 CSV** 下载清单。
- 列出每张券的发出、赠送、转移、作废退回或取消。赠送会显示经手的登录账户。

优惠券规则摘要

- 每张账单：一张治疗券，加上一张全单券（消费满额、新客、介绍）或多张现金券。先扣治疗券。
- 不设找零、不退现金：券面值高于账单时，余额作废。
- 新客券及介绍券只限本人使用；其他券可转给另一病历号。
- 作废账单会退回该单已用的券，并取消该单发出的券。
- 过期券不能使用；到期前 7 天会以短信提醒病人。每个钱包最多持有 20 张未用的券。

遇到问题?

标签「需设定」	填写 HK$ 金额（消费满额券两个金额都要填），或最少勾选一个治疗项目。
标签「已达上限」	发放上限或预算已用完。提高数值，或清空输入框即不设上限。
「…未开启优惠券」	这些诊所未加入。打开该诊所标签并勾选「加入」。
病人没有获发优惠券	诊所或医生未加入、该行已关闭，或病人已持有「最多持有」的张数（或合共 20 张）。
账单不能使用某张券	诊所或医生未加入、该治疗项目未为此券勾选、券已过期，或账单已有一张全单券。
现金券扣减不足	受每张单现金券上限限制（默认账单金额 50%，最多 HK$3,000）。
误把优惠券清零	在红色卡片点「回退…」，会按安全日志退回上次清零的优惠券。
清零卡片的「保存」是灰色	你尚未选择不同的选项或月数。每次更改都需短信及 Google 验证器验证码。
「请先在 Supabase 运行 discount_coupon_zero.sql。」	数据库尚未有清零用的数据表。请系统管理员运行一次 discount_coupon_zero.sql。

收费柜台 — 奖励积分及优惠券

简体中文

给使用 Banana 的前台同事。本部分逐步说明收款时如何使用**优惠券**及**奖励积分**：**账单详情** → 🎟 优惠券一行 → **+ 添加付款**。

开始前

- 两个计划只在已加入的诊所（及医生）适用。诊所未加入时，相关按钮会隐藏或变灰。
- 先在账单选好**主诊医生**。奖励积分属于赚取积分时的医生。
- 次序：**先选优惠券，后收款**。账单一有付款，优惠券一行便会锁定。

1 查看病人拥有什么

- 病人资料横幅上的**积分**按钮显示积分余额；旁边的 📖 **使用说明** 打开本手册。
- 点**积分**打开面板，有两个分页：🎁 **奖励积分**（账本）及 🎟 **优惠券**（钱包）。诊所未加入的计划，其分页会变灰（“诊所未加入”）。
- 在**病人** → ⋯ → **奖赏**也会打开同一面板。病人**总览**页的 🎁 卡显示积分，🎟 **优惠券钱包**卡显示可用优惠券数目。

2 在账单使用优惠券

- 在**账单详情**的 🎟 **优惠券**一行点**选择**。**使用**分页列出病人可用的优惠券。
- 每张券显示面值、**全单券**或**治疗券**、到期日及可扣减金额。**最优**表示节省最多。
- 点一下券即选取（✓ **已选**），底部显示新总额，然后点**使用**。
- 不能使用的券会显示原因而不是金额（例如账单上没有该治疗，或已过期）。
- 要取消优惠券，点**选择** → **不使用优惠券**。付款保存后，**选择**会变灰。



3 赠送或转让优惠券

- **赠送**分页：选择券种（现金券 HK$1–200，或已开启的治疗券），点 🔒 按钮并以职员账户登录。
- **转让**分页：选择优惠券，输入对方的**病历号**，再 🔒 登录。新客券及介绍新客券不能转让。
- 不经账单也可操作：**积分** → 🎟 **优惠券**分页 → **钱包 / 赠送 / 转让**。该处的钱包只供浏览。按 Esc 可关闭登录框而不关闭面板。

4 在添加付款使用奖励积分

- 点 **+ 添加付款**。绿色积分框显示**医生**及**本医生可用积分（全部诊所）**。
- 勾选**使用积分抵扣**，在**按诊所（同一医生）**勾选要扣除积分的诊所。
- 输入**使用积分数**，或点**全部兑换**（先扣余额较少的诊所）。**将扣除：**显示由哪间诊所扣除。
- **金额**栏会减去积分，显示仍需支付的现金。到达每张账单上限时，琥珀色提示显示尚余多少。
- 填写付款方式，点 **✓ 确认付款**。积分抵扣属折扣，**不计作诊所收入**。



5 付款之后

- 本次付款赚取的积分会加入**积分**余额，可于**下一笔**付款使用，不可在同一笔付款使用。
- 消费优惠券在账单**全数付清**后发出。余额下方的绿色框显示**本单获得**，或再消费多少可获下一张券。
- 账单上的**本单共节省**一行合计项目折扣、额外折扣及优惠券。

6 给病人手机页

- 积分：**积分** → 🎁 分页 → 📱 **手机查看积分**。优惠券：**积分** → 🎟 分页 → **钱包二维码**，或病人总览页的 🎟 **优惠券钱包**卡。
- 病人用手机相机扫描二维码。也可复制链接、下载 PNG、打印纸条，或以 **WhatsApp** 发送。
- **重新生成二维码**会令旧链接失效（例如病人遗失手机）。手机页只供浏览。

7 更正错误

- **作废付款**：该次使用的积分会退回，该次赚取的积分会扣除。
- **作废账单**：已使用的优惠券退回钱包，该单发出的优惠券会取消；积分也同样还原。
- 未收款前选错优惠券？再点**选择**另选一张，或点**不使用优惠券**。

柜台快速次序

- 账单选医生 → **选择**优惠券 → **使用**。
- **+ 添加付款** → 勾选**使用积分抵扣** → **使用积分数**或**全部兑换** → **✓ 确认付款**。
- 告诉病人手机页（📱 积分，优惠券用钱包二维码）。

遇到问题?

添加付款没有绿色积分框	诊所或账单医生未在 奖励积分 → 参与诊所 加入。
“使用积分抵扣”不能勾选	账单未选医生，或病人没有此医生的积分。
“选择”变灰	账单已有付款。优惠券须在第一笔付款前选择。
优惠券显示原因而不是金额	账单上没有该治疗、优惠券已过期、已使用全单券，或诊所未加入优惠券计划。
积分栏提早停止	以下最小者为上限：账单结欠、此医生的积分、每张账单上限。
今天赚取的积分不能使用	按设计：付款赚取的积分可于下一笔付款使用。