

1) What You're Building (Outcome)

You will build a **single-page landing page** using only:

- **HTML** (structure/content)
- **CSS** (layout/design)
- (Optional) a **tiny bit of JavaScript** for menu toggle / smooth scroll (but the core project is HTML/CSS)

A typical landing page includes:

1. **Header / Navbar** (logo + links + CTA button)
2. **Hero Section** (headline + description + buttons + image)
3. **Features** (3–6 cards)
4. **Social Proof** (logos, testimonials, stats)
5. **Pricing** (plans)
6. **FAQ**
7. **Footer** (links, copyright)

We'll build it in a **professional structure** and make it **responsive** for mobile.

2) Project Rules (Mini Project Requirements)

Must-have requirements

- Use semantic HTML: **header, main, section, footer**
- Use a layout system: **Flexbox** and/or **CSS Grid**
- Responsive design (mobile-first or desktop-first, your choice)
- At least:
 - 1 hero section
 - 3 feature cards
 - 1 CTA section
 - footer

Bonus requirements (recommended)

- CSS variables for theme (colors, spacing)
- **:hover, :focus-visible** states
- Use **max-width** container for clean alignment
- Use accessible patterns (labels, good contrast, alt text)
- Use modern units like **rem, clamp()**

3) Folder Structure (Clean Setup)

Create this:

```
landing-page/  
  index.html  
  styles.css  
  assets/  
    hero.png (optional)  
    logo.svg (optional)
```

If you don't have images, use placeholders.

4) HTML Skeleton (Best Practice Layout)

Create **index.html**:

```
<!doctype html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8" />  
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />  
  <title>NovaLaunch - Landing Page</title>  
  <link rel="stylesheet" href="styles.css" />  
</head>  
<body>  
  
  <!-- Header / Navbar -->  
  <header class="site-header">  
    <div class="container header-inner">  
      <a class="brand" href="#">  
        <span class="brand-mark">◆</span>  
        <span class="brand-name">NovaLaunch</span>  
      </a>  
  
      <nav class="nav" aria-label="Primary">  
        <a href="#features">Features</a>  
        <a href="#testimonials">Testimonials</a>  
        <a href="#pricing">Pricing</a>  
        <a href="#faq">FAQ</a>  
      </nav>  
  
      <a class="btn btn-primary" href="#pricing">Get Started</a>  
    </div>  
  </header>  
  
  <!-- Main content -->  
  <main>  
  
    <!-- Hero -->  
    <section class="hero">  
      <div class="container hero-grid">  
        <div class="hero-content">  
          <p class="badge">New • Simple landing page kit</p>  
          <h1>Launch your product with a clean, fast landing page.</h1>  
          <p class="lead">  
            NovaLaunch helps you present your idea clearly and convert visitors into  
users.
```

```
Build a responsive page using modern HTML/CSS patterns.
</p>
```

```
<div class="hero-actions">
  <a class="btn btn-primary" href="#pricing">Start Now</a>
  <a class="btn btn-ghost" href="#features">See Features</a>
</div>
```

```
<div class="hero-stats">
  <div class="stat">
    <div class="stat-number">10k+</div>
    <div class="stat-label">Monthly visitors</div>
  </div>
  <div class="stat">
    <div class="stat-number">4.9/5</div>
    <div class="stat-label">User rating</div>
  </div>
  <div class="stat">
    <div class="stat-number">1 day</div>
    <div class="stat-label">Setup time</div>
  </div>
</div>
</div>
```

```
<div class="hero-visual" role="img" aria-label="Product preview card">
  <div class="mock-card">
    <div class="mock-top"></div>
    <div class="mock-line"></div>
    <div class="mock-line short"></div>
    <div class="mock-grid">
      <div class="mock-tile"></div>
      <div class="mock-tile"></div>
      <div class="mock-tile"></div>
      <div class="mock-tile"></div>
    </div>
  </div>
</div>
</div>
</div>
</section>
```

```
<!-- Features -->
<section class="section" id="features">
  <div class="container">
    <header class="section-head">
      <h2>Everything you need to ship faster</h2>
      <p class="muted">Reusable components and modern layout techniques.</p>
    </header>
  </div>
</section>
```

```
<div class="cards">
  <article class="card">
    <h3>Responsive Layout</h3>
    <p>Use Grid + Flexbox patterns that scale from mobile to desktop.</p>
  </article>
  <article class="card">
    <h3>Clean Design System</h3>
    <p>CSS variables make it easy to change colors, radius, and spacing.</p>
  </article>
  <article class="card">
    <h3>Accessible UI</h3>
    <p>Keyboard focus styles, semantic HTML, and readable typography.</p>
  </article>
  <article class="card">
    <h3>Reusable Buttons</h3>
    <p>Primary and ghost variants with hover/focus states.</p>
  </article>
  <article class="card">
    <h3>Cards & Sections</h3>
  </article>
</div>
```

```

        <p>Simple patterns you can copy for products, services, or portfolios.</p>
    </article>
    <article class="card">
        <h3>Easy Customization</h3>
        <p>Change font sizes and spacing using `rem` and `clamp()`.</p>
    </article>
</div>
</div>
</section>

```

```

<!-- Testimonials -->
<section class="section alt" id="testimonials">
    <div class="container">
        <header class="section-head">
            <h2>Trusted by builders</h2>
            <p class="muted">Short testimonials that add confidence.</p>
        </header>

```

```

        <div class="testimonials">
            <figure class="quote">
                <blockquote>
                    "I used this structure to build my startup landing page in a weekend."
                </blockquote>
                <figcaption>– Sam, Indie Maker</figcaption>
            </figure>

```

```

            <figure class="quote">
                <blockquote>
                    "The CSS variables and layout patterns made everything consistent."
                </blockquote>
                <figcaption>– Ayesha, Frontend Developer</figcaption>
            </figure>

```

```

            <figure class="quote">
                <blockquote>
                    "Mobile responsiveness was much easier once I understood the container
system."
                </blockquote>
                <figcaption>– Rafi, Student</figcaption>
            </figure>
        </div>
    </div>
</section>

```

```

<!-- Pricing -->
<section class="section" id="pricing">
    <div class="container">
        <header class="section-head">
            <h2>Pricing</h2>
            <p class="muted">Simple plans. No surprises.</p>
        </header>

```

```

        <div class="pricing">
            <article class="price-card">
                <h3>Starter</h3>
                <p class="price">$0</p>
                <ul>
                    <li>Basic sections</li>
                    <li>Responsive layout</li>
                    <li>Email support</li>
                </ul>
                <a class="btn btn-ghost full" href="#">Choose Starter</a>
            </article>

```

```

            <article class="price-card featured">
                <h3>Pro</h3>
                <p class="price">$19</p>

```

```
        <ul>
          <li>All Starter features</li>
          <li>Premium components</li>
          <li>Priority support</li>
        </ul>
        <a class="btn btn-primary full" href="#">Choose Pro</a>
      </article>
```

```
    <article class="price-card">
      <h3>Team</h3>
      <p class="price">$49</p>
      <ul>
        <li>Everything in Pro</li>
        <li>Team collaboration</li>
        <li>Dedicated help</li>
      </ul>
      <a class="btn btn-ghost full" href="#">Choose Team</a>
    </article>
  </div>
</div>
</section>
```

```
<!-- FAQ -->
<section class="section alt" id="faq">
  <div class="container">
    <header class="section-head">
      <h2>FAQ</h2>
      <p class="muted">Common questions answered clearly.</p>
    </header>
```

```
    <div class="faq">
      <details>
        <summary>Do I need JavaScript?</summary>
        <p>No. You can build a complete landing page with only HTML/CSS.</p>
      </details>
      <details>
        <summary>How do I change the theme?</summary>
        <p>Update CSS variables like <code>--bg</code>, <code>--text</code>, and
<code>--brand</code>.</p>
      </details>
      <details>
        <summary>How do I make it responsive?</summary>
        <p>Use a container, flexible units, and media queries for layout
changes.</p>
      </details>
    </div>
  </div>
</div>
</section>
```

```
<!-- CTA -->
<section class="cta">
  <div class="container cta-inner">
    <h2>Ready to build your landing page?</h2>
    <p class="muted">Copy the patterns, customize the content, and publish.</p>
    <a class="btn btn-primary" href="#features">Start Building</a>
  </div>
</section>
```

```
</main>
```

```
<!-- Footer -->
<footer class="site-footer">
  <div class="container footer-inner">
    <p>© <span id="year"></span> NovaLaunch. All rights reserved.</p>
    <div class="footer-links">
      <a href="#">Privacy</a>
      <a href="#">Terms</a>
```

```

        <a href="#">Contact</a>
    </div>
</div>
</footer>

<script>
    // Optional: just for the footer year (not required)
    document.getElementById("year").textContent = new Date().getFullYear();
</script>
</body>
</html>

```

Explanation (what this teaches)

- **Semantic layout:** [header/main/section/footer](#)
- Sections have **IDs** so navbar links scroll to them
- Cards/testimonials/pricing are repeated patterns you can copy easily
- FAQ uses [<details>](#) which is perfect for HTML-only accordion

5) CSS Foundation (Design System + Layout)

Create **styles.css**:

```

/* 1) CSS Reset-ish */
* { box-sizing: border-box; }
html, body { margin: 0; padding: 0; }
img { max-width: 100%; display: block; }
a { color: inherit; text-decoration: none; }
button { font: inherit; }

/* 2) Theme Variables */
:root {
    --bg: #0b0f17;
    --panel: #121a2a;
    --panel-2: #0f1625;
    --text: #eaf0ff;
    --muted: #a7b4d6;
    --brand: #7c5cff;
    --brand-2: #30d5c8;
    --border: rgba(255,255,255,0.12);

    --radius: 16px;
    --shadow: 0 10px 30px rgba(0,0,0,0.35);

    --container: 1100px;
}

/* 3) Base Typography */
body {
    font-family: ui-sans-serif, system-ui, -apple-system, Segoe UI, Roboto, Arial, "Noto Sans", "Helvetica Neue", sans-serif;
    line-height: 1.5;
    background: radial-gradient(900px 600px at 20% 10%, rgba(124,92,255,0.25), transparent 60%),
                radial-gradient(900px 600px at 80% 20%, rgba(48,213,200,0.18), transparent 55%),
                var(--bg);
    color: var(--text);
}

h1, h2, h3 { line-height: 1.15; margin: 0 0 12px; }

```

```
p { margin: 0 0 12px; }
```

```
.lead {  
  font-size: 1.05rem;  
  color: var(--muted);  
  max-width: 55ch;  
}
```

```
.muted { color: var(--muted); }
```

```
/* 4) Container */
```

```
.container {  
  width: min(100% - 32px, var(--container));  
  margin: 0 auto;  
}
```

```
/* 5) Header */
```

```
.site-header {  
  position: sticky;  
  top: 0;  
  z-index: 50;  
  background: rgba(11, 15, 23, 0.7);  
  backdrop-filter: blur(10px);  
  border-bottom: 1px solid var(--border);  
}
```

```
.header-inner {  
  display: flex;  
  align-items: center;  
  justify-content: space-between;  
  padding: 14px 0;  
  gap: 12px;  
}
```

```
.brand {  
  display: inline-flex;  
  gap: 10px;  
  align-items: center;  
  font-weight: 700;  
}
```

```
.brand-mark {  
  width: 28px;  
  height: 28px;  
  border-radius: 10px;  
  display: grid;  
  place-items: center;  
  background: linear-gradient(135deg, var(--brand), var(--brand-2));  
  color: #08101d;  
}
```

```
.nav {  
  display: none; /* show on desktop */  
  gap: 18px;  
  color: var(--muted);  
}
```

```
.nav a:hover { color: var(--text); }
```

```
/* 6) Buttons */
```

```
.btn {  
  display: inline-flex;  
  align-items: center;  
  justify-content: center;  
  padding: 10px 14px;  
  border-radius: 12px;  
  border: 1px solid transparent;
```

```

    font-weight: 650;
    transition: transform 150ms ease, background 150ms ease, border-color 150ms ease;
}

.btn:focus-visible {
    outline: 3px solid rgba(124,92,255,0.45);
    outline-offset: 2px;
}

.btn:hover { transform: translateY(-1px); }

.btn-primary {
    background: linear-gradient(135deg, var(--brand), var(--brand-2));
    color: #08101d;
}

.btn-ghost {
    background: rgba(255,255,255,0.06);
    border-color: var(--border);
    color: var(--text);
}

.full { width: 100%; }

/* 7) Sections */
.section {
    padding: 80px 0;
}

.section.alt {
    background: rgba(255,255,255,0.02);
    border-top: 1px solid var(--border);
    border-bottom: 1px solid var(--border);
}

.section-head {
    margin-bottom: 26px;
    max-width: 70ch;
}

/* 8) Hero */
.hero {
    padding: 70px 0 40px;
}

.badge {
    display: inline-flex;
    padding: 6px 10px;
    border-radius: 999px;
    background: rgba(124,92,255,0.12);
    border: 1px solid rgba(124,92,255,0.25);
    color: var(--text);
    font-weight: 600;
    font-size: 0.9rem;
}

.hero-grid {
    display: grid;
    grid-template-columns: 1fr;
    gap: 28px;
    align-items: center;
}

.hero-actions {
    display: flex;
    gap: 12px;
    flex-wrap: wrap;
}

```



```

    margin: 16px 0 18px;
}

.hero-stats {
  display: grid;
  grid-template-columns: repeat(3, minmax(0, 1fr));
  gap: 10px;
  margin-top: 10px;
}

.stat {
  padding: 12px;
  border-radius: var(--radius);
  background: rgba(255,255,255,0.04);
  border: 1px solid var(--border);
}

.stat-number { font-size: 1.1rem; font-weight: 800; }
.stat-label { color: var(--muted); font-size: 0.9rem; }

/* Hero Visual */
.hero-visual {
  display: grid;
  place-items: center;
}

.mock-card {
  width: min(440px, 100%);
  padding: 18px;
  border-radius: calc(var(--radius) + 6px);
  background: linear-gradient(180deg, rgba(255,255,255,0.06), rgba(255,255,255,0.03));
  border: 1px solid var(--border);
  box-shadow: var(--shadow);
}

.mock-top {
  height: 14px;
  border-radius: 999px;
  background: rgba(255,255,255,0.10);
  margin-bottom: 16px;
}

.mock-line {
  height: 10px;
  border-radius: 999px;
  background: rgba(255,255,255,0.10);
  margin-bottom: 10px;
}

.mock-line.short { width: 70%; }

.mock-grid {
  margin-top: 16px;
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 12px;
}

.mock-tile {
  height: 90px;
  border-radius: 14px;
  background: rgba(124,92,255,0.14);
  border: 1px solid rgba(124,92,255,0.25);
}

/* 9) Cards */
.cards {
  display: grid;

```

```

    grid-template-columns: 1fr;
    gap: 14px;
}

.card {
    padding: 18px;
    border-radius: var(--radius);
    border: 1px solid var(--border);
    background: rgba(255,255,255,0.03);
}

.card p { color: var(--muted); }

/* 10) Testimonials */
.testimonials {
    display: grid;
    grid-template-columns: 1fr;
    gap: 14px;
}

.quote {
    margin: 0;
    padding: 18px;
    border-radius: var(--radius);
    border: 1px solid var(--border);
    background: rgba(255,255,255,0.03);
}

.quote blockquote { margin: 0 0 10px; color: var(--text); }
.quote figcaption { color: var(--muted); }

/* 11) Pricing */
.pricing {
    display: grid;
    grid-template-columns: 1fr;
    gap: 14px;
}

.price-card {
    padding: 18px;
    border-radius: var(--radius);
    border: 1px solid var(--border);
    background: rgba(255,255,255,0.03);
}

.price-card ul {
    margin: 14px 0 16px;
    padding-left: 18px;
    color: var(--muted);
}

.price {
    font-size: 2rem;
    font-weight: 900;
    margin: 6px 0 0;
}

.price-card.featured {
    border-color: rgba(124,92,255,0.45);
    background: rgba(124,92,255,0.10);
}

/* 12) FAQ */
.faq details {
    padding: 14px 16px;
    border-radius: var(--radius);
    border: 1px solid var(--border);

```

```

background: rgba(255,255,255,0.03);
margin-bottom: 12px;
}

.faq summary {
  cursor: pointer;
  font-weight: 700;
}

.faq p { color: var(--muted); margin-top: 10px; }

/* 13) CTA */
.cta {
  padding: 70px 0;
}

.cta-inner {
  border-radius: calc(var(--radius) + 8px);
  border: 1px solid rgba(124,92,255,0.35);
  background: linear-gradient(135deg, rgba(124,92,255,0.20), rgba(48,213,200,0.14));
  padding: 26px;
  box-shadow: var(--shadow);
}

/* 14) Footer */
.site-footer {
  border-top: 1px solid var(--border);
  padding: 20px 0;
  color: var(--muted);
}

.footer-inner {
  display: flex;
  gap: 10px;
  flex-wrap: wrap;
  justify-content: space-between;
  align-items: center;
}

.footer-links {
  display: flex;
  gap: 14px;
}

.footer-links a:hover { color: var(--text); }

/* 15) Responsive Breakpoints */
@media (min-width: 800px) {
  .nav { display: flex; }
  .hero-grid { grid-template-columns: 1.2fr 0.8fr; }
  .cards { grid-template-columns: repeat(3, 1fr); }
  .testimonials { grid-template-columns: repeat(3, 1fr); }
  .pricing { grid-template-columns: repeat(3, 1fr); }
}

```

Why this CSS is “class-worthy”

- **CSS variables** = easy theme changes
- Container pattern = consistent spacing
- Grid used for sections, flex used for header/buttons
- Breakpoint at 800px makes it responsive
- Includes: **focus-visible** for accessibility

6) Understanding Each Core Concept (With Mini Examples)

A) Semantic HTML (Why it matters)

Semantic elements help:

- SEO
- screen readers
- maintainability

Bad (div soup):

```
<div class="top">
  <div class="menu">...</div>
</div>
```

Good (semantic):

```
<header>
  <nav aria-label="Primary">...</nav>
</header>
```

✓ Rule: if content is a “section of the page”, use `<section>` with a heading.

B) The Container Pattern (Most important layout habit)

Without a container, content stretches too wide on large screens.

Container pattern:

```
.container {
  width: min(100% - 32px, 1100px);
  margin: 0 auto;
}
```

Meaning:

- Keep side padding on small screens (`100% - 32px`)
- Limit width on large screens (`1100px`)
- Center it (`margin: 0 auto`)

C) Flexbox vs Grid (When to use which)

Flexbox = one direction (row or column)

Great for navbars, button groups.

Example:

```
.row {
  display: flex;
  gap: 12px;
  justify-content: space-between;
  align-items: center;
}
```

Grid = two-dimensional layout

Great for cards, pricing columns.

Example:

```
.grid {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 14px;
}
```

7) More Examples (Copy-Paste Section Variations)

Example 1: A “Logo Cloud” Section (Social Proof)

Add in HTML (after hero or before testimonials):

```
<section class="section" aria-label="Logo cloud">
  <div class="container">
    <p class="muted" style="margin-bottom: 14px;">Used by teams at</p>
    <div class="logo-cloud">
      <div class="logo-pill">Orion</div>
      <div class="logo-pill">SkyLabs</div>
      <div class="logo-pill">Vertex</div>
      <div class="logo-pill">MoonWorks</div>
      <div class="logo-pill">Pulse</div>
    </div>
  </div>
</section>
```

Add CSS:

```
.logo-cloud {
  display: flex;
  gap: 10px;
  flex-wrap: wrap;
}

.logo-pill {
  padding: 10px 12px;
  border-radius: 999px;
  border: 1px solid var(--border);
  background: rgba(255,255,255,0.03);
  color: var(--muted);
  font-weight: 650;
}
```

Why it works:

Simple repeated components = strong design quickly.

Example 2: “Feature With Icon” Cards

HTML:

```
<div class="cards">
  <article class="card icon-card">
    <div class="icon">⚡</div>
    <h3>Fast Setup</h3>
    <p>Clone the layout and customize in minutes.</p>
  </article>
  <article class="card icon-card">
    <div class="icon">✉</div>
    <h3>Clear Messaging</h3>
    <p>Hero + features + CTA improves conversions.</p>
  </article>
  <article class="card icon-card">
    <div class="icon">📱</div>
    <h3>Mobile Ready</h3>
    <p>Breakpoints and flexible units included.</p>
  </article>
</div>
```

CSS:

```
.icon-card .icon {
  width: 44px;
  height: 44px;
  border-radius: 14px;
  display: grid;
  place-items: center;
  background: rgba(124,92,255,0.14);
  border: 1px solid rgba(124,92,255,0.25);
  margin-bottom: 10px;
  font-size: 20px;
}
```

Example 3: A Split “About” Section (Image + Text)

HTML:

```
<section class="section" aria-label="About">
  <div class="container split">
    <div class="split-text">
      <h2>Built for clarity and confidence</h2>
      <p class="muted">
        Your landing page should quickly explain what you do, why it matters,
        and what the user should do next.
      </p>
      <ul class="checklist">
        <li>Write one clear headline</li>
        <li>Show 3-6 key features</li>
        <li>Repeat a CTA after social proof</li>
      </ul>
    </div>

    <div class="split-box" aria-hidden="true"></div>
  </div>
</section>
```

CSS:

```
.split {
  display: grid;
  grid-template-columns: 1fr;
  gap: 16px;
  align-items: center;
}

.split-box {
  min-height: 260px;
  border-radius: calc(var(--radius) + 8px);
  border: 1px solid var(--border);
  background: linear-gradient(135deg, rgba(48,213,200,0.14), rgba(124,92,255,0.14));
}

.checklist {
  margin: 12px 0 0;
  padding-left: 18px;
  color: var(--muted);
}

@media (min-width: 800px) {
  .split { grid-template-columns: 1.1fr 0.9fr; }
}
```

8) Practice Exercises (Do These to Learn Faster)

Exercise 1 — Edit the hero headline

Make it:

- shorter (6–10 words)
- benefit-focused

Examples:

- “Build pages that convert.”
- “Launch your startup in one page.”
- “A landing page you can ship today.”

Exercise 2 — Add a new section

Add “How it works” with 3 steps using cards.

Exercise 3 — Make a second theme

Duplicate your CSS variables:

```
:root.light {
  --bg: #f7f8fc;
  --panel: #ffffff;
  --text: #0b0f17;
  --muted: #4a5878;
  --border: rgba(0,0,0,0.12);
}
```

Then add `class="light"` to `<html>`:

```
<html lang="en" class="light">
```

Exercise 4 — Improve accessibility

- Make sure all images have `alt`
 - Ensure: `focus-visible` exists for buttons and links
 - Avoid low contrast text
-

9) Common Mistakes (And How to Fix Them)

Mistake: “My layout breaks on mobile”

Fix:

- Use `grid-template-columns: 1fr;` on mobile by default
- Add desktop columns only in media queries

Mistake: “My page looks too wide”

Fix:

- Use container
- Add `max-width` to long paragraphs (55ch is great)

Mistake: “Spacing is inconsistent”

Fix:

- Use section padding like `padding: 80px 0;`
- Use consistent `gap` values in layout

Mistake: “Buttons look weird”

Fix:

- Keep a reusable `.btn` base class
 - Create variants `.btn-primary` `.btn-ghost`
-

10) Advanced Add-ons (Still Static)

A) Smooth scrolling (tiny CSS)

```
html { scroll-behavior: smooth; }
```

B) Sticky header offset (if needed)

If your sticky header covers anchors, add:

```
section { scroll-margin-top: 80px; }
```


C) Better responsive headings using clamp

```
h1 {  
  font-size: clamp(2rem, 3vw + 1rem, 3.2rem);  
}
```

11) Final Submission Checklist

Before you “submit” the mini project:

- ☐ Open the page on mobile width (DevTools)
 - ☐ Navbar links scroll correctly
 - ☐ Typography readable (no tiny text)
 - ☐ Buttons have hover and focus
 - ☐ Sections aligned using the container
 - ☐ No horizontal scroll (important)
-

12) Extra Mini Projects (More Practice)

Pick any 1 to build using the same structure:

1. **Portfolio Landing Page** (hero + projects + contact)
2. **Restaurant Promo Page** (menu cards + gallery + booking CTA)
3. **App Landing Page** (features + pricing + FAQ)
4. **Course Landing Page** (curriculum section + testimonials)