

VWAP Reclaim Value Reclaim

Intraday-to-Swing Long Strategy for TradingView

User Tutorial

v2.2 Calibrated | TradingView Pine Script v6 | April 24, 2026

A professional documentation package for a long-only VWAP reclaim strategy. The model identifies intraday value recapture, adds calibrated regime filters, and manages trades with risk-based stops, scale-out logic, breakeven protection, and optional swing holds.

Prepared for strategy design, testing, and operational use. Educational and research material only; not financial advice.

Table of Contents

1. What This Tool Is
2. Installation
3. Recommended First Run
4. Reading the Chart
5. Understanding Inputs
6. Operating Profiles
7. Debugging No Trades
8. Backtesting Workflow
9. Alerts and Execution Checklist
10. Example Configurations
11. Troubleshooting and References

1. What This Tool Is

VWAP Reclaim Value Reclaim v2.2 Calibrated is a TradingView strategy script. It appears on the price chart like an indicator, but it is declared with `strategy()`, so it can send hypothetical orders to TradingView Strategy Tester. It is designed for intraday charts and can be used as a day-trading or intraday-to-swing research tool.

The core idea is straightforward: price must dip below session VWAP, then reclaim VWAP with enough quality to justify a long setup. The tool then manages the position using an initial stop, optional TP1 scale-out, breakeven protection, and a trailing runner stop.

Risk note: This is not a signal service. It is a rule-based research tool. You are responsible for testing the settings on your own symbols, timeframes, liquidity conditions, and broker environment.

2. Installation

1. Open TradingView and select the symbol you want to test.
2. Switch the chart to an intraday timeframe such as 5m, 15m, 30m, 1h, or 4h. The strategy loads on daily charts, but it will not trade there.
3. Open Pine Editor.
4. Paste the v2.2 Calibrated Pine script into a new script tab.
5. Click Save. Give it a clear name such as VWAP Reclaim Value Reclaim v2.2.
6. Click Add to chart.
7. Open Strategy Tester and confirm that the strategy name appears in the panel.

Implementation note: If TradingView reports a Pine compile error, copy the exact line number and error message. Most configuration issues are chart timeframe, session mismatch, symbol prefix, or an invalid market proxy symbol.

3. Recommended First Run

Start with a loose but still practical configuration so you can confirm the strategy is functioning before tightening filters.

Setting	Recommended first value
Chart timeframe	5m or 15m
Operating profile	Balanced - more trades
Entry mode	Immediate close reclaim
Entry window	09:45-15:00 for US equities
Opening range filter	Off
Use HTF EMA trend filter	Off in Balanced by profile override
Use VWAP slope filter	Off in Balanced by profile override
Use ADX/DMI filter	Off in Balanced by profile override
Use RVOL filter	On, minimum RVOL about 0.80 in Balanced
Use ATR regime filter	On, relaxed in Balanced
Carry overnight	On for swing research, Off for day-trade research
Show dashboard	On
Show blocked setups	On

After the first run, check whether trades appear over a reasonable historical window. Use at least three to twelve months for an initial read. One week is usually too small for meaningful conclusions.

4. Reading the Chart

Visual element	Meaning
Orange line	Session VWAP built from the configured VWAP/value session.
Orange bands	Volume-weighted standard deviation bands around VWAP.
Opening range lines	High, low, and midpoint of the configured opening range window.
Green VWAP marker	A final long signal that passed setup, filter, risk, and quantity gates.
Yellow ARM marker	Retest-confirmed mode has armed after a base reclaim.
Red BLOCK marker	A raw reclaim was detected, but it failed one or more active filters or risk checks.
Red active stop line	Current stop used by the exit engine.
Green target lines	TP1 and optional final target when enabled.
Dashboard	Current profile, main blocker, and filter states.

Implementation note: The dashboard describes the latest bar. Historical BLOCK markers explain where raw reclaims were filtered out in the past.

5. Understanding Inputs

5.1 Sessions / Value

Input	How to use it
VWAP/value session	Defines the hours used to accumulate VWAP. For US equities, 09:30-16:00 is the regular session.
Entry window	Restricts when new long positions are allowed. Default 09:45-15:00 avoids the first 15 minutes and late-day noise.
Opening range window	Defines the range used by optional OR filters. Default 09:30-09:45.
Flat session	Used when Carry overnight is off. Default 15:50-16:00.
Session days	23456 means Monday through Friday. Use 1234567 for always-on markets such as crypto if appropriate.

5.2 Reclaim Entry

Input	Practical guidance
Entry mode	Immediate is faster. Retest-confirmed is cleaner but fewer trades.
Dip/reclaim lookback	Higher values let older dips qualify; lower values demand a faster reclaim.
Minimum bars below VWAP	Helps avoid instant micro-crosses. Balanced may relax this automatically.
Minimum dip below VWAP %	Higher values demand a deeper flush below value.
Close above VWAP buffer %	Requires the reclaim close to clear VWAP by a small margin.
Maximum close above VWAP %	Avoids chasing bars that are already extended.
Min close location	Requires the close to occur in the upper part of the candle range.
Require lower VWAP band sweep	Strict setting; useful for liquidity-sweep style setups but reduces frequency.
Max entries per session	Controls churn on sideways VWAP days.

5.3 Regime Filters

Regime filters can improve selectivity, but they can also block all trades if they are stacked too aggressively. Turn them on one at a time during research.

Filter	When to enable
HTF EMA trend	When you only want longs aligned with a higher timeframe trend.
Market proxy	When broad market confirmation matters, for example QQQ or SPY for US large-cap equities.
VWAP slope	When you want session value to be flat-to-rising before entering.
ADX/DMI	When you want trend strength and optional +DI dominance.
RVOL	When you want trades backed by participation. This is active in Balanced.
ATR% regime	When you want to avoid very quiet or extremely volatile sessions. This is active in Balanced.
Gap filter	When you want to reject extreme gap contexts.

5.4 Risk / Exits

Input	Meaning
Initial stop basis	Sets where the first stop anchors: reclaim bar low, swing low, lower VWAP band, or structure + ATR.
ATR buffer below stop basis	Adds room below the stop anchor.
Minimum/maximum initial risk %	Blocks setups whose stop is too tight or too wide.
Scale out at TP1	Takes partial profit at the first R target.
Move stop to breakeven at R	Arms breakeven after price moves favorably by the configured R multiple.
Runner trail mode	Selects ATR Chandelier, VWAP/ATR hybrid, or Structure swing.
Close on VWAP failure	Optional exit after two closes back below VWAP.
Carry overnight	On allows swing holds; Off flattens during the flat session.

6. Operating Profiles

The operating profile is the most important input because it can override individual settings. Use it intentionally.

Profile	Use this when	What to expect
Balanced - more trades	You want a practical first backtest.	More signals than strict mode, but still includes RVOL and ATR regime logic.
Signal finder/debug	You see zero trades and want to confirm the engine detects reclaims.	Many more setups. Do not treat results as production quality.
Strict research	You want a conservative research gate set.	Fewer trades; may show zero trades on short windows.
Custom	You want every input switch to behave exactly as configured.	Best for controlled experiments after you understand each gate.

Risk note: Do not start optimization in Strict research mode unless you have enough historical data. A zero-trade result often means filters are stacked too tightly, not that the script is broken.

7. Debugging No Trades

Use this procedure when Strategy Tester shows zero trades.

1. Confirm the chart timeframe is intraday. If the dashboard says Use intraday, switch from daily to 5m, 15m, 30m, 1h, or 4h.
2. Confirm the date range includes enough bars. Expand from one week to several months.
3. Turn off Deep Backtesting while visual debugging if chart trades are not visible. Then re-enable it later for deeper reports if needed.
4. Set Operating profile to Signal finder/debug. If trades now appear, the engine is working and the issue is filter strictness.

5. Switch back to Balanced - more trades. If trades disappear, look at Main blocker and BLOCK markers.
6. Open Custom mode and enable filters one at a time. Record which filter removes the most trades.
7. Check risk gates. If Main blocker says Risk or Qty, the stop distance or risk-based quantity is preventing orders.
8. Check session strings. If Main blocker says Entry window or No VWAP session, your symbol/time zone/session settings may not match the chart market.

Common dashboard blockers:

Blocker	Likely cause	Action
Chart/TF	Daily chart or invalid HTF/proxy timeframe relationship.	Use intraday chart; ensure trend/proxy timeframe is not lower than chart timeframe.
Entry window	Current bar is outside the configured entry window.	Expand the entry window or test a different part of the day.
Waiting reclaim	No close has crossed back above VWAP on the latest bar.	Wait or examine BLOCK markers historically.
No dip	Price did not dip below VWAP within the lookback window.	Lower minDipPct or increase reclaim lookback for testing.
OR	Opening range filter is active and price is not above the required OR level.	Disable OR filter or use Above OR Mid instead of Above OR High.
Trend	HTF EMA filter blocks the setup.	Disable in Balanced/Custom or change trend timeframe/length.
VWAP slope	VWAP is not flat-to-up enough.	Disable or lower minimum slope.
RVOL	Relative volume below threshold.	Lower minimum RVOL or test more active symbols.
ATR%	Volatility outside min/max ATR% band.	Widen ATR regime settings.
Risk / Qty	Stop distance invalid or risk-based size too small.	Widen min/max risk limits, adjust stop basis, or use default strategy size.

8. Backtesting Workflow

A professional workflow should separate discovery, validation, and deployment preparation.

1. Choose a symbol universe. Start with liquid instruments to reduce unrealistic fill assumptions.
2. Select a base timeframe. Most VWAP reclaim research starts on 5m or 15m charts.
3. Run Balanced over 3, 6, and 12 months. Record trades, profit factor, drawdown, average R, and exposure time.
4. Run Signal finder/debug only to understand signal availability. Do not optimize from that profile alone.
5. Move to Custom and test one filter at a time. Keep a settings log.
6. Use out-of-sample validation. Do not tune on the same period you use to judge robustness.
7. Turn on realistic commission and slippage. The script starts with 0.01% commission and 1 tick slippage; adjust for your market.
8. Review every largest winner and loser on the chart. Note whether losses are setup failures, volatility failures, or exit-management failures.
9. Forward test on paper before considering live use.

Metric	Why it matters
Total trades	Tiny samples are not reliable. More trades improve diagnostic value.
Profit factor	Gross profit divided by gross loss; sensitive to outlier winners.
Max drawdown	Capital stress and psychological load.
Average trade / average R	Whether the expected payoff is meaningful after costs.
Win rate and average win/loss	Shows whether the model depends on frequent small wins or occasional large runners.

Metric	Why it matters
Time-of-day distribution	Reveals whether entries cluster in specific session windows.
Filter attribution	Shows which gates improve quality versus merely reducing frequency.

9. Alerts and Execution Checklist

The script includes alert conditions for a VWAP reclaim long and, in Retest-confirmed mode, a retest-armed event. Alerts should be used as notifications for review, not automatic blind orders unless you have separately validated execution infrastructure.

Pre-trade checklist:

- Symbol is liquid enough for your order size.
- Chart timeframe is intraday and matches your tested timeframe.
- Operating profile and settings match your documented test plan.
- Dashboard does not show unexpected blockers.
- Spread, news, earnings, and halt risk are acceptable.
- Position size and stop distance match your risk plan.
- You understand whether the model is in day-trade or swing-hold mode.

10. Example Configurations

Use case	Suggested configuration
More frequent intraday testing	5m or 15m chart; Balanced - more trades; Immediate close reclaim; carry overnight off; TP1 on; OR filter off.
Cleaner retest entries	15m chart; Balanced or Custom; Retest-confirmed; max retest bars 8; require RVOL; no aggressive trend filters at first.
Strict continuation longs	15m or 30m chart; Strict research or Custom; HTF EMA on; VWAP slope on; ADX/DMI on; OR Mid or OR High.
Swing continuation after reclaim	30m, 1h, or 4h chart; carry overnight on; close on VWAP failure off or discretionary; runner trail VWAP/ATR hybrid.
Market-sensitive large caps	Custom; enable proxy filter using NASDAQ:QQQ or AMEX:SPY; validate that proxy makes sense for the symbol.
Debugging a symbol with no trades	Signal finder/debug; show blocked setups on; expand history; then reintroduce filters one at a time.

11. Troubleshooting

Problem	Fix
Script loads but no trades	Use dashboard. Try Signal finder/debug. Expand historical window. Confirm intraday chart.
Runtime error from old version	Use v2.2 or v2.1 soft guard. Older versions hard-stopped on daily charts.
Dashboard says Trend Block	Disable HTF trend filter or use Balanced. Check trend timeframe and EMA length.
Dashboard says OR Block	Disable opening range filter or use Above OR Mid.
Dashboard says Risk Block	Widen risk limits, adjust stop basis, or inspect whether ATR buffer is too large.
No signals on non-US sessions	Adjust VWAP session, entry window, opening range, flat session, and session days for that market.
Results look too good	Increase commission/slippage, check Bar Magnifier behavior, and confirm there is no unrealistic lookahead in custom edits.

Problem	Fix
Different results across timeframes	Expected. VWAP, ATR, signal candles, and stop logic are timeframe-sensitive. Validate the exact timeframe you intend to use.

Reference quick formula:

```

VWAP = SUM(typical price x volume) / SUM(volume)
Reclaim = prior dip below VWAP + close crossing back above VWAP
Risk per share = entry reference price - initial stop
R target = entry reference price + initial risk x R multiple

```

References

- [1] TradingView Pine Script User Manual, Concepts / Strategies. Strategy scripts simulate trades, create hypothetical orders, and expose results in Strategy Tester. <https://www.tradingview.com/pine-script-docs/concepts/strategies/>
- [2] TradingView Help Center, Strategy properties. Documents strategy inputs including initial capital, order size, commission, slippage, fill orders, and Bar Magnifier. <https://www.tradingview.com/support/solutions/43000628599-strategy-properties/>
- [3] TradingView Pine Script User Manual, Concepts / Sessions and Inputs. Documents input.session() and time() session detection with optional day strings. <https://www.tradingview.com/pine-script-docs/concepts/sessions/> and <https://www.tradingview.com/pine-script-docs/concepts/inputs/>
- [4] TradingView Pine Script User Manual, Other timeframes and data. Documents request.security(), lookahead behavior, repainting risk, and the historical offset pattern used with barmerge.lookahead_on. <https://www.tradingview.com/pine-script-docs/concepts/other-timeframes-and-data/>
- [5] TradingView Help Center, Strategy order timing. Documents that strategies normally process at bar close and that process_orders_on_close can fill orders on the close. <https://www.tradingview.com/support/solutions/43000619439-my-strategy-processes-orders-one-candle-after-the-condition-has-been-met/>
- [6] Busseti, E. and Boyd, S. Volume Weighted Average Price Optimal Execution, Stanford University, 2015. Describes VWAP as an execution benchmark and optimal execution problem. https://web.stanford.edu/~boyd/papers/vwap_opt_exec.html
- [7] Kato, T. VWAP Execution as an Optimal Strategy, arXiv/RePEc. Discusses VWAP execution strategy in an optimal execution model. <https://ideas.repec.org/p/arx/papers/1408.6118.html>
- [8] Investopedia, Volume-Weighted Average Price (VWAP): Definition and Calculation. Defines VWAP as a price-volume indicator for intraday charts and notes limitations such as lag and session reset. <https://www.investopedia.com/terms/v/vwap.asp>