

Atelier 2

Voici la documentation d'une API **ReST**.

Créer un projet de test à l'aide de Postman.

Name : Simple Books API
Description : Cette API permet de réserver des livres.
url : <https://simple-books-api.click>

Endpoints

Status

GET /status : Returns the status of the API.

List of books

GET /books : Returns a list of books.

Optional query parameters:

type: fiction or non-fiction

limit: a number between 1 and 20.

Get a single book

GET /books/:bookId : Retrieve detailed information about a book.

Submit an order

POST /orders : Allows you to submit a new order. Requires authentication.

The request body needs to be in JSON format and include the following properties:

bookId - Integer - Required

customerName - String - Required

Example

POST /orders/

Authorization: Bearer <YOUR TOKEN>

```
{  
  "bookId": 1,  
  "customerName": "John"  
}
```

The response body will contain the access token.

Get all orders

GET /orders : Allows you to view all orders. Requires authentication.

Get an order

GET /orders/:orderId : Allows you to view an existing order. Requires authentication.

Update an order

PATCH /orders/:orderId : Update an existing order. Requires authentication.

The request body needs to be in **JSON** format and allows you to update the following properties:

customerName – String

Example

PATCH /orders/PF6MflPDcuhWobZcgmJy5

Authorization: Bearer <YOUR TOKEN>

```
{  
  "customerName": "John"  
}
```

Delete an order

DELETE /orders/:orderId : Delete an existing order. Requires authentication.

The request body needs to be empty.

Example

DELETE /orders/PF6MflPDcuhWobZcgmJy5

Authorization: Bearer <YOUR TOKEN>

API Authentication

To submit or view an order, you need to register your **API client**.

POST /api-clients/

The request body needs to be in **JSON** format and include the following properties:

clientName – String

clientEmail – String

Example

```
{  
  "clientName": "Valentin",  
  "clientEmail": "valentin@example.com"  
}
```

The response body will contain the access token.

Possible errors

Status code 409 – "API client already registered." Try changing the values for **clientEmail** and **clientName** to something else.