

## E1.1

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 a=1
2 b=2
3 c=a
4 c=c+1
5 print(a)
6 print(a+b)
7 print(a+c)
```

⇒ line that just executed

➔ next line to execute

<< First

< Prev

Next >

Last >>

Customize visualization (NEW!)

Print output (drag lower right corner to re-size)

1  
3  
3

Frames

Objects

Global frame

a	1
b	2
c	2

Done running (7 steps)

unsupported features

Generate permanent link

Generate embed code

(also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from its users. It uses Google Analytics for website analytics.

## E1.2

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 # exemplos de variáveis & comentários
2 A1 = 76
3 a1 = 12
4 aa_1 = a1+A1 # o valor de aa_1 é 88
5 zero = 0
```

⇒ line that just executed

➔ next line to execute

<< First

< Prev

Next >

Last >>

Customize visualization (NEW!)

Frames

Objects

Global frame

A1	76
a1	12
aa_1	88
zero	0

Done running (4 steps)

unsupported features

Generate permanent link

Generate embed code

(also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from its users. It uses Google Analytics for website analytics.

## E1.3 - Escreva o resultado de $2a \times 3b$ . Onde $a=3$ e $b=5$ .

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 a=3
2 b=5
3 res=2*a * 3*b
4 print(res)
```

⇒ line that just executed

➔ next line to execute

<< First

< Prev

Next >

Last >>

Customize visualization (NEW!)

Print output (drag lower right corner to re-size)

90

Frames

Objects

Global frame

a	3
b	5
res	90

Done running (4 steps)

unsupported features

Generate permanent link

Generate embed code

(also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from its users. It uses Google Analytics for website analytics.

## E1.4 - Escreva o resultado de $2a \times 3b$ . Onde $a=7$ e $b=11$ .

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 a=7
2 b=11
3 res=2*a * 3*b
⇒ 4 print(res)
```

[Edit this code](#)

⇒ line that just executed  
→ next line to execute

Done running (4 steps)

Print output (drag lower right corner to re)

462

Frames

Objects

Global frame

a	7
b	11
res	462

[unsupported features](#)

Generate permanent link

Generate embed code  (also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from its users. It uses Google Analytics for website analytics.

## E1.5 - Escreva o resultado de $4a \times 2b$ . Onde $a=3$ e $b=5$ .

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 a=3
2 b=5
3 res=4*a * 2*b
⇒ 4 print(res)
```

[Edit this code](#)

⇒ line that just executed  
→ next line to execute

Done running (4 steps)

Print output (drag lower right corner to re)

120

Frames

Objects

Global frame

a	3
b	5
res	120

[unsupported features](#)

Generate permanent link

Generate embed code  (also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from its users. It uses Google Analytics for website analytics.

## E1.6 - Calcule a soma de três variáveis, $a=3;b=5;c=11$ .

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 a=3
2 b=5
3 c=11
4 abc=a+b+c
⇒ 5 print(abc)
```

[Edit this code](#)

⇒ line that just executed  
→ next line to execute

Done running (5 steps)

Print output (drag lower right corner to re)

19

Frames

Objects

Global frame

a	3
b	5
c	11
abc	19

[unsupported features](#)

Generate permanent link

Generate embed code  (also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from its users. It uses Google Analytics for website analytics.

E1.7 - Seja um salário (sal) de 1000. Como dar um aumento de 15%. Qual o valor do aumento e do novo salário.

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 sal=1000
2 percent=15
3 aumento=sal*percent/100
4 novosal=sal+aumento
5 print(aumento, novosal)
```

[Edit this code](#)

Print output (drag lower right corner to re  
150.0 1150.0

Frames

Ob

Global frame

sal	1000
percent	15
aumento	150.0
novosal	1150.0

Done running (5 steps)

Customize visualization (NEW!)

[unsupported features](#)

Generate permanent link

Generate embed code  (also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from

E1.8 - Seja um salário (sal) de 1500. Como dar um aumento de 20%. Qual o valor do aumento e do novo salário.

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 sal=1500
2 percent=20
3 aumento=sal*percent/100
4 novosal=sal+aumento
5 print(aumento, novosal)
```

[Edit this code](#)

Print output (drag lower right corner to re  
300.0 1800.0

Frames

Ob

Global frame

sal	1500
percent	20
aumento	300.0
novosal	1800.0

Done running (5 steps)

Customize visualization (NEW!)

[unsupported features](#)

Generate permanent link

Generate embed code  (also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from

E1.9 - Seja um salário (sal) de 1500. Como dar um aumento de 10%. Qual o valor do aumento e do novo salário.

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

```
1 sal=1500
2 percent=10
3 aumento=sal*percent/100
4 novosal=sal+aumento
5 print(aumento, novosal)
```

[Edit this code](#)

Print output (drag lower right corner to re  
150.0 1650.0

Frames

Ob

Global frame

sal	1500
percent	10
aumento	150.0
novosal	1650.0

Done running (5 steps)

Customize visualization (NEW!)

[unsupported features](#)

Generate permanent link

Generate embed code  (also supports https://)

E1.8 - Seja um salário (sal) de 1800. Como dar um aumento de 1%. Qual o valor do aumento e do novo salário.

[Get live help](#) for free in the [Python tutoring Discord](#) chat room

Python 3.6  
(known limitations)

1 sal=1800

2 percent=1

3 aumento=sal\*percent/100

4 novosal=sal+aumento

5 print(aumento, novosal)

[Edit this code](#)

⇒ line that just executed

➡ next line to execute

<< First

< Prev

Next >

Last >>

Done running (5 steps)

Print output (drag lower right corner to re

18.0 1818.0

Frames

Ob

Global frame

sal	1800
percent	1
aumento	18.0
novosal	1818.0

[unsupported features](#)

Generate permanent link

Generate embed code

 (also supports https://)

Privacy Policy: By using Python Tutor, your visualized code, options, user interactions, and IP address are logged on our server and may be analyzed for research purposes. Nearly all web services collect this basic information from users in their server logs. However, Python Tutor does not collect any personally identifiable information from