

TRAVELYT OPERATIONS POLICY

Driver/Admin Full Workflow Policy

Launch SOP for access codes, admin control, QR intake, custody proof, and live workflow testing

Status	Internal working policy for launch operations
Applies to	Travelyt admin portal, driver portal, QR intake, booking queue, and custody workflows
Owner	Travelyt operations / admin
Version	v1.0 - June 2026
Important	Do not print or store active one-time access codes in this document.
Core truth: A stale, expired, revoked, or wrong-name driver code being noticed is not automatically a workflow failure. It can be evidence that the credential gate is working. The failure would be accepting a stale code, accepting the wrong courier name, or allowing custody steps without the required admin and proof checks.	

1. Purpose

This policy defines the minimum Travelyt driver and admin workflow for live tests and early operations. It turns the rough idea of "full workflow" into a clear operating standard: who can access the system, how a driver becomes active, how a booking reaches a driver, what proof is required, and how admin confirms that the workflow is working rather than merely visible.

This is an internal launch SOP. It is not final legal, employment-classification, airport, airline, TSA, insurance, or background-check advice. Those items still need counsel and vendor review before scaled operations.

2. What Counts As Working

The workflow counts as working only when all of the following are true:

- Admin can log in and see the live operations queue.
- Admin can create one active access code for one named driver and revoke it when needed.
- The driver can log in only with the exact courier name assigned to that code.
- The driver can see assigned or eligible bookings in the driver portal.
- The booking moves through the correct states instead of skipping from intake to completion.

- Route-start, arrival, and custody proof steps require the expected GPS/proof checks.
- Admin can see status changes, exceptions, proof history, and stale/test rows.
- Test codes and test bookings are cleaned up, revoked, archived, or clearly labeled after the run.

3. Roles And Responsibilities

Role	Owns	Cannot do
Admin	Driver activation, access-code creation, booking confirmation, assignment, archive/restore, exception resolution.	Share one driver code across people or skip identity/background gates for a real live driver.
Dispatcher	Monitor active jobs, coordinate status, communicate exceptions, and keep the queue clean.	Create or revoke driver codes unless admin role is granted.
Driver	Accept assigned jobs, start route, mark arrival, capture proof, and complete allowed custody steps.	Claim another driver's job or move custody forward without proof/GPS requirements.
Customer / QR submitter	Submit sender, receiver, trip, bag, and contact details.	Create paid or assigned operational state from a public form.

4. Driver Activation Policy

A driver is not active merely because they filled out an application or received a link. Activation requires an operations decision.

1. Application or manual referral is received.
2. Admin schedules a meeting or phone/video screen before any real custody work.
3. Admin verifies government ID, license/passport details, contact information, vehicle suitability, and service area.
4. Background and driving-record checks are completed or explicitly marked as a supervised-test exception.
5. Driver reviews the SOP: customer interaction, restricted items, proof capture, GPS checkpoints, bag handling, and incident escalation.
6. Admin creates one driver access code assigned to that exact courier name.
7. First live run is treated as supervised or low-risk until admin sees the workflow pass end to end.

Launch exception: For an internal family/cousin test, the code can be issued before a full vendor background-check stack is live, but the row must be marked as a test, assigned to one person, time-limited, and revoked after the test window.

5. Driver Access Code Policy

- One code belongs to one named driver. Do not share a generic driver code across multiple people.
- The full code is shown once. After creation, only a short preview should remain visible.
- Store full active codes only in a password manager or secure private ops note. Do not put active codes in printed policy packets or group chats.
- If a code is lost, leaked, used by the wrong person, expired, stale, or tied to a departed driver, revoke it and create a new one.
- If a driver tries to act under a different name, treat it as a security/control event, not as a harmless typo.
- Test codes should expire quickly and be revoked after the test is complete.

6. Booking And QR Intake Policy

Travelyt now supports a QR-style intake path for sender and receiver information. The intended use is simple: customer scans the QR code, fills out sender/receiver/trip/bag details, and the submission appears in the admin queue as a pending booking. Staff can copy the structured notes for manual processing.

QR intake policy:

- QR intake creates pending bookings only. It must not create paid, assigned, accepted, or completed jobs.
- Sender/receiver details should be preserved in notes until a dedicated database model exists.
- Admin confirms service availability, price/payment status, and driver assignment before a driver works the job.
- If Mo sends a paper/template version, update the QR form fields to match the exact required fields before using it broadly.
- Future DHL/airline integration is separate. The launch version is a clean intake and copy/paste workflow.

7. Full Operating Workflow

Phase	Required action	Pass condition
Intake	Customer or staff creates booking through quote flow or QR intake.	Booking appears as pending and cannot spoof paid/assigned state.
Admin confirmation	Admin reviews trip, service, time, airport, payment/manual confirmation, and service feasibility.	Booking moves to confirmed/paid only through an operations action or real payment path.
Driver activation	Admin screens driver and creates one code for the exact courier name.	Driver login succeeds only for the matching name/code.
Assignment	Admin assigns the confirmed booking to that courier name.	Driver sees the job in /driver and admin sees driver name and status.
Accept	Driver accepts the assigned job.	Status changes to accepted; audit history reflects the actor.
Route start	Driver starts route with GPS checkpoint.	Route-start GPS is stored; missing GPS blocks the move.
Arrival	Driver marks arrival with GPS checkpoint.	Arrival GPS is stored; wrong order of steps is blocked.
Custody/proof	Driver captures required proof for seal, pickup/release, handoff, or delivery depending on service type.	System blocks custody moves when proof/identity/bag review is incomplete.
Admin review	Admin monitors status, proof, exceptions, and any stale/test rows.	Admin can resolve exceptions and archive/restore completed or test rows.
Closeout	Customer/admin closes delivery or admin archives test run.	Code and test artifacts are revoked/archived when appropriate.

8. Custody And Proof Policy

- Customer and driver identity review must be complete before custody begins on real jobs.
- Restricted-item attestation/manual bag review must be complete before custody begins.
- Driver proof photos should carry timestamp, GPS coordinates, and accuracy when available.
- Seal proof must include visible tamper-evident seal information when departure custody is in scope.
- Airline handoff proof should capture receiving employee/company, bag tag or acceptance reference, GPS, timestamp, and photo proof. Do not photograph private employee IDs unless an agreement allows it.
- Arrival/delivery proof should show bags at the destination or airport release point, with GPS and timestamp.

9. Stale Code And Exception Policy

A stale code is a control issue, not automatically a broken workflow. The workflow is healthy when stale or wrong credentials are blocked, logged, or made visible for admin cleanup.

Signal	Meaning	Admin response
Code accepted for correct driver	Credential gate is allowing the intended user.	Proceed with the test and watch assignment/status.
Code rejected as inactive/expired	Credential gate is working and the code is stale.	Create a new code only after confirming the driver should still be active.
Code assigned to different courier	Name/code mismatch is caught.	Do not bypass. Revoke if shared or leaked.
Driver sees no booking	Driver login may work, but assignment is not complete.	Assign an eligible confirmed booking to the exact driver name.
Booking cannot move custody	A prerequisite proof, GPS, identity, or review gate is missing.	Complete the missing gate or document why admin is overriding.

10. Live Test Checklist

Use this checklist before telling Mo that the workflow works.

Check	Expected result	Pass/fail
Admin login	Admin opens /admin and sees bookings/driver-code area.	
Create driver code	Admin creates one code for the test driver's exact name.	
Private handoff	Code is sent privately and not stored in the policy paper.	
Driver login	Driver opens /driver, enters name and code, and gets a session.	
Assignment	Admin assigns a confirmed test booking to the same driver name.	
Driver sees job	Driver sees the assigned job in /driver.	
Accept	Driver accepts the job and admin sees the status change.	
Route GPS	Driver attempts route start; GPS requirement is confirmed.	
Arrival GPS	Driver marks arrival only after route start.	
Proof gate	Custody/proof step blocks incomplete proof and accepts proper proof.	
Admin audit	Admin sees status history, exceptions, and test row.	
Cleanup	Admin archives test booking and revokes/rotates test code.	

11. Minimum Go/No-Go Standard

Go for a controlled live test when:

- Admin can create and revoke the driver's code.
- Driver can log in with the correct name/code and cannot use the wrong name.
- At least one test booking is assigned and visible in both admin and driver views.
- The driver can accept the job, and admin sees the status change.
- GPS/proof gates either work or block the step clearly enough for admin to understand what is missing.
- There is a cleanup path for stale codes, stale bookings, and exceptions.

No-go if:

- A public form can create paid or assigned jobs.
- One access code can impersonate another named driver.
- Driver custody can proceed without required identity/proof/GPS checks.
- Admin cannot see or clean up the resulting booking/code/exception state.

12. Current Implementation Notes

- Driver onboarding is currently manual: application or referral, admin decision, active code, driver login.
- There is not yet a full approve/reject driver queue. In current launch operations, "approved" means admin manually creates an active access code after review.
- QR intake is a launch helper that creates a pending admin-queue record. It is not a DHL or airline label integration yet.
- Public booking creation has been hardened so customer/QR submissions start as pending and cannot set driver assignment or paid state.
- The policy should be revised after the exact Mo template arrives and again after background-check/MFA/vendor flows are finalized.