

Fisch Macro By Elju – Settings Guide

Updated: February 05, 2026 / Version 0.8 Revision 3

This guide explains every setting in the Fisch Macro UI, what it controls, and how to tune it. It includes a quick checklist, a glossary for technical terms, and scenario-based troubleshooting. Use small changes and test in-game after each adjustment. When in doubt, reset to defaults and change only one group of settings at a time.

First 5 Minutes (Quick Start)

- 1) Alignment: Use Third Person and position the camera so the fishing minigame area is on high contrast and static terrain.
- 2) Equipment: Put your fishing rod in Slot 1.
- 3) Calibration: Enable Visual Debug > Show Raw ROI. Confirm the bar UI is inside the scanning area.
- 4) Start: Press the START MACRO button or the Toggle Key (default: f8).
- 5) Validate: If the bar/fish is not detected, open the Visual Debug overlay and adjust tolerances or profiles.

Glossary (Translating Tech Terms)

Technical Term	User-Friendly Name	Simple Explanation
ROI	Scanning Zone	The box on your screen where the macro looks for the bar and fish.
Kp (Proportional)	Reaction Power	How hard the macro pulls when the fish is far away.
Kd (Derivative)	Brake Strength	How much the macro slows down to prevent overshooting.
BGR	Color Code	Color order used by the computer: Blue, Green, Red

Visual Debug: What a Good Mask Looks Like

- Good Bar Mask: A solid, continuous horizontal block with few gaps.
- Bad Bar Mask: Scattered dots or broken fragments (increase tolerance or adjust profile).
- Good Fish Mask: A clean vertical bar segment.
- Bad Fish Mask: No detection or tiny specks (increase Fish Tolerance or correct profile).

General Tab

Auto Features

Auto Recast: Automatically starts a new cast after a minigame ends. Useful for continuous farming.

Auto Shake: Automatically clicks the shake circle when it appears. Disable if you prefer manual input.

Auto Lower Graphics: Lowers in-game graphics once per session to stabilize FPS and detection.

Auto Camera Mode: Enables camera mode once per session for consistent view alignment.

Auto Blur: Enables blur effect once per session if needed for the UI.

Auto Cast Delay: Enables a configurable delay between a catch and the next cast.

Auto Cast Delay (slider): Time to wait before recasting. Increase if the game needs extra time to settle.

Cast Duration: How long the mouse button is held when casting. Increase if casts are too weak or too short; decrease if casting overshoots or causes inconsistent casts.

Hotkey Settings

Macro Toggle Key: The global hotkey for start/stop. Click the button and press a key to rebind.

Emergency Stop (Focus Loss): Stops the macro if the Roblox window loses focus. Keep enabled to prevent input going to other apps.

Custom UI Settings

Rod Custom UI: Enable custom rod detection profiles; keep disabled if using a rod with normal UI.

Rod Skin: Select a profile for that corresponds to the current rod used, like the Onirifalx.

Shake Settings

Shake type: Mouse will move and click the shake circle; Key uses a keyboard press.

Navigation Key: The ROBLOX UI Navigation key, used for the Key Shake Type. Bind it to your in-game navigation hotkey.

Game Settings

Control Stat: Expected control stat from rod. This affects expected control bar width and tracking behavior. Adjust to match in-game control stat for stable tracking.

Resilience Settings

Rod Resilience (%): Rod resilience value.

Bait Resilience (%): Bait resilience value.

Onirifalx Toggle: Locks resilience to the lowest value for Onirifalx behavior.

Control Tab

PID Tuning

The PID control output is roughly: $\text{output} = K_p * \text{error} + K_d * \frac{d(\text{error})}{dt}$.

Error = (predicted fish position) - (bar center).

Kp (Reaction Power): higher Kp means larger correction for the same error.

Kd (Brake Strength): higher Kd reduces overshoot by resisting rapid changes.

Prediction Time: $\text{fish_future} = \text{fish_now} + \text{fish_velocity} * \text{prediction_time}$.

Distance Thresholds (pixels)

Critical/Close/Moderate/Far: Distance buckets used to decide how aggressive the hold/release should be. Lower values make the control more reactive; higher values make it more forgiving.

Left Movement (Release)

Left decel values tune how quickly the bar releases when the fish is left of center. Increase to release faster; decrease for smoother releases.

Right Movement (Hold)

Right decel values tune how quickly the bar holds when the fish is right of center. Increase to catch faster fish; decrease if overshooting occurs.

Side Hold Zones

% From Left Edge / % From Right Edge: Defines edge zones where the controller locks to hold or release. Raise values to create bigger safety zones; lower values for tighter control.

Control Scaling

Control To Pixels: scales expected bar width. $\text{Expected bar width (\%)} = 30 + (\text{control_stat} * 100)$.

$\text{Expected width (px)} = \text{ROI_width} * \text{expected_bar_width(\%)} / 100$.

Max Bar Width (%): cap on detected bar width to reject false positives.

Stabilization

Zone Size (%): How wide the stabilization zone is. Larger values reduce jitter but may slow responses.

Detection Tab

Velocity & Acceleration

Max Bar Vel (px/s): Maximum expected bar speed. Lower to reject wild detections.

Fish Accel (px/s²): Acceleration threshold for jump detection sensitivity.

Stabil Vel (px/s): Velocity cutoff for stabilization logic.

Bar Loss Tolerance

Max Frames Lost: How long the bar can disappear before assuming it is lost.

Detection Tolerances

Tolerance works like: $\text{accept_color if } |\text{pixel} - \text{target}| < \text{tolerance (per channel)}$.

White Bar Tolerance: sensitivity to bright bar detection.

Miss Bar Tolerance: handles transparency or missing bar colors.

Fish Tolerance: color tolerance for fish indicator detection.

Shake Detection

White Threshold: brightness threshold for detecting shake circles.

Area Min/Max: size range of shake circle to accept.

Aspect Min/Max: shape ratio to accept. Solidity Min: reject hollow or wispy shapes like clouds.

Shake ROI (Scanning Zone)

Top/Left/Width/Height (%): defines the scan region. Larger area = more reliable but slower.

Advanced Tab

Info Settings

Show Debug Overlay: Text-only bar/fish coordinate debug. Show State Overlay: Shows current macro state.

Show Resilience Overlay: Shows resilience and timing diagnostics. Show Performance Metrics: FPS and frame timing.

Show Active Time: Displays macro active time at top center. Visual Debug Overlay: A live ROI preview with optional masks and markers.

Enable Visual Debug: Shows the overlay window.

- Show Raw ROI: Base view of the ROI.
- Show Bar Mask: Highlights bar mask.
- Show Fish Mask: Highlights fish mask.
- Show White Mask: Shows bright threshold mask.
- Show Dark Mask: Shows dark threshold mask.
- Show Contours: Shows contour outlines.
- Show Bar Box: Draws detected bar bounds.
- Show Fish Position: Draws detected fish position.

UI Transparency

Transparency Enabled: Enables automatic transparency after inactivity.

Transparency Delay: Time before the window fades.

Skin Profiles

Use Visual Debug to tune colors. A good bar mask appears as a solid horizontal block. Adjust bar_min/bar_max and fish_min/fish_max until the masks are clean. Reset by selecting Default and saving the config if you get stuck.

Config Tab

Save Configuration: Saves all settings to an INI file.

Load Configuration: Loads a saved INI file.

Delete Configuration: Deletes a saved INI file.

If/Then Troubleshooting

If the macro does this...	Adjust this setting
Bar shakes violently	Increase Kd or decrease Kp
Bar moves too slowly	Increase Kp
Never clicks shake circles	Lower White Threshold or widen Shake ROI
Clicks random things	Raise White Threshold or shrink Shake ROI
Fish is invisible	Select correct Skin Profile or raise Fish Tolerance

Tuning Tips

- 1) If the bar is not detected, raise White Bar Tolerance or inspect the bar mask in Visual Debug.
- 2) If the fish marker is missed, increase Fish Tolerance or refine the fish color range.
- 3) If the bar overshoots often, reduce Kp or increase Kd.
- 4) If the bar lags, increase Kp or reduce Kd, and consider increasing Prediction Time.
- 5) If shakes are missed, widen Shake ROI or lower White Threshold slightly.
- 6) Use Auto Cast Delay if the game needs extra time between catches.