Stock Reconciliation **0**
Stock Reconciliation List 0
Add Stock Reconciliation 3
Stock Reconciliation Details 17

Stock Reconciliation

Stock Reconciliation List

Use case ID	**1**
Use case Name	Stock Reconciliation List
Descriptions	The user is able to view the list of Stock Reconciliations.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Stock Reconciliation** from sidebar
Main Flow	-
Components	• **Add Stock Reconciliation** ○ Button ○ For adding a new Stock Reconciliation ○ When clicked, the user will be redirected to the "Add Stock Reconciliation" screen. • **Stock Reconciliations** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ Stock Reconciliation ID • It displays the Stock Entry ID • Clickable • When clicked, the user will be redirected to the "Stock Reconciliation Details" screen. ■ Status • Displays one of the following values: ○ Draft ○ Submitted ○ Cancelled

- Posting Date
  - It displays the posting date
- Posting Time
  - It displays the posting time

- when a Stock Reconciliation is selected , an action bar appears showing the following actions:
- Edit
  - Button
  - When clicked , a popup appears containing the following fields.
    - **Field**
      - DDL
      - To select the field you want to edit
      - Link “**Stock Reconciliation**” doctype
      - Single selection
      - Mandatory
    - **Value**
      - Dynamic field
      - Based on the selected option from the first dropdown field, the second field shall :
        - Dynamically change it’s input type
        - Be marked as either mandatory
        - Or optional
        - Apply the corresponding validation rules
    - **Update (button)**
      - Button
      - When clicked,
        - If the Stock Entry status is "**Submitted**" or "**Cancelled**":
          - an error message is displayed informing the user that the Stock Reconciliation cannot be modified.
- Export
- Assign to
- Clear assignment
- Add tags
- Print
- Submit
  - It appears only when the Stock Reconciliation status = **Draft**
  - If all required data is entered correctly and completely:
    - The Stock Reconciliation is successfully submitted.
- Cancel
  - It appears only when the Stock Reconciliation status = **Submitted**
  - When clicked,
    - The Stock Reconciliation was canceled successfully.
    - And it’s status changes to “**Canceled**”
    - And “**Cancel**” button changes to “**Amend**”
- Delete

	■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Stock Reconciliation ● Upon clicking the “Yes” button: ○ If the Stock Reconciliation is Amended from other Stock Reconciliation ■ A warning message appears indicating that this Stock Reconciliation cannot be deleted until the user deletes all doctypes related to it. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ if the Stock Reconciliation is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Stock Reconciliation can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Stock Reconciliation isn’t linked to another doctype ■ The Stock Reconciliation is deleted successfully.
Post Conditions	● Ability to add and view Stock Reconciliation details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Stock Reconciliation

Use case ID	**2**
Use case Name	Add Stock Reconciliation
Descriptions	The user can add a new Stock Reconciliation.
Pre conditions	● Click on **Inventory** from sidebar ● Click on **Stock Reconciliation** from sidebar ● Click on "**Add Stock Reconciliation**" button
Main Flow	-
Components	● **Series** ○ DDL ○ Used to select the naming series that will be used to generate the Stock Reconciliation ID automatically ○ Displays all series added to Stock Reconciliation doctype ○ Mandatory. ○ Single selection ○ If the field is left empty an error message appears. ● **Company** ○ Searchable DDL ○ Link "**Company**" doctype ○ To select the company for which the Stock Reconciliation will be recorded ○ Single selection ○ Mandatory ○ If the field is left empty an error message appears. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Purpose** ○ DDL ○ It contains one of the following values: ■ Empty value ■ Opening Stock ■ Stock Reconciliation ○ Single selection ○ Mandatory ○ If the field is left empty an error message appears ● **Posting Date** ○ Date calendar picker ○ To select the Stock Reconciliation date ○ Default value is (**current date**) ○ **Note:** it is enabled only when the **Edit posting and date time** checkbox is checked ● **Posting Time**

- Time picker
- To select the Stock Reconciliation posting time
- Default value is (**current time**)
- **Note:** it is enabled only when the **Edit posting and date time** checkbox is checked

- **Edit Posting And Date Time**
  - Checkbox
  - When checked, the user can modify the **Posting Date** and **Posting Time**
  - When unchecked, the **Posting Date** and **Posting Time** fields become read-only and cannot be edited.
- **Default Warehouse**
  - The user can select a default warehouse to automatically populate the Warehouse field for all items in the items table, but only for rows where the Warehouse field is empty. Existing warehouse values will not be overwritten.
  - Searchable DDL
  - Link "**Warehouse**" doctype
  - Displays only child warehouses where the "Is Group warehouse" option is disabled.
  - Single selection
  - Optional
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Scan Barcode**
  - Text input field
  - Allows the user to enter or scan a barcode.
  - optional.
  - Accepts letters,numbers and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - Note:
    - When a scan barcode option is selected, the system opens a device camera to scan a barcode and automatically populates the field with the scanned value.
    - If the user enters a barcode manually at a slow typing speed, the entered value is automatically cleared
- **Scan Mode**
  - Checkbox
  - **Notes:**
    - When checked, the user can use the **Scan Barcode** field to either enter the barcode manually or scan it
      - With each successfully scan, the **Quantity** is automatically increased by 1
    - When checked, and the user doesn't enter or scan any barcode in the **Scan Barcode** field:
      - An error message appears upon clicking on Save.

- When checked, the user cannot enter the Quantity manually
- When checked, it disables auto fetching of existing Quantity

- **Items**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Item Code**
      - Searchable DDL
      - Link "**Item**" doctype
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:**
        - The field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Warehouse**
      - Searchable DDL
      - Link "**Warehouse**" doctype
      - Displays only child warehouses where the "Is Group warehouse" option is disabled.
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** The entered value takes priority and is not affected by the value selected in the Default Warehouse field.
    - **Current Qty**
      - Label field (read only)
      - Based on the selected item and warehouse:
        - If the selected item has no batch and serial numbers
          - The system displays the **Actual quantity** based on the selected warehouse in the Current Quantity column.
        - If the selected item has batch and serial numbers:
          - The **Batch No** column is displayed, and the current quantity is set to zero.
          - Once a batch is selected, the system retrieves the quantity available in that batch in the current quantity column.
    - **Quantity**
      - Text input field
      - For entering the reconciliation quantity for this item.
      - Mandatory.
      - Accepts numbers only.
      - Minimum length: 2 characters.

- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- It has a default value “**Zero**”
- If the field is left empty an error message appears.

- **Stock UOM**
  - Label field (read only)
  - Displays the item default UOM
- **Valuation Rate**
  - Text input field
  - Used to enter the item valuation rate that will be used to update the inventory value.
  - Optional
  - Accepts numbers only.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Batch No**
  - Searchable DDL
  - Link “**Batch**” doctype
  - Single selection
  - Mandatory only when an item has batch No is selected
  - **Note:** it appears only when an item has batch No is selected
  - If the field is left empty, an error message will appear.
  - **Note:**
    - The field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using drag and drop functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button

- For adding or removing columns from the table
- When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
- These columns are:

Column Name
Item Code
Warehouse
Current Qty
Quantity
Stock UOM
Valuation Rate
Barcode
Has Item Scanned
Item Name
Item Group
Amount
Allow Zero Valuation Rate
Add Serial / Batch No
Use Serial No / Batch Fields
Reconcile All Serial Nos / Batches
Serial / Batch Bundle
Current Serial / Batch Bundle
Serial No
Batch No
Current Amount
Current Valuation Rate
Current Serial No
Quantity Difference
Amount Difference

- Users can show or hide columns by selecting or deselecting the related checkbox.
- “**Update**” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “**Reset to default**” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - **Delete row**
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Barcode	• Text input field • Allows the user to enter a barcode. • optional. • Accepts letters,numbers and special characters. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • **Note:** If the user enters a barcode manually at a slow typing speed, the entered value

		is automatically cleared
	Has item scanned	• Checkbox icon (read only) • It appears only when there is a scanned items
	Warehouse	• Searchable DDL • Link “**Warehouse**” doctype • Displays only child warehouses where the “Is Group warehouse” option is disabled. • Single selection • Mandatory • If the field is left empty, an error message will appear. • **Note:** The entered value takes priority and is not affected by the value selected in the Default Warehouse field.
	Item Code	• Searchable DDL • Link “**Item**” doctype • Single selection • Mandatory • If the field is left empty, an error message will appear. • **Note:** ○ The field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
	Quantity	• Text input field • For entering the reconciliation quantity for this item. • Mandatory. • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is

		reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • It has a default value “**Zero**” • If the field is left empty an error message appears.
	Item Name	• Label field (read only) • It appears only based on the selected item code
	Item group	• Label field (read only) • It is displayed based on the selected item code
	Stock UOM	• Label field • Displays the default UOM of the selected item
	Valuation rate	• Text input field • Used to enter the item valuation rate that will be used to update the inventory value. • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
	Allow Zero valuation rate	• Checkbox • To allow zero valuation rate
	Amount	• Label field (read only)

		Pick Serial / batch No	• Button • Appears only when the “Activate Serial / Batch No for item” checkbox is enabled from Inventory settings • When clicked, the available Serial Numbers and Batches are automatically selected based on the picking method defined in Inventory Settings, such as FIFO, LIFO, or Expiry.
		Serial and Batch Bundle	• Searchable DDL • Link "**Serial and Batch Bundle**" doctype • To select serial and batch bundle related to this item • Single selection • Optional
		Current Serial / Batch Bundle	• Label field (read only) • It is displayed only after saving and shows the current bundle related to this transaction
		Use Serial No / Batch Fields	• Checkbox • When checked: ○ the "**Pick Serial / Batch No**" button and the "**Serial and Batch Bundle**" field are hidden ○ The "**Serial No**" and "**Batch No**" fields are displayed to allow manual entry of Serial Numbers and Batches.
		Reconcile All Serial Nos / Batches	• Checkbox • Is checked by default and (**Hidden**)
		Serial No	• Text area

			• To enter serial numbers manually • It appears only when "**Use Serial No / Batch No**" is checked • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered. • When a Serial Number is entered and the Enter key is pressed, a new line is created to allow entry of another Serial Number.
		Batch No	• Searchable DDL • Link "**Batch No**" doctype • To select Batch No related to this item and the selected warehouse. • Single selection • Optional • **Note:** When a batch is selected, the system does not automatically fetch its associated serial numbers into the Serial No field. Instead, the Serial No field remains empty, allowing the user to enter the serial numbers corresponding to the entered Quantity manually.
		Current Qty	• Label field (read only) • Based on the selected item and warehouse: ○ If the selected item has no batch and serial numbers

			■ The system displays the **Actual quantity** based on the selected warehouse in the Current Quantity column. ○ If the selected item has batch and serial numbers: ■ The **Batch No** column is displayed, and the current quantity is set to zero. ■ Once a batch is selected, the system retrieves the quantity available in that batch in the current quantity column.
		Current Amount	● Label field (read only) ● It displays the current Amount
		Current Valuation Rate	● Label field (read only) ● It displays the current valuation rate
		Current Serial No	● Label field (read only) ● It displays the current Serial No
		Quantity Difference	● Label field (read only) ● It displayed the quantity difference ● It's calculated based on: ○ **Quantity Difference = Quantity - Current Quantity**

Amount Difference	• Label field (read only) • It displayed the Amount difference
Difference Account	• Searchable DDL • Link “**Account**” doctype • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Cost Center	• Searchable DDL • Link "**Cost Center**” doctype • Used to specify the department or business unit that will bear the expense or receive the revenue. • Single selection • Optional
Project	• Searchable DDL • Link "**Project**” doctype • Used to link the transaction to a specific project. • Single selection • Optional

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Difference Account**
  - Searchable DDL
  - Link “**Account**” doctype
  - Single selection
  - Optional
  - **Note:**
    - When the selected Purpose is Opening Stock,
      - The Difference Account is automatically set to Temporary Opening - C.
    - When the selected Purpose is Stock Reconciliation,

- The Difference Account is automatically set to Stock Adjustment - C.
    - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Difference Amount**
    - Label field (read only)
    - It displayed the Amount difference
- **Amended From**
    - Label field
    - Displays the Stock Reconciliation from which this document was amended.
    - Clickable
    - When clicked, it navigates the user to the Stock Reconciliation from which this document was amended.
    - **Note:** This field is displayed only if this Stock Reconciliation is amended from another Stock Reconciliation
- **Cost Center**
    - Searchable DDL
    - Link "**Cost Center**" doctype
    - Used to specify the department or business unit that will bear the expense or receive the revenue.
    - Single selection
    - Optional
- **Fixed page Action**
    - **Fetch Items From Warehouse**
        - Button
        - Used to fetch items from warehouse
        - When clicked, a pop up appears containing the following fields:
            - **Warehouse**
                - Searchable DDL
                - Link "**Warehouse**" doctype
                - Displays only child warehouses where the "Is Group warehouse" option is disabled.
                - Single selection
                - Mandatory
                - If the field is left empty, an error message will appear.
            - **Item**
                - Searchable DDL
                - Link "**Item**" doctype
                - Single selection
                - Optional
                - **Note:**
                    - The field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
            - **Ignore Empty Stock**
                - Checkbox
                - When checked, the empty warehouses will be ignored.

- **Update**
  - Button
  - When clicked:
    - If both a warehouse and an item are selected:
      - the selected item and warehouse are successfully fetched and indeed to the items table.
    - If only a warehouse is selected:
      - The system fetches all items available in the selected warehouse and populate them in the items table

- **Save**
  - Button
  - When clicked,
    - If the user enters serial numbers that belong to different batches:
      - An error message appears "**You have entered serial numbers from multiple batches in the same row**"
    - If the selected item has a reservation, and the item has no batch or serial numbers:
      - If the quantity is greater than or equal to the reserved quantity :
        - The stock Reconciliation is successfully saved.
      - If the quantity is less than the reserved quantity:
        - An error message appears "**The entered quantity doesn't cover the reserved quantity, please cancel the reservation first or increase the quantity to cover the reserved quantity**"
    - If the selected item has a reservation, and the item has batch and serial numbers:
      - The system validates whether the entered serial numbers match the serial numbers of the reserved quantity:
        - If there are reserved serial numbers that are not included in the entered serial numbers, the system displays the following error message "**The entered serial numbers do not include all reserved serial numbers. Please cancel the reservation first or update the entered serial numbers to include the reserved quantity**."
        - If the reserved serial numbers are included in the entered serial numbers
          - The stock Reconciliation is successfully saved.
    - If all required data is entered correctly and completely:
      - The stock Reconciliation is successfully saved and not submitted.
      - And added to the Stock Reconciliation List and its status is **draft**

	● If incorrect or incomplete data is entered: ○ A validation error message is displayed for each invalid field. ○ **Submit** ■ Button ■ Appears only after clicking on the **save** button ■ When clicked, ● The Stock Reconciliation is successfully submitted ● And added to the stock Reconciliation List and its status is **Submitted** ● The reconciliation is performed on the selected batch. **The system does not create a new batch.** ● The system creates only **one Serial and Batch Bundle** using the selected batch and the serial numbers entered by the user. ○ If the entered quantity is greater than the current quantity: ■ The system creates a Serial and Batch Bundle and it's type set to "**Inward**" ○ If the entered quantity is less than the current quantity: ■ The system creates a Serial and Batch Bundle and it's type set to "**Outward**" ● A Stock Ledger Entry is created automatically. ● The BIN is updated ● The Stock quantity is updated ● The Stock Ledger is updated. ○ **Cancel** ■ It appears only when the Stock Reconciliation status = **Submitted** ■ When clicked, ● The Stock Reconciliation was canceled successfully. ● And it's status changes to "**Canceled**" ● And "**Cancel**" button changes to "**Amend**" ○ **Amend** ■ Button ■ It appears only when the Stock Reconciliation status = **cancelled**
Post Conditions	● The new Stock Reconciliation has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Stock Reconciliation Details

Use case ID	**3**
Use case Name	Stock Reconciliation Details
Descriptions	The user can view / edit the Stock Reconciliation details.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Stock Reconciliation** from sidebar • Click on "**Stock Reconciliation ID**" from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the Stock Reconciliation status is **Submitted** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are read-only and cannot be edited. ■ If the Stock Reconciliation status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the Stock Reconciliation data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Stock Reconciliation details) pages to provide a quick access to common functions: ○ **View** ■ DDL ■ It appears only after submitting the document. ■ It contains the following values: • **Stock Ledger** ○ Button ○ When clicked, the system navigates the user to "**Stock Ledger**" screen • **Serial / Batch Nos** ○ Button ○ When clicked, the system navigates the user to "**Serial and Batch Summary**" screen • **Accounting Ledger** ○ Button ○ When clicked, the system navigates the user to "**General Ledger**" screen ○ **Assign** ○ **Attachment** ○ **Tags**

	○ **Share** ○ **Print** ○ **Delete** ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Stock Reconciliation ● Upon clicking the “Yes” button: ○ If the Stock Reconciliation is Amended from other Stock Reconciliation ■ A warning message appears indicating that this Stock Reconciliation cannot be deleted until the user deletes all doctypes related to it. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ if the Stock Reconciliation is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Stock Reconciliation can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Stock Reconciliation isn’t linked to another doctype ■ The Stock Reconciliation is deleted successfully.
Post Conditions	● The Stock Reconciliation details has been successfully viewed