

Software Requirements Specifications (SRS)

SHAMEL Project (Selling Module)

Version: 1.0

Prepared by :

<Youlious Ramzy>

<Azzrk>

<28/6/2026>

Document Revisions **1**
Approvals **1**
Coupon Code **2**
Coupon Code List 2
Add Coupon Code 4
Coupon Code Details 6

Document Revisions

Date	**Version Number**	**Change reason**
28/6/2026	0.1	First version

Approvals

Role	Name	Signature	Date

Coupon Code

Coupon Code List

Use case ID	**1**
Use case Name	Coupon Code List
Descriptions	The user is able to view the list of Coupon Codes.
Pre conditions	• Click on **Selling** from sidebar • Click on **Coupon Code** from sidebar
Main Flow	-
Components	• **Add Coupon Code** ○ Button ○ For adding a new coupon Code ○ When clicked, the user will be redirected to the "Add Coupon Code" screen. • **Coupon codes List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ Coupon code ID • It displays the coupon code ID • Clickable • When clicked, the user is navigated to the "Coupon Code Details" screen. ■ Coupon Code name • It displays the coupon code name ■ Coupon Type • It displays the Coupon Code Type ○ It contains one of the following values: ■ Promotional ■ Gift type ■ Valid from • Displays the date from which the coupon becomes valid • **Note:** when a Coupon Code is selected , an action bar appears showing the following actions: ○ Edit ■ Button

	■ When clicked , a popup appears containing the following fields. ● **Field** ○ DDL ○ To select the field you want to edit ○ Link “**Coupon Code**” doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it’s input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Coupon Code ● Upon clicking the “Yes” button: ○ if the Coupon Code is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the coupon code can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the coupon code isn’t linked to another doctype ■ The coupon code is deleted successfully.
Post Conditions	● Ability to add and view coupon code details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Coupon Code

Use case ID	**2**
Use case Name	Add Coupon Code
Descriptions	The user can add a new coupon code.
Pre conditions	• Click on **Selling** from sidebar • Click on **Coupon Code** from sidebar • Click on "**Add Coupon Code**" button
Main Flow	-
Components	• **Coupon Name** ○ Text input field ○ For entering the coupon code name ○ Mandatory. ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if an invalid item name is entered. ○ If the field is left empty an error message appears. • **Coupon code** ○ Text input field ○ For adding a unique coupon code that customers enter to redeem the associated discount ○ Mandatory ○ Must be unique across the system ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters.

- Once the maximum limit is reached, further input will be prevented.
- If the entered text is less than the minimum length, an error message appears .
- If the field is left empty, an error message will appear.

- **From External Ecomm platform (Hidden)**
  - Checkbox
  - Indicates whether the coupon originates from an external e-commerce platform
  - **Note:** when checked, the “Pricing Rules” field is hidden
- **Coupon Type**
  - DDL
  - To select the type of coupon to be created.
  - It contains the following Values:
    - Promotional
    - Gift Card
  - Mandatory
  - Single selection
  - If the field is left empty an error message appears.
- **Customer**
  - Searchable DDL
  - Link “**Customer**” doctype
  - Single selection
  - Optional
  - **Note:**
    - It appears only when the Coupon Type = Gift Card
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Pricing Rule**
  - Searchable DDL
  - Link “**Pricing Rule**” doctype
  - To select the pricing rule that will be applied when the coupon is redeemed
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears.
  - **Note:**
    - Only pricing rules with the “Coupon Code Based” option enabled are displayed.
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Valid From**
  - Date calendar picker
  - Specifies the date from which the coupon becomes valid.
  - Optional
- **Valid To**
  - Date calendar picker
  - Specifies the expiration date of the coupon.
  - Optional

	○ **Note:** **Valid To** must be greater than **Valid From** ● **Maximum Use** ○ Text input field ○ Specifies the maximum number of times the coupon can be redeemed. ○ Optional ○ Accepts numbers only. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ If the entered text is less than the minimum length, an error message appears . ● **Used** ○ Label field (read only) ○ Displays the number of times the coupon has been redeemed through Sales Order. ● **Coupon Description** ○ Text area ○ To Provide an optional description or usage notes for the coupon. ○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ● **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: ● The coupon code is successfully added to the system ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The new coupon code has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Coupon Code Details

Use case ID	**3**
Use case Name	Coupon Code Details

Descriptions	The user can view / edit the Coupon Code details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Coupon Code** from sidebar • Click on "**Coupon Code ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Coupon Code details) pages to provide a quick access to common functions: ■ **Add / Edit Coupon Conditions** • Button • When clicked it navigates the user to "**Pricing Rule**" selected from the **pricing Rule** field to edit or view it. ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **Delete** • When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Coupon Code ○ Upon clicking the "Yes" button: ■ if the Coupon Code is linked to other transactions, • a message is displayed informing the user that the linked transactions must be deleted before the coupon code can be deleted. • The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the coupon code isn't linked to another doctype • The coupon code is deleted successfully.
Post Conditions	• The Coupon Code details has been successfully modified and saved • Entering incorrect or incomplete data will display the corresponding error message for each field.

Price List **0**
Price List 0
Add Price List 2
Price List Details 5

Price List

Price List

Use case ID	**1**
Use case Name	Price List
Descriptions	The user is able to view the Price List.
Pre conditions	• Click on **Selling** from sidebar • Click on **Price List** from sidebar
Main Flow	-
Components	• **Add Add Price List** ○ Button ○ For adding a new Price List ○ When clicked, the user will be redirected to the "Add Price List" screen. • **Price List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ ID • It displays the price list ID • Clickable • When clicked, the user is navigated to the "Price List Details" screen. ■ Status • It displays the Price list status • It displays one of the following values: ○ Enabled ○ Disabled

- Currency
  - It displays the price list Currency
- Buying
  - Checkbox label (read only)
  - Indicates whether this price list is for Buying or not.
- Selling
  - Checkbox label
  - Indicates whether this price list is for Selling or not.

- **Note:**
  - There is a system-defined Price Lists named "**Standard Selling**" and "**Standard Buying**" and can be edited or deleted.
  - when a price list is selected , an action bar appears showing the following actions:
  - Edit
    - Button
    - When clicked , a popup appears containing the following fields.
      - **Field**
        - DDL
        - To select the field you want to edit
        - Link "**Price List**" doctype
        - Single selection
        - Mandatory
      - **Value**
        - Dynamic field
        - Based on the selected option from the first dropdown field, the second field shall :
          - Dynamically change it's input type
          - Be marked as either mandatory
          - Or optional
          - Apply the corresponding validation rules
  - Export
  - Assign to
  - Clear assignment
  - Add tags
  - Print
  - Delete
    - When clicked,
      - A confirmation message is displayed to the user whether they want to delete this Price List
      - Upon clicking the "Yes" button:
        - if the Price List is linked to other transactions,
          - a message is displayed informing the user that the linked transactions must be deleted before the price list can be deleted.
          - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.
        - If the price list isn't linked to another doctype

	■ The price list is deleted successfully.
Post Conditions	● Ability to add and view price list details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Price List

Use case ID	**2**
Use case Name	Add Price List
Descriptions	The user can add a new Price List.
Pre conditions	● Click on **Selling** from sidebar ● Click on **Price List** from sidebar ● Click on "**Add Price List**" button
Main Flow	-
Components	● **Enabled** ○ Checkbox ○ Indicates whether the price list is active and available for use in transactions. ○ When checked, this price list can be used and will be available in transactions. ○ When unchecked, this price list cannot be used in new transactions ○ Note: it has a default value "**Enabled**" ● **Price List Name** ○ Text input field ○ For entering the price list name ○ Mandatory. ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if an invalid item name is entered. ○ If the field is left empty an error message appears. ● **Currency** ○ Searchable DDL ○ Link "**Currency**" doctype ○ To select the currency in which item prices are maintained ○ Single selection ○ Mandatory ○ If the field is left empty, an error message appears,

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Buying**
  - Checkbox
  - Indicates that the price list is intended for purchasing transactions.
  - When checked, this price list will be used in purchasing transactions
- **Selling**
  - Checkbox
  - Indicates that the price list is intended for selling transactions.
  - When checked, this price list will be used in selling transactions
- **Price Not UOM Dependent**
  - Checkbox
  - Determines whether the item's selling price is independent of the selected Unit of Measure (UOM).
  - When checked, the system uses the same selling price regardless of the selected UOM and does not recalculate the price based on the UOM conversion factor.
  - When unchecked, the selling price is automatically adjusted according to the selected UOM and its defined conversion factor.
- **Applicable for Countries**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Country**
      - Searchable DDL
      - Link "**Country**" doctype
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Setting**
      - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
          - Users can click and hold a column header , then drag and drop it into the desired position within the table.
        - Column width
          - Text input field
          - For entering or edit the column width
          - Accepts numbers only
          - Minimum length: 1 character.
          - Maximum length: 3 characters.
          - Default value = 3

- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Country

  - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Country	• Searchable DDL • Link “**Country**” doctype • Single selection • Mandatory

- **Add Row**
  - Button

	■ To add a new row in the table ■ When clicked, a new row is added to the table. • **Add / Edit Prices** ○ Button ○ to add, edit, or manage item prices for the selected price list ○ When clicked, it navigates the user to “Item Price” screen • **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: ● The Price List is successfully saved and added to the “Price List” ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	• The new price list has been added successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Price List Details

Use case ID	**3**
Use case Name	Price List Details
Descriptions	The user can view / edit the Price List details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Price List** from sidebar • Click on “**ID**” from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Price LIst details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **Delete** ● When clicked,

	○ A confirmation message is displayed to the user whether they want to delete this Price List ○ Upon clicking the “Yes” button: ■ if the Price List is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the price list can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the price list isn’t linked to another doctype ● The price list is deleted successfully.
Post Conditions	● The Price List data has been successfully modified and saved. ● Entering incorrect or incomplete data will display the corresponding error message for each field.

Item Price **0**
Item Price List 0
Add Item Price 2
Item Price Details 6

Item Price

Item Price List

Use case ID	**1**
Use case Name	Item Price
Descriptions	The user is able to view the list of item prices.
Pre conditions	● Click on **Selling** from sidebar ● Click on **Item Price** from sidebar
Main Flow	-
Components	● **Add Add Item Price** ○ Button ○ For adding a new Item Price ○ When clicked, the user will be redirected to the “Add Item Price” screen. ● **Item Price List** ○ **A table contain the following columns:** ■ Checkbox icon ● Multi selection ■ Item Name ● It displays the item name ■ Item Code ● It displays the item code ● Clickable ● When clicked, the user is navigated to the “Price List Details” screen. ■ Brand ● It displays the brand to which the item belongs ■ Price List

	● It displays the price list ■ Rate ● It displays the item price rate ■ Reference ● It displays the item price reference ● **Note:** ○ when a price list is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. ● **Field** ○ DDL ○ To select the field you want to edit ○ Link "**Item Price**" doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it's input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this item Price ● Upon clicking the "Yes" button: ○ if the Item Price is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Item Price can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Item Price isn't linked to another doctype ■ The Item Price is deleted successfully.
Post Conditions	● Ability to add and view Item Price details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Item Price

Use case ID	**2**
Use case Name	Add Item Price
Descriptions	The user can add a new Item Price.
Pre conditions	• Click on **Selling** from sidebar • Click on **Item Price** from sidebar • Click on "**Add Item Price**" button
Main Flow	-
Components	• **Item Code** ○ Searchable DDL ○ Link "**Item**" doctype ○ Single selection ○ Mandatory, ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Item Name** ○ Label field (read only) ○ It displays the item name based on the selected item code • **UOM** ○ Searchable DDL ○ Link "**UOM**" doctype ○ Single selection ○ Mandatory, ○ If the field is left empty, an error message will appear. ○ **Note:** ■ After selecting an item code, the UOM field displays the **UOM** of the selected item and it can be edited. ■ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Packing Unit** ○ Text input field ○ For entering the packaging unit to which the item price applies ○ Optional ○ Accepts integers and decimal numbers only. ○ Minimum length: 1 character. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. • **Brand**

- Label field (read only)
- It displays the Brand of the item based on the selected item code

- **Description**
  - Label field (read only)
  - It displays the item description based on the selected item code
- **Price List**
  - Searchable DDL
  - Link "**Price List**" doctype
  - Single selection
  - Mandatory,
  - If the field is left empty, an error message will appear.
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Supplier**
  - Searchable DDL
  - Link "**Supplier**" doctype
  - Single selection
  - Optional
  - **Note:**
    - It appears only when the **Price List** = **Standard Buying (Buying = 1)**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Customer**
  - Searchable DDL
  - Link "**Customer**" doctype
  - Single selection
  - Optional
  - **Note:**
    - It appears only when the **Price List** = **Standard Selling (Selling = 1)**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Buying**
  - Checkbox icon (read only)
  - **Note:**
    - The checkbox is automatically checked based on the selected Price List.
    - The checkbox value is automatically fetched from the selected Price List and cannot be changed manually
- **Selling**
  - Checkbox icon (read only)
  - **Note:**
    - The checkbox is automatically checked based on the selected Price List.
    - The checkbox value is automatically fetched from the selected Price List and cannot be changed manually
- **Batch No**
  - Searchable DDL
  - Link "**Batch**" doctype

- **Note:** only the batches associated with the selected item are displayed.
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Currency**
  - Label field (read only)
  - It displays the currency of the selected price list
- **Rate**
  - Text input field
  - For entering the item price rate
  - Mandatory.
  - Accepts integers and decimal numbers only.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - If the field is left empty an error message appears.
- **Valid From**
  - Date calendar picker
  - Specifies the date from which the item price becomes effective and can be applied in transactions.
  - Optional
  - It has a default value = **creation Date**
- **Valid Up To**
  - Date calendar picker
  - Specifies the last date on which the item price remains valid. The price is ignored after this date.
  - Optional
  - **Note:**
    - **Valid Up To** must be greater than **Valid From**
    - It's empty by default
    - When the field is left empty, it means there is no end date for this price
- **Lead Time In Days**
  - Text input field
  - To define the expected lead time required to supply the item when this price is used.
  - Optional
  - Accepts numbers only.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Note**
  - Text area
  - Allows users to enter additional remarks or internal notes related to the item price.

	○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ● **Reference (Hidden)** ○ Text input field ○ Stores a reference document or identifier associated with the item price for tracking purposes. ○ Optional ○ Accepts letters, numbers, and special characters. ● **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: ● The item Price is successfully saved and added to the "Item Price List" ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The new item price has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Item Price Details

Use case ID	**3**
Use case Name	Item Price Details
Descriptions	The user can view / edit the Item Price details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Price List** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Item Price details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **Delete** • When clicked, ○ A confirmation message is displayed to the user whether they want to delete this item Price ○ Upon clicking the "Yes" button: ■ if the Item Price is linked to other transactions, • a message is displayed informing the user that the linked transactions must be deleted before the Item Price can be deleted. • The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Item Price isn't linked to another doctype • The Item Price is deleted successfully.
Post Conditions	• The item price data has been successfully modified and saved. • Entering incorrect or incomplete data will display the corresponding error message for each field.

Customer Group **0**
Customer Group List 0
Add Customer Group 2
Customer Group Details 7

Customer Group

Customer Group List

Use case ID	**1**
Use case Name	Customer Groups List
Descriptions	The user is able to view the list of Customer Groups.
Pre conditions	• Click on **Selling** from sidebar • Click on **Customer Groups** from sidebar
Main Flow	-
Components	• **Add Customer Group** ○ Button ○ For adding a new Customer group ○ When clicked, the user will be redirected to the "Add Customer Group" screen. • **Customer Group List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ ID • It displays the customer group ID • Clickable • When clicked, the user is navigated to the "Customer Group Details" screen ■ Customer Group Name • It displays the customer group name ■ Parent Customer Group • It displays the parent customer group that include this customer group ■ Is Group • Checkbox label • It displays whether this customer group **Is Group** or not

	• **Note:** ○ There is a system-defined **parent Customer Group** named "**All Customer Groups**" that cannot be edited or deleted. ○ when an customer group is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. • **Field** ○ DDL ○ To select the field you want to edit ○ Link "**Customer Group**" doctype ○ Single selection ○ Mandatory • **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it's input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, • A confirmation message is displayed to the user whether they want to delete this Customer Group • Upon clicking the "Yes" button: ○ if the Customer Group is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Customer Group can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Customer Group isn't linked to another doctype ■ The Customer Group is deleted successfully.
Post Conditions	• Ability to add and view Customer Group details. • Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Customer Group

Use case ID	**2**
Use case Name	Add Customer Group
Descriptions	The user can add a new Customer group.
Pre conditions	• Click on **Selling** from sidebar • Click on **Customer Group** from sidebar • Click on "**Add Customer Group**" button
Main Flow	-
Components	• **Customer Group Name** ○ Text input field ○ For entering the Customer group name ○ Mandatory. ○ Has a unique value. ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if an invalid customer group name is entered. • **Default Price List** ○ Searchable DDL ○ Link "**Price List**" doctype ○ Single selection ○ Optional ○ **Note:** ■ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ○ **Note:** ■ When selected, any transaction created for a customer belonging to this customer group will automatically use this Price List by default. ■ The Price List can still be changed or overridden manually. • **Default Payment Terms template** ○ Searchable DDL ○ Link "**Payment Terms Template"** doctype ○ To define the default payment terms template that will be applied to transactions for customers in this group. ○ Single selection ○ Optional ○ **Note:** ■ the field shall be implemented as a searchable DDL (autocomplete),

allowing the user to search and select from a predefined list of values.

- **Note:**
  - When selected, any transaction created for a customer belonging to this customer group will automatically use this payment terms template by default.
  - The payment terms template can still be changed or overridden manually.

- **Parent customer Group**
  - Searchable DDL
  - Link "**Customer Group"** doctype
  - To select the parent customer group to organize customer groups in a hierarchical structure
  - It displays only the Customer Groups with the "**Is Group**" checkbox checked.
  - Single selection
  - Optional
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
  -
  - **Note:** if the field is left empty, the default value will be "**All Item Groups**"
- **Is Group**
  - Checkbox
  - If the user wants to make this customer group a **parent customer group**
  - Optional
  - When checked, this customer group will be a parent customer group used for organizing customer groups
- **Credit Limits**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Company**
      - Searchable DDL
      - Link "**Company**" doctype
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Credit Limit**
      - Text input field
      - To define the maximum outstanding credit amount allowed for customers belonging to the selected Customer Group.
      - **Note:**
        - During sales transactions, the system validates the customer's outstanding balance against this limit.
        - If the transaction causes the customer's total outstanding

amount to exceed the configured credit limit,
        - The system applies the configured credit control rules
    - Optional
    - Accepts numbers only.
    - Minimum length: 2 characters.
    - Maximum length: 100 characters.
    - Once the maximum limit is reached, further input will be prevented.
    - An error message will appear if the entered text is less than the minimum length.
    - **Example 1:**
        - Customer Group Credit Limit: **50,000 EGP**
        - Current Outstanding: **35,000 EGP**
        - New Sales Invoice: **10,000 EGP**
        - **Result:** Transaction is allowed because the total outstanding becomes **45,000 EGP**, which is within the credit limit.
    - **Example 2:**
        - Customer Group Credit Limit: **50,000 EGP**
        - Current Outstanding: **48,000 EGP**
        - New Sales Invoice: **10,000 EGP**
        - **Result:** Transaction exceeds the allowed credit limit (**58,000 EGP**) and the system blocks or warns the user according to the configured credit control settings.
- **Bypass Credit Limit Check At Sales Order**
    - Checkbox
    - Determines whether the system skips credit limit validation during Sales Order creation or submission.
    - When checked, Sales Orders can be created regardless of the customer's available credit limit.
    - **Example 1 (Checked):**
        - Customer Credit Limit: **50,000 EGP**
        - Current Outstanding: **48,000 EGP**
        - New Sales Order: **20,000 EGP**
        - **Result:** The Sales Order is created successfully because credit limit validation is bypassed at the Sales Order stage.
    - **Example 2 (Unchecked):**
        - Customer Credit Limit: **50,000 EGP**
        - Current Outstanding: **48,000 EGP**
        - New Sales Order: **20,000 EGP**
        - **Result:** The system blocks or warns the user because the Sales Order would cause the customer's total credit exposure to exceed the configured credit limit.
- **Setting**
    - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
            - Users can click and hold a column header , then

drag and drop it into the desired position within the table.

- Column width
  - Text input field
  - For entering or edit the column width
  - Accepts numbers only
  - Minimum length: 1 character.
  - Maximum length: 3 characters.
  - Default value = 3
- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Company
Credit Limit
Pypasss Credit Limit Check At Sales Order

  - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted
- **Edit Row**
  - Clickable icon

<table>
<tr>
<td></td>
<td>

Users can edit and view non displayed fields in the table.
When clicked , a pop up appears containing the following fields:

<table>
<tr><th>Field Name</th><th>Options</th></tr>
<tr><td>Company</td><td>Link “Company” doctype
Mandatory</td></tr>
<tr><td>Credit Limit</td><td>Text input field
To define the maximum credit amount allowed for customers in this group.</td></tr>
<tr><td>Pypasss Credit Limit Check At Sales Order</td><td>Checkbox
Allows Sales Orders to be created without enforcing the credit limit validation for this customer group.</td></tr>
</table>

Add Row

Button
To add a new row in the table
When clicked, a new row is added to the table.

Note: When creating a new Item, if no Item Defaults are provided, the system will fetch the default values from the associated Item Group. However, if Item Defaults are defined, they will override the Item Group defaults and be used for all subsequent transactions.

Save

Button
When clicked,

If all required data is entered correctly and completely:

The customer group is successfully added to the system

If incorrect or incomplete data is entered:

A validation error message is displayed for each invalid field.

</td>
</tr>
<tr>
<td>Post Conditions</td>
<td>

The new customer group has been added successfully
If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

</td>
</tr>
</table>

Customer Group Details

Use case ID	**3**
Use case Name	Customer Group Details
Descriptions	The user can view / edit the Customer Group details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Customer Group** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Accounts** ○ A table contain the following columns: ■ **Checkbox icon** • Multi selection ■ **No.** • Displays the ordering of items in the table ■ **Company** • Searchable DDL • Link "**Company**" doctype • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Default Account** • Searchable DDL • Link "**Account**" doctype • To select the default Accounts Receivable account used for customers in this customer group when posting sales transactions. • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Avance Account** • Searchable DDL • Link "**Account**" doctype • To select the account used to record customer advance payments received before the related sales invoice is created

- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

■ **Setting**

- When clicked, a pop up appears contains the following options :
  - Rearranging table columns using **drag** and **drop** functionality.
    - Users can click and hold a column header , then drag and drop it into the desired position within the table.
  - Column width
    - Text input field
    - For entering or edit the column width
    - Accepts numbers only
    - Minimum length: 1 character.
    - Maximum length: 3 characters.
    - Default value = 3
  - Add / Remove columns
    - Button
    - For adding or removing columns from the table
    - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
    - These columns are:

Column Name
Company
Default Account
Avance Account

    - Users can show or hide columns by selecting or deselecting the related checkbox.
  - “Update” button
    - Button
    - For save any changes or updates made by the user
    - When clicked, any modifications made by the user will be saved
  - “Reset to default” button
    - Button
    - To reset all modifications to their default values.

- When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	Options
Company	• Link "Company" doctype • Mandatory
Default Account	• Searchable DDL • Link "**Account**" doctype • To select the default Accounts Receivable account used for customers in this customer group when posting sales transactions.
Avance Account	• Searchable DDL • Link "**Account**" doctype • To select the account used to record customer advance payments received before the related sales invoice is created

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Fixed Page Actions**
  - The following action buttons are fixed and consistently displayed at the top of all (Customer group details) pages to provide a quick access to common functions:
    - **Open**
      - **Customers**
        - Button
        - Link "**Customer**" doctype
        - When clicked, the user is redirected to the "**Customers List**"

	screen, displaying **only the customers that belong to this customer Group**. ● **Customer Group Tree** ○ Button ○ When clicked, the system navigates to the Customer Group List, presented in a hierarchical **tree** structure that includes all parent and child customer Groups, and highlights the Customer Group that was previously opened in the details view. ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **(Delete) Button** ● When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Customer Group ○ Upon clicking the “Yes” button: ■ if the Customer Group is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the Customer Group can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Customer Group isn’t linked to another doctype ● The Customer Group is deleted successfully.
Post Conditions	● The customer group data has been successfully modified and saved. ● Entering incorrect or incomplete data will display the corresponding error message for each field.

Terms and Conditions

Terms and Conditions List

Use case ID	**1**
Use case Name	Terms and conditions List
Descriptions	The user is able to view the list of Terms and Conditions.
Pre conditions	• Click on **Selling** from sidebar • Click on **Terms and Conditions** from sidebar
Main Flow	-
Components	• **Add Terms and Conditions** ○ Button ○ For adding a new terms and conditions ○ When clicked, a pop up appears containing the following fields: ■ **Title** • Text input field • For entering the terms and conditions title • Mandatory. • Accepts letters and special characters. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if an invalid city name is entered. • If the field is left empty an error message appears. ■ **Copy Attachments to Transactions (Hidden)** • Checkbox • When enabled, all attachments linked to the Terms and Conditions are automatically copied to transactions using this terms and conditions. ■ **Selling** • Checkbox • Allows these terms and conditions to be used in Selling transactions. ■ **Buying** • Checkbox • Allows these terms and conditions to be used in Buying transactions.

- **HR**
  - Checkbox
  - Allows these terms and conditions to be used in HR documents.
- **Terms and conditions Description**
  - Text area
  - To define the terms and conditions text that will be automatically inserted into transactions using this template.
  - Optional
  - Accepts letters, numbers, and special characters.
  - Minimum length: 3 characters.
  - Maximum length: 500 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - An error message will appear if invalid data is entered.
- **Save**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The Terms and Conditions is successfully added to the system
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.

- **Terms and conditions List**
  - **A table contain the following columns:**
    - Checkbox icon
      - Multi selection
    - ID
      - It displays the terms and condition ID
      - Clickable
      - When clicked, a pop up appears containing the fields defined in the creation form to view or edit the terms and conditions, in addition to the following:
        - **Disabled**
          - Checkbox
          - When checked, it disables the Terms and Conditions template, preventing it from being selected in new transactions.
    - Status
      - Displays the terms and conditions status
      - It displays one of the following values:
      - Enabled
      - Disabled
    - Buying
      - Checkbox label

	● It displays whether this terms and conditions is used in Buying transactions or not ■ Selling ● Checkbox label ● It displays whether this terms and conditions is used in Selling transactions or not ● **Note:** ○ when a terms and conditions is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. ● **Field** ○ DDL ○ To select the field you want to edit ○ Link "**Terms and Conditions**" doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it's input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this terms and conditions ● Upon clicking the "Yes" button: ○ if the terms and conditions is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the terms and conditions can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the terms and conditions isn't linked to another doctype ■ The terms and conditions are deleted successfully.
Post	● Ability to add and view terms and conditions details.

Conditions	• Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete • If invalid or incomplete data is entered, the corresponding error message will appear for each field.

Territory.....**0**
Territory List.....0
Add Territory..... 2
Territory Details.....8

Territory

Territory List

Use case ID	**1**
Use case Name	Territory List
Descriptions	The user is able to view the list of Territories.
Pre conditions	• Click on **Selling** from sidebar • Click on **Territory** from sidebar
Main Flow	-
Components	• **Add Territory** ○ Button ○ For adding a new Territory ○ When clicked, the user will be redirected to the “Add Territory” screen. • **Territory List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ ID • It displays the Territory ID • Clickable • When clicked, the user is navigated to the “Territory Details” screen ■ Territory Name • It displays the territory name ■ Parent Territory • It displays the parent Territory that include this territory ■ Is Group • Checkbox label

	● It displays whether this Territory **Is Group** or not ■ Territory Manager ● It displays the Territory manager • **Note:** ○ There is a system-defined **parent Territory** named "**All Territories**" that cannot be edited or deleted. ○ when a territory is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. ● **Field** ○ DDL ○ To select the field you want to edit ○ Link "**Territory**" doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it's input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Territory ● Upon clicking the "Yes" button: ○ if the Territory is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Territory can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Territory isn't linked to another doctype ■ The Territory is deleted successfully.
Post Conditions	● Ability to add and view Territory details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Territory

Use case ID	**2**
Use case Name	Add Territory
Descriptions	The user can add a new Territory.
Pre conditions	• Click on **Selling** from sidebar • Click on **Territory** from sidebar • Click on "**Add Territory**" button
Main Flow	-
Components	• **Territory Name** ○ Text input field ○ For entering the territory name ○ Mandatory. ○ Has a unique value. ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ If the field is left empty an error message appears. • **Parent Territory** ○ Searchable DDL ○ Link "**Territory"** doctype ○ To select the parent Territory to organize territories in a hierarchical structure ○ It displays only Territories with the "**Is Group**" checkbox checked. ○ Single selection ○ Optional ○ **Note:** ■ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ○ **Note:** if the field is left empty, the default value will be "**All Territories**" • **Is Group** ○ Checkbox ○ If the user wants to make this Territory a **parent Territory** ○ Optional ○ When checked, this Territory will be a parent Territory used for organizing Territories. • **Territory Manager** ○ Searchable DDL ○ Link "**Employee"** doctype ○ To select the manager responsible for the territory for reference purposes

- Single selection
- Optional
- **Note:**
  - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
  - When a Territory Manager is selected, the system automatically displays the
    - **Full name + ID**

- **Territory Targets**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Item Group**
      - Searchable DDL
      - Link "**Item Group**" doctype
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Fiscal Year**
      - Searchable DDL
      - Link "**Fiscal Year**" doctype
      - To select the fiscal year for which the target is defined
      - Single selection
      - Mandatory
      - If the field is left empty an error message appears
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Target Qty**
      - Text input field
      - To enter the target sales quantity for the selected fiscal year
      - Optional
      - Accepts numbers only.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.
    - **Target Amount**
      - Text input field
      - To enter the target sales amount for the selected fiscal year
      - Optional
      - Accepts integers and decimal numbers only.

- Minimum length: 2 characters.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

- **Target Distribution**
  - Searchable DDL
  - Link “**Monthly Distribution**” doctype
  - To select the distribution template used to allocate the annual sales target across the fiscal periods
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Item Group
Fiscal year
Target Qty

Target Amount
Target Distribution

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be deleted
- **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Item Group	• Searchable DDL • Link “**Item Group**” doctype • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Fiscal year	• Searchable DDL • Link “**Fiscal Year**” doctype • To select the fiscal year for which the target is defined

			• Single selection • Mandatory • If the field is left empty an error message appears • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
		Target Qty	• Text input field • To enter the target sales quantity for the selected fiscal year • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
		Target Amount	• Text input field • To enter the target sales amount for the selected fiscal year • Optional • Accepts integers and decimal numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
		Target Distribution	• Searchable DDL • Link “**Monthly Distribution**” doctype • To select the distribution template used to allocate the

	<table><tr><td></td><td>annual sales target across the fiscal periods • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.</td></tr></table> ○ **Add Row** ■ Button ■ To add a new row in the table ■ When clicked, a new row is added to the table. • **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: • The Territory is successfully saved and added to the Territory List ■ If incorrect or incomplete data is entered: • A validation error message is displayed for each invalid field.
Post Conditions	• The new Territory has been added successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Territory Details

Use case ID	**3**
Use case Name	Territory Details
Descriptions	The user can view / edit the Territory details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Territory** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users

	to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Territory details) pages to provide a quick access to common functions: ▪ **Open** • **Territory Tree** ○ Button ○ When clicked, the system navigates to the Territory List, presented in a hierarchical **tree** structure that includes all parent and child Territories, and highlights the Territory that was previously opened in the details view. ▪ **Assign** ▪ **Attachment** ▪ **Tags** ▪ **Share** ▪ **Print** ▪ **(Delete) Button** • When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Territory ○ Upon clicking the “Yes” button: ▪ if the Territory is linked to other transactions, • a message is displayed informing the user that the linked transactions must be deleted before the Territory can be deleted. • The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ▪ If the Territory isn’t linked to another doctype • The Territory is deleted successfully.
Post Conditions	• The Territory data has been successfully modified and saved. • Entering incorrect or incomplete data will display the corresponding error message for each field.

Address **0**
Address List 0
Add Address 2
Address Details 10

Address

Address List

Use case ID	**1**
Use case Name	Address List
Descriptions	The user is able to view the list of Addresses.
Pre conditions	• Click on **Selling** from sidebar • Click on **Address** from sidebar
Main Flow	-
Components	• **Add Address** ○ Button ○ For adding a new Address ○ When clicked, the user will be redirected to the "Add Address" screen. • **Addresses List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ Address ID • It displays the Address ID • Clickable • When clicked, the user is navigated to the "Address Details" screen ■ Status • Displays one of the following values: ○ Enabled ○ Disabled ■ City / Town • It displays the city or town of the address ○ when an address is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields.

	• **Field** ○ DDL ○ To select the field you want to edit ○ Link “**Address**” doctype ○ Single selection ○ Mandatory • **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it’s input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules • **Update (button)** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: • The address is successfully updated. ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, • A confirmation message is displayed to the user whether they want to delete this Address • Upon clicking the “Yes” button: ○ if the Address is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Address can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Address isn’t linked to another doctype ■ The Address was deleted successfully.
Post Conditions	• Ability to add and view Address details. • Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Address

Use case ID	**2**
Use case Name	Add Address
Descriptions	The user can add a new Address.
Pre conditions	• Click on **Selling** from sidebar • Click on **Address** from sidebar • Click on "**Add Address**" button
Main Flow	-
Components	• **Address Title** ○ Text input field ○ For adding a unique name used to identify the address within the system . ○ Mandatory ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ○ If the field is left empty an error message appears. • **Address Type** ○ DDl ○ To select the type or the purpose of the address ○ It contains the following values: ■ Home ■ Postal ■ Office ■ Billing ■ Shipping ○ Single selection ○ Mandatory ○ If the field is left empty an error message appears. • **Address Description (Address Line 1)** ○ Text input field ○ For adding the address description ○ Mandatory ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented.

- An error message will appear if the entered text is less than the minimum length.
- An error message will appear if invalid data is entered.
- If the field is left empty an error message appears.

- **Address Line 2**
  - Text input field
  - For adding the primary address line 1 (street) .
  - Optional
  - Accepts letters, numbers, and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - An error message will appear if invalid data is entered.
- **Country**
  - Searchable DDL
  - Link "**country**" doctype
  - Single selection
  - Optional
  - If the field is left empty an error message appears.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Governorate**
  - Searchable DDL
  - Link "**Governorate**" doctype
  - It displays all governorates associated with the selected country
  - Single selection
  - Optional
  - If the field is left empty an error message appears.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **City / Town**
  - Searchable DDL
  - Link "**City**" doctype
  - It displays all cities associated with the selected governorate
  - Single selection
  - Optional
  - If the field is left empty an error message appears.
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Postal Code**
  - Text input field
  - For adding the postal or ZIP code of the address.
  - Optional
  - Accepts letters, numbers, and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.

- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- An error message will appear if invalid data is entered.

- **Email Address (Hidden)**
  - Text input field
  - For adding the email address associated with this address
  - Optional
  - Accepts a valid email address format.
  - Accepts letters, numbers, and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - An error message will appear if invalid data is entered.
- **Phone (Hidden)**
  - It consists of the following:
    - **Country code**
      - DDL displaying the dialing code and country name for all countries.
      - When a country is selected, its dialing code is displayed next to the mobile number field.
    - **Phone number**
      - Text input field.
      - Optional .
      - Must be unique across the system.
      - If an invalid mobile number is entered, the following error message is displayed:
        "Invalid mobile number."
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.
- **Fax**
  - Text input field
  - For adding the fax number associated with the address
  - Optional
  - Accepts letters, numbers, and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - An error message will appear if invalid data is entered.
- **Tax Category**
  - Searchable DDL
  - Link “**Tax Category**” doctype
  - To select the tax category associated with this address for tax calculation purposes
  - Single selection

- Optional
- **Note:**
  - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Is Primary Address**
  - Checkbox
  - In case the user wants to mark this address as a primary address.
  - **Note:** it's automatically checked when creating an address for the first time to the selected Document Type. The user can uncheck it if needed."
- **Preferred Billing Address**
  - Checkbox
  - In case the user wants to mark this address as the default billing address for the linked record.
- **Preferred Shipping Address**
  - Checkbox
  - In case the user wants to mark this address as the default shipping address for the linked record.
- **Note:**
  - when the user selects "**Is Primary Address**", "**Preferred Billing Address**", or "**Preferred Shipping Address**" and clicks **Save**,
    - The system shall ensure that only **one** address for the same **linked document** can have each of these options enabled.
  - If another address linked to the same document already has the selected option enabled, the system shall automatically **remove the check from that address** and **apply it only to the currently saved address**.
- **Disabled**
  - Checkbox
  - In case this Address becomes inactive in the system
  - **Note:**
    - It appears only after clicking on the "**Save**" button.
    - Disables the address, preventing it from being selected in future transactions.
    - The disabled address will still appear in reports and historical transactions, but it cannot be used in the future.
- **Reference**
  - It contains the following fields:
    - **Is Your Company Address**
      - Checkbox
      - In case this address belongs to the company rather than an external party
      - Optional
      - **Note:** when checked, the system automatically sets the Link Document Type field to **Company** and removes any existing rows from the Links table, if any.
    - **Links**
      - A table contain the following columns:
        - **Checkbox icon**

- Multi selection

- **No.**
  - Displays the ordering of items in the table
- **Link Document Type**
  - Searchable DDL
  - Link "**Doctype**"
  - To select the type of document to which the address is linked
  - It displays the following Doctypes only:
    - **Lead**
    - **Opportunity**
    - **Customer**
    - **Company**
    - **Bank**
    - **Supplier**
    - **Warehouse**
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears.
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Link Name**
  - Searchable DDL
  - Link "**Doctype**"
  - To select the specific document that owns this address.
  - **Note:** it displays the documents based on the Doctype selected in the "Link Document Type" field
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears.
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Link Title**
  - Label field (read only)
  - Displays a descriptive title for the linked document.
- **Setting**
  - When clicked, a pop up appears contains the

following options :

- Rearranging table columns using **drag** and **drop** functionality.
    - Users can click and hold a column header , then drag and drop it into the desired position within the table.
- Column width
    - Text input field
    - For entering or edit the column width
    - Accepts numbers only
    - Minimum length: 1 character.
    - Maximum length: 3 characters.
    - Default value = 3
- Add / Remove columns
    - Button
    - For adding or removing columns from the table
    - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
    - These columns are:

Column Name
Link Document Type
Link Name
Link Title

    - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
    - Button
    - For save any changes or updates made by the user
    - When clicked, any modifications made by the user will be saved
- “Reset to default” button
    - Button
    - To reset all modifications to their default values.
    - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when an Item is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected row(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Link Document Type	• Searchable DDL • Link "**Doctype**" • To select the type of document to which the address is linked • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** ○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Link Name	• Searchable DDL • Link "**Doctype**" • To select the specific document that owns this address. • **Note:** it displays the documents based on the Doctype selected in the "Link Document Type" field • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** ○ the field shall be

<table>
<tr><td></td><td>
<table>
<tr><td></td><td>implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.</td></tr>
<tr><td>Link Title</td><td>• Label field (read only)
• Displays a descriptive title for the linked document.</td></tr>
</table>

Add Row

Button
To add a new row in the table
When clicked, a new row is added to the table.

Save

Button
When clicked,

If all required data is entered correctly and completely:

The Address is successfully saved
And added to the Address List and its status is Enabled

If incorrect or incomplete data is entered:

A validation error message is displayed for each invalid field.

</td></tr>
<tr><td>Post Conditions</td><td>• The new Address has been added successfully
• If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.</td></tr>
</table>

Address Details

Use case ID	**3**

Use case Name	Address Details
Descriptions	The user can view / edit the Address details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Address** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Address details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **(Delete) Button** • When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Address ○ Upon clicking the "Yes" button: ■ if the Address is linked to other transactions, • a message is displayed informing the user that the linked transactions must be deleted before the Address can be deleted. • The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Address isn't linked to another doctype • The Address was deleted successfully.
Post Conditions	• The Address data has been successfully modified and saved. • Entering incorrect or incomplete data will display the corresponding error message for each field.

Contact **0**
Contact List 0
Add Contact 2
Contact Details 14

Contact

Contact List

Use case ID	**1**
Use case Name	Contact List
Descriptions	The user is able to view the list of contacts.
Pre conditions	• Click on **Selling** from sidebar • Click on **Contact** from sidebar
Main Flow	-
Components	• **Add Contact** ○ Button ○ For adding a new contact ○ When clicked, the user will be redirected to the "Add Contact" screen. • **Contacts List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ ID • It displays the contact ID • Clickable • When clicked, the user is navigated to the "Contact Details" screen ■ Name • Displays the contact Name ■ Email Address • Displays the contact Email Address ■ Phone • Displays the phone of the contact • **Note:** ○ There is a system-defined Contact that is automatically created when the user creates a new company.

	○ when a contact is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. ● **Field** ○ DDL ○ To select the field you want to edit ○ Link "**Contact**" doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it's input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Contact ● Upon clicking the "Yes" button: ○ if the Contact is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Contact can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Contact isn't linked to another doctype ■ The Contact was deleted successfully.
Post Conditions	● Ability to add and view Contact details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Contact

Use case ID	**2**
Use case Name	Add Contact
Descriptions	The user can add a new contact.
Pre conditions	• Click on **Selling** from sidebar • Click on **Contact** from sidebar • Click on "**Add Contact**" button
Main Flow	-
Components	• **First Name** ○ Text input field ○ For entering the contact first name ○ Mandatory. ○ Has a unique value. ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ If the field is left empty an error message appears. • **Last Name** ○ Text input field ○ For entering the contact first name ○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. • **Full Name** ○ Label field (read only) ○ It displays the contact full name (First name + Last Name) • **Address (Hidden)** ○ Searchable DDL ○ Link "**Address**" doctype ○ Optional ○ Single Selection ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Company** ○ Searchable DDL

- Link “**Company**” doctype
- Optional
- Single Selection
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Gender**
  - DDL
  - To select the gender of the contact
  - It contains the following values:
    - Male
    - Female
  - Single selection
  - Optional
- **Contact Details**
  - It contains the following fields:
    - **Email IDs**
      - A table contain the following columns:
        - **Checkbox icon**
          - Multi selection
        - **No.**
          - Displays the ordering of items in the table
        - **Email ID**
          - Text input field.
          - To enter the contact email ID.
          - Mandatory
          - Must accept a valid email address format.
          - Must be unique across the system.
          - Maximum length: 100 characters.
          - Once the maximum length is reached, further input is prevented.
          - If an invalid email address format is entered, the following error message is displayed
          - If the field is left empty an error message appears.
        - **Is primary**
          - Checkbox
          - In case the user wants to mark this Email ID as a primary Email ID.
          - **Note:**
            - only one Email can be marked as primary per contact, even if multiple email addresses exist in the Email IDs table
            - At least one Email ID must be marked as primary.
        - **Setting**
          - When clicked, a pop up appears contains the following options :
            - Rearranging table columns using **drag** and

drop functionality.
    - Users can click and hold a column header , then drag and drop it into the desired position within the table.
- Column width
    - Text input field
    - For entering or edit the column width
    - Accepts numbers only
    - Minimum length: 1 character.
    - Maximum length: 3 characters.
    - Default value = 3
- Add / Remove columns
    - Button
    - For adding or removing columns from the table
    - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
    - These columns are:

Column Name
Email ID
Is Primary

    - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
    - Button
    - For save any changes or updates made by the user
    - When clicked, any modifications made by the user will be saved
- “Reset to default” button
    - Button
    - To reset all modifications to their default values.
    - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button

- To delete a specific row or multiple rows
- When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Email ID	• Text input field. • To enter the contact email ID. • Mandatory • Must accept a valid email address format. • Must be unique across the system. • Maximum length: 100 characters. • Once the maximum length is reached, further input is prevented. • If an invalid email address format is entered, the following error message is displayed • If the field is left empty an error message appears.
Is Primary	• Checkbox • In case the user wants to mark this Email ID as a primary Email ID.

- **Add row**
  - Button
  - To add a new contact (row) in the table
  - When clicked, a new row is added to the table.

■ **Contact Numbers**

- A table contain the following columns:
  - **Checkbox icon**
    - Multi selection
  - **No.**
    - Displays the ordering of items in the table
  - **Number**

- It consists of the following:
  - **Country code**
    - DDL displaying the dialing code and country name for all countries.
    - When a country is selected, its dialing code is displayed next to the mobile number field.
  - **Phone number**
    - Text input field.
    - Mandatory.
    - Must be unique across the system.
    - If left empty, the following error message is displayed:
      "This field is required. Please enter a mobile number."
    - If an invalid mobile number is entered, the following error message is displayed:
      "Invalid mobile number."
    - Minimum length: 2 characters.
    - Maximum length: 100 characters.
    - Once the maximum limit is reached, further input will be prevented.
    - An error message will appear if the entered text is less than the minimum length.

- **Contact type**
  - DDL
  - For selecting the contact type
  - It contains the following:
    - Default
    - Mobile
    - Home
    - Work
    - Fax
  - Single selection
  - Optional
- **Is Primary Phone**
  - Checkbox
  - In case the user wants to mark this contact as a primary phone.
  - **Note:**
    - only one number can be marked as primary per contact, even if multiple numbers exist in the contact numbers table
    - At least one number must be marked as primary.

- **Is Primary Mobile (Hidden)**
  - Checkbox
  - In case the user wants to mark this contact as a primary mobile.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Number
Contact type
Is Primary Phone

      - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
      - Button
      - For save any changes or updates made by the user
      - When clicked, any modifications made by the user will be saved
    - “Reset to default” button

- Button
- To reset all modifications to their default values.
- When clicked, any modifications made by the user will be reset to their default values.

- **Note:**
  - when a row is selected , an action bar appears showing the following actions:
    - Delete row
      - Button
      - To delete a specific row or multiple rows
      - When clicked, the selected row(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Number	• It consists of the following: ○ **Country code** ■ DDL displaying the dialing code and country name for all countries. ■ When a country is selected, its dialing code is displayed next to the mobile number field. ○ **Phone number** ■ Text input field. ■ Mandatory. ■ Must be unique across the system. ■ If left empty, the following error message is displayed: **"This field is**

		required. Please enter a mobile number." ■ If an invalid mobile number is entered, the following error message is displayed: **"Invalid mobile number."** ■ Minimum length: 2 characters. ■ Maximum length: 100 characters. ■ Once the maximum limit is reached, further input will be prevented. ■ An error message will appear if the entered text is less than the minimum length.
	Contact type	● DDL ● For selecting the contact type ● It contains the following: ○ Default ○ Mobile ○ Home ○ Work ○ Fax ● Single selection ● Optional
	Is Primary Phone	● Checkbox ● In case the user wants to mark this contact as a primary phone.

- **Add address**
  - Button

- To add a new address (row) in the table
- When clicked, a new row is added to the table.

- **Reference**
  - It contains the following fields
    - **Is Your Company Contact**
      - Checkbox
      - In case this contact belongs to the company rather than an external party
      - Optional
      - **Note:** when checked, the system automatically sets the Link Document Type field to **Company** and removes any existing rows from the Links table, if any.
    - **Links**
      - A table contain the following columns:
        - **Checkbox icon**
          - Multi selection
        - **No.**
          - Displays the ordering of items in the table
        - **Link Document Type**
          - Searchable DDL
          - Link "**Doctype**"
          - To select the type of document to which the contact is linked
          - Single selection
          - Mandatory
          - If the field is left empty an error message appears.
          - **Note:**
            - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
        - **Link Name**
          - Searchable DDL
          - Link "**Doctype**"
          - To select the specific document that owns this contact.
          - **Note:** it displays the documents based on the Doctype selected in the "Link Document Type" field
          - Single selection
          - Mandatory
          - If the field is left empty an error message appears.
          - **Note:**
            - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
        - **Link Title**

- Label field (read only)
- Displays a descriptive title for the linked document.

- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Link Document Type
Link Name
Link Title

      - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
      - Button
      - For save any changes or updates made by the user
      - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
      - Button
      - To reset all modifications to their

default values.
    - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when an Item is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected row(s) will be deleted

- **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Link Document Type	• Searchable DDL • Link "**Doctype**" • To select the type of document to which the contact is linked • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** ○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Link Name	• Searchable DDL • Link "**Doctype**" • To select the specific document that owns this contact. • **Note:** it displays the documents based on the Doctype selected in the "Link Document Type" field • Single selection • Mandatory

	• If the field is left empty an error message appears. • **Note:** ○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Link Title	• Label field (read only) • Displays a descriptive title for the linked document.

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

■ **Is Primary Contact**
- Checkbox
- In case the user wants to mark this contact as a primary contact.
- **Note:** it's automatically checked when creating a contact for the first time to the selected Document Type.

■ **Is Billing Contact**
- Checkbox
- In case the user wants to mark this contact as a billing contact

■ **Is Shipping Contact**
- Checkbox
- In case the user wants to mark this contact as the default shipping contact.

■ **Note:**
- when the user selects "**Is Primary Contact**", "**Is Billing Contact**", or "**Is Shipping Contact**" and clicks **Save**,
  - The system shall ensure that only **one** contact for the same **Linked Document** can have each of these options enabled.
- If another contact linked to the same document already has the selected option enabled, the system shall automatically **remove the check from that contact** and **apply it only to the currently saved contact**.

■ **Disabled**
- Checkbox
- In case this contact becomes inactive in the system
- **Note:**

        - It appears only after clicking on the “**Save**” button.
        - Disables the contact, preventing it from being selected in future transactions.
        - The disabled contact will still appear in reports and historical transactions, but it cannot be used in the future.
    - **Note:** when the user check the Disabled option for a contact that is marked as Primary Contact
        - The system shall display an error message indicating that a Primary Contact cannot be disabled.
        - The user must first designate another contact as the Primary Contact or uncheck the “Is Primary Contact” field for the same Link Document Type before disabling the current contact.
- **Department**
    - Text input field
    - For entering the department to which the contact belongs within the associated company or organization
    - Optional
    - Accepts letters, numbers, and special characters.
    - Minimum length: 2 characters.
    - Maximum length: 100 characters.
    - Once the maximum limit is reached, further input will be prevented.
    - An error message will appear if the entered text is less than the minimum length.
- **Unsubscribed**
    - Checkbox
    - Indicates whether the contact has opted out of receiving email communications from the system.
- **Save**
    - Button
    - When clicked,
        - If all required data is entered correctly and completely:
            - The contact is successfully saved and added to the “Contact List”
        - If incorrect or incomplete data is entered:
            - A validation error message is displayed for each invalid field.
        - When the user unchecks the **Is Primary Contact** option and clicks **Save**:
            - **If another contact exists for the same Link Document Type,**
                - The system shall display an error message indicating that at least one contact must be marked as Primary for that Link Document Type.
            - **If no other contact exists for the same Link Document Type,**
                - The system shall display an error message indicating that the Is Primary option cannot be unchecked.
            - **Validation Rule:**
                - **At least one contact must always be marked as Primary for each Link Document Type.**
        - When the user unchecks the **Is Billing Contact** or **Is Shipping Contact** options and clicks **Save**:

	• No error message appears.
Post Conditions	• The new contact has been added successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Contact Details

Use case ID	**3**
Use case Name	Contact Details
Descriptions	The user can view / edit the contact details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Contact** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Contact details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **(Delete) Button** • When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Contact ○ Upon clicking the "Yes" button: ■ if the Contact is linked to other transactions, • a message is displayed informing the user that the linked transactions must be deleted before the Contact can be deleted. • The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Contact isn't linked to another doctype • The Contact was deleted successfully.

Post Conditions	• The Contact data has been successfully modified and saved. • Entering incorrect or incomplete data will display the corresponding error message for each field.

Sales Taxes and Charges Template **0**
Sales Taxes and Charges Template List 0
Add Sales Taxes and Charges Template 2
Sales Taxes and Charges Template Details 10

Sales Taxes and Charges Template

Sales Taxes and Charges Template List

Use case ID	**1**
Use case Name	Sales Taxes and Charges Template List
Descriptions	The user is able to view the list of Sales Taxes and Charges Templates.
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Taxes and Charges Template** from sidebar
Main Flow	-
Components	• **Add Sales Taxes and Charges Template** ○ Button ○ For adding a new Sales Taxes and Charges Template ○ When clicked, the user will be redirected to the "Add Sales Taxes and Charges Template" screen. • **Sales Taxes and Charges Templates List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ ID • It displays the Sales Taxes and Charges Template ID • Clickable • When clicked, the user is navigated to the "Sales Taxes and Charges Template Details" screen ■ Status • Displays one of the following values: ○ Enabled ○ Disabled ■ Default • Checkbox icon (read only) • It displays whether this template will be used as the default sales taxes and charges template for the selected company.

- Disabled
  - Checkbox icon (read only)
  - Indicates whether the template is disabled and unavailable for selection in new transactions.
- Company
  - Displays the company to which the sales taxes and charges template belongs

- **Note:**
  - when a sales taxes and charges template is selected , an action bar appears showing the following actions:
  - Edit
    - Button
    - When clicked , a popup appears containing the following fields.
      - **Field**
        - DDL
        - To select the field you want to edit
        - Link "**Sales Taxes and Charges Template**" doctype
        - Single selection
        - Mandatory
      - **Value**
        - Dynamic field
        - Based on the selected option from the first dropdown field, the second field shall :
          - Dynamically change it's input type
          - Be marked as either mandatory
          - Or optional
          - Apply the corresponding validation rules
  - Export
  - Assign to
  - Clear assignment
  - Add tags
  - Print
  - Delete
    - Delete
      - When clicked,
        - A confirmation message is displayed to the user whether they want to delete this sales taxes and charges template
        - Upon clicking the "Yes" button:
          - if the sales taxes and charges template is linked to other transactions,
            - a message is displayed informing the user that the linked transactions must be deleted before the sales taxes and charges template can be deleted.
            - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.

	■ If the sales taxes and charges template isn't linked to another doctype ● The sales taxes and charges template is deleted successfully.
Post Conditions	● Ability to add and view sales taxes and charges template details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Sales Taxes and Charges Template

Use case ID	**2**
Use case Name	Add sales taxes and charges template
Descriptions	The user can add a new Sales taxes and charges template.
Pre conditions	● Click on **Selling** from sidebar ● Click on **Sales Taxes and Charges Template** from sidebar ● Click on "**Add Sales Taxes and Charges Template**" button
Main Flow	-
Components	● **Title** ○ Text input field ○ For entering the sales taxes and charges template title ○ Mandatory. ○ Accepts letters, numbers, and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ If the field is left empty an error message appears. ● **Company** ○ Searchable DDL ○ Link "**Company**" doctype ○ To select the company for which the sales taxes and charges template will be recorded ○ Single selection ○ Mandatory ○ If the field is left empty an error message appears. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Default** ○ Checkbox

- Indicates whether this template will be used as the default sales taxes and charges template for the selected company.

- **Disabled**
  - Checkbox
  - Indicates whether the template is disabled and unavailable for selection in new transactions.
- **Tax Category**
  - Searchable DDL
  - Link "**Tax Category**" doctype
  - To select the tax category associated with this template for automatic tax selection
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Sales Taxes and Charges**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Mode**
      - DDL
      - To select the calculation method used to determine the tax or charge amount
      - It contains the following values:
        - Empty
        - Actual
        - On Net Total
        - On Previous Row Amount
        - On Previous Row Total
        - On Item Quantity
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
    - **Account Head**
      - Searchable DDL
      - Link "**Accounts**" doctype
      - It displays all accounts with report type equal "**Profit & Loss**"
      - To select an account head
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:**
        - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Tax Rate**

- Text input field.
- To enter the tax percentage used to calculate the tax amount when applicable
- optional .
- Accept numbers only.
- Maximum length: 100 characters.
- Once the maximum length is reached, further input is prevented.

- **Net Amount** Currency
  - Label field
  - Displays the net amount used as the basis for the tax calculation
- **Amount** Currency
  - Text input field.
  - To enter the calculated tax or charge amount for the current row
  - optional .
  - Accept numbers only.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
- **Total** Currency
  - Label field
  - Displays the running total after applying the current tax or charge.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name

Mode

Account Head

Tax Rate

Net Amount

Amount

Total

Reference Row #

Description

Is this Tax included in Basic Rate?

Considered In Paid Amount

Is Tax Withholding Account

Cost Center

Project

Account Currency

Tax Amount After Discount Amount

Net Amount (Company Currency)

Amount (Company Currency)

Total (Company Currency)

Tax Amount After Discount Amount (Company Currency)

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when an Item is selected , an action bar appears showing the following actions:

- Delete row
  - Button
  - To delete a specific row or multiple rows
  - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Mode	• DDL • To select the sales taxes type • It contains the following values: ○ Actual ○ On Net Total ○ On Previous Row Amount ○ On Previous Row Total ○ On Item Quantity • Single selection • Mandatory
Reference Row	• Text input field • Used to enter the reference row • **Note:** This field appears only when more than one tax is added and the tax type is set to On Previous Row Amount or On Previous Row Total. The system automatically populates the Reference Row field with the row number immediately preceding the current row.
Account Head	• Searchable DDL • Link "**Accounts**" doctype • To select an account head • Single selection • Mandatory
Description	• Text area • For adding a description Optional • Accepts letters, numbers, and

			special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
		Is this Tax Included In Basic Rate ?	• Checkbox • If checked, this tax amount will be considered as already included in Print Rate / Print Amount
		Considered In Paid Amount	• Checkbox • If checked, this tax amount will be considered as already included in the paid Amount in Paid Entry
		Set by Item Tax Template	• Checkbox icon (read only) • It appears only in case this tax set be item tax template
		Is tax withholding Account	• Checkbox icon (read only) • It appears only in case this tax is tax withholding Account
		Cost Center	• Searchable DDL • Link "**Cost Center**" doctype • Used to specify the department or business unit that will bear the expense or receive the revenue. • Single selection • Optional
		Project	• Searchable DDL • Link "**Project**" doctype • Used to link the transaction to a

	specific project. • Single selection • Optional
Tax Rate	• Text input field. • To enter the tax rate • optional . • Accept numbers only.
Account Currency	• Label field • Displays the Account Currency
Net Amount (Currency)	• Label field • Displays the Net Amount Currency
Amount (Currency)	• Label field • Displays the Amount Currency
Total (Currency)	• Label field • Displays the Total Currency
Tax Amount After Discount Amount	• Label field • Displays the tax Amount After Discount Amount
Net Amount (Company's base currency)	• Label field • Displays the Net Amount (Company's base currency)
Amount (Company's base currency)	• Label field • Displays the Amount (Company's base currency)
Total (Company's base currency)	• Label field • Displays the Total (Company's base currency)
Tax Amount After Discount Amount (company's base currency)	• Label field • Displays the tax Amount After Discount Amount (Company's base currency)
Don't Recompute Tax	• Checkbox icon (read only) • It displays that the system will not automatically recompute the

<table>
<tr>
<td></td>
<td>
<table>
<tr><td></td><td>tax amount for this row during tax recalculations.</td></tr>
</table>

■ Add Row

Button
To add a new row in the table
When clicked, a new row is added to the table.

Save

Button
When clicked,

■ If all required data is entered correctly and completely:

The sales Taxes and Charges Template is successfully saved

■ If incorrect or incomplete data is entered:

A validation error message is displayed for each invalid field.

</td>
</tr>
<tr>
<td>Post Conditions</td>
<td>

The new sales taxes and charges template has been added successfully
If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

</td>
</tr>
</table>

Sales Taxes and Charges Template Details

Use case ID	**3**

Use case Name	Sales taxes and charges template Details
Descriptions	The user can view / edit the sales taxes and charges template details.
Pre conditions	● Click on **Selling** from sidebar ● Click on **Sales Taxes and Charges Template** from sidebar ● Click on "**Sales Taxes and Charges Template ID**" from the table
Main Flow	-
Components	● **Connections** ○ It contains the following values: ■ **Transactions** ● **Sales invoice** ○ Button ○ Link "**Sales Invoice**" docktype ● **Sales Order** ○ Button ○ Link "**Sales Order**" docktype ● **Delivery Note** ○ Button ○ Link "**Delivery Note**" docktype ■ **References** ● **POS Profile** ○ Button ○ Link "**POS Profile**" docktype ● **Subscription** ○ Button ○ Link "**Subscription**" docktype ● **Tax Rule** ○ Button ○ Link "**Tax Rule**" docktype ● **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view/edit it as needed in addition to the following: ● **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (sales Taxes and Charges Template details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **(Delete) Button** ● When clicked, ○ A confirmation message is displayed to the user whether

	they want to delete this sales taxes and charges template ○ Upon clicking the “Yes” button: ■ if the sales taxes and charges template is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the sales taxes and charges template can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the sales taxes and charges template isn’t linked to another doctype ● The sales taxes and charges template is deleted successfully.
Post Conditions	● The sales taxes and charges template data has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.

Pricing Rule **0**
Pricing Rules List 0
Add Pricing Rule 2
Details Tab 2
Dynamic Conditions Tab 19
Advanced Settings Tab 20
Pricing Rule Details 22

Pricing Rule

Pricing Rules List

Use case ID	**1**
Use case Name	Pricing Rule List
Descriptions	The user is able to view the list of Pricing Rules.
Pre conditions	• Click on **Selling** from sidebar • Click on **Pricing Rule** from sidebar
Main Flow	-
Components	• **Add Pricing Rule** ○ Button ○ For adding a new Pricing Rule ○ When clicked, the user will be redirected to the "Add Pricing Rule" screen. • **Pricing Rules List** ○ **A table contain the following columns:** ■ Checkbox icon ● Multi selection ■ ID ● It displays the Pricing Rule ID ● Clickable ● When clicked, the user is navigated to the "Pricing Rule Details" screen ■ Title ● It displays the pricing rule title ■ Apply on ● Displays one of the following values: ○ Item code

	○ Item group ○ Brand ○ Transaction • **Note:** ○ when a Pricing Rule is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. • **Field** ○ DDL ○ To select the field you want to edit ○ Link "**Pricing Rule**" doctype ○ Single selection ○ Mandatory • **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it's input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, • A confirmation message is displayed to the user whether they want to delete this Pricing Rule • Upon clicking the "Yes" button: ○ if the Pricing Rule is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Pricing Rule can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Pricing Rule isn't linked to another doctype ■ The Pricing Rule is deleted successfully.
Post Conditions	• Ability to add and view Pricing Rule details. • Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Pricing Rule

Details Tab

Use case ID	**2**
Use case Name	Add Pricing Rule
Descriptions	The user can add a new Pricing Rule.
Pre conditions	• Click on **Selling** from sidebar • Click on **Pricing Rule** from sidebar • Click on "**Add Pricing Rule**" button
Main Flow	-
Components	• **Naming Series** ○ DDL ○ Displays all series added to Pricing Rule doctype ○ Mandatory. ○ Single selection ○ If the field is left empty an error message appears. • **Title** ○ Text input field ○ For entering the pricing rule title. ○ Mandatory. ○ Accepts letters, numbers and special characters. ○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ If the field is left empty an error message appears. • **Apply on** ○ DDL ○ To select the entity on which the pricing rule will be applied ○ It contains the following values: ■ Item code ■ Item group ■ Brand ■ Transaction ○ Single selection ○ Mandatory ○ It has a default value "**Item Code**" ○ If the field is left empty an error message appears. • **Price or product discount** ○ DDL

- To select the type of benefit that will be generated by the pricing rule.
- It contains the following values:
  - Price
  - Product
- Single selection
- Mandatory
- It has a default value "**Price**"
- If the field is left empty an error message appears.

- **Warehouse**
  - Searchable DDL
  - Link "**Warehouse**" doctype
  - To Restrict the pricing rule to transactions involving the selected warehouse.
  - Single selection
  - Optional
  - **Note:**
    - It hidden only when the "Apply On" = "Transaction"
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Apply Rule on Item Code**
  - **Note:** it appears only when the "Apply On" = "Item Code"
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Item code**
      - Searchable DDL
      - Link "**Item**" doctype
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **UOM**
      - Searchable DDL
      - Link "**UOM**" doctype
      - It's fetched from the selected Item code and can be edited.
      - It displays all UOMs defined for the selected item code
      - Single selection
      - mandatory
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Setting**
      - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using drag and drop

functionality.

- Users can click and hold a column header , then drag and drop it into the desired position within the table.

- Column width
  - Text input field
  - For entering or edit the column width
  - Accepts numbers only
  - Minimum length: 1 character.
  - Maximum length: 3 characters.
  - Default value = 3
- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Item Code
UOM

  - Users can show or hide columns by selecting or deselecting the related checkbox.
- "**Update**" button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- "**Reset to default**" button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - **Delete row**
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item(s) will be deleted
- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.

- When clicked , a pop up appears containing the following fields:

Field Name	Options
Item code	• Searchable DDL • Link “**Item**” doctype • Single selection • Mandatory
UOM	• Searchable DDL • Link “**UOM**” doctype • It displays all UOMs defined for the selected item code • Single selection • mandatory

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Apply Rule on Item Group**
  - **Note:** it appears only when the “Apply On” = “Item Group”
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Item group**
      - Searchable DDL
      - Link “**Item Group**” doctype
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **UOM**
      - Searchable DDL
      - Link “**UOM**” doctype
      - It displays all UOMs defined for the items that belong to the selected item group
      - Single selection
      - Mandatory
      - **Note:** the field shall be implemented as a searchable DDL

(autocomplete), allowing the user to search and select from a predefined list of values.

- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using drag and drop functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Item group
UOM

      - Users can show or hide columns by selecting or deselecting the related checkbox.
    - "**Update**" button
      - Button
      - For save any changes or updates made by the user
      - When clicked, any modifications made by the user will be saved
    - "**Reset to default**" button
      - Button
      - To reset all modifications to their default values.
      - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
  - **Delete row**
    - Button

- To delete a specific row or multiple rows
- When clicked, the selected item(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Item group	• Searchable DDL • Link "**Item Group**" doctype • Single selection • Mandatory
UOM	• Searchable DDL • Link "**UOM**" doctype • It displays all UOMs defined for the items that belong to the selected item group • Single selection • mandatory

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Apply Rule on Brand**
  - **Note:** it appears only when the "Apply On" = "Brand"
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Brand**
      - Searchable DDL
      - Link "**Brand**" doctype
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **UOM**
      - Searchable DDL

- Link “**UOM**” doctype
- It displays all UOMs defined for the items that belong to the selected Brand
- Single selection
- Mandatory
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using drag and drop functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Brand
UOM

      - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “**Update**” button
      - Button
      - For save any changes or updates made by the user
      - When clicked, any modifications made by the user will be saved
    - “**Reset to default**” button
      - Button
      - To reset all modifications to their default values.

- When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - **Delete row**
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	Options
Brand	• Searchable DDL • Link "**Brand**" doctype • Single selection • Mandatory
UOM	• Searchable DDL • Link "**UOM**" doctype • It displays all UOMs defined for the items that belong to the selected Brand • Single selection • mandatory

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Mixed Conditions**
  - **Note:** it appears only when the "Apply On" = "Item Code" or "Item Group" or "Brand"
  - Checkbox
  - Evaluates pricing rule conditions using the combined quantities or amounts of all selected items.
  - When checked, the configured conditions are evaluated against **all selected items** collectively.
  - **Note:** The pricing rule is applied only if the combined items satisfy the defined conditions.
- **Is Cumulative**
  - **Note:** it appears only when the "Apply On" = "Item Code" or "Item Group" or

	"Brand" ○ Checkbox ○ Accumulates eligible transaction quantities or amounts across multiple transactions when evaluating pricing rule conditions. ○ When checked, the pricing rule is applied based on the cumulative quantity or amount accumulated across multiple transactions, instead of evaluating each transaction independently. ● **Coupon Code Based** ○ **Note:** it appears only when the "Apply On" = "Item Code" or "Item Group" or "Brand" ○ Checkbox ○ Applies the pricing rule only when a valid coupon code is entered. ● **Show in POS Offers** ○ Checkbox ○ It appears only based on the following validations: ■ The "**Apply On**" field = **Item Code** ■ The "**Apply Rule On Item Code**" table must contain exactly one row, ● It means that the Pricing Rule must be applicable to one item only ■ The "**Mixed Conditions**" checkbox must be unchecked ■ The "**Is Cumulative**" checkbox must be unchecked ■ The "**Coupon Code Based**" checkbox must be unchecked ■ The "**Apply Multiple Pricing Rules**" checkbox must be unchecked ■ The "**Selling**" checkbox must be checked ○ When checked, ■ If all required validations are successfully fulfilled ● The Pricing Rule will appear in the POS (Offers Tab) based on those validations ■ If any of those validations are not satisfied ● An appreciate error message will be displayed ● **Discount On Other Item** ○ **Note:** it appears only when the **Price or Product Discount** = **Price** ○ It contains the following values: ■ **Apply Rule on other** ● DDL ● To select the type of item that will receive the promotional discount. ● It contains the following values: ○ Empty ○ Item code ○ Item group ○ Brand ● Single selection ● Optional ● It has a default value "Empty" ■ **Item Code** ● Searchable DDL ● Link "**Item Code**" doctype ● Single selection

- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Apply Rule on other**" = Item Code

■ **Item Group**
- Searchable DDL
- Link "**Item Group**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Apply Rule on other**" = Item Group

■ **Brand**
- Searchable DDL
- Link "**Brand**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Apply Rule on other**" = Brand

- **Party Information**
  - It contains the following Fields:
    - **Selling**
      - Checkbox
      - Indicates that the pricing rule is applicable to sales transactions only.
      - When checked, the "Applicable For" field is displayed
    - **Buying**
      - Checkbox
      - Indicates that the pricing rule is applicable to Buying transactions only.
      - When checked, the "Applicable For" field is displayed
    - **Applicable for**
      - DDL
      - To select the party or business entity to which the pricing rule applies
      - **Note:** when the "Selling" checkbox is checked, the following values are displayed:
        - Customer
        - Customer group
        - Territory
        - Sales Partner
        - Campaign
      - When the "Buying" checkbox is checked, the following values are

displayed:
    - Supplier
    - Supplier Group
- When the "Selling" and "Buying" checkboxes are checked,
    - All previously mentioned values are displayed.
- When no checkbox is checked, the "Applicable For" field is hidden.

■ **Customer**
- Searchable DDL
- Link "**Customer**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Customer

■ **Customer group**
- Searchable DDL
- Link "**Customer Group**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Customer Group

■ **Territory**
- Searchable DDL
- Link "**Territory**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Territory

■ **Sales partner**
- Searchable DDL
- Link "**Sales Partner**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Sales Partner

■ **Campaign**
- Searchable DDL
- Link "**Campaign**" doctype
- Single selection
- Optional

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Campaign

■ **Supplier**

- Searchable DDL
- Link "**Supplier**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Supplier

■ **Supplier group**

- Searchable DDL
- Link "**Supplier Group**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it appears only when the "**Applicable For**" = Supplier Group

- **Qty and Amount**
  - It contains the following fields:

■ **Min Qty (as per stock UOM)**

- Text input field
- For entering the minimum item quantity, measured in the stock UOM, required for the pricing rule to be applied .
- Optional
- Accepts numbers only.
- Minimum length: 1 character.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

■ **Max Qty (as per stock UOM)**

- Text input field
- For entering maximum item quantity, measured in the stock UOM, eligible for the pricing rule
- Optional
- Accepts numbers only.
- Minimum length: 1 character.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

■ **Min Amount**

- Text input field
- For entering the minimum transaction amount required for the pricing rule to be applied
- Optional
- Accepts numbers only.
- Minimum length: 1 character.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

- **Max Amount**
  - Text input field
  - For entering the maximum transaction amount eligible for the pricing rule
  - Optional
  - Accepts numbers only.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.

- **Product Discount Scheme**
  - **Note:** It appears only when the "**Price of product discount**" is equal to "**Product**"
  - It contains the following fields:
    - **Same item**
      - Checkbox
      - If checked, the free item will be the same item on which the pricing rule is applied.
      - When checked, the "Free Item" field is hidden
    - **Free item**
      - **Note:** it appears only when the "**Same Item** = **0**"
      - Searchable DDL
      - Link "**Item**" doctype
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Qty**
      - Text input field
      - For entering quantity of the free item to be granted
      - Optional
      - Accepts numbers only.
      - Minimum length: 1 character.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the

minimum length.

- **Free item rate**
  - Text input field
  - For entering the rate of the free item
  - Optional
  - Accepts numbers only.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - **Note:** If set to zero, the item is treated as completely free
- **UOM**
  - Searchable DDL
  - Link "**UOM**" doctype
  - To select the Unit of Measure (UOM) for the free item
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Round Free Item (Hidden)**
  - Checkbox
  - If checked, the calculated free item quantity is rounded according to the system's rounding rules.
- **Round Enforce Free Item Qty**
  - Checkbox
  - When checked: The user can manually edit the quantity of free items in the transaction.
  - When unchecked: The quantity of free items in the transaction is automatically controlled by the system and cannot be edited by the user
- **Is Recursive**
  - Checkbox
  - If checked, the pricing rule is applied repeatedly for every qualifying quantity, allowing the free item benefit to be granted multiple times in the same transaction.
  - When checked, the following fields are displayed:
    - **Recurse Every (As Per Transaction UOM)**
      - Text input field
      - For entering the purchase quantity interval at which the product discount rule is repeatedly applied
      - Mandatory
      - Accepts numbers only.
      - Minimum length: 1 character.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will

be prevented.
        - An error message will appear if the entered text is less than the minimum length.
        - If the field is left empty an error message appears.
    - **Apply Recursive over (As Per Transaction UOM)**
        - Text input field
        - For entering the initial purchase quantity that is excluded from recursive discount calculations before the pricing rule begins repeating
        - Optional
        - Accepts numbers only.
        - Minimum length: 1 character.
        - Maximum length: 100 characters.
        - Once the maximum limit is reached, further input will be prevented.
        - An error message will appear if the entered text is less than the minimum length.

- **Period Settings**
    - It contains the following fields:
        - **Valid From**
            - Date calendar picker
            - Specifies the date from which the pricing rule becomes effective and can be applied in transactions.
            - Optional
            - It has a default value = **Current Date**
        - **Valid Up To**
            - Date calendar picker
            - Specifies the last date on which the pricing rule remains valid.
            - The pricing rule is ignored after this date.
            - Optional
        - **Company**
            - Searchable DDL
            - Link “**Company**” doctype
            - To select the company for which the pricing rule will be recorded
            - Single selection
            - Mandatory
            - If the field is left empty an error message appears.
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
        - **Currency**
            - Searchable DDL
            - Link “**Currency**” doctype
            - Single selection
            - Mandatory
            - If the field is left empty, an error message appears,

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Margin**
  - It contains the following fields:
    - **Margin type**
      - DDL
      - It contains the following values
        - Empty
        - Percentage
        - Amount
      - Single selection
      - Optional
    - **Margin rate or amount**
      - Text input field
      - For entering the margin value to be added according to the selected margin type
      - Optional
      - Accepts integers and decimal numbers.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.
      - **Note:** this field is hidden when the "Margin Type" is equal to "Empty"
      - **Note:** the entered value is treated as percentage when the "Margin Type" is equal to "Percentage"
- **Price Discount Scheme**
  - **Note:** It appears only when the "**Price of product discount**" is equal to "**Price**"
  - It contains the following fields:
    - **Rate or discount**
      - DDL
      - To select whether the pricing rule applies a fixed rate, a percentage discount, or a fixed discount amount
      - It contains the following values:
        - Empty
        - Rate
          - When clicked:
            - the "Rate" field is displayed
            - The "For Price List" field is hidden
        - Discount percentage
        - Discount amount
      - Single selection
      - Optional
      - It has a default value "Discount Percentage"
    - **Apply discount on**

- DDL
- It contains the following values:
  - Grand Total
  - Net Total
- Single selection
- Optional
- **Note:** it appears only when the "Apply On" field is equal to "Transaction" and the "Rate or Discount" field **isn't** equal to "Rate"

■ **Rate**
- Text input field
- For entering the discount rate
- Optional
- Accepts numbers only.
- Minimum length: 2 characters.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- **Note:** it appears only when the "Rate or Discount" field is equal to "Rate"

■ **Discount percentage**
- Text input field
- For entering the discount percentage
- Optional
- Accepts numbers only.
- Minimum length: 2 characters.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- **Note:** it appears only when the "Rate or Discount" field is equal to "Discount Percentage"

■ **Discount amount**
- Text input field
- For entering the discount amount
- Optional
- Accepts numbers only.
- Minimum length: 2 characters.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- **Note:** it appears only when the "Rate or Discount" field is equal to "Discount Amount"

■ **For price list**
- Searchable DDL
- Link "**Price List**" doctype

	• Single selection • Optional • **Note:** ○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: • The Pricing Rule is successfully saved. • And added to the Pricing Rules list. ■ If incorrect or incomplete data is entered: • A validation error message is displayed for each invalid field. ○ **Note: It is not allowed to create more than one Pricing Rule with the same criteria**
Post Conditions	• The new Pricing Rule has been added successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Dynamic Conditions Tab

Use case ID	**3**
Use case Name	Dynamically Conditions Tab
Descriptions	The user can enter the Dynamically conditions details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Pricing Rule** from sidebar • Click on “**Add Pricing Rule**” button • Click on “**Dynamically Conditions**” tab
Main Flow	-
Components	• **Condition** ○ Code Editor ○ Allows defining a custom Python expression that must evaluate to **True** before the pricing rule is applied. If the condition evaluates to **False**, the pricing rule is ignored. ○ **Note:** pressing "Enter" automatically moves the cursor to the next row. • **Expand** ○ Button ○ Opens an expanded editor for writing and editing long or complex Python

	expressions. • **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: ● The Pricing Rule is successfully saved. ● And added to the Pricing Rules list. ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	• The Dynamically conditions details has been added successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Advanced Settings Tab

Use case ID	**4**
Use case Name	Advanced Settings Tab
Descriptions	The user can enter the Advanced Settings details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Pricing Rule** from sidebar • Click on "**Add Pricing Rule**" button • Click on "**Advanced Settings**" tab
Main Flow	-
Components	• **Apply multiple pricing rules** ○ Checkbox ○ Allows multiple applicable pricing rules to be applied simultaneously to the same transaction. ○ When checked, the "**Apply Discount on Discounted Rate**" checkbox is displayed • **Apply Discount on Discounted Rate** ○ Checkbox ○ Applies the discount on the already discounted item rate instead of the original rate. ○ **Note:** it appears only when the "**Apply Multiple Pricing Rules = 1**" • **Threshold for suggestion (in percentage)** ○ Text input field ○ To define the percentage threshold at which the system suggests increasing the transaction quantity or amount to qualify for the pricing rule. ○ Optional ○ Accepts numbers only.

	○ Minimum length: 2 characters. ○ Maximum length: 100 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ● **Validate Applied Rule** ○ Checkbox ○ Validates that manually entered discounts, margins, or free items comply with the pricing rule without automatically applying them. ○ When checked, the "Rule Description" field is displayed ● **Rule Description** ○ Text area ○ Allows users to Store additional information describing the purpose or business logic of the pricing rule. ○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ○ **Note:** it appears only when the "**Validate Applied Rule** = **1**" ● **Has Priority** ○ Checkbox ○ Enables priority-based evaluation for the pricing rule when multiple pricing rules are applicable. ○ When checked, the "Priority" field is displayed ● **Priority** ○ DDL ○ Specifies the evaluation priority of the pricing rule. Higher values indicate higher priority when multiple rules are applicable. ○ It contains the values from (**Empty - 0 - 1 - ..... -20**) ○ **Note:** it appears only when the "**Has Priority** = **1**" ● **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: ● The Pricing Rule is successfully saved. ● And added to the Pricing Rules list. ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The Advanced Settings details has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Pricing Rule Details

Use case ID	**5**
Use case Name	Pricing Rule Details
Descriptions	The user can view / edit the Pricing Rule details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Pricing Rule** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Pricing Rules details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **(Delete) Button** • When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Pricing Rule ○ Upon clicking the "Yes" button: ■ if the Pricing Rule is linked to other transactions, • a message is displayed informing the user that the linked transactions must be deleted before the coupon code can be deleted. • The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Pricing Rule isn't linked to another doctype • The Pricing Rule is deleted successfully.
Post Conditions	• The Pricing Rule data has been successfully modified and saved. • Entering incorrect or incomplete data will display the corresponding error message for each field.

Quotation **0**
Quotation List 0
Add Quotation 3
Details Tab 3
General Info Tab 40
More Info Tab 52
Quotation Details 55

Quotation

Quotation List

Use case ID	**1**
Use case Name	Quotation List
Descriptions	The user is able to view the list of Quotations.
Pre conditions	• Click on **Selling** from sidebar • Click on **Quotation** from sidebar
Main Flow	-
Components	• **Add Quotation** ○ Button ○ For adding a new Quotation ○ When clicked, the user will be redirected to the "Add Quotation" screen. • **Quotation List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ Quotation ID • It displays the Quotation ID • Clickable • When clicked, the user will be redirected to the "Quotation Details" screen. ■ Status

- Displays one of the following values:
  - Draft
  - Open
  - Replied
  - Partially Ordered
  - Ordered
  - Lost
  - Cancelled
  - Expired
- Customer Name
  - It displays the customer name
- Date
  - It displays the Quotation Date
- Company
  - It displays the company
- Grand Total
  - It displays the Grand Total

- when a Quotation is selected , an action bar appears showing the following actions:
- Edit
  - Button
  - When clicked , a popup appears containing the following fields.
    - **Field**
      - DDL
      - To select the field you want to edit
      - Link “**Quotation**” doctype
      - Single selection
      - Mandatory
    - **Value**
      - Dynamic field
      - Based on the selected option from the first dropdown field, the second field shall :
        - Dynamically change it’s input type
        - Be marked as either mandatory
        - Or optional
        - Apply the corresponding validation rules
    - **Update (button)**
      - Button
      - When clicked,
        - If the Quotation status is "**Submitted**" or "**Cancelled**":
          - an error message is displayed informing the user that the Quotation cannot be modified.
- Export
- Assign to
- Clear assignment
- Add tags

	○ Print ○ Submit ■ It appears only when the Quotation status = **draft.** ■ If all required data is entered correctly and completely: ● The Quotation is successfully submitted ○ Cancel ■ It appears only when the Quotation status = **Submitted** ■ When clicked, ● The Quotation is canceled successfully. ○ Delete ■ It appears only when the Quotation status = **Draft / Cancelled** ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Quotation ● Upon clicking the “Yes” button: ○ If the Quotation is Amended from other Quotation ■ A warning message appears indicating that this Quotation cannot be deleted until the user deletes all doctypes related to it. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ if the Quotation is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Quotation can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Quotation isn’t linked to another doctype ■ The Quotation is deleted successfully.
Post Conditions	● Ability to add and view Quotation details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Quotation

Details Tab

Use case ID	**2**
Use case Name	Add Quotation
Descriptions	The user can add a new Quotation.
Pre conditions	• Click on **Selling** from sidebar • Click on **Quotation** from sidebar • Click on "**Add Quotation**" button
Main Flow	-
Components	• **Series** ○ DDL ○ Displays all series added to Quotation doctype ○ Mandatory. ○ Single selection ○ If the field is left empty an error message appears. • **Quotation To** ○ DDL ○ To select the party for whom the quotation is created ○ It contains the following values: ■ **Customer** ■ **Lead** ○ Single selection ○ Mandatory ○ If the field is left empty an error message appears. • **Party** ○ Searchable DDL ○ **Note:** Link "**Doctype**" based on the selected value in the **Quotation To** field, allowing the user to select the party receiving the quotation ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ○ **Note:** ■ **Party** = **Customer** when the **Quotation To** field is set to **Customer** ■ **Party** = **Lead** when the **Quotation To** field is set to **Lead** • **Party Name** ○ Label field (read only) ○ It displays the customer name based on the selected party

- **Date**
  - Date calendar picker
  - To select the Quotation creation date
- **Valid Till**
  - Date calendar picker
  - To select the quotation expiration date
  - **Note:**
    - The system automatically calculates the **Valid Till** date based on the selected **Date** and the value configured in the “**Default Quotation Validity Days**" field in **CRM Settings**.
    - The Valid Till date is calculated by adding the configured number of validity days to the selected date.
    - **Example:** If the Date is **01/07/2026** and the **Default Quotation Validity Days** in CRM Settings is set to **20**, the system will automatically set the **Valid Till** date to **21/07/2026**.
- **Order Type (hidden)**
  - DDL
  - To select the the business purpose of the quotation
  - It contains the following values:
    - Empty
    - Sales
    - Maintenance
    - Shopping Cart
  - Single selection
  - Optional
- **Has Unit Price Item**
  - Checkbox
  - When checked,
    - The system allows users to create a quotation and add items to the **Items** table without entering the quantity (**Qty** = **0**).
  - **Note:** it appears only when the “**Allow Quotation With Zero Quantity**” checked from **Selling Settings**
- **Company**
  - Searchable DDL
  - Link “**Company**” doctype
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Amended From**
  - Label field
  - Displays the Quotation from which this document was amended.
  - Clickable
  - When clicked, it navigates the user to the Quotation from which this document was amended.
  - **Note:** This field is displayed only if this quotation is amended from another

quotation.

- **Currency and Price List**
  - It contains the following fields:
    - **Currency**
      - Searchable DDL
      - Link "**Currency**" doctype
      - To select the document currency
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Note:** it's fetched from the Company "**Default Currency**"
    - **Exchange Rate**
      - The behavior of the **Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
      - **Case 1:**
        - **Exchange Rate Fetching Rule is configured**
          - If an **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
          - In this case **Exchange Rate** field is Label Field **(read only)**
          - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
            - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
      - **Case 2:**
        - **No Exchange Rate Found**
          - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
            - **Prompt User to Add Exchange Rate:**
              - The system shall prompt the user to create a new Exchange Rate record before proceeding.
              - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.

- The Exchange Rate field shall remain **read-only**
- **Note:**
  - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
  - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Use API to Get Exchange Rate**
  - The system shall automatically create and retrieve the Exchange Rate using the configured external API.
  - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
  - The Exchange Rate field shall remain **read-only**.
  - **Note:**
    - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
    - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Price List**
  - Searchable DDL
  - Link "**Price List**" doctype
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
  - Note: it's set by default as "**Standard Price List**" in **selling settings**

- **Price List Currency**
  - Label field (read only)
  - Fetched from Price list's "**Currency**" field
- **Price List Exchange Rate**
  - The behavior of the **Price List Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
  - **Case 1:**
    - **Exchange Rate Fetching Rule is configured**
      - **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
      - In this case **Exchange Rate** field is Label Field **(read only)**
      - **Note:**
        - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
        - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
  - **Case 2:**
    - **No Exchange Rate Found**
      - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
        - **Prompt User to Add Exchange Rate:**
          - The system shall prompt the user to create a new Exchange Rate record before proceeding.
          - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.
          - The Exchange Rate field shall remain **read-only**
          - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
            - Any manually entered Exchange Rate by an authorized user shall **override**

the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Use API to Get Exchange Rate**
  - The system shall automatically create and retrieve the Exchange Rate using the configured external API.
  - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
  - The Exchange Rate field shall remain **read-only**.
  - **Note:**
    - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
    - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

        - **Ignore Pricing Rule**
            - Checkbox
                - When checked, the system ignores any previously defined pricing rules.

- **Scan Barcode**
  - Text input field
  - Allows the user to enter or scan a barcode.
  - optional.
  - Accepts letters,numbers and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - Note:
    - When a scan barcode option is selected, the system opens a device camera to scan a barcode and automatically populates the field with the scanned value.
    - If the user enters a barcode manually at a slow typing speed, the entered value is automatically cleared
- **Items**
  - A table contain the following columns:
    - **Checkbox icon**

- Multi selection

- **No.**
  - Displays the ordering of items in the table
- **Item**
  - Searchable DDL
  - Link "**item**" doctype
  - To select the item included in the quotation
  - Only items with "**Maintain Stock**" enabled , "**Has Variants**" disabled and "**Allow Sales**" enabled are displayed.
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Qty**
  - Text input field.
  - To enter the requested Qty
  - Mandatory.
  - Accept numbers only.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
  - If the field is left empty an error message appears.
  - **Note: Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse**
  - **Note:** If a quantity less than the available quantity in the selected warehouse is entered, a warning message is displayed indicating that the entered quantity is less than the available quantity in the selected warehouse.
  - **Note:**
    - If "Has Unit Price Item" is checked,
      - **Qty can be equal to 0**
    - If "Has Unit Price Item" is unchecked,
      - **Qty must be greater than 0**
- **Rate**
  - Text input field
  - Displays automatically the unit price of the item in the document currency
  - Can be edited.
  - Accepts numbers only.
- **Amount**
  - Label field
  - Displays the total amount of the item calculated in the document currency.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop**

functionality.
    - Users can click and hold a column header , then drag and drop it into the desired position within the table.
- Column width
    - Text input field
    - For entering or edit the column width
    - Accepts numbers only
    - Minimum length: 1 character.
    - Maximum length: 3 characters.
    - Default value = 3
- Add / Remove columns
    - Button
    - For adding or removing columns from the table
    - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
    - These columns are:

Column Name
Item Code
Quantity
Rate
Amount
Item Name
Is Free Item
Description
Stock UOM
UOM
UOM Conversion Factor
Qty as per Stock UOM
Qty (Warehouse)
Qty (Company)
Price List Rate
Price List Rate (Company Currency)
Discount (%) on Price List Rate with Margin

	Discount Amount Distributed Discount Amount Net Rate Net Amount Item Tax Template Rate (Company Currency) Net Rate (Company Currency) Amount (Company Currency) Net Amount (Company Currency) Rate of Stock UOM Valuation Rate Gross Profit Weight Per Unit Total Weight Weight UOM Warehouse

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected row(s) will be deleted
- **Edit Row**
    - Clickable icon

- Users can edit and view non displayed fields in the table.
- When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Item	• Searchable DDL • Link “**item**” doctype • Only items with “Maintain Stock” enabled are displayed. • Single selection • Mandatory
Item Group	• Label field • Displays the item group associated with the selected item • It’s displayed only when an item is selected
Item Name	• Label field • Displays the item name • It’s displayed only when an item is selected
Customer’s Item Code	• Label field • Displays the Customer’s Item Code • It’s displayed only when an item is selected
Is Free Item	• Checkbox icon (read only)
Is Alternative	• Checkbox • Indicates that the item is an alternative to the originally requested item.
Description	• Text area • For adding a description to this quotation • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters.

		• Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
	Brand name	• Label field • Displays the brand name • It's displayed only when an item is selected
	Image	• For adding an image • The user can upload an image using drag and drop or by clicking to browse files. • Optional • Accepts JPEG and PNG formats only. • File size must not exceed 5 MB. • If a non-image file is uploaded, an error message appears. • if the uploaded image exceeds 5 MB, an error message appears.
	Qty	• Text input field. • To enter the requested Qty • Mandatory. • Accept numbers only.
	UOM	• Searchable DDL • Link "**UOM**" doctype • To select the UOM for the requested Qty • Single selection • Optional
	Stock UOM	• Label field • Displays the default UOM of the selected item

		UOM Conversion Factor	• Label field • Displays the conversion factor between the UOM of the requested Qty and the default UOM.
		Qty as Per Stock UOM	• Label field (read only) • Displays the item quantity converted to the item's Stock UOM (Stock Unit of Measure) based on the selected UOM conversion factor.
		Available Qty (Warehouse)	• Label field • Displays the actual quantity of the selected warehouse
		Available Qty (Company)	• Label field • Displays the actual quantity of the company
		Available Batch Qty at From Warehouse	• Label field • Displays the total available quantity across all batches of this item in the selected warehouse.
		Price List rate (Currency)	• Label field • Displays the item's selling price retrieved from the selected **Price List** before applying any pricing rules
		Price List rate (Company Currency)	• Label field • Displays the item's selling price retrieved from the selected **Price List** in company's base currency before applying any pricing rules
		Margin Type	• DDL • Used to select the profit margin

		calculation method • Single selection • Optional • It displays the following values: ○ Percentage ○ Amount
	Margin Rate or Amount	• Text input field. • To enter the profit margin value • optional. • Accept numbers and special characters only.
	Rate with margin	• Label field • Displays the price after applying the profit margin and before applying any pricing rules • **Note:** **Rate With Margin = Price List Rate + Margin Rate**
	Discount (%) on price list rate with margin	• Label field • Displays the discount percentage applied to the price list after the profit margin has been added • **Note:** It displays only when, "**Ignore Pricing Rule = 0**"
	Discount Amount	• Label field • Displays the actual discount amount • **Note:** It displays only when, "**Ignore Pricing Rule = 0**"
	Distributed Discount Amount	• Label field • When an additional discount is applied at the document level, the system distributes the total discount across all items and displays this item's allocated share of the discount.

Rate with Margin (Company Currency)	• Label field • Displays the item price after applying the profit margin in the company's base currency
Rate	• Label field • Displays the unit price of the item in the document currency
Amount	• Label field • Displays the total amount of the item calculated in the document currency.
Rate (Company Currency)	• Label field • Displays the unit price of the item in the company’s base currency after applying all pricing rules and discounts.
Amount (Company Currency)	• Label field • Displays the total amount of the item calculated in the company’s base currency.
Pricing Rules	• Label field • Displays the names of the pricing rules applied to this item
Rate of Stock UOM	• Label field • Displays the price of Stock UOM
Net Rate	• Label field • Displays the unit price of the item in the document currency after applying all pricing rules, discounts and tax templates.
Net Amount	• Label field • Displays the total amount of the

		item calculated in the document currency after applying all pricing rules, discounts and tax templates. • **Note:** Net Amount = Net Rate * Qty
	Item Tax template	• Label field • Displays the taxes applied to this item.
	Net Rate (Company Currency)	• Label field • Displays the unit price of the item in the company's base currency after applying all pricing rules, discounts and tax templates.
	Net Amount (Company Currency)	• Label field • Displays the total amount of the item calculated in the company's base currency after applying all pricing rules, discounts and tax templates.
	Valuation Rate	• Label field (read only)
	Gross Profit	• Label field (read only)
	Weight per unit	• Label field • Displays the weight per item unit
	Weight UOM	• Label field • Displays the weight of the UOM itself
	Total weight	• Label field • Displays the total weight of the item • **Note: Total Weight = Weight per**

	Unit * Qty
Warehouse	• Searchable DDL • Link “**Warehouse**” doctype • To select the warehouse from which the item will be issued or delivered • Single selection • Mandatory
Against Blanket Order	• Checkbox • Indicates that the item is created against an existing Blanket Order.
Blanket Order	• Searchable DDL • Link “**Blanket Order**” doctype • Specifies the Blanket Order referenced by this item. • Single selection
Blanket Order Rate	• Label field (read only) • Displays the agreed unit price from the linked Blanket Order.
Against Docname	• Label field (read only) • Displays the source document name referenced by this item.
Projected Qty	• Label field (read only) • Displays the projected available quantity after considering current stock, incoming stock, and reserved quantities.
Stock Balance	• Button • When clicked, it navigates the

	user to the “**Stock Balance**” screen.
Shopping Cart	• Text area • Stores additional notes related to the shopping cart quotation. • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.

    - **Add Row**
        - Button
        - To add a new row in the table
        - When clicked, a new row is added to the table.
- **Total Quantity**
    - Label field (read only)
    - Displays the total quantity of items.
- **Total Currency**
    - Label field (read only)
    - Displays the total amount of the item’s quantity in the selected currency
- **Total Company’s base Currency**
    - Label field (read only)
    - Displays the total amount of the item’s quantity in the company’s base currency
- **Total Net weight**
    - Label field (read only)
    - Displays the total net weight
- **Net Total Currency**
    - Label field (read only)
    - Displays the net total currency
- **Net Total Company’s base Currency**
    - Label field (read only)
    - Displays the net total company’s base currency
- **Taxes And Charges**
    - It contains the following fields:

- **Tax category**
  - Label field (read only)
  - It's fetched from the selected **Sales Taxes and Charges Template**
- **Shipping Rule**
  - Searchable DDL
  - Link "**Shipping Rule**" doctype
  - To select a shipping rule
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Sales Taxes and Charges Template**
  - Searchable DDL
  - Link "**Sales Taxes and Charges Template**" doctype
  - **Note:** when a Sales Taxes and Charges Template is selected, the system shall automatically populate the Sales Taxes and Charges table with the values defined in the selected template.
  - Single selection
  - Optional
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Sales Taxes and Charges**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Type**
      - DDL
      - To select the sales taxes type
      - It contains the following values:
        - Actual
        - On Net Total
        - On Previous Row Amount
        - On Previous Row Total
        - On Item Quantity
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
    - **Account Head**
      - Searchable DDL
      - Link "**Accounts**" doctype
      - It displays accounts belonging to company selected

in the transaction
    - To select an account head
    - Single selection
    - Mandatory
    - If the field is left empty, an error message will appear.
    - **Note:**
        - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Tax Rate**
    - Text input field.
    - To enter the tax rate
    - optional .
    - Accept numbers only.
    - Maximum length: 100 characters.
    - Once the maximum length is reached, further input is prevented.
- **Net Amount** Currency
    - Label field
    - Displays the net amount currency
- **Amount** Currency
    - Label field
    - Displays the amount currency
- **Total** Currency
    - Label field
    - Displays the total currency
- **Setting**
    - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
            - Users can click and hold a column header , then drag and drop it into the desired position within the table.
        - Column width
            - Text input field
            - For entering or edit the column width
            - Accepts numbers only
            - Minimum length: 1 character.
            - Maximum length: 3 characters.
            - Default value = 3
        - Add / Remove columns
            - Button
            - For adding or removing columns from the table

- When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
- These columns are:

Column Name
Type
Account Head
Tax Rate
Net Amount (currency)
Amount (currency)
Total (currency)
Reference Row #
Description
Is this Tax included in Basic Rate?
Considered In Paid Amount
Is Tax Withholding Account
Cost Center
Project
Account Currency
Tax Amount After Discount Amount (USD)
Net Amount (company currency)
Amount (company currency)
Total (company currency)
Tax Amount After Discount Amount (company currency)

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user

- When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when an Item is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Type	• DDL • To select the sales taxes type • It contains the following values: ○ Actual ○ On Net Total ○ On Previous Row Amount ○ On Previous Row Total ○ On Item Quantity • Single selection • Mandatory
Reference Row	• Text input field • Used to enter the reference row • **Note:** This field appears only when more than one tax is added and the tax type is set to On Previous Row Amount or On Previous Row Total. The system automatically populates the

	Reference Row field with the row number immediately preceding the current row.
Account Head	• Searchable DDL • Link “**Accounts**” doctype • To select an account head • Single selection • Mandatory
Description	• Text area • For adding a description Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
Is this Tax Included In Basic Rate ?	• Checkbox • If checked, this tax amount will be considered as already included in Print Rate / Print Amount
Considered In Paid Amount	• Checkbox • If checked, this tax amount will be considered as already included in the paid Amount in Paid Entry
Set by Item Tax Template	• Checkbox icon (read only) • It appears only in case this tax set be item tax template
Is tax withholding Account	• Checkbox icon (read only) • It appears only in case this tax is

	tax withholding Account
Cost Center	• Searchable DDL • Link "**Cost Center**" doctype • Used to specify the department or business unit that will bear the expense or receive the revenue. • Single selection • Optional
Project	• Searchable DDL • Link "**Project**" doctype • Used to link the transaction to a specific project. • Single selection • Optional
Tax Rate	• Text input field. • To enter the tax rate • optional . • Accept numbers only.
Account Currency	• Label field • Displays the Account Currency
Net Amount (Currency)	• Label field • Displays the Net Amount Currency
Amount (Currency)	• Label field • Displays the Amount Currency
Total (Currency)	• Label field • Displays the Total Currency
Tax Amount After Discount Amount	• Label field • Displays the tax Amount After Discount Amount
Net Amount (Company's base currency)	• Label field • Displays the Net Amount (Company's base currency)
Amount (Company's base currency)	• Label field

	• Displays the Amount (Company's base currency)
Total (Company's base currency)	• Label field • Displays the Total (Company's base currency)
Tax Amount After Discount Amount (company's base currency)	• Label field • Displays the tax Amount After Discount Amount (Company's base currency)
Don't Recompute Tax	• Checkbox icon (read only) • It displays that the system will not automatically recompute the tax amount for this row during tax recalculations.

        - **Add Row**
            - Button
            - To add a new row in the table
            - When clicked, a new row is added to the table.
    - **Total Taxes and Charges (Company's base Currency)**
        - Label field (read only)
        - It displays total taxes and charges in company's base currency
    - **Total Taxes and Charges (Currency)**
        - Label field (read only)
        - It displays total taxes and charges in currency
- **Totals (Currency)**
    - It contains the following fields:
        - **Grand Total (Currency)**
            - Label field
            - It displays the grand total in the selected Currency
        - **Rounding Adjustment (Currency)**
            - Label field
            - It displays the rounding adjustment in the selected Currency
        - **Rounded Total (Currency)**
            - Label field
            - It displays the rounded total in the selected Currency
- **Totals (Company's base Currency)**
    - It contains the following fields:
        - **Grand Total (Company's base Currency)**
            - Label field
            - It displays the grand total in the selected Company's base Currency
        - **Rounding Adjustment (Company's base Currency)**

- Label field
- It displays the rounding adjustment in the selected Company's base Currency
-

- **Rounded Total (Company's base Currency)**
  - Label field
  - It displays the rounded total in the selected Company's base Currency

- **Additional Discount**
  - It contains the following fields:
    - **Apply Additional Discount On**
      - DDL
      - To apply additional discount
      - It contains the following values:
        - Grand Total
        - Net Total
      - Single selection
      - Optional
    - **Additional Discount Percentage**
      - Text input field
      - To enter the Additional Discount Percentage
      - optional .
      - Accept numbers only.
      - When a number is entered, it is calculated as a percentage.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented.
    - **Additional Discount Amount (Company's base Currency)**
      - Label field
      - It displays the additional discount amount in company's base currency
    - **Additional Discount Amount (Currency)**
      - Text input field
      - To enter the Additional Discount amount using the selected currency
      - optional .
      - Accept numbers only.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented.
    - **Coupon Code**
      - Searchable DDL
      - Link "**Coupon Code**" doctype
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Referral Sales Partner**

- Searchable DDL
- Link "**Sales Partner**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Taxes and Charges Calculation**
  - **Note:**
    - This section is a **read-only** section that displays the calculated taxes and charges in a tabular format
    - This section is displayed only after Sales Taxes and Charges have been added to the items and the document has been saved.
  - A table contain the following columns:
    - **Item**
      - Label field (read only)
      - Displays the item code or item name for which the tax breakdown is calculated.
    - **Taxable Amount**
      - Label field (read only)
      - Displays the taxable amount of the item before applying the tax
      - This is the amount on which the tax is calculated.
    - **Account Head Description**
      - Label field (read only)
      - Displays the value of the tax or charge allocated to the corresponding item.
      - Note: When taxes and charges with different Account Heads are added, the system automatically creates a separate column for each Account Head to display its calculated amount for every item.
  - **Note:** The system automatically generates this table based on the configured **Taxes and Charges**, showing the applicable taxable amount, and calculated tax amount for every item. The table is **read-only** and maintained by the system
- **Bundle Items**
  - **Note:** This table is displayed only when the item in the Quotation Items table contains a **Product Bundle** and the user clicks the **Save** button.
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Parent Item**
      - Label field (read only)
      - It displays the parent item of the Product bundle
    - **Item Code**
      - Label field (read only)
      - It displays the item code of the Product bundle
    - **Description**

- Text area
- For adding a description Optional
- Accepts letters, numbers, and special characters.
- Minimum length: 3 characters.
- Maximum length: 500 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- An error message will appear if invalid data is entered.

- **Qty**
  - Label field
  - Displays the Qty of the item
- **Rate**
  - Label field
  - Displays the unit price of the item
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Parent Item
Item Code
Description
Qty

	Rate Item Name Supplier delivers to Customer (Hidden) From Warehouse Conversion Factor UOM Pick Serial / Batch No Use Serial No / Batch Fields Serial and Batch Bundle Serial No Batch No Actual Batch Quantity Actual Qty Incoming Rate

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be deleted

- **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	Options
Parent Item	• Label field (read only) • Displays the parent product bundle to which this item belongs.
Item Code	• Label field (read only) • Displays the item code of the bundled component
Item Name	• Label field (read only) • Displays the name of the bundled item.
Suppliers delivers to customer	• Checkbox icon (read only) • Indicates that the supplier will deliver the bundled item directly to the customer.
Description	• Text area • For adding a description Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
From Warehouse	• Searchable DDL • Link "**Warehouse**" doctype • To select the source warehouse of the bundled item • Single selection

	• Optional
To Warehouse	• Searchable DDL • Link "**Warehouse**" doctype • To select the destination warehouse when applicable • Single selection • Optional
Conversion Factor	• Label field (read only) • It displays conversion factor between the selected UOM and the Stock UOM
Qty	• Label field (read only) • It displays the quantity of the bundled item
Rate	• Label field (read only) • Displays the unit price of the bundled item when applicable.
UOM	• Label field (read only) • It displays the UOM of the bundled item
Pick Serial / batch No	• Button • Appears only when the “Activate Serial / Batch No for item” checkbox is enabled from Inventory settings • When clicked, the available Serial Numbers and Batches are automatically selected based on the picking method defined in Inventory Settings, such as FIFO, LIFO, or Expiry.
Serial and Batch Bundle	• Searchable DDL • Link "**Serial and Batch Bundle**"

			doctype ● To select serial and batch bundle related to this item ● Single selection ● Optional
		Use Serial No / Batch Fields	● Checkbox ● When checked: ○ the "**Pick Serial and Batch No**" button and the "**Serial and Batch Bundle**" field are hidden ○ The "**Serial No**" and "**Batch No**" fields are displayed to allow manual entry of Serial Numbers and Batches.
		Serial No	● Text area ● To enter serial numbers manually ● It appears only when "**Use Serial No / Batch No**" is checked ● Optional ● Accepts letters, numbers, and special characters. ● Minimum length: 3 characters. ● Maximum length: 500 characters. ● Once the maximum limit is reached, further input will be prevented. ● An error message will appear if the entered text is less than the minimum length. ● An error message will appear if invalid data is entered. ● When a Serial Number is entered and the Enter key is pressed, a new line is created to allow entry of another Serial Number.
		Batch No	● Searchable DDL ● Link "**Batch No**" doctype ● To select Batch No related to this item and the selected

	warehouse. • Single selection • Optional
Actual Batch Qty	• Label field (read only) • Displays the total available quantity of the selected item across all batches in the selected warehouse
Actual Qty	• Label field (read only) • Displays the current available stock quantity of the item in the selected warehouse.
Projected Qty	• Label field (read only) • Displays the projected available quantity after considering all future stock transactions.
Ordered Qty	• Label field (read only) • Displays the quantity currently ordered through Purchase Orders and not yet received.
Packed Qty	• Label field (read only) • Displays the quantity that has already been packed for this item.
Requested Qty	• Label field (read only) • Displays the quantity requested through Material Requests.
Incoming Rate	• Label field (read only) • Displays the incoming valuation rate of the item used for stock valuation.
Picked Qty	• Label field (read only) • Displays the quantity that has already been picked for fulfillment.

- **Pricing Rule Detail**
  - **Note:** this table stores the pricing rule details applied to a specific item during price calculation. The system automatically creates and updates these records when a pricing rule is evaluated. This section is **read-only** and maintained by the system.
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Pricing Rule**
      - Label field (read only)
      - Displays the pricing rule that has been applied to the item.
    - **Item Code**
      - Label field (read only)
      - Displays the item code to which the pricing rule is applied.
    - **Setting**
      - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
          - Users can click and hold a column header , then drag and drop it into the desired position within the table.
        - Column width
          - Text input field
          - For entering or edit the column width
          - Accepts numbers only
          - Minimum length: 1 character.
          - Maximum length: 3 characters.
          - Default value = 3
        - Add / Remove columns
          - Button
          - For adding or removing columns from the table
          - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
          - These columns are:

Column Name
Pricing Rule
Item Code
Margin Type

Rate or Discount

Child Docname

Rule Applied

- Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can only view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Pricing Rule	• Label field (read only) • Displays the pricing rule that has been applied to the item
Item Code	• Label field (read only) • Displays the item code to which the pricing rule is applied.
Margin Type	• Label field (read only) • Displays the method used to calculate the margin
Rate or Discount	• Label field (read only)

	• Displays the calculated selling rate or discount value resulting from the applied pricing rule.
Child Docname	• Label field (read only) • Stores the internal reference to the child document or transaction row associated with the applied pricing rule. This field is maintained by the system.
Rule Applied	• Checkbox icon (read only) • Indicates whether this pricing rule has been successfully applied during price calculation.

- **Fixed Page Actions**
  - It contains the following:
    - **Get Items From opportunity**
      - Button
      - When clicked, a pop up appears containing the following fields:
        - **Search**
        - The user can search by the following:
          - **Name**
            - Text input field
            - Users can search by the sales order name or any part of it.
            - Max length : 100 characters
            - Once the maximum limit is reached, further input will be prevented.
          - **Party**
            - Searchable DDL
            - Link “**Customer**” doctype
            - Single selection
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
          - **Opportunity Type**
            - Searchable DDL
            - Link “**Opportunity Type**” doctype
            - Single selection

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **opportunity list**
  - It contains only opportunities whose status is equal to "**Open**" or "**Quotation**"
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Name**
      - Label field
      - It displays the opportunity name
      - Clickable
      - When clicked, it navigates the user to "Opportunity Details" screen
    - **Party (read-only)**
      - Label field
      - It displays the party name
    - **Opportunity Type**
      - Label field (read only)
      - It displays the opportunity type
- **Get Items**
  - Button
  - When an opportunity(s) is selected and the user clicks the "**Get Items**" button, the opportunity items are successfully fetched and indeed to the items table.

- **Save**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The Quotation is successfully saved and not submitted.
      - And added to the Quotation List and its status is **draft**
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.
- **Submit**
  - Button
  - Appears only after clicking on the **save** button
  - When clicked,
    - The Quotation is successfully submitted

	○ And added to the Quotation List and its status is **Submitted (open)** ● **Note:** once the document is submitted, it becomes read only and cannot be edited. ■ **Cancel** ● It appears only when the Quotation status = **Submitted** ● When clicked, ○ The Quotation was canceled successfully. ○ And it's status changes to "**Canceled**" ■ **Amend** ● Button ● It appears only when the Quotation status = **cancelled** ■ **Delete** ● It appears only when the Quotation status = **Submitted** ● When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Quotation ○ Upon clicking the "Yes" button: ■ If the Quotation is Amended from other Quotation ● A warning message appears indicating that this Quotation cannot be deleted until the user deletes all doctypes related to it. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ if the Quotation is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the Quotation can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Quotation isn't linked to another doctype ● The Quotation is deleted successfully.
Post Conditions	● The new Quotation has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

General Info Tab

Use case ID	**3**

Use case Name	General Info Tab
Descriptions	The user can continue the creation process and enter the General Info
Pre conditions	• Click on **Selling** from sidebar • Click on **Quotation** from sidebar • Click on **Add Quotation** • Click on **General Info** Tab
Main Flow	-
Components	• **Billing Address** ○ It contains the following fields: ■ **Customer Address Name** • Searchable DDL • Link "**Address**" doctype • Displays all addresses associated with the customer in the Quotation • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Important Note:** ○ The system automatically fetches the customer's **Preferred Billing Address.** ○ If no **Preferred Billing Address** is available, ■ The system fetches the **Primary Address**. ○ If no **Primary Address** exists, ■ The system fetches the **latest created address**. ○ The user can overwrite the automatically selected address by choosing another one. ■ **Address** • Label field (read only) • It displays the address of the selected customer • It displays the following data: ○ Address Description ○ City / town ○ State ○ Country ■ **Contact Person** • Searchable DDL • Link "**Contact**" doctype • **Note:** it's filtered to show only contacts that belong to the "**Customer**" or "**Lead**" • Single selection

- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Important Note:**
  - The system automatically fetches the customer's **Preferred Billing Contact.**
  - If no **Preferred Billing Contact** is available,
    - The system fetches the **Primary Contact**.
  - If no **Primary Contact** exists,
    - The system fetches the **latest created Contact**.
  - The user can overwrite the automatically selected contact by choosing another one.

- **Contact (Hidden)**
  - Label field (read only)
  - It displays the contact name of the selected contact person
- **(Contact Details)**
  - Label field (read only)
  - It displays all contact numbers and Emails ID of the selected contact person
  - **Note:**
    - UI must clearly tell which:
      - **Number is the primary phone**
      - **Email ID is the primary Email**

- **Shipping Address**
  - It contains the following fields:
    - **Shipping Address**
      - Searchable DDL
      - Link "**Address**" doctype
      - Displays all addresses associated with the customer in the Quotation to select the customer shipping address.
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Important Note:**
        - The system automatically fetches the customer's **Preferred Shipping Address.**
        - If no **Preferred Shipping Address** is available,
          - The system fetches the **Primary Address**.
        - If no **Primary Address** exists,
          - The system fetches the **latest created address**.
        - The user can overwrite the automatically selected address by choosing another one.
    - **Shipping Address**
      - Label field (read only)

- It displays the shipping address of the selected shipping address
- It displays the following data:
    - Address Description
    - City / town
    - State
    - Country

- **Company Address**
    - It contains the following fields:
        - **Company Address Name**
            - Searchable DDL
            - Link "**Address**" doctype
            - Displays all company addresses to select the company address name.
            - Single selection
            - Optional
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
            - **Note:**
                - **Company primary address** is fetched
                - If **Company primary address** is not found
                    - The latest company address is fetched.
        - **Company Address**
            - Label field (read only)
            - It displays the company address of the selected Company Address Name
            - It displays the following data:
                - Address Description
                - City / town
                - State
                - Country
        - **Contact Person**
            - Searchable DDL
            - Link "**Contact**" doctype
            - **Note:** it's filtered to show only contacts that belong to the selected company and the "**Is Your Company Contact**" checked.
            - Single selection
            - Optional
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
            - **Important Note:**
                - The system automatically fetches the company's **Preferred Billing Contact.**
                - If no **Preferred Billing Contact** is available,
                    - The system fetches the **Primary Contact**.
                - If no **Primary Contact** exists,

- The system fetches the **latest created Contact**.
- The user can overwrite the automatically selected contact by choosing another one.

- **(Contact Details)**
  - Label field (read only)
  - It displays all contact numbers and Emails ID of the selected Contact Person
  - **Note:**
    - UI must clearly tell which:
      - **Number is the primary phone**
      - **Email ID is the primary Email**

- **Payment Terms Template**
  - Searchable DDL
  - Link "**Payment Terms Template**" doctype
  - Single selection
  - Optional
  - When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
- **Payment Schedule**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Payment Term**
      - Searchable DDL
      - Link "**Payment Term**" doctype
      - Single selection
      - Optional
      - When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
    - **Description**
      - Text area
      - For adding a description
      - It's fetched from the selected Payment Term
      - Optional
      - Accepts letters, numbers, and special characters.
      - Minimum length: 3 characters.
      - Maximum length: 500 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.
      - An error message will appear if invalid data is entered
    - **Due Date**
      - Date calendar picker
      - To select the payment Due date

- It's fetched based on the "Due Date Based On" field from the selected payment term
- Mandatory
- If the field is left empty an error message appears.

■ **Invoice Portion**
- Text input field
- For entering the percentage of the total invoice amount assigned to this payment term
- It's fetched from the selected Payment Term
- Optional
- Accepts numbers only.
- The entered numbers are treated as percentages
- Minimum length: 1 character.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

■ **Payment Amount**
- Text input field
- For entering the payment amount
- Optional
- Accepts integers and decimal numbers only.
- Minimum length: 1 character.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

■ **Setting**
- When clicked, a pop up appears contains the following options :
  - Rearranging table columns using **drag** and **drop** functionality.
    - Users can click and hold a column header , then drag and drop it into the desired position within the table.
  - Column width
    - Text input field
    - For entering or edit the column width
    - Accepts numbers only
    - Minimum length: 1 character.
    - Maximum length: 3 characters.
    - Default value = 3
  - Add / Remove columns
    - Button
    - For adding or removing columns from the table
    - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.

- These columns are:

Column Name
Payment Term
Description
Due Date
Invoice Portion
Payment Amount (EGP)
Mode of Payment
Due Date Based On
Credit Days
Credit Months
Discount Date
Discount
Discount Type
Discount Validity Based On
Discount Validity
Outstanding (EGP)
Paid Amount (EGP)
Discounted Amount

- Users can show or hide columns by selecting or deselecting the related checkbox.

  - “Update” button
    - Button
    - For save any changes or updates made by the user
    - When clicked, any modifications made by the user will be saved
  - “Reset to default” button
    - Button
    - To reset all modifications to their default values.
    - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:

- Delete row
  - Button
  - To delete a specific row or multiple rows
  - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Payment Term	• Searchable DDL • Link "**Payment Term**" doctype • Single selection • Optional • When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
Description	• Text area • For adding a description • It's fetched from the selected Payment Term • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered
Due Date	• Date calendar picker • To select the payment Due date • It's fetched based on the "Due Date Based On" field from the

			selected payment term • Mandatory • If the field is left empty an error message appears.
		Invoice Portion	• Text input field • For entering the percentage of the total invoice amount assigned to this payment term • It's fetched from the selected Payment Term • Optional • Accepts numbers only. • The entered numbers are treated as percentages • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
		Mode of Payment	• Searchable DDL • Link "**Mode of Payment**" doctype • To select the default mode of payment for this payment term • It's fetched from the selected Payment Term • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
		Due Date Based On	• Label field (read only) • It's fetched from the selected Payment Term • It display one of the following values:

		○ Day(s) after invoice date ○ Day(s) after the end of the invoice month ○ Month(s) after the end of the invoice month
	Credit Days	• Label field (read only) • It display the number of credit days before the payment becomes due • It's fetched from the selected Payment Term
	Credit Months	• Label field (read only) • It display the number of credit months before the payment becomes due • It's fetched from the selected Payment Term
	Discount Date	• Date calendar picker • To select the discount date • Mandatory • If the field is left empty an error message appears. • Note: it appears only after entering a value in Discount field
	Discount	• Text input field • For entering the discount value applicable for early payment • It's fetched from the selected Payment Term • Optional • Accepts numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length

		Discount Type	• DDL • To select whether the early payment discount is calculated as a percentage or a fixed amount • It's fetched from the selected Payment Term • It contains the following values: ○ Percentage ○ Amount • Single selection • Optional
		Discount Validity Based On	• Label field (read only) • Displays the basis used to calculate the early payment discount validity period • It's fetched from the selected Payment Term • It display one of the following values: ○ Day(s) after invoice date ○ Day(s) after the end of the invoice month ○ Month(s) after the end of the invoice month
		Discount Validity	• Label field (read only) • It's fetched from the selected Payment Term • Displays the validity period during which the early payment discount can be applied
		Payment Amount	• Text input field • For entering the payment amount • Optional • Accepts integers and decimal numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented.

	• An error message will appear if the entered text is less than the minimum length.
Outstanding	• Label field • Displays the outstanding
Paid Amount	• Label field (read only) • Displays the Paid Amount
Discounted Amount	• Label field • Displays the Discounted Amount
Payment Amount (Company's base currency)	• Text input field • For entering the payment amount (Company Currency) • Optional • Accepts integers and decimal numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
Outstanding (Company's base currency)	• Label field (read only) • Displays the Outstanding (Company's base currency)
Paid Amount (company's base currency)	• Label field (read only) • Displays the Paid Amount (company's base currency)

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Terms**
  - Searchable DDL
  - Link "**Terms and Condition**" doctype
  - Single selection
  - Optional

	○ When a value is selected from the terms DDL, the terms and condition content field is automatically filled based on the selected value. ○ **Note:** ■ **If no terms and conditions are entered, the terms and conditions section is not displayed on the Quotation Details page** ■ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Terms and Condition Content** ○ Text area ○ For adding detailed terms and condition content. ○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ○ **Note:** The terms and condition content is automatically fetched based on the term selected from the DDL
Post Conditions	● The General Info Details is successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

More Info Tab

Use case ID	**4**
Use case Name	More Info Tab

Descriptions	The user can continue the creation process and enter the General Info
Pre conditions	• Click on **Selling** from sidebar • Click on **Quotation** from sidebar • Click on **Add Quotation** • Click on **More Info** Tab
Main Flow	-
Components	• **Status** ○ Label field ○ It displays the Delivery Note status ○ It shows one of the following values: ■ Draft ■ Open ■ Replied ■ Partially Ordered ■ Ordered ■ Lost ■ Cancelled ■ Expired • **Auto repeat (Hidden)** ○ Label field (read only) ○ References the Auto Repeat configuration associated with the quotation. This field is used when the quotation is generated automatically on a recurring schedule. ○ Clickable ○ When clicked, it navigates the user to the Auto Repeat reference document. • **Print Settings** ○ It contains the following fields: ■ **Letter Head** • Searchable DDL • Link “**Letter Head**” doctype • Single selection • optional, • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Language** • Label field • It displays the language selected in the print settings. ■ **Print without Amount** • Checkbox • If checked, the printing will be generated without amounts. ■ **Group same items** • Checkbox • To group the same items and sums Qty and amounts during printing.

- **UTM Analytics (Hidden)**
  - It contains the following fields:
    - **Source**
      - Searchable DDL
      - Link "**UTM Source**" doctype
      - Single selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Lost Reasons**
  - It appears only when the status = **Lost**
  - It contains the following fields:
    - **Lost reasons**
      - Label field (read only)
      - Displays the predefined reasons explaining why the quotation was marked as lost
    - **Competitors**
      - Text input field
      - Allows users to enter competitors.
      - Optional
      - Accepts letters, numbers, and special characters.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
    - **Detailed Reason**
      - Text input field
      - Allows users to enter additional comments or explanations describing why the quotation was marked as lost.
      - Optional
      - Accepts letters, numbers, and special characters.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
- **Additional Info**
  - It contains the following fields:
    - **Territory**
      - Label field (read only)
      - It's fetched from lead or customer
    - **Title (Hidden)**
      - Text input field
      - Allows users to specify a descriptive title for the quotation.
      - Optional
      - Accepts letters, numbers, and special characters.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
    - **Opportunity (Hidden)**
      - Label field (read only)
      - References the CRM Opportunity from which the quotation is

	created.
Post Conditions	• The More Info Details is successfully saved. • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Quotation Details

Use case ID	**5**
Use case Name	Quotation Details
Descriptions	The user can view / edit the Delivery Note details.

Pre conditions	• Click on **Selling** from sidebar • Click on **Quotation** from sidebar • Click on "**Quotation ID**" from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the Quotation status is **Submitted** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are **read-only** and cannot be edited. ■ If the Quotation status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the quotation data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Quotation details) pages to provide a quick access to common functions: ■ **Set as Lost** • Button • It appears only after **Submitting** • When checked, a pop up appears containing the following fields: ○ **Lost Reasons** ■ Searchable DDL ■ Link "**Quotation Lost Reason**" doctype ■ Single selection ■ Mandatory ■ If the field is left empty an error message appears. ■ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ○ **Competitors** ■ Text input field ■ Allows users to enter competitors. ■ Optional ■ Accepts letters, numbers, and special characters. ■ Minimum length: 2 characters. ■ Maximum length: 100 characters. ○ **Detailed Reason** ■ Text input field ■ Allows users to enter additional comments or explanations describing why the quotation was marked as lost. ■ Optional ■ Accepts letters, numbers, and special characters. ■ Minimum length: 2 characters.

- Maximum length: 100 characters.
- **Declare Lost**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The Quotation is successfully set as Lost
      - And its status changes to **Lost**
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.

- **Create**
  - DDL
  - It appears only after **Submitting**
  - It contains the following actions:
    - **Sales Order**
      - Button
      - When clicked it navigates the user to the “Add Sales order” screen and items are fetched from the Quotation to the sales order.
    - **Sales Invoice**
      - Button
      - When clicked it navigates the user to the “Add Sales invoice” screen and items are fetched from the Quotation to the sales invoice.
    - **Auto Repeat**
      - Button
      - When clicked, a pop up appears containing the following fields:
        - **Frequency**
          - DDL
          - It contains the following values:
            - Daily
            - Weekly
            - Monthly
            - Quarterly
            - Half-yearly
            - Yearly
          - Mandatory
          - Single selection
          - If the field is left empty an error message appears.
        - **Start Date**
          - Date calendar picker
          - To select the start date
          - Mandatory

- If the field is left empty an error message appears.
- Default value is (**today's date**)

- **End Date**
  - Date calendar picker
  - To select the end date
  - Optional
- **Save**
  - Button
  - To save the process
  - When clicked, an "**Auto Repeat created successfully for this document**" message is displayed,
  - And the created Auto Repeat reference is populated in the **Auto Repeat** field.

- **Update Items**
  - Button
  - It appears only after **Submitting**
  - When clicked, a pop up appears containing the Items table to update it as needed.
- **Assign**
- **Attachment**
- **Tags**
- **Share**
- **Print**
- **Submit**
  - It appears only when the Quotation status = **draft.**
  - If all required data is entered correctly and completely:
    - The Quotation is successfully submitted (open)
- **Cancel**
  - It appears only when the Quotation status = **Submitted**
  - When clicked,
    - The Quotation is canceled successfully.
- **Delete**
  - It appears only when the Quotation status = **Submitted**
  - When clicked,
    - A confirmation message is displayed to the user whether they want to delete this Quotation
    - Upon clicking the "Yes" button:
      - If the Quotation is Amended from other Quotation
        - A warning message appears indicating that this Quotation cannot be deleted until the user deletes all doctypes related to it.
        - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.

	■ if the Quotation is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the Quotation can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Quotation isn't linked to another doctype ● The Quotation is deleted successfully. ● **Connections Tab** ○ It contains the following: ■ **Sales Order** ● Button ● Link "**Sales Order**" docktype ■ **Sales Invoice** ● Button ● Link "**Sales Invoice**" docktype ■ **Opportunity** ● Button ● Link "**Opportunity**" docktype ■ **Auto Repeat** ● Button ● Link "**Auto Repeat**" docktype
Post Conditions	● The Quotation details has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.

Sales Order **0**
Sales Order List 0
Add Sales Order 3
Details Tab 3
General Info Tab 43
More Info Tab 55
Sales Order Details 63

Sales Order

Sales Order List

Use case ID	**1**
Use case Name	Sales Order List
Descriptions	The user is able to view the list of Sales orders .
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Order** from sidebar
Main Flow	-
Components	• **Add Sales Order** ○ Button ○ For adding a new Sales Order ○ When clicked, the user will be redirected to the "Add Sales Order" screen. • **Sales Order List** ○ **A table contain the following columns:** ■ **Checkbox icon** • Multi selection ■ **Sales Order ID** • It displays the sales order ID • Clickable • When clicked, the user will be redirected to the "Sales order Details" screen. ■ **Status**

- Displays one of the following values:
  - **Draft**
  - **Confirmed**
    - It is displayed when the document is submitted
  - **Completed**
    - It is displayed when Billing Status = Fully Billed + Delivery Status = Delivered
  - **On Hold**
  - **Cancelled**
  - **Closed**

- **Delivery Status**
  - It displays the Sales Order delivery Status
  - It shows one of the following values:
    - **To Deliver**
    - **Fully Delivered**
    - **Partly Delivered**
    - **No Delivery Required**
- **Billing Status**
  - It displays the Sales Order billing Status
  - It shows one of the following values:
    - **To Bill**
    - **Fully Billed**
    - **Partly Billed**
- **Availability Status**
  - It displays the Sales Order Availability Status
  - It shows one of the following values:
    - **Available**
      - It's displayed when the **Available Qty >= Requested Qty** for **all** item table rows
    - **Partially Available**
      - It's displayed when the **Available Qty >= Requested Qty** for **some** item table rows
    - **Backorder**
      - It's displayed when the **Available Qty < Requested Qty** for **all** item table rows
    - **Not Applicable**
      - It's displayed when all Items are **non stock items** (**Maintain Stock =0**)
- **Customer Name**
  - It displays the customer name
- **Delivery Date**
  - It displays the Delivery Date
- **Grand Total**
  - It displays the Grand Total
- % Delivered
  - Progress bar
  - It displays the percentage of the delivered items

- % Amount Billed
  - Progress bar
  - It displays the percentage of the amount billed
- when a Sales Order is selected , an action bar appears showing the following actions:
- Edit
  - Button
  - When clicked , a popup appears containing the following fields.
    - **Field**
      - DDL
      - To select the field you want to edit
      - Link “**Sales Order**” doctype
      - Single selection
      - Mandatory
    - **Value**
      - Dynamic field
      - Based on the selected option from the first dropdown field, the second field shall :
        - Dynamically change it’s input type
        - Be marked as either mandatory
        - Or optional
        - Apply the corresponding validation rules
    - **Update (button)**
      - Button
      - When clicked,
        - If the Sales Order status is "**submitted**" (**To deliver and bill**) “**Completed**” or "**Cancelled**":
          - an error message is displayed informing the user that the Sales order cannot be modified.
- Export
- Assign to
- Clear assignment
- Add tags
- Print
- Submit
  - It appears only when the Sales order status = **Draft.**
  - If all required data is entered correctly and completely:
    - The Sales order is successfully submitted.
- Cancel
  - It appears only when the Sales order status = **submitted**
  - When clicked,
    - The Sales order was canceled successfully.
    - And “**Cancel**” button changes to “**Amend**”
- Delete
  - It appears only when the sales order status = **Draft / Cancelled**
  - When clicked,
    - A confirmation message is displayed to the user whether they want

	to delete this Sales order ● Upon clicking the “Yes” button: ○ If the Sales order is Amended from other Sales order ■ A warning message appears indicating that this Sales order cannot be deleted until the user deletes all doctypes related to it. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ if the Sales order is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Sales order can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Sales order isn’t linked to another doctype ■ The Sales order is deleted successfully.
Post Conditions	● Ability to add and view Sales order details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Sales Order

Details Tab

Use case ID	**2**
Use case Name	Add Sales Order
Descriptions	The user can add a new sales order.
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Order** from sidebar • Click on "**Add Sales Order**" button
Main Flow	-
Components	• **Company** ○ Searchable DDL ○ Link "**Company**" doctype ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Series** ○ DDL ○ Displays all series added to Sales order doctype ○ Mandatory. ○ Single selection ○ If the field is left empty an error message appears. • **Customer** ○ Searchable DDL ○ Link "**Customer**" doctype ○ To select the customer receiving the sales order ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Order Type (Hidden)** ○ DDL ○ To select the order type ○ It contains the following values: ■ Sales ○ Single selection ○ Mandatory

- If the field is left empty an error message appears.

- **Customer Name**
  - Label field (read only)
  - It displays the customer name based on the selected customer
- **Date**
  - Date calendar picker
  - To select the sales order creation date
  - Mandatory
  - If the field is left empty an error message appears.
  - It has a default value = current date
- **Tax ID**
  - Label field (read only)
  - It displays the tax ID based on the selected Customer
- **Delivery Date**
  - Date calendar picker
  - To select the Sales order delivery date
  - **Note:** The user can select a default delivery date to automatically populate the delivery date field for all items in the item table, but only for rows where the delivery date field is empty. Existing delivery date values will not be overwritten.
  - **Note:**
    - it appears only when the " Skip Delivery Note" = **0**
    - It has a default value "**Empty**"
- **Skip Delivery Note**
  - Checkbox
  - When checked, the system skips the Delivery Note step for this Sales Order, allowing a Sales Invoice to be created directly without requiring a Delivery Note.
  - **Note:** it's unchecked by default
- **Amended From**
  - Label field
  - Displays the Sales order from which this document was amended.
  - Clickable
  - When clicked, it navigates the user to the Sales order from which this document was amended.
  - **Note:** This field is displayed only if this Sales order is amended from another Sales order.
- **Cost Center**
  - Searchable DDL
  - Link "**Cost Center**" doctype
  - Used to specify the department or business unit that will bear the expense or receive the revenue.
  - Single selection
  - Optional
- **Project**
  - Searchable DDL
  - Link "**Project**" doctype
  - Used to link the transaction to a specific project.
  - Single selection

- Optional
- **Currency and Price List**
  - It contains the following fields:
    - **Currency**
      - Searchable DDL
      - Link "**Currency**" doctype
      - To select the document currency
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Note:** it's fetched from the Company "**Default Currency**"
    - **Exchange Rate**
      - The behavior of the **Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
      - **Case 1:**
        - **Exchange Rate Fetching Rule is configured**
          - If an **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
          - In this case **Exchange Rate** field is Label Field **(read only)**
          - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
            - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
      - **Case 2:**
        - **No Exchange Rate Found**
          - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
            - **Prompt User to Add Exchange Rate:**
              - The system shall prompt the user to create a new Exchange Rate record before proceeding.
              - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.

- The Exchange Rate field shall remain **read-only**
- **Note:**
  - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
  - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Use API to Get Exchange Rate**
  - The system shall automatically create and retrieve the Exchange Rate using the configured external API.
  - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
  - The Exchange Rate field shall remain **read-only**.
  - **Note:**
    - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
    - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Price List**
  - Searchable DDL
  - Link "**Price List**" doctype
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
  - **Note:** it's set by default as "**Standard Price List**" in **selling settings**

- **Price List Currency**
  - Label field (read only)
  - Fetched from Price list's "**Currency**" field
- **Price List Exchange Rate**
  - The behavior of the **Price List Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
  - **Case 1:**
    - **Exchange Rate Fetching Rule is configured**
      - **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
      - In this case **Exchange Rate** field is Label Field **(read only)**
      - **Note:**
        - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
        - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
  - **Case 2:**
    - **No Exchange Rate Found**
      - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
        - **Prompt User to Add Exchange Rate:**
          - The system shall prompt the user to create a new Exchange Rate record before proceeding.
          - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.
          - The Exchange Rate field shall remain **read-only**
          - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
            - Any manually entered Exchange Rate by an authorized user shall **override**

the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Use API to Get Exchange Rate**
  - The system shall automatically create and retrieve the Exchange Rate using the configured external API.
  - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
  - The Exchange Rate field shall remain **read-only**.
  - **Note:**
    - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
    - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Ignore Pricing Rule**
  - Checkbox
    - When checked, the system ignores any Pricing Rules if the selected Price List already has Pricing Rules configured.

- **Scan Barcode**
  - Text input field
  - Allows the user to enter or scan a barcode.
  - optional.
  - Accepts letters,numbers and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - Note:
    - When a scan barcode option is selected, the system opens a device camera to scan a barcode and automatically populates the field with the scanned value.
    - If the user enters a barcode manually at a slow typing speed, the entered value is automatically cleared
- **Set Source Warehouse**
  - The user can select a default warehouse to automatically populate the Warehouse field for all items in the item table, but only for rows where the Warehouse field is

empty. Existing warehouse values will not be overwritten.
    - Searchable DDL
    - Link "**Warehouse**" doctype
    - Displays only child warehouses that belong to the selected company, where the "Is Group warehouse" option is disabled.
    - Single selection
    - Optional
- **Reserve Stock**
    - Checkbox
    - It appears only when the "**Enable Stock Reservation**" option is enabled in **Inventory Settings**
    - When checked,
        - The **Reserve Stock** checkbox is automatically checked for all items in the Items table.
- **Items**
    - A table contain the following columns:
        - **Checkbox icon**
            - Multi selection
        - **No.**
            - Displays the ordering of items in the table
        - **Item Code**
            - Searchable DDL
            - Link "**item**" doctype
            - To select the item included in the sales order
            - Only items with "**Is Fixed Asset**" disabled, "**Has Variants**" disabled and "**Allow Sales**" enabled are displayed.
            - Single selection
            - Mandatory
            - If the field is left empty, an error message will appear.
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
        - **Delivery Date**
            - Date calendar picker
            - To select the delivery date of the item
            - Mandatory
            - If the field is left empty an error message appears.
        - **Qty**
            - Text input field.
            - To enter the item Qty required in this sales order
            - Mandatory.
            - Accept numbers only.
            - Maximum length: 100 characters.
            - Once the maximum length is reached, further input is prevented.
            - If the field is left empty an error message appears.
        - **Available Qty**
            - Label field (read only)

- It displays the available Qty in the selected source warehouse
- **Note: Available Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse**

- **Shortage Qty**
  - Label field (read only)
  - It displays the shortage Qty in the selected source warehouse
  - **Note: Shortage Qty = Qty - Available Qty in that warehouse**
  - **Note:**
    - The Shortage Quantity is calculated and displayed in real time only after the user enters the Qty value.
    - If the **Shortage Quantity is less than or equal to 0**,
      - It means there is no shortage and the available quantity is sufficient.
    - If the **Shortage Quantity is greater than 0**,
      - It indicates that there is a shortage.
      - In this case, the system's behavior depends on the **Selling Settings** configuration: it will either Ignore the shortage and allow the user to proceed, display a Warning while allowing the user to continue, or Block the transaction and prevent the user from proceeding.
- **Rate**
  - Text input field
  - Displays automatically the unit price of the item in the document currency
  - Can be edited.
  - Accepts numbers only.
- **Amount**
  - Label field
  - Displays the total amount of the item calculated in the document currency.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button

- For adding or removing columns from the table
- When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
- These columns are:

Column Name
Item Code
Delivery Date
Quantity
Available Qty
Shortage Qty
Rate (EGP)
Amount (EGP)
Item Name
Description
Stock UOM
UOM
UOM Conversion Factor
Qty as per Stock UOM
Stock Reserved Qty (in Stock UOM)
Price List Rate (EGP)
Margin Type
Margin Rate or Amount
Rate With Margin (EGP)
Discount (%) on Price List Rate with Margin
Discount Amount (EGP)
Distributed Discount Amount (EGP)
Item Tax Template
Rate of Stock UOM (EGP)
Is Free Item

	Billed Amt (EGP) Valuation Rate (EGP) Gross Profit (EGP) Supplier delivers to Customer Supplier Weight Per Unit Total Weight Weight UOM Source Warehouse Quotation Against Blanket Order Blanket Order Blanket Order Rate Qty (Warehouse) Qty (Company) Projected Qty Ordered Qty Requested Qty Delivered Qty Returned Qty Picked Qty (in Stock UOM) Page Break Cost Center Project ■ Users can show or hide columns by selecting or deselecting the related checkbox. ○ “Update” button ■ Button ■ For save any changes or updates made by the user ■ When clicked, any modifications made by the user will be saved

- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Item	• Searchable DDL • Link “**item**” doctype • To select the item included in the sales order • Only items with “**Maintain Stock**” enabled , “**Has Variants**” disabled and “**Allow Sales**” enabled are displayed. • Single selection • Mandatory
Item Group	• Label field • Displays the item group associated with the selected item • It’s displayed only when an item is selected
Item Name	• Label field • Displays the item name • It’s displayed only when an item is selected
Delivery Date	• Date calendar picker • To select the delivery date of the item • Mandatory • If the field is left empty an error message appears.

		Ensure Delivery based on produced serial No	• Checkbox • When enabled, the system ensures that the Delivery Note can only deliver the Serial Numbers produced from the Work Order linked to this Sales Order.
		Reserve Stock	• Checkbox • It **appears** only when the "**Enable Stock Reservation**" option is enabled in **Inventory Settings** • It is **checked** by default when the "**Allow Stock Reservation**" checkbox is checked from the Item Details screen. • if the "Reserve Stock" checkbox is checked for this item ○ A stock reservation is created for the item qty when the document is submitted. • If the "Reserve Stock" checkbox is unchecked for this item ○ No stock reservation is created when the document is submitted. • When checked, this item is displayed in the reservation table when clicking on create "**Stock Reservation**"
		Description	• Text area • For adding a description to this sales order item • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.

	An error message will appear if invalid data is entered.
Brand name	• Label field • Displays the brand name • It's displayed only when an item is selected
Image	• Image (read only) • It's fetched from the selected item and cannot be edited.
Qty	• Text input field. • To enter the item Qty • Mandatory. • Accept numbers only. • Maximum length: 100 characters. • Once the maximum length is reached, further input is prevented. • If the field is left empty an error message appears. • **Note: Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse** • **Note:** If a quantity less than the available quantity in the selected warehouse is entered, a warning message is displayed indicating that the entered quantity is less than the available quantity in the selected warehouse.
Available Qty	• Label field (read only) • It displays the available Qty in the selected source warehouse • **Note: Available Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse**
Shortage Qty	• Label field (read only) • It displays the shortage Qty in the selected source warehouse • **Note: Shortage Qty = Qty -**

			Available Qty in that warehouse • **Note:** ○ The Shortage Quantity is calculated and displayed in real time only after the user enters the Qty value. ○ If the **Shortage Quantity is less than or equal to 0**, ■ It means there is no shortage and the available quantity is sufficient. ○ If the **Shortage Quantity is greater than 0**, ■ It indicates that there is a shortage. ■ In this case, the system's behavior depends on the **Selling Settings** configuration: it will either Ignore the shortage and allow the user to proceed, display a Warning while allowing the user to continue, or Block the transaction and prevent the user from proceeding.
		UOM	• Searchable DDL • Link "**UOM**" doctype • To select the UOM for the requested Qty • **Displays only the UOMs defined for this item in its UOM table.** • Single selection • Mandatory

		Stock UOM	• Label field • Displays the default UOM of the selected item
		UOM Conversion Factor	• Label field • Displays the conversion factor between the UOM of the requested Qty and the default UOM.
		Qty as Per Stock UOM	• Label field (read only) • Displays the item quantity converted to the item's Stock UOM (Stock Unit of Measure) based on the selected UOM conversion factor.
		Stock reserved Qty (in stock UOM)	• Label field (read only) • It displays the reserved Qty for this item in the selected row only
		Price List rate (Currency)	• Label field • Displays the item's selling price retrieved from the selected **Price List** before applying any pricing rules
		Price List rate (Company Currency)	• Label field • Displays the item's selling price retrieved from the selected **Price List** in company's base currency before applying any pricing rules
		Margin Type	• DDL • Used to select the profit margin calculation method • Single selection • Optional • It displays the following values: ○ Percentage

	○ Amount
Margin Rate or Amount	• Text input field. • To enter the profit margin value • optional. • Accept numbers and special characters only.
Rate with margin	• Label field • Displays the price after applying the profit margin and before applying any pricing rules • **Note: Rate With Margin = Price List Rate + Margin Rate**
Discount (%) on price list rate with margin	• Label field • Displays the discount percentage applied to the price list after the profit margin has been added • **Note:** It displays only when, "**Ignore Pricing Rule = 0**"
Discount Amount	• Label field • Displays the actual discount amount • **Note:** It displays only when, "**Ignore Pricing Rule = 0**"
Distributed Discount Amount	• Label field • When an additional discount is applied at the document level, the system distributes the total discount across all items and displays this item's allocated share of the discount.
Rate with Margin (Company Currency)	• Label field • Displays the item price after applying the profit margin in the company's base currency

Rate	• Label field • Displays the unit price of the item in the document currency
Amount	• Label field • Displays the total amount of the item calculated in the document currency.
Item Tax template	• Label field • Displays the taxes applied to this item.
Rate (Company Currency)	• Label field • Displays the unit price of the item in the company's base currency after applying all pricing rules and discounts.
Amount (Company Currency)	• Label field • Displays the total amount of the item calculated in the company's base currency.
Pricing Rules	• Label field • Displays the names of the pricing rules applied to this item
Rate of Stock UOM	• Label field • Displays the price of Stock UOM
Is Free Item	• Checkbox icon (read only)
Net Rate	• Label field • Displays the unit price of the item in the document currency after applying all pricing rules, discounts and tax templates.
Net Amount	• Label field

			• Displays the total amount of the item calculated in the document currency after applying all pricing rules, discounts and tax templates. • **Note:** Net Amount = Net Rate * Qty
		Net Rate (Company Currency)	• Label field • Displays the unit price of the item in the company's base currency after applying all pricing rules, discounts and tax templates.
		Net Amount (Company Currency)	• Label field • Displays the total amount of the item calculated in the company's base currency after applying all pricing rules, discounts and tax templates.
		Billed Amount	• Label field (read only)
		Valuation Rate	• Label field (read only)
		Gross Profit	• Label field (read only)
		Supplier Delivers to Customer	• Checkbox • **Note:** it's fetched from item details and it can be edited • When checked: ○ The source warehouse field is hidden because the supplier will deliver the order directly to the customer instead of the company. • After the document is submitted, when the user clicks on create purchase order, the set supplier field is displayed, allowing the

			user to select the supplier who will deliver the order directly to the customer.
		Supplier	• Searchable DDL • Link “**Supplier**” doctype • To select the supplier who will deliver the order to the customer • It displays only suppliers from “**Item Supplier**” table in item details • Single selection • Optional
		Weight per unit	• Label field • Displays the weight per item unit
		Weight UOM	• Label field • Displays the weight of the UOM itself
		Total weight	• Label field • Displays the total weight of the item • **Note: Total Weight = Weight per Unit * Qty**
		Source Warehouse	• Searchable DDL • Link “**Warehouse**” doctype • To select the warehouse from which the item will be issued or delivered • Single selection • Optional • **Note:** it appears only when the “**Supplier Delivers to Customer = 0**”
		Against Blanket Order	• Checkbox • Indicates that the item is

	created against an existing Blanket Order.
Blanket Order	• Searchable DDL • Link “**Blanket Order**” doctype • Specifies the Blanket Order referenced by this item. • Single selection
Blanket Order Rate	• Label field (read only) • Displays the agreed unit price from the linked Blanket Order.
Quotation	• Label field • Displays the Quotation from which this sales order was created , if available. • Clickable • When clicked, the user is redirected to the quotation related to this sales order
Quotation item	• Label field • Displays the specific item row in the linked quotation that corresponds to this item.
Qty (warehouse)	• Label field • Displays the actual quantity of the selected warehouse
Qty (company)	• Label field • Displays the actual quantity of the company
Projected Qty	• Label field (read only) • Displays the projected available quantity after considering current stock,

	incoming stock, and reserved quantities.
Ordered Qty	• Label field (read only) • Displays the total quantity of the item committed in submitted Sales Orders.
Production Planned Qty	• Label field (read only) • Displays the quantity of the item included in a Production Plan.
Requested Qty	• Label field (read only) • Displays the quantity requested through Material Requests related to the Sales Order.
Work order Qty	• Label field (read only) • Displays the quantity covered by Work Orders created for the item.
Delivered Qty	• Label field (read only) • Displays the quantity of the item that has already been delivered to the customer.
Returned Qty	• Label field (read only) • Displays the quantity of the item returned by the customer.
Picked Qty (in Stock UOM)	• Label field (read only) • Displays the quantity picked from the warehouse in the stock UOM for delivery.
Cost Center	• Searchable DDL • Link "**Cost Center**" doctype • Used to specify the department or business unit that will bear the

	expense or receive the revenue. • Single selection • Optional
Project	• Searchable DDL • Link "**Project**" doctype • Used to link the transaction to a specific project. • Single selection • Optional

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Total Quantity**
  - Label field (read only)
  - Displays the total quantity of items.
- **Total Currency**
  - Label field (read only)
  - Displays the total amount of the item's quantity in the selected currency
- **Total Company's base Currency**
  - Label field (read only)
  - Displays the total amount of the item's quantity in the company's base currency
- **Total Net weight**
  - Label field (read only)
  - Displays the total net weight
- **Net Total Currency**
  - Label field (read only)
  - Displays the net total currency
- **Net Total Company's base Currency**
  - Label field (read only)
  - Displays the net total company's base currency
- **Taxes And Charges**
  - It contains the following fields:
    - **Tax category**
      - Label field (read only)
      - It fetched from the selected "**Sales Taxes and Charges Template**"
    - **Shipping Rule**
      - Searchable DDL
      - Link "**Shipping Rule**" doctype
      - To select a shipping rule
      - Single selection
      - Optional

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Incoterm (Hidden)**
  - Searchable DDL
  - Link "**Incoterm**" doctype
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Named Place**
  - Text input field.
  - To specify the location associated with the selected incoterm
  - Optional
  - Accept letters, numbers and special characters.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
  - **Note:** it appears only after selecting an Incoterm
- **Sales Taxes and Charges Template**
  - Searchable DDL
  - Link "**Sales Taxes and Charges Template"** doctype
  - When a template is selected, its details are fetched and populated into the **sales taxes and charges** table.
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Sales Taxes and Charges**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Type**
      - DDL
      - To select the sales taxes type
      - It contains the following values:
        - Actual
        - On Net Total
        - On Previous Row Amount
        - On Previous Row Total
        - On Item Quantity
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will

appear.

- **Account Head**
  - Searchable DDL
  - Link “**Accounts**” doctype
  - To select an account head
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Tax Rate**
  - Text input field.
  - To enter the tax rate
  - optional .
  - Accept numbers only.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
- **Net Amount** Currency
  - Label field
  - Displays the net amount currency
- **Amount** Currency
  - Label field
  - Displays the amount currency
- **Total** Currency
  - Label field
  - Displays the total currency
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns

- Button
- For adding or removing columns from the table
- When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
- These columns are:

Column Name
Type
Account Head
Tax Rate
Net Amount (USD)
Amount (USD)
Total (USD)
Reference Row #
Description
Is this Tax included in Basic Rate?
Considered In Paid Amount
Is Tax Withholding Account
Cost Center
Project
Account Currency
Tax Amount After Discount Amount (USD)
Net Amount (EGP)
Amount (EGP)
Total (EGP)
Tax Amount After Discount Amount (EGP)

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button

- For save any changes or updates made by the user
- When clicked, any modifications made by the user will be saved

- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when an Item is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Type	• DDL • To select the sales taxes type • It contains the following values: ○ Actual ○ On Net Total ○ On Previous Row Amount ○ On Previous Row Total ○ On Item Quantity • Single selection • Mandatory
Reference Row	• Text input field • Used to enter the reference row • **Note:** This field appears only when more than one tax is added and the tax type is set to On Previous Row Amount or On

	Previous Row Total. The system automatically populates the Reference Row field with the row number immediately preceding the current row.
Account Head	• Searchable DDL • Link "**Accounts**" doctype • To select an account head • Single selection • Mandatory
Description	• Text area • For adding a description Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
Is this Tax Included In Basic Rate ?	• Checkbox • If checked, this tax amount will be considered as already included in Print Rate / Print Amount
Considered In Paid Amount	• Checkbox • If checked, this tax amount will be considered as already included in the paid Amount in Paid Entry
Set by Item Tax Template	• Checkbox icon (read only) • It appears only in case this tax set be item tax template

		Is tax withholding Account	• Checkbox icon (read only) • It appears only in case this tax is tax withholding Account
		Cost Center	• Searchable DDL • Link "**Cost Center**" doctype • Used to specify the department or business unit that will bear the expense or receive the revenue. • Single selection • Optional
		Project	• Searchable DDL • Link "**Project**" doctype • Used to link the transaction to a specific project. • Single selection • Optional
		Tax Rate	• Text input field. • To enter the tax rate • optional . • Accept numbers only.
		Account Currency	• Label field • Displays the Account Currency
		Net Amount (Currency)	• Label field • Displays the Net Amount Currency
		Amount (Currency)	• Label field • Displays the Amount Currency
		Total (Currency)	• Label field • Displays the Total Currency
		Tax Amount After Discount Amount	• Label field • Displays the tax Amount After Discount Amount
		Net Amount (Company's base currency)	• Label field • Displays the Net Amount (Company's base currency)

Amount (Company's base currency)	• Label field • Displays the Amount (Company's base currency)
Total (Company's base currency)	• Label field • Displays the Total (Company's base currency)
Tax Amount After Discount Amount (company's base currency)	• Label field • Displays the tax Amount After Discount Amount (Company's base currency)
Don't Recompute Tax	• Checkbox icon (read only) • It displays that the system will not automatically recompute the tax amount for this row during tax recalculations.

        - **Add Row**
            - Button
            - To add a new row in the table
            - When clicked, a new row is added to the table.
    - **Total Taxes and Charges (Company's base Currency)**
        - Label field (read only)
        - It displays total taxes and charges in company's base currency
    - **Total Taxes and Charges (Currency)**
        - Label field (read only)
        - It displays total taxes and charges in currency
- **Totals (Currency)**
    - It contains the following fields:
        - **Grand Total (Currency)**
            - Label field
            - It displays the grand total in the selected Currency
        - **Rounding Adjustment (Currency)**
            - Label field
            - It displays the rounding adjustment in the selected Currency
        - **Rounded Total (Currency)**
            - Label field
            - It displays the rounded total in the selected Currency
        - **In Words**
            - Label field
            - It displays the grand total in the selected Currency in words
- **Totals (Company's base Currency)**
    - It contains the following fields:

- **Grand Total (Company's base Currency)**
  - Label field
  - It displays the grand total in the selected Company's base Currency
- **Rounding Adjustment (Company's base Currency)**
  - Label field
  - It displays the rounding adjustment in the selected Company's base Currency
  -
- **Rounded Total (Company's base Currency)**
  - Label field
  - It displays the rounded total in the selected Company's base Currency
- **In Words**
  - Label field
  - It displays the grand total in the selected Company's base Currency in words.

- **Additional Discount**
  - It contains the following fields:
    - **Apply Additional Discount On**
      - DDL
      - To apply additional discount
      - It contains the following values:
        - Grand Total
        - Net Total
      - Single selection
      - Optional
    - **Additional Discount Percentage**
      - Text input field
      - To enter the Additional Discount Percentage
      - optional .
      - Accept numbers only.
      - When a number is entered, it is calculated as a percentage.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented.
    - **Additional Discount Amount (Company's base Currency)**
      - Label field
      - It displays the additional discount amount in company's base currency
    - **Additional Discount Amount (Currency)**
      - Text input field
      - To enter the Additional Discount amount using the selected currency
      - optional .
      - Accept numbers only.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented.
    - **Coupon Code**

- Searchable DDL
- Link "**Coupon Code**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Taxes and Charges Calculation**
  - **Note:**
    - This section is a **read-only** section that displays the calculated taxes and charges in a tabular format
    - This section is displayed only after Sales Taxes and Charges have been added to the items and the document has been saved.
  - A table contain the following columns:
    - **Item**
      - Label field (read only)
      - Displays the item code or item name for which the tax breakdown is calculated.
    - **Taxable Amount**
      - Label field (read only)
      - Displays the taxable amount of the item before applying the tax
      - This is the amount on which the tax is calculated.
    - **Account Head Description**
      - Label field (read only)
      - Displays the value of the tax or charge allocated to the corresponding item.
      - Note: When taxes and charges with different Account Heads are added, the system automatically creates a separate column for each Account Head to display its calculated amount for every item.
  - **Note:** The system automatically generates this table based on the configured **Taxes and Charges**, showing the applicable taxable amount, and calculated tax amount for every item. The table is **read-only** and maintained by the system
- **Bundle Items**
  - **Note:** This table is displayed only when the item in the Quotation is a **Product Bundle** and the user clicks the **Save** button.
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Parent Item**
      - Label field (read only)
      - It displays the parent item of the Product bundle
    - **Item Code**
      - Label field (read only)
      - It displays the item code of the Product bundle
    - **Description**

- Text area
- For adding a description Optional
- Accepts letters, numbers, and special characters.
- Minimum length: 3 characters.
- Maximum length: 500 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- An error message will appear if invalid data is entered.

- **Qty**
  - Label field
  - Displays the Qty of the item
- **Rate**
  - Label field
  - Displays the unit price of the item
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Parent Item
Item Code
Description
Qty

	Rate Item Name Supplier delivers to Customer From Warehouse To Warehouse (Optional) Conversion Factor UOM Pick Serial / Batch No Use Serial No / Batch Fields Serial and Batch Bundle Serial No Batch No Actual Batch Quantity Actual Qty Projected Qty Ordered Qty Packed Qty Requested Qty Incoming Rate Picked Qty

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when an Item is selected , an action bar appears showing the following actions:

- Delete row
  - Button
  - To delete a specific row or multiple rows
  - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Parent Item	• Label field (read only) • Displays the parent product bundle to which this item belongs.
Item Code	• Label field (read only) • Displays the item code of the bundled component
Item Name	• Label field (read only) • Displays the name of the bundled item.
Suppliers delivers to customer	• Checkbox icon (read only) • Indicates that the supplier will deliver the bundled item directly to the customer.
Description	• Text area • For adding a description • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.

	• An error message will appear if invalid data is entered.
From Warehouse	• Searchable DDL • Link "**Warehouse**" doctype • To select the source warehouse of the bundled item • Single selection • Optional
To Warehouse	• Searchable DDL • Link "**Warehouse**" doctype • To select the destination warehouse when applicable • Single selection • Optional
Conversion Factor	• Label field (read only) • It displays conversion factor between the selected UOM and the Stock UOM
Qty	• Label field (read only) • It displays the quantity of the bundled item
Rate	• Label field (read only) • Displays the unit price of the bundled item when applicable.
UOM	• Label field (read only) • It displays the UOM of the bundled item
Pick Serial / batch No	• Button • Appears only when the “Activate Serial / Batch No for item” checkbox is enabled from Inventory settings • When clicked, the available

			Serial Numbers and Batches are automatically selected based on the picking method defined in Inventory Settings, such as FIFO, LIFO, or Expiry.
		Serial and Batch Bundle	• Searchable DDL • Link "**Serial and Batch Bundle**" doctype • To select serial and batch bundle related to this item • Single selection • Optional
		Use Serial No / Batch Fields	• Checkbox • When checked: ○ the "**Pick Serial and Batch No**" button and the "**Serial and Batch Bundle**" field are hidden ○ The "**Serial No**" and "**Batch No**" fields are displayed to allow manual entry of Serial Numbers and Batches.
		Serial No	• Text area • To enter serial numbers manually • It appears only when "**Use Serial No / Batch No**" is checked • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered. • When a Serial Number is entered

	and the Enter key is pressed, a new line is created to allow entry of another Serial Number.
Batch No	• Searchable DDL • Link "**Batch No**" doctype • To select Batch No related to this item and the selected warehouse. • Single selection • Optional
Actual Batch Qty	• Label field (read only) • Displays the total available quantity of the selected item across all batches in the selected warehouse
Actual Qty	• Label field (read only) • Displays the current available stock quantity of the item in the selected warehouse.
Projected Qty	• Label field (read only) • Displays the projected available quantity after considering all future stock transactions.
Ordered Qty	• Label field (read only) • Displays the quantity currently ordered through Purchase Orders and not yet received.
Packed Qty	• Label field (read only) • Displays the quantity that has already been packed for this item.
Requested Qty	• Label field (read only) • Displays the quantity requested through Material Requests.
Incoming Rate	• Label field (read only) • Displays the incoming valuation

	rate of the item used for stock valuation.
Picked Qty	• Label field (read only) • Displays the quantity that has already been picked for fulfillment.

- **Pricing Rule Detail**
  - **Note:** this table stores the pricing rule details applied to a specific item during price calculation. The system automatically creates and updates these records when a pricing rule is evaluated. This section is **read-only** and maintained by the system.
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Pricing Rule**
      - Label field (read only)
      - Displays the pricing rule that has been applied to the item.
    - **Item Code**
      - Label field (read only)
      - Displays the item code to which the pricing rule is applied.
    - **Setting**
      - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
          - Users can click and hold a column header , then drag and drop it into the desired position within the table.
        - Column width
          - Text input field
          - For entering or edit the column width
          - Accepts numbers only
          - Minimum length: 1 character.
          - Maximum length: 3 characters.
          - Default value = 3
        - Add / Remove columns
          - Button
          - For adding or removing columns from the table
          - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.

- These columns are:

Column Name
Pricing Rule
Item Code
Margin Type
Rate or Discount
Child Docname
Rule Applied

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can only view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	Options
Pricing Rule	• Label field (read only) • Displays the pricing rule that has been applied to the item
Item Code	• Label field (read only)

	• Displays the item code to which the pricing rule is applied.
Margin Type	• Label field (read only) • Displays the method used to calculate the margin
Rate or Discount	• Label field (read only) • Displays the calculated selling rate or discount value resulting from the applied pricing rule.
Child Docname	• Label field (read only) • Stores the internal reference to the child document or transaction row associated with the applied pricing rule. This field is maintained by the system.
Rule Applied	• Checkbox icon (read only) • Indicates whether this pricing rule has been successfully applied during price calculation.

- **Fixed Page Actions**
  - It contains the following:
    - **Get Items From Quotation**
      - Button
      - When clicked, a pop up appears containing the following fields:
        - **Search**
        - The user can search by the following:
          - **Name**
            - Text input field
            - Users can search by the sales order name or any part of it.
            - Max length : 100 characters
            - Once the maximum limit is reached, further input will be prevented.
          - **customer**
            - Searchable DDL
            - Link “**Customer**” doctype
            - Single selection

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Quotation list**
  - It contains only quotations whose status is equal to "**Open**"
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Name**
      - Label field
      - It displays the opportunity name
      - Clickable
      - When clicked, it navigates the user to "Opportunity Details" screen
    - **Party (read-only)**
      - Label field
      - It displays the party name
- **Get Items**
  - Button
  - When an opportunity(s) is selected and the user clicks the "**Get Items**" button, the opportunity items are successfully fetched and indeed to the items table.

- **Save**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The Sales order is successfully saved and not submitted.
      - And added to the Sales order List and its status is **draft**
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.
- **Submit**
  - Button
  - Appears only after clicking on the **save** button
  - When clicked,
    - The Sales order is successfully submitted
    - And added to the Sales order List and its status is **Submitted (to Bill)**
  - **Note:** once the document is submitted, it becomes read only and

	cannot be edited. ■ **Cancel** ● It appears only when the Sales order status = **Submitted** ● When clicked, ○ The Sales order was canceled successfully. ○ And it's status changes to "**Canceled**" ■ **Amend** ● Button ● It appears only when the Sales order status = **cancelled** ■ **Delete** ● It appears only when the sales order status = **Draft / Cancelled** ● When clicked, ○ A confirmation message is displayed to the user whether they want to delete this Sales order ○ Upon clicking the "Yes" button: ■ If the Sales order is Amended from other Sales order ● A warning message appears indicating that this Sales order cannot be deleted until the user deletes all doctypes related to it. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ if the Sales order is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the Sales order can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Sales order isn't linked to another doctype ● The Sales order is deleted successfully.
Post Conditions	● The new Sales order has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

General Info Tab

Use case ID	**3**
Use case Name	General Info Tab
Descriptions	The user can continue the creation process and enter the General Info
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Order** from sidebar • Click on **Add Sales Order** • Click on **General Info** Tab
Main Flow	-
Components	• **Billing Address** ○ It contains the following fields: ■ **Customer Address Name** • Searchable DDL • Link "**Address**" doctype • Displays all addresses associated with the customer in the Quotation • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Important Note:** ○ The system automatically fetches the customer's **Preferred Billing Address.** ○ If no **Preferred Billing Address** is available, ■ The system fetches the **Primary Address**. ○ If no **Primary Address** exists, ■ The system fetches the **latest created address**. ○ The user can overwrite the automatically selected address by choosing another one. ■ **Address** • Label field (read only) • It displays the address of the selected customer • It displays the following data: ○ Address Description ○ City / town ○ State ○ Country ■ **Contact Person** • Searchable DDL

- Link "**Contact**" doctype
- **Note:** it's filtered to show only contacts that belong to the "**Customer**" or "**Lead**"
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Important Note:**
    - The system automatically fetches the customer's **Preferred Billing Contact.**
    - If no **Preferred Billing Contact** is available,
        - The system fetches the **Primary Contact**.
    - If no **Primary Contact** exists,
        - The system fetches the **latest created Contact**.
    - The user can overwrite the automatically selected contact by choosing another one.

- **Contact (Hidden)**
    - Label field (read only)
    - It displays the contact name of the selected contact person
- **(Contact Details)**
    - Label field (read only)
    - It displays all contact numbers and Emails ID of the selected contact person
    - **Note:**
        - UI must clearly tell which:
            - **Number is the primary phone**
            - **Email ID is the primary Email**

- **Shipping Address**
    - It contains the following fields:
        - **Shipping Address**
            - Searchable DDL
            - Link "**Address**" doctype
            - Displays all addresses associated with the customer in the Quotation to select the customer shipping address.
            - Single selection
            - Optional
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
            - **Important Note:**
                - The system automatically fetches the customer's **Preferred Shipping Address.**
                - If no **Preferred Shipping Address** is available,
                    - The system fetches the **Primary Address**.
                - If no **Primary Address** exists,
                    - The system fetches the **latest created address**.

	○ The user can overwrite the automatically selected address by choosing another one. ■ **Shipping Address** ● Label field (read only) ● It displays the shipping address of the selected shipping address ● It displays the following data: ○ Address Description ○ City / town ○ State ○ Country • **Company Address** ○ It contains the following fields: ■ **Company Address Name** ● Searchable DDL ● Link "**Address**" doctype ● Displays all company addresses to select the company address name. ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Note:** ○ **Company primary address** is fetched ○ If **Company primary address** is not found ■ The latest company address is fetched. ■ **Company Address** ● Label field (read only) ● It displays the company address of the selected Company Address Name ● It displays the following data: ○ Address Description ○ City / town ○ State ○ Country ■ **Contact Person** ● Searchable DDL ● Link "**Contact**" doctype ● **Note:** it's filtered to show only contacts that belong to the selected company and the "**Is Your Company Contact**" checked. ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Important Note:** ○ The system automatically fetches the company's **Preferred**

Billing Contact.
    - If no **Preferred Billing Contact** is available,
        - The system fetches the **Primary Contact**.
    - If no **Primary Contact** exists,
        - The system fetches the **latest created Contact**.
    - The user can overwrite the automatically selected contact by choosing another one.
- **(Contact Details)**
    - Label field (read only)
    - It displays all contact numbers and Emails ID of the selected Contact Person
    - **Note:**
        - UI must clearly tell which:
            - **Number is the primary phone**
            - **Email ID is the primary Email**

- **Payment Terms Template**
    - Searchable DDL
    - Link "**Payment Terms Template**" doctype
    - Single selection
    - Optional
    - When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
- **Payment Schedule**
    - A table contain the following columns:
        - **Checkbox icon**
            - Multi selection
        - **No.**
            - Displays the ordering of items in the table
        - **Payment Term**
            - Searchable DDL
            - Link "**Payment Term**" doctype
            - Single selection
            - Optional
            - When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
        - **Description**
            - Text area
            - For adding a description
            - It's fetched from the selected Payment Term
            - Optional
            - Accepts letters, numbers, and special characters.
            - Minimum length: 3 characters.
            - Maximum length: 500 characters.
            - Once the maximum limit is reached, further input will be prevented.
            - An error message will appear if the entered text is less than the minimum length.

- An error message will appear if invalid data is entered

- **Due Date**
  - Date calendar picker
  - To select the payment Due date
  - It's fetched based on the "Due Date Based On" field from the selected payment term
  - Mandatory
  - If the field is left empty an error message appears.
- **Invoice Portion**
  - Text input field
  - For entering the percentage of the total invoice amount assigned to this payment term
  - It's fetched from the selected Payment Term
  - Optional
  - Accepts numbers only.
  - The entered numbers are treated as percentages
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Payment Amount**
  - Text input field
  - For entering the payment amount
  - Optional
  - Accepts integers and decimal numbers only.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button

- For adding or removing columns from the table
- When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
- These columns are:

Column Name
Payment Term
Description
Due Date
Invoice Portion
Payment Amount (EGP)
Mode of Payment
Due Date Based On
Credit Days
Credit Months
Discount Date
Discount
Discount Type
Discount Validity Based On
Discount Validity
Outstanding (EGP)
Paid Amount (EGP)
Discounted Amount

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.

- When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted
  - **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	Options
Payment Term	• Searchable DDL • Link "**Payment Term**" doctype • Single selection • Optional • When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
Description	• Text area • For adding a description • It's fetched from the selected Payment Term • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered

		Due Date	• Date calendar picker • To select the payment Due date • It's fetched based on the "Due Date Based On" field from the selected payment term • Mandatory • If the field is left empty an error message appears.
		Invoice Portion	• Text input field • For entering the percentage of the total invoice amount assigned to this payment term • It's fetched from the selected Payment Term • Optional • Accepts numbers only. • The entered numbers are treated as percentages • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
		Mode of Payment	• Searchable DDL • Link "**Mode of Payment**" doctype • To select the default mode of payment for this payment term • It's fetched from the selected Payment Term • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
		Due Date Based On	• Label field (read only)

			• It's fetched from the selected Payment Term • It display one of the following values: ○ Day(s) after invoice date ○ Day(s) after the end of the invoice month ○ Month(s) after the end of the invoice month
		Credit Days	• Label field (read only) • It display the number of credit days before the payment becomes due • It's fetched from the selected Payment Term
		Credit Months	• Label field (read only) • It display the number of credit months before the payment becomes due • It's fetched from the selected Payment Term
		Discount Date	• Date calendar picker • To select the discount date • Mandatory • If the field is left empty an error message appears. • Note: it appears only after entering a value in Discount field
		Discount	• Text input field • For entering the discount value applicable for early payment • It's fetched from the selected Payment Term • Optional • Accepts numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented.

		• An error message will appear if the entered text is less than the minimum length
	Discount Type	• DDL • To select whether the early payment discount is calculated as a percentage or a fixed amount • It's fetched from the selected Payment Term • It contains the following values: ○ Percentage ○ Amount • Single selection • Optional
	Discount Validity Based On	• Label field (read only) • Displays the basis used to calculate the early payment discount validity period • It's fetched from the selected Payment Term • It display one of the following values: ○ Day(s) after invoice date ○ Day(s) after the end of the invoice month ○ Month(s) after the end of the invoice month
	Discount Validity	• Label field (read only) • It's fetched from the selected Payment Term • Displays the validity period during which the early payment discount can be applied
	Payment Amount	• Text input field • For entering the payment amount • Optional • Accepts integers and decimal numbers only. • Minimum length: 1 character.

	• Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
Outstanding	• Label field • Displays the outstanding
Paid Amount	• Label field (read only) • Displays the Paid Amount
Discounted Amount	• Label field • Displays the Discounted Amount
Payment Amount (Company's base currency)	• Text input field • For entering the payment amount (Company Currency) • Optional • Accepts integers and decimal numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
Outstanding (Company's base currency)	• Label field (read only) • Displays the Outstanding (Company's base currency)
Paid Amount (company's base currency)	• Label field (read only) • Displays the Paid Amount (company's base currency)

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Terms**

	○ Searchable DDL ○ Link “**Terms and Condition**” doctype ○ Single selection ○ Optional ○ When a value is selected from the terms DDL, the terms and condition content field is automatically filled based on the selected value. ○ **Note:** ■ **If no terms and conditions are entered, the terms and conditions section is not displayed on the Quotation Details page** ■ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Terms and Condition Content** ○ Text area ○ For adding detailed terms and condition content. ○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ○ **Note:** The terms and condition content is automatically fetched based on the term selected from the DDL
Post Conditions	● The General Info Details is successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

More Info Tab

Use case ID	**4**
Use case Name	More Info Tab
Descriptions	The user can continue the creation process and enter the General Info
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Order** from sidebar • Click on **Add Sales Order** • Click on **More Info** Tab
Main Flow	-
Components	• **Status** ○ It contains the following fields: ■ **Status** • Label field • It displays the Sales Order status • It shows one of the following values: ○ **Draft** ○ **Confirmed** ■ It is displayed when the document is submitted ○ **Completed** ■ It is displayed when Billing Status = Fully Billed + Delivery Status = Delivered ○ **On Hold** ○ **Cancelled** ○ **Closed** ■ **Delivery Status** • Label field • It displays the Sales Order delivery Status • It shows one of the following values: ○ **To Deliver** ○ **Fully Delivered** ○ **Partly Delivered** ○ **No Delivery Required** ■ **% Delivered** • Label field • It displays the delivered percentage of the Sales Order items ■ **Availability Status** • Label field • It displays the Sales Order Availability Status • It shows one of the following values: ○ **Available**

- It's displayed when the **Available Qty >= Requested Qty** for **all** item table rows
- **Partially Available**
  - It's displayed when the **Available Qty >= Requested Qty** for **some** item table rows
- **Backorder**
  - It's displayed when the **Available Qty < Requested Qty** for **all** item table rows
- **Not Applicable**
  - It's displayed when all Items are **non stock items** (**Maintain Stock =0**)

- **% Amount Billed**
  - Label field (read only)
  - Displays the percentage of the Sales Order amount that has been billed.
- **% Picked**
  - Label field (read only)
  - Displays the percentage of the Sales Order amount that has been picked.
- **Billing Status**
  - Label field
  - It displays the Sales Order billing Status
  - It shows one of the following values:
    - **To Bill**
    - **Fully Billed**
    - **Partly Billed**
- **Advance Payment Status (Hidden)**
  - Label field
  - It displays the current status of advance payments associated with the Sales Order
  - It shows one of the following values:
    - Not Requested
    - Requested
    - Partially Paid
    - Fully Paid
- **Returned Qty**
  - Label field (read only)
  - It displays the sales order total returned qty
  - **Note:** it's calculated as sum of all Returned Qty of sales order items

- **Commission (Hidden)**
  - It contains the following fields:
    - **Sales Partner**
      - Searchable DDL
      - Link "**Sales Partner**" doctype
      - To select the sales partner associated with the Sales Order for commission calculation

	• Single selection • optional, • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Amount Eligible for Commission** • Label field (read only) • Displays the amount on which the sales commission is calculated. ■ **Commission Rate** • Text input field • Allows users to specify the commission percentage applied to the eligible amount. • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. ■ **Total Commission** • Text input field • Displays the total commission amount calculated based on the eligible amount and commission rate. • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • **Sales Team (Hidden)** ○ A table contain the following columns: ■ **Checkbox icon** • Multi selection ■ **No.** • Displays the ordering of items in the table ■ **Sales Person** • Searchable DDL • Link "**Sales Person**" doctype • To select the sales employee responsible for the Sales Order • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Contribution (%)** • Text input field • To enter the percentage contribution of the sales person to the Sales Order • Optional • Accepts numbers only. • Minimum length: 2 characters.

- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.

- **Contribution to Net Total**
  - Label field
  - Displays the portion of the Sales Order net total attributed to the sales person based on the contribution percentage.
- **Commission Rate**
  - Label field
  - Displays the commission percentage assigned to the sales person
- **Incentives**
  - Text input field
  - To enter the incentive or commission amount earned by the sales person
  - Optional
  - Accepts numbers only.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name

Sales Person

Contribution (%)

Contribution to Net Total (EGP)

Commission Rate

Incentives (EGP)

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted
- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Sales Person	• Searchable DDL • Link “**Sales Person**” doctype • To select the sales employee responsible for the Sales Order • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a

		predefined list of values.
	Contribution (%)	• Text input field • To enter the percentage contribution of the sales person to the Sales Order • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
	Contribution to Net Total	• Label field • Displays the portion of the Sales Order net total attributed to the sales person based on the contribution percentage.
	Commission Rate	• Label field • Displays the commission percentage assigned to the sales person
	Incentives	• Text input field • To enter the incentive or commission amount earned by the sales person • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Loyalty Points**
  - It contains the following fields:
    - **Loyalty points**
      - Label field
      - Displays the number of loyalty points redeemed by the customer in the current transaction
    - **Loyalty amount**
      - Label field
      - Displays the monetary value of the redeemed loyalty points, which is deducted from the document total.

- **Auto repeat (Hidden)**
  - It contains the following fields:
    - **From Date**
      - Date calendar picker
      - To select the start date of auto repeat
    - **To date**
      - Date calendar picker
      - To select the end date of auto repeat
    - **Auto Repeat**
      - Searchable DDL
      - Link "**Auto Repeat**" doctype
      - Single selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Print Settings**
  - It contains the following fields:
    - **Letter Head**
      - Searchable DDL
      - Link "**Letter Head**" doctype
      - Single selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Language**
      - Label field
      - It displays the language selected in the print settings.
    - **Print without Amount**
      - Checkbox
      - If checked, the printing will be generated without amounts.

	■ **Group same items** ● Checkbox ● To group the same items during printing. ● **UTM Analytics (Hidden)** ○ It contains the following fields: ■ **Source** ● Searchable DDL ● Link “**UTM Source**” doctype ● Single selection ● optional, ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Additional Info** ○ It contains the following fields: ■ **Territory** ● Searchable DDL ● Link “**Territory**” doctype ● Displays the sales territory associated with the selected customer. ● Multi selection ● optional, ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Customer Purchase Order** ● Text input field ● To enter the customer purchase order ● Optional ● Accepts letters, numbers and special characters. ● Minimum length: 2 characters. ● Maximum length: 100 characters. ■ **Customer Purchase Order Date** ● Date calendar picker ● To select the customer purchase order date
Post Conditions	● The More Info Details is successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Sales Order Details

Use case ID	**5**
Use case Name	Sales Order Details
Descriptions	The user can view / edit the sales order details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Order** from sidebar • Click on "**Sales Order ID**" from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the sales order status is **Submitted** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are **read-only** and cannot be edited. ■ If the sales order status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the sales order data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Sales order details) pages to provide a quick access to common functions: ○ **Hold** ■ Button ■ When clicked, a pop up appears containing the following field: • **Reason For Hold** ○ Text area ○ For adding a reason for hold ○ Mandatory ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ If the field is left empty an error message appears. • **Submit** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely:

- The Sales order is successfully holded
- And its status changes to "**On Hold**"
- The Reason For Hold is added to the document Activities

- If incorrect or incomplete data is entered:
  - A validation error message is displayed for each invalid field.

- **Note:** after submitting the "**Hold**" button changes to "**Resume**"

- **Resume**
  - Button
  - When clicked, the sales order status is set to its previous status
- **Close**
  - Button
  - When clicked, the sales order status changes to "**Closed**"
  - And the "**Close**" button changes to "**Re-open**"
- **Re-open**
  - Button
  - When clicked, the sales order status is set to its previous status
- **Create**
  - DDL
  - It contains the following values:
    - **Delivery Note**
      - Button
      - When clicked it navigates the user to the "Add Delivery Note" screen and items are fetched from the sales order to the Delivery Note.
    - **Sales Invoice**
      - Button
      - When clicked it navigates the user to the "Add Sales invoice" screen and items are fetched from the sales order to the sales invoice.
    - **Material Request**
      - Button
      - When clicked it navigates the user to the "Add Material Request" screen and items are fetched from the sales order to the Material request.
    - **Purchase Order**
      - Button
      - When clicked, a pop up appears containing the following table:
        - **Supplier**
          - Searchable DDL
          - Link "**Supplier**" doctype
          - Single selection
          - optional,
          - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the

user to search and select from a predefined list of values.

- **Items**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Item Code**
      - Label field
      - It displays the item code
      - Displays all items added to the Sales order
    - **Item Name**
      - Label field
      - It displays the item name
    - **Pending Quantity**
      - Label field
      - It displays the Qty of the item available for creating a purchase order
    - **UOM**
      - Label field
      - Displays the UOM of the item
    - **Supplier**
      - Searchable DDL
      - Link "**Supplier**" doctype
      - Single selection
      - Mandatory
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Create**
      - Button
      - When clicked, If all required data is entered correctly and completely:
      - The purchase order is successfully created and its status is (**draft**) and the system navigates the user to the "**Purchase Order**" screen.
      - If incorrect or incomplete data

is entered:
    - A validation error message is displayed for each invalid field.
- **Payment**
    - Button
    - When clicked it navigates the user to the “Add Payment” screen

- **Update Items**
    - Button
    - When clicked, a pop up appears containing the Items table to update it as needed.
- **Assign**
- **Attachment**
- **Tags**
- **Share**
- **Print**
- **Submit**
    - It appears only when the Sales order status = **Draft.**
    - If all required data is entered correctly and completely:
        - The Sales order is successfully submitted.
- **Cancel**
    - It appears only when the Sales order status = **submitted**
    - When clicked,
        - The Sales order was canceled successfully.
        - And “**Cancel**” button changes to “**Amend**”
- **Delete**
    - When clicked,
        - A confirmation message is displayed to the user whether they want to delete this Sales order
        - Upon clicking the “Yes” button:
            - If the Sales order is Amended from other Sales order
                - A warning message appears indicating that this Sales order cannot be deleted until the user deletes all doctypes related to it.
                - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.
            - if the Sales order is linked to other transactions,
                - a message is displayed informing the user that the linked transactions must be deleted before the Sales order can be deleted.
                - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.
            - If the Sales order isn’t linked to another doctype
                - The Sales order is deleted successfully.

- **Amend**
  - Button
  - It appears only when the sales order status = **cancelled**

- **Connections Tab**
  - It contains the following values:
    - **Sales Invoice**
      - Button
      - Link "**Sales Invoice**" docktype
    - **Delivery Note**
      - Button
      - Link "**Delivery Note**" docktype
    - **Maintenance Visit**
      - Button
      - Link "**Maintenance Visit**" docktype
    - **Stock Reservation Entry**
      - Button
      - Link "**Stock Reservation Entry**" docktype
    - **Material Request**
      - Button
      - Link "**Material Request**" docktype
    - **Purchase Order**
      - Button
      - Link "**Purchase Order**" docktype
    - **Projects**
      - **Project**
        - Button
        - Link "**Project**" docktype
    - **Manufacturing**
      - **BOM**
        - Button
        - Link "**BOM**" docktype
    - **Blanket Order**
      - Button
      - Link "**Blanket Order**" docktype
    - **Quotation**
      - Button
      - Link "**Quotation**" docktype
    - **Auto repeat**
      - Button
      - Link "**Auto Repeat**" docktype
    - **Payment Entry**
      - Button
      - Link "**Payment Entry**" docktype
    - **Payment Request**
      - Button
      - Link "**Payment Request**" docktype
    - **Journal Entry**

	● Button ● Link “**Journal Entry**” docktype ■ **Schedule** ● **Delivery schedule Item** ○ Button ○ Link “**Delivery Schedule Item**” docktype
Post Conditions	● The Sales order details has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.

Sales Invoice **0**
Sales Invoice List 0
Add Sales Invoice 3
Details Tab 3
General Info Tab 53
More Info Tab 77
Sales Invoice Details 87

Sales Invoice

Sales Invoice List

Use case ID	**1**
Use case Name	Sales Invoice List
Descriptions	The user is able to view the list of Sales Invoices.
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Invoice** from sidebar
Main Flow	-
Components	• **Add Sales Invoice** ○ Button ○ For adding a new Sales Invoice ○ When clicked, the user will be redirected to the "Add Sales Invoice" screen. • **Sales Invoice List** ○ **A table contain the following columns:** ■ Checkbox icon ● Multi selection ■ Sales Invoice ID ● It displays the sales invoice ID ● Clickable ● When clicked, the user will be redirected to the "Sales Invoice Details" screen. ■ **Invoice Status**

- Label field
- It displays the Sales Invoice status
- It shows one of the following values:
  - Draft
  - Unpaid
    - It is displayed when the document is submitted & **Grand Total** = **Outstanding**
  - Partially Paid
    - It is displayed when the document is submitted & **Grand Total** > **Outstanding**
  - Fully Paid
    - It is displayed when the document is submitted & **Outstanding** = **0**
  - Overdue
    - It is displayed when the document is submitted & **the due date of payment term is** > **current date and the invoice is not paid**
  - Return
    - It is displayed when the document is submitted and **(Is Return** = **1)**
  - Fully Credited
    - It is displayed when the document is submitted and **Outstanding**= **0 and Grand Total** = **Credit Amount**
  - On Hold
    - It is displayed when **Hold** button is clicked
  - Closed
    - It is displayed when **Close** button is clicked
  - Cancelled
    - It is displayed when the document is cancelled.

- **Credit Staus**
  - Label field
  - It displays the Credit status of the Sales Invoice
  - It shows one of the following values:
    - Not Applicable
      - It is displayed only when the **Invoice Status** = **Draft**
    - No Credit
      - It is displayed when the **Credit Amount** = **0**
    - Partially Credited
      - It is displayed when the **Credit Amount** > **0**
    - Fully Credited
      - It is displayed when Sum of total "**Amounts**" of submitted sales invoice where:
        - Is Return = 1
        - Return Against = this Invoice is equal to **Grand Total**
- **Refund Status**
  - Label field

- It displays the Refund status of the Sales Invoice
- It shows one of the following values:
    - Not Applicable
        - It is displayed only when the **Invoice Status** = **Draft**
    - No Refund
        - It is displayed when **Refund Amount** = **0**
    - Partially Refunded
        - It is displayed when **Refund Amount** > **0**
    - Fully Refunded
        - It is displayed when **Refund Amount** > **0**
- And Refund Amount = Paid Amount
- Customer Name
    - It displays the customer name
- Posting Date
    - It displays the the accounting date on which the Sales Invoice is posted
- Payment Due date
    - Displays the due date for the Sales Invoice payment
- Grand Total
    - It displays the Grand Total

- when a Sales invoice is selected , an action bar appears showing the following actions:
- Edit
    - Button
    - When clicked , a popup appears containing the following fields.
        - **Field**
            - DDL
            - To select the field you want to edit
            - Link “**Sales Invoice**” doctype
            - Single selection
            - Mandatory
        - **Value**
            - Dynamic field
            - Based on the selected option from the first dropdown field, the second field shall :
                - Dynamically change it’s input type
                - Be marked as either mandatory
                - Or optional
                - Apply the corresponding validation rules
        - **Update (button)**
            - Button
            - When clicked,
                - If the Sales Invoice status is "**submitted**" or "**Cancelled**":
                    - an error message is displayed informing the user that the Sales invoice cannot be modified.

	○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Submit ■ It appears only when the Sales invoice status = **Draft.** ■ If all required data is entered correctly and completely: ● The Sales invoice is successfully submitted. ○ Cancel ■ It appears only when the Sales invoice status = **submitted** ■ When clicked, ● The Sales invoice was canceled successfully. ● And "**Cancel**" button changes to "**Amend**" ○ Delete ■ It appears only when the Sales Invoice status = **Draft / Cancelled** ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Sales invoice ● Upon clicking the "Yes" button: ○ If other Sales Invoice is Amended from this Sales Invoice ■ A warning message appears indicating that this Sales Invoice cannot be deleted until the user deletes all doctypes related to it. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ if the Sales Invoice is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Sales Invoice can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Sales Invoice isn't linked to another doctype ■ The Sales Invoice is deleted successfully.
Post Conditions	● Ability to add and view Sales Invoice details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Sales Invoice

Details Tab

Use case ID	**2**
Use case Name	Add Sales Invoice
Descriptions	The user can add a new sales invoice.
Pre conditions	• Click on **Selling** from sidebar • Click on **Sales Invoice** from sidebar • Click on "**Add Sales Invoice**" button
Main Flow	-
Components	• **Company** ○ Searchable DDL ○ Link "**Company**" doctype ○ To select the company for which the Sales Invoice will be recorded ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Company Tax ID** ○ Label field (read only) ○ It displays the company tax ID fetched from the selected company. • **Series** ○ DDL ○ Displays all series added to Sales invoice doctype ○ Mandatory. ○ Single selection ○ If the field is left empty an error message appears. • **Customer** ○ Searchable DDL ○ Link "**Customer**" doctype ○ To select the customer for whom the Sales Invoice is created. ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Customer Name** ○ Label field (read only) ○ It displays the customer name fetched from the selected customer.

- **Tax ID**
  - Label field (read only)
  - It displays the customer tax ID fetched from the selected customer.
- **Posting Date**
  - Date calendar picker
  - To select the accounting date on which the Sales Invoice is posted
  - Mandatory
  - It has a default value “currend date”
  - If the field is left empty an error message appears.
  - **Note:** it is enabled only when the **Edit posting date and time** checkbox is checked
- **Posting Time**
  - Time picker
  - To select the posting time of the Sales Invoice
  - Optional
  - It has a default value “currend time”
  - **Note:** it is enabled only when the **Edit posting date and time** checkbox is checked
- **Edit Posting Date And Time**
  - Checkbox
  - When checked, the user can modify the **Posting date** and **Posting Time**
  - When unchecked, the **Posting Date** and **Posting Time** fields become **read-only** and cannot be edited.
- **Payment Due Date**
  - Date calendar picker
  - To select the due date for the Sales Invoice payment
  - Mandatory
  - If the field is left empty an error message appears.
- **Include payment (POS)**
  - Checkbox icon (read only)
  - Indicates whether the Sales Invoice was created as a Point of Sale (POS) transaction.
  - The value is set automatically by the system and is displayed only when the invoice is created from the POS and cannot be modified by the user
- **POS Profile**
  - Label field (read only)
  - Displays the Profile used to apply the Point of Sale settings to the Sales Invoice
- **Is Consolidated**
  - Checkbox icon (read only)
  - Indicates that this Sales Invoice is generated as a consolidated invoice.
- **Is Return (Credit Note)**
  - Checkbox icon (read only)
  - It displays whether this sales invoice is returned from other sales invoice
  - Checked only when this sales invoice is returned from other sales invoice
- **Is Rate Adjustment Entry (Debit Note)**
  - Checkbox
  - Indicates that the Sales Invoice is a Debit Note created to adjust the rate of an existing Sales Invoice while retaining the original invoice quantities.

- When checked, the "**Source Invoice**" field is displayed

- **Source Invoice**
  - Searchable DDL
  - Link "**Sales Invoice**" doctype
  - To select the original Sales Invoice against which the return is created
  - **Note:** it's name in ERPNext = **Return Against**
  - Single selection
  - Optional
  - **Note:** it's displayed only when the "**Is Rate Adjustment Entry (Debit Note)** = **1**"
- **Update Outstanding for Self**
  - Checkbox
  - Determines whether this Sales Invoice updates its own outstanding balance. The outstanding amount represents the remaining unpaid balance after considering all related payments, credit notes, returns, and other accounting transactions.
  - When checked, the outstanding amount is updated on this document itself rather than on the linked reference document
  - When unchecked,
    - The system does not update the outstanding amount of this Sales Invoice automatically
    - The Amount of this sales invoice is allocated to the original sales invoice only if:
      - **The amount of the original sales invoice must be greater than or equal to the current sales invoice**
  - **Note:** it's checked by default
- **Update Billed Amount in Sales Order**
  - Checkbox
  - When checked, the system will update the billed amount in the linked Sales Order
  - **Note:** it's displayed only when the "**Is Return (Credit Note)** = **1**"
- **Update Billed Amount in Delivery note**
  - Checkbox
  - When checked, the system will update the billed amount in the linked Delivery Note
  - **Note:** it's displayed only when the "**Is Return (Credit Note)** = **1**"
- **Consider for Tax Withholding**
  - Checkbox
  - Enable this option to apply withholding tax to the Sales Invoice.
- **Amended From**
  - Label field
  - Displays the Sales invoice from which this document was amended.
  - Clickable
  - When clicked, it navigates the user to the Sales invoice from which this document was amended.
  - **Note:** This field is displayed only if this Sales invoice is amended from another Sales invoice.
- **Is Created Using POS**
  - Checkbox icon (read only)
  - Indicates that the Sales Invoice was created using the Point of Sale (POS).

- It is displayed only when the Sales Invoice was created using the Point of Sale (POS).

- **POS Closing Entry**
  - Label field (read only)
  - Displays the POS Closing Entry associated with the Sales Invoice.
- **Accounting Dimensions**
  - It contains the following fields:
    - **Cost Center**
      - Searchable DDL
      - Link "**Cost Center**" doctype
      - Used to specify the department or business unit that will bear the expense or receive the revenue.
      - Single selection
      - Optional
    - **Project**
      - Searchable DDL
      - Link "**Project**" doctype
      - Used to link the transaction to a specific project.
      - Single selection
      - Optional
- **Currency and Price List**
  - It contains the following fields:
    - **Currency**
      - Searchable DDL
      - Link "**Currency**" doctype
      - To select the document currency
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Note:** it's fetched from the Company "**Default Currency**"
    - **Exchange Rate**
      - The behavior of the **Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
      - **Case 1:**
        - **Exchange Rate Fetching Rule is configured**
          - If an **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
          - In this case **Exchange Rate** field is Label Field **(read only)**
          - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts**

Settings) shall be allowed to modify its value
- Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Case 2:**
  - **No Exchange Rate Found**
    - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
      - **Prompt User to Add Exchange Rate:**
        - The system shall prompt the user to create a new Exchange Rate record before proceeding.
        - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.
        - The Exchange Rate field shall remain **read-only**
        - **Note:**
          - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
          - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
      - **Use API to Get Exchange Rate**
        - The system shall automatically create and retrieve the Exchange Rate using the configured external API.
        - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
        - The Exchange Rate field shall remain **read-only**.
        - **Note:**
          - only users with the appropriate Role to edit the Exchange Rate(**Configured in**

Accounts Settings) shall be allowed to modify its value
    - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Price List**
    - Searchable DDL
    - Link "**Price List**" doctype
    - Single selection
    - Mandatory
    - If the field is left empty, an error message will appear.
    - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - Note: it's set by default as "**Standard Price List**" in **selling settings**
- **Price List Currency**
    - Label field (read only)
    - Fetched from Price list's "**Currency"** field
- **Price List Exchange Rate**
    - The behavior of the **Price List Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
    - **Case 1:**
        - **Exchange Rate Fetching Rule is configured**
            - **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
            - In this case **Exchange Rate** field is Label Field **(read only)**
            - **Note:**
                - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
                - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
    - **Case 2:**
        - **No Exchange Rate Found**
            - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in

	Accounts Settings. ● **Prompt User to Add Exchange Rate:** ○ The system shall prompt the user to create a new Exchange Rate record before proceeding. ○ Once the Exchange Rate is created, the system shall populate the Exchange Rate field. ○ The Exchange Rate field shall remain **read-only** ○ **Note:** ■ only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value ■ Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction. ● **Use API to Get Exchange Rate** ○ The system shall automatically retrieve the Exchange Rate using the configured external API. ○ After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field. ○ The Exchange Rate field shall remain **read-only**. ○ **Note:** ■ only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value ■ Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction. ■ **Ignore Pricing Rule** ● Checkbox

- When checked, the system ignores any Pricing Rules if the selected Price List already has Pricing Rules configured.

- **Scan Barcode**
  - Text input field
  - Allows the user to enter or scan a barcode.
  - optional.
  - Accepts letters,numbers and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - Note:
    - When a scan barcode option is selected, the system opens a device camera to scan a barcode and automatically populates the field with the scanned value.
    - If the user enters a barcode manually at a slow typing speed, the entered value is automatically cleared
- **Source Warehouse**
  - The user can select a default warehouse to automatically populate the Warehouse field for all items in the item table, but only for rows where the Warehouse field is empty. Existing warehouse values will not be overwritten.
  - Searchable DDL
  - Link "**Warehouse**" doctype
  - Displays only child warehouses that belong to the selected company, where the "Is Group warehouse" option is disabled.
  - Single selection
  - Optional
  - **Note:** it's displayed only when the "**Update Stock** = 1"
- **Update Stock**
  - **Note:** it appears only when "Allow Update Stock In Sales Invoice" is checked in **Selling Settings**.
  - Checkbox
  - When checked,
    - the system will create both the **Stock Ledger Entries** and the **Accounting Entries** when the invoice is **submitted**.
    - The item quantities will be deducted from inventory immediately
  - If a separate Delivery Note will be created, this option should be left disabled.
  - **Important Notes:** if "**Allow Update Stock In Sales Invoice**" is checked in **Selling Settings** and a new invoice is being created:
    - **If "Include Payment (POS)" = 1**
      - **"Update Stock"** value is fetched from the "**POS Profile**" doctype
      - And it will be label field (read only)
    - **If this Sales Invoice is created from delivery note**
      - "**Update Stock**" value will be **unchecked**
      - And it will be label field (read only)
    - **If there is no Stock Items in Items table**
      - "**Update Stock**" value will be **unchecked**
      - And it will be label field (read only)

- **If there is at least one Dropshipping Item in Items table**
  - "**Update Stock**" value will be **unchecked**
  - And it will be label field (read only)
- **If the 4 previous rules not found**
  - "**Update Stock**" value will be **checked**
  - And it will be input field (editable)

- **Items**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Item Code**
      - Searchable DDL
      - Link "**item**" doctype
      - To select the item included in the sales invoice
      - Only items with "**Is Fixed Asset**" disabled, "**Has Variants**" disabled and "**Allow Sales**" enabled are displayed..
      - Single selection
      - Mandatory
      - If the field is left empty, an error message will appear.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Qty**
      - Text input field.
      - To enter the item Qty
      - Mandatory.
      - Accept numbers only.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented.
      - If the field is left empty an error message appears.
      - **Note: Qty <= Actual Qty in the selected warehouse - Reserved Qty in that warehouse**
      - **Note:** If a quantity less than the available quantity in the selected warehouse is entered, a warning message is displayed indicating that the entered quantity is less than the available quantity in the selected warehouse.
    - **Available Qty**
      - Label field (read only)
      - It displays the available Qty in the selected source warehouse
      - **Note: Available Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse**
    - **Shortage Qty**
      - Label field (read only)
      - It displays the shortage Qty in the selected source warehouse
      - **Note: Shortage Qty = Qty - Available Qty in that warehouse**

- **Note:**
  - The Shortage Quantity is calculated and displayed in real time only after the user enters the Qty value.
  - If the **Shortage Quantity is less than or equal to 0**,
    - It means there is no shortage and the available quantity is sufficient.
  - If the **Shortage Quantity is greater than 0**,
    - It indicates that there is a shortage.
    - In this case, the system's behavior depends on the **Selling Settings** configuration: it will either Ignore the shortage and allow the user to proceed, display a Warning while allowing the user to continue, or Block the transaction and prevent the user from proceeding.

- **Rate**
  - Text input field
  - Displays automatically the unit price of the item in the document currency
  - Can be edited.
  - Accepts numbers only.
- **Amount**
  - Label field
  - Displays the total amount of the item calculated in the document currency.
- **Warehouse**
  - Searchable DDL
  - Link "**Warehouse**" doctype
  - To select the warehouse from which the item quantity will be issued.
  - Displays only child warehouses that belong to the selected company, where the "Is Group warehouse" option is disabled.
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.

- Default value = 3
- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Item
Quantity
Available Qty
Shortage Qty
Projected Qty
Ordered Qty
Requested Qty
Returned Qty
Rate
Amount
Warehouse
Barcode
Has Item Scanned
Item Name
Description
Stock UOM
UOM
UOM Conversion Factor
Qty as per Stock UOM
Price List Rate
Price List Rate (Company Currency)
Margin Type

		Margin Rate or Amount Rate With Margin Discount (%) on Price List Rate with Margin Discount Amount Distributed Discount Amount Rate With Margin (Company Currency) Item Tax Template Tax Withholding Category Rate (Company Currency) Amount (Company Currency) Rate of Stock UOM Is Free Item Consider for Tax Withholding Grant Commission Allow Zero Valuation Rate Net Rate Net Amount Net Rate (Company Currency) Net Amount (Company Currency) Delivered By Supplier Income Account Asset Finance Book Expense Account Deferred Revenue Account Service Stop Date Enable Deferred Revenue Service Start Date Service End Date

	Weight Per Unit Total Weight Weight UOM Quality Inspection Pick Serial / Batch No Incoming Rate (Costing) Available Batch Qty at Warehouse Qty (Warehouse) Qty (Company) Sales Order Sales Invoice Item Delivery Note Delivered Qty POS Invoice POS Invoice Item Purchase Order Purchase Order Item Cost Center Project

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row

- Button
- To delete a specific row or multiple rows
- When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Barcode	• Label field • It displays the item barcode • **Note:** it's fetched from the selected item
Has item scanned	• Checkbox icon (read only) • It appears only when there is a scanned items
Item code	• Searchable DDL • Link "**item**" doctype • To select the item included in the sales invoice • Only items with "**Maintain Stock**" enabled , "**Has Variants**" disabled and "**Allow Sales**" enabled are displayed. • Single selection • Mandatory • If the field is left empty, an error message will appear. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Item Group	• Label field • Displays the item group associated with the selected item • **Note:** it's fetched from the selected item
Item Name	• Label field • Displays the item name

	• **Note:** it's fetched from the selected item
Description	• Text area • For adding a description to this sales invoice item • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
Brand name	• Label field • Displays the brand name • **Note:** it's fetched from the selected item
Image	• Image (read only) • It's fetched from the selected item and cannot be edited.
Qty	• Text input field. • To enter the item Qty • Mandatory. • Accept numbers only. • Maximum length: 100 characters. • Once the maximum length is reached, further input is prevented. • If the field is left empty an error message appears. • **Note: Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse** • **Note:** If a quantity less than the available quantity in the selected warehouse is entered, a warning message is displayed indicating

			that the entered quantity is less than the available quantity in the selected warehouse.
		Available Qty	• Label field (read only) • It displays the available Qty in the selected source warehouse • **Note: Available Qty = Actual Qty in the selected warehouse - Reserved Qty in that warehouse**
		Shortage Qty	• Label field (read only) • It displays the shortage Qty in the selected source warehouse • **Note: Shortage Qty = Qty - Available Qty in that warehouse** • **Note:** ○ The Shortage Quantity is calculated and displayed in real time only after the user enters the Qty value. ○ If the **Shortage Quantity is less than or equal to 0**, ■ It means there is no shortage and the available quantity is sufficient. ○ If the **Shortage Quantity is greater than 0**, ■ It indicates that there is a shortage. ■ In this case, the system's behavior depends on the **Selling Settings** configuration: it will either Ignore the shortage and allow the user to proceed, display a Warning while allowing the user

		to continue, or Block the transaction and prevent the user from proceeding.
	UOM	• Searchable DDL • Link "**UOM**" doctype • To select the UOM for the requested Qty • **Displays only the UOMs defined for this item in its UOM table.** • Single selection • Mandatory
	Stock UOM	• Label field • Displays the default UOM of the selected item
	UOM Conversion Factor	• Label field • Displays the conversion factor between the UOM of the requested Qty and the default UOM.
	Qty as Per Stock UOM	• Label field (read only) • Displays the item quantity converted to the item's Stock UOM (Stock Unit of Measure) based on the selected UOM conversion factor.
	Price List rate (Currency)	• Label field • Displays the item's selling price retrieved from the selected **Price List** before applying any pricing rules
	Price List rate (Company Currency)	• Label field • Displays the item's selling price

		retrieved from the selected **Price List** in company's base currency before applying any pricing rules
	Margin Type	• DDL • Used to select the profit margin calculation method • Single selection • Optional • It displays the following values: ○ Percentage ○ Amount
	Margin Rate or Amount	• Text input field. • To enter the profit margin value • optional. • Accept numbers and special characters only.
	Rate with margin	• Label field • Displays the price after applying the profit margin and before applying any pricing rules • **Note: Rate With Margin = Price List Rate + Margin Rate**
	Discount (%) on price list rate with margin	• Label field • Displays the discount percentage applied to the price list after the profit margin has been added • **Note:** It displays only when, "**Ignore Pricing Rule = 0**"
	Discount Amount	• Label field • Displays the actual discount amount • **Note:** It displays only when, "**Ignore Pricing Rule = 0**"
	Distributed Discount Amount	• Label field

	When an additional discount is applied at the document level, the system distributes the total discount across all items and displays this item's allocated share of the discount.
Rate with Margin (Company Currency)	• Label field • Displays the item price after applying the profit margin in the company's base currency
Rate	• Label field • Displays the unit price of the item in the document currency
Amount	• Label field • Displays the total amount of the item calculated in the document currency.
Item Tax template	• Label field • Displays the taxes applied to this item.
Rate (Company Currency)	• Label field • Displays the unit price of the item in the company’s base currency after applying all pricing rules and discounts.
Amount (Company Currency)	• Label field • Displays the total amount of the item calculated in the company’s base currency.
Pricing Rules	• Label field • Displays the names of the pricing rules applied to this item

Rate of Stock UOM	• Label field • Displays the price of Stock UOM
Is Free Item	• Checkbox icon (read only)
Consider for tax withholding	• Checkbox icon (read only) • Displays whether the withholding tax is applied to the Sales Invoice or not.
Grand Commision	• Checkbox icon (read only)
Allow zero valuation rate	• Checkbox • Allows the item to be delivered even its stock value is zero
Net Rate	• Label field • Displays the unit price of the item in the document currency after applying all pricing rules, discounts and tax templates.
Net Amount	• Label field • Displays the total amount of the item calculated in the document currency after applying all pricing rules, discounts and tax templates. • **Note:** Net Amount = Net Rate * Qty
Net Rate (Company Currency)	• Label field • Displays the unit price of the item in the company's base currency after applying all pricing rules, discounts and tax templates.
Net Amount (Company Currency)	• Label field • Displays the total amount of the item calculated in the company's base currency after applying all pricing rules, discounts and tax

	templates.
Delivered by supplier	• Checkbox icon • When checked: ○ It means that the supplier delivers the order directly to the customer instead of the company.
Income Account	• Searchable DDL • Link “**Accounts**” doctype • To select the income account • Single selection • Mandatory
Expense Account	• Searchable DDL • Link “**Accounts**” doctype • To select the expense account • Single selection • Optional
Is Fixed Asset	• Checkbox icon (read only)
Discount Account	• Searchable DDL • Link “**Accounts**” doctype • To select the Discount account • Single selection • Optional
Asset	• Searchable DDL • Link “**Asset**” doctype • Single selection • Optional
Finance Book	• Searchable DDL • Link “**Finance Book**” doctype • Single selection • Optional • It appears only when the “Asset” field is entered

		Enable deferred revenue	• Checkbox • Its value is fetched from the Item Details and it can be edited. • When checked, the following fields are displayed; ○ Deferred revenue account ○ Service start date ○ Service end date ○ Service stop date
		Deferred revenue account	• Searchable DDL • Link “**Accounts**” doctype
		Service start date	• Date calendar picker
		Service end date	• Date calendar picker
		Service stop date	• Date calendar picker
		Weight per unit	• Label field • Displays the weight per item unit
		Weight UOM	• Label field • Displays the weight of the UOM itself
		Total weight	• Label field • Displays the total weight of the item • **Note: Total Weight = Weight per Unit * Qty**
		Warehouse	• Searchable DDL • Link “**Warehouse**” doctype • To select the warehouse from which the item quantity will be issued. • Displays only child warehouses that belong to the selected

		company, where the “Is Group warehouse” option is disabled. • Single selection • Optional
	Quality inspection	• Label field • Displays the quality inspection document linked to this item
	Incoming rate	• Text input field • Stores the inventory valuation rate (cost per unit) used by the system when updating stock.
	Available batch Qty at warehouse	• Label field • Displays the available batch Qty at warehouse
	Pick Serial / batch No	• Button • Appears only when the “Activate Serial / Batch No for item” checkbox is enabled from Inventory settings • When clicked, the available Serial Numbers and Batches are automatically selected based on the picking method defined in Inventory Settings, such as FIFO, LIFO, or Expiry.
	Serial and Batch Bundle	• Searchable DDL • Link "**Serial and Batch Bundle**" doctype • To select serial and batch bundle related to this item • Single selection • Optional
	Use Serial No / Batch Fields	• Checkbox • When checked: ○ the "**Pick Serial and**

			Batch No" button and the "**Serial and Batch Bundle**" field are hidden ○ The "**Serial No**" and "**Batch No**" fields are displayed to allow manual entry of Serial Numbers and Batches.
		Serial No	• Text area • To enter serial numbers manually • It appears only when "**Use Serial No / Batch No**" is checked • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered. • When a Serial Number is entered and the Enter key is pressed, a new line is created to allow entry of another Serial Number.
		Batch No	• Searchable DDL • Link "**Batch No**" doctype • To select Batch No related to this item and the selected warehouse. • Single selection • Optional
		Qty (warehouse)	• Label field • Displays the actual quantity of the selected warehouse

Qty (company)	• Label field • Displays the actual quantity of the company
Projected Qty	• Label field (read only) • Displays the projected available quantity after considering current stock, incoming stock, and reserved quantities.
Ordered Qty	• Label field (read only) • Displays the total quantity of the item committed in submitted Sales Orders.
Requested Qty	• Label field (read only) • Displays the quantity requested through Material Requests related to the Sales Order.
Returned Qty	• Label field (read only) • Displays the quantity of the item returned by the customer.
Against sales order	• Label field • Displays the sales order from which this sales invoice was created , if available. • Clickable • When clicked, the user is redirected to the sales order related to this sales invoice
Against sales order item	• Label field • Displays the specific item row in the linked sales order that corresponds to this item.
Against sales invoice item	• Label field • Appears when this sales invoice

		is linked to another sales invoice in certain internal processes or when derived documents are created.
	Against delivery note	• Label field • Displays the delivery note from which this sales invoice was created , if available. • Clickable • When clicked, the user is redirected to the delivery note related to this sales invoice
	Against Delivery Note Item	• Label field • Displays the specific item row in the linked delivery note that corresponds to this item.
	Delivered Qty	• Label field • Displays the sales invoice delivered Qty
	Pos invoice	• Label field • Displays the POS Invoice from which this invoice item was generated. This field is automatically populated by the system and is read-only.
	Pos invoice item	• Label field • Displays the corresponding item row from the source POS Invoice. This field is automatically populated by the system and is read-only.
	Cost Center	• Searchable DDL

	● Link "**Cost Center**" doctype ● Used to specify the department or business unit that will bear the expense or receive the revenue. ● Single selection ● Optional
Project	● Searchable DDL ● Link "**Project**" doctype ● Used to link the transaction to a specific project. ● Single selection ● Optional

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Total Quantity**
  - Label field (read only)
  - Displays the total quantity of items.
- **Total Currency**
  - Label field (read only)
  - Displays the total amount of the item's quantity in the selected currency
- **Total Company's base Currency**
  - Label field (read only)
  - Displays the total amount of the item's quantity in the company's base currency
- **Total Net weight**
  - Label field (read only)
  - Displays the total net weight
- **Net Total Currency**
  - Label field (read only)
  - Displays the net total currency
- **Net Total Company's base Currency**
  - Label field (read only)
  - Displays the net total company's base currency
- **Taxes And Charges**
  - It contains the following fields:
    - **Tax category**
      - Label field (read only)
      - It fetched from the selected "Sales Taxes and Charges Template"
    - **Shipping Rule**
      - Searchable DDL
      - Link "**Shipping Rule**" doctype

- To select a shipping rule
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Incoterm (Hidden)**
  - Searchable DDL
  - Link "**Incoterm**" doctype
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Named Place (Hidden)**
  - Text input field.
  - To specify the location associated with the selected incoterm
  - Optional
  - Accept letters, numbers and special characters.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
  - **Note:** it appears only after selecting an Incoterm
- **Sales Taxes and Charges Template**
  - Searchable DDL
  - Link "**Sales Taxes and Charges Template"** doctype
  - When a template is selected, its details are fetched and populated into the **sales taxes and charges** table.
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Sales Taxes and Charges**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Mode**
      - DDL
      - To select the sales taxes type
      - It contains the following values:
        - Actual
        - On Net Total
        - On Previous Row Amount
        - On Previous Row Total

- On Item Quantity
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
- **Account Head**
  - Searchable DDL
  - Link “**Accounts**” doctype
  - To select an account head
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Tax Rate**
  - Text input field.
  - To enter the tax rate
  - optional .
  - Accept numbers only.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
- **Net Amount Currency**
  - Label field
  - Displays the net amount currency
- **Amount Currency**
  - Label field
  - Displays the amount currency
- **Total Currency**
  - Label field
  - Displays the total currency
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only

- Minimum length: 1 character.
- Maximum length: 3 characters.
- Default value = 3

- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Mode
Account Head
Tax Rate
Net Amount (USD)
Amount (USD)
Total (USD)
Reference Row #
Description
Is this Tax included in Basic Rate?
Considered In Paid Amount
Is Tax Withholding Account
Cost Center
Project
Account Currency
Tax Amount After Discount Amount (USD)
Net Amount (EGP)
Amount (EGP)
Total (EGP)
Tax Amount After Discount Amount (EGP)

  - Users can show or hide columns by

selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when an Item is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Mode	• DDL • To select the sales taxes type • It contains the following values: ○ Actual ○ On Net Total ○ On Previous Row Amount ○ On Previous Row Total ○ On Item Quantity • Single selection • Mandatory
Reference Row	• Text input field • Used to enter the reference row

	• **Note:** This field appears only when more than one tax is added and the tax type is set to On Previous Row Amount or On Previous Row Total. The system automatically populates the Reference Row field with the row number immediately preceding the current row.
Account Head	• Searchable DDL • Link "**Accounts**" doctype • To select an account head • Single selection • Mandatory
Description	• Text area • For adding a description Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.
Is this Tax Included In Basic Rate ?	• Checkbox • If checked, this tax amount will be considered as already included in Print Rate / Print Amount
Considered In Paid Amount	• Checkbox • If checked, this tax amount will be considered as already included in the paid Amount in Paid Entry
Set by Item Tax Template	• Checkbox icon (read only)

	• It appears only in case this tax set be item tax template
Is tax withholding Account	• Checkbox icon (read only) • It appears only in case this tax is tax withholding Account
Cost Center	• Searchable DDL • Link "**Cost Center**" doctype • Used to specify the department or business unit that will bear the expense or receive the revenue. • Single selection • Optional
Project	• Searchable DDL • Link "**Project**" doctype • Used to link the transaction to a specific project. • Single selection • Optional
Tax Rate	• Text input field. • To enter the tax rate • optional . • Accept numbers only.
Account Currency	• Label field • Displays the Account Currency
Net Amount (Currency)	• Label field • Displays the Net Amount Currency
Amount (Currency)	• Label field • Displays the Amount Currency
Total (Currency)	• Label field • Displays the Total Currency
Tax Amount After Discount Amount	• Label field • Displays the tax Amount After Discount Amount

Net Amount (Company's base currency)	• Label field • Displays the Net Amount (Company's base currency)
Amount (Company's base currency)	• Label field • Displays the Amount (Company's base currency)
Total (Company's base currency)	• Label field • Displays the Total (Company's base currency)
Tax Amount After Discount Amount (company's base currency)	• Label field • Displays the tax Amount After Discount Amount (Company's base currency)
Don't Recompute Tax	• Checkbox icon (read only) • It displays that the system will not automatically recompute the tax amount for this row during tax recalculations.

        - **Add Row**
            - Button
            - To add a new row in the table
            - When clicked, a new row is added to the table.
    - **Total Taxes and Charges (Company's base Currency)**
        - Label field (read only)
        - It displays total taxes and charges in company's base currency
    - **Total Taxes and Charges (Currency)**
        - Label field (read only)
        - It displays total taxes and charges in currency
- **Totals (Currency)**
    - It contains the following fields:
        - **Use Company Default cost center for round off**
            - Checkbox
            - If enabled, the system posts the round-off amount to the company's default Cost Center instead of using the Cost Center assigned to the document or its items.
        - **Grand Total (Currency)**
            - Label field
            - It displays the grand total in the selected Currency
        - **Rounding Adjustment (Currency)**
            - Label field
            - It displays the rounding adjustment in the selected Currency

- **Rounded Total (Currency)**
  - Label field
  - It displays the rounded total in the selected Currency
- **In Words**
  - Label field
  - It displays the grand total in the selected Currency in words

- **Totals (Company's base Currency)**
  - It contains the following fields:
    - **Grand Total (Company's base Currency)**
      - Label field
      - It displays the grand total in the selected Company's base Currency
    - **Rounding Adjustment (Company's base Currency)**
      - Label field
      - It displays the rounding adjustment in the selected Company's base Currency
      -
    - **Rounded Total (Company's base Currency)**
      - Label field
      - It displays the rounded total in the selected Company's base Currency
    - **In Words**
      - Label field
      - It displays the grand total in the selected Company's base Currency in words.
    - **Total Avance**
      - Label field
      - Displays the total amount of advance payments applied to the Sales Invoice.
    - **Outstanding Amount**
      - Label field
      - Displays the remaining amount that the customer is required to pay after deducting all applied advances and payments from the invoice total.
- **Additional Discount**
  - It contains the following fields:
    - **Apply Additional Discount On**
      - DDL
      - To apply additional discount
      - It contains the following values:
        - Grand Total
        - Net Total
      - Single selection
      - Optional
    - **Additional Discount Percentage**
      - Text input field
      - To enter the Additional Discount Percentage
      - optional .

- Accept numbers only.
- When a number is entered, it is calculated as a percentage.
- Maximum length: 100 characters.
- Once the maximum length is reached, further input is prevented.

■ **Additional Discount Amount (Company's base Currency)**
- Label field
- It displays the additional discount amount in company's base currency

■ **Additional Discount Amount (Currency)**
- Text input field
- To enter the Additional Discount amount using the selected currency
- optional .
- Accept numbers only.
- Maximum length: 100 characters.
- Once the maximum length is reached, further input is prevented.

■ **Coupon Code**
- Searchable DDL
- Link "**Coupon Code**" doctype
- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

■ **Is cash or non trade account**
- Checkbox
- Indicates whether the account associated with the Sales Invoice is a cash account or a non-trade account. This

- **Bundle Items**
  - **Note:** This table is displayed only when the item in the Sales invoice is a **Product Bundle** and the user clicks the **Save** button.
  - A table contain the following columns:

■ **Checkbox icon**
- Multi selection

■ **No.**
- Displays the ordering of items in the table

■ **Parent Item**
- Label field (read only)
- It displays the parent item of the Product bundle

■ **Item Code**
- Label field (read only)
- It displays the item code of the Product bundle

■ **Description**
- Text area
- For adding a description Optional
- Accepts letters, numbers, and special characters.
- Minimum length: 3 characters.

- Maximum length: 500 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- An error message will appear if invalid data is entered.

- **Qty**
  - Label field
  - Displays the Qty of the item
- **Rate**
  - Label field
  - Displays the unit price of the item
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Parent Item
Item Code
Description
Qty
Rate
Item Name
Supplier delivers to Customer

	From Warehouse To Warehouse (Optional) Conversion Factor UOM Pick Serial / Batch No Use Serial No / Batch Fields Serial and Batch Bundle Serial No Batch No Actual Batch Quantity Actual Qty Projected Qty Ordered Qty Packed Qty Requested Qty Incoming Rate Picked Qty

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when an Item is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be

deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Parent Item	• Label field (read only) • Displays the parent product bundle to which this item belongs.
Item Code	• Label field (read only) • Displays the item code of the bundled component
Item Name	• Label field (read only) • Displays the name of the bundled item.
Suppliers delivers to customer	• Checkbox icon (read only) • Indicates that the supplier will deliver the bundled item directly to the customer.
Description	• Text area • For adding a description Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered.

		From Warehouse	• Searchable DDL • Link "**Warehouse**" doctype • To select the source warehouse of the bundled item • Single selection • Optional
		To Warehouse	• Searchable DDL • Link "**Warehouse**" doctype • To select the destination warehouse when applicable • Single selection • Optional
		Conversion Factor	• Label field (read only) • It displays conversion factor between the selected UOM and the Stock UOM
		Qty	• Label field (read only) • It displays the quantity of the bundled item
		Rate	• Label field (read only) • Displays the unit price of the bundled item when applicable.
		UOM	• Label field (read only) • It displays the UOM of the bundled item
		Pick Serial / batch No	• Button • Appears only when the “Activate Serial / Batch No for item” checkbox is enabled from Inventory settings • When clicked, the available Serial Numbers and Batches are automatically selected based on the picking method defined in

			Inventory Settings, such as FIFO, LIFO, or Expiry.
		Serial and Batch Bundle	• Searchable DDL • Link "**Serial and Batch Bundle**" doctype • To select serial and batch bundle related to this item • Single selection • Optional
		Use Serial No / Batch Fields	• Checkbox • When checked: ○ the "**Pick Serial and Batch No**" button and the "**Serial and Batch Bundle**" field are hidden ○ The "**Serial No**" and "**Batch No**" fields are displayed to allow manual entry of Serial Numbers and Batches.
		Serial No	• Text area • To enter serial numbers manually • It appears only when "**Use Serial No / Batch No**" is checked • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered. • When a Serial Number is entered and the Enter key is pressed, a new line is created to allow entry

	of another Serial Number.
Batch No	• Searchable DDL • Link "**Batch No**" doctype • To select Batch No related to this item and the selected warehouse. • Single selection • Optional
Actual Batch Qty	• Label field (read only) • Displays the total available quantity of the selected item across all batches in the selected warehouse
Actual Qty	• Label field (read only) • Displays the current available stock quantity of the item in the selected warehouse.
Projected Qty	• Label field (read only) • Displays the projected available quantity after considering all future stock transactions.
Ordered Qty	• Label field (read only) • Displays the quantity currently ordered through Purchase Orders and not yet received.
Packed Qty	• Label field (read only) • Displays the quantity that has already been packed for this item.
Requested Qty	• Label field (read only) • Displays the quantity requested through Material Requests.
Incoming Rate	• Label field (read only) • Displays the incoming valuation rate of the item used for stock

	valuation.
Picked Qty	• Label field (read only) • Displays the quantity that has already been picked for fulfillment.

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Total Billing Hours**
  - Label field
  - Displays the total billable hours included in the Sales Invoice. This value is calculated automatically from the linked Timesheets.
- **Total Billing Amounts**
  - Label field
  - Displays the total billable amount calculated from the linked Timesheets before taxes and additional charges. This value is calculated automatically by the system.
- **Fixed Page Actions**
  - It contains the following:
    - **Get Items From**
      - DDL
      - It contains the following actions
        - **Sales Order**
          - Button
          - When clicked, a pop up appears containing the following fields:
          - **Search**
            - The user can search by the following:
          - **Name**
            - Text input field
            - Users can search by the sales order name or any part of it.
            - Max length : 100 characters
            - Once the maximum limit is reached, further input will be prevented.
          - **customer**
            - Searchable DDL
            - Link "**Customer**" doctype
            - Single selection
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Sales order list**
  - It contains only quotations whose status is equal to “**to pay**”
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Name**
      - Label field
      - It displays the sales order name
      - Clickable
      - When clicked, it navigates the user to “sales order details” screen
    - **customer**
      - Label field
      - It displays the customer name
    - **Get Items**
      - Button
      - When a sales order(s) is selected and the user clicks the “**Get Items**” button, the sales order items are successfully fetched and indeed to the items table.

- **Quotation**
  - Button
  - When clicked, a pop up appears containing the following fields:
  - **Search**
    - The user can search by the following:
  - **Name**
    - Text input field
    - Users can search by the quotation name or any part of it.
    - Max length : 100 characters
    - Once the maximum limit is reached, further input will be prevented.
  - **customer**
    - Searchable DDL
    - Link “**Customer**” doctype
    - Single selection
    - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the

user to search and select from a predefined list of values.

- **Quotation list**
  - It contains only quotations whose status is equal to “**Open**”
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Name**
      - Label field
      - It displays the quotation name
      - Clickable
      - When clicked, it navigates the user to "Quotation Details” screen
    - **Party (read-only)**
      - Label field
      - It displays the party name
    - **Get Items**
      - Button
      - When a quotation(s) is selected and the user clicks the “**Get Items**” button, the quotation items are successfully fetched and indeed to the items table.

- **Delivery Note**
  - Button
  - When clicked, a pop up appears containing the following fields:
  - **Search**
    - The user can search by the following:
  - **Name**
    - Text input field
    - Users can search by the delivery note name or any part of it.
    - Max length : 100 characters
    - Once the maximum limit is reached, further input will be prevented.
  - **customer**
    - Searchable DDL
    - Link “**Customer**” doctype
    - Single selection
    - **Note:** the field shall be implemented as a

searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Delivery note list**
  - It contains only quotations whose status is equal to "**To Deliver**"
    - A table contain the following columns:
- **Checkbox icon**
  - Multi selection
- **No.**
  - Displays the ordering of items in the table
- **Name**
  - Label field
  - It displays the delivery note name
  - Clickable
  - When clicked, it navigates the user to "Delivery note Details" screen
- **Customer**
  - Label field
  - It displays the customer name
- **Get Items**
  - Button
  - When a delivery note(s) is selected and the user clicks the "**Get Items**" button, the delivery note items are successfully fetched and indeed to the items table.

- **View**
  - It contains the following actions :
    - **View Accounting Ledger**
      - Button
      - When clicked, it navigates the user to the "**General Ledger**" screen.
      - **Note:** it appears only when the document status is **Draft** or **Submitted**
    - **View Stock Ledger**
      - Button
      - When clicked, it navigates the user to the "**Stock Ledger**" screen.
      - **Note:** it appears only when the **Update Stock** = **1 ,** when the document status is **Draft** or **Submitted**
- **Create Quality Inspection(s)**
  - Button
  - When clicked, a pop up appears containing the following fields:
    - **Items**
      - A table contain the following columns:
        - **Checkbox icon**

- Multi selection
- **No.**
  - Displays the ordering of items in the table
- **Item Code**
  - Label field
  - It displays the item code
  - Displays all items added to the Sales Invoice that have the "Inspection Required Before Delivery" option enabled.
- **Item Name**
  - Label field
  - It displays the item name
- **Accepted Quantity**
  - Label field
  - It displays the accepted Qty of the item available for creating a quality inspection
- **Sample size**
  - Text input field
  - To enter a quantity for which a quality inspection will be created.
  - Note: the **Sample Size** cannot greater than the **Qty**

- **Create**
  - Button
  - When clicked, If all required data is entered correctly and completely:
    - The Quality Inspection is successfully created.
  - If incorrect or incomplete data is entered:
    - A validation error message is displayed for each invalid field.

- **Note:**
  - The "**Inspection Required Before Delivery**" option must be enabled from the item's Advanced tab in order to allow creating a Quality Inspection from this item.
  - It appears only when:
    - The **Update Stock** = **1 ,** and "**Save**" button is clicked
    - It is in **Draft** or **Submitted** status, provided that the "**Allow to make Quality Inspection after Purchase/Delivery**" option is enabled in the **Inventory Settings.**

- **Save**
  - Button
  - When clicked,

- If all required data is entered correctly and completely:
  - The Sales invoice is successfully saved and not submitted.
  - And added to the Sales order List and its status is **draft**
- If incorrect or incomplete data is entered:
  - A validation error message is displayed for each invalid field.

- **Submit**
  - Button
  - Appears only after clicking on the **save** button
  - When clicked,
    - The Sales invoice is successfully submitted
    - And added to the Sales invoice List and its status is **Submitted**
    - If the customer is associated with a Loyalty Program,
      - The system checks the following:
        - The invoice is eligible to create points.
        - The invoice posting date.
        - The eligible invoice amount.
        - The program's earning rules and collection factor.
        - Any loyalty amount redeemed on the invoice is excluded from the earning amount.
      - Then the system creates:
        - A **Positive Loyalty Point Entry** linked to the **Sales Invoice**
      - The customer's available loyalty balance increases.
      - The points may be redeemed later and may be expired.
      - **Note:** Earning points **doesn't** create **GL Entry**, **Payment Ledger Entry**, or **cash movement**
    - If the customer **Redeems Loyalty Points** on this invoice
      - Before submission the system checks the following:
        - "**Redeem Loyalty Points**" is enabled.
        - The customer has sufficient valid, non-expired points.
        - The Loyalty Program belongs to the invoice company.
        - The **POS & Loyalty Amount** does not exceed the Sales Invoice **Grand Total**.
        - The Loyalty Redemption Account and Cost Center exist.
      - On submission
        - The system creates:
          - Negative Loyalty Point Entries that consume the customer's existing

points.
- **Loyalty GL Entry**
  - **Debit**: Loyalty Redemption Expense
  - **Credit**: Customer Receivable
- A negative receivable Payment Ledger effect from the receivable credit.
- A separate positive Loyalty Point Entry for points earned from the remaining eligible invoice value.

- The redeemed points reduce the customer's available balance.
- The invoice outstanding decreases by the loyalty amount.
- Loyalty Redemption Expense Account increases.
- No cash, bank transaction, or Payment Entry is created.

- **Note:** once the document is submitted, it becomes read only and cannot be edited.

- **Cancel**
  - It appears only when the Sales invoice status = **Submitted**
  - When clicked,
    - The Sales invoice was canceled successfully.
    - And it's status changes to "**Canceled**"
- **Amend**
  - Button
  - It appears only when the Sales invoice status = **cancelled**
- **Delete**
  - It appears only when the Sales Invoice status = **Draft / Cancelled**
  - When clicked,
    - A confirmation message is displayed to the user whether they want to delete this Sales invoice
    - Upon clicking the "Yes" button:
      - If other Sales Invoice is Amended from this Sales Invoice
        - A warning message appears indicating that this Sales Invoice cannot be deleted until the user deletes all doctypes related to it.
        - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.
        - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.
      - if the Sales Invoice is linked to other transactions,

	● a message is displayed informing the user that the linked transactions must be deleted before the Sales Invoice can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the Sales Invoice isn't linked to another doctype ● The Sales Invoice is deleted successfully.
Post Conditions	● The new Sales invoice has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

General Info Tab

Use case ID	**3**
Use case Name	General Info Tab
Descriptions	The user can continue the creation process and enter the General Info
Pre conditions	● Click on **Selling** from sidebar ● Click on **Sales Invoice** from sidebar ● Click on **Add Sales Invoice** ● Click on **General Info** Tab
Main Flow	-
Components	● **Payments** ○ It contains the following fields: ■ **Cash / Bank Account** ● Searchable DDL ● Link "**Account**" doctype ● It displays all accounts with type = **Bank** or **Cash**. ● **Note:** it's fetched from the **POS Profile** ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Sales Invoice Payments** ● A table contain the following columns: ○ **Checkbox icon** ■ Multi selection ○ **No.**

- Displays the ordering of items in the table
- **Mode Of Payment**
  - Searchable DDL
  - Link "**Mode Of Payment**" doctype
  - **Note:** it's fetched from the **POS Profile** and it can be edited
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Amounts**
  - Text input field
  - To Specify the amount received using the selected Mode of Payment.
  - **Note:** it's fetched from the **POS Profile** and it can be edited
  - Mandatory
  - Accepts integers and decimal numbers.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - If the field is left empty an error message appears.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears

containing all available table columns with their corresponding checkboxes.
    - These columns are:

Column Name
Default
Mode of Payment
Amount
Reference No
Account
Type
Base Amount (Company Currency)
Clearance Date

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when an Item is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be deleted
- **Edit Row**
    - Clickable icon

- Users can edit and view non displayed fields in the table.
- When clicked , a pop up appears containing the following fields:

Field Name	Options
Mode Of Payment	• Searchable DDL • Link "**Mode Of Payment**" doctype • **Note:** it's fetched from the **POS Profile** and it can be edited • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Amounts	• Text input field • To Specify the amount received using the selected Mode of Payment. • **Note:** it's fetched from the **POS Profile** and it can be edited • Mandatory • Accepts integers and decimal numbers. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • If the field is left empty an error message appears.
Default	• Checkbox icon (read only) • **Note:** it's fetched from the

	POS Profile.
Reference No	• Label field (read only) • **Note:** it's fetched from the **POS Profile**.
Account	• Label field (read only) • **Note:** it's fetched from the **POS Profile**.
Type	• Label field (read only) • **Note:** it's fetched from the **POS Profile**.
Base Amount (Company Currency)	• Label field (read only) • **Note:** it's fetched from the **POS Profile**.
Clearance Date	• Label field (read only) • **Note:** it's fetched from the **POS Profile**.

        - **Add Row**
            - Button
            - To add a new row in the table
            - When clicked, a new row is added to the table.
- **POS & Loyalty Amount (Company Currency)**
    - Label field (read only)
    - Displays the total paid amount of the **POS amount + the Loyalty Point Amount** converted to the company's base currency.
    - **Note:** it's fetched from the **POS Profile**.
    - **Note:** its original name in ERPNext = **Paid Amount (Company Currency)**
    - **Note: POS** means that "**a retail sales interface that enables users to quickly create and complete sales transactions. It allows users to add items, receive customer payments, and generate sales invoices in a single workflow while automatically updating inventory and accounting records**"
- **POS & Loyalty Amount (Currency)**
    - Label field (read only)
    - Displays the total amount paid in the Sales Invoice currency.
    - **Note:** it's fetched from the **POS Profile**
    - **Note:** its original name in ERPNext = **Paid Amount (Currency)**

- **Changes**
  - It contains the following fields:
    - **Base Change Amount (Company Currency)**
      - Label field (read only)
      - Displays the change amount returned to the customer in the company's base currency.
      - **Note:** it's fetched from the **POS Profile**
    - **Change Amount**
      - Label field (read only)
      - Displays the change amount returned to the customer in the invoice currency
      - **Note:** it's fetched from the **POS Profile**
    - **Account For Change Amount**
      - Searchable DDL
      - Link "**Account**" doctype
      - **Note:** it's fetched from the **POS Profile**
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Advance Payment**
  - It contains the following fields:
    - **Allocate Advance Automatically (FIFO)**
      - Checkbox
      - When checked, it fetches all available advance payments received from the customer and allows them to be allocated to the current Sales Invoice using the First In, First Out (FIFO) method.
      - **Note:** default value is decided through Selling Settings
        - If the "**Allocate Advance Automatically In Sales Invoice**" is checked:
          - Then, the "**Allocate Advance Automatically (FIFO)**" default value is checked
        - If the "**Allocate Advance Automatically In Sales Invoice**" is unchecked:
          - Then, the "**Allocate Advance Automatically (FIFO)**" default value is unchecked
      - **Note:** when a row is deleted from the Advances table and the user clicks on Save, the system should not overwrite the Advances table
    - **Only Include Allocated Payments Against Reference Sales Order**
      - Checkbox
      - If enabled, the system fetches only advance payments that have already been allocated to the related Sales Order.
      - **Note:** it appears only when the "**Allocate Advance Automatically (FIFO)** = **1**"

- **Note:** default value is decided through Selling Settings
  - If the “**Only Include Allocated Payments Against Sales Order In Sales Invoice**” is checked:
    - Then, the ”**Only Include Allocated Payments Against Reference Sales Order**” default value is checked
  - If the “**Only Include Allocated Payments Against Sales Order In Sales Invoice**” is unchecked:
    - Then, the ”**Only Include Allocated Payments Against Reference Sales Order**” default value is unchecked
- **Note:** when a row is deleted from the Advances table and the user clicks on Save, the system should not overwrite the Advances table

- **Get Advance Received**
  - Button
  - It retrieves unallocated advance payments for the selected customer, populates the Advances table, and reduces the invoice outstanding amount by the allocated advance when the invoice is submitted.
  - When clicked, it fetches all available advance payments received from the customer and allows them to be allocated to the current Sales Invoice.
  - **Note:** it appears only when the Sales Invoice status = **Draft**
- **Advances**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Reference Name**
      - Label field (read only)
      - Displays the reference document from which the advance payment is applied.
    - **Remarks**
      - Label field (read only)
      - Displays the remarks associated with the referenced advance payment document.
    - **Advance Amount**
      - Label field
      - Displays the total amount of the referenced advance payment.
    - **Allocated Amount**
      - Text input field
      - Displays the amount of the advance payment allocated to the current Sales Invoice.
      - It can be edited

- **Difference Posting Date**
  - Date calendar picker
  - Specifies the posting date used for accounting adjustments when there is a posting date difference between the advance payment and the Sales Invoice.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Reference Name
Remarks
Advance amount
Allocated amount
Difference Posting Date
Reference Type
Exchange Gain/Loss
Reference Exchange Rate

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when an Item is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Reference type	• Label field (read only) • Displays the type of the reference document from which the advance payment is applied.
Reference name	• Label field (read only) • Displays the reference document from which the advance payment is retrieved.

		Remarks	• Label field (read only) • Displays the remarks associated with the referenced advance payment document.
		Reference Row	• Label field (read only) • Displays the reference row associated with the advance payment. This field is automatically populated by the system when applicable.
		Advance Amount	• Label field • Displays the total amount of the referenced advance payment.
		Allocated Amount	• Text input field • Displays the amount of the advance payment allocated to the current Sales Invoice. • It can be edited
		Exchange Gain / Loss	• Label field (read only) • Displays the exchange gain or loss resulting from differences between the advance payment exchange rate and the Sales Invoice exchange rate.
		Reference Exchange Rate	• Label field (read only) • Displays the exchange rate used in the referenced advance payment document.
		Difference Posting Date	• Date calendar picker

	● Specifies the posting date used for accounting adjustments resulting from posting date differences between the advance payment and the Sales Invoice. This field is automatically populated when applicable.

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Write Off**
  - It contains the following fields:
    - **Write Off Amount**
      - Text input field.
      - To enter the amount to be written off from the invoice
      - Optional
      - Accept integers and decimal numbers only.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented.
    - **Write Off Amount (Company Currency)**
      - Label field (read only)
      - It displays the amount to be written off from the invoice in Company Currency
    - **Write Off Outstanding Amount**
      - Checkbox
      - When checked, the system writes off the entire outstanding balance and marks the invoice as fully settled.
    - **Write Off Account**
      - Searchable DDL
      - Link "**Account**" doctype
      - To select the account where the write-off amount will be recorded
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
    - **Write Off Cost Center**
      - Searchable DDL
      - Link "**Cost Center**" doctype
      - To select the Cost Center to which the write-off entry will be allocated

- Single selection
- Optional
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values

- **Loyalty Points Redemption**
  - It contains the following fields:
    - **Redeem Loyalty Points**
      - Checkbox
      - When checked, it allows the customer to redeem available loyalty points against the invoice
    - **Loyalty Points**
      - Text input field.
      - To Specify the number of loyalty points to redeem.
      - Optional
      - Accept integers numbers only.
      - Maximum length: 100 characters.
      - Once the maximum length is reached, further input is prevented
      - **Note:** it appears only when the "Redeem Loyalty Points = **1**"
      - **Note:**
        - If the customer's available loyalty points exceed the Sales Invoice Grand Total,
          - The system shall automatically retrieve only the loyalty points required to match the invoice Grand Total.
        - If the customer's available loyalty points are less than the Sales Invoice Grand Total,
          - The system shall automatically retrieve all available loyalty points for the customer.
    - **Loyalty Amount**
      - Label field (read only)
      - Displays the monetary value of the redeemed loyalty points.
      - **Note:** it appears only when the "**Redeem Loyalty Points** = **1**"
      - **Note:**
        - **Loyalty Amount** = **Redeemed Loyalty Points** * **Conversion Factor**
        - Any **Loyalty Amount** redeemed using loyalty points on the Sales Invoice shall be excluded from the loyalty points earning calculation.
    - **Loyalty Program**
      - Searchable DDL
      - Link "**Loyalty Program**" doctype
      - To Specify the loyalty program used for earning or redeeming points.
      - It's fetched from the selected customer and it can be edited.
      - Single selection
      - Optional

- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values

- **Don't Create Loyalty Points**
  - Checkbox
  - When checked, it prevents the system from creating loyalty points for this invoice.
- **Redemption Account**
  - Searchable DDL
  - Link "**Account**" doctype
  - To Specify the account used to record the redeemed loyalty amount.
  - **Note:** it appears only when the "Redeem Loyalty Points = **1**"
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **Redemption Cost Center**
  - Searchable DDL
  - Link "**Cost Center**" doctype
  - To Specify the Cost Center to which the loyalty redemption entry will be allocated.
  - **Note:** it appears only when the "Redeem Loyalty Points = **1**"
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **Restore Redeemed Loyalty Points**
  - Checkbox
  - It's displayed only When a sales return is created against the original sales invoice and the "**Redeem Loyalty Points**" checkbox is checked in the original **Sales Invoice**
  - It's checked by default
  - **When checked,**
    - The original negative redemption entry is marked: **returned = 1** , **restored = 1** , that means The original negative entry is ignored in customer balance and earning-bucket calculations. And the redeemed points become available again without creating a positive restoration entry.
    - The original positive Redemption entry is marked as : **returned = 1** , **restored = 1**
  - **When unchecked,**
    - The original negative redemption entry is marked: **returned = 1** , **restored = 0 ,** that means The negative entry remains included in the calculation. And the redeemed points

remain deducted from the customer's balance
        - The original positive Redemption entry is marked as : **returned = 1** , **restored = 1**
    - **Note: Loyalty Points of a specific customer is calculated by summing all "Loyalty Points" field values of Loyalty Point Entry Doctype referencing the customer and his active Loyalty Program (which is defined in Customer Details)**
- **Billing Address**
    - It contains the following fields:
        - **Customer Address Name**
            - Searchable DDL
            - Link "**Address**" doctype
            - Displays all addresses associated with the customer in the Quotation
            - Single selection
            - Optional
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
            - **Important Note:**
                - The system automatically fetches the customer's **Preferred Billing Address.**
                - If no **Preferred Billing Address** is available,
                    - The system fetches the **Primary Address**.
                - If no **Primary Address** exists,
                    - The system fetches the **latest created address**.
                - The user can overwrite the automatically selected address by choosing another one.
        - **Address**
            - Label field (read only)
            - It displays the address of the selected customer
            - It displays the following data:
                - Address Description
                - City / town
                - State
                - Country
        - **Contact Person**
            - Searchable DDL
            - Link "**Contact**" doctype
            - **Note:** it's filtered to show only contacts that belong to the "**Customer**" or "**Lead**"
            - Single selection
            - Optional
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Important Note:**
  - The system automatically fetches the customer's **Preferred Billing Contact.**
  - If no **Preferred Billing Contact** is available,
    - The system fetches the **Primary Contact**.
  - If no **Primary Contact** exists,
    - The system fetches the **latest created Contact**.
  - The user can overwrite the automatically selected contact by choosing another one.

- **Contact (Hidden)**
  - Label field (read only)
  - It displays the contact name of the selected contact person

- **(Contact Details)**
  - Label field (read only)
  - It displays all contact numbers and Emails ID of the selected contact person
  - **Note:**
    - UI must clearly tell which:
      - **Number is the primary phone**
      - **Email ID is the primary Email**

- **Shipping Address**
  - It contains the following fields:
    - **Shipping Address**
      - Searchable DDL
      - Link "**Address**" doctype
      - Displays all addresses associated with the customer in the Quotation to select the customer shipping address.
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Important Note:**
        - The system automatically fetches the customer's **Preferred Shipping Address.**
        - If no **Preferred Shipping Address** is available,
          - The system fetches the **Primary Address**.
        - If no **Primary Address** exists,
          - The system fetches the **latest created address**.
        - The user can overwrite the automatically selected address by choosing another one.
    - **Shipping Address**
      - Label field (read only)
      - It displays the shipping address of the selected shipping address
      - It displays the following data:
        - Address Description
        - City / town

- State
- Country

- **Company Address**
  - It contains the following fields:
    - **Company Address Name**
      - Searchable DDL
      - Link "**Address**" doctype
      - Displays all company addresses to select the company address name.
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Note:**
        - **Company primary address** is fetched
        - If **Company primary address** is not found
          - The latest company address is fetched.
    - **Company Address**
      - Label field (read only)
      - It displays the company address of the selected Company Address Name
      - It displays the following data:
        - Address Description
        - City / town
        - State
        - Country
    - **Contact Person**
      - Searchable DDL
      - Link "**Contact**" doctype
      - **Note:** it's filtered to show only contacts that belong to the selected company and the "**Is Your Company Contact**" checked.
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Important Note:**
        - The system automatically fetches the company's **Preferred Billing Contact.**
        - If no **Preferred Billing Contact** is available,
          - The system fetches the **Primary Contact**.
        - If no **Primary Contact** exists,
          - The system fetches the **latest created Contact**.
        - The user can overwrite the automatically selected contact by choosing another one.
    - **(Contact Details)**

- Label field (read only)
- It displays all contact numbers and Emails ID of the selected Contact Person
- **Note:**
  - UI must clearly tell which:
    - **Number is the primary phone**
    - **Email ID is the primary Email**

- **Payment Terms Template**
  - Searchable DDL
  - Link "**Payment Terms Template**" doctype
  - Single selection
  - Optional
  - When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
- **Payment Schedule**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Payment Term**
      - Searchable DDL
      - Link "**Payment Term**" doctype
      - Single selection
      - Optional
      - When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
    - **Description**
      - Text area
      - For adding a description
      - It's fetched from the selected Payment Term
      - Optional
      - Accepts letters, numbers, and special characters.
      - Minimum length: 3 characters.
      - Maximum length: 500 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.
      - An error message will appear if invalid data is entered
    - **Due Date**
      - Date calendar picker
      - To select the payment Due date
      - It's fetched based on the "Due Date Based On" field from the selected payment term
      - Mandatory
      - If the field is left empty an error message appears.

- **Invoice Portion**
  - Text input field
  - For entering the percentage of the total invoice amount assigned to this payment term
  - It's fetched from the selected Payment Term
  - Optional
  - Accepts numbers only.
  - The entered numbers are treated as percentages
  - Minimum length: 1 character.
  - Maximum length: 3 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Payment Amount**
  - Text input field
  - For entering the payment amount
  - Optional
  - Accepts integers and decimal numbers only.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name

Payment Term
Description
Due Date
Invoice Portion
Payment Amount (EGP)
Mode of Payment
Due Date Based On
Credit Days
Credit Months
Discount Date
Discount
Discount Type
Discount Validity Based On
Discount Validity
Outstanding (EGP)
Paid Amount (EGP)
Discounted Amount

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be

deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Payment Term	• Searchable DDL • Link “**Payment Term**” doctype • Single selection • Optional • When a value is selected from the Payment Terms Template DDL, the Payment Schedule field is automatically filled based on the selected value.
Description	• Text area • For adding a description • It’s fetched from the selected Payment Term • Optional • Accepts letters, numbers, and special characters. • Minimum length: 3 characters. • Maximum length: 500 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length. • An error message will appear if invalid data is entered
Due Date	• Date calendar picker • To select the payment Due date • It’s fetched based on the “Due Date Based On” field from the selected payment term • Mandatory • If the field is left empty an error message appears.

		Invoice Portion	• Text input field • For entering the percentage of the total invoice amount assigned to this payment term • It's fetched from the selected Payment Term • Optional • Accepts numbers only. • The entered numbers are treated as percentages • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
		Mode of Payment	• Searchable DDL • Link "**Mode of Payment**" doctype • To select the default mode of payment for this payment term • It's fetched from the selected Payment Term • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
		Due Date Based On	• Label field (read only) • It's fetched from the selected Payment Term • It display one of the following values: ○ Day(s) after invoice date ○ Day(s) after the end of the invoice month ○ Month(s) after the end of the invoice month

		Credit Days	• Label field (read only) • It display the number of credit days before the payment becomes due • It's fetched from the selected Payment Term
		Credit Months	• Label field (read only) • It display the number of credit months before the payment becomes due • It's fetched from the selected Payment Term
		Discount Date	• Date calendar picker • To select the discount date • Mandatory • If the field is left empty an error message appears. • Note: it appears only after entering a value in Discount field
		Discount	• Text input field • For entering the discount value applicable for early payment • It's fetched from the selected Payment Term • Optional • Accepts numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length
		Discount Type	• DDL • To select whether the early payment discount is calculated as a percentage or a fixed amount

			• It's fetched from the selected Payment Term • It contains the following values: ○ Percentage ○ Amount • Single selection • Optional
		Discount Validity Based On	• Label field (read only) • Displays the basis used to calculate the early payment discount validity period • It's fetched from the selected Payment Term • It display one of the following values: ○ Day(s) after invoice date ○ Day(s) after the end of the invoice month ○ Month(s) after the end of the invoice month
		Discount Validity	• Label field (read only) • It's fetched from the selected Payment Term • Displays the validity period during which the early payment discount can be applied
		Payment Amount	• Text input field • For entering the payment amount • Optional • Accepts integers and decimal numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
		Outstanding	• Label field

	• Displays the outstanding • **Note:** ○ it appears only when the "**Payment Term**" field has a value ○ It disappears only when the "**Payment Term**" field is empty
Paid Amount	• Label field (read only) • Displays the Paid Amount
Discounted Amount	• Label field • Displays the Discounted Amount
Payment Amount (Company's base currency)	• Text input field • For entering the payment amount (Company Currency) • Optional • Accepts integers and decimal numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
Outstanding (Company's base currency)	• Label field (read only) • Displays the Outstanding (Company's base currency)
Paid Amount (company's base currency)	• Label field (read only) • Displays the Paid Amount (company's base currency)

  - **Add Row**
    - Button
    - To add a new row in the table
    - When clicked, a new row is added to the table.

- **Terms**
  - Searchable DDL
  - Link "**Terms and Condition**" doctype
  - Single selection

	○ Optional ○ When a value is selected from the terms DDL, the terms and condition content field is automatically filled based on the selected value. ○ **Note:** ■ **If no terms and conditions are entered, the terms and conditions section is not displayed on the Quotation Details page** ■ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Terms and Condition Content** ○ Text area ○ For adding detailed terms and condition content. ○ Optional ○ Accepts letters, numbers, and special characters. ○ Minimum length: 3 characters. ○ Maximum length: 500 characters. ○ Once the maximum limit is reached, further input will be prevented. ○ An error message will appear if the entered text is less than the minimum length. ○ An error message will appear if invalid data is entered. ○ **Note:** The terms and condition content is automatically fetched based on the term selected from the DDL
Post Conditions	● The General Info Details is successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

More Info Tab

Use case ID	**4**
Use case Name	More Info Tab
Descriptions	The user can continue the creation process and enter the General Info
Pre conditions	● Click on **Selling** from sidebar

	• Click on **Sales Order** from sidebar • Click on **Add Sales Order** • Click on **More Info** Tab
Main Flow	-
Components	• **Status** ○ It contains the following fields: ■ **Invoice Status** • Label field • It displays the Sales Invoice status • It shows one of the following values: ○ Draft ○ Unpaid ■ It is displayed when the document is submitted & **Grand Total** = **Outstanding** ○ Partially Paid ■ It is displayed when the document is submitted & **Grand Total** > **Outstanding** ○ Fully Paid ■ It is displayed when the document is submitted & **Outstanding** = **0** ○ Overdue ■ It is displayed when the document is submitted & **the due date of payment term is** > **current date and the invoice is not paid** ○ Return ■ It is displayed when the document is submitted and **(Is Return** = **1)** ○ Fully Credited ■ It is displayed when the document is submitted and **Outstanding= 0 and Grand Total** = **Credit Amount** ○ On Hold ■ It is displayed when **Hold** button is clicked ○ Closed ■ It is displayed when **Close** button is clicked ○ Cancelled ■ It is displayed when the document is cancelled. ■ **Credit Staus** • Label field • It displays the Credit status of the Sales Invoice • It shows one of the following values: ○ Not Applicable ■ It is displayed only when the **Invoice Status** = **Draft** ○ No Credit ■ It is displayed when the **Credit Amount** = **0** ○ Partially Credited

- It is displayed when the **Credit Amount > 0**
- Fully Credited
- It is displayed when Sum of total "**Amounts**" of submitted sales invoice where:
- Is Return = 1
- Return Against = this Invoice is equal to **Grand Total**

- **Refund Status**
- Label field
- It displays the Refund status of the Sales Invoice
- It shows one of the following values:
- Not Applicable
- It is displayed only when the **Invoice Status = Draft**
- No Refund
- It is displayed when **Refund Amount = 0**
- Partially Refunded
- It is displayed when **Refund Amount > 0**
- Fully Refunded
- It is displayed when **Refund Amount > 0**
- And Refund Amount = Paid Amount

- **Accounting Details**
- It contains the following fields:
- **Debit To**
- Label field (read only)
- It displays the receivable account that will be debited with the invoice amount when the Sales Invoice is submitted.
- Clickable
- When clicked, it navigates the user to the receivable account that will be debited with the invoice amount
- **Is Opening Entry**
- Label field (read only)
- Displays whether the Sales Invoice is an opening entry
- It displays one of the following values:
- No
- Yes
- **Against Income Account**
- Label field (read only)
- Displays the income accounts against which the invoice revenue is recorded based on the invoice items.
- **Paid Amount**
- Label field (read only)
- It displays the total allocated paid amounts in payment entries against this invoice
- **It's calculated as :**
- Sum of total "**Amounts**" of Payment Ledger Entries where:
- Voucher Type = Payment Entry and Payment Entry Type = Receive

- Amount < 0
- Delinked = 0
- Against Voucher Type = Sales Invoice
- Against Voucher No = this Invoice

- **Credit Amount**
  - Label field (read only)
  - It displays the total credit amounts of return invoices against this invoice
  - **It's calculated as :**
    - Sum of total "**Amounts**" of submitted sales invoice where:
      - Is Return = 1
      - Return Against = this Invoice
- **Credit Allocated**
  - Label field (read only)
  - It displays the credit amount allocated to this invoice
  - **It's calculated as :**
    - Sum of total "**Amounts**" of Payment Ledger Entries where:
      - Voucher Type = Sales Invoice and (Is Return = 1)
      - Amount < 0
      - Delinked = 0
      - Against Voucher Type = Sales Invoice
      - Against Voucher No = this Invoice

    +

    - Sum of total "**Amounts**" of Payment Ledger Entries where:
      - Voucher Type = Journal Entry (Entry Type = Credit Note)
      - Amount < 0
      - Delinked = 0
      - Against Voucher Type = Sales Invoice
      - Against Voucher No = this Invoice
- **Refund Amount**
  - Label field (read only)
  - It displays the amount to be refunded to the customer
  - **When the Sales Invoice (Is Return = 1)**
    - **It's calculated as :**
      - Sum of total "**Amounts**" of Payment Ledger Entries where:
        - Voucher Type = Payment Entry
        - Payment Entry Type = Pay
        - Amount > 0
        - Delinked = 0
        - Against Voucher Type = Sales Invoice
        - Against Voucher No = this Invoice
  - **When the Sales Invoice (Is Return = 0)**
    - **It's calculated as :**
      - Sum of total "**Amounts**" of Payment Ledger Entries

where:

- Voucher Type = Journal Entry
- Entry Type = Journal Entry or Cash Entry or Bank Entry
- Credited Account Type = Cash Account or Bank Account
- Amount > 0
- Delinked = 0
- Against Voucher Type = Sales Invoice
- Against Voucher No = this Invoice

- **Note:**
  - All Accounting Details of sales invoice have metrics like credit allocated, paid amount, refund amount.. etc
  - Those are calculated by looking inside other doctypes like **journal entry** or **payment ledger entry**.. etc
  - All reference doctypes must be **submitted** while draft and cancelled docs are completely ignored

- **Commission (Hidden)**
  - It contains the following fields:
    - **Sales Partner**
      - Searchable DDL
      - Link "**Sales Partner**" doctype
      - To select the sales partner associated with the Sales Invoice for commission calculation
      - Single selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Amount Eligible for Commission**
      - Label field (read only)
      - Displays the amount on which the sales commission is calculated.
    - **Commission Rate**
      - Text input field
      - Allows users to specify the commission percentage applied to the eligible amount.
      - Optional
      - Accepts numbers only.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
    - **Total Commission**
      - Text input field
      - Displays the total commission amount calculated based on the eligible amount and commission rate.
      - Optional
      - Accepts numbers only.

- Minimum length: 2 characters.
- Maximum length: 100 characters.

- **Sales Team (Hidden)**
  - A table contain the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Sales Person**
      - Searchable DDL
      - Link "**Sales Person**" doctype
      - To select the sales employee responsible for the Sales invoice
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Contribution (%)**
      - Text input field
      - To enter the percentage contribution of the sales person to the Sales invoice
      - Optional
      - Accepts numbers only.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.
    - **Contribution to Net Total**
      - Label field
      - Displays the portion of the Sales invoice net total attributed to the sales person based on the contribution percentage.
    - **Commission Rate**
      - Label field
      - Displays the commission percentage assigned to the sales person
    - **Incentives**
      - Text input field
      - To enter the incentive or commission amount earned by the sales person
      - Optional
      - Accepts numbers only.
      - Minimum length: 2 characters.
      - Maximum length: 100 characters.
      - Once the maximum limit is reached, further input will be prevented.
      - An error message will appear if the entered text is less than the minimum length.

- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Sales Person
Contribution (%)
Contribution to Net Total (EGP)
Commission Rate
Incentives (EGP)

      - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
      - Button
      - For save any changes or updates made by the user
      - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
      - Button
      - To reset all modifications to their default values.
      - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following

actions:

- Delete row
  - Button
  - To delete a specific row or multiple rows
  - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Sales Person	• Searchable DDL • Link “**Sales Person**” doctype • To select the sales employee responsible for the Sales invoice • Single selection • Optional • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Contribution (%)	• Text input field • To enter the percentage contribution of the sales person to the Sales invoice • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.
Contribution to Net Total	• Label field • Displays the portion of the Sales invoice net total attributed to the sales person based on the contribution percentage.

Commission Rate	• Label field • Displays the commission percentage assigned to the sales person
Incentives	• Text input field • To enter the incentive or commission amount earned by the sales person • Optional • Accepts numbers only. • Minimum length: 2 characters. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • An error message will appear if the entered text is less than the minimum length.

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Loyalty Points**
  - It contains the following fields:
    - **Loyalty points**
      - Label field
      - Displays the number of loyalty points redeemed by the customer in the current transaction
    - **Loyalty amount**
      - Label field
      - Displays the monetary value of the redeemed loyalty points, which is deducted from the document total.

- **Auto repeat (Hidden)**
  - It contains the following fields:
    - **From Date**
      - Date calendar picker
      - To select the start date of auto repeat
    - **To date**
      - Date calendar picker
      - To select the end date of auto repeat
    - **Auto Repeat**
      - Searchable DDL

- Link “**Auto Repeat**” doctype
- Single selection
- optional,
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Print Settings**
  - It contains the following fields:
    - **Letter Head**
      - Searchable DDL
      - Link “**Letter Head**” doctype
      - Single selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Language**
      - Label field
      - It displays the language selected in the print settings.
    - **Print without Amount**
      - Checkbox
      - If checked, the printing will be generated without amounts.
    - **Group same items**
      - Checkbox
      - To group the same items during printing.
- **UTM Analytics (Hidden)**
  - It contains the following fields:
    - **Source**
      - Searchable DDL
      - Link “**UTM Source**” doctype
      - Single selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Additional Info**
  - It contains the following fields:
    - **Territory**
      - Searchable DDL
      - Link “**Territory**” doctype
      - Displays the sales territory associated with the selected customer.
      - Multi selection
      - optional,
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Customer Purchase Order**

	● Text input field ● To enter the customer purchase order ● Optional ● Accepts letters, numbers and special characters. ● Minimum length: 2 characters. ● Maximum length: 100 characters. ■ **Customer Purchase Order Date** ● Date calendar picker ● To select the customer purchase order date ■ **Customer Group** ● Label field ● It displays the customer group of the customer ● It's fetched from the customer details
Post Conditions	● The More Info Details is successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Sales Invoice Details

Use case ID	**5**
Use case Name	Sales Invoice Details
Descriptions	The user can view / edit the sales invoice details.
Pre conditions	● Click on **Selling** from sidebar ● Click on **Sales Invoice** from sidebar

	• Click on “**Sales Invoice ID**” from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the sales Invoice status is **Submitted** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are **read-only** and cannot be edited. ■ If the sales Invoice status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the sales invoice data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Sales invoice details) pages to provide a quick access to common functions: ■ **Hold (Hidden)** • Button • When clicked, a pop up appears containing the following field: ○ **Reason For Hold** ■ Text area ■ For adding a reason for hold ■ Mandatory ■ Accepts letters, numbers, and special characters. ■ Minimum length: 3 characters. ■ Maximum length: 500 characters. ■ Once the maximum limit is reached, further input will be prevented. ■ An error message will appear if the entered text is less than the minimum length. ■ If the field is left empty an error message appears. ○ **Submit** ■ Button ■ When clicked, • If all required data is entered correctly and completely: ○ The Sales invoice is successfully holded ○ And its status changes to “**On Hold**” • If incorrect or incomplete data is entered: ○ A validation error message is displayed for each invalid field. ○ **Note:** after submitting the “**Hold**” button changes to “**Resume**” • **Resume** ○ Button

- When clicked, the sales invoice status is set to its previous status
- **Close**
  - Button
  - When clicked, the sales invoice status changes to "**Closed**"
  - And the "**Close**" button changes to "**Re-open**"
- **Re-open**
  - Button
  - When clicked, the sales invoice status is set to its previous status
- **Create**
  - DDL
  - **Note:** it appears only when the document status = Submitted
  - It contains the following values:
    - **Return / Credit Note**
      - Button
      - When clicked, the system navigates the user to a new "**Add Sales Invoice**" screen, and fetches the sales invoice data that is being returned with **negative** values for:
        - Qty
        - **Rate**
        - **Valuation Rate**
      - When a sales return is created against the invoice,
        - The customized system checks:
          - The original invoice is submitted.
          - The original invoice used loyalty points.
          - The original loyalty amount and loyalty paid component.
          - The original Redemption Account and accounting dimensions.
          - The original negative redemption entries.
          - The positive points earned from the original invoice**.**
        - If the "Redeem Loyalty Points" checkbox is checked in the original **Sales Invoice**
          - The "Restore Redeemed Loyalty Points" checkbox is automatically displayed and checked by default
          - Fetches the original Loyalty Amount as negative
          - Fetches the loyalty portion of POS & Loyalty Amount as negative.
          - Uses the original Redemption Account internally.
          - The user does not re-enter the

	original loyalty fields. ■ On submission ● the system creates: the opposite loyalty GL entries: ○ **Debit:** Customer Receivable ○ **Credit:** The original Loyalty Redemption Expense account ● A positive receivable **Payment Ledger Entry** effect for the reversed loyalty amount. ● No positive Redemption Restoration entry. ● No original entry is deleted. ● The main return receivable is a credit, while the loyalty reversal is a debit. ● Their net Payment Ledger Entry produces the correct return outstanding. ● If the "**Redeem Loyalty Points**" checkbox is checked in the original **Sales Invoice** : ○ **Case 1** : "**Restore Redeemed Loyalty Points**" is checked ■ The original negative redemption entry is marked: **returned** = **1** , **restored** = **1** , that means The original negative entry is ignored in customer balance and earning-bucket calculations. And the redeemed points become available again without creating a positive restoration entry. ■ The original positive Redemption entry is marked as : **returned** = **1** , **restored** = **1** ○ **Case 2 :** "**Restore Redeemed Loyalty Points**" is not checked ■ The original negative redemption entry is marked: **returned** = **1** , **restored** = **0 ,** that means The negative entry remains included in the calculation. And the redeemed points remain deducted from the customer's balance ■ The original positive Redemption entry is marked as : **returned** = **1** , **restored** = **1**

- If the return is **cancelled**,
  - Its reversal entries are reversed and the original redemption flags are restored to their previous values.

- **Note:** if the original Sales Invoice is cancelled, the original Positive and negative redemption entries are marked as cancelled.
  - After submitting return / credit note:
    - The "**Is Return**" checkbox is displayed and checked.
    - The **"Return Against Sales Invoice"** field is displayed
    - The new Sales Invoice status will be "**Return**"
- **Delivery Note**
  - Button
  - When clicked it navigates the user to the "Add Delivery Note" screen and items are fetched from the sales invoice to the Delivery Note.
- **Payment**
  - When clicked, the system navigates the user to a new "**Add Payment Entry**" screen, and fetches the sales invoice data
  - **Notes:** it appears only when the:
    - **Outstanding is not equal to 0**
  - **Notes:** it disappears only when the:
    - **Outstanding is equal to 0**
- **Maintenance Schedule**
  - Button
  - When clicked it navigates the user to the "Add maintenance Schedule" screen and items are fetched from the sales invoice to the maintenance Schedule.

- **Actions**
  - **Note:** it's displayed only after submitting and the Sales Invoice status = **Fully Paid** or **Partially Paid**
  - DDL
  - It contains the following actions:
    - **UnReconcile**
      - Button
      - When clicked, a pop up appears containing the following table
        - **Allocations**
          - **A table contain the following columns:**
            - Checkbox icon
            - Voucher type
            - Voucher No
            - Allocated Amount

- **UnReconcile**
  - Button
  - When clicked, the system unreconciles the selected allocations by removing the link between the Sales Invoice and the selected payment document(s).
  - The allocated amount is released back to the source payment as an unallocated balance, the invoice outstanding amount is recalculated, and the invoice status is updated accordingly.
  - No Payment Entry or Journal Entry is cancelled or deleted; only the allocation between the documents is removed.
- **Note:** the Allocations table displays only voucher type of "**Payment Entry**" or "**Journal Entry**"

- **Assign**
- **Attachment**
- **Tags**
- **Share**
- **Print**

- **Connections Tab**
  - It contains the following values:
    - **Sales Invoice**
      - Button
      - Link "**Sales Invoice**" docktype
      - **Note:** filtered by "Return Invoices" only
    - **Delivery Note**
      - Button
      - Link "**Delivery Note**" docktype
    - **Sales Order**
      - Button
      - Link "**Sales Order**" docktype
    - **Quotation**
      - Button
      - Link "**Quotation**" docktype
    - **POS Invoice**
      - Button
      - Link "**Pos Invoice**" docktype
    - **Payment Entry**
      - Button
      - Link "**Payment Entry**" docktype

	■ **Payment Request** ● Button ● Link “**Payment Request**” docktype ■ **Journal Entry** ● Button ● Link “**Journal Entry**” docktype ■ **Invoice Discounting** ● Button ● Link “**Invoice Discounting**” docktype ■ **Dunning** ● Button ● Link “**Dunning**” docktype
Post Conditions	● The Sales invoice details has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.

POS




Open Point Of Sale **1**
Items Tab 21
Offers Tab 23
Bundles Tab 26
Recent Orders 28
POS Profile **36**
POS Profile List 36
Add POS Profile 38
Details Tab 38
Accounting Tab 41
POS Configuration Tab 55
More Info Tab 64
POS Profile Details 66
POS Opening Entry **67**
POS Opening Entry List 67
Add POS Opening Entry 69
POS Opening Entry Details 75
POS Closing Entry **77**
POS Closing Entry List 77
Add POS Closing Entry 79
POS Closing Entry Details 92

Open Point Of Sale

Use case ID	**1**
Use case Name	Open Point Of Sale
Descriptions	The user is able to open the “Point Of Sale”
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **Open Point Of Sale** from sidebar
Main Flow	-
Components	• عند الضغط على زر "**Open Point Of Sale**" من القائمة الجانبية : ○ في حالة عدم اضافة المستخدم الحالي الي **POS Opening Entry** المرتبط بال POS الذي يقوم بفتحه تظهر pop up تحتوي على الحقول التالية: ■ **Company** • Searchable DDL • Link “**Company**” doctype • To select the company for which the POS Opening Entry is being created • Single selection • Mandatory • If the field is left empty, an error message will appear. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values ■ **POS Profile** • Searchable DDL • Link “**POS Profile**” doctype • It displays only POS Profiles that belonging to the selected Company • **Note:** ○ The system displays the POS Profile to the current user only if the user is assigned to the POS Profile through the **Applicable for Users** table. ○ If the current user is not added to the Applicable for Users table of the POS Profile, ■ The POS Profile will not be displayed or available to that user. • To select the POS Profile associated with the cashier and the POS session. • Single selection • Mandatory

- If the field is left empty, an error message will appear.
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values

- **Opening Balance Details**
  - A table contains the following columns:
    - **Checkbox icon**
      - Multi selection
    - **Mode Of Payment**
      - Searchable DDL
      - Link "**Mode Of Payment**" doctype
      - To select the payment method for which the opening balance is being recorded, such as Cash or Card.
      - Single selection
      - Mandatory
      - If the field is left empty an error message appears.
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
      - **Note:** it's fetched from the selected "**POS Profile**"
    - **Opening Amount**
      - Text input field.
      - To enter the amount available for the selected payment method at the beginning of the POS session.
      - Optional
      - Accept integers and decimal numbers only.
      - Maximum length: 25 characters.
      - Once the maximum length is reached, further input is prevented.
  - **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
      - Button
      - To delete a specific row or multiple rows
      - When clicked, the selected row(s) will be deleted
- **Submit**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The user is navigated successfully to the "**Login to POS**" screen
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.



- في حالة اضافة المستخدم الحالي الي **POS Opening Entry** المرتبط بال POS الذي يقوم بفتحه يتم الانتقال إلى واجهة "**Login to POS**" :

Login to POS

- **Enter Your Passcode**
  - Text input field
  - Allows the user to enter his passcode to access the the cashier's POS interface (واجهة POS الخاصة بالكاشير)
  - Mandatory.
  - Accepts letters, numbers, and special characters.
  - Minimum length: 2 characters.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - If the field is left empty, an error message appears
  - An error message will appear if the entered text is less than the minimum length.
  - An error message will appear if an invalid passcode is entered
- **Login**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The system shall successfully open the cashier's POS interface (واجهة POS الخاصة بالكاشير)
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field

---

واجهة POS الخاصة بالكاشير

- تنقسم واجهه POS الخاصة بالكاشير الي جزئين أساسين:
  - **الجزء الايسر**
    - ويحتوي على التابات التالية ⬇️


- **Items Tab**
- **Offers Tab**
- **Bundles Tab**

  - **الجزء الايمن**
    - **ويحتوي على الحقول التالية :**

- **Search by Customer Name, Phone, Email**
  - Searchable DDL
  - Link “**Customer**” doctype
  - For selecting the customer for whom the invoice will be created
  - Single selection
  - **Mandatory**
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
  - **Note:** it’s fetched from the **POS Profile** and it can be edited
  - **UI & Technical Notes:**
    - The system shall display only five customers in the DDL, and the user can search for any customer, and the system shall display the matching customer in the search results
    - The system shall not provide an "**Add New Customer**" button in the DDL. Instead, the system shall provide a **"+" (Plus) icon** to allow the user to add a new customer.
  - Clickable
  - When clicked,
    - A pop up appears containing the following fields:
      - **Email**
        - Text input field.
        - To enter the customer email.
        - Optional
        - Must accept a valid email address format.
        - Must be unique across the system.
        - Maximum length: 100 characters.
        - Once the maximum length is reached, further input is prevented.
        - If an invalid email address format is entered, the following error message

	is displayed • **Phone number** ○ It consists of the following: ○ **Country code** ■ DDL displaying the dialing code and country name for all countries. ■ When a country is selected, its dialing code is displayed next to the phone number field. ○ **Phone number** ■ Text input field. ■ Optional ■ Must be unique across the system. ■ If an invalid mobile number is entered, the following error message is displayed: **"Invalid mobile number."** ■ Minimum length: 2 characters. ■ Maximum length: 100 characters. ■ Once the maximum limit is reached, further input will be prevented. ■ An error message will appear if the entered text is less than the minimum length. • **Loyalty Program** ○ Searchable DDL ○ Link "**Loyalty Program**" doctype ○ Single selection ○ Optional ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values • **Loyalty Points** ○ Label field ○ Displays the loyalty points ○ It's fetched from the selected Loyalty Program • **Currency** ○ Searchable DDL ○ Link "**Currency**" doctype ○ For selecting the transaction currency

	○ Single selection ○ **Mandatory** ○ If the field is left empty, an error message will appear. ○ **Notes:** ■ It has a default value “**POS Profile Currency**” ■ The user can change the currency if the "**Multi Currency**" option is enabled in the POS Profile configuration ■ All rates, prices, discounts, and taxes are calculated and applied based on the selected currency using the applicable exchange rates ■ The field is **read-only** when "**Multi Currency**" **is not enabled**. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values • **Item Cart** ○ Section ○ It displays all items selected by the cashier from the All Items section, which will be included in the invoice for the selected customer. ○ If **no** items have been added to the cart, ■ The cart section shall be displayed empty as follows:



- **Add Notes**
  - Text area.
  - To enter additional notes to this transaction
  - It appears only after selecting an item from the "Item Cart"
  - Optional
  - Accept letters, numbers and special characters.
  - Maximum length: 500 characters.
  - Once the maximum length is reached, further input is prevented
  - **Note:** The value entered in the Notes field in the POS is automatically fetched into the Remarks field of the related Sales Invoice when the user completes the checkout and the system creates the Sales Invoice
- **Add Discount**
  - Button

	○ To add additional discount to all items in the Item Cart ○ It appears only after selecting an item from the "Item Cart" ○ **Note:** it appears only when the **Item Cart** is not empty ○ When clicked a pop up appears containing the following fields: ■ **Discount Type** ● DDL ● To select the discount type ● It contains the following values: ○ Percentage ○ Amount ● Single selection ● Mandatory ● It has a default value "**Percentage**" ■ **Discount Percentage** ● Text input field ● allowing the cashier to enter or modify the discount percentage applied to all items in the Item Cart ● Mandatory ● Accepts integers and decimal numbers only ● **Note:** it appears only when the **Discount Type** = **Percentage** ● **Note:** The entered value is treated as percentage ● If the field is left empty an error message appears ■ **Discount Amount** ● Text input field ● allowing the cashier to enter or modify the discount amount applied to all items in the Item Cart ● Mandatory ● Accepts integers and decimal numbers only ● **Note:** it appears only when the **Discount Type** = **Amount** ● **Note:** The entered value is treated as amount ● If the field is left empty an error message appears ■ **Apply** ● Button ● When clicked, ○ The additional discount will be added to all items in the Item Cart ○ The **Net Total** and **Grand Total** fields shall be automatically **updated based**

on the entered value


- **Discount**
  - Label field (read only)
  - Displays the discount applied to the items in the Item Cart
  - It appears only when a discount has been added
  - It displays the discount as:
    - **Percentage**
      - If a value is entered in the "Discount Percentage" field
    - **Amount**
      - If a value is entered in the "Discount Amount" field
- **Total Quantity**
  - Label field (read only)
  - Displays the total quantity of all items currently included in the Item Cart.
  - **Note:** When a value is entered in the Quantity field for any Item,
    - The Quantity column in the Item Cart table and Total Quantity field shall be automatically **updated based on the entered value**.
- **Net Total**
  - Label field (read only)
  - Displays the net total amount of all items included in the POS transaction before applicable taxes and other adjustments included in the Grand Total calculation.
  - **It's calculated as follows:**
    - **Net Total** = **Total Amount** - **Discount**
- **Taxes and Charges Applied**
  - Label field (read only)
  - Displays the total taxes and charges applied to all items in the Item Cart
- **Grand Total**
  - Label field (read only)
  - Displays the final payable amount of the POS transaction after applying applicable discounts, taxes, and other charges or adjustments
  - **It's calculated as follows:**
    - **Grand Total** = **Net Total** + **Taxes and charges applied**

- When a customer is selected from the Search By Customer Name field and an (item is selected from the All Items list) or (offer is selected from the All Offers list) or (bundle is selected from the All Bundles list)
  - The selected item / offer / bundle shall be added to the Item Cart


- If the selected item's available quantity is zero,
  - The system shall display an error message informing the user that **there is no available quantity for the selected item**.
- The Item Cart shall display a table containing the following columns:
  - **Item**
    - Label field
    - Displays the name of the selected item / offer / bundle
  - **Sub Item**
    - Label field
    - **Note:** It appears only when an offer or Bundle has been added to the Item Cart
    - Displays the **sub-items** included in the selected offer or bundle if exist.
  - **Quantity**
    - Label field
    - Displays the quantity of the selected item
  - **Amount**
    - Label field
    - Displays the total amount of the selected item
  - **Discount Amount**
    - Label field
    - Displays the discount amount added to the selected item
  - **Rate After Discount**
    - Label field
    - Displays the rate of the selected item after applying the discount
    - **It's calculated as follows:**
      - **Rate After Discount** = **Rate** - **Discount Amount**
  - **Quantity Stepper**
    - Allows the user to increase or decrease the Item / offer / Bundle quantity using the + and − buttons
    - Note:
      - When the quantity is increased using the Quantity Stepper,
        - The Quantity column in the Item Cart table and Total Quantity field shall be automatically **updated based on the entered value**.
      - If the entered quantity exceeds the available stock quantity,
        - The system shall display an error message indicating that the available quantity is insufficient.

- When another item is selected from the All Items list
  - It shall be also added to the Item Cart
  - When an item is selected from the All Items list multiple times, the system shall increase the item's Quantity accordingly
  - The items displayed in the Item Cart shall be ordered based on the

sequence in which they were selected from All Items list, with the first selected item displayed first, followed by the second selected item, and so on



- When the user clicks on an item row in the Item Cart Table, as shown in the image below:




- the system shall display the selected Item Details in the **left-hand** section (الجزء الايسر), including the following fields
  - **Item Image**
    - Image (read only)
    - Displays the item image
  - **Item Name**
    - Label field (read only)
    - Displays the name of the item selected by the cashier
  - **Selling Price**
    - Label field (read only)
    - Displays the current selling price of the selected item based on the applicable Price List
    - **Note:** selling price is the net rate (after applying discounts and charges)
  - **Quantity**
    - Text input field.

- Allows the user to enter the quantity of the selected item to be sold.
- The quantity can be adjusted by the cashier and is used to calculate the item amount and the overall invoice totals
- Optional
- It has a default value based on the number of times the user the item from the "All Items" list
- Accept numbers only.
- Maximum length: 25 characters.
- Once the maximum length is reached, further input is prevented.
- **Note:**
  - When a value is entered in the Quantity field,
    - The Quantity column in the Item Cart table and Total Quantity field shall be automatically **updated based on the entered value**.
  - If the entered quantity exceeds the available stock quantity,
    - The system shall display an error message indicating that the available quantity is insufficient.

- **Rate**
  - Text input field
  - Allowing the user to enter or modify the selling rate per unit of the selected item
  - It's fetched from the **Item Details** and it can be edited
  - Mandatory
  - Accepts integers and decimal numbers only
  - If the field is left empty an error message appears
- **Discount Amount**
  - Text input field
  - allowing the cashier to enter or modify the discount amount applied to the selected item
  - Optional
  - Accepts integers and decimal numbers only
  - **Note:** The entered value is treated as amount
  - **Note:** it's enabled only when the "**Allow Users to Edit Discount** = **1**" in **POS Profile**
- **Discount (%)**
  - Label field (read only)
  - Displays the discount percentage applied to the selected item
  - **It's calculated as follows:**
    - **Discount Amount ✖ Rate / 100**


- **Qty (Warehouse)**
  - Label field (read only)
  - Displays the available quantity of the selected item in the specified warehouse.
- **Warehouse**
  - Searchable DDL
  - Link "**Warehouse**" doctype
  - To select the warehouse from which the item's stock will be deducted when the sales transaction is processed.
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **UOM**
  - Searchable DDL
  - Link "**UOM**" doctype
  - To select the Unit of Measure (UOM) used for selling the selected item.
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **UOM Conversion Factor**
  - Label field (read only)
  - Displays the conversion factor used to convert the selected selling UOM into the item's stock UOM for inventory-related calculations.
- **Price List Rate**
  - Label field (read only)
  - Displays the item's rate retrieved from the Price List assigned to the Item.
  - It represents the reference selling price before any applicable manual rate adjustments or transaction-level modifications.
- **Serial No**
  - Text input field
  - Allows the user to enter the serial numbers of the item units being sold.
  - Each serial number shall identify one individual unit and must belong to the selected item, warehouse,

	and batch. ■ The number of entered serial numbers shall match the transaction quantity. ■ Mandatory ■ Accepts letters, numbers and special characters ■ **Note:** it appears only if the item added to the Item Card has batches and serial numbers ■ If the field is left empty an error message appears ○ **Batch No** ■ Searchable DDL ■ Link "**Batch**" doctype ■ to select the batch from which the item quantity will be issued. ■ The system shall display only valid batches associated with the selected item and available in the selected warehouse ■ Single selection ■ Mandatory ■ If the field is left empty, an error message will appear. ■ **Note:** it appears only if the item added to the Item Card has batches and serial numbers ■ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values ○ **Auto Fetch Serial Numbers** ■ Button ■ When clicked, it automatically retrieves the required number of available serial numbers based on the entered quantity and selected warehouse. ■ If a batch is selected, the system shall retrieve only serial numbers associated with that batch. ■ The fetched serial numbers shall be added automatically to the **Serial No** field according to the applicable stock-picking sequence ("**Pick Serial/Batch Based On**" field from the **Inventory Settings**). ■ **Note:** it appears only if the item added to the Item Card has batches and serial numbers



- the system shall display the following fields in the **right-hand** section (الجزء الايمن), below the Item Cart
    - **Total Quantity**
        - Label field (read only)
        - Displays the total quantity of all items currently included in the Item Cart.
        - **Note:** When a value is entered in the Quantity field for any Item,
            - The Quantity column in the Item Cart table and Total Quantity field shall be automatically **updated based on the entered value**.
    - **Net Total**
        - Label field (read only)
        - Displays the net total amount of all items included in the POS transaction before applicable taxes and other adjustments included in the Grand Total calculation.
    - **Grand Total**
        - Label field (read only)
        - Displays the final payable amount of the POS transaction after applying applicable discounts, taxes, and other charges or adjustments.
    - **Numeric Keypad**
        - Provides a numeric input interface that allows the cashier to enter or modify values such as **Quantity, Discount, and Rate** for the selected item within the POS transaction.

- It contains the following buttons:
  - **Quantity**
    - Button
    - When the user clicks the Quantity button and enters a value using the Numeric Keypad,
      - When a value is entered in the Quantity field, the Quantity column in the Item Cart table and Total Quantity field shall be automatically **updated based on the entered value**.
      - If the entered quantity exceeds the available stock quantity, the system shall display an error message indicating that the available quantity is insufficient.
  - **Discount**
    - Button
    - When the user clicks the Discount button and enters a value using the Numeric Keypad,
      - The system shall update the Discount Amount of the selected item in the **Item Details** accordingly
  - **Rate**
    - Button
    - When the user clicks the Rate button and enters a value using the Numeric Keypad,
      - The system shall update the Rate of the selected item in the **Item Details** accordingly
  - **Remove**
    - Button
    - When clicked, the selected item shall be permanently removed from the Item Cart



- **Checkout**
  - Button
  - When clicked,
    - The system shall create a **Sales Invoice** for the selected customer, including all details entered in the POS, and the invoice status is set to **Draft**
    - The "**Checkout**" button changes to "**Edit Cart**"
    - A screen shall be displayed, showing the following:


⬇️

- The available **payment methods** for the user to select the payment method for the customer
- **Numeric Keypad**
  - Provides a numeric input interface that allows the cashier to modify the paid amount to be paid by the customer.
  - It contains the following buttons:
    - **Delete**
      - Button
      - When clicked, it delete one number from the Paid Amount
    - **Clear**
      - Button
      - When clicked, it delete the whole value and reset the Paid Amount to **Zero**
- **Grand Total**
  - Label field (read only)
  - Displays the final payable amount of the POS transaction after applying applicable discounts, taxes, and other charges or adjustments
- **Paid Amount**
  - Label field (read only)
  - Displays the amount to be paid by the customer for the current POS transaction
- **Change Amount**
  - Label field
  - Displays the change amount to be returned to the customer when the Paid Amount exceeds the Grand Total
  - **Note:** it appears only when the **Paid Amount > Grand Total**
- **Remaining Amount**
  - Label field
  - Displays the remaining amount to be paid by the customer when the Paid Amount less than the Grand Total
  - **Note:** it appears only when the **Paid Amount =< Grand Total**
- **Complete Order**
  - Button
  - When clicked, a confirmation message is displayed to the user if they want to confirm (submit) the POS transaction
  - Upon confirmation: The system shall confirm the POS transaction and update the **sales**

invoice status to:

- **Unpaid**
  - It is displayed when the document is submitted & **Grand Total** = **Outstanding**
- **Partially Paid**
  - It is displayed when the document is submitted & **Grand Total** > **Outstanding** > **0**
- **Fully Paid**
  - It is displayed when the document is submitted & **Outstanding** = **0**

- And displays the POS Invoice to the cashier
- **Important Note:** The user can complete the order while the **Remaining Amount** **is greater than zero** only if "**Allow Partial Payment**" is enabled in the POS Profile configuration. Otherwise, the user cannot complete the order until the Outstanding/Remaining Amount is fully paid.




- **Edit Cart**
  - Button
  - It appears only when the invoice status = **Draft**
  - When clicked, the system shall navigate the user to the previous page **(واجهة POS الخاصة بالكاشير)**

- **Fixed Page Actions**
  - The following action buttons are fixed and consistently displayed at the top of all (cashier's POS interface) pages to provide a quick access to common functions:
    - **New Invoice**
      - Button
      - When clicked, based on the POS Configuration :
        - If the "**Action on New Invoice**" field = **Always Ask**
        - And the user attempts to proceed without **checking out** the invoice,
          - The system shall display a confirmation message asking: "**Do you want to save the changes**?"
          - If the user selects **Yes**,
            - The system shall save the invoice as a **Draft** and navigate to a new POS Transaction.
          - If the user selects **No**,
            - The system shall not save the invoice and shall navigate to a new POS Transaction.
        - If the user attempts to proceed without **completing the order**,
          - The system shall display the same confirmation message asking: "**Do you want to save the changes**?"
          - If the user selects **Yes**,
            - The system shall **submit** the POS transaction , and update the **sales invoice** status to:
              - **Unpaid**
                - It is displayed when the document is submitted & **Grand Total = Outstanding**
              - **Partially Paid**
                - It is displayed when the document is submitted & **Grand Total > Outstanding > 0**
              - **Fully Paid**
                - It is displayed when the document is submitted & **Outstanding = 0**
            - And navigate to a new POS Transaction
          - If the user selects **No**,

	● The system shall not submit the invoice and shall navigate to a new invoice. ○ If the "Action on New Invoice" field = Save Changes and Load New Invoice ■ The system shall automatically save the changes and navigate to a new POS Transaction without displaying a confirmation message ○ If the "Action on New Invoice" field = Discard Changes and Load New Invoice ■ The system shall automatically discard the changes and navigate to a new POS Transaction without displaying a confirmation message ■ **Recent Orders** ● Button ● When clicked, The user is navigated to "Recent Orders" screen ■ **Actions** ● DDL ● It contains the following actions: ○ **Open Form View** ■ Button ■ When clicked, the user is navigated to the "**Add Sales Invoice**" screen ○ **Close the POS** ■ Button ■ When clicked, the user is navigated to the "Add POS Closing Entry" screen
Post Conditions	● Ability to process sales transactions efficiently, from selecting items and applying discounts to receiving payment and completing the POS transaction. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Items Tab

Use case ID	**2**
Use case Name	Items Tab
Descriptions	The user is able to open Items tab and access all items
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **Open Point Of Sale** from sidebar • Click on **Items Tab** from nav bar
Main Flow	-
Components	• **Filters** ○ It contains the following fields ■ **Search by Item code, serial number or barcode** • Text input field • For searching for items using the following: ○ Item Code ○ Serial Numbers ○ Barcode • Accepts letters, numbers and special characters ■ **Select Item Group** • DDL • It contains only item groups defined in the “Item Groups” table in POS Profile • For searching items using item groups • **Note:** When entering a Serial Number, Item Code, or Barcode, or selecting an Item Group from the DDL, ○ The system shall automatically filter the items and display the searched item(s) in the All Items section. • **All Items** ○ Section ○ Contains all items available in the Inventory (**Item Doctype**)




- Each item displays the following:
  - Item Image
    - **Note:** The image is displayed or hidden based on the "**Hide Image**" option configured in the POS Profile.
  - Item Name
    - Displays the item name
  - Selling Price
    - Displays the selling price of the item
  - UOM
    - Displays the UOM of the item
  - Available Qty
    - **Note:** if "**Maintain Stock = 0**" :
      - The Available Qty will be set to "**Non Stock Item**".
- Clickable
- When clicked,
  - If the selected item has a defined Item Price,
    - It shall be added to the Item Cart successfully.
  - If the selected item does not have a defined Item Price,
    - The system shall display an error message indicating that no Item Price is defined for this item.
- **Note:** If items are added to the Item Cart and an offer applies to them without the user selecting the offer itself,
  - The system shall apply the Pricing Rule to those items.
- **Note:**
  - If there are no items available in the inventory,
    - The system shall display a message to the user indicating that no items are added to the system.
  - Items with Zero Qty will not appear if "**Hide Unavailable Items = 1**" in the POS Profile

Post Conditions	• Ability to view all items in the "Items Tab" • Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Offers Tab

Use case ID	**3**
Use case Name	Offers Tab
Descriptions	The user is able to open Offers tab and access all offers
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **Open Point Of Sale** from sidebar • Click on **Offers Tab** from nav bar
Main Flow	-
Components	• **Filters** ○ It contains the following fields ■ **Search by Item code, Pricing rule ID** • Text input field • For searching for offers using the following: ○ Item Code ○ Pricing Rule • Accepts letters, numbers and special characters ■ **Valid From** • Date calendar picker • To filter the offers using the “Valid From” date ■ **Valid Up To** • Date calendar picker • To filter the offers using the “Valid Up To” date ■ Offer Status • DDL • To filter offers using its status • It contain the following values ○ Available ○ Unavailable • **All offers** ○ Section ○ Contains all offers available in the system ○ It display the applicable Pricing Rules based on the following validations: ■ The “**Apply On**” field in the Pricing Rule must be set to **Item Code** ■ The “**Apply Rule On Item Code**” table must contain exactly one row, • It means that the Pricing Rule must be applicable to one item only ■ The “**Mixed Conditions**” checkbox in the Pricing Rule must be unchecked ■ The “**Is Cumulative"** checkbox in the Pricing Rule must be unchecked ■ The “**Coupon Code Based**” checkbox in the Pricing Rule must be unchecked


- The “**Apply Multiple Pricing Rules**” checkbox in the Advanced Settings Tab in the Pricing Rule must be unchecked
- In the Period Settings section in the Pricing Rule
  - The “**Valid From**” , ”**Valid Up To**” fields in the Pricing Rule must apply the current date
  - The “**Company**” field must be **empty or equal to the POS Profile Company**
- In the **Party Information** section in the Pricing Rule:
  - The “**Selling**” checkbox must be checked
  - The “**Applicable For**” field must contain the same customer selected by the cashier in the POS interface through the “Search by Customer Name, Phone, Email” field
- The “**Show in POS Offers**” checkbox in the Pricing Rule must be checked.



- Each offer displays the following:
  - **Offer Name**
    - Displays the offer name (Pricing Rule Title)
  - **Offer ID**
    - Displays the Pricing Rule ID
  - **Item Name**
    - Displays the name of the main item to which the offer will be applied
  - **Offer Status**
    - It displays one of the following values;
      - **Available**
        - It appears only when the item that belongs to this offer is not available in the warehouse
      - **Unavailable**
        - It appears only when the item that belongs to this offer is available in the warehouse
  - **Item UOM**
    - Displays the UOM of the item

	■ **Offer Selling Price** ● Displays the item's selling price along with the discount that will be applied. ○ Clickable ○ When clicked, ■ If the selected offer has a defined Item selling Price, ● It shall be added to the Item Cart successfully. ■ If the selected offer does not have a defined Item selling Price, ● The system shall display an error message indicating that no Price is defined for this offer. ■ In case **"Price or Product Discount"** field in the Pricing Rule = **"Product"**, ● when the "**Quantity and Amount"** conditions are met, ○ The system adds the applicable **Pricing Rule/Offer** to the Item Cart and adds the configured **product** whether it is the same item or a different item as a **Sub Item** under the offer, using the **quantity** and **free-item rate** defined in the Pricing Rule. ○ **Note:** ■ If there are no offers available in the system, ● The system shall display a message to the user indicating that no offers are available in the system. ■ Offers that contain Items with Zero Qty will not appear if "**Hide Unavailable Items** = **1**" in the POS Profile
Post Conditions	● Ability to view all offers in the "Offers Tab"

Bundles Tab

Use case ID	**4**
Use case Name	Bundles Tab
Descriptions	The user is able to open Bundles tab and access all bundles
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **Open Point Of Sale** from sidebar • Click on **Bundles Tab** from nav bar
Main Flow	-
Components	• **Filters** ○ It contains the following fields ■ **Search by Bundle Name** • Text input field • For searching for bundles using the Bundle Name: • Accepts letters, numbers and special characters • **All Bundles** ○ Section ○ Contains all bundles available in the system  ○ Each bundle displays the following: ■ **Bundle Name** • Displays the Bundle name (Parent Item ID) ■ **Sub Items Name** • Displays the name of all sub items belonging to this bundle ■ **Parent Item UOM** • Displays the UOM of the parent item


	■ **Bundle Selling Price** ● Displays the parent item's selling price. ○ Clickable ○ When clicked, ■ If the selected bundle has a defined selling Price, ● It shall be added to the Item Cart successfully. ■ If the selected bundle does not have a defined selling Price, ● The system shall display an error message indicating that no Price is defined for this bundle. ○ **Note:** ■ If there are no bundles available in the system, ● The system shall display a message to the user indicating that no bundles are available in the system. ■ Bundles that contain Items with Zero Qty will not appear if "**Hide Unavailable Items = 1**" in the POS Profile
Post Conditions	● Ability to view all bundles in the "Bundles Tab"

Recent Orders

Use case ID	**5**
Use case Name	Recent Orders
Descriptions	The user is able to open the recent orders
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **Open Point Of Sale** from sidebar • Click on **Recent Orders** from fixed page actions
Main Flow	-
Components	**واجهة Recent Orders** • تنقسم واجهه Recent Orders الى جزئين أساسين: ○ **الجزء الايسر** ■ ويحتوي على الحقول التالية ⬇️ • **Order Status** ○ DDl ○ Allows the user to filter recent orders based on their current status ○ It contains the following values; ■ Empty ■ Draft ■ Unpaid ■ Partially Paid ■ Fully Paid ■ Overdue ■ Return ■ Fully Credited ○ Single selection ○ Optional ○ It has a default value “Empty” ○ When a value is selected from the DDL ■ The system shall automatically filter the Recent Orders and display all orders matching the selected status ○ If the selected value = “Empty” ■ The system shall automatically display all Recent Orders • **Search by Invoice ID** ○ Text input field. ○ Allows the user to search for a specific order by entering

	the invoice ID ○ Optional ○ Accepts letters, numbers and special characters ○ Maximum length: 100 characters. ○ When a valid Invoice is entered ■ The system shall automatically filter the Recent Orders and display all orders matching the entered value • **Search by Customer Name** ○ Searchable DDL ○ Link "**Customer**" doctype ○ Allows the user to search for a specific order by entering the customer name. ○ Single selection ○ Optional ○ When a Customer Name is entered ■ The system shall automatically filter the Recent Orders and display all orders matching the entered value ○ **It has a default value** : ■ Displays the selected customer in the "Search By Customer Name, Phone, Email" field ■ If no customer is selected in the "Search By Customer Name, Phone, Email" field, • This field remains empty • **Recent Orders** ○ Section ○ Contains a list of all customer's recent sales invoices. ○ Each transaction displays the following: ■ **Customer Name** • Label field • Displays the customer associated with the selected sales invoice ■ **Sales Invoice ID** • Label field • Displays the unique sales invoice ID associated with the transaction ■ **Grand Total** • Label field • Displays the final total amount of the sales invoice after applying applicable discounts, taxes, or other adjustments ■ **Posting Date and Time** • Label field • Displays the posting date and time of the transaction ○ Clickable

- When clicked, the “[Order Details]” is displayed



- **الجزء الايمن**
  - ويحتوي على الحقول التالية :

- **Order Details**
  - Section
  - Displays the details of the selected transaction
  - It displays the following:
    - **Customer Name**
      - Label field
      - Displays the customer associated with the selected sales invoice
    - **Customer ID**
      - Label field
      - Displays the unique identifier assigned to the customer in the system
    - **Grand Total**
      - Label field
      - Displays the final total amount of the sales invoice after applying applicable discounts, taxes, or other adjustments
    - **Invoice ID**
      - Label field
      - Displays the unique sales invoice ID associated with the transaction
    - **Invoice Status**
      - Label field
      - Displays the sales invoice status

- It displays one of the following values:
  - Draft
  - Unpaid
  - Partially Paid
  - Fully Paid
  - Overdue
  - Return
  - Fully Credited

- **Sold by**
  - Label field
  - Displays the user who created or processed the sales transaction
- **Items**
  - Section
  - It displays all items or services included in the sales invoice.
  - It displays the following;
    - **Item**
      - Label field
      - Displays the name of the item included in the transaction
    - **Quantity**
      - Label field
      - Displays the quantity of the item included in the transaction
    - **Amount**
      - Label field
      - Displays the total amount of the item included in the transaction
    - **Discount Amount**
      - Label field
      - Displays the discount amount added to the item included in the transaction
    - **Rate After Discount**
      - Label field
      - Displays the rate of the item included in the transaction after applying the discount
- **Totals**
  - Section
  - Displays the following:
    - **Discount**
      - Label field (read only)
      - Displays the **Discount** applied

	to the sales transaction ■ It appears only when a discount has been added ○ **Total Quantity** ■ Label field (read only) ■ Displays the total quantity of all items currently included in the transaction. ○ **Net Total** ■ Label field (read only) ■ Displays the net value of the items included in the sales invoice before applicable taxes and other final adjustments . ○ **Taxes and Charges Applied** ■ Label field (read only) ■ Displays the total taxes and charges applied to all items in the transaction ○ **Grand Total** ■ Label field (read only) ■ Displays the final payable amount of the sales invoice after applying all applicable adjustments ■ **Payments** ● Section ● Displays the following: ○ **Payment Method** ■ Label field ■ Displays the payment method used for the sales transaction ○ **Paid Amount** ■ Label field ■ Displays the amount paid using the selected payment method ■ **Edit Order** ● Button ● It appears only when the **Invoice Status** = **Draft** ● When clicked, it navigates the user to the "واجهة POS الخاصة بالكاشير" and fetched the order data ■ **Delete Order**



- Button
- It appears only when the **Invoice Status** = **Draft**
- When clicked, A confirmation message is displayed to the user whether they want to delete this Sales invoice
- Upon clicking the “Yes” button:
  - if the Sales Invoice is linked to other transactions,
    - a message is displayed informing the user that the linked transactions must be deleted before the Sales Invoice can be deleted.
    - The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype.
  - If the Sales Invoice isn’t linked to another doctype
    - The Sales Invoice is deleted successfully

- **Print Receipt**
  - Button
  - It appears only when the **Invoice Status** = **Fully Paid**
- **Return**
  - Button
  - It appears only when the **Invoice Status** = **Fully Paid**
  - When clicked, it navigates the user to the “الخاصة بالكاشير POS واجهة” and displays all item quantites and amounts as negative values
- **Open in Form View**
  - Button
  - It appears only when the **Invoice Status** = **Unpaid** **or** **Partially Paid** **or** **Overdue** **or** **Return** **or** **Fully Credited**

- **Fixed Page Actions**
  - The following action buttons are fixed and consistently displayed at the top of all (Recent Orders interface) pages to provide a quick access to common functions:
    - **New Invoice**
      - Button
      - When clicked, based on the POS Configuration :

- If the "Action on New Invoice" field = Always Ask
- And the user attempts to proceed without **checking out** the invoice,
  - The system shall display a confirmation message asking: "**Do you want to save the changes**?"
  - If the user selects **Yes**,
    - The system shall save the invoice as a **Draft** and navigate to a new POS Transaction.
  - If the user selects **No**,
    - The system shall not save the invoice and shall navigate to a new POS Transaction.
- If the user attempts to proceed without **completing the order**,
  - The system shall display the same confirmation message asking: "**Do you want to save the changes**?"
  - If the user selects **Yes**,
    - The system shall **submit** the POS transaction , and update the **sales invoice** status to:
      - **Unpaid**
        - It is displayed when the document is submitted & **Grand Total** = **Outstanding**
      - **Partially Paid**
        - It is displayed when the document is submitted & **Grand Total** > **Outstanding** > **0**
      - **Fully Paid**
        - It is displayed when the document is submitted & **Outstanding** = **0**
    - And navigate to a new POS Transaction
  - If the user selects **No**,
    - The system shall not submit the invoice and shall navigate to a new invoice.
- If the "Action on New Invoice" field = Save Changes and Load New Invoice
  - The system shall automatically save the changes and navigate to a new POS Transaction without displaying a confirmation message
- If the "Action on New Invoice" field = Discard Changes and Load New Invoice
  - The system shall automatically discard the changes and navigate to a new POS Transaction without displaying a confirmation message

- **Hide Recent Orders**

	● Button ● When clicked, The user is navigated to "الخاصة بالكاشير POS واجهة" screen ■ **Actions** ● DDL ● It contains the following actions: ○ **Open Form View** ■ Button ■ When clicked, the user is navigated to the "**Add Sales Invoice**" screen ○ **Close the POS** ■ Button ■ When clicked, the user is navigated to the "Add POS Closing Entry" screen  
Post Conditions	● Ability to view recent orders details ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

POS Profile

POS Profile List

Use case ID	**6**
Use case Name	POS Profile List
Descriptions	The user is able to view the list of POS Profiles.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Profile** from sidebar
Main Flow	-
Components	• **Add POS Profile** ○ Button ○ For adding a new POS Profile ○ When clicked, the user will be redirected to the "Add POS Profile" screen. • **POS Profile List** ○ **A table contain the following columns:** ■ Checkbox icon ● Multi selection ■ **POS Profile ID** ● It displays the POS Profile ID ● Clickable ● When clicked, the user will be redirected to the "POS Profile Details" screen. ■ **Status** ● Label field ● It displays the POS Profile status ● It shows one of the following values: ○ Enabled ○ Disabled ■ **Company** ● Label field ● It displays the company for which the POS Profile will be used ○ when a POS Profile is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. ● **Field**

	○ DDL ○ To select the field you want to edit ○ Link “**POS Profile**” doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it’s input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this POS Profile ● Upon clicking the “Yes” button: ○ if the POS Profile is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the POS Profile can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the POS Profile isn’t linked to another doctype ■ The POS Profile is deleted successfully.
Post Conditions	● Ability to add and view POS Profile details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add POS Profile

Details Tab

Use case ID	**7**
Use case Name	Add POS Profile
Descriptions	The user can add a new POS Profile.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Profile** from sidebar • Click on "**Add POS Profile**" button
Main Flow	-
Components	• **Name** ○ Text input field. ○ To enter the name of the POS Profile used to identify and manage its point-of-sale configuration ○ Mandatory. ○ It has a unique value ○ Accept letters, numbers and special characters. ○ Maximum length: 100 characters. ○ Once the maximum length is reached, further input is prevented. ○ If the field is left empty an error message appears. • **Company** ○ Searchable DDL ○ Link "**Company**" doctype ○ To select the company for which the POS Profile will be used and against which the related transactions will be recorded ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Branch** ○ Searchable DDL ○ Link "**Branch**" doctype ○ Displays only branches belonging to the selected company ○ To select the branch for which the POS Profile will be used and against which the related transactions will be recorded ○ Single selection ○ Optional ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing

	the user to search and select from a predefined list of values. • **Customer** ○ Searchable DDL ○ Link "**Customer**" doctype ○ To select the default customer to be used for POS transactions when no specific customer is selected ○ Single selection ○ Optional ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values • **Country** ○ Label field (read only) ○ It displays the country associated with the selected company ○ **Note:** it's fetched from the selected company • **Disabled** ○ Checkbox ○ When checked, Disables the POS Profile and prevents it from being used for creating new POS transactions. ○ **Note:** it appears only after clicking on "**Save**" button ○ **Note:** when checked, and clicking on "**Save**" button: ■ If the POS Profile has an **Opening Entry** that has not been closed by a corresponding **Closing Entry** ● The system shall display an error message and prevent the POS Profile from being disabled ■ If the POS Profile has **no Opening Entry** ● the system shall successfully disable the POS Profile. ■ If the POS Profile has an **Opening Entry** that has been closed by a corresponding **Closing Entry**, ● The system shall successfully disable the POS Profile. • **Warehouse** ○ Searchable DDL ○ Link "**Warehouse**" doctype ○ To select the warehouse from which items will be issued for POS transactions. ○ It displays only warehouses where "Is Group" option is disabled ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Company Address** ○ Searchable DDL ○ Link "**Address**" doctype ○ To select the company address to be used for transactions created through the POS Profile. ○ Single selection ○ Optional

	○ **Note:** it's fetched from the selected company and it can be edited ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Notes** ○ Text area. ○ To enter additional notes to this POS Profile ○ Optional ○ Accept letters, numbers and special characters. ○ Maximum length: 500 characters. ○ Once the maximum length is reached, further input is prevented. ● **Save** ○ Button ○ When clicked, ■ If all required data is entered correctly and completely: ● The POS Profile is successfully saved ● And added to the POS Profile List and its status is **Enabled** ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field. ● **Delete** ○ When clicked, ■ A confirmation message is displayed to the user whether they want to delete this POS Profile ■ Upon clicking the "Yes" button: ● if the POS Profile is linked to other transactions, ○ a message is displayed informing the user that the linked transactions must be deleted before the POS Profile can be deleted. ○ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ● If the POS Profile isn't linked to another doctype ○ The POS Profile is deleted successfully.
Post Conditions	● The new POS Profile has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Accounting Tab

Use case ID	**8**
Use case Name	Accounting Tab
Descriptions	The user can continue the creation process and enter the Accounting Info
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Profile** from sidebar • Click on "**Add POS Profile**" button • Click on **Accounting** Tab
Main Flow	-
Components	• **EGS** ○ Searchable DDL ○ Link "**EGS**" doctype ○ To select the EGS associated with this POS Profile for ZATCA integration ○ Single selection ○ Mandatory ○ If the field is left empty an error message appears. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values ○ **Note:** one EGS can be used for different POS Profiles at the same time ○ **Note: this field for ZATCA Integration only** • **Payment Method** ○ A table defines the payment methods that can be used for transactions processed through the POS Profile. ○ It contains the following columns: ■ **Checkbox icon** • Multi selection ■ **No.** • Displays the ordering of items in the table ■ **Mode Of Payment** • Searchable DDL • Link "**Mode Of Payment**" doctype • To select the mode of payment to be used for transactions processed through the POS Profile • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Default**
  - Checkbox
  - Indicates whether the payment method is selected as the default payment method for POS transactions.
  - **Note:**
    - The Default option can be selected for only one Mode of Payment row at a time.
    - If the user selects Default for another row,
      - the Default checkbox will be automatically unchecked for the previously selected row.
    - The Payment Methods table must contain at least one Mode of Payment marked as the default.
    - If no default Mode of Payment is specified,
      - An error message appears upon saving and prevents the POS Profile from being saved.
- **Allow In Returns**
  - Checkbox
  - Indicates whether the payment method can be used for processing return transactions.
  - **Note:** The Allow in Returns option must be checked for at least one payment method.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name

Mode of Payment
Default
Allow In Returns

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be deleted

- **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Mode Of Payment	• Searchable DDL • Link “**Mode Of Payment**” doctype • To select the mode of payment to be used for transactions processed through the POS Profile • Single selection • Mandatory • If the field is left empty an error message appears. • **Note:** the field shall be implemented as a searchable

	DDL (autocomplete), allowing the user to search and select from a predefined list of values
Default	• Checkbox • Indicates whether the payment method is selected as the default payment method for POS transactions. • **Note:** ○ The Default option can be selected for only one Mode of Payment row at a time. ○ If the user selects Default for another row, ■ the Default checkbox will be automatically unchecked for the previously selected row
Allow In Returns	• Checkbox • Indicates whether the payment method can be used for processing return transactions

        - **Add Row**
            - Button
            - To add a new row in the table
            - When clicked, a new row is added to the table.
- **Set Grand Total to Default Payment Method**
    - Checkbox
    - When checked, it automatically sets the invoice Grand Total as the payment amount for the default payment method.
    - When unchecked, the system shall set the payment amount to zero and require the user to enter the payment amount manually during checkout.
- **Currency and Price List**
    - It contains the following fields:
        - **Main Currency**
            - Searchable DDL
            - Link "**Currency**" doctype
            - To select the document currency

- Single selection
- Mandatory
- If the field is left empty, an error message will appear.
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Note:** it's fetched from the Company "**Default Currency**"

- **Exchange Rate**
  - The behavior of the **Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
  - **Case 1:**
    - **Exchange Rate Fetching Rule is configured**
      - If an **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
      - In this case **Exchange Rate** field is Label Field **(read only)**
      - **Note:**
        - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
        - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
  - **Case 2:**
    - **No Exchange Rate Found**
      - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
        - **Prompt User to Add Exchange Rate:**
          - The system shall prompt the user to create a new Exchange Rate record before proceeding.
          - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.
          - The Exchange Rate field shall remain **read-only**
          - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be

allowed to modify its value
        - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
    - **Use API to Get Exchange Rate**
        - The system shall automatically create and retrieve the Exchange Rate using the configured external API.
        - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
        - The Exchange Rate field shall remain **read-only**.
        - **Note:**
            - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
            - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Price List**
    - Searchable DDL
    - Link "**Price List**" doctype
    - Single selection
    - Mandatory
    - If the field is left empty, an error message will appear.
    - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - Note: it's set by default as "**Standard Price List**" in **selling settings**
- **Price List Currency**
    - Label field (read only)
    - Fetched from Price list's "**Currency"** field
- **Price List Exchange Rate**
    - The behavior of the **Price List Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
    - **Case 1:**

- **Exchange Rate Fetching Rule is configured**
  - **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
  - In this case **Exchange Rate** field is Label Field **(read only)**
  - **Note:**
    - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
    - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Case 2:**
  - **No Exchange Rate Found**
    - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
      - **Prompt User to Add Exchange Rate:**
        - The system shall prompt the user to create a new Exchange Rate record before proceeding.
        - Once the Exchange Rate is created, the system shall populate the Exchange Rate field.
        - The Exchange Rate field shall remain **read-only**
        - **Note:**
          - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
          - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
      - **Use API to Get Exchange Rate**
        - The system shall automatically retrieve the Exchange Rate using the

configured external API.
    - After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field.
    - The Exchange Rate field shall remain **read-only**.
    - **Note:**
        - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
        - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.

- **Multi Currency**
    - Checkbox
    - Allows the user to select the foreign currencies allowed in this pos profile along with exchange rate to company currency to be available for selection and use in the Cashier interface.
    - When checked, the "**Other Currencies**" table is displayed
- **Other Currencies**
    - A table contains the following columns:
        - **Checkbox icon**
            - Multi selection
        - **No.**
            - Displays the ordering of items in the table
        - **Currency**
            - Searchable DDL
            - Link "**Currency**" doctype
            - It displays all currencies except for the **Main Currency** that have already been selected
            - To select a foreign currency allowed in this pos profile along with exchange rate to company currency to be available for selection and use in the Cashier interface
            - Single selection
            - Mandatory
            - If the field is left empty, an error message will appear.
            - **Note:** The user shall not be allowed to select the same currency more than once in the Other Currencies table. Once a currency has been

selected, it shall not be available for selection in any newly added row.
    - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Exchange Rate**
    - The behavior of the **Exchange Rate** field depends on the Exchange Rate configuration in **Accounts Settings**
    - **Case 1:**
        - **Exchange Rate Fetching Rule is configured**
            - If an **Exchange Rate Fetching Rule** is defined in Accounts Settings, the system shall automatically fetch the exchange rate based on the configured rule and populate the **Exchange Rate** field.
            - In this case **Exchange Rate** field is Label Field **(read only)**
            - **Note:**
                - only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value
                - Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction.
    - **Case 2:**
        - **No Exchange Rate Found**
            - If no exchange rate is found based on the configured fetching rule, the system shall evaluate the **Action if No Exchange Rate Found** field in Accounts Settings.
                - **Prompt User to Add Exchange Rate:**
                - The system shall prompt the user to create a new Exchange Rate record before proceeding.
                - Once the Exchange Rate is created, the system shall

	populate the Exchange Rate field. ■ The Exchange Rate field shall remain **read-only** ■ **Note:** ■ only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value ■ Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction. ■ **Use API to Get Exchange Rate** ■ The system shall automatically create and retrieve the Exchange Rate using the configured external API. ■ After the Exchange Rate is successfully created, the system shall populate the Exchange Rate field. ■ The Exchange Rate field shall remain **read-only**. ■ **Note:** ■ only users with the appropriate Role to edit the Exchange Rate(**Configured in Accounts Settings**) shall be allowed to modify its value ■ Any manually entered Exchange Rate by an authorized user shall **override** the automatically fetched Exchange Rate and shall be considered the effective value for the transaction. ○ **Setting** ■ When clicked, a pop up appears contains the following options : ● Rearranging table columns using **drag** and **drop** functionality. ○ Users can click and hold a column header , then drag and drop it into

the desired position within the table.

- Column width
  - Text input field
  - For entering or edit the column width
  - Accepts numbers only
  - Minimum length: 1 character.
  - Maximum length: 3 characters.
  - Default value = 3
- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Currency
Exchange Rate

  - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item

group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the previously mentioned fields for editing
- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table

- **Write Off**
  - It contains the following fields:
    - **Write Off Account**
      - Searchable DDL
      - Link "**Account**" doctype
      - It displays only accounts with Root Type = "**Profit and Loss**"
      - To select the account used to record write-off amounts resulting from minor differences during POS transaction reconciliation
      - Single selection
      - Mandatory
      - If the field is left empty an error message appears
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
    - **Write Off Cost Center**
      - Searchable DDL
      - Link "**Cost Center**" doctype
      - To select the Cost Center against which write-off amounts are recorded
      - Single selection
      - Mandatory
      - If the field is left empty an error message appears
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
    - **Write Off Limit**
      - Text input field.
      - To enter the maximum amount that can be automatically written off for minor differences during transaction reconciliation
      - Mandatory.
      - Accept integers and decimal numbers only.
      - Maximum length: 25 characters.
      - Once the maximum length is reached, further input is prevented.
      - If the field is left empty an error message appears.
- **Income and Expense**
  - It contains the following fields:

- **Income Account**
  - Searchable DDL
  - Link "**Account**" doctype
  - It displays only accounts with Account Type = "**Income Account**"
  - To select the account used to record income generated from POS transactions
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
  - **Note:** if the field is left empty
    - The system uses the default income account of the company
- **Expense Account**
  - Searchable DDL
  - Link "**Account**" doctype
  - It displays only accounts with Report Type = "**Profit and Loss**"
  - To select the account used to record expenses associated with POS transactions
  - Single selection
  - Optional
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values

- **Taxes**
  - It contains the following fields:
    - **Taxes and Charges**
      - Searchable DDL
      - Link "**Taxes and Charges Template**" doctype
      - To select the Taxes and Charges Template to be applied to POS transactions
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Tax Category**
      - Label field (read only)
      - Displays the Tax Category used to determine the applicable tax treatment for POS transactions
      - It's fetched from the selected **Taxes and Charges**
- **Miscellaneous**
  - It contains the following fields:
    - **Account for Change Amount**
      - Searchable DDL
      - Link "**Account**" doctype

	● It displays only accounts with Account Type = “**Cash**” , “**Bank**” ● To select the account used to record the change amount returned to the customer when the paid amount exceeds the invoice total ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values ■ **Disable Rounded Total** ● Checkbox ● When checked, it disables rounding of the total amount in consolidated invoices. ■ **Apply Discount On** ● DDL ● To select the amount on which the discount is applied ● It contains the following values: ○ Grand Total ○ Net Total ● Single selection ● It has a default value “**Grand Total**” ● **Accounting Dimensions** ○ It contains the following fields: ■ **Cost Center** ● Searchable DDL ● Link “**Cost Center**” doctype ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values ■ **Project** ● Searchable DDL ● Link “**Project**” doctype ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
Post Conditions	● The Accounting Details are successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

POS Configuration Tab

Use case ID	**9**
Use case Name	POS Configuration Tab
Descriptions	The user can continue the creation process and enter the POS Configuration data
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Profile** from sidebar • Click on "**Add POS Profile**" button • Click on **POS Configuration** Tab
Main Flow	-
Components	• **Action on New Invoice** ○ DDL ○ To determine the action to be performed when creating a new POS Invoice based on the selected configuration ○ It contains the following values: ■ Always Ask ■ Save Changes and Load New Invoice ■ Discard Changes and Load New Invoice ○ It has a default value "**Always Ask**" • **Validate Stock on Save** ○ Checkbox ○ When checked, the system shall check the available stock quantity for each stock item when the POS Invoice is saved. ■ If the available quantity is insufficient to fulfill the requested quantity, • The system shall prevent the invoice from being saved and display an appropriate validation message. ○ When unchecked, the system shall allow the POS Invoice to be saved without checking whether the requested item quantities are available in stock. • **Ignore Pricing Rule** ○ Checkbox ○ When checked, the system shall ignore all applicable Pricing Rules when calculating item prices in the POS Invoice. • **Print Receipt on Order Complete** ○ Checkbox ○ When checked, the system shall automatically print the POS receipt when the order is completed • **POS Item Selector** ○ It contains the following fields: ■ **Hide Images**

- Checkbox
- When checked, the system shall hide item images from the POS Item Selector

■ **Hide Unavailable Items**

- Checkbox
- When checked, the system shall hide unavailable items from the POS Item Selector

■ **Automatically Add Filtered Item To Cart**

- Checkbox
- When checked, the system shall automatically add the filtered item to the POS cart when the item matches the applied filter criteria.

- **POS Item Detail**
  - It contains the following fields:
    - **Allow Users to Edit Rate**
      - Checkbox
      - When checked, the system shall allow the user to manually modify the item rate in the POS Invoice
    - **Allow Users to Edit Discount**
      - Checkbox
      - When checked, the system shall allow the user to manually modify the discount applied to an item in the POS Invoice
- **Applicable For Users**
  - A table contains the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Employee**
      - Searchable DDL
      - Link "**Employee**" doctype
      - To select the employee and allow him to use the profile for POS transactions
      - Single selection
      - Optional
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
    - **User**
      - Label field
      - Displays the user name of the selected employee
      - **Note:** it's fetched from the "**User ID**" field of the selected Employee
    - **Cashier Name**
      - Text input field.
      - To enter the cashier name that will be displayed on the invoice printout
      - Mandatory.
      - Accept letters, numbers and special characters.

- Maximum length: 100 characters.
- Once the maximum length is reached, further input is prevented.
- If the field is left empty an error message appears

- **Default**
  - Checkbox
  - When checked, the system shall use the selected POS Profile as the default profile for the specified user.
  - **Important Notes:**
    - The system shall allow only users added to the Users table to use this POS Profile.
    - If a user is marked as the default user for this POS Profile, the system shall automatically assign this POS Profile to the user when opening the POS and **restrict the user to using only this POS Profile**.
    - If no default POS Profile is specified for the user, the user shall be allowed to manually select a POS Profile when opening the POS.
    - A user can have only one POS Profile configured as their default POS Profile.
    - When a user is added to a POS Profile and marked as the default, the system shall check whether:
      - The user already has another POS Profile configured as their default.
        - If so, the system shall display a validation message indicating that the user already has another default POS Profile and prevent the new POS Profile from being set as the default.

- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding

checkboxes.

- These columns are:

Column Name
Employee
User
Cashier Name
Default

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the previously mentioned fields for editing

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Filters**
  - It contains the following tables:
    - **Item Groups**
      - **Note:**
        - it restricts items of the POS session to the selected Item Groups

- If the “**Item Groups**” table is left empty, the user can use items of all item groups

- A table contains the following columns:
  - **Checkbox icon**
    - Multi selection
  - **No.**
    - Displays the ordering of items in the table
  - **Item Group**
    - Searchable DDL
    - Link “**Item Group**” doctype
    - To select the Item Groups whose items are allowed to be displayed in the POS Item Selector
    - Single selection
    - Mandatory
    - If the field is left empty an error message appears
    - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
  - **Setting**
    - When clicked, a pop up appears contains the following options :
      - Rearranging table columns using **drag** and **drop** functionality.
        - Users can click and hold a column header , then drag and drop it into the desired position within the table.
      - Column width
        - Text input field
        - For entering or edit the column width
        - Accepts numbers only
        - Minimum length: 1 character.
        - Maximum length: 3 characters.
        - Default value = 3
      - Add / Remove columns
        - Button
        - For adding or removing columns from the table
        - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
        - These columns are:

Column Name
Item Group

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Item Group	• Searchable DDL • Link “**Item Group**” doctype • To select the Item Groups whose items are allowed to be displayed in the POS Item Selector • Single selection • Mandatory • If the field is left empty an error message appears • **Note:** the field shall be implemented as a searchable

	DDL (autocomplete), allowing the user to search and select from a predefined list of values

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table

- **Customer Groups**
  - **Note:**
    - it restricts customers of the POS session to the selected Customer Groups
    - If the "**Customer Groups**" table is left empty, the user can select any customer of all customer groups
  - A table contains the following columns:
    - **Checkbox icon**
      - Multi selection
    - **No.**
      - Displays the ordering of items in the table
    - **Customer Group**
      - Searchable DDL
      - Link "**Customer Group**" doctype
      - To select the Customer Groups whose customers are allowed to be selected in POS transactions
      - Single selection
      - Mandatory
      - If the field is left empty an error message appears
      - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
    - **Setting**
      - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
          - Users can click and hold a column header , then drag and drop it into the desired position within the table.
        - Column width
          - Text input field
          - For entering or edit the column width
          - Accepts numbers only
          - Minimum length: 1 character.
          - Maximum length: 3 characters.
          - Default value = 3

- Add / Remove columns
    - Button
    - For adding or removing columns from the table
    - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
    - These columns are:

Column Name
Customer Group

    - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
    - Button
    - For save any changes or updates made by the user
    - When clicked, any modifications made by the user will be saved
- “Reset to default” button
    - Button
    - To reset all modifications to their default values.
    - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be deleted

- **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	Options

<table>
<tr>
<td></td>
<td>
<table>
<tr>
<td>Customer Group</td>
<td>

Searchable DDL
Link “Customer Group” doctype
To select the Customer Groups whose customers are allowed to be selected in POS transactions
Single selection
Mandatory
If the field is left empty an error message appears
Note: the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values

</td>
</tr>
</table>

Add Row

Button
To add a new row in the table
When clicked, a new row is added to the table

</td>
</tr>
<tr>
<td>Post Conditions</td>
<td>

The POS Configuration data is successfully saved.
If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

</td>
</tr>
</table>

More Info Tab

Use case ID	**10**
Use case Name	More Info Tab
Descriptions	The user can continue the creation process and enter the more info data
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Profile** from sidebar • Click on "**Add POS Profile**" button • Click on **More Info** Tab
Main Flow	-
Components	• **Print Settings** ○ It contains the following fields: ■ **Letter Head** • Searchable DDL • Link "**Letter Head**" doctype • Single selection • optional, • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Language** • Label field • It displays the language selected in the print settings. ■ **Group same items** • Checkbox • To group the same items during printing ■ **Terms and Conditions** • Searchable DDL • Link "**Terms and Condition**" doctype • Single selection • Optional • When a value is selected from the terms DDL, the terms and condition content field is automatically filled based on the selected value. • **Note:** ○ **If no terms and conditions are entered, the terms and conditions section is not displayed on the POS Profile Details screen** ○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from

	a predefined list of values. ■ **Terms and Condition Content** ● Text area ● For adding detailed terms and condition content. ● Optional ● Accepts letters, numbers, and special characters. ● Minimum length: 3 characters. ● Maximum length: 500 characters. ● Once the maximum limit is reached, further input will be prevented. ● An error message will appear if the entered text is less than the minimum length. ● **Note:** The terms and condition content is automatically fetched based on the term selected from the DDL
Post Conditions	● The more info data is successfully saved. ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

POS Profile Details

Use case ID	**11**
Use case Name	POS Profile Details
Descriptions	The user can view / edit the POS Profile details.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Profile** from sidebar • Click on "**POS Profile ID**" from the table
Main Flow	-
Components	• **Input fields** ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (POS Profile details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** • **Connections Tab** ○ It contains the following values: ■ **Sales Invoice** • Button • Link "**Sales Invoice**" docktype ■ **POS Opening Entry** • Button • Link "**POS Opening Entry**" docktype ■ **POS Closing Entry** • Button • Link "**POS Closing Entry**" docktype
Post Conditions	• The POS Profile details has been successfully modified and saved • Entering incorrect or incomplete data will display the corresponding error message for each field.

POS Opening Entry

POS Opening Entry List

Use case ID	**12**
Use case Name	POS Opening Entry List
Descriptions	The user is able to view the list of POS Opening Entries.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Opening Entry** from sidebar
Main Flow	-
Components	• **Add POS Opening Entry** ○ Button ○ For adding a new POS Opening Entry ○ When clicked, the user will be redirected to the "Add POS Opening Entry" screen. • **POS Opening Entry List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ **ID** • It displays the POS Opening Entry ID • Clickable • When clicked, the user will be redirected to the "POS Opening Entry Details" screen. ■ **Status** • Label field • It displays the POS Opening Entry status • It shows one of the following values: ○ Draft ○ Open ○ Closed ○ Cancelled ■ **Period Start Date** • Label field • It displays the start date and time of the POS operating period ■ **Period End Date** • Label field • It displays the end date and time of the POS operating period ■ **Posting Date**

	● It displays the posting date on which the POS Opening Entry is recorded in the system ■ **POS Profile** ● It displays the POS Profile associated with the cashier and the POS session ○ when a POS Opening Entry is selected , an action bar appears showing the following actions: ○ Edit ■ Button ■ When clicked , a popup appears containing the following fields. ● **Field** ○ DDL ○ To select the field you want to edit ○ Link “**POS Opening Entry**” doctype ○ Single selection ○ Mandatory ● **Value** ○ Dynamic field ○ Based on the selected option from the first dropdown field, the second field shall : ■ Dynamically change it’s input type ■ Be marked as either mandatory ■ Or optional ■ Apply the corresponding validation rules ● **Update (button)** ○ Button ○ When clicked, ■ If the POS Opening Entry status is "**submitted (Open)**" or "**Cancelled**": ● an error message is displayed informing the user that the POS Opening Entry cannot be modified ○ Export ○ Assign to ○ Clear assignment ○ Add tags ○ Print ○ Delete ■ It appears only when the POS Opening Entry status = **Draft / Cancelled** ■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this POS Opening Entry ● Upon clicking the “Yes” button: ○ if the POS Opening Entry is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the POS Opening Entry can be deleted.

	■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the POS Opening Entry isn't linked to another doctype ■ The POS Opening Entry is deleted successfully.
Post Conditions	● Ability to add and view POS Opening Entry details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add POS Opening Entry

Use case ID	**13**
Use case Name	Add POS Opening Entry
Descriptions	The user can add a new POS Opening Entry.
Pre conditions	● Click on **Selling** from sidebar ● Click on **POS** from sidebar ● Click on **POS Opening Entry** from sidebar ● Click on "**Add POS Opening Entry**" button
Main Flow	-
Components	● **Period Start Date** ○ Date calendar / Time picker ○ To set the start date and time of the POS operating period. ○ It determines when the POS session starts for the cashier. ○ Mandatory ○ If the field is left empty an error message appears ● **Posting Date** ○ Date calendar picker ○ To select the accounting date on which the POS Opening Entry is posted ○ Mandatory ○ It has a default value "**currend date**" ○ If the field is left empty an error message appears. ○ **Note:** it is enabled only when the **Set Posting Date** checkbox is checked ● **Set Posting Date** ○ Checkbox ○ When checked, the user can modify the **Posting Date** ○ When unchecked, the **Posting Date** field become **read-only** and cannot be edited ● **Period Ending Date** ○ Label field (read only)

- Displays the end date and time of the POS operating period
- **Note:** it appears only when a POS Closing Entry associated with the POS Opening Entry is defined
- **Note:** it's fetched from the POS Closing Entry associated with the POS Opening Entry

- **Status**
  - Label field
  - It displays the document status
  - It displays one of the following values:
    - Draft
    - Open
    - Closed
    - Cancelled
  - It appears only after submitting the document
- **Company**
  - Searchable DDL
  - Link "**Company**" doctype
  - To select the company for which the POS Opening Entry is being created
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **POS Profile**
  - Searchable DDL
  - Link "**POS Profile**" doctype
  - To select the POS Profile associated with the cashier and the POS session.
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **POS Closing Entry**
  - Label field (read only)
  - Displays the related POS Closing Entry associated with the POS Opening Entry
  - Clickable
  - When clicked, it navigates the user to the "**POS Closing Entry Details**" screen
- **Employee**
  - Searchable DDL
  - Link "**Employee**" doctype
  - To select the cashier or employee responsible for operating the POS session
  - It displays only employees defined in the "Applicable For Users" table in the associated POS Profile
  - Single selection
  - Mandatory
  - If the field is left empty an error message appears
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing

the user to search and select from a predefined list of values
    - **Note:** The system fetches the employee marked as **Default** in the Applicable for User table in the associated POS Profile.
- **Cashier**
    - Label field
    - Displays the user name of the selected employee
    - **Note:** it's fetched from the "**User**" field in the Applicable for User table in the associated POS Profile.
- **Opening Balance Details**
    - A table contains the following columns:
        - **Checkbox icon**
            - Multi selection
        - **No.**
            - Displays the ordering of items in the table
        - **Mode Of Payment**
            - Searchable DDL
            - Link "**Mode Of Payment**" doctype
            - To select the payment method for which the opening balance is being recorded, such as Cash or Card.
            - Single selection
            - Mandatory
            - If the field is left empty an error message appears.
            - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
            - **Note:** it's fetched from the selected "**POS Profile**"
        - **Opening Amount**
            - Text input field.
            - To enter the amount available for the selected payment method at the beginning of the POS session.
            - Mandatory.
            - Accept integers and decimal numbers only.
            - Maximum length: 25 characters.
            - Once the maximum length is reached, further input is prevented.
            - If the field is left empty an error message appears
        - **Setting**
            - When clicked, a pop up appears contains the following options :
                - Rearranging table columns using **drag** and **drop** functionality.
                - Users can click and hold a column header , then drag and drop it into the desired position within the table.
                - Column width
                - Text input field
                - For entering or edit the column width
                - Accepts numbers only
                - Minimum length: 1 character.

        - Maximum length: 3 characters.
        - Default value = 3
    - Add / Remove columns
        - Button
        - For adding or removing columns from the table
        - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
        - These columns are:

Column Name
Mode of Payment
Opening Amount

        - Users can show or hide columns by selecting or deselecting the related checkbox.
    - “Update” button
        - Button
        - For save any changes or updates made by the user
        - When clicked, any modifications made by the user will be saved
    - “Reset to default” button
        - Button
        - To reset all modifications to their default values.
        - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when a row is selected , an action bar appears showing the following actions:
    - Delete row
        - Button
        - To delete a specific row or multiple rows
        - When clicked, the selected item group(s) will be deleted

- **Edit Row**
    - Clickable icon
    - Users can edit and view non displayed fields in the table.
    - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Mode Of Payment	• Searchable DDL • Link “**Mode Of Payment**” doctype

	To select the payment method for which the opening balance is being recorded, such as Cash or Card. Single selection Mandatory If the field is left empty an error message appears. **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values **Note:** it's fetched from the selected "**POS Profile**"
Opening Amount	Text input field. To enter the amount available for the selected payment method at the beginning of the POS session. Mandatory. Accept integers and decimal numbers only. Maximum length: 25 characters. Once the maximum length is reached, further input is prevented. If the field is left empty an error message appears

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table

- **Save**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The POS Opening Entry is successfully saved and not submitted.
      - And added to the POS Opening Entry List and its status is **draft**
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.
- **Submit**

	○ Button ○ Appears only after clicking on the **save** button ○ When clicked, ■ The POS Opening Entry is successfully submitted ■ And added to the POS Opening Entry List and its status is **Submitted (Open)** ○ **Note:** once the document is submitted, it becomes read only and cannot be edited. ● **Cancel** ○ It appears only when the POS Opening Entry status = **Submitted** ○ When clicked, ■ The POS Opening Entry was canceled successfully. ■ And it's status changes to "**Canceled**" ■ If there are unconsolidated invoices associated with it. ● The system shall prevent the Opening Entry from being cancelled ■ If the Opening Entry status = **Closed**, and the user tries to cancel the Opening Entry ● The system shall require the Closing Entry and all invoices associated with the Opening Entry to be cancelled before allowing the Opening Entry to be cancelled. ● **Amend** ○ Button ○ It appears only when the POS Opening Entry status = **cancelled** ● **Delete** ○ It appears only when the POS Opening Entry status = **Draft / Cancelled** ○ When clicked, ■ A confirmation message is displayed to the user whether they want to delete this POS Opening Entry ■ Upon clicking the "Yes" button: ● if the POS Opening Entry is linked to other transactions, ○ a message is displayed informing the user that the linked transactions must be deleted before the POS Opening Entry can be deleted. ○ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ● If the POS Opening Entry isn't linked to another doctype ○ The POS Opening Entry is deleted successfully.
Post Conditions	● The new POS Opening Entry has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

POS Opening Entry Details

Use case ID	**14**
Use case Name	POS Opening Entry Details
Descriptions	The user can view / edit the POS Opening Entry details.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Opening Entry** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the POS Opening Entry status is **Open** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are **read-only** and cannot be edited. ■ If the POS Opening Entry status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the POS Opening Entry data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (POS Opening Entry details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **Submit** • Button • Appears only when the POS Opening Entry status = **Draft** • When clicked, ○ The POS Opening Entry is successfully submitted ○ And added to the POS Opening Entry List and its status is **Submitted (Open)** • **Note:** once the document is submitted, it becomes read only and cannot be edited. ■ **Cancel** • It appears only when the POS Opening Entry status = **Submitted** • When clicked, ○ The POS Opening Entry was canceled successfully. ○ And it's status changes to "**Canceled**"

	○ If there are unconsolidated invoices associated with it. ■ The system shall prevent the Opening Entry from being cancelled ○ If the Opening Entry status = **Closed**, and the user tries to cancel the Opening Entry ■ The system shall require the Closing Entry and all invoices associated with the Opening Entry to be cancelled before allowing the Opening Entry to be cancelled ■ **Amend** ● Button ● It appears only when the POS Opening Entry status = **cancelled** ■ **Delete** ● It appears only when the POS Opening Entry status = **Draft / Cancelled** ● When clicked, ○ A confirmation message is displayed to the user whether they want to delete this POS Opening Entry ○ Upon clicking the “Yes” button: ■ if the POS Opening Entry is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the POS Opening Entry can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the POS Opening Entry isn’t linked to another doctype ● The POS Opening Entry is deleted successfully.
Post Conditions	● The POS Opening Entry details has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.

POS Closing Entry

POS Closing Entry List

Use case ID	**15**
Use case Name	POS Closing Entry List
Descriptions	The user is able to view the list of POS Closing Entries.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Closing Entry** from sidebar
Main Flow	-
Components	• **Add POS Closing Entry** ○ Button ○ For adding a new POS Closing Entry ○ When clicked, the user will be redirected to the "Add POS Closing Entry" screen. • **POS Closing Entry List** ○ **A table contain the following columns:** ■ Checkbox icon • Multi selection ■ **ID** • It displays the POS Closing Entry ID • Clickable • When clicked, the user will be redirected to the "POS Closing Entry Details" screen. ■ **Status** • Label field • It displays the POS Opening Entry status • It shows one of the following values: ○ Draft ○ Submitted ○ Queued ○ Failed ○ Cancelled ■ **Period Start Date** • Label field • It displays the start date and time of the POS operating period ■ **Period End Date** • Label field • It displays the end date and time of the POS operating period

- **Posting Date**
  - It displays the posting date on which the POS Closing Entry is recorded in the system
- **POS Profile**
  - It displays the POS Profile associated with the cashier and the POS session

- when a POS Closing Entry is selected , an action bar appears showing the following actions:
- Edit
  - Button
  - When clicked , a popup appears containing the following fields.
    - **Field**
      - DDL
      - To select the field you want to edit
      - Link “**POS Closing Entry**” doctype
      - Single selection
      - Mandatory
    - **Value**
      - Dynamic field
      - Based on the selected option from the first dropdown field, the second field shall :
        - Dynamically change it’s input type
        - Be marked as either mandatory
        - Or optional
        - Apply the corresponding validation rules
    - **Update (button)**
      - Button
      - When clicked,
        - If the POS Closing Entry status is "**submitted**“ or "**Cancelled**":
          - an error message is displayed informing the user that the POS Closing Entry cannot be modified
- Export
- Assign to
- Clear assignment
- Add tags
- Print
- Delete
  - It appears only when the POS Closing Entry status = **Draft / Cancelled**
  - When clicked,
    - A confirmation message is displayed to the user whether they want to delete this POS Closing Entry
    - Upon clicking the “Yes” button:
      - if the POS Closing Entry is linked to other transactions,
        - a message is displayed informing the user that the linked transactions must be deleted before the POS

	Closing Entry can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the POS Closing Entry isn't linked to another doctype ■ The POS Closing Entry is deleted successfully.
Post Conditions	● Ability to add and view POS Closing Entry details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add POS Closing Entry

Use case ID	**16**
Use case Name	Add POS Closing Entry
Descriptions	The user can add a new POS Closing Entry.
Pre conditions	● Click on **Selling** from sidebar ● Click on **POS** from sidebar ● Click on **POS Closing Entry** from sidebar ● Click on "**Add POS ClosingEntry**" button
Main Flow	-
Components	● **Period Start Date** ○ Label field (read only) ○ Displays the start date and time of the POS operating period ○ **Note:** it appears only when a POS Opening Entry field has a value ○ **Note:** it's fetched from the POS Opening Entry ● **Period End Date** ○ Date calendar / Time picker ○ To Specify the date and time at which the POS operating period ended. ○ It identifies the end of the POS session being closed. . ○ Mandatory ○ If the field is left empty an error message appears ○ **Note:** it has a default value "Current Date / Time" ● **Posting Date** ○ Label field (read only) ○ displays the accounting date on which the POS Closing Entry is posted ● **Posting Time** ○ Label field (read only) ○ displays the accounting time on which the POS Closing Entry is posted

- **POS Opening Entry**
  - Searchable DDL
  - Link "**POS Opening Entry**" doctype
  - It displays only POS Opening Entries whose status = **Open**
  - To select the POS Opening Entry associated with the POS session being closed
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
- **Status**
  - Label field
  - It displays the document status
  - It displays one of the following values:
    - Draft
    - Submitted
    - Queued
    - Failed
    - Cancelled
  - It appears only after submitting the document
- **Company**
  - Label field (read only)
  - It displays the company for which the POS Closing Entry is created and posted
  - **Note:** it's fetched from the POS Opening Entry
- **POS Profile**
  - Label field (read only)
  - It displays the POS Profile associated with the cashier and the POS session.
  - **Note:** it's fetched from the POS Opening Entry
- **Employee**
  - Label field
  - It displays the cashier or employee responsible for the POS session being closed
  - **Note:** it's fetched from the "Employee" field of the POS Opening Entry
- **Cashier**
  - Label field
  - Displays the cashier or user responsible for the POS session being closed
  - **Note:** it's fetched from the "Cashier" field of the POS Opening Entry
- **Linked Invoices**
  - It contains the following table
    - **Sales Invoice Transaction**
      - **Note:** it's auto fetched from the selected POS Opening Entry
      - A table contains the following columns:
        - **Checkbox icon**
          - Multi selection
        - **No.**
          - Displays the ordering of items in the table
        - **Sales Invoice**
          - Label field

- Displays all submitted Sales Invoices associated with the POS transaction
- Clickable
- When clicked, it navigates the user to the corresponding doctype

- **Date**
  - Label field
  - Displays the posting date on which the referenced Sales Invoice transaction was created or recorded.
- **Amount**
  - Label field
  - Displays the amount (Grand Total) associated with the referenced Sales Invoice transaction and included in the POS Closing Entry.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Sales Invoice
Date
Amount
Customer

Is Return

Return Against

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Sales Invoice	• Label field • Displays all submitted Sales Invoices associated with the POS transaction • Clickable • When clicked, it navigates the user to the corresponding

	doctype
Date	• Label field • Displays the posting date on which the referenced Sales Invoice transaction was created or recorded
Customer	• Label field • Displays the customer associated with the referenced Sales Invoice. • The value is automatically fetched from the related sales transaction.
Amount	• Label field • Displays the amount (Grand Total) associated with the referenced Sales Invoice transaction and included in the POS Closing Entry
Is Return	• Checkbox icon (read only) • Indicates whether the referenced Sales Invoice represents a return transaction.
Return Against	• Label field • References the original Sales Invoice against which the return transaction was created. • This field identifies the source invoice associated with the sales return. • Clickable • When clicked, it navigates the user to the corresponding doctype

    - **Note:** users cannot add a new row in the table
- **Taxes and Charges**

- **Note:** it's auto fetched from the selected POS Opening Entry
- It contains the following table
  - **Taxes**
    - A table contains the following columns:
      - **Checkbox icon**
        - Multi selection
      - **No.**
        - Displays the ordering of items in the table
      - **Account Head**
        - Label field
        - Displays the accounting account to which the tax amount is posted for the POS transactions
      - **Amount**
        - Label field
        - Displays the total tax amount associated with the specified Account Head for the POS transactions included in the closing entry.
      - **Setting**
        - When clicked, a pop up appears contains the following options :
          - Rearranging table columns using **drag** and **drop** functionality.
            - Users can click and hold a column header , then drag and drop it into the desired position within the table.
          - Column width
            - Text input field
            - For entering or edit the column width
            - Accepts numbers only
            - Minimum length: 1 character.
            - Maximum length: 3 characters.
            - Default value = 3
          - Add / Remove columns
            - Button
            - For adding or removing columns from the table
            - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
            - These columns are:

Column Name
Account Head
Amount

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	**Options**
Account Head	• Label field • Displays the accounting account to which the tax amount is posted for the POS transactions
Amount	• Label field • Displays the total tax amount associated with the specified Account Head for the POS transactions included in the closing entry

- **Note:** users cannot add a new row in the table

- **Totals**
  - **Note:** it's auto fetched from the selected POS Opening Entry
  - It contains the following fields:
    - **Total Quantity**
      - Label field
      - Displays the total quantity of items sold through the POS transactions included in the closing period.
    - **Net Total**
      - Label field
      - Displays the total net value of the items sold during the POS operating period before taxes and additional charges.
    - **Total Taxes and Charges**
      - Label field
      - Displays the total amount of taxes and additional charges applied to the POS transactions during the operating period.
    - **Grand Total**
      - Label field
      - Displays the final total value of the POS transactions, including the net total, taxes, and additional charges.
- **Modes of Payment**
  - It contains the following table
    - **Payment Reconciliation**
      - A table contains the following columns:
        - **Checkbox icon**
          - Multi selection
        - **No.**
          - Displays the ordering of items in the table
        - **Mode of Payment**
          - Link "**Mode of Payment**" doctype
          - To select the payment method for which the opening, expected, and closing amounts are being reconciled.
          - Single selection
          - Mandatory
          - If the field is left empty, an error message will appear.
          - **Note:** it's fetched from the "POS Opening Entry" (Mode of Payment), and it can be edited
          - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
        - **Opening Amount**
          - Label field
          - Displays the opening balance recorded for the specified payment method at the beginning of the

POS session.
    - **Note:** it's fetched from the "POS Opening Entry" (Opening Amount)
- **Expected Amount**
    - Label field
    - Displays the amount expected to be available for the specified payment method at the end of the POS session based on the opening balance and the transactions recorded during the session.
- **Closing Amount**
    - Text input field.
    - To enter the actual amount available for the selected payment method at the time of closing the POS session
    - Mandatory.
    - Accept integers and decimal numbers only.
    - Maximum length: 25 characters.
    - Once the maximum length is reached, further input is prevented.
    - If the field is left empty an error message appears
- **Difference**
    - Label field
    - Displays the difference between the actual Closing Amount and the Expected Amount for the selected payment method.
    - **It's calculated as:**
        - Difference = Closing Amount − Expected Amount
- **Setting**
    - When clicked, a pop up appears contains the following options :
        - Rearranging table columns using **drag** and **drop** functionality.
            - Users can click and hold a column header , then drag and drop it into the desired position within the table.
        - Column width
            - Text input field
            - For entering or edit the column width
            - Accepts numbers only
            - Minimum length: 1 character.
            - Maximum length: 3 characters.
            - Default value = 3
        - Add / Remove columns
            - Button
            - For adding or removing columns from the table

- When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
- These columns are:

Column Name
Mode of Payment
Opening Amount
Expected Amount
Closing Amount
Difference

- Users can show or hide columns by selecting or deselecting the related checkbox.

- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when a row is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	Options
Mode of Payment	• Link "**Mode of Payment**" doctype • To select the payment method for which the opening, expected, and closing amounts are being reconciled. • Single selection • Mandatory • If the field is left empty, an error message will appear. • **Note:** it's fetched from the "POS Opening Entry" (Mode of Payment), and it can be edited • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values
Opening Amount	• Label field • Displays the opening balance recorded for the specified payment method at the beginning of the POS session. • **Note:** it's fetched from the "POS Opening Entry" (Opening Amount)
Expected Amount	• Label field • Displays the amount expected to be available for the specified payment method at the end of the POS session based on the opening balance and the transactions recorded during the session
Closing Amount	• Text input field. • To enter the actual amount available for the selected payment method at the time of closing the POS session • Mandatory.

	• Accept integers and decimal numbers only. • Maximum length: 25 characters. • Once the maximum length is reached, further input is prevented. • If the field is left empty an error message appears
Difference	• Label field • Displays the difference between the actual Closing Amount and the Expected Amount for the selected payment method. • **It's calculated as:** ○ Difference = Closing Amount − Expected Amount

    - **Add Row**
        - Button
        - To add a new row in the table
        - When clicked, a new row is added to the table
- **Failure Description**
    - Label field (read only)
    - The system shall automatically populate the Failure Description field with the error details when the POS Closing Entry process fails.
- **Save**
    - Button
    - When clicked,
        - If all required data is entered correctly and completely:
            - The POS Closing Entry is successfully saved and not submitted.
            - And added to the POS Closing Entry List and its status is **draft**
        - If incorrect or incomplete data is entered:
            - A validation error message is displayed for each invalid field.
- **Submit**
    - Button
    - Appears only after clicking on the **save** button
    - When clicked,
        - The POS Closing Entry is successfully submitted
        - And added to the POS Closing Entry List and its status is **Submitted**
        - The POS Opening Entry associated with the POS session is set to **Closed**
    - **Note:** once the document is submitted, it becomes read only and cannot be edited.
- **Cancel**

	○ It appears only when the POS Closing Entry status = **Submitted** ○ When clicked, ■ The POS Closing Entry was canceled successfully. ■ And it's status changes to "**Canceled**" ● **Amend** ○ Button ○ It appears only when the POS Opening Entry status = **cancelled** ● **Delete** ○ It appears only when the POS Closing Entry status = **Draft / Cancelled** ○ When clicked, ■ A confirmation message is displayed to the user whether they want to delete this POS Closing Entry ■ Upon clicking the "Yes" button: ● if the POS Closing Entry is linked to other transactions, ○ a message is displayed informing the user that the linked transactions must be deleted before the POS Closing Entry can be deleted. ○ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ● If the POS Closing Entry isn't linked to another doctype ○ The POS Closing Entry is deleted successfully.
Post Conditions	● The new POS Closing Entry has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

POS Closing Entry Details

Use case ID	**17**
Use case Name	POS Closing Entry Details
Descriptions	The user can view / edit the POS Closing Entry details.
Pre conditions	• Click on **Selling** from sidebar • Click on **POS** from sidebar • Click on **POS Closing Entry** from sidebar • Click on "**ID**" from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the POS Closing Entry status is **Submitted** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are **read-only** and cannot be edited. ■ If the POS Closing Entry status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the POS Closing Entry data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (POS Closing Entry details) pages to provide a quick access to common functions: ■ **Assign** ■ **Attachment** ■ **Tags** ■ **Share** ■ **Print** ■ **Submit** • Button • Appears only when the POS Closing Entry status = **Draft** • When clicked, ○ The POS Closing Entry is successfully submitted ○ And added to the POS Closing Entry List and its status is **Submitted** • **Note:** once the document is submitted, it becomes read only and cannot be edited. ■ **Cancel** • It appears only when the POS Closing Entry status = **Submitted** • When clicked, ○ The POS Closing Entry was canceled successfully. ○ And it's status changes to "**Canceled**"

	■ **Amend** ● Button ● It appears only when the POS Opening Entry status = **cancelled** ■ **Delete** ● It appears only when the POS Closing Entry status = **Draft / Cancelled** ● When clicked, ○ A confirmation message is displayed to the user whether they want to delete this POS Closing Entry ○ Upon clicking the “Yes” button: ■ if the POS Closing Entry is linked to other transactions, ● a message is displayed informing the user that the linked transactions must be deleted before the POS Closing Entry can be deleted. ● The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ■ If the POS Closing Entry isn’t linked to another doctype ● The POS Closing Entry is deleted successfully.
Post Conditions	● The POS Closing Entry details has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.

Blanket Order **0**
Blanket Order List 0
Add Blanket Order 3
Blanket Order Details 10

Blanket Order

Blanket Order List

Use case ID	**1**
Use case Name	Blanket Order List
Descriptions	The user is able to view the list of Blanket Orders.
Pre conditions	● Click on **Selling** from sidebar ● Click on **Blanket Order** from sidebar
Main Flow	-
Components	● **Add Blanket Order** ○ Button ○ For adding a new Blanket Order ○ When clicked, the user will be redirected to the "Add Blanket Order" screen. ● **Blanket Order List** ○ **A table contain the following columns:** ■ Checkbox icon ● Multi selection ■ Blanket Order ID ● It displays the Blanket Order ID ● Clickable ● When clicked, the user will be redirected to the "Blanket Order Details" screen. ■ Status ● Displays one of the following values: ○ Draft ○ Submitted ○ Cancelled

- Order type
  - It displays one of the following values:
    - Selling
    - Purchasing

- when a Blanket Order is selected , an action bar appears showing the following actions:
- Edit
  - Button
  - When clicked , a popup appears containing the following fields.
    - **Field**
      - DDL
      - To select the field you want to edit
      - Link “**Blanket Order**” doctype
      - Single selection
      - Mandatory
    - **Value**
      - Dynamic field
      - Based on the selected option from the first dropdown field, the second field shall :
        - Dynamically change it’s input type
        - Be marked as either mandatory
        - Or optional
        - Apply the corresponding validation rules
    - **Update (button)**
      - Button
      - When clicked,
        - If the Blanket Order status is "**Submitted**" or "**Cancelled**":
          - an error message is displayed informing the user that the Blanket Order cannot be modified.
- Export
- Assign to
- Clear assignment
- Add tags
- Print
- Submit
  - It appears only when the Blanket Order status = **Draft.**
  - If all required data is entered correctly and completely:
    - The Blanket Order is successfully submitted.
- Cancel
  - It appears only when the Blanket Order status = **Submitted**
  - When clicked,
    - The Blanket Order is canceled successfully.
    - And “**Cancel**” button changes to “**Amend**”
- Delete
  - It appears only when the Blanket Order status = **Draft / Cancelled**

	■ When clicked, ● A confirmation message is displayed to the user whether they want to delete this Blanket Order ● Upon clicking the “Yes” button: ○ If the Blanket Order is Amended from other Blanket Order ■ A warning message appears indicating that this Blanket Order cannot be deleted until the user deletes all doctypes related to it. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ if the Blanket Order is linked to other transactions, ■ a message is displayed informing the user that the linked transactions must be deleted before the Blanket Order can be deleted. ■ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ○ If the Blanket Order isn’t linked to another doctype ■ The Blanket Order is deleted successfully.
Post Conditions	● Ability to add and view Blanket Order details. ● Ability to Edit , Export , Assign to, Clear Assignment , Add Tags , Print , Delete

Add Blanket Order

Use case ID	**2**
Use case Name	Add Blanket Order
Descriptions	The user can add a new Blanket Order.
Pre conditions	• Click on **Selling** from sidebar • Click on **Blanket Order** from sidebar • Click on "**Add Blanket Order**" button
Main Flow	-
Components	• **Series** ○ DDL ○ Displays all series added to Blanket order doctype ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. • **Order Type** ○ DDL ○ To select the order type ○ It contains the following values: ■ Selling ● When clicked, the "Customer" field is displayed ■ Purchasing ● When clicked, the "Supplier" field is displayed ○ Single selection ○ Mandatory • **Customer** ○ Searchable DDL ○ Link "**Customer**" doctype ○ To select the customer associated with this Blanket Order ○ It appears only when the "order type" is equal to **Selling** ○ Single selection ○ Mandatory ○ If the field is left empty, an error message will appear. ○ **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. • **Customer name** ○ Label field (read only) ○ Displayed the customer name fetched from the selected customer ○ **Note:** It appears only when the Customer field is entered. • **Supplier** ○ Searchable DDL

- Link “**Supplier**” doctype
- It appears only when the “order type” is equal to **Purchasing**
- Single selection
- Mandatory
- If the field is left empty, an error message will appear.
- **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Supplier name**
  - Label field (read only)
  - Displayed the supplier name fetched from the selected supplier
  - **Note:** It appears only when the Supplier field is entered.
- **Order No**
  - Text input field.
  - To enter the order No
  - Optional
  - Accept letters, numbers and special characters.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
- **Order Date**
  - Date calendar picker
  - To select the order date
  - Optional
  - **Note:** It appears only when the order No field is entered.
- **From Date**
  - Date calendar picker
  - To select the start date of the Blanket order
- **To date**
  - Date calendar picker
  - To select the end date of the Blanket order
- **Company**
  - Searchable DDL
  - Link “**Company**” doctype
  - To select the company for which the blanket order will be recorded
  - Single selection
  - Mandatory
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Amended From**
  - Label field
  - Displays the Blanket Order from which this document was amended.
  - Clickable
  - When clicked, it navigates the user to the Blanket Order from which this document was amended.
  - **Note:** This field is displayed only if this Blanket Order is amended from another Blanket Order
- **Items**
  - A table contain the following columns:

- **Checkbox icon**
  - Multi selection
- **No.**
  - Displays the ordering of items in the table
- **Item code**
  - Searchable DDL
  - Link “**item**” doctype
  - Single selection
  - Mandatory
  - If the field is left empty, an error message will appear.
  - **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Qty**
  - Text input field.
  - To enter the total quantity agreed upon for the selected item during the validity period of the Blanket Order. .
  - Optional
  - Accept numbers only.
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
- **Rate**
  - Text input field
  - To enter the agreed unit price for the selected item.
  - Accepts numbers only.
  - Mandatory
  - Maximum length: 100 characters.
  - Once the maximum length is reached, further input is prevented.
  - If the field is left empty an error message appears.
- **Ordered Qty**
  - Label field
  - Displays the total quantity already consumed through Sales Orders or Purchase Orders linked to this Blanket Order.
  - **Note:** the value is updated automatically by the system.
- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using **drag** and **drop** functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.

- Default value = 3
- Add / Remove columns
  - Button
  - For adding or removing columns from the table
  - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
  - These columns are:

Column Name
Item Code
Quantity
Rate
Ordered Quantity
Item Name
Party Item Code
Terms and Conditions

  - Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.

- **Note:** when an Item is selected , an action bar appears showing the following actions:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item group(s) will be deleted
- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the following fields:

Field Name	Options
Item Code	• Searchable DDL • Link “**item**” doctype • Single selection • Mandatory • If the field is left empty, an error message will appear. • **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
Item name	• Label field • Displays the item name • It’s displayed only when an item is selected
Party Item Code	• Label field • Displays the supplier part number or customer part number / ref code • It’s displayed only when an item is selected
Quantity	• Text input field. • To enter the total quantity agreed upon for the selected item during the validity period of the Blanket Order. . • Optional • Accept numbers only. • Maximum length: 100 characters. • Once the maximum length is reached, further input is prevented.
Rate	• Text input field • To enter the agreed unit price for the selected item. • Accepts numbers only. • Mandatory • Maximum length: 100 characters. • Once the maximum length is

	reached, further input is prevented. ● If the field is left empty an error message appears.
Ordered Qty	● Label field ● Displays the total quantity already consumed through Sales Orders or Purchase Orders linked to this Blanket Order. ● **Note:** the value is updated automatically by the system.
Terms and Conditions	● Text area ● For adding terms and conditions to this blanket order item. ● Optional ● Accepts letters, numbers, and special characters. ● Minimum length: 3 characters. ● Maximum length: 500 characters. ● Once the maximum limit is reached, further input will be prevented. ● An error message will appear if the entered text is less than the minimum length. ● An error message will appear if invalid data is entered.

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Terms and Conditions**
  - It contains the following fields:
    - **Terms**
      - Searchable DDL
      - Link "**Terms and Condition**" doctype
      - Single selection
      - Optional
      - When a value is selected from the terms DDL, the terms and condition content field is automatically filled based on the selected

value.

- **Note:**
  - **If no terms and conditions are entered, the terms and conditions section is not displayed on the Quotation Details page**
  - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Terms and Condition Content**
  - Text area
  - For adding detailed terms and condition content.
  - Optional
  - Accepts letters, numbers, and special characters.
  - Minimum length: 3 characters.
  - Maximum length: 500 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - An error message will appear if the entered text is less than the minimum length.
  - An error message will appear if invalid data is entered.
  - **Note:** The terms and condition content is automatically fetched based on the term selected from the DDL

- **Save**
  - Button
  - When clicked,
    - If all required data is entered correctly and completely:
      - The Blanket order is successfully saved and not submitted.
      - And added to the Blanket Order List and its status is **draft**
    - If incorrect or incomplete data is entered:
      - A validation error message is displayed for each invalid field.
- **Submit**
  - It appears only when the Blanket Order status = **Draft.**
  - If all required data is entered correctly and completely:
    - The Blanket Order is successfully submitted.
- **Cancel**
  - It appears only when the Blanket Order status = **Submitted**
  - When clicked,
    - The Blanket Order is canceled successfully.
    - And “**Cancel**” button changes to “**Amend**”
- **Delete**
  - It appears only when the Blanket Order status = **Draft / Cancelled**
  - When clicked,
    - A confirmation message is displayed to the user whether they want to delete this Blanket Order
    - Upon clicking the “Yes” button:
      - If the Blanket Order is Amended from other Blanket Order
        - A warning message appears indicating that this Blanket Order cannot be deleted until the user deletes all doctypes

	related to it. ○ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ● if the Blanket Order is linked to other transactions, ○ a message is displayed informing the user that the linked transactions must be deleted before the Blanket Order can be deleted. ○ The warning message displays the linked doctypes as hyperlinks; they are redirected to the corresponding doctype. ● If the Blanket Order isn't linked to another doctype ○ The Blanket Order is deleted successfully. ● **Amend** ○ Button ○ It appears only when the Blanket order status = **cancelled**
Post Conditions	● The new Blanket Orde has been added successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Blanket Order Details

Use case ID	**3**

Use case Name	Blanket Order Details
Descriptions	The user can view / edit the Blanket order details.
Pre conditions	• Click on **Selling** from sidebar • Click on **Blanket Order** from sidebar • Click on "**Blanket order ID**" from the table
Main Flow	-
Components	• **Label / Input fields** ○ **Note:** ■ If the Blanket order status is **Submitted** or **Cancelled**: • The system retrieves and displays the fields as labels for viewing purposes only. These fields are **read-only** and cannot be edited. ■ If the Blanket order status is **Draft**: • The system retrieves and displays the fields as input fields, allowing the user to modify the blanket order data. ○ The system retrieves and displays the data entered during creation, allowing users to view or update it as needed in addition to the following: • **Fixed Page Actions** ○ The following action buttons are fixed and consistently displayed at the top of all (Blanket Order details) pages to provide a quick access to common functions: ○ **Create** ■ DDL ■ It contains the following values: • **Purchase Order** ○ Button ○ It's displayed only when the **order type** = **purchasing** and **ordered quantity > 0** ○ When clicked, the system navigates the user to "**Add Purchase Order**" screen, and fetches the Blanket order data • **Sales Order** ○ Button ○ It's displayed only when the **order type** = **selling** and **ordered quantity > 0** ○ When clicked, the system navigates the user to "**Add Sales Order**" screen, and fetches the Blanket order data • **Quotation (hidden)** ○ Button ○ When clicked, the system navigates the user to a new "**Add Quotation**" screen, and fetches the Blanket order data. ○ **Assign** ○ **Attachment** ○ **Tags** ○ **Share**

	○ **Print** ● **Connections Tab** ○ It contains the following fields: ■ **Purchase Order** ● Button ● Link “**Purchase Order**” docktype ■ **Sales Order** ● Button ● Link “**Sales Order**” docktype ■ **Quotation (Hidden)** ● Button ● Link “**Quotation**” docktype
Post Conditions	● The Blanket Order details has been successfully modified and saved ● Entering incorrect or incomplete data will display the corresponding error message for each field.