Inventory Settings **0**
Defaults Tab 0
Stock Validations Tab 5
Item Variant Tab 8
Serial & Batch Item Tab 12
Stock Reservation Tab 17
Quality Tab 19
Stock Closing Tab 20

Inventory Settings

Defaults Tab

Use case ID	**1**
Use case Name	Defaults Tab
Descriptions	The user can view and update the Inventory Settings.
Pre conditions	● Click on **Inventory** from sidebar ● Click on **Inventory Settings** from sidebar ● Click on **Defaults** tab
Main Flow	-
Components	● **Item Defaults** ○ It contains the following fields: ■ **Item Naming By** ● DDL ● To Specify the method used to generate item IDs when creating new items. ● It contains the following values; ○ Item Code ○ Naming Series ● Single selection ● **Note:** It has a default value "**Item Code**" ● **Naming Series Options** ○ Label field (read only) ○ Displays the default naming series used to automatically generate item IDs when

Item Naming By is set to **Naming Series**

- **Note:** it's displayed only when "**Item Naming By**" is set to "**Naming Series**"

- **Configure Series**
  - Button
  - It opens the Naming Series configuration, allowing users to create, modify, and manage the available item naming series.
  - **Note:** it's displayed only when "**Item Naming By**" is set to "**Naming Series**"
  - When clicked, a pop up appears containing the following fields:
    - **Add Series Prefix**
      - A table contain the following columns:
        - **Checkbox icon**
          - Multi selection
        - **Series**
          - Text input field
          - To Specify the naming series pattern used to generate item IDs.
          - Optional
          - Accepts letters, numbers, and special characters.
          - Minimum length: 2 characters.
          - Maximum length: 100 characters.
          - Once the maximum limit is reached, further input will be prevented.
          - An error message will appear if the entered text is less than the minimum length.
          - An error message will appear if an invalid series pattern is entered.
        - **Preview**
          - Label field (read only)
          - Displays a sample item ID generated using the selected naming series.
        - **Update**
          - Button
          - When clicked,
            - If all required data is entered correctly and completely:
              - It saves the configured naming series and applies the changes.
            - If incorrect or incomplete data is entered:
              - A validation error message is displayed for each invalid field.
        - **Note:** when a row is selected , an action bar appears showing the following actions:
          - **Delete row**
            - Button
            - To delete a specific row or multiple rows
            - When clicked, the selected row(s) will be

deleted

- **Add Row**
  - Button
  - To add a new row in the table
  - When clicked, a new row is added to the table.

- **Default Item Group**
  - Searchable DDL
  - Link "**Item Group"** doctype
  - To Specify the default Item Group automatically assigned to newly created items.
  - Single selection
  - Optional
  - **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.
- **Default Valuation Method**
  - DDL
  - To Specify the default inventory valuation method used for newly created items.
  - It contains the following values:
    - FIFO
    - Moving Average
  - Single selection
  - It has a default value "**FIFO**"
- **Price List Defaults**
  - It contains the following fields:
    - **Auto Create Item Price In First Transaction If Missing**
      - Checkbox
      - When checked, the system automatically creates an Item Price in the applicable Price List when the Item is used in its first transaction, using the Rate specified in that transaction. The applicable Price List is determined based on the transaction type, whether it is a Purchase or Sales transaction.
      - **Note:** The Item Price is created only during the first transaction and only if no Item Price already exists for the Item in the applicable Price List
      - **Note:** It's checked by default
      - **Note:** It's name in ERPNext = **Auto insert Item Price if missing**
- **UOM Defaults**
  - It contains the following fields:
    - **Default Stock UOM**
      - Searchable DDL
      - Link "**UOM"** doctype
      - To Specify the default stock unit of measure assigned to newly created items.
      - Single selection
      - Optional
      - **Note:** it has a default value "**NOS**"

- **Note:**
    - the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values.

- **Allow to edit stock UOM qty for Sales documents**
    - Checkbox
    - To allow users to edit "**Qty as per stock UOM**" field in Sales Transaction
    - When checked, users can edit the "**Qty as per stock UOM"** in sales transactions.
    - **Note:** It's checked by default
- **Allow to edit stock UOM qty for Purchase documents**
    - Checkbox
    - To allow users to edit "**Accepted Qty in stock UOM**" field in Purchase /Buying Transaction
    - When checked, users can edit the "**Accepted Qty in stock UOM**" field in purchase transactions.
    - **Note:** It's unchecked by default
- **Allow to edit stock UOM qty for Stock Entry**
    - Checkbox
    - To allow users to edit "**Qty as per stock UOM**" field in Stock Entry Transaction
    - When checked, users can edit "**Qty as per stock UOM**" field in Stock Entry Transaction
    - **Note:** It's unchecked by default
- **Allow UOM with conversion rate defined in Item**
    - Checkbox
    - When checked, users can select alternative UOMs only if a conversion factor is defined for the item in the UOM table in Item Details.
    - **Note:** This applies filters the available values to the "**UOM**" field when creating transactions for the Item.
    - **Note:** It's unchecked by default

- **Warehouse Defaults**
    - It contains the following fields:
        - **Default Warehouse**
            - Searchable DDL
            - Link "**Warehouse"** doctype
            - To Specify the default warehouse automatically selected in stock transactions unless another warehouse is specified.
            - It displays only warehouses where "**Is Group**" option is disabled
            - Single selection
            - Optional
            - **Note:** it has a default value "**Stores – Company Abbreviation**"
                - Example "**Stores-A**"
            - **Note:**

	○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ■ **Sample Retention Warehouse** ● Searchable DDL ● Link “**Warehouse"** doctype ● To Specify the warehouse used to store retained product samples for quality control or regulatory purposes. ● It displays only warehouses where “**Is Group**” option is disabled ● Single selection ● Optional ● **Note:** ○ the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Auto Material Request** ○ It contains the following fields: ■ **Raise Material Request when stock reaches re-order level** ● Checkbox ● When checked, it automatically creates a Material Request when an item's stock reaches its defined Re-order Level, helping maintain inventory availability. ● **Note:** it’s checked by default ● مكان الجزء ده في السيستم في ال Stock Planning Tab ● **Save** ○ Button ○ To save the changes made to the Defaults Settings. ○ When clicked, ■ If all required data is entered correctly and completely: ● The Inventory Settings is successfully saved ● And applied to the system ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The Inventory Settings has been modified successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Stock Validations Tab

Use case ID	**2**
Use case Name	Stock Validations Tab
Descriptions	The user can view and update the Stock Validations Settings.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Inventory Settings** from sidebar • Click on **Stock Validations** tab
Main Flow	-
Components	• **Negative Stock** ○ It contains the following fields: ■ **Allow Negative Stock** • Checkbox • When checked, ○ A pop up appears containing the following confirmation message ■ "**Negative Stock disables FIFO and Moving Average valuation while inventory is negative and may result in inaccurate inventory, Do you still want to enable Negative Stock**". ■ **Yes** • Button • When clicked, the system allows stock transactions that result in negative stock quantities. ■ **No** • Button • When clicked, the confirmation message disappears. ○ **Important Note:** users won't be able to make negative stock transactions for serial / batch items even through the "**Allow Negative Stock**" is enabled • **Note:** it's unchecked by default • **Quantity Tolerance** ○ It contains the following fields: ■ **Over Delivery/Receipt Allowance (%)** • Text input field • To Specify The percentage of additional quantity that can be delivered or received against the quantity ordered.

- **For example:**
  - If 100 units are ordered and the allowance is 10%,
    - Up to **110** units can be delivered or received.
- Optional
- Accepts integers and decimal numbers only.
- Minimum length: 1 character.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- If the entered text is less than the minimum length, an error message appears .
- **Note:** it has default value "**0.000**"
- **Note:** the entered value is considered as percentage
- Notes:
  - **Delivery is done through:**
    - Delivery Note or Sales Invoice with Update Stock enabled.
  - **Receiving is done through:**
    - Purchase Receipt or Purchase Invoice with Update Stock enabled.

- **Over Transfer Allowance (%) (Hidden)**
  - Text input field
  - To Specify the percentage by which transferred quantities may exceed the requested quantity.
  - Optional
  - Accepts integers and decimal numbers only.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - If the entered text is less than the minimum length, an error message appears .
  - **Note:** it has default value "**0.000**"
  - **Note:** the entered value is considered as percentage
- **Over Picking Allowance (%) (Hidden)**
  - Text input field
  - To Specify the percentage by which picked quantities may exceed the requested quantity in a Pick List.
  - Optional
  - Accepts integers and decimal numbers only.
  - Minimum length: 1 character.
  - Maximum length: 100 characters.
  - Once the maximum limit is reached, further input will be prevented.
  - If the entered text is less than the minimum length, an error message appears .
  - **Note:** it has default value "**0.000**"
  - **Note:** the entered value is considered as percentage

- **Display & Data Formating**

	○ It contains the following fields: ■ **Show barcode field in transactions** ● Checkbox ● When checked, the system displays the barcode field in stock transactions. ● **Note:** It's checked by default ● **Note:** It's original name in ERPNext = **Show barcode field in stock** transactions ■ **Convert Item description to clean HTML in transactions** ● Checkbox ● When checked, the system converts item descriptions to clean HTML before displaying them in stock transactions. ● **Noteee:** It's checked by default and hidden ● **Validate Material Transfer Warehouses** ○ Checkbox ○ When checked, ■ It validates the source and target warehouses in Material Transfer Stock Entries. ■ The source and target warehouses must be different. ■ If inventory dimensions are used, ● The same warehouse is allowed only when at least one inventory dimension is different. ○ When unchecked, ■ It disables the warehouse validation for Material Transfer Stock Entries, allowing the source and target warehouses to be the same. ● **Save** ○ Button ○ To save the changes made to the Stock Validations Settings. ○ When clicked, ■ If all required data is entered correctly and completely: ● The Inventory Settings is successfully saved ● And applied to the system ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The Inventory Settings has been modified successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Item Variant Tab

Use case ID	**3**
Use case Name	Item Variant Tab
Descriptions	The user can view and update the Item Variant Settings.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Inventory Settings** from sidebar • Click on **Item Variant** tab
Main Flow	-
Components	• **Do not update variants on save** ○ Checkbox ○ When checked, the system shall copy the configured template fields only when a new variant is created. ○ Subsequent changes to the Item Template shall not update existing variants. ○ **Note:** it's unchecked by default • **Allow Rename Attribute Value** ○ Checkbox ○ When checked, the system shall allow users to rename an Item Attribute Value even when it is assigned to existing Item Variants. ○ The updated value shall be propagated to the affected variants. ○ **Note:** it's unchecked by default • **Allow Variant UOM to be different from Template UOM** ○ Checkbox ○ When checked, the system shall allow an Item Variant to use a Stock UOM different from the Stock UOM defined in its Item Template. ○ **Note:** it's unchecked by default • **Copy Field To Variant** ○ It contains the following fields: ■ **Fields** • A table contain the following columns: ○ **Checkbox icon** ■ Multi selection ○ **No.** ■ Displays the ordering of items in the table ○ **Field Name** ■ Text input field ■ Allows the user to select an Item field whose value shall be copied from the Item Template to its Item Variants. ■ Accepts letters, numbers and special characters.

- Mandatory
- If the field is left empty an error message appears
- Minimum length: 2 characters.
- Maximum length: 100 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- **Note:**
  - The system shall fetch all eligible fields from the Item DocType and make them available for selection in the Field Name field.
  - Only the fields added to the Copy Fields to Variant table, along with mandatory system fields, shall be copied from the Item Template to its variants.
  - System-controlled and excluded fields shall not be copied through this configuration.

- **Setting**
  - When clicked, a pop up appears contains the following options :
    - Rearranging table columns using drag and drop functionality.
      - Users can click and hold a column header , then drag and drop it into the desired position within the table.
    - Column width
      - Text input field
      - For entering or edit the column width
      - Accepts numbers only
      - Minimum length: 1 character.
      - Maximum length: 3 characters.
      - Default value = 3
    - Add / Remove columns
      - Button
      - For adding or removing columns from the table
      - When clicked, a pop-up appears containing all available table columns with their corresponding checkboxes.
      - These columns are:

Column Name
Field Name

- Users can show or hide columns by selecting or deselecting the related checkbox.
- “Update” button
  - Button
  - For save any changes or updates made by the user
  - When clicked, any modifications made by the user will be saved
- “Reset to default” button
  - Button
  - To reset all modifications to their default values.
  - When clicked, any modifications made by the user will be reset to their default values.
- **Note:** when an item is selected , an action bar appears showing the following action:
  - Delete row
    - Button
    - To delete a specific row or multiple rows
    - When clicked, the selected item(s) will be deleted

- **Edit Row**
  - Clickable icon
  - Users can edit and view non displayed fields in the table.
  - When clicked , a pop up appears containing the previously mentioned fields:

Field Name	**Options**
Field Name	• Text input field • Allows the user to select an Item field whose value shall be copied from the Item Template to its Item Variants. • Accepts letters, numbers and special characters. • Mandatory • If the field is left empty an error message appears • Minimum length: 2 characters. • Maximum length: 100 characters.

	<table><tr><td></td><td> - Once the maximum limit is reached, further input will be prevented. - An error message will appear if the entered text is less than the minimum length. - Note: - The system shall fetch all eligible fields from the Item DocType and make them available for selection in the Field Name field. - Only the fields added to the Copy Fields to Variant table, along with mandatory system fields, shall be copied from the Item Template to its variants. - System-controlled and excluded fields shall not be copied through this configuration </td></tr></table> • **Add Row** ○ Button ○ To add a new row in the table ○ When clicked, a new row is added to the table. • **Save** ○ Button ○ To save the changes made to the Item Variant Tab. ○ When clicked, ■ If all required data is entered correctly and completely: • The Item Variant Settings is successfully saved • And applied to the system ■ If incorrect or incomplete data is entered: • A validation error message is displayed for each invalid field.
Post Conditions	• The Item Variant Settings has been modified successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Serial & Batch Item Tab

Use case ID	**4**
Use case Name	Serial & Batch Item Tab
Descriptions	The user can view and update the Serial & Batch Item Settings.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Inventory Settings** from sidebar • Click on **Serial & Batch Item** tab
Main Flow	-
Components	• **Activate Serial / Batch No For Item** ○ Checkbox ○ When checked, it enables Serial Number and Batch Number tracking for inventory items. ○ Once checked, items can be configured to use serial numbers or batch numbers for inventory transactions. ○ **Note:** it's checked by default • **Serial Item Settings** ○ It contain the following fields: ■ **Pick Serial / Batch Based On:** • DDL • To Define the rule used by the system to automatically select Serial Numbers or Batch Numbers during stock transactions. • It contains the following values: ○ FIFO ○ LIFO ○ Expiry • Single selection • **Note:** It has a default value "**FIFO**" • **Note:** it's displayed only when the "**Activate Serial / Batch No For Item**" is checked ■ **Allow existing Serial No to be Received again** • Checkbox • When checked, it allows an existing Serial Number to be received or manufactured again instead of enforcing unique Serial Numbers. • **Note:** it's checked by default • **Note:** it's displayed only when the "**Activate Serial / Batch No For Item**" is checked • **Note:** it's name in ERPNext = **Allow existing Serial No to be Manufactured/Received again** ■ **Use Direct Serial / Batch fields**

- Checkbox
- It displays the **Serial No** and **Batch No** fields directly in the transaction item rows and automatically creates the corresponding **Serial and Batch Bundle** when the transaction is submitted.
- When checked, it checks the “Use Serial No / Batch Fields” field in transactions allowing the user to use the Serial Number and Batch fields in stock transactions instead of selector to pick the desired serial and batch numbers, and automatically creates the corresponding **Serial and Batch Bundle** when the transaction is submitted.
- **Note:** it’s **unchecked** by default
- **Note:** it’s displayed only when the “**Activate Serial / Batch No For Item**” is checked
- **Note:** it’s name in ERPNext = **Use Serial / Batch fields**

■ **Disable Automatic Serial / Batch Selector**

- Checkbox
- It prevents the Serial/Batch selector from opening automatically when a serialized or batched item is added to the “Items” table.
- **Note:** Users can still open the selector manually by clicking **“Pick Serial / Batch No.”**
- When checked, it disables the Serial Number and Batch selection dialog, requiring users to click on the “**Pick Serial / Batch No**” button manually to open the selector dialog
- **Note:** it’s unchecked by default
- **Note:** it can’t be unchecked until the “**Use Serial / Batch fields**” is Unchecked
- **Note:** it’s displayed only when the “**Activate Serial / Batch No For Item**” is checked
- **Note:** it’s name in ERPNext = **Disable Serial No and Batch selector**

- **Batch Item Settings**
  - It contains the following fields:

■ **Allow negative stock for Batch (Hidden)**

- Checkbox
- When checked, it allows negative stock for batch-controlled items.
- **Note:** this option is generally not recommended because it may result in inaccurate inventory valuation.
- **Noteee:** it’s unchecked by default and hidden
- **Note:** it’s displayed only when the “**Activate Serial / Batch No For Item**” is checked

■ **Use Item Moving Average for New Batches**

- Checkbox
- When checked,
  - Newly created batches for items using the **Moving Average** valuation method use the item-level valuation instead of maintaining a separate valuation for each batch. **FIFO** items and existing batches remain unaffected

- **“Use Batch-wise Valuation”** is automatically unchecked for future batches of items using the **Moving Average** valuation method. This does not affect existing batches or items using the **FIFO** valuation method.
- **Note:** it’s unchecked by default
- **Note:** it’s displayed only when the “**Activate Serial / Batch No For Item**” is checked
- **Note:** it’s name in ERPNext = **Do not use Batch-wise Valuation**

- **Set Default Naming Series for Batch ID**
- Checkbox
- When checked, it uses the default Batch ID naming series when no naming series is defined in the Item master.
- **Note:** it’s unchecked by default
- When checked, the “**Naming Series Prefix**” field is displayed
- **Note:** it’s displayed only when the “**Activate Serial / Batch No For Item**” is checked
- **Note:** it’s name in ERPNext = **Have default Naming Series for Batch ID?**

- **Naming Series Prefix**
- Text input field
- Used to Define the prefix used when automatically generating Batch IDs.
- Optional
- Accepts letters, numbers, and special characters.
- Minimum length: 3 characters.
- Maximum length: 500 characters.
- Once the maximum limit is reached, further input will be prevented.
- An error message will appear if the entered text is less than the minimum length.
- **Note:** it has a default value “**BATCH-**”
- **Note:** it’s displayed only when the “**Activate Serial / Batch No For Item**” is checked

- **Serial and Batch Bundle**
  - It contains the following fields:

- **Auto create Serial and Batch Bundle for outward**
- Checkbox
- When checked, the system automatically selects the required **Serial or Batch Numbers** based on the **“Pick Serial / Batch Based On”** setting and creates a **Serial and Batch Bundle** for outward stock transactions, such as **Delivery Notes** and **Material Issues**.
- When unchecked, users must manually select the required Serial or Batch Numbers using the **Serial and Batch Selector** or enter them in the **Serial / Batch** fields before submitting the transaction
-
- **Note:** it’s checked by default

- **Do not update Serial / Batch on creation of auto bundle**

- Checkbox
- When checked, it creates the Serial and Batch Bundle without updating or assigning Serial Numbers or Batch Numbers in the related stock transaction.
- **Note:** it's checked by default

■ **Set Default Naming Series for Serial and Batch Bundle**
- Checkbox
- When checked, it generates the Serial and Batch Bundle name based on the configured Naming Series instead of the default auto-generated naming convention.
- **Note:** it's unchecked by default
- **Note:** it's name in ERPNext = **Set Serial and Batch Bundle Naming Based on Naming Series**

■ **Naming Series Options**
- Label field (read only)
- Displays the default naming series used to automatically generate Serial and Batch Bundle IDs
- **Note:** it's displayed only when "**Set Default Naming Series for Serial and Batch Bundle**" is checked

■ **Configure Series**
- Button
- It opens the Naming Series configuration, allowing users to create, modify, and manage the available Serial and Batch Bundle naming series.
- **Note:** it's displayed only when "**Set Default Naming Series for Serial and Batch Bundle**" is checked
- When clicked, a pop up appears containing the following fields:
  - **Add Series Prefix**
    - A table contain the following columns:
      - **Checkbox icon**
        - Multi selection
      - **Series**
        - Text input field
        - To Specify the naming series pattern used to generate Serial and Batch Bundle IDs.
        - Optional
        - Accepts letters, numbers, and special characters.
        - Minimum length: 2 characters.
        - Maximum length: 100 characters.
        - Once the maximum limit is reached, further input will be prevented.
        - An error message will appear if the entered text is less than the minimum length.

	○ An error message will appear if an invalid series pattern is entered. ● **Preview** ○ Label field (read only) ○ Displays a sample Serial and Batch Bundle ID generated using the selected naming series. ■ **Note:** when a row is selected , an action bar appears showing the following actions: ● **Delete row** ○ Button ○ To delete a specific row or multiple rows ○ When clicked, the selected row(s) will be deleted ■ **Add Row** ● Button ● To add a new row in the table ● When clicked, a new row is added to the table. ○ **Update** ■ Button ■ When clicked, ● If all required data is entered correctly and completely: ● It saves the configured naming series and applies the changes. ● If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field. ● **Save** ○ Button ○ To save the changes made to the Serial and Batch Item Settings. ○ When clicked, ■ If all required data is entered correctly and completely: ● The Inventory Settings is successfully saved ● And applied to the system ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The Inventory Settings has been modified successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Stock Reservation Tab

Use case ID	**5**
Use case Name	Stock Reservation Tab
Descriptions	The user can view and update the Stock Reservation Settings.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Inventory Settings** from sidebar • Click on **Stock Reservation** tab
Main Flow	-
Components	• **Enable Stock Reservation** ○ Checkbox ○ When checked, it enables stock reservation, allowing specific inventory quantities to be reserved for individual orders. ○ **Note:** it's checked by default • **Auto Reserve Stock** ○ Checkbox ○ When checked, ■ It automatically reserves stock upon submission of **Sales Orders** ■ The **"Reserve Stock"** field in the corresponding Sales Order is automatically checked when the **Sales Order** is saved ○ **Note:** it's unchecked by default • **Allow Partial Reservation** ○ Checkbox ○ When checked, it allows partial stock reservation when the available inventory is less than the requested quantity. ○ **Note:** it's checked by default ○ **Note:** it's displayed only when the "**Enable Stock Reservation**" is checked • **Auto reserve Stock for Sales Order on Purchase Receipt Submission** ○ Checkbox ○ When checked, it automatically reserves received stock for the related Sales Order when a Purchase Receipt is submitted against a Purchase Order created from a Material Request. ○ **Note:** it's unchecked by default ○ **Note:** it's displayed only when the "**Enable Stock Reservation**" is checked ○ **Note:** it's name in ERPNext = **Auto reserve Stock for Sales Order on Purchase** • **Serial and Batch Reservation** ○ It contains the following fields: ■ **Auto Reserve Serial and Batch NOS** • Checkbox • When checked, it automatically reserves Serial Numbers and Batch

	Numbers based on the configured Pick Serial / Batch Based On setting. ● **Note:** it's checked by default ● **Note:** it's displayed only when the "**Enable Stock Reservation**" is checked ● **Save** ○ Button ○ To save the changes made to the Stock Reservation Settings. ○ When clicked, ■ If all required data is entered correctly and completely: ● The Inventory Settings is successfully saved ● And applied to the system ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The Inventory Settings has been modified successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Quality Tab

Use case ID	**6**
Use case Name	Quality Tab
Descriptions	The user can view and update the Quality Settings.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Inventory Settings** from sidebar • Click on **Quality** tab
Main Flow	-
Components	• **Allow to make Quality Inspection after Purchase / Delivery** ○ Checkbox ○ When checked, it allows Quality Inspection to be created after the Purchase or Delivery document has been submitted instead of requiring it before submission. ○ **Note:** it's unchecked by default • **Action if Quality Inspection is rejected** ○ DDL ○ To Specify the action the system takes when a Quality Inspection is rejected, such as stopping the transaction from proceeding. ○ It contains the following values; ■ Stop ■ Warn ○ Single selection ○ **Note:** It has a default value "**Stop**" • **Action if Quality Inspection is not submitted** ○ DDL ○ To Specify the action the system takes when a Quality Inspection has not been submitted, such as preventing the transaction from proceeding. ○ It contains the following values; ■ Stop ■ Warn ○ Single selection ○ **Note:** It has a default value "**Stop**" • **Save** ○ Button ○ To save the changes made to the Quality Settings. ○ When clicked, ■ If all required data is entered correctly and completely: • The Inventory Settings is successfully saved • And applied to the system ■ If incorrect or incomplete data is entered:

	• A validation error message is displayed for each invalid field.
Post Conditions	• The Inventory Settings has been modified successfully • If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.

Stock Closing Tab

Use case ID	**7**
Use case Name	Stock Closing Tab
Descriptions	The user can view and update the Stock Closing Settings.
Pre conditions	• Click on **Inventory** from sidebar • Click on **Inventory Settings** from sidebar • Click on **Stock Closing** tab
Main Flow	-
Components	• **Control Historical Stock Transactions** ○ It contains the following fields: ■ **Freeze stock older than (days)** • Text input field • To Specify the number of days after which stock transactions become frozen and cannot be modified. A value of 0 disables this restriction. • Optional • Accepts numbers only. • Minimum length: 1 character. • Maximum length: 100 characters. • Once the maximum limit is reached, further input will be prevented. • If the entered text is less than the minimum length, an error message appears . • **Note:** it has default value “**0**” ■ **Freeze stock up to** • Date calendar picker • To Define a cut-off date before which stock transactions cannot be created or modified. • Optional • **Note:** it has a default value “Empty” • **Note:** it’s name in ERPNext = **Stock frozen up to** ■ **Role allowed to create/edit back-dated transactions (hidden)**

	● Searchable DDL ● Link "**Role**" doctype ● To Specify the user role allowed to create or edit back-dated stock transactions. ● **Note:** if left blank, all authorized users can perform back-dated transactions. ● Single selection ● Optional ● **Note:** the field shall be implemented as a searchable DDL (autocomplete), allowing the user to search and select from a predefined list of values. ● **Save** ○ Button ○ To save the changes made to the Stock Closing Settings. ○ When clicked, ■ If all required data is entered correctly and completely: ● The Inventory Settings is successfully saved ● And applied to the system ■ If incorrect or incomplete data is entered: ● A validation error message is displayed for each invalid field.
Post Conditions	● The Inventory Settings has been modified successfully ● If invalid or incomplete data is entered, the corresponding error message will be displayed for each field.