```xml
<?xml version='1.0' encoding='UTF-8'?>
<Root>
<process name="Test Web API (OAuth2 with JWT)" version="1.0" bpversion="6.4.0.7114" narrative="" byr
<view>
<camerax>180</camerax>
<cameray>435</cameray>
<zoom version="2">1.25</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="ae8927f8-2fc5-4941-bb78-18c69a21c5e8" type="Normal" published="False">
<name>Test Invalid Credentials</name>
<view>
<camerax>100</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="c05f8564-3c4c-4ae0-9448-e9ce88347490" type="Normal" published="False">
<name>Test Invalid Scope</name>
<view>
<camerax>0</camerax>
<cameray>21</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="792a4c86-7853-478c-a2fb-9be0e53852d0" type="Normal" published="False">
```

<name>Test Valid Request</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0e99a8a3-6f82-4557-a337-96c07465a125" type="Normal" published="False">

<name>Test Invalid Audience</name>

<view>

<camerax>0</camerax>

<cameray>21</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="fd90bd1a-fb68-4465-86d2-020fec82885b" type="Normal" published="False">

<name>Test Jwt Sub</name>

<view>

<camerax>150</camerax>

<cameray>72</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="65b31fed-de23-465d-a343-e71eaa9cddcb" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>0</camerax>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>0</camerax>

<cameray>147</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="2f577645-fc1e-43f4-8f57-18429cd056b7" name="Start" type="Start">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e69a2f16-5d41-46e5-b978-32d9451d1b84</onsuccess>

</stage>

<stage stageid="eaabb11b-1136-41fe-9e00-41d4146ae5be" name="End" type="End">

```xml
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="dde45898-0167-4240-ad18-1a3c4ffd84b8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-195</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5a4aab45-14ff-4a03-9a33-ea802e5eea85" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>

</outputs>

<onsuccess>c513f15a-e842-4f4a-b7bf-4ab4ab674f7b</onsuccess>

<resource object="Web API" action="Launch"/>

</stage>
```

```xml
<stage stageid="903cddca-be3a-4cf6-8865-7634a8169de8" name="QA Root" type="Data">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="6a767c3d-3669-420b-806b-e584923f1f10" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>200f0918-e809-4bab-beed-d443ab248845</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
```

```xml
<stage stageid="1cb4ae48-76fb-457d-8292-9fd0c2e026e8" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>fb67d7db-38ec-4589-84db-9071efee1429</ontrue>
<onfalse>eaabb11b-1136-41fe-9e00-41d4146ae5be</onfalse>
</stage>
<stage stageid="fb67d7db-38ec-4589-84db-9071efee1429" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="a7e9cd99-4db6-4c02-b43e-97bb0075b221" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>165</displayy>
```

```xml
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1579d818-d19c-4632-b9c2-068078da5f95" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ba8ee850-b8e6-45f5-b399-55ee3a12cc06</onsuccess>
</stage>
<stage stageid="29bf0a89-fc92-43b4-9aec-8e249a252e10" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d35fd07e-9730-4fa5-9ff5-ee9de585c431</onsuccess>
```

```xml
      </stage>
      <stage stageid="ba8ee850-b8e6-45f5-b399-55ee3a12cc06" name="Exception Calc" type="MultipleCalcula
        <narrative>
        </narrative>
        <displayx>210</displayx>
        <displayy>150</displayy>
        <displaywidth>90</displaywidth>
        <displayheight>30</displayheight>
        <font family="Segoe UI" size="10" style="Regular" color="000000"/>
        <onsuccess>29bf0a89-fc92-43b4-9aec-8e249a252e10</onsuccess>
        <steps>
          <calculation expression="True" stage="Failed?"/>
          <calculation expression="ExceptionDetail()" stage="Exception"/>
        </steps>
      </stage>
      <stage stageid="68e46063-bc71-4638-b4e1-46bbf4defd1c" name="Cleanup" type="Block">
        <narrative>
        </narrative>
        <displayx>45</displayx>
        <displayy>75</displayy>
        <displaywidth>225</displaywidth>
        <displayheight>240</displayheight>
        <font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
      </stage>
      <stage stageid="d35fd07e-9730-4fa5-9ff5-ee9de585c431" name="Anchor1" type="Anchor">
        <narrative>
        </narrative>
```

```xml
<displayx>210</displayx>

<displayy>345</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6a767c3d-3669-420b-806b-e584923f1f10</onsuccess>

</stage>

<stage stageid="82b36aaf-541d-4cff-910e-60d9abe10818" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>195</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="62d5df1c-f515-4487-a2c5-5214b261f8d2" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>225</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="02c617dd-768b-4cd3-bc4a-c04066f62415" name="Test Invalid Credentials" type="SubSh

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1019ae05-ab20-428d-b4a4-0dc86b69ef67" name="Start" type="Start">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>18aeb190-aaed-4f43-a314-52f6cde15427</onsuccess>

</stage>
```

```xml
<stage stageid="47328621-4ca3-4b2e-b3ef-fa3b1fb1a725" name="End" type="End">
<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="18aeb190-aaed-4f43-a314-52f6cde15427" name="Make request with invalid issuer" type=
<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Invalid issuer crede
<input type="text" name="subParam" expr="   "/>
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
```

```xml
</outputs>

<onsuccess>5becd726-584f-4fea-a794-292f395c5b61</onsuccess>

<resource object="Web API Service (OAuth2 with Jwt)" action="Fruits"/>

</stage>

<stage stageid="374e7c89-4360-4827-8458-a26357bcbbcc" name="Resume1" type="Resume">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c8d6b50e-899a-4efc-91bd-e4e71f1f3860</onsuccess>

</stage>

<stage stageid="b9562ddb-b221-4e11-a587-da21fda21b71" name="Recover1" type="Recover">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>374e7c89-4360-4827-8458-a26357bcbbcc</onsuccess>

</stage>

<stage stageid="28f8e0ea-10e3-4259-a049-d6eae5be5d68" name="Block2" type="Block">
```

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="5becd726-584f-4fea-a794-292f395c5b61" name="FAIL" type="Exception">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;This was an invalid request and should have failed.&quot;"/>

</stage>

<stage stageid="47f3108d-e094-42c5-8cf3-a641b1639690" name="Test Invalid Credentials" type="SubSh

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5f6989a2-3b1d-4e35-8c6e-7d2c55b4a6e7</onsuccess>

<processid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</processid>

</stage>

<stage stageid="45c88754-28e5-4602-87a2-25fd7b645253" name="Test Valid Request" type="SubSheetI

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c887c93e-602d-46b6-b423-4e98ecef9a9b" name="Start" type="Start">

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>70fc18aa-455e-4a20-bcab-ee54f79886ce</onsuccess>

</stage>

<stage stageid="3d97d134-ee9a-44af-ad88-7baec1e439cd" name="End" type="End">

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="70fc18aa-455e-4a20-bcab-ee54f79886ce" name="Make request - authentication required

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>

<narrative>This action requires authentication, so it if does not validate correctly an exception will be show

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Valid credential na

<input type="text" name="subParam" expr=""/>

</inputs>

<onsuccess>c6e836ab-4dc9-4152-95de-3f353e3d86f8</onsuccess>

<resource object="Web API Service (OAuth2 with Jwt)" action="Fruits"/>

```xml
</stage>

<stage stageid="c6e836ab-4dc9-4152-95de-3f353e3d86f8" name="Has authenticated?" type="Decision">

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>

<ontrue>3d97d134-ee9a-44af-ad88-7baec1e439cd</ontrue>

<onfalse>235b621b-5e52-45d1-ab8b-8ae44c54d486</onfalse>

</stage>

<stage stageid="235b621b-5e52-45d1-ab8b-8ae44c54d486" name="FAIL" type="Exception">

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;Long expiry token did not correctly authenticate&amp;quot;"/>

</stage>

<stage stageid="ba6be5a6-b6eb-40a7-9f8c-f2faeb9e0838" name="Valid credential name" type="Data">

<narrative>
```

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">OAuthJwt</initialvalue>

</stage>

<stage stageid="275add4f-50d4-405b-9a43-a7bd4c676d04" name="Invalid key credential name" type="Da

<displayx>-45</displayx>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">InvalidKeyCred</initialvalue>

</stage>

<stage stageid="0cd0af20-32e0-44b2-a759-e143ad836787" name="Test Jwt Sub" type="SubSheetInfo">

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

```
<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4491a7d5-ea7f-4350-8f57-1a642ef7ccdb" name="Start" type="Start">

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2cac2472-6dc5-4f31-bb9c-c6ad439289ca</onsuccess>

</stage>

<stage stageid="2cac2472-6dc5-4f31-bb9c-c6ad439289ca" name="Make invalid request (wrong sub)" type

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Valid credential for
```

```xml
<input type="text" name="subParam" expr="&amp;quot;wrongPerson@blueprism.com&amp;quot;"/>
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content FAIL"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code Fail"/>
<output type="collection" name="Response Headers" stage="Response Headers Fail"/>
</outputs>
<onsuccess>b33170c1-8551-4bb0-b655-478191444e8b</onsuccess>
<resource object="Web API Service (OAuth2 with Jwt)" action="Fruits"/>
</stage>
<stage stageid="49db1a7b-484f-41bb-b923-30251473a300" name="Block2" type="Block">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-105</displayy>
<displaywidth>120</displaywidth>
<displayheight>195</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="b33170c1-8551-4bb0-b655-478191444e8b" name="FAIL" type="Exception">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;This was an invalid request and should have failed.&quot;"/

</stage>

<stage stageid="9f3379e0-81b4-4b7c-888b-97ca95fb5c67" name="HTTP Status Code" type="Data">

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6c69dc7f-bd22-423d-bfb0-53d76d34d1f5" name="Valid credential for Sub name" type="D

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

```xml
<initialvalue xml:space="preserve">SubCred</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="bed28321-76ac-4f49-9c77-f2ae73d98d2c" name="Make valid request (correct sub)" type=

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Valid credential for

<input type="text" name="subParam" expr="&amp;quot;bob@blueprism.com&amp;quot;"/>

</inputs>

<outputs>

<output type="text" name="Response Content" stage="Response Content"/>

<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>

<output type="collection" name="Response Headers" stage="Response Headers"/>

</outputs>

<onsuccess>db4ea701-1411-48e8-b3bc-4817ca928624</onsuccess>

<resource object="Web API Service (OAuth2 with Jwt)" action="Fruits"/>

</stage>

<stage stageid="816e247e-7876-456b-93d5-8a51c03fccaf" name="Test Jwt Sub" type="SubSheet">

<narrative>

</narrative>
```

<displayx>105</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b8bec6ce-c84f-4091-ab1a-e827865c6ddb</onsuccess>

<processid>fd90bd1a-fb68-4465-86d2-020fec82885b</processid>

</stage>

<stage stageid="2f77bc2c-49ac-4d94-bc3e-d36c562900ba" name="End" type="End">

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="db4ea701-1411-48e8-b3bc-4817ca928624" name="Has authenticated?" type="Decision">

<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<decision expression="[HTTP Status Code]&amp;lt;&amp;gt;&amp;quot;401&amp;quot;"/>
<ontrue>2f77bc2c-49ac-4d94-bc3e-d36c562900ba</ontrue>
<onfalse>7162cd80-2c49-4395-a325-1471c000538d</onfalse>
</stage>
<stage stageid="7162cd80-2c49-4395-a325-1471c000538d" name="FAIL" type="Exception">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Long expiry token did not correctly authenticate&amp;quot;"/>
</stage>
<stage stageid="42d526aa-6d15-4eec-b65e-54532c8e18ac" name="Response Content" type="Data">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```xml
<alwaysinit/>
</stage>
<stage stageid="21e47bdb-bc4c-4145-b075-412813004cf1" name="Response Headers" type="Collection"
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="3e31fad6-7ccc-40a7-a63b-431aa954b062" name="HTTP Status Code Fail" type="Data">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```xml
    <alwaysinit/>
  </stage>
  <stage stageid="36b2b61a-2041-40f9-8236-e58cbe330ff0" name="Response Headers Fail" type="Collecti
    <subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
    <narrative>
    </narrative>
    <displayx>-75</displayx>
    <displayy>-75</displayy>
    <displaywidth>60</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <datatype>collection</datatype>
    <private/>
    <alwaysinit/>
  </stage>
  <stage stageid="c3bf8684-14c1-4232-b63f-ab2b8efea5c6" name="Response Content FAIL" type="Data">
    <subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
    <narrative>
    </narrative>
    <displayx>-75</displayx>
    <displayy>15</displayy>
    <displaywidth>60</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <datatype>text</datatype>
    <initialvalue/>
    <private/>
```

```xml
<alwaysinit/>
</stage>
<stage stageid="ffc31b08-f179-4b69-952c-f4afaf1f5bb8" name="Resume1" type="Resume">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bed28321-76ac-4f49-9c77-f2ae73d98d2c</onsuccess>
</stage>
<stage stageid="d4c4e5fb-9559-46f5-9d96-05b37fe79e32" name="Recover1" type="Recover">
<subsheetid>fd90bd1a-fb68-4465-86d2-020fec82885b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ffc31b08-f179-4b69-952c-f4afaf1f5bb8</onsuccess>
</stage>
<stage stageid="b8bec6ce-c84f-4091-ab1a-e827865c6ddb" name="Test Valid Request" type="SubSheet">
<narrative>
</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6a767c3d-3669-420b-806b-e584923f1f10</onsuccess>

<processid>792a4c86-7853-478c-a2fb-9be0e53852d0</processid>

</stage>

<stage stageid="51dc4af5-016d-44f8-a5bc-27d4c1549d78" name="Test Invalid Scope" type="SubSheetInf

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9fbd8a9c-ef96-41d8-a482-c390f4814372" name="Start" type="Start">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<displayy>-120</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2373e51e-2254-491b-b649-7c486005b298" name="End" type="End">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6168d105-3f12-4e93-aced-79140f438615" name="Make request using service with No So

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Valid credential na

</inputs>

<outputs>

```xml
<output type="collection" name="Response Headers" stage="Response Headers"/>

</outputs>

<onsuccess>83f1533d-401c-4b73-94e6-d5add8d0c036</onsuccess>

<resource object="Web API Service (Oauth2 with Jwt) No Scope" action="Fruits"/>

</stage>

<stage stageid="162b0196-1668-49df-b71e-f1c143f2dd57" name="Resume1" type="Resume">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2373e51e-2254-491b-b649-7c486005b298</onsuccess>

</stage>

<stage stageid="276af41d-58ef-4449-a051-1bd8a63090f8" name="Recover1" type="Recover">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>162b0196-1668-49df-b71e-f1c143f2dd57</onsuccess>

</stage>
```

<stage stageid="986f45fa-5386-45c3-a388-909c92145029" name="Block2" type="Block">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="83f1533d-401c-4b73-94e6-d5add8d0c036" name="FAIL" type="Exception">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;This was an invalid request and should have failed.&quot;"/

</stage>

<stage stageid="e4083249-36d2-44e2-b38f-96594cab23d0" name="Response Headers" type="Collection"

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

```xml
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1e75d3b7-11d3-4c5f-9934-71bc334bea88" name="HTTP Status Code" type="Data">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5821c235-3920-425e-bac3-3261ada3103d" name="Response Content" type="Data">

<subsheetid>c05f8564-3c4c-4ae0-9448-e9ce88347490</subsheetid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="5f6989a2-3b1d-4e35-8c6e-7d2c55b4a6e7" name="Test Invalid Scope" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>956d394a-02a4-4c46-827d-2147a0f90996</onsuccess>

<processid>c05f8564-3c4c-4ae0-9448-e9ce88347490</processid>

</stage>

<stage stageid="c513f15a-e842-4f4a-b7bf-4ab4ab674f7b" name="Create Credential With Invalid Key" type

<displayy>-90</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>6da5630e-d9a7-43a3-9ac7-d1511bc850cb</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="72367976-feec-429f-9058-f214d90f835d" name="Create Valid Credential for Sub" type="/
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
```

```xml
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>3e479e7b-59d0-4060-8a7c-60e911e70784</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="3e479e7b-59d0-4060-8a7c-60e911e70784" name="Create Valid Credential" type="Action
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>47f3108d-e094-42c5-8cf3-a641b1639690</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="49b68837-a248-4ff0-9b83-8b4f82a12c3f" name="Test Invalid Audience" type="SubSheet
<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bbbdb84e-cf6e-428e-8a7d-01a2a33d54af" name="Start" type="Start">

<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>

<displayy>-120</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>23025d59-5059-4629-abc5-6db418153d33</onsuccess>

</stage>

<stage stageid="a462071c-a456-4431-bd1f-ae59aad95773" name="End" type="End">

<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="23025d59-5059-4629-abc5-6db418153d33" name="Make request using service with inva
<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Valid credential na
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>41b59512-4294-4f1e-b922-5f1ac145ccce</onsuccess>
<resource object="Web API Service (OAuth2 with Jwt) Wrong Audience" action="Fruits"/>
</stage>
<stage stageid="3235e22b-6a99-4240-975a-525f38322d92" name="Resume1" type="Resume">
<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a462071c-a456-4431-bd1f-ae59aad95773</onsuccess>

</stage>

<stage stageid="4a2eca85-5a28-4204-9b65-7defb88c3ae0" name="Recover1" type="Recover">

<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3235e22b-6a99-4240-975a-525f38322d92</onsuccess>

</stage>

<stage stageid="7080ea5c-e7d4-45e6-8499-6263d0ded4e8" name="Block2" type="Block">

<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>

<displayx>-45</displayx>

<displayy>-90</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

```xml
<stage stageid="41b59512-4294-4f1e-b922-5f1ac145ccce" name="FAIL" type="Exception">
<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;This was an invalid request and should have failed.&amp;quot;"/
</stage>
<stage stageid="ab727e0d-581a-4b87-803a-41f07718ab99" name="Response Headers" type="Collection"
<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e1a68e39-ef0c-4fda-92de-c2a8480f4caf" name="HTTP Status Code" type="Data">
<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>
<narrative>
```

```
</narrative>

<displayx>195</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="271efeb5-8a77-421b-8022-7f4925292f35" name="Response Content" type="Data">

<subsheetid>0e99a8a3-6f82-4557-a337-96c07465a125</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="956d394a-02a4-4c46-827d-2147a0f90996" name="Test Invalid Audience" type="SubShe

<narrative>
```

```xml
</narrative>

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>816e247e-7876-456b-93d5-8a51c03fccaf</onsuccess>

<processid>0e99a8a3-6f82-4557-a337-96c07465a125</processid>

</stage>

<stage stageid="90047d61-a972-48b8-9a8f-78f3d4c89882" name="HTTP Status Code" type="Data">

<subsheetid>792a4c86-7853-478c-a2fb-9be0e53852d0</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6da5630e-d9a7-43a3-9ac7-d1511bc850cb" name="Create Credential With Invalid Issuer"

<narrative>

</narrative>

<displayx>105</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr=""/>

</inputs>

<onsuccess>72367976-feec-429f-9058-f214d90f835d</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="a5abd1a5-7c41-42ba-ade4-63d1263c760b" name="Invalid issuer credential name" type="

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">InvalidIssuerJwt</initialvalue>

```xml
</stage>
<stage stageid="c8d6b50e-899a-4efc-91bd-e4e71f1f3860" name="Make request with invalid issuer" type=
<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="OAuth 2 (With JWT) Authentication Credential Name" expr="[Invalid issuer crede
<input type="text" name="subParam" expr="   "/>
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>8e73e8d8-47b5-4fd3-945f-6214a0c33f16</onsuccess>
<resource object="Web API Service (OAuth2 with Jwt)" action="Fruits"/>
</stage>
<stage stageid="e1f075ef-9a5a-43f7-9f30-d4c8c92f72cb" name="Resume1" type="Resume">
<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>47328621-4ca3-4b2e-b3ef-fa3b1fb1a725</onsuccess>

</stage>

<stage stageid="b688ffac-cff3-424e-9505-7e9bd74687e4" name="Recover1" type="Recover">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e1f075ef-9a5a-43f7-9f30-d4c8c92f72cb</onsuccess>

</stage>

<stage stageid="8e73e8d8-47b5-4fd3-945f-6214a0c33f16" name="FAIL" type="Exception">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;This was an invalid request and should have failed.&quot;/

```
</stage>

<stage stageid="29459e43-3d72-4559-b0ca-32fb9594bb6c" name="Block3" type="Block">

<subsheetid>ae8927f8-2fc5-4941-bb78-18c69a21c5e8</subsheetid>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>75</displayy>

<displaywidth>105</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f01b6aa2-3d31-4902-af2b-eb84411c0e5f" name="Setup" type="SubSheetInfo">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a2c934fe-eea6-47c6-9d70-06218ca5046e" name="Start" type="Start">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>
```

```xml
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a24cece8-3c6b-4277-a34c-4536081e86d8</onsuccess>

</stage>

<stage stageid="421da9fc-3f53-4228-81d8-a615708bc635" name="End" type="End">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e9cbd830-5eba-430b-a1a2-582a9109a678" name="Attach to System" type="Action">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>
```

```xml
<onsuccess>142ce7c4-b5a0-45e0-8e41-6342710ad273</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="a24cece8-3c6b-4277-a34c-4536081e86d8" name="BP Server?" type="Decision">
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="BPServer()"/>
<ontrue>f82bc6f5-dd31-48ab-a073-13e4c79af253</ontrue>
<onfalse>d61339aa-ff25-44a9-8a67-0285314f58e0</onfalse>
</stage>
<stage stageid="d61339aa-ff25-44a9-8a67-0285314f58e0" name="Launch" type="Action">
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
```

```xml
</outputs>

<onsuccess>e9cbd830-5eba-430b-a1a2-582a9109a678</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="f82bc6f5-dd31-48ab-a073-13e4c79af253" name="Anchor12" type="Anchor">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6350b2fe-22b4-4159-bc54-059a5a8c86a4</onsuccess>

</stage>

<stage stageid="6350b2fe-22b4-4159-bc54-059a5a8c86a4" name="Anchor13" type="Anchor">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>345</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>421da9fc-3f53-4228-81d8-a615708bc635</onsuccess>

</stage>

<stage stageid="950dbeba-edb7-4136-b613-dfa426fc61b2" name="pid" type="Data">
```

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="364e8ede-885a-4631-ae52-beac33aefac6" name="Browse to System" type="Action">

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>e763b841-b60c-4f0b-93f1-ab1f51d1d495</onsuccess>

```xml
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="e763b841-b60c-4f0b-93f1-ab1f51d1d495" name="Collapse Tree" type="Action">
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9e45e624-b09b-45da-a351-ca62358f6245</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="9e45e624-b09b-45da-a351-ca62358f6245" name="Browse to Encryption Schemes" type=
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
```

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>04657369-8d13-4497-b3f8-f443d648b66b</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="04657369-8d13-4497-b3f8-f443d648b66b" name="Create Encryption Scheme" type="Act

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s

<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b

<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab

<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Metho

</inputs>

<onsuccess>1f1c0b11-4b5b-487b-b4bc-dd2c4c3d7ba3</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Schem

</stage>

```xml
<stage stageid="0034ea3a-25c3-438f-85bd-c39125834a94" name="Method" type="Data">
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="11760a90-dfda-47b1-a21d-32008a1eeae6" name="Input Variables" type="Block">
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="23d551a1-7775-43ea-80b8-db4c9ff683cf" name="Local Variables" type="Block">
<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1f1c0b11-4b5b-487b-b4bc-dd2c4c3d7ba3" name="Select Encryption Scheme" type="Acti

<subsheetid>65b31fed-de23-465d-a343-e71eaa9cddcb</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[

</inputs>

<onsuccess>421da9fc-3f53-4228-81d8-a615708bc635</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="142ce7c4-b5a0-45e0-8e41-6342710ad273" name="Sign In" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

<input type="flag" name="Expect Password Reset" expr=""/>

</inputs>

<onsuccess>364e8ede-885a-4631-ae52-beac33aefac6</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="10c6fb9f-1c9e-42e6-9442-3ed351beba48" name="Cleanup" type="SubSheetInfo">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<displayx>-120</displayx>

<displayy>-120</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2fcd1b98-1dd0-4208-b5e0-525ed1cde6db" name="Start" type="Start">

```xml
<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>166a0767-dcae-4286-922f-0f4c02badbb4</onsuccess>
</stage>
<stage stageid="01190888-ce4b-4846-acf6-5210fea7a840" name="End" type="End">
<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d9458a60-9d6a-43ab-969a-52ce21d1a3b1" name="Browse to System" type="Action">
<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>2ba540a7-0bc9-440d-b09d-f24fcaff1f68</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="2ba540a7-0bc9-440d-b09d-f24fcaff1f68" name="Collapse Tree" type="Action">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4c1a4c0c-c817-4bdf-8cb8-6251596b96ca</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>

</stage>

<stage stageid="4c1a4c0c-c817-4bdf-8cb8-6251596b96ca" name="Browse to Encryption Schemes" type=

```xml
<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;End

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>c7a5b492-b522-412b-9b04-04f255ce64b9</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="bfdea9ff-1ec8-4a6e-8247-cd69ef8d67c7" name="Delete Encryption Scheme" type="Action

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t
```

```
</inputs>

<onsuccess>437f2312-1496-46c1-a8dd-76847076b3ca</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Scher

</stage>

<stage stageid="c7a5b492-b522-412b-9b04-04f255ce64b9" name="Browse to Credentials" type="Action">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>dbd3ff7f-9a6e-42db-8575-04224cfda157</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="3d082eac-fb58-4665-bdd0-c9a2adf4676b" name="Browse to Encryption Schemes" type=

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<loginhibit/>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;End

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>bfdea9ff-1ec8-4a6e-8247-cd69ef8d67c7</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="dbd3ff7f-9a6e-42db-8575-04224cfda157" name="Delete Credential (1)" type="Action">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>d7ad1e58-ae06-433d-8f3c-aef579f79035</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="437f2312-1496-46c1-a8dd-76847076b3ca" name="Terminate" type="Action">
<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>01190888-ce4b-4846-acf6-5210fea7a840</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="d7ad1e58-ae06-433d-8f3c-aef579f79035" name="Delete Credential (2)" type="Action">
<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
```

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp

</inputs>

<onsuccess>36fb8725-1190-419b-96b6-a5a42e72e70a</onsuccess>

<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>

</stage>

<stage stageid="166a0767-dcae-4286-922f-0f4c02badbb4" name="BP Server?" type="Decision">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="BPServer()"/>

<ontrue>f4d7de43-733a-4883-accd-eb22d699a1ca</ontrue>

<onfalse>d9458a60-9d6a-43ab-969a-52ce21d1a3b1</onfalse>

</stage>

<stage stageid="f4d7de43-733a-4883-accd-eb22d699a1ca" name="Anchor12" type="Anchor">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-105</displayy>

```xml
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c770266a-5ec9-416f-af90-cf067fd2cc25</onsuccess>

</stage>

<stage stageid="c770266a-5ec9-416f-af90-cf067fd2cc25" name="Anchor13" type="Anchor">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>435</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>01190888-ce4b-4846-acf6-5210fea7a840</onsuccess>

</stage>

<stage stageid="51e76533-4e3e-4ecd-9962-cd8734178595" name="Scheme Name" type="Data">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (JWT Scheme)</initialvalue>

<alwaysinit/>
```

```xml
</stage>
<stage stageid="a00aaa99-06a5-4588-97ff-3d50338cb4aa" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="07ad53e2-1aba-40b8-b35f-0d990006f8fb" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c70ee2ec-ae0e-4214-92ce-342b1647c683" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>

<stage stageid="200f0918-e809-4bab-beed-d443ab248845" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1cb4ae48-76fb-457d-8292-9fd0c2e026e8</onsuccess>

<processid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</processid>

</stage>

<stage stageid="e69a2f16-5d41-46e5-b978-32d9451d1b84" name="Setup" type="SubSheet">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-180</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5a4aab45-14ff-4a03-9a33-ea802e5eea85</onsuccess>

<processid>65b31fed-de23-465d-a343-e71eaa9cddcb</processid>

</stage>

<stage stageid="36fb8725-1190-419b-96b6-a5a42e72e70a" name="Delete Credential (3)" type="Action">

<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>

<loginhibit/>

<narrative>
```

```xml
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>7b3f2311-05e6-42c4-a584-15a80506081b</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="7b3f2311-05e6-42c4-a584-15a80506081b" name="Delete Credential (4)" type="Action">
<subsheetid>0c668c6c-3f0d-4b95-b2ba-e79960ee1b1c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>3d082eac-fb58-4665-bdd0-c9a2adf4676b</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
```

```xml
</stage>

</process>

<process name="Test Web API (Request Data Parameter)" version="1.0" bpversion="6.0.0.0" narrative=""

<view>

<camerax>0</camerax>

<cameray>113</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="18272581-38a7-46bf-a9ef-c3e20ec91f6c" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ce0db94e-7d7a-45f3-a7d4-a10e1dee3d05</onsuccess>

</stage>

<stage stageid="41aa8e94-91e9-42c9-abc6-6b10c98e6791" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="819b57a2-37ca-4a17-b3ec-deb5b43f0eef" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7c605fba-874c-4fc1-88a9-b09c0a0eac76" name="End1" type="End">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3dd613f2-6e0c-438c-91a8-59854e1f61a0" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>834f58d9-a717-4e89-b078-9e2b06c84d79</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="ef6c4bde-6811-4b1e-bd34-b985d2bc046d" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>-90</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="74e41b1d-acbb-42f2-b8a0-8e9fa13b942b" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
```

```xml
<alwaysinit/>
</stage>
<stage stageid="834f58d9-a717-4e89-b078-9e2b06c84d79" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>19ea21ea-25f6-421d-b1f3-622f0c611c03</ontrue>
<onfalse>7c605fba-874c-4fc1-88a9-b09c0a0eac76</onfalse>
</stage>
<stage stageid="19ea21ea-25f6-421d-b1f3-622f0c611c03" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="6c954696-811b-4e97-97ef-95711f083c3d" name="Recover" type="Recover">
<narrative>
</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5a5daf0e-40fb-4d02-84f5-cf2d5594fa14</onsuccess>

</stage>

<stage stageid="0ff1fe05-fe05-4172-bb74-fa3f991a7dac" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>93c28a7b-df05-44b6-8692-ac7fe75c8f9a</onsuccess>

</stage>

<stage stageid="5a5daf0e-40fb-4d02-84f5-cf2d5594fa14" name="Exception Calc" type="MultipleCalculatio

<displayy>-30</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0ff1fe05-fe05-4172-bb74-fa3f991a7dac</onsuccess>

```xml
<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="7cacf03b-0ce5-42f2-9b38-b1805cbc420e" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="74e5fe1b-4a70-4e43-a650-8d6ee548e56f" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>
```

```xml
<private/>
<alwaysinit/>
</stage>
<stage stageid="634458a3-35e6-450e-813f-6b78d17da3f9" name="Recovery Block" type="Block">
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>-105</displayy>
<displaywidth>270</displaywidth>
<displayheight>285</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ce0db94e-7d7a-45f3-a7d4-a10e1dee3d05" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>e6f76ac3-683e-48a8-b83a-d794714cc84a</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="e6f76ac3-683e-48a8-b83a-d794714cc84a" name="Request Data Enabled" type="Action">
```

```xml
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage=""/>
<output type="text" name="HTTP Status Code" stage=""/>
<output type="collection" name="Response Headers" stage=""/>
<output type="text" name="Request Data" stage="Request Data"/>
</outputs>
<onsuccess>5dfbf6a7-a42b-487c-ae19-ff7ccdb9990f</onsuccess>
<resource object="Web API Service (Request Content Parameter)" action="Enabled 'Request Content Out
</stage>
<stage stageid="e9703ff4-21f7-4322-8a90-ba82b8ef8042" name="Request Data Correct?" type="Decision
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Request Data]=[Request Data]&amp;#xA;&amp;#xA;OR&amp;#xA;&amp
<ontrue>7cff4c9d-b30d-4d27-b73c-24fbeefb30fa</ontrue>
<onfalse>cf21e7eb-e871-4f59-ae88-56ccd97d9d29</onfalse>
```

```xml
</stage>
<stage stageid="e30cb5ef-3428-4312-ace1-7781e57410ef" name="Request Data Disabled" type="Action":
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage=""/>
<output type="text" name="HTTP Status Code" stage=""/>
<output type="collection" name="Response Headers" stage=""/>
<output type="text" name="Request Data" stage="Request Data"/>
</outputs>
<onsuccess>2489398f-4a14-4e55-bc1e-6f074a1701a4</onsuccess>
<resource object="Web API Service (Request Content Parameter)" action="Enabled 'Request Content Out
</stage>
<stage stageid="b71a6409-4c25-4129-8950-47342f3e820a" name="Expected Request Data" type="Data":
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

<initialvalue xml:space="preserve">POST http://localhost:9000/api/echo

Content-Type: application/json

Test-Header: This is a test header

Host: localhost:9000

Content-Length: 17

Expect: 100-continue

{

"id": "1"

}

</initialvalue>

</stage>

<stage stageid="2489398f-4a14-4e55-bc1e-6f074a1701a4" name="Request Data Correct?" type="Decisio

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Request Data]=&quot;&quot;"/>

<ontrue>89ffe8eb-fe8c-4079-91fb-5024200fd42d</ontrue>

<onfalse>3dd613f2-6e0c-438c-91a8-59854e1f61a0</onfalse>

</stage>

<stage stageid="cf21e7eb-e871-4f59-ae88-56ccd97d9d29" name="FAIL" type="Exception">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The request content was incorrect, you expected: &quot;&a

</stage>

<stage stageid="89ffe8eb-fe8c-4079-91fb-5024200fd42d" name="FAIL" type="Exception">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;You shouldn't have recieved anything from the request content p

</stage>

<stage stageid="93c28a7b-df05-44b6-8692-ac7fe75c8f9a" name="Anchor1" type="Anchor">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7cff4c9d-b30d-4d27-b73c-24fbeefb30fa" name="Clear Request Data" type="Calculation">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e30cb5ef-3428-4312-ace1-7781e57410ef</onsuccess>

<calculation expression="&quot;&quot;" stage="Request Data"/>

</stage>

<stage stageid="7aace3ee-0668-4319-a6ea-209dd9a717a0" name="Request Data" type="Data">

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="eb44bcf5-7ae8-4bd0-813d-9ce49effb9fa" name="Expected Request Data (2)" type="Data"

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">POST http://localhost:9000/api/echo

Content-Type: application/json

Test-Header: This is a test header

Host: localhost:9000

Content-Length: 17

Expect: 100-continue

{

"id": "1"

}

</initialvalue>

</stage>

<stage stageid="5dfbf6a7-a42b-487c-ae19-ff7ccdb9990f" name="Trim Keep Alive" type="Calculation">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e9703ff4-21f7-4322-8a90-ba82b8ef8042</onsuccess>

<calculation expression="Replace([Request Data], &quot;Connection: Keep-Alive&quot;, &c

</stage>

</process>

<process name="Test Web API Config (Action - Headers Parameters)" version="1.0" bpversion="6.4.0.672

<view>

<camerax>0</camerax>

<cameray>63</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="137a42ce-ad73-4820-912e-eef5c6b4607b" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-315</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6ced11a0-460d-4f67-b5a2-ab02a4652512" type="Normal" published="False">

<name>Action Headers</name>

<view>

<camerax>0</camerax>

```xml
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="2fb59432-f164-4cbe-9c43-ee677510947e" type="Normal" published="False">
<name>Action Parameters</name>
<view>
<camerax>0</camerax>
<cameray>525</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="7477054e-d507-4e01-932e-35101b90370d" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="91c36413-a9c7-44e0-b3be-ee0dcae36d5d" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>283</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
```

```xml
<stage stageid="f04713d5-1a53-43a0-90ba-0427a73232c3" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d7d20ed1-5ba9-459e-9da6-098f78789a8c" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8e0fe6cb-172e-4959-9fd1-889515fd5bc6</onsuccess>
</stage>
<stage stageid="8e0fe6cb-172e-4959-9fd1-889515fd5bc6" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="73dbfec0-0929-47e4-a4a5-c82da3d723ba" name="Web API Name" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Action - Headers &amp; Parameters)</initialvalue>

</stage>

<stage stageid="80c626cb-3512-4235-accd-04a0995f4b66" name="Global Variables" type="Block">

<displayx>-210</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="52106425-9a4b-4b75-94b2-ca73d0604a0d" name="pid" type="Data">

```
<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="f52a03d1-c8a1-4f06-8c6a-a50cafc10d05" name="Recover" type="Recover">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9cd1077f-ab8e-4604-82b1-ec8c67b0de92</onsuccess>

</stage>

<stage stageid="1af9353d-2c36-4b26-bbd8-e70a7cfbdc1c" name="Resume" type="Resume">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="9cd1077f-ab8e-4604-82b1-ec8c67b0de92" name="Get Exception" type="MultipleCalculat

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1af9353d-2c36-4b26-bbd8-e70a7cfbdc1c</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="208fb970-02d9-473f-b33b-9bd163b67353" name="Cleanup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e6de01ee-ccc0-4d88-82f2-cd0be1cc1401</onsuccess>

<processid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</processid>

</stage>

```xml
<stage stageid="e6de01ee-ccc0-4d88-82f2-cd0be1cc1401" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>d4e7e02e-9f48-44fa-8734-be316852cf8c</ontrue>
<onfalse>40570057-e896-46f3-9471-b937b3e5da5f</onfalse>
</stage>
<stage stageid="2dfd1c27-4496-4b17-bf18-7dcf2377d3a6" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4ed3682c-d1c6-4699-a420-8ced7ffb5987" name="Exception" type="Data">
<narrative>
```

```xml
      </narrative>

      <displayx>-135</displayx>

      <displayy>180</displayy>

      <displaywidth>150</displaywidth>

      <displayheight>30</displayheight>

      <font family="Segoe UI" size="10" style="Regular" color="000000"/>

      <datatype>text</datatype>

      <initialvalue/>

      <private/>

      <alwaysinit/>

    </stage>

    <stage stageid="826f612b-a889-4245-b211-a35dc514787b" name="Local Variables" type="Block">

      <narrative>

      </narrative>

      <displayx>-210</displayx>

      <displayy>120</displayy>

      <displaywidth>150</displaywidth>

      <displayheight>90</displayheight>

      <font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

    </stage>

    <stage stageid="d4e7e02e-9f48-44fa-8734-be316852cf8c" name="RETHROW" type="Exception">

      <narrative>

      </narrative>

      <displayx>105</displayx>

      <displayy>150</displayy>

      <displaywidth>60</displaywidth>

      <displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="1f44c329-4307-424a-a889-bfa087e79f15" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>208fb970-02d9-473f-b33b-9bd163b67353</onsuccess>

</stage>

<stage stageid="2af3aa5e-9766-4a6b-8059-509f014cb1f4" name="Cleanup" type="Block">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>225</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="40570057-e896-46f3-9471-b937b3e5da5f" name="End2" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f4abfb92-b582-456d-91a4-ce05d6a1da82" name="Action Headers" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>516228f5-3456-4631-8578-4f146afb9a52</onsuccess>

<processid>6ced11a0-460d-4f67-b5a2-ab02a4652512</processid>

</stage>

<stage stageid="516228f5-3456-4631-8578-4f146afb9a52" name="Action Parameters" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>208fb970-02d9-473f-b33b-9bd163b67353</onsuccess>

<processid>2fb59432-f164-4cbe-9c43-ee677510947e</processid>

</stage>

<stage stageid="1faabd0f-46ae-4993-9f9f-44377f95c9d9" name="Action Name" type="Data">

```xml
    <narrative>
    </narrative>
    <displayx>-135</displayx>
    <displayy>75</displayy>
    <displaywidth>150</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <datatype>text</datatype>
    <initialvalue xml:space="preserve">New Action</initialvalue>
    <alwaysinit/>
    </stage>
    <stage stageid="9105ce72-a17b-4902-87b7-cb518393cc73" name="Action Headers" type="SubSheetInfo"
    <subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>
    <narrative>
    </narrative>
    <displayx>-120</displayx>
    <displayy>-210</displayy>
    <displaywidth>150</displaywidth>
    <displayheight>90</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    </stage>
    <stage stageid="8ce32916-6c4c-4d56-b094-3fdf43a3a823" name="Start" type="Start">
    <subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>
    <narrative>
    </narrative>
    <displayx>15</displayx>
    <displayy>-240</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e9c4377e-8883-4934-90cf-b0ea76bd06aa</onsuccess>

</stage>

<stage stageid="9bbe3484-6591-41da-af6f-e8510dc3c76c" name="End" type="End">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9d97f10d-679f-4d7d-bd01-987025f07947" name="Add Header" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Header - Name" narrative="The name that you want to give the header." expr="[

<input type="text" name="Header - Value" narrative="The value you want to give the header." expr="[Head

\</inputs\>

\<onsuccess\>70b0e437-060d-4fe1-8419-02f91269b2ff\</onsuccess\>

\<resource object="Blue Prism - System - Objects" action="Add Header (Web API)"/\>

\</stage\>

\<stage stageid="70b0e437-060d-4fe1-8419-02f91269b2ff" name="Check Header" type="Action"\>

\<subsheetid\>6ced11a0-460d-4f67-b5a2-ab02a4652512\</subsheetid\>

\<narrative\>

\</narrative\>

\<displayx\>15\</displayx\>

\<displayy\>30\</displayy\>

\<displaywidth\>90\</displaywidth\>

\<displayheight\>30\</displayheight\>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/\>

\<inputs\>

\<input type="text" name="Expected Header - Name" narrative="The name of the Header you are expecting

\<input type="text" name="Expected Header - Value" narrative="The value of the Header you are expecting

\<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the hea

\</inputs\>

\<onsuccess\>5d83bc29-c817-4b9c-81f4-51fde79d579c\</onsuccess\>

\<resource object="Blue Prism - System - Objects" action="Check Header (Web API)"/\>

\</stage\>

\<stage stageid="5d83bc29-c817-4b9c-81f4-51fde79d579c" name="Edit Header" type="Action"\>

\<subsheetid\>6ced11a0-460d-4f67-b5a2-ab02a4652512\</subsheetid\>

\<narrative\>

\</narrative\>

\<displayx\>15\</displayx\>

\<displayy\>75\</displayy\>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Header - Name" narrative="The name of the Header you want to edit." expr="[He

<input type="text" name="Header - Value" narrative="The value you want to give the header." expr="[Head

</inputs>

<onsuccess>2c26277a-41b1-4eeb-bdcc-dab20fb1538c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit Header (Web API)"/>

</stage>

<stage stageid="af8194fb-343d-46de-99b6-b222e865e746" name="Local Variables" type="Block">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="31951b2c-39be-464f-95ce-ff3608ea4c1b" name="Press Edit" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>03b3e660-ea09-4cc8-88f5-ad26bd40fb34</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="fd07e24a-18c3-433f-9887-5f145b7eb558" name="Select Web API" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>31951b2c-39be-464f-95ce-ff3608ea4c1b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="a1f1cd9a-7bc7-44bf-b2ad-448170926b9b" name="Header - Name" type="Data">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Action Header</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="52a84700-17f9-45ce-8642-3aee206f8563" name="Header - Value" type="Data">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Action Header Value</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c09103a8-98f9-4bc9-8884-68bebaae54be" name="Header - Value (2)" type="Data">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-60</displayy>
```

```xml
<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My Second Action Header Value</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d13d80ce-1925-4536-a506-f5b8204a1044" name="Check Header" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Header - Name" narrative="The name of the Header you are expecting

<input type="text" name="Expected Header - Value" narrative="The value of the Header you are expecting

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the hea

</inputs>

<onsuccess>967c8552-90fc-470d-86bf-74e6a8fadaae</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Header (Web API)"/>

</stage>

<stage stageid="2c26277a-41b1-4eeb-bdcc-dab20fb1538c" name="Press OK" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fd07e24a-18c3-433f-9887-5f145b7eb558</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="3ec06a64-700f-4550-922b-5fc9ab544190" name="Navigate to Action Headers" type="Act

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &quot;Headers&quot;

</inputs>

<onsuccess>9d97f10d-679f-4d7d-bd01-987025f07947</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AF

</stage>

<stage stageid="03b3e660-ea09-4cc8-88f5-ad26bd40fb34" name="Navigate to Action Headers" type="Act

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &quot;Headers&quot;

</inputs>

<onsuccess>d13d80ce-1925-4536-a506-f5b8204a1044</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AF

</stage>

<stage stageid="967c8552-90fc-470d-86bf-74e6a8fadaae" name="Delete Header" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Header - Name" narrative="The name of the header you want to remove." expr=

</inputs>

<resource object="Blue Prism - System - Objects" action="Delete Header (Web API)"/>

</stage>

<stage stageid="722b742e-4c62-44bb-94df-ace74e0ce247" name="Press OK" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d1ced309-3a03-426b-9157-a3d9841e8740</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="1a58a634-9f44-43b9-ab49-c0596be2ccf3" name="Navigate to Action Headers" type="Act

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &quot;Headers&quot;

```xml
</inputs>

<onsuccess>a3d361b9-20cd-421d-840c-8a76936b73bd</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AF

</stage>

<stage stageid="7633bd86-21f5-49da-9ec4-e6be3d1230a0" name="Press Edit" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1a58a634-9f44-43b9-ab49-c0596be2ccf3</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="d1ced309-3a03-426b-9157-a3d9841e8740" name="Select Web API" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF
```

</inputs>

<onsuccess>7633bd86-21f5-49da-9ec4-e6be3d1230a0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="a3d361b9-20cd-421d-840c-8a76936b73bd" name="Check Header" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Header - Name" narrative="The name of the Header you are expecting

<input type="text" name="Expected Header - Value" narrative="The value of the Header you are expecting

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the hea

</inputs>

<onsuccess>9bbe3484-6591-41da-af6f-e8510dc3c76c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Header (Web API)"/>

</stage>

<stage stageid="c93500c8-e6fd-47bc-ba6a-0decd6e922ae" name="Action Parameters" type="SubSheetIn

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

```xml
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d78741f2-6dc2-4678-afde-1a6d00dde306" name="Start" type="Start">
<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9c794169-279b-4d91-a636-23b9ed5f3f33</onsuccess>
</stage>
<stage stageid="a7945c2f-6838-453f-8656-a653cf262afb" name="End" type="End">
<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>615</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cf4043f4-a319-4e45-8eb1-7929f2f0f8bb" name="Local Variables" type="Block">
<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>
```

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>180</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="bcf7c439-edbb-4a59-92b1-ca19ee9f8b05" name="Press Edit" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b85e9287-fb0d-4fe5-b03e-ef74c57f2ee1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="74ea2b23-5d07-4f25-83cc-8aeda8de75d1" name="Select Web API" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>bcf7c439-edbb-4a59-92b1-ca19ee9f8b05</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="5b1063da-9b00-4356-a6ca-bfb95d7a2932" name="Parameter - Name" type="Data">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Action Parameter</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="99985255-8350-4563-85d4-811faafbe67c" name="Parameter - Value (2)" type="Data">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>
```

```xml
<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My Second Common Action Value</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="200cec99-8ee8-4416-94ae-ba471999f65b" name="Press OK" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>74ea2b23-5d07-4f25-83cc-8aeda8de75d1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="9c794169-279b-4d91-a636-23b9ed5f3f33" name="Navigate to Action Parameter" type="A

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &amp;quot;Headers&amp;quot;

</inputs>

<onsuccess>8bbf018c-c7bf-4646-be6d-2f76d35ba7c5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AP

</stage>

<stage stageid="1276e0ec-9dc0-4775-9009-cfdc2f35aab7" name="Parameter - Description" type="Data">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">This is my first action description.</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="44acc796-e33f-43ba-b71a-76c19ceddc21" name="Parameter - Description (2)" type="Dat

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>
```

</narrative>

<displayx>-120</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">This is my second action description.</initialvalue>

</stage>

<stage stageid="1627c359-beff-47fc-914c-775362783b79" name="Press OK" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5e151021-2085-4fbc-8756-181e5ffec6b8</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="a6622ca1-192d-431d-8175-53fa9bec024d" name="Press Edit" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0f89f4bb-1f88-47aa-8a98-a2e48987d42f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="5e151021-2085-4fbc-8756-181e5ffec6b8" name="Select Web API" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>a6622ca1-192d-431d-8175-53fa9bec024d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="4c9e16e9-30d3-4d61-9917-eac190d2b8ea" name="Check Parameter" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

```xml
<displayx>15</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=
<input type="text" name="Expected Parameter - Description" narrative="The description you want to give th
<input type="text" name="Expected Parameter - Value" narrative="The value you want to give the paramet
<input type="flag" name="Expected Expose" narrative="Default is true. True or False do you want to expos
<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the par
</inputs>
<onsuccess>a7945c2f-6838-453f-8656-a653cf262afb</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Parameter (Web API)"/>
</stage>
<stage stageid="b85e9287-fb0d-4fe5-b03e-ef74c57f2ee1" name="Navigate to Action Parameter" type="Ac
<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."
<input type="text" name="Headers or Parameters" narrative="Enter either &amp;quot;Headers&amp;quot;
```

</inputs>

<onsuccess>0da67e20-e9a8-463e-a6a6-6c0206b1343f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AP

</stage>

<stage stageid="0f89f4bb-1f88-47aa-8a98-a2e48987d42f" name="Navigate to Action Parameter" type="Ac

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &quot;Headers&quot;

</inputs>

<onsuccess>4c9e16e9-30d3-4d61-9917-eac190d2b8ea</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AP

</stage>

<stage stageid="00967854-a6e7-4fe7-8bbd-dd93e2a0d9a7" name="Initial Values" type="Collection">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<displayx>-120</displayx>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Date" type="date" description="Use this when setting the &amp;quot;Date&amp;quot; data ty

<field name="DateTime" type="datetime" description="Use this when setting the &amp;quot;DateTime&am

<field name="Time" type="time" description="Use this when setting the &amp;quot;Time&amp;quot; data ty

<field name="Flag" type="flag" description="Use this when setting the &amp;quot;Flag&amp;quot; data typ

<field name="Number" type="number" description="Use this when setting the &amp;quot;Number&amp;qu

<field name="Password" type="password" description="Use this when setting the &amp;quot;Password&am

<field name="Text" type="text" description="Use this when setting the &amp;quot;Text&amp;quot; data typ

<field name="Days" type="text" description="Use this when setting the &amp;quot;TimeSpan&amp;quot; da

<field name="Hours" type="text" description="Use this when setting the &amp;quot;TimeSpan&amp;quot; d

<field name="Mins" type="text" description="Use this when setting the &amp;quot;TimeSpan&amp;quot; da

<field name="Seconds" type="text" description="Use this when setting the &amp;quot;TimeSpan&amp;quo

</collectioninfo>

<initialvalue>

<row>

<field name="Date" type="date" value="2018/07/05"/>

<field name="DateTime" type="datetime" value="2018-07-05 06:52:07Z"/>

<field name="Time" type="time" value="08:50:12"/>

<field name="Flag" type="flag" value="True"/>

<field name="Number" type="number" value="42"/>

<field name="Password" type="password" encvalue="aCpGKl8qTyp6KlgqQypZKkcqBCppKkUqWCpPKgQ

<field name="Text" type="text" value="Some Text"/>
```

```xml
<field name="Days" type="text" value="1"/>

<field name="Hours" type="text" value="2"/>

<field name="Mins" type="text" value="3"/>

<field name="Seconds" type="text" value="4"/>

</row>

</initialvalue>

</stage>

<stage stageid="8bbf018c-c7bf-4646-be6d-2f76d35ba7c5" name="Add Parameter" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=

<input type="text" name="Parameter - Description" narrative="The description you want to give the parame

<input type="collection" name="Parameter - Value" narrative="The value you want to use for the paramete

<input type="flag" name="Expose?" narrative="Default is true. True or False do you want to expose the pa

<input type="text" name="Parameter - Data Tyoe" narrative="The data type you want to set for the parame

</inputs>

<onsuccess>5d8ffe15-d13b-4a90-8b79-8fd2cead700d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add Parameter (Web API)"/>

</stage>

<stage stageid="5d8ffe15-d13b-4a90-8b79-8fd2cead700d" name="Check Parameter" type="Action">
```

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=

<input type="text" name="Expected Parameter - Description" narrative="The description you want to give t

<input type="flag" name="Expected Expose" narrative="Default is true. True or False do you want to expos

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the par

<input type="text" name="Expected Parameter - Data Tyoe" narrative="The data type you are expecting to

<input type="collection" name="Expected Initial Value" narrative="The value you expect for the parameter.

</inputs>

<onsuccess>0185885a-517a-44e2-a1cc-d0d8b33ebdc0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Parameter (Web API)"/>

</stage>

<stage stageid="0185885a-517a-44e2-a1cc-d0d8b33ebdc0" name="Edit Parameter" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter - Name" narrative="The name of the parameter you want to edit." exp
<input type="flag" name="Set Parameter - Description?" narrative="False as default. True or false do you w
<input type="text" name="Parameter - Description" narrative="The description you want to give the parame
<input type="flag" name="Set Parameter - Value?" narrative="False as default. True or false do you want t
<input type="flag" name="Set Expose?" narrative="False as default. True or false do you want to change th
<input type="flag" name="Expose?" narrative="Default is true. True or False do you want to expose the pa
<input type="flag" name="Set Parameter - Data Type" narrative="False as default. True or False, do you w
<input type="text" name="Parameter - Data Type" narrative="The name of the data type you want to set," e
<input type="collection" name="Initial Value" expr="[Initial Values]"/>
</inputs>
<onsuccess>200cec99-8ee8-4416-94ae-ba471999f65b</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit Parameter (Web API)"/>
</stage>
<stage stageid="0da67e20-e9a8-463e-a6a6-6c0206b1343f" name="Check Parameter" type="Action">
<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=
<input type="text" name="Expected Parameter - Description" narrative="The description you want to give th
```

```
<input type="flag" name="Expected Expose" narrative="Default is true. True or False do you want to expos

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the par

<input type="text" name="Expected Parameter - Data Tyoe" narrative="The data type you are expecting to

<input type="collection" name="Expected Initial Value" narrative="The value you expect for the parameter.

</inputs>

<onsuccess>3725a572-82d1-4da3-b78c-fa9cfb00294c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Parameter (Web API)"/>

</stage>

<stage stageid="3725a572-82d1-4da3-b78c-fa9cfb00294c" name="Delete Parameter" type="Action">

<subsheetid>2fb59432-f164-4cbe-9c43-ee677510947e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name of the parameter you want to remove"

</inputs>

<onsuccess>1627c359-beff-47fc-914c-775362783b79</onsuccess>

<resource object="Blue Prism - System - Objects" action="Delete Parameter (Web API)"/>

</stage>

<stage stageid="c4448828-3833-4802-a69b-32be2b718a79" name="Add to CleanUp Collection" type="Su

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1fc9e007-9d64-4ae8-aaef-1fd34e77f368" name="Start" type="Start">

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>5e013dcf-fdc6-46e3-8be2-c55b0112c709</onsuccess>

</stage>

<stage stageid="399961bb-0f67-44bf-bed3-28e305f4befa" name="End" type="End">

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="213ae012-fc9e-4454-8606-133597fce31d" name="Item Name" type="Data">

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="7ca8f546-e03b-42bb-b8af-04ed7e305fc9" name="Input Variables" type="Block">

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

```xml
<stage stageid="5e013dcf-fdc6-46e3-8be2-c55b0112c709" name="Add Row" type="Action">
<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp;
</inputs>
<onsuccess>348b687e-3215-4f45-8cb7-1f8b798e692f</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="321efada-41f5-45c8-9bec-1e2708e61a34" name="CleanUp Collection" type="Collection">
<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<collectioninfo>
<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>
```

</collectioninfo>

</stage>

<stage stageid="2df13f8e-8078-47cf-a5af-f2c693326818" name="Local Variables" type="Block">

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="348b687e-3215-4f45-8cb7-1f8b798e692f" name="Add To Row" type="Calculation">

<subsheetid>7477054e-d507-4e01-932e-35101b90370d</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>399961bb-0f67-44bf-bed3-28e305f4befa</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="34d500f9-b81d-40f6-83d7-afbcab761efa" name="Cleanup" type="SubSheetInfo">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eb486f85-8acc-439d-b121-2c505bc74bab" name="Start" type="Start">

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1e74822d-ff92-40ee-8f80-b9e6e93cc2f9</onsuccess>

</stage>

<stage stageid="bcdd67c1-a0b1-4c54-a968-95da9032cc12" name="To Clean" type="LoopStart">

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f4297b01-6f7b-4243-8d4a-f74f5295ce70</onsuccess>

<groupid>d72c2ef9-df1c-4d83-8312-770828712578</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="08ea8eff-ef5b-464a-9131-17026b0b7957" name="To Clean" type="LoopEnd">

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Coll
</inputs>
<outputs>
<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers
</outputs>
<onsuccess>bcdd67c1-a0b1-4c54-a968-95da9032cc12</onsuccess>
<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>
</stage>
<stage stageid="df8470b9-84a4-4b3c-be59-80340e2da3a1" name="Reversed CleanUp" type="Collection"
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b77e6574-6c98-4e04-b2b7-882a59298fc5" name="Local Variables" type="Block">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f4297b01-6f7b-4243-8d4a-f74f5295ce70" name="Which Clean Up" type="ChoiceStart">

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>07b19127-1db5-4a21-92b0-2d76d87aa91e</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>6e0f9b15-a563-4e2c-8f9b-62567731ba2d</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<distance>75</distance>

<ontrue>7d4ba1ee-a8fc-4642-a545-d925a658d3ff</ontrue>

</choice>

</choices>

```xml
</stage>
<stage stageid="ea09802c-baba-4cde-a840-194a92bcc5bb" name="Otherwise" type="ChoiceEnd">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a7f0247a-d979-4fd7-b1b1-3b6c86498552</onsuccess>
<groupid>07b19127-1db5-4a21-92b0-2d76d87aa91e</groupid>
</stage>
<stage stageid="6e0f9b15-a563-4e2c-8f9b-62567731ba2d" name="Terminate" type="Action">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>eed1e77a-14bc-44f1-ae70-4d4c030e5399</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="eed1e77a-14bc-44f1-ae70-4d4c030e5399" name="Anchor2" type="Anchor">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
```

```xml
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>49c417a3-06a9-4580-a93f-6993f19dda17</onsuccess>
</stage>
<stage stageid="37b9fd39-de24-4664-8ef7-c4ac2c51fe0b" name="Anchor4" type="Anchor">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>08ea8eff-ef5b-464a-9131-17026b0b7957</onsuccess>
</stage>
<stage stageid="a7f0247a-d979-4fd7-b1b1-3b6c86498552" name="FAIL" type="Exception">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>150</displayy>
<displaywidth>30</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&amp;quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="49c417a3-06a9-4580-a93f-6993f19dda17" name="Anchor3" type="Anchor">

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>37b9fd39-de24-4664-8ef7-c4ac2c51fe0b</onsuccess>

</stage>

<stage stageid="7d4ba1ee-a8fc-4642-a545-d925a658d3ff" name="Close All Child Windows" type="Action"

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>67a6897b-b1ed-484b-94cf-642097bea934</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>
```

```xml
<stage stageid="67a6897b-b1ed-484b-94cf-642097bea934" name="Open System Tab" type="Action">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>eef16d0b-4bd9-4261-8165-a604ecfa4573</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="eef16d0b-4bd9-4261-8165-a604ecfa4573" name="GoTo Web API" type="Action">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>360</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We
```

```xml
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>59f10a6b-d3ca-4073-83a2-1e53480d8aa6</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="f376be28-2db1-4a22-9e15-bf4f6b46a5fe" name="Press Delete Web API" type="Action">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>49c417a3-06a9-4580-a93f-6993f19dda17</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>
</stage>
<stage stageid="59f10a6b-d3ca-4073-83a2-1e53480d8aa6" name="Select Web API" type="Action">
<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>f376be28-2db1-4a22-9e15-bf4f6b46a5fe</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="890468f7-19af-48e7-8191-8547ae02079e" name="End1" type="End">

<subsheetid>91c36413-a9c7-44e0-b3be-ee0dcae36d5d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d9af606d-a7d5-4d65-8e56-078961745173" name="Setup" type="SubSheetInfo">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<displayy>-495</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

```xml
<stage stageid="4369a218-30d4-4e38-93e9-456de220c986" name="Start" type="Start">
<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-525</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>aaea4709-a15d-4dfa-acee-86e898067a38</onsuccess>
</stage>
<stage stageid="f5cab543-b31a-4bf7-8403-665299225655" name="End" type="End">
<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="aaea4709-a15d-4dfa-acee-86e898067a38" name="Launch" type="Action">
<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-480</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>71fbba59-3c4e-430f-bf4d-224fa75313eb</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="ff15c115-326c-40d1-88f8-4d389de9ce1c" name="Sign In" type="Action">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<displayy>-345</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>b2d8b550-e4b9-4e60-b7d7-aa7888dc05f8</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="0c3f8b47-5e20-41db-924e-daacbace2e06" name="Select Web API" type="Action">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obj

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>79dd4ad4-6056-4f72-a672-fe10f5c9d871</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="b2d8b550-e4b9-4e60-b7d7-aa7888dc05f8" name="GoTo Tab (System)" type="Action">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>0c3f8b47-5e20-41db-924e-daacbace2e06</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="e72aeaf0-4e2f-4deb-ad9c-d69d8613a80d" name="Input Variables" type="Block">
<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-435</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="86ea3e48-e3d2-4368-b9f2-19834a9481fd" name="Attach to System" type="Action">
<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
```

</inputs>

<onsuccess>ff15c115-326c-40d1-88f8-4d389de9ce1c</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="a16d8ab5-6ae3-4fb2-97d7-1f54423f60fb" name="Add Web API" type="Action">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>e9aa7bf4-adc7-415a-9a71-ec07c49bdfdc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="79dd4ad4-6056-4f72-a672-fe10f5c9d871" name="Press Add" type="Action">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a16d8ab5-6ae3-4fb2-97d7-1f54423f60fb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="5072e4e0-c245-4e92-b89b-13fd1c30cbfa" name="Base URL" type="Data">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-405</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="71fbba59-3c4e-430f-bf4d-224fa75313eb" name="Add to CleanUp Collection (Blue Prism)

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>86ea3e48-e3d2-4368-b9f2-19834a9481fd</onsuccess>

<processid>7477054e-d507-4e01-932e-35101b90370d</processid>

</stage>

<stage stageid="a4e78258-6b5c-4489-b909-ba5d2ba17cd5" name="Add to CleanUp Collection (Web API)

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>f5cab543-b31a-4bf7-8403-665299225655</onsuccess>

<processid>7477054e-d507-4e01-932e-35101b90370d</processid>

</stage>

<stage stageid="e9aa7bf4-adc7-415a-9a71-ec07c49bdfdc" name="Press OK" type="Action">

<subsheetid>137a42ce-ad73-4820-912e-eef5c6b4607b</subsheetid>

<narrative>

</narrative>
```

<displayx>150</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a4e78258-6b5c-4489-b909-ba5d2ba17cd5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="5bd8f7fb-e891-4505-9c00-be8bf9d5f29b" name="Press Edit" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d808bf93-e116-49dd-ab1e-f522b6c60855</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="e9c4377e-8883-4934-90cf-b0ea76bd06aa" name="Select Web API" type="Action">

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-195</displayy>

<displaywidth>90</displaywidth>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>5bd8f7fb-e891-4505-9c00-be8bf9d5f29b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="d808bf93-e116-49dd-ab1e-f522b6c60855" name="Navigate to Action Headers" type="Act

<subsheetid>6ced11a0-460d-4f67-b5a2-ab02a4652512</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &amp;quot;Headers&amp;quot;

</inputs>

<onsuccess>3ec06a64-700f-4550-922b-5fc9ab544190</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Header / Parameter (Web AP

</stage>

</process>

<process name="Test Web API Config (Action - Request)" version="1.0" bpversion="6.4.0.7244" narrative=

<view>
```

```xml
<camerax>0</camerax>
<cameray>83</cameray>
<zoom version="2">1.25</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="debd2a2a-e10f-41a0-b3f4-d661027fc223" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>140</camerax>
<cameray>-252</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="b25d78c0-0593-4355-a2f4-06da35cb01b5" type="Normal" published="False">
<name>Action Request</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="5e36f6f8-df30-4e9c-a402-a2c072d6c1b3" type="Normal" published="False">
<name>Action Request Body</name>
<view>
<camerax>303</camerax>
<cameray>-19</cameray>
```

```xml
<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="f57edfd6-bf27-42dd-81da-8d136647aaf4" type="Normal" published="False">

<name>Add to CleanUp Collection</name>

<view>

<camerax>0</camerax>

<cameray>84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="13534d67-f255-42da-b549-80bb7ec7441c" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>283</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="f4fc258c-9b89-479d-8ffd-d701927388b6" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="20c5b6cd-6c68-4706-8111-2a70c8e02692" name="Stage1" type="ProcessInfo">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="54f0096e-06db-43a0-8108-9285c479cf1e" name="Setup" type="SubSheet">

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>519091d0-9f66-4b0f-8d76-2fc69ad91445</onsuccess>

<processid>debd2a2a-e10f-41a0-b3f4-d661027fc223</processid>

</stage>

<stage stageid="06d5a029-8cf3-4e0f-a183-d999059ad8a3" name="Web API Name" type="Data">

```
<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Action - Request)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="5e5a7a0b-91ab-470c-923f-71c07c4621f1" name="Global Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>120</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="02d18b89-b99b-4c08-80c5-1cecbe75e4f9" name="pid" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<alwaysinit/>
```

```xml
</stage>
<stage stageid="3d774be1-e493-4201-a302-98c3be247040" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6666e571-5595-42e0-ba87-698fa4086d33</onsuccess>
</stage>
<stage stageid="769be71f-5349-4006-830b-153e050c5753" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0f890612-e92f-44ed-8936-b484119c8e43</onsuccess>
</stage>
<stage stageid="6666e571-5595-42e0-ba87-698fa4086d33" name="Get Exception" type="MultipleCalculat
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>769be71f-5349-4006-830b-153e050c5753</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="7f6196aa-c770-42fa-aea0-ca0964743e8b" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cec0bca7-be06-4992-ab36-d8c9a5552cfd</onsuccess>
<processid>13534d67-f255-42da-b549-80bb7ec7441c</processid>
</stage>
<stage stageid="cec0bca7-be06-4992-ab36-d8c9a5552cfd" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Failed?]"/>

<ontrue>b25f8382-e99c-4f94-a831-0c39880ea0fc</ontrue>

<onfalse>ed2cf6fa-ad6d-47bc-ab0d-98c70f8ad3a3</onfalse>

</stage>

<stage stageid="931f9888-7583-441b-aa23-e5052138dd46" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="27629e20-8daa-4ace-96e0-dd92078f20ca" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>
```

```xml
<private/>

<alwaysinit/>

</stage>

<stage stageid="5f81c385-96b1-430d-a567-60f9d59b2282" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>120</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="b25f8382-e99c-4f94-a831-0c39880ea0fc" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="0f890612-e92f-44ed-8936-b484119c8e43" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>
```

```xml
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7f6196aa-c770-42fa-aea0-ca0964743e8b</onsuccess>
</stage>
<stage stageid="461c5d88-0baa-41ef-817e-865f8bfe31d6" name="Cleanup" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>225</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ed2cf6fa-ad6d-47bc-ab0d-98c70f8ad3a3" name="End2" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="519091d0-9f66-4b0f-8d76-2fc69ad91445" name="Action Request" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
```

```xml
<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>77cc2078-d176-45f4-bc46-0fd7fabe1e0c</onsuccess>

<processid>b25d78c0-0593-4355-a2f4-06da35cb01b5</processid>

</stage>

<stage stageid="f517414f-bbbf-4119-a446-9c8477406ee8" name="Action Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">New Action</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="a5c8d683-fc15-46a4-8fc5-a33aa7ea5bd4" name="Setup" type="SubSheetInfo">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="43f0bd6b-9da3-4ea5-8453-9ae110808d21" name="Start" type="Start">
<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-525</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e0aa130b-9e1d-4ed3-9999-a808838b8029</onsuccess>
</stage>
<stage stageid="99c02fdb-7e92-4783-a343-425d0b9aaa2c" name="End" type="End">
<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e0aa130b-9e1d-4ed3-9999-a808838b8029" name="Launch" type="Action">
<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>
<narrative>
</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9063fc4d-6847-4022-b435-3363c1e07835</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="be225378-6d15-4158-b0bf-ac56c6c6d928" name="Sign In" type="Action">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<displayy>-345</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>059695a0-2dac-4ede-b900-4eb17e4bff41</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="ef16349b-fd37-4468-85fe-43faa0b222a2" name="Select Web API" type="Action">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>007ec716-7a19-41ee-bb5b-9de501207eb8</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="059695a0-2dac-4ede-b900-4eb17e4bff41" name="GoTo Tab (System)" type="Action">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>ef16349b-fd37-4468-85fe-43faa0b222a2</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="60a63963-c783-4ddf-a23d-c64ce2b33809" name="Input Variables" type="Block">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-435</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8bdfdf41-cee4-4aec-9234-026af4707ff1" name="Attach to System" type="Action">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>be225378-6d15-4158-b0bf-ac56c6c6d928</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="31f1c4ce-a98f-46b3-a132-de69248fcd3a" name="Add Web API" type="Action">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>f193f4d2-01cf-417f-90c7-3084ea7b7cda</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="007ec716-7a19-41ee-bb5b-9de501207eb8" name="Press Add" type="Action">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<narrative>

</narrative>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>31f1c4ce-a98f-46b3-a132-de69248fcd3a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="4a3859a9-9db2-41b6-ad74-b3d0109ad84e" name="Base URL" type="Data">

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="9063fc4d-6847-4022-b435-3363c1e07835" name="Add to CleanUp Collection (Blue Prisn

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>8bdfdf41-cee4-4aec-9234-026af4707ff1</onsuccess>

<processid>f57edfd6-bf27-42dd-81da-8d136647aaf4</processid>

</stage>

<stage stageid="99ede381-6d64-4a6d-bdc0-26f41fee9447" name="Add to CleanUp Collection (Web API)"

<subsheetid>debd2a2a-e10f-41a0-b3f4-d661027fc223</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>99c02fdb-7e92-4783-a343-425d0b9aaa2c</onsuccess>

<processid>f57edfd6-bf27-42dd-81da-8d136647aaf4</processid>

</stage>

<stage stageid="f193f4d2-01cf-417f-90c7-3084ea7b7cda" name="Press OK" type="Action">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>99ede381-6d64-4a6d-bdc0-26f41fee9447</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="d523fd8a-8313-42b1-8ebc-8fbd788d4171" name="Action Request" type="SubSheetInfo">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-165</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="08cb7970-5e66-4d08-80c5-79a78b3ea910" name="Start" type="Start">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d4cefeb3-3322-4617-8357-451adba1e3b9</onsuccess>

</stage>

<stage stageid="be7ce2a2-802c-412d-ad5a-7437da665e2a" name="End" type="End">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="67cbd863-0ef7-4ae2-9f49-58522d3e0e01" name="Action Method (2)" type="Data">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">POST</initialvalue>

<alwaysinit/>

</stage>
```

```xml
<stage stageid="0e8590e6-4a97-400e-8ac2-8bf01bae4750" name="Action URL Path (2)" type="Data">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">/barr</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="cacf33df-e077-4f18-bb9b-1b0cb34d1952" name="Local Variables" type="Block">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="5196c12e-bc97-4232-9b1a-f4206ee59098" name="Select Action Request" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>071485b6-bc2c-44ae-8572-64124a6bd2a7</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="bc340eb1-a836-43b1-ae11-27c2fd81b407" name="Action Method" type="Data">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">PUT</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4cd26fff-ab8d-4cad-9d9a-cadd50945f97" name="Action URL Path" type="Data">
```

```
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">/matt</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="071485b6-bc2c-44ae-8572-64124a6bd2a7" name="Set Action Request" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Method" narrative="The request method you want to use." expr="[Action Method

<input type="text" name="URL Path" narrative="The URL path you want to give the action." expr="[Action U

</inputs>

<onsuccess>13f9800d-21d1-4085-927f-2b446dce12a2</onsuccess>
```

```xml
<resource object="Blue Prism - System - Objects" action="Set Action Request (Web API)"/>
</stage>
<stage stageid="13f9800d-21d1-4085-927f-2b446dce12a2" name="Press OK" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ccb419c6-711b-43de-bcb7-e983dfc6771f</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="01d00bd7-7b92-4f28-82c3-114ec5b5e781" name="Press Edit" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c040d42d-8cd1-4c49-a6a5-2b2be66b3768</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="ccb419c6-711b-43de-bcb7-e983dfc6771f" name="Select Web API" type="Action">
```

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>01d00bd7-7b92-4f28-82c3-114ec5b5e781</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="c040d42d-8cd1-4c49-a6a5-2b2be66b3768" name="Select Action Request" type="Action";

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>55de9cf6-210e-49ed-ac9e-2509f088697b</onsuccess>

```xml
<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>
</stage>
<stage stageid="55de9cf6-210e-49ed-ac9e-2509f088697b" name="Check Action Request" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Method" narrative="The expected request method you want to use for
<input type="text" name="Expected URL Path" narrative="The expected URL path for the action." expr="[A
</inputs>
<onsuccess>73d080b5-c73c-419d-8b09-0d930c0f019d</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Action Request (Web API)"/>
</stage>
<stage stageid="73d080b5-c73c-419d-8b09-0d930c0f019d" name="Edit Action Request" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<inputs>
<input type="flag" name="Set Method?" narrative="False as default. True or False do you want to set the m
<input type="text" name="Method" narrative="The new value you want to set for method." expr="[Action Me
<input type="flag" name="Set URL Path?" narrative="False as default. True or False do you want to set the
<input type="text" name="URL Path" narrative="The new value you want to set for URL path." expr="[Actio
</inputs>
<onsuccess>42bb7188-a9d3-4b57-b928-f80926aabfc1</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit Action Request (Web API)"/>
</stage>
<stage stageid="42bb7188-a9d3-4b57-b928-f80926aabfc1" name="Press OK" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f704e1ad-e71f-454c-b130-a2dbc4342327</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="7981a8f6-5432-42cb-959a-32f2fafa3823" name="Press Edit" type="Action">
<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>37fddf74-e9da-4103-8074-0faaf295b555</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="f704e1ad-e71f-454c-b130-a2dbc4342327" name="Select Web API" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>7981a8f6-5432-42cb-959a-32f2fafa3823</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="37fddf74-e9da-4103-8074-0faaf295b555" name="Select Action Request" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>fa593cd2-3b55-4fd0-8b14-9012b3af3dac</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="fa593cd2-3b55-4fd0-8b14-9012b3af3dac" name="Check Action Request" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Method" narrative="The expected request method you want to use for

<input type="text" name="Expected URL Path" narrative="The expected URL path for the action." expr="[A

</inputs>

<onsuccess>2781e2a3-02ff-480b-8541-34bfe37bcc3c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Action Request (Web API)"/>

</stage>

<stage stageid="ac06b4a7-7c95-47fd-9a8c-3895b1345755" name="Check Action Exists" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>570</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Name" narrative="The expected name of the action." expr="[Action Na

<input type="text" name="Expected Description" narrative="The expected description of the action." expr="

<input type="text" name="Expected Method" narrative="The expected request method you want to use for

<input type="text" name="Expected URL Path" narrative="The expected URL path for the action." expr="[A

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the act

</inputs>

<onsuccess>be7ce2a2-802c-412d-ad5a-7437da665e2a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Action Exists (Web API) "/>

</stage>

<stage stageid="2781e2a3-02ff-480b-8541-34bfe37bcc3c" name="Select Actions" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ac06b4a7-7c95-47fd-9a8c-3895b1345755</onsuccess>

```
<resource object="Blue Prism - System - Objects" action="Select Actions (Web API)"/>

</stage>

<stage stageid="8b5a8731-badb-4218-8e3a-913b84a748e5" name="Add to CleanUp Collection" type="Su

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="025fe9e2-9125-4128-abea-38a600541399" name="Start" type="Start">

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>f8816849-6c3d-4c32-9d11-94e2a4d5c5d3</onsuccess>

</stage>

<stage stageid="1499e6a4-8299-43ec-b4c8-9db784f09010" name="End" type="End">
```

```xml
<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a1c0d2c3-6085-45fa-98bf-87d3ca08099b" name="Item Name" type="Data">

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1f9a774d-e6b2-423e-aa5a-19e81f929223" name="Input Variables" type="Block">

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f8816849-6c3d-4c32-9d11-94e2a4d5c5d3" name="Add Row" type="Action">

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp

</inputs>

<onsuccess>ce2e83cb-072e-4df6-82be-17e7536ec508</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="0c0d6488-9c1b-44e2-a815-b7d2ce0ca431" name="CleanUp Collection" type="Collection"

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="6d303b65-4bba-4990-9813-eb2ca1b2c229" name="Local Variables" type="Block">

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="ce2e83cb-072e-4df6-82be-17e7536ec508" name="Add To Row" type="Calculation">

<subsheetid>f57edfd6-bf27-42dd-81da-8d136647aaf4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1499e6a4-8299-43ec-b4c8-9db784f09010</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="508cec40-f501-4964-9c2c-66b1409aaf11" name="Cleanup" type="SubSheetInfo">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="03a1d8ce-7e2b-4c0e-9d5b-94431da7998e" name="Start" type="Start">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bf0b22da-cce4-4de6-9d73-298c5fa9e313</onsuccess>

</stage>

<stage stageid="3a300625-6806-4b24-b7df-8fd81cf30cf5" name="To Clean" type="LoopStart">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2b765062-f475-4f42-8338-62559384b817</onsuccess>

<groupid>7ea5ad53-2557-4d4f-82ad-a91363c24a07</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="f5c5c2a1-c4dd-4aa9-9491-c3fc3a81fc5a" name="To Clean" type="LoopEnd">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b109e554-e23c-4b04-b066-d1eafe7afc69</onsuccess>

<groupid>7ea5ad53-2557-4d4f-82ad-a91363c24a07</groupid>

</stage>

<stage stageid="bf0b22da-cce4-4de6-9d73-298c5fa9e313" name="Reverse Collection" type="Action">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers

</outputs>

<onsuccess>3a300625-6806-4b24-b7df-8fd81cf30cf5</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="33c91d9c-1895-4346-afd5-1614536d2f1b" name="Reversed CleanUp" type="Collection">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
</stage>

<stage stageid="63f1e63c-0ca8-4015-a59e-64a52c8da9fa" name="Local Variables" type="Block">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="2b765062-f475-4f42-8338-62559384b817" name="Which Clean Up" type="ChoiceStart">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>df1418f6-b1e9-4c9b-b769-0e2e5436fc9e</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>ea57f65d-236f-4644-9350-db031d837d49</ontrue>

</choice>
```

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<distance>75</distance>

<ontrue>0d8e1035-2280-4a2e-89dd-80cb248d65f0</ontrue>

</choice>

</choices>

</stage>

<stage stageid="827c1bff-7e36-4c46-a4b9-a4c76aaad8f3" name="Otherwise" type="ChoiceEnd">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6736c64c-7c0a-4f8b-87e1-10400c9184b4</onsuccess>

<groupid>df1418f6-b1e9-4c9b-b769-0e2e5436fc9e</groupid>

</stage>

<stage stageid="ea57f65d-236f-4644-9350-db031d837d49" name="Terminate" type="Action">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2d92e4f9-7407-4c51-8d1e-4f001093621c</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="2d92e4f9-7407-4c51-8d1e-4f001093621c" name="Anchor2" type="Anchor">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>eaabbd3e-fbdc-424a-a70c-6f86f24e282f</onsuccess>

</stage>

<stage stageid="eaa1e409-e79a-4410-9413-88e04be98629" name="Anchor4" type="Anchor">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f5c5c2a1-c4dd-4aa9-9491-c3fc3a81fc5a</onsuccess>

</stage>

<stage stageid="6736c64c-7c0a-4f8b-87e1-10400c9184b4" name="FAIL" type="Exception">
```

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="eaabbd3e-fbdc-424a-a70c-6f86f24e282f" name="Anchor3" type="Anchor">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>eaa1e409-e79a-4410-9413-88e04be98629</onsuccess>

</stage>

<stage stageid="0d8e1035-2280-4a2e-89dd-80cb248d65f0" name="Close All Child Windows" type="Actio

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>26cb6081-5feb-4907-b3b5-1319df136af8</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="26cb6081-5feb-4907-b3b5-1319df136af8" name="Open System Tab" type="Action">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>10d0cc9c-9010-4f2c-a7f0-1fdd6c4546df</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="10d0cc9c-9010-4f2c-a7f0-1fdd6c4546df" name="GoTo Web API" type="Action">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>8b972852-40c2-43b4-a872-1306913e3b11</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="9d74b5ee-4304-43e7-a220-75188e7c4a41" name="Press Delete Web API" type="Action'

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eaabbd3e-fbdc-424a-a70c-6f86f24e282f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="8b972852-40c2-43b4-a872-1306913e3b11" name="Select Web API" type="Action">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>9d74b5ee-4304-43e7-a220-75188e7c4a41</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="b109e554-e23c-4b04-b066-d1eafe7afc69" name="End1" type="End">

<subsheetid>13534d67-f255-42da-b549-80bb7ec7441c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="cf7c7fb7-268b-45dc-9e7d-b269da9fc721" name="Press Edit" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5196c12e-bc97-4232-9b1a-f4206ee59098</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="d4cefeb3-3322-4617-8357-451adba1e3b9" name="Select Web API" type="Action">

<subsheetid>b25d78c0-0593-4355-a2f4-06da35cb01b5</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>cf7c7fb7-268b-45dc-9e7d-b269da9fc721</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="476449c7-8271-426b-83ec-d0bd5e7c3d95" name="Action Request Body" type="SubShee

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

```
<displayx>-135</displayx>

<displayy>-210</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="428013cc-0923-44c0-83da-1e85a3ef1ba8" name="Start" type="Start">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e7fb964f-5be9-4c42-8c9e-9428ed27b7e9</onsuccess>

</stage>

<stage stageid="41118032-2e17-4249-a633-83f8ca4778b5" name="Template" type="Data">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-120</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

<initialvalue xml:space="preserve">{"Body":"This is the body for my action."}</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="eb6925e9-4d0b-4b8b-b974-aa32908b73ca" name="Select Action Request" type="Action"

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>eb0b8d5c-53bd-46ae-aff0-de7449495420</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="075301ca-c125-45ad-a6bb-92a92f1bdc1d" name="Local Variables" type="Block">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>180</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="eb0b8d5c-53bd-46ae-aff0-de7449495420" name="Select Body Content (Template)" type=

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>9b9b1ec0-01db-473b-bd5c-893ade599a14</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="a1ce80a2-699d-40de-9184-2e72ef613e61" name="Set Body Template" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<input type="text" name="Body" narrative="The body of the request." expr="[Template]"/>

</inputs>

<onsuccess>0bd82535-cc82-4862-bffe-2e9ba7e3d3e9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Body Template (Web API)"/>

</stage>

<stage stageid="0bd82535-cc82-4862-bffe-2e9ba7e3d3e9" name="Press OK" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bd37a2e2-347b-45f3-8d30-1e77588c46ca</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="09fdeabe-710e-4009-bc30-520c457c9317" name="Press Edit" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>11852948-089d-4c24-b838-b93637814886</onsuccess>
```

```xml
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="bd37a2e2-347b-45f3-8d30-1e77588c46ca" name="Select Web API" type="Action">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP
</inputs>
<onsuccess>09fdeabe-710e-4009-bc30-520c457c9317</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="11852948-089d-4c24-b838-b93637814886" name="Select Action Request" type="Action"
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>2c8d6d86-809f-4e0c-a95d-1c4298a0586f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="2c8d6d86-809f-4e0c-a95d-1c4298a0586f" name="Check Body Template" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Body" narrative="The expected body of the request." expr="[Template]

</inputs>

<onsuccess>822c6941-e2bc-413a-9575-03ec96ecd209</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Template (Web API)"/>

</stage>

<stage stageid="8c79259d-22ce-40b7-b822-d28537456018" name="Select Body Content (Single File)" typ

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>5fb29d5f-2bb4-4664-bdc7-9d5dca710be2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="43ddc26f-d388-458d-a583-e385832431f4" name="Set Single File Parameter" type="Actio

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="File Parameter Name" narrative="The name you want to set for the single file pa

</inputs>

<onsuccess>4f7c17f0-f72c-4535-8996-599d203e18dc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Body Single File Parameter (Web API)"/>

</stage>

<stage stageid="4f7c17f0-f72c-4535-8996-599d203e18dc" name="Press OK" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>61bf8cd1-44c8-46af-b931-3770d1d781b7</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="c2bb5602-7e2a-4f66-b0fa-063357d7ddee" name="Press Edit" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f3d1e4ee-97ef-42be-9e05-10fb2eaf1d8d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="61bf8cd1-44c8-46af-b931-3770d1d781b7" name="Select Web API" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>c2bb5602-7e2a-4f66-b0fa-063357d7ddee</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="f3d1e4ee-97ef-42be-9e05-10fb2eaf1d8d" name="Select Action Request" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>270</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>ea74da62-538d-40cf-923f-5015cd24e6bb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="ea74da62-538d-40cf-923f-5015cd24e6bb" name="Check Single File Parameter" type="Ac

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected File Parameter Name" narrative="The parameter name you expect." e

</inputs>

<onsuccess>1126303c-9778-4f4e-9f4c-b5ac25c51ee1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Single File Parameter (Web API)"/>

</stage>

<stage stageid="5fb29d5f-2bb4-4664-bdc7-9d5dca710be2" name="Check Single File Default" type="Action

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected File Parameter Name" narrative="The parameter name you expect." e

</inputs>

<onsuccess>43ddc26f-d388-458d-a583-e385832431f4</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Single File Parameter (Web API)"/>

</stage>

<stage stageid="9b9b1ec0-01db-473b-bd5c-893ade599a14" name="Check Body Template Default" type=

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Body" narrative="The expected body of the request." expr="&quo

</inputs>

<onsuccess>a1ce80a2-699d-40de-9184-2e72ef613e61</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Template (Web API)"/>

</stage>

<stage stageid="16edc2fe-8642-4a5e-856f-ff4551946449" name="Template" type="Block">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<displayx>-45</displayx>

<displayy>-30</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="40d9c438-b55e-4f2a-9eb8-055b8d131d91" name="Single File" type="Block">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

```xml
</narrative>

<displayx>105</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>375</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="69e6fa0e-1d3d-4c12-8d7f-61bd1623597b" name="Multiple File" type="Block">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>375</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="52d69385-e840-486e-9502-96d23a788c0a" name="Custom Code" type="Block">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>420</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>
```

```xml
<stage stageid="957bc1a8-d485-40cb-8375-e880a3c5f863" name="Anchor1" type="Anchor">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>420</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1e1ca516-745f-44b8-838b-357f71fce7ff</onsuccess>
</stage>
<stage stageid="1e1ca516-745f-44b8-838b-357f71fce7ff" name="Anchor2" type="Anchor">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f05a1570-9b0e-41a8-92e5-d2f9bba9274c</onsuccess>
</stage>
<stage stageid="ba55c88e-dfbb-47c8-bb73-edc62845ac72" name="Anchor3" type="Anchor">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>344b5dd7-171d-4027-be43-2c1a53e35ca0</onsuccess>

</stage>

<stage stageid="344b5dd7-171d-4027-be43-2c1a53e35ca0" name="Anchor4" type="Anchor">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1b9ce70c-1034-45b2-be8d-bd2eb9e209ad</onsuccess>

</stage>

<stage stageid="2c504a14-8444-422a-8256-dabb735b10e7" name="Anchor5" type="Anchor">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
</stage>
<stage stageid="ede6e914-2acb-43b0-b2bf-718f05b733cf" name="Anchor6" type="Anchor">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>-105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>26f98dda-6dd1-457f-8d95-88ab4af038db</onsuccess>
</stage>
<stage stageid="b17f46cd-d387-45df-a25e-8863fea49248" name="End" type="End">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>510</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c3925b85-81eb-455b-a1e0-6931d2c7b83b" name="Single File Parameter" type="Data">
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
```

```xml
<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My Single File Parameter</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0a25b28f-f979-4a8e-a4e3-6e4eae343ba2" name="Multiple File Parameter" type="Data">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My Multiple File Parameter</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="946325c3-7cb1-4f62-b3c8-fc227d37ab80" name="Custom Code" type="Data">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>
```

```
<displayx>-135</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Some really great code!</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d35f4ded-b067-4ebc-b420-8473e60c8ede" name="Select Body Content (Multple File)" ty

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>2e63a3c2-26a6-4cd7-ab79-2260dee78bbc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="42c51e76-ab2c-40dd-8c38-0a6b17b90689" name="Set Multiple Files Parameter" type="A

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
```

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="File Parameter Name" narrative="The name you want to set for the multiple file p

</inputs>

<onsuccess>29a9c8d8-ecde-42df-837f-a458f3010c94</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Body Multiple Files Parameter (Web API)"/>

</stage>

<stage stageid="29a9c8d8-ecde-42df-837f-a458f3010c94" name="Press OK" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>14f44a11-7161-4d1f-9624-437695d95c6c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="36154f3a-d8fe-454b-90b7-fce1e3b218bf" name="Press Edit" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>31b77abe-57f6-4364-b549-04ad59fa5f5e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="14f44a11-7161-4d1f-9624-437695d95c6c" name="Select Web API" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>36154f3a-d8fe-454b-90b7-fce1e3b218bf</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="31b77abe-57f6-4364-b549-04ad59fa5f5e" name="Select Action Request" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>e13efa33-f321-4a63-8dfc-5e7af37e4b6a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="e13efa33-f321-4a63-8dfc-5e7af37e4b6a" name="Check Multiple File Parameter" type="A

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected File Parameter Name" narrative="The parameter name you expect." e

</inputs>

<onsuccess>01bb5b97-02a7-4f1e-abcb-e895219e33e9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Multiple Files Parameter (Web API

```xml
</stage>
<stage stageid="2e63a3c2-26a6-4cd7-ab79-2260dee78bbc" name="Check Multiple Files Default" type="A
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>315</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected File Parameter Name" narrative="The parameter name you expect." e
</inputs>
<onsuccess>42c51e76-ab2c-40dd-8c38-0a6b17b90689</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Body Multiple Files Parameter (Web API
</stage>
<stage stageid="8f1f71b1-5fd2-4588-b17d-d98774ab73e3" name="Select Body Content (Custom Code)" t
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp
```

```xml
</inputs>

<onsuccess>6372a1a5-e4d1-4cd1-9d92-2bfdca2f6a54</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="92118449-34b8-431d-96f4-532a391f7d48" name="Set Custom Code" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Code" narrative="The code of the request." expr="[Custom Code]"/>

</inputs>

<onsuccess>e437e1cd-cfda-4902-b016-fbf3e14203b0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Body Custom Code (Web API)"/>

</stage>

<stage stageid="e437e1cd-cfda-4902-b016-fbf3e14203b0" name="Press OK" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>180</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b15bba87-b313-44eb-bd09-d3df8e2a8b6d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="300e873c-b130-4c8b-81cd-d67c1258b144" name="Press Edit" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>270</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>233007ad-efc1-48d1-810f-08fb70503458</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="b15bba87-b313-44eb-bd09-d3df8e2a8b6d" name="Select Web API" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>300e873c-b130-4c8b-81cd-d67c1258b144</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="233007ad-efc1-48d1-810f-08fb70503458" name="Select Action Request" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>bfdf643d-de04-451e-a902-465af3f3495b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="6372a1a5-e4d1-4cd1-9d92-2bfdca2f6a54" name="Check Custom Code Default" type="Ac

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Code" narrative="The expected code of the request." expr="&amp;quo

</inputs>

<onsuccess>b2b03acb-ef40-4f69-993a-38b3e142ddeb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Custom Code (Web API)"/>

</stage>

<stage stageid="b2b03acb-ef40-4f69-993a-38b3e142ddeb" name="Check Custom Code Parameters Defa

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Expected Parameters" narrative="The parameters that were expected." exp

</inputs>

<onsuccess>92118449-34b8-431d-96f4-532a391f7d48</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Custom Code Parameters (Web AF

</stage>

<stage stageid="455c71c0-f4c2-4dc8-bbcd-38749247cf1b" name="Expected Parameters (Default)" type="

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>
```

```
<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Item Name" type="text"/>

</collectioninfo>

<initialvalue>

<row>

<field name="Item Name" type="text" value="Request_Content (text), Out"/>

</row>

</initialvalue>

</stage>

<stage stageid="bfdf643d-de04-451e-a902-465af3f3495b" name="Check Custom Code " type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Code" narrative="The expected code of the request." expr="[Custom C
```

    </inputs>

    <onsuccess>32c9ba55-d56e-4c61-985f-542b57f34236</onsuccess>

    <resource object="Blue Prism - System - Objects" action="Check Body Custom Code (Web API)"/>

    </stage>

    <stage stageid="77cc2078-d176-45f4-bc46-0fd7fabe1e0c" name="Action Request Body" type="SubSheet"

    <narrative>

    </narrative>

    <displayx>15</displayx>

    <displayy>45</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <onsuccess>7f6196aa-c770-42fa-aea0-ca0964743e8b</onsuccess>

    <processid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</processid>

    </stage>

    <stage stageid="e7fb964f-5be9-4c42-8c9e-9428ed27b7e9" name="Add Action" type="Action">

    <subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

    <narrative>

    </narrative>

    <displayx>15</displayx>

    <displayy>-195</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Name" narrative="The name you want to call the new action." expr="&quot;

    <input type="flag" name="Enabled?" narrative="True as default. True or False, you do you want to enable t

<input type="text" name="Description" narrative="The description you want to give the action." expr=""/>

<input type="flag" name="Enable Request Content Output Parmeter?" narrative="False as default. True of

<input type="flag" name="Disable Sending of Request?" narrative="False as default. True or False, do you

</inputs>

<onsuccess>cd2d8c0a-0caf-40d7-8caa-4d729ad3d9b5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add Action (Web API)"/>

</stage>

<stage stageid="822c6941-e2bc-413a-9575-03ec96ecd209" name="Select Action Request" type="Action":

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>4daaed0b-1a5a-4c5f-a23d-57422e327fe0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="ebbb1bea-862d-4b84-b447-bb6ac794e28f" name="Select Body Content (Template)" type

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

```xml
<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>eb6925e9-4d0b-4b8b-b974-aa32908b73ca</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="f05a1570-9b0e-41a8-92e5-d2f9bba9274c" name="Select Body Content (Single File)" type

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>e01cd16e-b6e0-4655-927a-cabe156d34dc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="e01cd16e-b6e0-4655-927a-cabe156d34dc" name="Select Action Request" type="Action":

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>8c79259d-22ce-40b7-b822-d28537456018</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="829e34fa-b0d4-4a15-a38e-353c14e9664e" name="Select Action Request" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>d35f4ded-b067-4ebc-b420-8473e60c8ede</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

    </stage>

    <stage stageid="01a81576-15d6-457d-98ce-6057f90f2b11" name="Select Action Request" type="Action">

    <subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

    <narrative>

    </narrative>

    <displayx>465</displayx>

    <displayy>-60</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

    </inputs>

    <onsuccess>8f1f71b1-5fd2-4588-b17d-d98774ab73e3</onsuccess>

    <resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

    </stage>

    <stage stageid="1b9ce70c-1034-45b2-be8d-bd2eb9e209ad" name="Select Body Content (Multple File)" ty

    <subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

    <narrative>

    </narrative>

    <displayx>315</displayx>

    <displayy>-105</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>829e34fa-b0d4-4a15-a38e-353c14e9664e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="26f98dda-6dd1-457f-8d95-88ab4af038db" name="Select Body Content (Custom Code)" t

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Body Content" narrative="The type of content you want to use for the body," exp

</inputs>

<onsuccess>01a81576-15d6-457d-98ce-6057f90f2b11</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Body Content (Web API)"/>

</stage>

<stage stageid="cd2d8c0a-0caf-40d7-8caa-4d729ad3d9b5" name="Select Action Request" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>ebbb1bea-862d-4b84-b447-bb6ac794e28f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="4daaed0b-1a5a-4c5f-a23d-57422e327fe0" name="Check Body Template Default" type="A

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Body" narrative="The expected body of the request." expr="&quo

</inputs>

<onsuccess>957bc1a8-d485-40cb-8375-e880a3c5f863</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Template (Web API)"/>

</stage>

<stage stageid="1126303c-9778-4f4e-9f4c-b5ac25c51ee1" name="Select Action Request" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>93fe4c39-58fb-41b2-be01-11a13ccedf2f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="01bb5b97-02a7-4f1e-abcb-e895219e33e9" name="Select Action Request" type="Action">

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>7d4387d5-7671-45d8-8680-a0582307296f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="32c9ba55-d56e-4c61-985f-542b57f34236" name="Select Action Request" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>7969b665-4d83-4860-9bb9-d141729f7526</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="93fe4c39-58fb-41b2-be01-11a13ccedf2f" name="Check Single File Default" type="Action"

<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected File Parameter Name" narrative="The parameter name you expect." ex

</inputs>

<onsuccess>ba55c88e-dfbb-47c8-bb73-edc62845ac72</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Single File Parameter (Web API)"/>

```xml
</stage>
<stage stageid="7d4387d5-7671-45d8-8680-a0582307296f" name="Check Multiple Files Default" type="Ac
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>315</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected File Parameter Name" narrative="The parameter name you expect." e
</inputs>
<onsuccess>2c504a14-8444-422a-8256-dabb735b10e7</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Body Multiple Files Parameter (Web API)
</stage>
<stage stageid="7969b665-4d83-4860-9bb9-d141729f7526" name="Check Custom Code Default" type="A
<subsheetid>5e36f6f8-df30-4e9c-a402-a2c072d6c1b3</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>465</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Code" narrative="The expected code of the request." expr="&amp;quo
```

</inputs>

<onsuccess>b17f46cd-d387-45df-a25e-8863fea49248</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Custom Code (Web API)"/>

</stage>

</process>

<process name="Test Web API Config (Action - Response)" version="1.0" bpversion="6.4.0.6722" narrativ

<view>

<camerax>0</camerax>

<cameray>97</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="b4255097-79de-4514-b888-12ee030a6705" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-252</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c" type="Normal" published="False">

<name>Action Response</name>

<view>

<camerax>0</camerax>

<cameray>1719</cameray>

<zoom version="2">1.25</zoom>

```xml
</view>

</subsheet>

<subsheet subsheetid="ec9d6dd0-7393-400b-971d-193164600a69" type="Normal" published="False">

<name>Add to CleanUp Collection</name>

<view>

<camerax>0</camerax>

<cameray>84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a0597360-6927-4c6d-8934-020696332b28" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>283</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="af980a5f-d148-4918-a390-d4a01253cc1b" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>
```

```xml
<stage stageid="119e549c-f717-4c7a-84f4-9376d9e407ae" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>19e25801-911b-4075-aca6-0729dd2e3bd4</onsuccess>
</stage>
<stage stageid="19e25801-911b-4075-aca6-0729dd2e3bd4" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>536b2c21-c2a2-4493-96c7-06a19e16c426</onsuccess>
<processid>b4255097-79de-4514-b888-12ee030a6705</processid>
</stage>
<stage stageid="bab40c70-0055-4d72-a21a-bf1d8be2ff7b" name="Web API Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
```

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API (Action - Response)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="841dcb58-0301-465b-90d0-52ce34019a44" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3ea287f3-5c30-4bad-b62e-f7b839567d4a" name="pid" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```xml
<stage stageid="bec78965-b822-4c64-a116-513e52e05a2f" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f401162f-e000-47c9-b378-9765559e2bea</onsuccess>
<processid>a0597360-6927-4c6d-8934-020696332b28</processid>
</stage>
<stage stageid="f401162f-e000-47c9-b378-9765559e2bea" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>5433acc5-4dd0-49ef-b4f2-f094da11bd78</ontrue>
<onfalse>1407065a-376e-4e6d-a94e-3b7fc966fb3c</onfalse>
</stage>
<stage stageid="7cea0131-1d0f-4f4d-897d-eb65c477f068" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
```

```
<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="746b032e-d0b5-45f8-b494-0c6edab2b8df" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="155bbb5b-aca9-454f-af8f-51680f240326" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>120</displayy>
```

```xml
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="5433acc5-4dd0-49ef-b4f2-f094da11bd78" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="b91b3154-afda-4e14-8c20-58ecc8fdd36d" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bec78965-b822-4c64-a116-513e52e05a2f</onsuccess>

</stage>

<stage stageid="a6db9331-9e02-4fb6-be97-2d27acde59e7" name="Cleanup" type="Block">

<narrative>

</narrative>
```

```xml
<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>225</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1407065a-376e-4e6d-a94e-3b7fc966fb3c" name="End2" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="536b2c21-c2a2-4493-96c7-06a19e16c426" name="Action Response" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bec78965-b822-4c64-a116-513e52e05a2f</onsuccess>

<processid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</processid>

</stage>

<stage stageid="788ccf49-00b1-4571-9b91-311b8aa24d6d" name="Action Name" type="Data">
```

```xml
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">New Action</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="35150d26-bb7b-4b95-b1fe-3e1f8d185f8c" name="Setup" type="SubSheetInfo">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-495</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="687b1789-571a-41a2-9364-a50f0ff850be" name="Start" type="Start">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-525</displayy>
```

```xml
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>117d7d28-2af3-456a-af81-f71e747c6428</onsuccess>
</stage>
<stage stageid="827c93f5-338e-4866-8a94-c6f3607aa8da" name="End" type="End">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="117d7d28-2af3-456a-af81-f71e747c6428" name="Launch" type="Action">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
```

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="3a05f662-bf76-47df-879f-299496fe1645" name="Sign In" type="Action">

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>e55832a8-90e4-459d-8337-7d20ead19e76</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="d7debde5-c13c-4e46-adba-c3f1240629af" name="Select Web API" type="Action">

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>95e8167d-f740-431f-9f1e-56d7987336b0</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="e55832a8-90e4-459d-8337-7d20ead19e76" name="GoTo Tab (System)" type="Action">

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>d7debde5-c13c-4e46-adba-c3f1240629af</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>
```

```xml
<stage stageid="3b0248d5-523c-4445-828e-79aedc235997" name="Input Variables" type="Block">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-435</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d1cf74ad-4e86-461e-9acc-e52e189b7e80" name="Attach to System" type="Action">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>3a05f662-bf76-47df-879f-299496fe1645</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="adc009d3-da1b-4208-9cc7-e4d116cc43c9" name="Add Web API" type="Action">
<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>
```

    <narrative>

    </narrative>

    <displayx>150</displayx>

    <displayy>-165</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

    <input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

    <input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

    </inputs>

    <onsuccess>d03b6081-43ad-4c86-8cb3-9f27a4b94b69</onsuccess>

    <resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

    </stage>

    <stage stageid="95e8167d-f740-431f-9f1e-56d7987336b0" name="Press Add" type="Action">

    <subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

    <narrative>

    </narrative>

    <displayx>150</displayx>

    <displayy>-210</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <onsuccess>adc009d3-da1b-4208-9cc7-e4d116cc43c9</onsuccess>

    <resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

    </stage>

<stage stageid="f1dd614a-4473-4ee6-83ce-06366ccace50" name="Base URL" type="Data">

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="13b01c1c-d3ac-4e2b-993e-f70f12f82a11" name="Add to CleanUp Collection (Blue Prism)

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

<displayy>-435</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>d1cf74ad-4e86-461e-9acc-e52e189b7e80</onsuccess>

</stage>

<stage stageid="a0ac3208-731c-43a2-9f3b-6531f15037e1" name="Add to CleanUp Collection (Web API)"

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>827c93f5-338e-4866-8a94-c6f3607aa8da</onsuccess>

<processid>ec9d6dd0-7393-400b-971d-193164600a69</processid>

</stage>

<stage stageid="d03b6081-43ad-4c86-8cb3-9f27a4b94b69" name="Press OK" type="Action">

<subsheetid>b4255097-79de-4514-b888-12ee030a6705</subsheetid>

<displayy>-120</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="ff641d44-da3e-4018-95a9-f3086eee246c" name="Action Response" type="SubSheetInfo'
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-165</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b31a1526-4162-4b74-9405-aaab0c2de4ad" name="Start" type="Start">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>59969825-0487-4dba-a23b-b5a94fa667ae</onsuccess>
</stage>
<stage stageid="52fb67b9-636a-41dd-a6ce-c2eb2552d302" name="End" type="End">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
```

```xml
<displayx>15</displayx>
<displayy>1830</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2a5f2d03-317e-45c3-8a68-b8e85aca4749" name="Browser to Action Response" type="A
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Action Name" narrative="The name of the action you want to select the response
</inputs>
<onsuccess>bb569174-88a7-484b-8cb3-064eeccbe64d</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>
</stage>
<stage stageid="bb569174-88a7-484b-8cb3-064eeccbe64d" name="Set Action Response" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter" narrative="The name of the parameter." expr="[Parameter]"/>

<input type="text" name="Path" narrative="The path to the parameter." expr="[Path]"/>

<input type="text" name="Data Type" narrative="The data type of the parameter." expr="[Data Type]"/>

<input type="text" name="Method" narrative="The Method you want to use: &quot;JSON Path&q

</inputs>

<onsuccess>9d4f4515-0520-4a1b-aac6-05b5bdb183bb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Action Response (Web API)"/>

</stage>

<stage stageid="22892fc2-04a9-41d9-a123-0afb5aa69260" name="Press Edit" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>702e8640-2896-4061-aedc-4ca91ec2fe32</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="1c32531c-712c-401a-99a5-05cb34997ab4" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

\</narrative\>

\<displayx\>15\</displayx\>

\<displayy\>75\</displayy\>

\<displaywidth\>90\</displaywidth\>

\<displayheight\>30\</displayheight\>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/\>

\<inputs\>

\<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

\</inputs\>

\<onsuccess\>22892fc2-04a9-41d9-a123-0afb5aa69260\</onsuccess\>

\<resource object="Blue Prism - System - Objects" action="Select (Web API)"/\>

\</stage\>

\<stage stageid="9d4f4515-0520-4a1b-aac6-05b5bdb183bb" name="Press OK" type="Action"\>

\<subsheetid\>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c\</subsheetid\>

\<narrative\>

\</narrative\>

\<displayx\>15\</displayx\>

\<displayy\>30\</displayy\>

\<displaywidth\>90\</displaywidth\>

\<displayheight\>30\</displayheight\>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/\>

\<onsuccess\>1c32531c-712c-401a-99a5-05cb34997ab4\</onsuccess\>

\<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/\>

\</stage\>

\<stage stageid="702e8640-2896-4061-aedc-4ca91ec2fe32" name="Browser to Action Response" type="A

\<subsheetid\>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c\</subsheetid\>

\<narrative\>

```
</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the respons

</inputs>

<onsuccess>0c311379-c55c-44e2-8051-e8522ce11d25</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="0c311379-c55c-44e2-8051-e8522ce11d25" name="Check Action Response" type="Action

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter" narrative="The name of the parameter." expr="[Parameter]"/>

<input type="text" name="Path" narrative="The path to the parameter." expr="[Path]"/>

<input type="text" name="Data Type" narrative="The data type of the parameter." expr="[Data Type]"/>

<input type="flag" name="Expect Failure" expr="False"/>

<input type="text" name="Method" narrative="The method of the parameter" expr="[Method]"/>
```

    </inputs>

    <onsuccess>d787d3c6-2747-4484-a034-f016a8e288da</onsuccess>

    <resource object="Blue Prism - System - Objects" action="Check Action Response (Web API)"/>

    </stage>

    <stage stageid="1987ebf1-4282-4d4d-9a44-6ebb7caab4db" name="Edit Action Response" type="Action">

    <subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

    <narrative>

    </narrative>

    <displayx>15</displayx>

    <displayy>1155</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Parameter Name" narrative="The current name of the parameter you want to edi

    <input type="flag" name="Set Parameter?" narrative="True or False, do you want to change the name?" ex

    <input type="text" name="Parameter" narrative="The name of the parameter." expr="[Parameter (2)]"/>

    <input type="flag" name="Set Path?" narrative="True or False, do you want to change the path?" expr=""/>

    <input type="text" name="Path" narrative="The path to the parameter." expr=""/>

    <input type="flag" name="Set Data Type?" narrative="True or False, do you want to change the Data Type

    <input type="text" name="Data Type" narrative="The data type of the parameter." expr="[Data Type (2)]"/>

    <input type="flag" name="Expect Error?" narrative="True or False, do you expect this to error?" expr=""/>

    <input type="text" name="Error" narrative="The message message you expected." expr=""/>

    <input type="flag" name="Set Method?" narrative="True or False, do you want to change the Method?" exp

    <input type="text" name="Method" narrative="The name of the method you want to set." expr="[Method (2)

    </inputs>

    <onsuccess>4d8480c7-fe0f-4092-ac1e-23165910027c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit Action Response (Web API)"/>

</stage>

<stage stageid="d07f226e-a60c-49af-ad9a-360b1acc20e7" name="Press Edit" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>1290</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>005585c1-7868-4809-88a4-2351f9018ee6</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="6aa702b0-1fe9-47bf-bc4c-d564452d4b4f" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>1245</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>d07f226e-a60c-49af-ad9a-360b1acc20e7</onsuccess>

```
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="4d8480c7-fe0f-4092-ac1e-23165910027c" name="Press OK" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1200</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6aa702b0-1fe9-47bf-bc4c-d564452d4b4f</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="005585c1-7868-4809-88a4-2351f9018ee6" name="Browser to Action Response" type="A
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1335</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Action Name" narrative="The name of the action you want to select the response
</inputs>
<onsuccess>2d26de53-bd6f-4dec-b35f-413dcc251796</onsuccess>
```

```xml
<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>
</stage>
<stage stageid="2d26de53-bd6f-4dec-b35f-413dcc251796" name="Check Action Response" type="Action"
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1380</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter" narrative="The name of the parameter." expr="[Parameter (2)]"/>
<input type="text" name="Path" narrative="The path to the parameter." expr=""/>
<input type="text" name="Data Type" narrative="The data type of the parameter." expr="[Data Type (2)]"/>
<input type="flag" name="Expect Failure" expr="False"/>
<input type="text" name="Method" narrative="The method of the parameter" expr="[Method (2)]"/>
</inputs>
<onsuccess>43debe20-0b4b-405d-8452-439e61edaa44</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Action Response (Web API)"/>
</stage>
<stage stageid="53eaa9b2-9102-4e87-81a3-565ed8a83932" name="Delete Action Response" type="Actio
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1740</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter" narrative="The name of the parameter you want to delete." expr="[P

</inputs>

<onsuccess>d0097453-5cdd-4684-aa0a-a80f8262ec78</onsuccess>

<resource object="Blue Prism - System - Objects" action="Delete Action Response (Web API)"/>

</stage>

<stage stageid="d0097453-5cdd-4684-aa0a-a80f8262ec78" name="Check Action Response" type="Actio

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter" narrative="The name of the parameter." expr="[Parameter (2)]"/>

<input type="text" name="Path" narrative="The path to the parameter." expr=""/>

<input type="text" name="Data Type" narrative="The data type of the parameter." expr=""/>

<input type="flag" name="Expect Failure" expr="True"/>

<input type="text" name="Method" narrative="The method of the parameter" expr=""/>

</inputs>

<onsuccess>52fb67b9-636a-41dd-a6ce-c2eb2552d302</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Action Response (Web API)"/>

```xml
</stage>
<stage stageid="9d66ad25-b7c4-4030-9ce7-905f7ede617d" name="Input Variables" type="Block">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>300</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="1ff88951-a99a-4aa3-83a9-c396d2c8397c" name="Parameter" type="Data">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">My First Response Parameter</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="baefcb28-113e-4154-8f4b-a7aa88ec17c2" name="Path" type="Data">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
```

```xml
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">MyFirstResponsePath</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="139cbb3d-8886-4e59-b4ec-d456e84b5ab0" name="Data Type" type="Data">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Text</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="753b518e-674c-42cb-860f-8d4c54e279ca" name="Parameter (2)" type="Data">
```

```xml
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">My Second Response Parameter</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="de6bae6b-eec4-4489-8c0b-b8a5a2804afa" name="Path (2)" type="Data">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">MySecondResponsePath</initialvalue>
<private/>
<alwaysinit/>
</stage>
```

```xml
<stage stageid="8bf87d2c-ae88-435d-9e17-10cd6028b872" name="Data Type (2)" type="Data">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Time</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d787d3c6-2747-4484-a034-f016a8e288da" name="Edit Action Response" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter Name" narrative="The current name of the parameter you want to edi
<input type="flag" name="Set Parameter?" narrative="True or False, do you want to change the name?" ex
<input type="text" name="Parameter" narrative="The name of the parameter." expr="&amp;quot;&amp;quo
```

```xml
<input type="flag" name="Set Path?" narrative="True or False, do you want to change the path?" expr=""/>
<input type="text" name="Path" narrative="The path to the parameter." expr=""/>
<input type="flag" name="Set Data Type?" narrative="True or False, do you want to change the Data Type?
<input type="text" name="Data Type" narrative="The data type of the parameter." expr=""/>
<input type="flag" name="Expect Error?" narrative="True or False, do you expect this to error?" expr="True
<input type="text" name="Error" narrative="The message message you expected." expr="&amp;quot;An er
<input type="flag" name="Set Method?" narrative="True or False, do you want to change the Method?" exp
<input type="text" name="Method" narrative="The name of the method you want to set." expr=""/>
</inputs>
<onsuccess>b962dff1-f3b4-4c08-bfb4-202519070407</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit Action Response (Web API)"/>
</stage>
<stage stageid="98e99cdf-62fd-4587-aea8-b3b546ca1dca" name="Note1" type="Note">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>Testing setting no parameter name.</narrative>
<displayx>135</displayx>
<displayy>255</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a29bd894-9a8c-4b8e-bd94-1b07d93eb7a2" name="Edit Action Response" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>480</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter Name" narrative="The current name of the parameter you want to edi

<input type="flag" name="Set Parameter?" narrative="True or False, do you want to change the name?" e

<input type="text" name="Parameter" narrative="The name of the parameter." expr=""/>

<input type="flag" name="Set Path?" narrative="True or False, do you want to change the path?" expr="Tru

<input type="text" name="Path" narrative="The path to the parameter." expr="&quot;&quot;"/>

<input type="flag" name="Set Data Type?" narrative="True or False, do you want to change the Data Type

<input type="text" name="Data Type" narrative="The data type of the parameter." expr=""/>

<input type="flag" name="Expect Error?" narrative="True or False, do you expect this to error?" expr="True

<input type="text" name="Error" narrative="The message message you expected." expr="&quot;An er

<input type="flag" name="Set Method?" narrative="True or False, do you want to change the Method?" exp

<input type="text" name="Method" narrative="The name of the method you want to set." expr=""/>

</inputs>

<onsuccess>32b75ba1-7b95-4e3e-9b60-1573c222aeeb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit Action Response (Web API)"/>

</stage>

<stage stageid="b9ce96ea-2801-49c9-b187-e6dbbd38c44e" name="Note1" type="Note">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>Testing setting no path.</narrative>

<displayx>135</displayx>

<displayy>480</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
</stage>
<stage stageid="5b291844-89c3-47fb-b514-2473a73eb661" name="Edit Action Response" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>705</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter Name" narrative="The current name of the parameter you want to edi
<input type="flag" name="Set Parameter?" narrative="True or False, do you want to change the name?" ex
<input type="text" name="Parameter" narrative="The name of the parameter." expr=""/>
<input type="flag" name="Set Path?" narrative="True or False, do you want to change the path?" expr=""/>
<input type="text" name="Path" narrative="The path to the parameter." expr=""/>
<input type="flag" name="Set Data Type?" narrative="True or False, do you want to change the Data Type
<input type="text" name="Data Type" narrative="The data type of the parameter." expr="&amp;quot;Unkno
<input type="flag" name="Expect Error?" narrative="True or False, do you expect this to error?" expr="True
<input type="text" name="Error" narrative="The message message you expected." expr="&amp;quot;An er
<input type="flag" name="Set Method?" narrative="True or False, do you want to change the Method?" exp
<input type="text" name="Method" narrative="The name of the method you want to set." expr=""/>
</inputs>
<onsuccess>93c3df86-0c75-4b33-84b7-0d7f99fc8b60</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit Action Response (Web API)"/>
</stage>
<stage stageid="8c154672-0636-4d54-9fff-726f169c4a90" name="Note1" type="Note">
```

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>Testing setting unknown Data Type.</narrative>

<displayx>135</displayx>

<displayy>705</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b962dff1-f3b4-4c08-bfb4-202519070407" name="Press Cancel" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0d1aa12e-f7bb-4ffb-8e87-02fdc53a653a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Cancel (Web API)"/>

</stage>

<stage stageid="d07cc19d-f910-462c-a63f-4d89ba3cc5bf" name="Press Edit" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>390</displayy>

<displaywidth>90</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9557b9cf-342b-4b19-bfb2-d4121a3f6b96</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="0d1aa12e-f7bb-4ffb-8e87-02fdc53a653a" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>d07cc19d-f910-462c-a63f-4d89ba3cc5bf</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="9557b9cf-342b-4b19-bfb2-d4121a3f6b96" name="Browser to Action Response" type="Ac

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>a29bd894-9a8c-4b8e-bd94-1b07d93eb7a2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="32b75ba1-7b95-4e3e-9b60-1573c222aeeb" name="Press Cancel" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e080d19b-75a9-44f7-978e-f04f9ef93d85</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Cancel (Web API)"/>

</stage>

<stage stageid="105791e5-b033-43d5-9dde-c37132cbfb81" name="Press Edit" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1aafdf87-71aa-4b06-ac9d-512fcfb19303</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="e080d19b-75a9-44f7-978e-f04f9ef93d85" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>105791e5-b033-43d5-9dde-c37132cbfb81</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="1aafdf87-71aa-4b06-ac9d-512fcfb19303" name="Browser to Action Response" type="Act

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Action Name" narrative="The name of the action you want to select the response
</inputs>
<onsuccess>5b291844-89c3-47fb-b514-2473a73eb661</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>
</stage>
<stage stageid="93c3df86-0c75-4b33-84b7-0d7f99fc8b60" name="Press Cancel" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>750</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>03a1a01c-8784-4de0-9ef4-df6d36a2ad15</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Cancel (Web API)"/>
</stage>
<stage stageid="cb6a3091-dc60-4b41-900f-b7311a5cae3a" name="Press Edit" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>840</displayy>
<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a015cbb7-e2e4-4fdb-9857-f35041032d1d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="03a1a01c-8784-4de0-9ef4-df6d36a2ad15" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>795</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>cb6a3091-dc60-4b41-900f-b7311a5cae3a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="a015cbb7-e2e4-4fdb-9857-f35041032d1d" name="Browser to Action Response" type="Ac

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>885</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>66144ca0-3d19-49f4-9303-348a9210795b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="66dbd57e-461a-497b-a9c8-46b405ca250d" name="Method" type="Data">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Json Path</initialvalue>

</stage>

<stage stageid="780c94c3-4b9d-4166-b7e7-12c3c43cf3ab" name="Method (2)" type="Data">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

```xml
<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Custom Code</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5b218e37-39bd-4f2c-96cf-cff54d45ff6c" name="Note1" type="Note">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>Testing editing a parameter</narrative>

<displayx>135</displayx>

<displayy>1155</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="66144ca0-3d19-49f4-9303-348a9210795b" name="Edit Action Response" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>930</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<inputs>
<input type="text" name="Parameter Name" narrative="The current name of the parameter you want to edi
<input type="flag" name="Set Parameter?" narrative="True or False, do you want to change the name?" ex
<input type="text" name="Parameter" narrative="The name of the parameter." expr=""/>
<input type="flag" name="Set Path?" narrative="True or False, do you want to change the path?" expr=""/>
<input type="text" name="Path" narrative="The path to the parameter." expr=""/>
<input type="flag" name="Set Data Type?" narrative="True or False, do you want to change the Data Type
<input type="text" name="Data Type" narrative="The data type of the parameter." expr=""/>
<input type="flag" name="Expect Error?" narrative="True or False, do you expect this to error?" expr="True
<input type="text" name="Error" narrative="The message message you expected." expr="&amp;quot;An er
<input type="flag" name="Set Method?" narrative="True or False, do you want to change the Method?" exp
<input type="text" name="Method" narrative="The name of the method you want to set." expr="&amp;quot;
</inputs>
<onsuccess>d016d543-918f-4ad7-be2b-0cdc57840f6a</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit Action Response (Web API)"/>
</stage>
<stage stageid="48b164be-9ee7-4dce-a908-603ea55fc7e6" name="Note1" type="Note">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
<narrative>Testing setting None method.</narrative>
<displayx>135</displayx>
<displayy>930</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d016d543-918f-4ad7-be2b-0cdc57840f6a" name="Press Cancel" type="Action">
<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>
```

```xml
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>975</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6ab24e27-0a44-4e0a-a4b7-5aa7054fa01e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Cancel (Web API)"/>

</stage>

<stage stageid="620b183f-292a-4f21-8e62-2799b24b8cc4" name="Press Edit" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>1065</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1d179acc-c61d-4929-8fd7-84f2c1b79ad0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="6ab24e27-0a44-4e0a-a4b7-5aa7054fa01e" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>620b183f-292a-4f21-8e62-2799b24b8cc4</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="1d179acc-c61d-4929-8fd7-84f2c1b79ad0" name="Browser to Action Response" type="Ac

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>1987ebf1-4282-4d4d-9a44-6ebb7caab4db</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="02197531-7e9f-4795-8b3b-a59594b2a269" name="Set Custom Code" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Code" narrative="The code of the request." expr="[Custom Code]"/>

</inputs>

<onsuccess>0fe881df-0e74-454d-afd5-4303002bc0d2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Response Custom Code (Web API)"/>

</stage>

<stage stageid="0fe881df-0e74-454d-afd5-4303002bc0d2" name="Press OK" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>06bd1a5a-d1c4-455b-be39-89cdc440b40f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="031e024a-6ceb-407a-8356-bbb757ff4913" name="Press Edit" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b6f95453-f2f0-421a-a4d9-32f701d3a200</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="06bd1a5a-d1c4-455b-be39-89cdc440b40f" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>031e024a-6ceb-407a-8356-bbb757ff4913</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="43debe20-0b4b-405d-8452-439e61edaa44" name="Check Custom Code Default" type="A

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Code" narrative="The expected code of the request." expr="&quo

</inputs>

<onsuccess>02197531-7e9f-4795-8b3b-a59594b2a269</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Response Custom Code (Web API)"/>

</stage>

<stage stageid="74e80618-de49-4276-acfc-85e78ea01ddb" name="Check Custom Code " type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Code" narrative="The expected code of the request." expr="[Custom C

</inputs>

<onsuccess>53eaa9b2-9102-4e87-81a3-565ed8a83932</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Body Custom Code (Web API)"/>

```
</stage>

<stage stageid="f64d2177-4945-48bd-82be-de545f60dccb" name="Custom Code" type="Data">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>165</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">This is some really good custom resource code!</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6f95453-f2f0-421a-a4d9-32f701d3a200" name="Browser to Action Response" type="Act

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>1650</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>
```

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="5d8ceb33-e2c8-4b1d-ae5b-5d407d39d08b" name="Add to CleanUp Collection" type="Su

<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="89039e58-e4ce-480e-8567-7fd44d9ebba3" name="Start" type="Start">

<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>e87750cb-1405-4aab-bb6c-a4b0248471b6</onsuccess>

</stage>

```xml
<stage stageid="5781fbf1-f3cf-49f2-a310-45ec2f2cc4cc" name="End" type="End">
<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="513dece9-c100-46f7-9285-ce2f7ee5a834" name="Item Name" type="Data">
<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ed396f83-0e0c-49a9-86ab-d6b7f3beec26" name="Input Variables" type="Block">
<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>
<narrative>
```

```xml
</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e87750cb-1405-4aab-bb6c-a4b0248471b6" name="Add Row" type="Action">

<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp

</inputs>

<onsuccess>24841de7-723e-4df6-8d44-7fd1221b4325</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="c2583b20-d77a-4a84-9edf-ac405d12b91f" name="CleanUp Collection" type="Collection">

<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="3507a1a7-ed43-4205-8ba6-50c76f91a49c" name="Local Variables" type="Block">

<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="24841de7-723e-4df6-8d44-7fd1221b4325" name="Add To Row" type="Calculation">

<subsheetid>ec9d6dd0-7393-400b-971d-193164600a69</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5781fbf1-f3cf-49f2-a310-45ec2f2cc4cc</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="b33f2579-ca9b-41be-affd-b3f39aad11f0" name="Cleanup" type="SubSheetInfo">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="88681bfb-2a3f-491b-8aaa-d09bb872924f" name="Start" type="Start">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>89f6e705-a0bc-490c-85e8-b76ca38dbe1f</onsuccess>

</stage>

<stage stageid="9c046925-82d0-41f1-a43a-30ecb7f1f98b" name="To Clean" type="LoopStart">

```xml
<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>94b273af-1a00-480f-b3c1-9c535b49bf79</onsuccess>

<groupid>18062d28-ce8c-4eea-b834-48ed62fb0d63</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="4e3c575b-9d50-4afe-bd02-66989d1a5529" name="To Clean" type="LoopEnd">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>54c851ad-f8e6-4d1e-b5c8-44647c33ff23</onsuccess>

<groupid>18062d28-ce8c-4eea-b834-48ed62fb0d63</groupid>

</stage>

<stage stageid="89f6e705-a0bc-490c-85e8-b76ca38dbe1f" name="Reverse Collection" type="Action">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse

</outputs>

<onsuccess>9c046925-82d0-41f1-a43a-30ecb7f1f98b</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="d0cc8889-5830-4e1b-96c1-bd4c1332c919" name="Reversed CleanUp" type="Collection"

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

```xml
<alwaysinit/>
</stage>
<stage stageid="087e31d9-98fe-4159-a734-91ed969d4abd" name="Local Variables" type="Block">
<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="94b273af-1a00-480f-b3c1-9c535b49bf79" name="Which Clean Up" type="ChoiceStart">
<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>ba1c28a5-cdea-4d13-824a-a214cb9a0f3d</groupid>
<choices>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">
<name>Blue Prism</name>
<distance>30</distance>
<ontrue>afdf3075-bb3c-46fd-acad-d23dea6202bd</ontrue>
```

```xml
</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">

<name>Web API</name>

<distance>75</distance>

<ontrue>cc517e09-3733-4799-a878-05efcc5ca464</ontrue>

</choice>

</choices>

</stage>

<stage stageid="db2639fa-a492-4dfd-ad02-20c0f7d6ade0" name="Otherwise" type="ChoiceEnd">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ea580aa2-6117-40b1-9743-8f03c7d01b40</onsuccess>

<groupid>ba1c28a5-cdea-4d13-824a-a214cb9a0f3d</groupid>

</stage>

<stage stageid="afdf3075-bb3c-46fd-acad-d23dea6202bd" name="Terminate" type="Action">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>917da849-7550-438a-9735-792a6d349b70</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="917da849-7550-438a-9735-792a6d349b70" name="Anchor2" type="Anchor">
<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a0529597-be52-4205-9463-891ae77c6574</onsuccess>
</stage>
<stage stageid="90d6f8e6-9c42-4b8a-b9c7-2cba2b3f6164" name="Anchor4" type="Anchor">
<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4e3c575b-9d50-4afe-bd02-66989d1a5529</onsuccess>
</stage>
```

<stage stageid="ea580aa2-6117-40b1-9743-8f03c7d01b40" name="FAIL" type="Exception">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="a0529597-be52-4205-9463-891ae77c6574" name="Anchor3" type="Anchor">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>90d6f8e6-9c42-4b8a-b9c7-2cba2b3f6164</onsuccess>

</stage>

<stage stageid="cc517e09-3733-4799-a878-05efcc5ca464" name="Close All Child Windows" type="Action

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e9b18a7a-aff4-4f95-8a63-1d704ccb872c</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="e9b18a7a-aff4-4f95-8a63-1d704ccb872c" name="Open System Tab" type="Action">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>02963a85-501f-4f34-afde-b320274b4ee3</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="02963a85-501f-4f34-afde-b320274b4ee3" name="GoTo Web API" type="Action">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>a67d031f-f015-443d-ad8a-170f3b5d03a8</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="e25f0d8e-2fa9-40bc-8e43-f08aa04e46e4" name="Press Delete Web API" type="Action">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a0529597-be52-4205-9463-891ae77c6574</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="a67d031f-f015-443d-ad8a-170f3b5d03a8" name="Select Web API" type="Action">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>e25f0d8e-2fa9-40bc-8e43-f08aa04e46e4</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="54c851ad-f8e6-4d1e-b5c8-44647c33ff23" name="End1" type="End">

<subsheetid>a0597360-6927-4c6d-8934-020696332b28</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b0bc663f-bcb9-4559-96b2-48459a9790d3" name="Press Edit" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2a5f2d03-317e-45c3-8a68-b8e85aca4749</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="59969825-0487-4dba-a23b-b5a94fa667ae" name="Select Web API" type="Action">

<subsheetid>bbea5632-8d83-42c0-bcd6-8c04cc4a5c6c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>b0bc663f-bcb9-4559-96b2-48459a9790d3</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="ff86e4a7-1882-42e3-ace5-0c7d4589ef78" name="Recover" type="Recover">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0536f47c-6980-4d89-b98a-786372cd2c20</onsuccess>

</stage>

<stage stageid="470daa00-917d-4164-9c14-1caad94e5c48" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b91b3154-afda-4e14-8c20-58ecc8fdd36d</onsuccess>

</stage>

<stage stageid="0536f47c-6980-4d89-b98a-786372cd2c20" name="Get Exception" type="MultipleCalculat

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>470daa00-917d-4164-9c14-1caad94e5c48</onsuccess>

```xml
<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

</process>

<process name="Test Web API Config (Action)" version="1.0" bpversion="6.4.0.6722" narrative="" byrefco

<view>

<camerax>0</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="f19d64b4-bdca-409d-b10c-a73bb6d48ada" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-252</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="17640c4a-4fc8-4cc3-babe-00cb296ecaa9" type="Normal" published="False">

<name>Action</name>

<view>

<camerax>62</camerax>

<cameray>300</cameray>

<zoom version="2">1.25</zoom>
```

</view>

</subsheet>

<subsheet subsheetid="917a7ed7-c9e1-4a35-918a-4a094d5d2860" type="Normal" published="False">

<name>Add to CleanUp Collection</name>

<view>

<camerax>0</camerax>

<cameray>84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="af85f9cc-2d4c-477c-b632-2391a4fd2384" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>283</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="646622d1-785e-4f13-9ca7-37910f63c536" name="Stage1" type="ProcessInfo">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

```
<stage stageid="ed46b1a3-be09-495f-b05e-8e3c21bd3ab0" name="Setup" type="SubSheetInfo">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3f23f50b-d17b-41dc-b2df-01a81fec9ba7" name="Start" type="Start">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>26656ef2-1aa5-4e13-810d-323f20ba108b</onsuccess>

</stage>

<stage stageid="2dd9c16a-94e2-46e4-a5fb-bc8c2b718f61" name="End" type="End">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-30</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="26656ef2-1aa5-4e13-810d-323f20ba108b" name="Launch" type="Action">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<displayy>-480</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>135f1b54-b9c4-4e2e-9ada-16b3898bd76c</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="69cda00a-fcd3-442a-8be0-bbd6a07690c6" name="Sign In" type="Action">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
</inputs>
<onsuccess>53b96ed3-96b9-4859-b970-f204a229b29d</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="97b0b74d-0ce5-4b08-9508-b25d7ad33365" name="Select Web API" type="Action">
<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>c533eead-dde4-4782-a004-8186fc4401a9</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
```

```
</stage>

<stage stageid="53b96ed3-96b9-4859-b970-f204a229b29d" name="GoTo Tab (System)" type="Action">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>97b0b74d-0ce5-4b08-9508-b25d7ad33365</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="32d39a3b-f6b2-43ff-a8ce-879156244b68" name="Input Variables" type="Block">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-435</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d8556646-00a1-4dbf-b719-986e79f6f750" name="Attach to System" type="Action">
```

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>69cda00a-fcd3-442a-8be0-bbd6a07690c6</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="043f8290-bd58-4f97-b70b-a89656b5baa2" name="Add Web API" type="Action">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>56be6926-09ba-497f-90b6-75ccca5c0b15</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="c533eead-dde4-4782-a004-8186fc4401a9" name="Press Add" type="Action">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>043f8290-bd58-4f97-b70b-a89656b5baa2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="ec584e50-f868-4932-83ee-fb0275c25b28" name="Base URL" type="Data">

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<displayy>-405</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="135f1b54-b9c4-4e2e-9ada-16b3898bd76c" name="Add to CleanUp Collection (Blue Prism

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<displayy>-435</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>d8556646-00a1-4dbf-b719-986e79f6f750</onsuccess>

<processid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</processid>

</stage>

<stage stageid="22d219bf-bfc8-4b9b-b097-6ee2686aefcb" name="Add to CleanUp Collection (Web API)"

<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</subsheetid>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

\<inputs>

\<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

\</inputs>

\<onsuccess>2dd9c16a-94e2-46e4-a5fb-bc8c2b718f61\</onsuccess>

\<processid>917a7ed7-c9e1-4a35-918a-4a094d5d2860\</processid>

\</stage>

\<stage stageid="56be6926-09ba-497f-90b6-75ccca5c0b15" name="Press OK" type="Action">

\<subsheetid>f19d64b4-bdca-409d-b10c-a73bb6d48ada\</subsheetid>

\<narrative>

\</narrative>

\<displayx>150\</displayx>

\<displayy>-120\</displayy>

\<displaywidth>90\</displaywidth>

\<displayheight>30\</displayheight>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/>

\<onsuccess>22d219bf-bfc8-4b9b-b097-6ee2686aefcb\</onsuccess>

\<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

\</stage>

\<stage stageid="7ca56496-b10c-41c2-ada2-6918a84cc15b" name="Add to CleanUp Collection" type="Sub

\<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860\</subsheetid>

\<narrative>

\</narrative>

\<displayx>-120\</displayx>

\<displayy>-75\</displayy>

\<displaywidth>150\</displaywidth>

\<displayheight>90\</displayheight>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="621793c7-9304-4b63-a758-308f899b343d" name="Start" type="Start">

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>cce228ca-aeed-409d-9532-eddf010fea09</onsuccess>

</stage>

<stage stageid="4690bd9f-d479-4033-9ac7-c3153e3f5d09" name="End" type="End">

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5adee815-33c5-4337-be18-d7971f0fc924" name="Item Name" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="00c67eb0-2678-4450-8983-3e977819cbd3" name="Input Variables" type="Block">

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="cce228ca-aeed-409d-9532-eddf010fea09" name="Add Row" type="Action">

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&

</inputs>

<onsuccess>76891e87-63cf-455a-b348-6cff97f7c9fb</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="5db48685-8f58-400e-97c8-333ed165d779" name="CleanUp Collection" type="Collection"

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="fb4ff15e-efb8-49e8-96ad-4104fe481bc7" name="Local Variables" type="Block">

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="76891e87-63cf-455a-b348-6cff97f7c9fb" name="Add To Row" type="Calculation">

<subsheetid>917a7ed7-c9e1-4a35-918a-4a094d5d2860</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4690bd9f-d479-4033-9ac7-c3153e3f5d09</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="f37373a1-dc9f-4b46-9fde-4e06cb8499da" name="Cleanup" type="SubSheetInfo">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="343ab648-c85d-45f3-a49f-cefab974eca2" name="Start" type="Start">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>55fbff3b-23ac-4e83-8f8c-e2be35ef8330</onsuccess>

</stage>

<stage stageid="0feaa423-a154-4a1f-8a79-84101ff6695e" name="To Clean" type="LoopStart">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a20f5265-22a5-43a1-88c0-2d232d919fe1</onsuccess>

<groupid>c2ae541b-810d-49f0-be20-fabf8a9faed5</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

```xml
</stage>
<stage stageid="985f2dd5-dff1-4948-a7f2-329325e4311f" name="To Clean" type="LoopEnd">
<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>001a34be-1327-4723-88fa-64f00703fed5</onsuccess>
<groupid>c2ae541b-810d-49f0-be20-fabf8a9faed5</groupid>
</stage>
<stage stageid="55fbff3b-23ac-4e83-8f8c-e2be35ef8330" name="Reverse Collection" type="Action">
<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle
</inputs>
<outputs>
<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse
```

```
</outputs>

<onsuccess>0feaa423-a154-4a1f-8a79-84101ff6695e</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="d5b7fb40-c3db-4ae0-9576-07889abe86fe" name="Reversed CleanUp" type="Collection">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cb4a7cb6-1e22-4849-bbbd-86eb78d451db" name="Local Variables" type="Block">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>
```

```xml
<stage stageid="a20f5265-22a5-43a1-88c0-2d232d919fe1" name="Which Clean Up" type="ChoiceStart">
<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>b4c78dda-65f6-455f-b3a4-406b23b9a656</groupid>
<choices>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">
<name>Blue Prism</name>
<distance>30</distance>
<ontrue>4d4ad328-58b5-4f4b-b109-86b036d1611c</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">
<name>Web API</name>
<distance>75</distance>
<ontrue>c7e9cb9d-f3d7-4557-a81c-12eeafd209f9</ontrue>
</choice>
</choices>
</stage>
<stage stageid="1b3eed8d-19fb-40b7-b0de-1eb02c9f3235" name="Otherwise" type="ChoiceEnd">
<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d4a2cd19-9c40-4cb5-9356-b37bf38ee458</onsuccess>

<groupid>b4c78dda-65f6-455f-b3a4-406b23b9a656</groupid>

</stage>

<stage stageid="4d4ad328-58b5-4f4b-b109-86b036d1611c" name="Terminate" type="Action">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>aaa9963d-264d-4322-b75b-6cd3bd7b9ad3</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="aaa9963d-264d-4322-b75b-6cd3bd7b9ad3" name="Anchor2" type="Anchor">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>
```

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1ff6f4c1-8e35-46db-a3f3-fafa2c04da9f</onsuccess>

</stage>

<stage stageid="020c34fd-9ebf-4d06-8b5f-a8b2d8b7742e" name="Anchor4" type="Anchor">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>985f2dd5-dff1-4948-a7f2-329325e4311f</onsuccess>

</stage>

<stage stageid="d4a2cd19-9c40-4cb5-9356-b37bf38ee458" name="FAIL" type="Exception">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="1ff6f4c1-8e35-46db-a3f3-fafa2c04da9f" name="Anchor3" type="Anchor">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>020c34fd-9ebf-4d06-8b5f-a8b2d8b7742e</onsuccess>

</stage>

<stage stageid="c7e9cb9d-f3d7-4557-a81c-12eeafd209f9" name="Close All Child Windows" type="Action">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>72f19140-182f-405c-a189-9c4717ec9048</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="72f19140-182f-405c-a189-9c4717ec9048" name="Open System Tab" type="Action">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>b9782e71-cb1e-4e2a-a329-911879183ed0</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="b9782e71-cb1e-4e2a-a329-911879183ed0" name="GoTo Web API" type="Action">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>0d7efeb8-8fb6-4acc-bdad-a7ae312bd9be</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="2e7a1253-767c-4972-ad2f-c945fa1b7e9a" name="Press Delete Web API" type="Action">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1ff6f4c1-8e35-46db-a3f3-fafa2c04da9f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="0d7efeb8-8fb6-4acc-bdad-a7ae312bd9be" name="Select Web API" type="Action">

<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>2e7a1253-767c-4972-ad2f-c945fa1b7e9a</onsuccess>

```xml
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="001a34be-1327-4723-88fa-64f00703fed5" name="End1" type="End">
<subsheetid>af85f9cc-2d4c-477c-b632-2391a4fd2384</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7bbf6df1-5273-4c5a-b738-e8c307db05dc" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>659cc34b-b42d-4c55-9b4a-cdd5987e5b44</onsuccess>
</stage>
<stage stageid="659cc34b-b42d-4c55-9b4a-cdd5987e5b44" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
```

```xml
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>12778adf-d59a-4524-972b-4a334153c502</onsuccess>
<processid>f19d64b4-bdca-409d-b10c-a73bb6d48ada</processid>
</stage>
<stage stageid="a365887c-f36a-4448-8990-a5007e793c3e" name="Web API Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API (Action)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="1b796293-be27-46e5-b48f-291599bb3c78" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```xml
<stage stageid="6f349f98-e0f5-483f-8416-7c611f663030" name="pid" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f9f29ea2-3330-43a7-b7ba-2131879bcc04" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0e44c3f5-3c65-4b98-980d-34081686efc8</onsuccess>
</stage>
<stage stageid="5b971585-3572-4ad2-9f02-f2ccb395b967" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>45</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5147b583-1523-4dcb-a6a4-16d63c96686d</onsuccess>

</stage>

<stage stageid="0e44c3f5-3c65-4b98-980d-34081686efc8" name="Get Exception" type="MultipleCalculati

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5b971585-3572-4ad2-9f02-f2ccb395b967</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="5920a463-ecab-4d16-9cc9-1f7e1740cdf8" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="3868d9ee-8964-4282-b81a-a2e21530e267" name="Failed?" type="Decision">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>a26eac5b-3b2b-4f17-9b33-2e001b76c023</ontrue>

<onfalse>ba86b909-ea7f-4b85-9cb6-7af95b7f14b7</onfalse>

</stage>

<stage stageid="2c98bc68-7000-47f6-8ce4-e7bba9f358d7" name="Failed?" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
</stage>

<stage stageid="ed90795a-a055-4030-9902-ce2abeb01263" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>210</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d7080b7d-5e5e-4407-9b0d-acbf1b728762" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="a26eac5b-3b2b-4f17-9b33-2e001b76c023" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>
```

```xml
<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="5147b583-1523-4dcb-a6a4-16d63c96686d" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5920a463-ecab-4d16-9cc9-1f7e1740cdf8</onsuccess>

</stage>

<stage stageid="b228ab01-32cc-49f4-8e6b-dcff61c4a9dd" name="Cleanup" type="Block">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>225</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="ba86b909-ea7f-4b85-9cb6-7af95b7f14b7" name="End2" type="End">

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2b0393db-f945-4bd7-a221-5cb6d144caa7" name="Action" type="SubSheetInfo">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-255</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c289d26-4161-408c-9b8c-218a6d538ab4" name="Start" type="Start">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d6d76a60-14c6-4a43-8aa2-3eec1c0370d3</onsuccess>
```

```xml
</stage>
<stage stageid="1be4384e-891f-4843-87b0-b7d81c70421e" name="Add Action" type="Action">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name you want to call the new action." expr="[Action Nam
<input type="text" name="Description" narrative="The description you want to give the action." expr="[Actio
<input type="text" name="Documentation URL" narrative="The documentation URL you want to give the ac
<input type="flag" name="Enabled?" narrative="True as default. True or False, you do you want to enable t
<input type="flag" name="Enable Request Content Output Parmeter?" narrative="False as default. True of
<input type="flag" name="Disable Sending of Request?" narrative="False as default. True or False, do you
</inputs>
<onsuccess>1562555e-6557-4bdb-8d9f-4b47c830492a</onsuccess>
<resource object="Blue Prism - System - Objects" action="Add Action (Web API)"/>
</stage>
<stage stageid="8eb6f110-3af0-4a78-9491-b6c41802fa76" name="Edit Action" type="Action">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Set Name?" narrative="False as default. True or False do you want to set the na

<input type="text" name="Name" narrative="The new value you want to set for name." expr="[Action Name

<input type="flag" name="Set Description?" narrative="False as default. True or False do you want to set th

<input type="text" name="Description" narrative="The new value you want to set for description." expr="[Ac

<input type="flag" name="Set Documentation URL?" narrative="False as default. True or False do you war

<input type="text" name="Documentation URL" narrative="The new value you want to set for documentatic

<input type="flag" name="Set Enabled?" narrative="False as default. True or False do you want to set enal

<input type="flag" name="Enabled" narrative="The new value you want to set for enabled." expr="False"/>

<input type="flag" name="Set Enable Request Content Output Paramter?" narrative="False as default. Tru

<input type="flag" name="Enable Request Content Output Paramter" narrative="The new state of the 'Enal

<input type="flag" name="Set Disable Sending of Request?" narrative="False as default.True or False, do

<input type="flag" name="Disable Sending of Request" narrative="The new state of the 'Disable Sending o

</inputs>

<onsuccess>1e3c8ad4-1f03-4386-ad5c-d80b98eed7fb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit Action (Web API)"/>

</stage>

<stage stageid="85a9850d-b198-4f35-8403-f3d0fc95cf15" name="Check Action" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Name" narrative="The expected name of the action you want to check

<input type="text" name="Expected Description" narrative="The expected description of the action." expr="

<input type="text" name="Expected Documentation URL" narrative="The expected documentation URL of

<input type="flag" name="Expected Enabled?" narrative="The expected enabled flag of the actions" expr="

<input type="flag" name="Expected Enable Request Content Output Parameter" narrative="The expected s

<input type="flag" name="Expected Disable Sending of Request" narrative="The expected state of 'Disable

</inputs>

<onsuccess>8eb6f110-3af0-4a78-9491-b6c41802fa76</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Action (Web API)"/>

</stage>

<stage stageid="1562555e-6557-4bdb-8d9f-4b47c830492a" name="Press OK" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>38cd6b34-749d-4b45-870c-e7c00e7ddf01</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="effd3389-faec-44c8-9446-e4d5348057e4" name="Press Edit" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e5010910-b41d-430c-8a96-3d600b069a2e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="38cd6b34-749d-4b45-870c-e7c00e7ddf01" name="Select Web API" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>effd3389-faec-44c8-9446-e4d5348057e4</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="39af36b2-f4ea-48a0-bff5-75f44d16da36" name="Check Action" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Name" narrative="The expected name of the action you want to check

<input type="text" name="Expected Description" narrative="The expected description of the action." expr="

<input type="text" name="Expected Documentation URL" narrative="The expected documentation URL of

<input type="flag" name="Expected Enabled?" narrative="The expected enabled flag of the actions" expr='

<input type="flag" name="Expected Enable Request Content Output Parameter" narrative="The expected s

<input type="flag" name="Expected Disable Sending of Request" narrative="The expected state of 'Disable

</inputs>

<onsuccess>4968be4b-5a3c-48bd-b6ba-7879e5fac4db</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Action (Web API)"/>

</stage>

<stage stageid="e5010910-b41d-430c-8a96-3d600b069a2e" name="Select Action" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="Name" narrative="The name of the action you want to select." expr="[Action Nam
</inputs>
<onsuccess>85a9850d-b198-4f35-8403-f3d0fc95cf15</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Action (Web API)"/>
</stage>
<stage stageid="427e34fc-a40e-4d6e-9dae-52178ea1a58a" name="Select Action" type="Action">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the action you want to select." expr="[Action Nam
</inputs>
<onsuccess>39af36b2-f4ea-48a0-bff5-75f44d16da36</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Action (Web API)"/>
</stage>
<stage stageid="4968be4b-5a3c-48bd-b6ba-7879e5fac4db" name="End1" type="End">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
```

```xml
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8dec26f0-b19c-428e-882a-a080301f627f" name="Action Description" type="Data">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-165</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">This is my first action.</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d60564c5-7456-4d1c-b2b9-598788ce0cfc" name="Action Documentation URL" type="Dat
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="58befcec-d69a-4598-9301-aedbf49f1d3f" name="Action Description (2)" type="Data">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<displayx>-120</displayx>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">This is my second action.</initialvalue>

</stage>

<stage stageid="4dbcc8e2-e93c-43b4-804b-bc36a3294d62" name="Action Documentation URL (2)" type=

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<displayx>-120</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.com/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fa2d0163-479e-4eb0-8bd8-8e53556ef4ef" name="Local Variables" type="Block">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-195</displayy>

<displaywidth>150</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1e3c8ad4-1f03-4386-ad5c-d80b98eed7fb" name="Press OK" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>39207069-cda3-4060-bc4e-ac007004bb89</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>
```

```xml
<stage stageid="f4309d7d-f702-4354-9c6f-b4a7e8d9ddc5" name="Press Edit" type="Action">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>427e34fc-a40e-4d6e-9dae-52178ea1a58a</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="39207069-cda3-4060-bc4e-ac007004bb89" name="Select Web API" type="Action">
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF
</inputs>
<onsuccess>f4309d7d-f702-4354-9c6f-b4a7e8d9ddc5</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
```

<stage stageid="12778adf-d59a-4524-972b-4a334153c502" name="Action" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5920a463-ecab-4d16-9cc9-1f7e1740cdf8</onsuccess>

<processid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</processid>

</stage>

<stage stageid="d6d76a60-14c6-4a43-8aa2-3eec1c0370d3" name="Select Web API" type="Action">

<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<displayy>-240</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>2b241ead-6643-4655-8187-e61bad64f38c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="2b241ead-6643-4655-8187-e61bad64f38c" name="Press Edit" type="Action">

```xml
<subsheetid>17640c4a-4fc8-4cc3-babe-00cb296ecaa9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1be4384e-891f-4843-87b0-b7d81c70421e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="193241fa-7c0b-4171-8a18-990478b5e27e" name="Action Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Action</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="d94ec4b0-afe0-4b87-9798-e828e2f46d6c" name="Action Name (2)" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>
```

```xml
<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My Second Action</initialvalue>

<alwaysinit/>

</stage>

</process>

<process name="Test Web API Config (Advanced Settings)" version="1.0" bpversion="6.4.0.6623" narrativ

<view>

<camerax>0</camerax>

<cameray>63</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="9d7933b7-9f1b-4db3-b5f0-543bf57d8090" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>230</camerax>

<cameray>-301</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8df948d7-e9dd-49c9-866b-eb0eafc3ba44" type="Normal" published="False">

<name>Check Connection Settings</name>
```

```xml
<view>
<camerax>119</camerax>
<cameray>164</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="974e6990-98d6-4b58-a3bb-1844d15786f7" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="c60ef097-575b-4175-8a27-3c0ef89944a4" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>7</camerax>
<cameray>124</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="cb653b50-31f7-4497-8382-06392c9c4788" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1a6badb5-d66d-4872-8ce1-6d6a611590f5</onsuccess>

</stage>

<stage stageid="8244e30d-0df2-4ccf-9099-4c159c0eeb51" name="End" type="End">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d6a7e91a-3662-4a68-b171-40e80ef966f8" name="Stage1" type="ProcessInfo">

<displayx>-135</displayx>

<displayy>-90</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f1123e1c-f5a2-4ee6-97e2-031ad8260999" name="Setup" type="SubSheetInfo">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

```
<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ea052a1f-7794-42ba-917e-79dc9eaea076" name="Start" type="Start">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>53cd2a95-08da-4ffd-aa18-e5255993e5e0</onsuccess>

</stage>

<stage stageid="bfac94b5-e676-4743-898f-635fb473db2a" name="End" type="End">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>
```

```xml
<stage stageid="53cd2a95-08da-4ffd-aa18-e5255993e5e0" name="Launch" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="pid" narrative="PID of the process" stage="pid"/>

</outputs>

<onsuccess>8bb7d1fd-5865-47ca-8a94-1cbe52da1e59</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="d4ab6667-157f-431a-8cb4-845b1d843e7e" name="Sign In" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr="&amp;quot;Admin&amp;quot;"/>

<input type="password" name="Password" expr="&amp;quot;admin&amp;quot;"/>
```

```xml
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>58bf8fb4-654a-4e2e-8fa0-d4d7cd4941c8</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="822c56da-335e-4563-aa89-d846ccad5ad4" name="Select Web API" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>c250a1de-c8e6-4489-aa79-5e443092e95c</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="c12ee455-7ec9-47f3-92c7-c5bce41f8254" name="Create OAuth 2 Cred" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>
```

```xml
</narrative>

<displayx>270</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr="&amp;quot;admin

</inputs>

<outputs>

<output type="text" name="Output" narrative="The output from the command" stage="Output"/>

</outputs>

<onsuccess>89779e3d-5c0f-4726-a5c8-67b2d0bb4dfb</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="58bf8fb4-654a-4e2e-8fa0-d4d7cd4941c8" name="GoTo Tab (System)" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>9b84dd03-27dc-46ca-ad7a-17fd23f577b9</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="9b84dd03-27dc-46ca-ad7a-17fd23f577b9" name="Select Encryption Schemes" type="Act

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>398bfd82-69c0-4bfe-ac84-e54e609f6921</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="398bfd82-69c0-4bfe-ac84-e54e609f6921" name="Create Encryption Scheme" type="Actio

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s

<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b

<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab

<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Scher

</inputs>

<onsuccess>ddcf4afc-1fc6-4d67-b54a-3fbd5ff1e018</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Scher

</stage>

<stage stageid="ff6154f0-9685-4711-941f-6dce44af0132" name="Select Encryption Scheme" type="Action

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayy>-435</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[s

</inputs>

<onsuccess>3aa76fb4-f76f-4863-b639-e98f3eea5385</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen

</stage>

<stage stageid="7cd3674e-5e38-4724-904e-c17ee985a2c5" name="Input Variables" type="Block">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="5f078dcd-6476-476e-917c-d5b6cf730c52" name="Scheme Method" type="Data">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayy>-405</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>

```xml
</stage>
<stage stageid="37981e0f-056e-499c-bff0-0fff7c90515a" name="Attach to System" type="Action">
<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>d4ab6667-157f-431a-8cb4-845b1d843e7e</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="1a6badb5-d66d-4872-8ce1-6d6a611590f5" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>97d46cbd-191a-406e-bc24-7cf03e68848c</onsuccess>
<processid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</processid>
</stage>
```

```xml
<stage stageid="c250a1de-c8e6-4489-aa79-5e443092e95c" name="Press Add" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>92d6f0ea-636d-4274-8ce6-9592357f1808</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="1574c38e-5828-4d0f-836d-e25a0cc2801e" name="Global Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8fcc84c3-8e67-423e-b2f8-8f001e6d6edb" name="pid" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="22613a2c-c50a-4d00-bcec-a4614fa4cee1" name="OAuth 2 Credential Name" type="Data

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">OAuth2AdvancedSettingsCred</initialvalue>

</stage>

<stage stageid="6e7073d1-19be-4f3a-9f69-e94e4b1592c2" name="Cleanup" type="Block">

<displayx>-45</displayx>

<displayy>-90</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

```xml
<stage stageid="d04705fd-0b64-408b-833d-02c7aec88b96" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8ec3e985-1574-40e3-99f3-daf16469825e</onsuccess>
</stage>
<stage stageid="6086ee4e-20ea-4825-a756-f4d9dae3ad08" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>871b7afc-106d-47c7-80f8-19f79c37429c</onsuccess>
</stage>
<stage stageid="8ec3e985-1574-40e3-99f3-daf16469825e" name="Get Exception" type="MultipleCalculati
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6086ee4e-20ea-4825-a756-f4d9dae3ad08</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="2146f9a0-a6d6-45b8-ba2c-b0a3b942229e" name="Cleanup" type="SubSheetInfo">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="90b9f7c2-f26b-44b5-b232-c78aa156e517" name="Start" type="Start">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9aa86371-303e-46a5-b6ac-919fae338632</onsuccess>
```

```
</stage>

<stage stageid="197fe7e3-f90f-40f4-b893-f8e6739251a3" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>33a196c1-4fe7-4637-9e65-7979649fde6d</onsuccess>

<processid>c60ef097-575b-4175-8a27-3c0ef89944a4</processid>

</stage>

<stage stageid="33a196c1-4fe7-4637-9e65-7979649fde6d" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>07713b68-1851-4004-81e9-dcfc6b996060</ontrue>

<onfalse>8244e30d-0df2-4ccf-9099-4c159c0eeb51</onfalse>

</stage>

<stage stageid="39d6ac53-b718-413c-80a2-79dd48c3b76e" name="Failed?" type="Data">

<narrative>

</narrative>
```

```xml
<displayx>-135</displayx>
<displayy>165</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="9c3f03d5-0055-42bb-a0ac-4e5ee09d5a30" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>195</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f85239ad-3556-4f64-a9d7-4db5d2f3c7ad" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
```

```xml
<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="07713b68-1851-4004-81e9-dcfc6b996060" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="871b7afc-106d-47c7-80f8-19f79c37429c" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>197fe7e3-f90f-40f4-b893-f8e6739251a3</onsuccess>

</stage>

<stage stageid="e718132e-ddcb-455d-9e6b-dcff2ef73802" name="Base URL" type="Data">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>
```

```xml
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-375</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">https://www.google.co.uk/</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2a73d2af-de6f-420f-bb91-7c50f4a45b8e" name="Add to CleanUp Collection" type="SubS
<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fa0d7c62-2c4b-4151-9935-eb46e7dc5a9b" name="Start" type="Start">
<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>cc71cc96-d19e-4c94-8491-7c2f594e2831</onsuccess>

</stage>

<stage stageid="0f77f149-db36-4d5b-a8df-6afa895a34fe" name="End" type="End">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0a5e4526-1725-4e19-8c27-8616ac064649" name="Item Name" type="Data">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<displayx>-120</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="de7cc525-acd2-44fc-8a4a-5012fe31edc3" name="Input Variables" type="Block">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="cc71cc96-d19e-4c94-8491-7c2f594e2831" name="Add Row" type="Action">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am

</inputs>

<onsuccess>e7c42219-5a52-4114-802e-5baeed9d90eb</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="21024b51-072b-4dcd-b210-0f1a85ed3e16" name="CleanUp Collection" type="Collection"

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="5cd84027-e33c-4b53-8d18-aa9b7af66605" name="Local Variables" type="Block">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e7c42219-5a52-4114-802e-5baeed9d90eb" name="Add To Row" type="Calculation">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0f77f149-db36-4d5b-a8df-6afa895a34fe</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="303dab68-6db5-44f1-be69-d4541d6de493" name="To Clean" type="LoopStart">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>137f21e3-5127-4a35-9013-5dd6c188894a</onsuccess>

<groupid>845f811a-9b87-4197-bf30-b3169c6c1040</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

```xml
    </stage>
    <stage stageid="26e27fbe-fc87-438d-92de-df22df824f46" name="To Clean" type="LoopEnd">
    <subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
    <narrative>
    </narrative>
    <displayx>15</displayx>
    <displayy>330</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <onsuccess>cc4339d6-ba57-4dda-a08b-390e5f9a70cb</onsuccess>
    <groupid>845f811a-9b87-4197-bf30-b3169c6c1040</groupid>
    </stage>
    <stage stageid="9aa86371-303e-46a5-b6ac-919fae338632" name="Reverse Collection" type="Action">
    <subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
    <narrative>
    </narrative>
    <displayx>15</displayx>
    <displayy>-60</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <inputs>
    <input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle
    </inputs>
    <outputs>
    <output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse
```

</outputs>

<onsuccess>303dab68-6db5-44f1-be69-d4541d6de493</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="508aa74a-abb5-4fd4-9e33-b596c9448a50" name="Reversed CleanUp" type="Collection"

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="09171368-4e58-4fe3-8274-18c364b3b46e" name="Local Variables" type="Block">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

```xml
<stage stageid="137f21e3-5127-4a35-9013-5dd6c188894a" name="Which Clean Up" type="ChoiceStart">
<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>e48db550-6798-4b8d-8f64-46db27c78532</groupid>
<choices>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">
<name>Blue Prism</name>
<distance>30</distance>
<ontrue>625c2914-524b-4848-b7c8-82b2c966c205</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Encryption Scheme&amp;quot;">
<name>Encryption Scheme</name>
<distance>75</distance>
<ontrue>ae526540-2cc0-45fd-9d5d-6cf9a468cb42</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Selected Scheme&amp;quot;">
<name>Selected Scheme</name>
<distance>120</distance>
<ontrue>f2b90042-dd96-4534-a6d4-a2365ec1c866</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Cred&amp;quot;">
```

<name>Cred</name>

<distance>165</distance>

<ontrue>0e4df9ae-2ef6-4fc1-95c2-2a5173bd1b1d</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<distance>210</distance>

<ontrue>3a1aba31-bb29-47cb-957b-87fc712757f7</ontrue>

</choice>

</choices>

</stage>

<stage stageid="bb1d463e-3f8a-4589-bdee-fc2489ac36c3" name="Otherwise" type="ChoiceEnd">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>63115db0-9888-4e99-9b0b-d4b0d2ae3ebe</onsuccess>

<groupid>e48db550-6798-4b8d-8f64-46db27c78532</groupid>

</stage>

<stage stageid="625c2914-524b-4848-b7c8-82b2c966c205" name="Terminate" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

```xml
<displayx>525</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>46d774c9-bfb3-479b-87c6-d03629a97aff</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="46d774c9-bfb3-479b-87c6-d03629a97aff" name="Anchor2" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>585</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e4551831-4ff8-4e28-a678-c2426cf1d9b0</onsuccess>

</stage>

<stage stageid="e4551831-4ff8-4e28-a678-c2426cf1d9b0" name="Anchor3" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>585</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>03e4fb1a-4153-476a-857b-506339d04cc5</onsuccess>

</stage>

<stage stageid="fa1f1eec-d09d-410f-bc7b-acf080d9889d" name="Anchor4" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>26e27fbe-fc87-438d-92de-df22df824f46</onsuccess>

</stage>

<stage stageid="fb5ba7c1-b3e8-4bd5-b72b-a9fd05044374" name="Open System Tab" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>6494b8d8-93eb-425c-b008-106bbbcf7185</onsuccess>

```xml
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="6494b8d8-93eb-425c-b008-106bbbcf7185" name="GoTo Encryption Scheme" type="Acti
<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>0e4a6400-6b1c-4103-855b-78ee6629fb1a</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="63115db0-9888-4e99-9b0b-d4b0d2ae3ebe" name="FAIL" type="Exception">
<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>285</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="8bb7d1fd-5865-47ca-8a94-1cbe52da1e59" name="Add to CleanUp Collection (Blue Prism

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>37981e0f-056e-499c-bff0-0fff7c90515a</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="6984295d-94ec-491f-bd17-1bc2363d78e6" name="Add to CleanUp Collection (Encryption

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>ff6154f0-9685-4711-941f-6dce44af0132</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="3aa76fb4-f76f-4863-b639-e98f3eea5385" name="Add to CleanUp Collection (Selected Sc

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>c12ee455-7ec9-47f3-92c7-c5bce41f8254</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="89779e3d-5c0f-4726-a5c8-67b2d0bb4dfb" name="Add to CleanUp Collection (Cred)" type

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>822c56da-335e-4563-aa89-d846ccad5ad4</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="0e4a6400-6b1c-4103-855b-78ee6629fb1a" name="Delete Encryption Scheme" type="Act

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t

</inputs>

<onsuccess>e4551831-4ff8-4e28-a678-c2426cf1d9b0</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Scher

</stage>

<stage stageid="03e4fb1a-4153-476a-857b-506339d04cc5" name="Anchor2" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7f3c69fa-2593-4249-8e21-6144593fbc78</onsuccess>

</stage>

<stage stageid="7f3c69fa-2593-4249-8e21-6144593fbc78" name="Anchor3" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>63f88707-7a84-4e7f-aa43-e94a318d3227</onsuccess>

</stage>

<stage stageid="63f88707-7a84-4e7f-aa43-e94a318d3227" name="Anchor3" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fa1f1eec-d09d-410f-bc7b-acf080d9889d</onsuccess>

</stage>

<stage stageid="c1e499ce-07c9-4786-935a-b447924cf9b8" name="Open System Tab" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>72efc30f-7faf-474f-8109-b220c8133ebb</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="72efc30f-7faf-474f-8109-b220c8133ebb" name="GoTo Encryption Scheme" type="Action"

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>2b6bd628-d50e-4ad4-a1cc-e3b410bd8bc8</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="2b6bd628-d50e-4ad4-a1cc-e3b410bd8bc8" name="Select Encryption Scheme Default" ty

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="&

</inputs>

<onsuccess>03e4fb1a-4153-476a-857b-506339d04cc5</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="ae526540-2cc0-45fd-9d5d-6cf9a468cb42" name="Close All Child Windows" type="Action

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fb5ba7c1-b3e8-4bd5-b72b-a9fd05044374</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="f2b90042-dd96-4534-a6d4-a2365ec1c866" name="Close All Child Windows" type="Action

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c1e499ce-07c9-4786-935a-b447924cf9b8</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="0e4df9ae-2ef6-4fc1-95c2-2a5173bd1b1d" name="Close All Child Windows" type="Action"

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

</narrative>

<displayx>210</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>37fedb04-3abb-4f81-b753-ea8bfb71af24</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="3a1aba31-bb29-47cb-957b-87fc712757f7" name="Close All Child Windows" type="Action"

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c26188d0-2534-4ed9-9406-742246770035</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="37fedb04-3abb-4f81-b753-ea8bfb71af24" name="Open System Tab" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>89262729-ea35-4cb6-aea2-6d6d3afde37c</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="c26188d0-2534-4ed9-9406-742246770035" name="Open System Tab" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>4cb5947d-707c-474f-81d6-bc5b9b36a5ac</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="89262729-ea35-4cb6-aea2-6d6d3afde37c" name="GoTo Credentials" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

</narrative>

<displayx>420</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>94712dd9-b34f-4452-9ef1-377871291593</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="4cb5947d-707c-474f-81d6-bc5b9b36a5ac" name="GoTo Web API" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>ad4e45d6-8d2d-4148-a53d-82a2b53ba6cb</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="94712dd9-b34f-4452-9ef1-377871291593" name="Delete Credential" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp

</inputs>

<onsuccess>7f3c69fa-2593-4249-8e21-6144593fbc78</onsuccess>

<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>

</stage>

<stage stageid="a2ca51ea-202c-4086-b796-6a669617ef31" name="Press Delete Web API" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>63f88707-7a84-4e7f-aa43-e94a318d3227</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="cc4339d6-ba57-4dda-a08b-390e5f9a70cb" name="End1" type="End">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4059227f-6249-4fcb-96ba-795f7465b731" name="Navigate to Common Authentication" ty

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayy>-435</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="Headers or Parameters" narrative="Enter &amp;quot;Headers&amp;quot; or &ar
</inputs>
<onsuccess>155afcfe-ca1a-4ce6-99f2-a53846fa9a34</onsuccess>
<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W
</stage>
<stage stageid="40678c58-bd3c-4ea7-9697-4fd03f55410d" name="Check Connection Settings" type="Sub
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5941d193-a65d-4d0a-b722-b4a60a5061d9" name="Start" type="Start">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>003a2ce5-2a38-4b53-acef-123eceb6aa3d</onsuccess>
</stage>
```

```xml
<stage stageid="6c2d8842-5fd8-4dfa-8eeb-39c2ab282411" name="End" type="End">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9f09b10a-1df0-4fe5-a79b-5c735307cb9b" name="Input Variables" type="Block">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="027cee75-25b5-49d2-b78c-9332a1f077d6" name="Authorization URL" type="Data">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.google.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f3541177-e7fb-414d-9be3-b29ca50a129c" name="Negative Expiry" type="Data">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">-1</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="54824dbe-ef1c-4fd9-a1e8-1d3af6bc93b0" name="Max Expiry" type="Data">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>0</displayy>
```

```xml
<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">100001</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b2785e12-fcd2-4dd5-b3ff-0f2b7c383e69" name="HTTP Expiry" type="Data">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="692d9335-6285-4478-8982-f56e6457f529" name="Output Variables" type="Block">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-285</displayx>
```

```xml
<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="b3af0c57-d560-4963-a513-5b6f29a1a095" name="Auth Server Expiry" type="Data">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="97d46cbd-191a-406e-bc24-7cf03e68848c" name="Check Connection Settings" type="Sul

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="e3395cdd-d903-480b-b1aa-9fc1c44f0333" name="Set HTTP Timeout" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="HTTP Expiry" expr="[Max Expiry]"/>

</inputs>

<onsuccess>5b094858-d902-4d3e-9546-422f0c49d5ab</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set HTTP Timeout Settings (Web API) "/>

</stage>

<stage stageid="f591f678-eac6-4521-9b99-29e9a7f044d8" name="Check max timeout" type="Block">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<displayx>-120</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```xml
</stage>

<stage stageid="f7af1fc0-b144-40a2-a85c-d3947ee47a4d" name="Anchor13" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6d7c6b21-0c0a-4c62-97ca-8db6b5322c75</onsuccess>

</stage>

<stage stageid="6d7c6b21-0c0a-4c62-97ca-8db6b5322c75" name="Anchor14" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>057ce89a-3aa1-4822-86d8-668649b973a8</onsuccess>

</stage>

<stage stageid="24c0347d-702d-4309-ab4c-228c594f7313" name="Check Restore Default " type="Block":

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>
```

<displayx>150</displayx>

<displayy>165</displayy>

<displaywidth>240</displaywidth>

<displayheight>105</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8e84f915-8e04-4c8b-91dd-00492ca58b0b" name="Restore Defaults" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>58de9267-0495-4814-a533-83797a4dfdb3</onsuccess>

<resource object="Blue Prism - System - Objects" action="Restore Default Timeout Settings (Web API)"/>

</stage>

<stage stageid="03049962-8aef-429a-a8db-cc90f920fd9c" name="Check values are correct" type="Decisi

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<decision expression="[Auth Server Expiry] = &amp;quot;10&amp;quot; AND [HTTP Expiry] = &amp;quot;1
<ontrue>6c2d8842-5fd8-4dfa-8eeb-39c2ab282411</ontrue>
<onfalse>36a5ceb0-6a17-4bbb-96e8-f97680755a94</onfalse>
</stage>
<stage stageid="36a5ceb0-6a17-4bbb-96e8-f97680755a94" name="Excpt" type="Exception">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Test Fail" detail="&amp;quot;Did not set timeout values to their default.&amp;quot;"/>
</stage>
<stage stageid="58de9267-0495-4814-a533-83797a4dfdb3" name="Read Timeout values" type="Action">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="HTTP Expiry" stage="HTTP Expiry"/>
<output type="text" name="Auth Server Expiry" stage="Auth Server Expiry"/>
```

```
</outputs>

<onsuccess>03049962-8aef-429a-a8db-cc90f920fd9c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Read Connection Timeout Settings (Web API)"/>

</stage>

<stage stageid="2520cbb6-3a28-4081-93ce-d31964022631" name="Add to CleanUp Collection (Web API)

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>bfac94b5-e676-4743-898f-635fb473db2a</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="22a242aa-d1b6-43ce-905a-a27e086abc6d" name="Press OK" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2520cbb6-3a28-4081-93ce-d31964022631</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="f6b59237-7fe4-4f5a-9d34-8e1b9bcf667d" name="Press Edit" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>69e240a7-6960-4eb6-98cd-d87d3b912dad</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="69e240a7-6960-4eb6-98cd-d87d3b912dad" name="Press Advanced Settings" type="Acti

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<displayx>-60</displayx>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e3395cdd-d903-480b-b1aa-9fc1c44f0333</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Advanced Settings (Web API)"/>

```xml
</stage>
<stage stageid="5b094858-d902-4d3e-9546-422f0c49d5ab" name="Confirm 'Out of Range' Error Thrown"
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1c47a5be-8a21-498c-86af-61893daac503</onsuccess>
<resource object="Blue Prism - System - Objects" action="Confirm Timeout Out of Range (Web API)"/>
</stage>
<stage stageid="03c645ea-f91a-4dae-b38f-9fef92624042" name="Valid Expiry" type="Data">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">1</initialvalue>
<private/>
<alwaysinit/>
</stage>
```

```xml
<stage stageid="1c47a5be-8a21-498c-86af-61893daac503" name="Set HTTP Timeout" type="Action">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="HTTP Expiry" expr="[Valid Expiry]"/>
</inputs>
<onsuccess>3f5cfd40-4885-4a49-a4e6-98971afe0615</onsuccess>
<resource object="Blue Prism - System - Objects" action="Set HTTP Timeout Settings (Web API) "/>
</stage>
<stage stageid="5ce225de-1cc8-44cb-acf6-114b74bc0cd3" name="Set Auth Timeout" type="Action">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Auth Server Expiry" expr="[Max Expiry]"/>
</inputs>
```

<resource object="Blue Prism - System - Objects" action="Set Auth Timeout Settings (Web API)"/>

</stage>

<stage stageid="a275c551-1932-4d94-bbb1-ab6f160dfc97" name="Confirm 'Out of Range' Error Thrown" t

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b47de44d-bd0b-414d-b1ce-2f8f5a601b28</onsuccess>

<resource object="Blue Prism - System - Objects" action="Confirm Timeout Out of Range (Web API)"/>

</stage>

<stage stageid="b47de44d-bd0b-414d-b1ce-2f8f5a601b28" name="Set Auth Timeout" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Auth Server Expiry" expr="[Valid Expiry]"/>

</inputs>

<resource object="Blue Prism - System - Objects" action="Set Auth Timeout Settings (Web API)"/>

</stage>

<stage stageid="f80ee132-5f17-4ab0-b789-eda9af93f0e2" name="Set HTTP Timeout" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="HTTP Expiry" expr="[Negative Expiry]"/>

</inputs>

<onsuccess>052aba78-72e6-423e-8f87-89d6da4c1bdc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set HTTP Timeout Settings (Web API) "/>

</stage>

<stage stageid="991df6a0-cf87-4eae-b8dd-78f2cdc1c775" name="Check min timeout" type="Block">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```
</stage>

<stage stageid="052aba78-72e6-423e-8f87-89d6da4c1bdc" name="Confirm 'Out of Range' Error Thrown"

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>763a5aa3-55f3-4922-8ce1-23b469de6299</onsuccess>

<resource object="Blue Prism - System - Objects" action="Confirm Timeout Out of Range (Web API)"/>

</stage>

<stage stageid="763a5aa3-55f3-4922-8ce1-23b469de6299" name="Set HTTP Timeout" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="HTTP Expiry" expr="[Valid Expiry]"/>

</inputs>

<onsuccess>9d6da40f-8782-4f6a-b2ef-61237a6ebb14</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set HTTP Timeout Settings (Web API) "/>
```

```
</stage>

<stage stageid="da9e471a-df89-4bba-934b-b834815edd88" name="Set Auth Timeout" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Auth Server Expiry" expr="[Negative Expiry]"/>

</inputs>

<onsuccess>4a2bc145-3a8a-47e5-a2b8-3487fc6216c6</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Auth Timeout Settings (Web API)"/>

</stage>

<stage stageid="4a2bc145-3a8a-47e5-a2b8-3487fc6216c6" name="Confirm 'Out of Range' Error Thrown"

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9352b758-fbbd-446a-bc4a-1889fe49176d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Confirm Timeout Out of Range (Web API)"/>
```

</stage>

<stage stageid="9352b758-fbbd-446a-bc4a-1889fe49176d" name="Set Auth Timeout" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Auth Server Expiry" expr="[Valid Expiry]"/>

</inputs>

<onsuccess>f7af1fc0-b144-40a2-a85c-d3947ee47a4d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Auth Timeout Settings (Web API)"/>

</stage>

<stage stageid="d1aac14a-e470-437f-a9dd-79cec932e968" name="Anchor7" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5ce225de-1cc8-44cb-acf6-114b74bc0cd3</onsuccess>

</stage>

```xml
<stage stageid="3f5cfd40-4885-4a49-a4e6-98971afe0615" name="Anchor8" type="Anchor">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d1aac14a-e470-437f-a9dd-79cec932e968</onsuccess>
</stage>
<stage stageid="9d6da40f-8782-4f6a-b2ef-61237a6ebb14" name="Anchor15" type="Anchor">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>152c49af-eb72-4fae-bd15-acbd1aa97323</onsuccess>
</stage>
<stage stageid="152c49af-eb72-4fae-bd15-acbd1aa97323" name="Anchor16" type="Anchor">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>270</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>da9e471a-df89-4bba-934b-b834815edd88</onsuccess>

</stage>

<stage stageid="c49ed70c-5867-4284-90b5-dcb50d7ef28e" name="Anchor19" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f80ee132-5f17-4ab0-b789-eda9af93f0e2</onsuccess>

</stage>

<stage stageid="ef946a21-8ac1-42f9-8f8b-6ee9e6c8ebc2" name="Anchor20" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
</stage>

<stage stageid="cb3d0eac-0ff4-4b92-adbf-34fb1ea70f5e" name="Output" type="Data">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-300</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a23e043d-9240-4a64-beb9-13925ba6b196" name="Output Variables" type="Block">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-330</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="9f54ae7f-acf1-44d6-bb76-6d30a5c5ae1a" name="Scheme Name" type="Data">

<narrative>
```

</narrative>

<displayx>-135</displayx>

<displayy>30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Scheme (Advanced Auth)</initialvalue>

</stage>

<stage stageid="057ce89a-3aa1-4822-86d8-668649b973a8" name="Press OK" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<displayx>-60</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2fad8d11-4e06-4714-8eff-9f92051f02da</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="bc9cb7d9-56ee-46d5-9bf5-7fe582a865bd" name="Reopen Web API" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c9cf90b8-43dd-4aa4-9fdd-f905edd7a0c0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="c9cf90b8-43dd-4aa4-9fdd-f905edd7a0c0" name="Press Advanced Settings" type="Action

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0221909d-8930-40ca-9454-b70bee9fdb0d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Advanced Settings (Web API)"/>

</stage>

<stage stageid="62a39d88-8762-4608-ae28-8fc7029e473f" name="Check API saves Values" type="Block"

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<displayx>-120</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="2fdc70ad-2d08-4148-bcd7-bef058351797" name="Exception1" type="Exception">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="8aa9024c-baf5-46b4-b70b-f9f0831014a8" name="Read Timeout values" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>578bb1bf-66cb-4a02-9d82-d673747ab1a1</onsuccess>

```xml
<resource object="Blue Prism - System - Objects" action="Read Connection Timeout Settings (Web API)"/>
</stage>
<stage stageid="578bb1bf-66cb-4a02-9d82-d673747ab1a1" name="Check values are correct" type="Decis
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Auth Server Expiry] = &amp;quot;1&amp;quot; AND [HTTP Expiry] = &amp;quot;1&
<ontrue>d2df1688-532d-47e5-9efb-425c4bcb0449</ontrue>
<onfalse>2fdc70ad-2d08-4148-bcd7-bef058351797</onfalse>
</stage>
<stage stageid="d2df1688-532d-47e5-9efb-425c4bcb0449" name="Anchor11" type="Anchor">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>240</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>90f68ea0-6f61-46e8-a25a-1af2f3eab257</onsuccess>
</stage>
<stage stageid="90f68ea0-6f61-46e8-a25a-1af2f3eab257" name="Anchor12" type="Anchor">
```

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8e84f915-8e04-4c8b-91dd-00492ca58b0b</onsuccess>

</stage>

<stage stageid="0221909d-8930-40ca-9454-b70bee9fdb0d" name="Anchor17" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9fb40667-2798-4e1f-ac49-b8b5c0f8536e</onsuccess>

</stage>

<stage stageid="9fb40667-2798-4e1f-ac49-b8b5c0f8536e" name="Anchor18" type="Anchor">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8aa9024c-baf5-46b4-b70b-f9f0831014a8</onsuccess>

</stage>

<stage stageid="155afcfe-ca1a-4ce6-99f2-a53846fa9a34" name="Select Authentication type to OAuth 2.0"

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authentication Type" narrative="The name of the type of authentication you want

</inputs>

<onsuccess>22a242aa-d1b6-43ce-905a-a27e086abc6d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Type (Web APi)"/>

</stage>

<stage stageid="ddcf4afc-1fc6-4d67-b54a-3fbd5ff1e018" name="Anchor5" type="Anchor">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

```xml
<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>335cdc8a-7f91-4184-87f7-b72f76fef5af</onsuccess>

</stage>

<stage stageid="335cdc8a-7f91-4184-87f7-b72f76fef5af" name="Anchor6" type="Anchor">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-480</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6984295d-94ec-491f-bd17-1bc2363d78e6</onsuccess>

</stage>

<stage stageid="92d6f0ea-636d-4274-8ce6-9592357f1808" name="Anchor9" type="Anchor">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-210</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3157c0f0-4ce5-4576-9ab6-a0162fd4b871</onsuccess>

</stage>

<stage stageid="3157c0f0-4ce5-4576-9ab6-a0162fd4b871" name="Anchor10" type="Anchor">
```

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8d62e8c2-00b5-4e66-9d21-7ca97899553b</onsuccess>

</stage>

<stage stageid="8d62e8c2-00b5-4e66-9d21-7ca97899553b" name="Add Details" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayy>-480</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>4059227f-6249-4fcb-96ba-795f7465b731</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

```xml
<stage stageid="0d1a2f78-e4ab-4158-9952-72f33fbbd235" name="Web API Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API Advanced Settings UI</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="003a2ce5-2a38-4b53-acef-123eceb6aa3d" name="Select Web API" type="Action">
<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF
</inputs>
<onsuccess>f6b59237-7fe4-4f5a-9d34-8e1b9bcf667d</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
```

```xml
<stage stageid="2fad8d11-4e06-4714-8eff-9f92051f02da" name="Select Web API" type="Action">

<subsheetid>8df948d7-e9dd-49c9-866b-eb0eafc3ba44</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>bc9cb7d9-56ee-46d5-9bf5-7fe582a865bd</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="ad4e45d6-8d2d-4148-a53d-82a2b53ba6cb" name="Select Web API" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>
```

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

</process>

<process name="Test Web API Config (Auth - Basic)" version="1.0" bpversion="6.4.0.6824" narrative="" b

<view>

<camerax>0</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="187ba884-40b6-439f-9220-c96a9e9cb0d8" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-390</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8d6671bf-920a-4e51-83bd-a7bd1303c042" type="Normal" published="False">

<name>Authentication (Basic)</name>

<view>

<camerax>93</camerax>

<cameray>90</cameray>

<zoom version="2">1.25</zoom>

</view>

```xml
</subsheet>
<subsheet subsheetid="2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="dc96c769-c5d4-4ba6-9f75-80521c2050fd" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>85</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="50294e7d-af01-4612-a489-7c6f4b432f74" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0e10d7c3-1ec6-4517-a6be-de1afb81cc36" name="Setup" type="SubSheetInfo">
```

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="081537b6-c629-4a83-ba8a-ba0b24e2eefb" name="Start" type="Start">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<displayy>-570</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>88b08cde-045a-4dba-b0cd-9903f924c78c</onsuccess>

</stage>

<stage stageid="de0a4832-726e-4f1c-bffa-fffbb5083e33" name="End" type="End">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="88b08cde-045a-4dba-b0cd-9903f924c78c" name="Launch" type="Action">
<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>b6945a05-e985-4d8d-8ba4-0c0d6d045bb8</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="d3b38ad4-be78-420e-a691-e05b2e43f1d9" name="Sign In" type="Action">
<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>8244a1cd-e5f8-4f27-b2c3-73fc2514fc86</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="65483d09-d339-4d09-8774-26bbc06bbbd9" name="Select Web API" type="Action">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>f3812c19-7d32-443c-8911-a901dcffe987</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

```xml
<stage stageid="c8a036d1-3406-4601-a59f-629deedb3784" name="Create Basic Auth Cred" type="Action
<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr="&amp;quot;admin
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>d80518ef-6a8f-40ed-bcf8-4942ec04682f</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="8244a1cd-e5f8-4f27-b2c3-73fc2514fc86" name="GoTo Tab (System)" type="Action">
<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-345</displayy>
```

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>6daea379-49e5-4e34-839c-e732d9412d56</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="94fc7eba-4656-490f-a8e5-eefc43dc2ca7" name="Select Encryption Schemes" type="Acti

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>e7238a25-e820-4ab9-b70a-7c32a15b970c</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="e7238a25-e820-4ab9-b70a-7c32a15b970c" name="Create Encryption Scheme" type="Ac

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s

<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b

<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab

<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Scher

</inputs>

<onsuccess>79d5fce8-7da0-4e86-b34b-f7fac603b917</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Scher

</stage>

<stage stageid="040ccf5b-cce5-4ac7-9e9b-69e8e0c46518" name="Select Encryption Scheme" type="Acti

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[

</inputs>

<onsuccess>c058943a-bc0e-4459-85a8-28319e5abc23</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="f219488c-8f13-49c9-85a4-a8354c1070eb" name="Input Variables" type="Block">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="de38603e-97f3-453e-b8d4-c66ba89bfcab" name="Scheme Method" type="Data">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<displayy>-450</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>

</stage>

<stage stageid="5b3a13d2-604c-4e6b-bf8e-81ae9ba47da8" name="Attach to System" type="Action">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<displayy>-435</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>d3b38ad4-be78-420e-a691-e05b2e43f1d9</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="2c04b465-eb95-4342-a94d-c81bb065136b" name="Add Web API" type="Action">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>e34a56d5-39c9-46e0-bb46-fa812050dace</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="f3812c19-7d32-443c-8911-a901dcffe987" name="Press Add" type="Action">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2c04b465-eb95-4342-a94d-c81bb065136b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="d4f9e76a-0ced-4370-ae0e-88be19580746" name="Base URL" type="Data">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-420</displayy>
```

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6945a05-e985-4d8d-8ba4-0c0d6d045bb8" name="Add to CleanUp Collection (Blue Pris

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>5b3a13d2-604c-4e6b-bf8e-81ae9ba47da8</onsuccess>

<processid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</processid>

</stage>

<stage stageid="79d5fce8-7da0-4e86-b34b-f7fac603b917" name="Add to CleanUp Collection (Encryption

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>040ccf5b-cce5-4ac7-9e9b-69e8e0c46518</onsuccess>

<processid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</processid>

</stage>

<stage stageid="c058943a-bc0e-4459-85a8-28319e5abc23" name="Add to CleanUp Collection (Selected

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>c8a036d1-3406-4601-a59f-629deedb3784</onsuccess>

<processid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</processid>

</stage>

<stage stageid="d80518ef-6a8f-40ed-bcf8-4942ec04682f" name="Add to CleanUp Collection (Credential)"

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>65483d09-d339-4d09-8774-26bbc06bbbd9</onsuccess>

<processid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</processid>

</stage>

<stage stageid="aff659b6-af90-4aca-afb1-ba118d96038e" name="Add to CleanUp Collection (Web API)" t

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>de0a4832-726e-4f1c-bffa-fffbb5083e33</onsuccess>

    </stage>

    <stage stageid="e34a56d5-39c9-46e0-bb46-fa812050dace" name="Press OK" type="Action">

    <subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

    <narrative>

    </narrative>

    <displayx>150</displayx>

    <displayy>195</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <onsuccess>aff659b6-af90-4aca-afb1-ba118d96038e</onsuccess>

    <resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

    </stage>

    <stage stageid="0d254b80-9519-4a51-b3ca-95d95a0ef327" name="Authentication (Basic)" type="SubShe

    <subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

    <narrative>

    </narrative>

    <displayx>-120</displayx>

    <displayy>-105</displayy>

    <displaywidth>150</displaywidth>

    <displayheight>90</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    </stage>

    <stage stageid="5360ad16-1cc9-44b2-92d9-9a80bb710246" name="Start" type="Start">

    <subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

    <narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>536e6b01-19e3-4316-89b4-08ce9599844b</onsuccess>

</stage>

<stage stageid="e7002540-c5e7-47b9-ba32-ac742b3cee00" name="Select Common Authentication" type=

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9d48752d-4cbe-411a-ae30-f88258599a4b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="9d48752d-4cbe-411a-ae30-f88258599a4b" name="Select Basic" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authentication Type" narrative="The name of the type of authentication you wan

</inputs>

<onsuccess>31944e11-047b-472c-bb01-d07b289a6c9c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Type (Web APi)"/>

</stage>

<stage stageid="8f2311aa-a119-4f95-8c61-055c5d8c8b4d" name="Press OK" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dbcc7377-eac6-4aac-be0e-0a47f33ee746</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="62c8ffad-ca91-4d2e-b798-f12c971ca448" name="Press Edit" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4da0e481-79fa-4e26-bf52-79186e2f29de</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="008bdd7f-6ed7-4902-8dd1-b47222ed9abc" name="Select Web API" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>62c8ffad-ca91-4d2e-b798-f12c971ca448</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="7dcd9ee0-4709-4e17-961c-1d8a007b15c8" name="Basic Auth" type="Block">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="4da0e481-79fa-4e26-bf52-79186e2f29de" name="Select Common Authentication" type="

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5fdb6cf1-e733-4eb5-8989-e8dc0df6ce4c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="588babf7-7493-4766-a5ea-f0d85652650c" name="Input Variables" type="Block">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<displayx>-195</displayx>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="46597f5f-d159-4832-be7b-a40c752c56b0" name="Parameter Name" type="Data">

```xml
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Example Parameter</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="31944e11-047b-472c-bb01-d07b289a6c9c" name="Check Defaults (Basic)" type="Action"
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Pre-emptively send the auth header?" narrative="The state you expect." expr="F
</inputs>
<onsuccess>c434aa3e-a074-489d-8dcf-1043dbdf724b</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Basic Authentication (Web API)"/>
</stage>
```

```xml
<stage stageid="dbcc7377-eac6-4aac-be0e-0a47f33ee746" name="Anchor7" type="Anchor">
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>150</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>045b5a32-1509-4ed9-953e-6c9db7bcf63f</onsuccess>
</stage>
<stage stageid="045b5a32-1509-4ed9-953e-6c9db7bcf63f" name="Anchor8" type="Anchor">
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>008bdd7f-6ed7-4902-8dd1-b47222ed9abc</onsuccess>
</stage>
<stage stageid="60c0268e-b5b6-479c-89ce-646664cdea3c" name="Check Basic" type="Action">
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>375</displayx>
```

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Pre-emptively send the auth header?" narrative="The state you expect." expr="T

</inputs>

<onsuccess>b532554b-b843-45e9-b79c-9016461fc9f7</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Basic Authentication (Web API)"/>

</stage>

<stage stageid="5eb21438-0bea-4772-9da2-dd9e508c3d26" name="Set Basic" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Pre-emptively send the auth header?" narrative="False as default. True or False

</inputs>

<onsuccess>f78c67fb-ce74-4ab8-b5a9-967c3759afa8</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Basic Authentication (Web API)"/>

</stage>

<stage stageid="c434aa3e-a074-489d-8dcf-1043dbdf724b" name="Check Defaults (Credential)" type="Act

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting t

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>548628b3-e753-4899-b13c-b4e0cb0ff571</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

<stage stageid="b532554b-b843-45e9-b79c-9016461fc9f7" name="Check Credential" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting t

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

```xml
<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe
</inputs>
<onsuccess>62882cff-0e40-426e-9026-5a758ca29bbd</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>
</stage>
<stage stageid="f78c67fb-ce74-4ab8-b5a9-967c3759afa8" name="Set Credential" type="Action">
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential" narrative="IF you want to, this is the name of the credential you want
<input type="flag" name="Expose to Process?" narrative="This is optional. If you want to expose the choic
<input type="text" name="Parameter Name" narrative="The name of the input parameter. If left blank this v
</inputs>
<onsuccess>8f2311aa-a119-4f95-8c61-055c5d8c8b4d</onsuccess>
<resource object="Blue Prism - System - Objects" action="Set Authentication Credential (Web API)"/>
</stage>
<stage stageid="548628b3-e753-4899-b13c-b4e0cb0ff571" name="Anchor7" type="Anchor">
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>99f1f31c-0e07-4f43-aedd-d7167a3771f4</onsuccess>

</stage>

<stage stageid="99f1f31c-0e07-4f43-aedd-d7167a3771f4" name="Anchor8" type="Anchor">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5eb21438-0bea-4772-9da2-dd9e508c3d26</onsuccess>

</stage>

<stage stageid="5fdb6cf1-e733-4eb5-8989-e8dc0df6ce4c" name="Anchor7" type="Anchor">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="23a2b4b9-b2d2-4488-bdea-016acbd2bfcf" name="Anchor8" type="Anchor">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>60c0268e-b5b6-479c-89ce-646664cdea3c</onsuccess>

</stage>

<stage stageid="536e6b01-19e3-4316-89b4-08ce9599844b" name="Select Web API" type="Action">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<displayy>-90</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>75da83c5-53a6-4800-91fa-8179c5be18f1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

```xml
<stage stageid="75da83c5-53a6-4800-91fa-8179c5be18f1" name="Press Edit" type="Action">
<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e7002540-c5e7-47b9-ba32-ac742b3cee00</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="0e20a671-5051-4b9a-9a2a-aaaa28e42a25" name="Add to CleanUp Collection" type="Su
<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1ee5dc3d-a3b8-4647-8400-c3988292e60a" name="Start" type="Start">
<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>c999cce8-7a16-4d81-95e6-ba240ba9d331</onsuccess>

</stage>

<stage stageid="bd877558-bf4f-416b-bcbd-5f1c7300fb4d" name="End" type="End">

<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c4edf41d-90d4-499c-b997-b81e77d211d5" name="Item Name" type="Data">

<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>

<displayx>-120</displayx>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="7710cf9a-2815-4fb2-8eff-9c38ea2821d7" name="Input Variables" type="Block">
<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c999cce8-7a16-4d81-95e6-ba240ba9d331" name="Add Row" type="Action">
<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
```

</inputs>

<onsuccess>a711cecd-e91b-4ce3-b9de-42664e74cffd</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="51f2ba89-505e-4dc9-ae6b-1ac371bf6f06" name="CleanUp Collection" type="Collection">

<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="259e71eb-a24a-4541-9958-8d556c9330c9" name="Local Variables" type="Block">

<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>

<displayx>-195</displayx>

```xml
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a711cecd-e91b-4ce3-b9de-42664e74cffd" name="Add To Row" type="Calculation">
<subsheetid>2dc99dad-f4a2-4c70-b181-1b3bbfff0ad4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bd877558-bf4f-416b-bcbd-5f1c7300fb4d</onsuccess>
<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>
</stage>
<stage stageid="cb29de56-d891-4ffd-bd93-45784e2c0f35" name="Cleanup" type="SubSheetInfo">
<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="431a2792-a13d-4772-be2e-f713340cad42" name="Start" type="Start">
<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>
<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c06fe791-b43c-4325-af06-05cbe7c73aa9</onsuccess>

</stage>

<stage stageid="c30f60e7-d849-4f48-8385-aecb7ccc245e" name="To Clean" type="LoopStart">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3248d561-85bd-407a-a645-c303d362d485</onsuccess>

<groupid>1d7a3cb7-5307-4458-a23c-6b26078edb4e</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="d2ddd410-7880-4846-8c28-6f9ce9cf5100" name="To Clean" type="LoopEnd">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse

</outputs>

<onsuccess>c30f60e7-d849-4f48-8385-aecb7ccc245e</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="e6b9208e-3e53-4338-923a-c3b97870a944" name="Reversed CleanUp" type="Collection"

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="7607488a-9e05-43a6-bd81-4517a462f3c6" name="Local Variables" type="Block">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="3248d561-85bd-407a-a645-c303d362d485" name="Which Clean Up" type="ChoiceStart":

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>4ba225aa-3f19-46cd-a5c1-2917fea8e69a</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>629c9fa6-c474-4491-ac37-3076c71847b2</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Encryption Scheme&quot;">

<name>Encryption Scheme</name>

<distance>75</distance>

<ontrue>7ff14f1a-52c6-49aa-975f-446ad8a3deb1</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Selected Scheme&quot;">

<name>Selected Scheme</name>

<distance>120</distance>

<ontrue>973072d8-6f8f-4537-948c-dbc0e08a004d</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Credential&quot;">

<name>Credential</name>

<distance>165</distance>

<ontrue>528cff33-4144-4b0d-884b-7e1d1dc12657</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<ontrue>6c747d27-8153-4f90-9c14-6dfbfad3591e</ontrue>

</choice>

</choices>

</stage>

<stage stageid="aa7d7e06-93f7-42c0-862a-798566a787c5" name="Otherwise" type="ChoiceEnd">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="8bc0ac2e-97d9-41c3-b6a9-b21acbab351d" name="Anchor2" type="Anchor">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>88eeb3f1-05e3-4a13-93c1-c55919485ae4</onsuccess>

</stage>

<stage stageid="88eeb3f1-05e3-4a13-93c1-c55919485ae4" name="Anchor3" type="Anchor">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>aa11d384-606e-416c-b809-4a0e912d03aa</onsuccess>

</stage>

<stage stageid="11c4c0ee-150b-418b-8add-55c4ad17fa5c" name="Anchor4" type="Anchor">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>
```

```
</narrative>

<displayx>630</displayx>

<displayy>330</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d2ddd410-7880-4846-8c28-6f9ce9cf5100</onsuccess>

</stage>

<stage stageid="744b2c91-e934-4098-925a-c46bc951b9e9" name="Open System Tab" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>409d9650-6253-4f59-a9dd-566d28c43334</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="409d9650-6253-4f59-a9dd-566d28c43334" name="GoTo Encryption Scheme" type="Acti

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>
```

<displayx>465</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>69416cd0-a3fd-463d-b6bd-22ba70a6e049</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="a349477b-dd78-49e1-a33b-ddf290cd5d20" name="FAIL" type="Exception">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>285</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="69416cd0-a3fd-463d-b6bd-22ba70a6e049" name="Delete Encryption Scheme" type="Act

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t

</inputs>

<onsuccess>88eeb3f1-05e3-4a13-93c1-c55919485ae4</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Scher

</stage>

<stage stageid="aa11d384-606e-416c-b809-4a0e912d03aa" name="Anchor2" type="Anchor">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>815457cd-0aab-4659-b436-1c78f5b68f4c</onsuccess>

</stage>

<stage stageid="815457cd-0aab-4659-b436-1c78f5b68f4c" name="Anchor3" type="Anchor">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a851e7af-483e-49e2-b9fe-9697abc42153</onsuccess>

</stage>

<stage stageid="a851e7af-483e-49e2-b9fe-9697abc42153" name="Anchor3" type="Anchor">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>11c4c0ee-150b-418b-8add-55c4ad17fa5c</onsuccess>

</stage>

<stage stageid="a5f88be4-f121-4d5f-bdcf-adfc3f681e67" name="Open System Tab" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>4ee43509-2754-40e2-a8c2-d68c537a178a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="4ee43509-2754-40e2-a8c2-d68c537a178a" name="GoTo Encryption Scheme" type="Acti

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>166f7c5a-5eea-44f4-92fe-295ea716b984</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

```xml
<stage stageid="166f7c5a-5eea-44f4-92fe-295ea716b984" name="Select Encryption Scheme Default" typ
<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="&
</inputs>
<onsuccess>aa11d384-606e-416c-b809-4a0e912d03aa</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem
</stage>
<stage stageid="7ff14f1a-52c6-49aa-975f-446ad8a3deb1" name="Close All Child Windows" type="Action":
<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>744b2c91-e934-4098-925a-c46bc951b9e9</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
```

<stage stageid="973072d8-6f8f-4537-948c-dbc0e08a004d" name="Close All Child Windows" type="Action

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a5f88be4-f121-4d5f-bdcf-adfc3f681e67</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="528cff33-4144-4b0d-884b-7e1d1dc12657" name="Close All Child Windows" type="Action

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8530426b-2e1f-462d-93d3-2d4bf6c12d2d</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="6c747d27-8153-4f90-9c14-6dfbfad3591e" name="Close All Child Windows" type="Action"

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

</narrative>

<displayx>150</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4cdb1d47-cdb5-4259-b09c-4d4ab72e2837</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="8530426b-2e1f-462d-93d3-2d4bf6c12d2d" name="Open System Tab" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>e8d4d739-137e-4a32-82f5-9227881ee712</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="4cdb1d47-cdb5-4259-b09c-4d4ab72e2837" name="Open System Tab" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>5ff2088c-4883-408c-9c3d-c9b21a59bde6</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="e8d4d739-137e-4a32-82f5-9227881ee712" name="GoTo Credentials" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Cre

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

    </inputs>

    <onsuccess>f180c97a-fdf3-424b-86ed-ac4a0f8173c0</onsuccess>

    <resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

    </stage>

    <stage stageid="5ff2088c-4883-408c-9c3d-c9b21a59bde6" name="GoTo Web API" type="Action">

    <subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

    <narrative>

    </narrative>

    <displayx>360</displayx>

    <displayy>240</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Tahoma" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

    <input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

    <input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

    <input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

    <input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

    </inputs>

    <onsuccess>88db903b-3858-411c-8f5b-d9069fc79aa6</onsuccess>

    <resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

    </stage>

    <stage stageid="f180c97a-fdf3-424b-86ed-ac4a0f8173c0" name="Delete Credential 1" type="Action">

    <subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

    <narrative>

    </narrative>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp

</inputs>

<onsuccess>815457cd-0aab-4659-b436-1c78f5b68f4c</onsuccess>

<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>

</stage>

<stage stageid="30d1d65f-129d-4db8-81c2-fa26daf767ce" name="Press Delete Web API" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a851e7af-483e-49e2-b9fe-9697abc42153</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="88db903b-3858-411c-8f5b-d9069fc79aa6" name="Select Web API" type="Action">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<displayx>465</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>30d1d65f-129d-4db8-81c2-fa26daf767ce</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="029e84de-18db-47ea-b945-9b1cd0653865" name="End1" type="End">

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="62882cff-0e40-426e-9026-5a758ca29bbd" name="End2" type="End">

<subsheetid>8d6671bf-920a-4e51-83bd-a7bd1303c042</subsheetid>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>150</displayy>

```xml
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d305916f-1e3a-466f-829f-9f274519ba94" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cde6c9d7-2b59-4c4e-a3cc-9d791b2d59cf</onsuccess>
</stage>
<stage stageid="560c0ce4-44f1-4dff-bb81-54957ddde87a" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cde6c9d7-2b59-4c4e-a3cc-9d791b2d59cf" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
```

```xml
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cdb08cc1-a1f7-45d9-854d-154fd6a95ce9</onsuccess>
<processid>187ba884-40b6-439f-9220-c96a9e9cb0d8</processid>
</stage>
<stage stageid="03f0b921-c102-4bbb-b48d-956f843e3780" name="Web API Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API (Auth - Basic)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="82e2691e-32e2-43d8-8ad1-54f649c39cbb" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>

<stage stageid="7b979198-6c7f-4d6b-81b7-41df025157f7" name="pid" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="57d0cee1-ac33-42ec-a24b-57e584b4903d" name="Basic Auth Credential Name" type="D

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">BasicAuthCred</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="cdb08cc1-a1f7-45d9-854d-154fd6a95ce9" name="Authentication (Basic)" type="SubShee

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>862920b3-c247-45c8-b769-70d0fb06bdb2</onsuccess>

<processid>8d6671bf-920a-4e51-83bd-a7bd1303c042</processid>

</stage>

<stage stageid="3998947b-9d01-4cae-a8f2-b124cb588050" name="Cleanup" type="Block">

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="862920b3-c247-45c8-b769-70d0fb06bdb2" name="Cleanup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<processid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</processid>

</stage>

<stage stageid="62b90fef-3c7f-4de6-897c-cbbfb080de49" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>3b2b56a1-3afc-454c-a18e-5af3b9ca0c00</ontrue>

<onfalse>560c0ce4-44f1-4dff-bb81-54957ddde87a</onfalse>

</stage>

<stage stageid="146358cd-0401-46f6-8309-c827cb32b4f9" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>
```

```xml
<stage stageid="0b77b294-bf11-406e-bf02-a0b8e8bc4dc1" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>210</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d487368f-5505-4164-ad05-ef374711d771" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3b2b56a1-3afc-454c-a18e-5af3b9ca0c00" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>150</displayy>
```

```xml
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="39bd82c2-cde8-4ed1-beb1-17e0e6f5d7d5" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>862920b3-c247-45c8-b769-70d0fb06bdb2</onsuccess>

</stage>

<stage stageid="9b22ec68-93d7-4e8f-9936-6c8f8809a8b5" name="Scheme Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Scheme (Auth - Basic)</initialvalue>

<alwaysinit/>

</stage>
```

<stage stageid="629c9fa6-c474-4491-ac37-3076c71847b2" name="Close All Child Windows" type="Action

<subsheetid>dc96c769-c5d4-4ba6-9f75-80521c2050fd</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>99983994-cc35-430d-b21c-3e4232d833cc</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="81279bcf-af34-4973-978d-122c976905c4" name="Recover" type="Recover">

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0112611a-318a-4b29-883d-7a05f6925c6a</onsuccess>

</stage>

<stage stageid="36267bf8-7224-4978-ba98-44521eab2bb7" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>39bd82c2-cde8-4ed1-beb1-17e0e6f5d7d5</onsuccess>

</stage>

<stage stageid="0112611a-318a-4b29-883d-7a05f6925c6a" name="Get Exception" type="MultipleCalculat

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>36267bf8-7224-4978-ba98-44521eab2bb7</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="6daea379-49e5-4e34-839c-e732d9412d56" name="Collapse Tree" type="Action">

<subsheetid>187ba884-40b6-439f-9220-c96a9e9cb0d8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>94fc7eba-4656-490f-a8e5-eefc43dc2ca7</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>

</stage>

</process>

<process name="Test Web API Config (Auth - Bearer Token)" version="1.0" bpversion="6.4.0.6824" narra

<view>

<camerax>0</camerax>

<cameray>63</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="28bda44d-733c-4c9f-86d7-b168edd3406c" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-378</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5805892f-c073-4900-a34d-5d6b30c8f6b8" type="Normal" published="False">

<name>Authentication (Bearer Token)</name>

<view>

<camerax>64</camerax>

<cameray>69</cameray>

<zoom version="2">1.25</zoom>

```xml
</view>
</subsheet>
<subsheet subsheetid="af11ace2-a4b9-452a-afea-70dc2ea4d8c9" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>85</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="c11a4f49-9962-4e38-9da5-8374f1f58a42" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```xml
<stage stageid="73b3dd3b-cdf2-4d01-a553-1f59073ce2fc" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fb0bc327-aef7-4a0e-96ab-5beb2d15cf14</onsuccess>
</stage>
<stage stageid="e334326a-67c8-4017-8b3c-196707789890" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fb0bc327-aef7-4a0e-96ab-5beb2d15cf14" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="e1795b43-feb1-4f58-bb91-a3587aaf6811" name="Web API Name" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Auth - Bearer)</initialvalue>

</stage>

<stage stageid="1d9318aa-0071-49ea-9f35-8cc5e4797311" name="Global Variables" type="Block">

<displayx>-210</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="6d89ca8e-5e7d-44ac-b151-6897302ab68b" name="pid" type="Data">

```xml
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="249e0cf4-d78c-4e29-95a8-4de7cc49d538" name="Bearer Token Credential Name" type=
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">BearerTokenCred</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="a55ca55c-7f5b-409a-bc9d-09f294fd7d67" name="Authentication (Bearer Token)" type="S
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5720f776-7bbf-4f69-bf84-9d29fe6e230e</onsuccess>

<processid>5805892f-c073-4900-a34d-5d6b30c8f6b8</processid>

</stage>

<stage stageid="74bdaec7-d1d4-45a5-9f88-1a22305bfe41" name="Cleanup" type="Block">

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="5720f776-7bbf-4f69-bf84-9d29fe6e230e" name="Cleanup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>141ee11f-ba27-4de9-b43e-d8a32c38f900</onsuccess>

<processid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</processid>

</stage>

<stage stageid="141ee11f-ba27-4de9-b43e-d8a32c38f900" name="Failed?" type="Decision">

```xml
</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>1b80a418-bd6c-4264-bb9b-882c6de828ba</ontrue>

<onfalse>e334326a-67c8-4017-8b3c-196707789890</onfalse>

</stage>

<stage stageid="8373c374-84ba-481b-8281-2f0e7e05309c" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="13f008c1-b06a-4554-a248-f18bcec08f69" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>
```

```xml
<displayy>210</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="83a0cccb-20de-4149-8933-0d4d1963b832" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1b80a418-bd6c-4264-bb9b-882c6de828ba" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>
```

```xml
</stage>

<stage stageid="16af9b4a-bdd9-40b6-b161-041b1fca999e" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5720f776-7bbf-4f69-bf84-9d29fe6e230e</onsuccess>

</stage>

<stage stageid="093ad2fe-725c-43d1-a67f-6a4693c8493d" name="Scheme Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Scheme (Auth - Bearer)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="dd60d148-82e4-4a8d-baeb-f2914fae11fb" name="Setup" type="SubSheetInfo">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>
```

```xml
<displayx>15</displayx>

<displayy>-540</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6a7a6921-4ea0-4f0d-b67d-5d3b04310b03" name="Start" type="Start">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-570</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c55f6a6a-6d04-4c6f-992c-b52b459d1fa6</onsuccess>

</stage>

<stage stageid="fba086c0-52eb-4bb8-b175-fa611852c940" name="End" type="End">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>
```

```xml
<stage stageid="c55f6a6a-6d04-4c6f-992c-b52b459d1fa6" name="Launch" type="Action">
<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>23408542-16c8-4218-b854-86972401f556</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="8035276b-072c-4921-9c42-c6b5eb084c8e" name="Sign In" type="Action">
<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
```

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>d6834bfa-28a9-4523-b957-cd8e983b7f60</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="7e120f9c-eafa-4c38-8d97-ff45699af0f4" name="Select Web API" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>9602ebbf-c933-495e-9a65-d9e5f7dc5a39</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="d6834bfa-28a9-4523-b957-cd8e983b7f60" name="GoTo Tab (System)" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

</narrative>

<displayx>150</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>e8bf8094-a73e-47bf-96c1-3a2d4b65a7eb</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="a6558748-f87e-4215-961b-e5fc5230ffbb" name="Select Encryption Schemes" type="Acti

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

```
</inputs>

<onsuccess>8684a723-0e05-4d13-bf8c-9dd0e620b2e6</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="8684a723-0e05-4d13-bf8c-9dd0e620b2e6" name="Create Encryption Scheme" type="Act

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s

<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b

<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab

<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Scher

</inputs>

<onsuccess>fb90d16d-4b15-4e26-9586-c5597c1bb40b</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Scher

</stage>

<stage stageid="3a966200-0182-4869-84a3-8548a320a31b" name="Select Encryption Scheme" type="Ac

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[

</inputs>

<onsuccess>829131a9-c650-4716-acd0-f6826a2ee01c</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="da06fd81-f619-41b0-b06f-babb65289684" name="Input Variables" type="Block">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8fd3c99a-9f99-46d0-9b33-e686b993eb3d" name="Scheme Method" type="Data">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e08460e4-b408-4d11-b7d1-0bef2851baf9" name="Attach to System" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>8035276b-072c-4921-9c42-c6b5eb084c8e</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="2be4d306-747d-4471-9324-ed5ecb46662f" name="Add Web API" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>
```

```xml
<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>70a0c35a-63c1-4339-9649-1d8f916e3936</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="9602ebbf-c933-495e-9a65-d9e5f7dc5a39" name="Press Add" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2be4d306-747d-4471-9324-ed5ecb46662f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="069f4d81-35fe-4248-81cf-f760bd8b5da0" name="Base URL" type="Data">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>
```

```xml
</narrative>

<displayx>15</displayx>

<displayy>-420</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="23408542-16c8-4218-b854-86972401f556" name="Add to CleanUp Collection (Blue Prism

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>e08460e4-b408-4d11-b7d1-0bef2851baf9</onsuccess>

<processid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</processid>

</stage>

<stage stageid="fb90d16d-4b15-4e26-9586-c5597c1bb40b" name="Add to CleanUp Collection (Encryption
```

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>3a966200-0182-4869-84a3-8548a320a31b</onsuccess>

<processid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</processid>

</stage>

<stage stageid="829131a9-c650-4716-acd0-f6826a2ee01c" name="Add to CleanUp Collection (Selected S

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>b1747b0d-0ceb-4fa3-b0cd-b9d77b0a0b3d</onsuccess>

```xml
<processid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</processid>
</stage>
<stage stageid="50e4f258-6851-4bdb-a8f1-6824f3ee861d" name="Add to CleanUp Collection (Credential)
<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp
</inputs>
<onsuccess>7e120f9c-eafa-4c38-8d97-ff45699af0f4</onsuccess>
<processid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</processid>
</stage>
<stage stageid="eebb20c5-398c-4486-8033-9c000164a629" name="Add to CleanUp Collection (Web API)
<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>fba086c0-52eb-4bb8-b175-fa611852c940</onsuccess>

<processid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</processid>

</stage>

<stage stageid="70a0c35a-63c1-4339-9649-1d8f916e3936" name="Press OK" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>eebb20c5-398c-4486-8033-9c000164a629</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="c4632186-b35f-46d0-9ae7-335597efa86e" name="Add to CleanUp Collection" type="Sub

<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>

<displayx>-120</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

```xml
<stage stageid="b436c698-e5e8-43bb-9141-6c080ef7ed68" name="Start" type="Start">
<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item
</inputs>
<onsuccess>2e7c21ae-202b-4b63-b79c-78246be495e5</onsuccess>
</stage>
<stage stageid="5e7e4947-8cd2-4e90-9953-1eaff2a835d4" name="End" type="End">
<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="50f09e84-e10e-453a-b111-18e1fb9fa7ab" name="Item Name" type="Data">
<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>
<narrative>
```

```
</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4878d16b-b241-47ea-8b42-135454cecf3f" name="Input Variables" type="Block">

<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="2e7c21ae-202b-4b63-b79c-78246be495e5" name="Add Row" type="Action">

<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>
```

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp

</inputs>

<onsuccess>734d3fee-9529-4ec8-9a9b-c1581472ed6c</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="096067da-79c1-4166-852c-9d6943091ff6" name="CleanUp Collection" type="Collection">

<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="69ab193e-0125-4b05-85a5-5cc78c3941b1" name="Local Variables" type="Block">

<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>

<narrative>
```

</narrative>

<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="734d3fee-9529-4ec8-9a9b-c1581472ed6c" name="Add To Row" type="Calculation">

<subsheetid>af11ace2-a4b9-452a-afea-70dc2ea4d8c9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5e7e4947-8cd2-4e90-9953-1eaff2a835d4</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="9b6c7c86-18bf-4586-b6d1-dc78cd5c5976" name="Cleanup" type="SubSheetInfo">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="332c7b2c-a24a-4355-b0e0-7b47cf26701c" name="Start" type="Start">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>241cb5d3-b4c3-451e-a314-98bac0aa7d21</onsuccess>

</stage>

<stage stageid="4d8bf6f5-cc74-4060-af4c-17d13d0a8b69" name="To Clean" type="LoopStart">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>aa7e0aaf-64cd-42cc-b7c7-9b569cb3d7f4</onsuccess>

<groupid>c53fe886-ce68-4dbe-8b1f-94bda2e8d71c</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>
```

```
<stage stageid="6ce0750e-6a2a-46aa-9418-1e5ad8de7af0" name="To Clean" type="LoopEnd">
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e43e7844-6019-484c-ae20-368f8e92a823</onsuccess>
<groupid>c53fe886-ce68-4dbe-8b1f-94bda2e8d71c</groupid>
</stage>
<stage stageid="241cb5d3-b4c3-451e-a314-98bac0aa7d21" name="Reverse Collection" type="Action">
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle
</inputs>
<outputs>
<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse
</outputs>
```

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="9f765093-2696-42c4-8f34-055b715b1849" name="Reversed CleanUp" type="Collection">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="c2c44f87-7c36-41ca-a7d3-22163a005703" name="Local Variables" type="Block">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="aa7e0aaf-64cd-42cc-b7c7-9b569cb3d7f4" name="Which Clean Up" type="ChoiceStart">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>58ca97c5-aec5-41c6-a4dd-866630c840ed</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>bc72c5b2-7e8e-4ba5-aa42-457e8c428354</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Encryption Scheme&quot;">

<name>Encryption Scheme</name>

<distance>75</distance>

<ontrue>8df80b07-54ab-40d6-92be-d94013bf80f0</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Selected Scheme&quot;">

<name>Selected Scheme</name>

<distance>120</distance>

<ontrue>afe6d77d-a0fb-4337-922c-05af3432cf26</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Credential&quot;">

<name>Credential</name>

```xml
<distance>165</distance>

<ontrue>51f2f3b5-db47-4835-9410-0137ffb04d48</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">

<name>Web API</name>

<distance>210</distance>

<ontrue>e5316363-c399-4db6-ab44-c12ab03cee37</ontrue>

</choice>

</choices>

</stage>

<stage stageid="0021cae5-db34-4556-833b-afdfce919e44" name="Otherwise" type="ChoiceEnd">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ec75eb7f-350e-4cc1-aa6e-a4dc363c64bd</onsuccess>

<groupid>58ca97c5-aec5-41c6-a4dd-866630c840ed</groupid>

</stage>

<stage stageid="aab5007d-1ca1-4d3f-8b3c-d253d0f0c92c" name="Terminate" type="Action">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>
```

```xml
<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e09be047-9568-4b14-be97-b6f4584f2864</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="e09be047-9568-4b14-be97-b6f4584f2864" name="Anchor2" type="Anchor">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0fa9a286-f861-4469-86d4-f1294adb4910</onsuccess>

</stage>

<stage stageid="0fa9a286-f861-4469-86d4-f1294adb4910" name="Anchor3" type="Anchor">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="f753a047-befe-44a5-a27e-171ad2a83914" name="Anchor4" type="Anchor">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6ce0750e-6a2a-46aa-9418-1e5ad8de7af0</onsuccess>

</stage>

<stage stageid="e329b6e5-fb4b-485d-9593-0a6d904124b4" name="Open System Tab" type="Action">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>2bd34754-f4ad-42c3-99d5-751293cec438</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="2bd34754-f4ad-42c3-99d5-751293cec438" name="GoTo Encryption Scheme" type="Actic

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>55499bfd-5d0e-4636-a40d-3212f51b864e</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="ec75eb7f-350e-4cc1-aa6e-a4dc363c64bd" name="FAIL" type="Exception">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="55499bfd-5d0e-4636-a40d-3212f51b864e" name="Delete Encryption Scheme" type="Acti

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t

</inputs>

<onsuccess>0fa9a286-f861-4469-86d4-f1294adb4910</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Scher

</stage>

<stage stageid="b106f206-33d5-4cd2-b5e4-c00adf6ff824" name="Anchor2" type="Anchor">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>26109de2-1855-45fb-9dbf-af62f98ae66f</onsuccess>

</stage>

<stage stageid="26109de2-1855-45fb-9dbf-af62f98ae66f" name="Anchor3" type="Anchor">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>93369432-0482-4f95-99bd-1a3d9042f665</onsuccess>

</stage>

<stage stageid="93369432-0482-4f95-99bd-1a3d9042f665" name="Anchor3" type="Anchor">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f753a047-befe-44a5-a27e-171ad2a83914</onsuccess>

</stage>

<stage stageid="d078a20f-6852-4b9e-a45f-faa43c6243b1" name="Open System Tab" type="Action">

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>d057e4db-440b-48c8-9e84-5e1348da3ea9</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="d057e4db-440b-48c8-9e84-5e1348da3ea9" name="GoTo Encryption Scheme" type="Act

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>026734ce-0834-483b-b092-e6d09ebbf733</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="026734ce-0834-483b-b092-e6d09ebbf733" name="Select Encryption Scheme Default" ty

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="&

</inputs>

<onsuccess>b106f206-33d5-4cd2-b5e4-c00adf6ff824</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="8df80b07-54ab-40d6-92be-d94013bf80f0" name="Close All Child Windows" type="Action"

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e329b6e5-fb4b-485d-9593-0a6d904124b4</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="afe6d77d-a0fb-4337-922c-05af3432cf26" name="Close All Child Windows" type="Action":

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d078a20f-6852-4b9e-a45f-faa43c6243b1</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="51f2f3b5-db47-4835-9410-0137ffb04d48" name="Close All Child Windows" type="Action"

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="e5316363-c399-4db6-ab44-c12ab03cee37" name="Close All Child Windows" type="Actio
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7f92c8d9-a03c-468e-b4d4-eb0285f44dc2</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="14b7b82d-6d06-481f-be66-12b48c7fb822" name="Open System Tab" type="Action">
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>360</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>2130cf47-a19c-4c26-8f62-833885c09fd6</onsuccess>
```

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="7f92c8d9-a03c-468e-b4d4-eb0285f44dc2" name="Open System Tab" type="Action">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>542b491f-d19c-4c24-ac30-78d78136803a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="2130cf47-a19c-4c26-8f62-833885c09fd6" name="GoTo Credentials" type="Action">

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

```
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>b326a4e8-25a7-4a72-bd5f-a3153fc7f7f8</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="542b491f-d19c-4c24-ac30-78d78136803a" name="GoTo Web API" type="Action">
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>360</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>84b6f8de-2eb5-4683-8075-4f5d85ac3616</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
```

```xml
    </stage>
    <stage stageid="b326a4e8-25a7-4a72-bd5f-a3153fc7f7f8" name="Delete Credential 1" type="Action">
    <subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
    <narrative>
    </narrative>
    <displayx>570</displayx>
    <displayy>195</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Tahoma" size="10" style="Regular" color="000000"/>
    <inputs>
    <input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
    </inputs>
    <onsuccess>26109de2-1855-45fb-9dbf-af62f98ae66f</onsuccess>
    <resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
    </stage>
    <stage stageid="1b52f809-9124-4c9a-ac62-6f70e92d4198" name="Press Delete Web API" type="Action">
    <subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
    <narrative>
    </narrative>
    <displayx>570</displayx>
    <displayy>240</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Tahoma" size="10" style="Regular" color="000000"/>
    <onsuccess>93369432-0482-4f95-99bd-1a3d9042f665</onsuccess>
    <resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>
```

```xml
</stage>
<stage stageid="84b6f8de-2eb5-4683-8075-4f5d85ac3616" name="Select Web API" type="Action">
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP
</inputs>
<onsuccess>1b52f809-9124-4c9a-ac62-6f70e92d4198</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="e43e7844-6019-484c-ae20-368f8e92a823" name="End1" type="End">
<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>375</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bc72c5b2-7e8e-4ba5-aa42-457e8c428354" name="Close All Child Windows" type="Actio
```

<subsheetid>4388bfa2-44a8-4f8d-9ef3-4c3b20ccd681</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>aab5007d-1ca1-4d3f-8b3c-d253d0f0c92c</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="f0246db5-3176-40e3-84c6-a50333a191a7" name="Authentication (Bearer Token)" type="

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<displayx>-120</displayx>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c3908412-fb20-43c3-9d33-515ce9b3fef1" name="Start" type="Start">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>45914037-ab52-46e7-bc96-c4931729012d</onsuccess>

</stage>

<stage stageid="530b50be-d04c-4431-9614-af4156749e69" name="Select Common Authentication" type=

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cad1b3e7-d8d9-485e-8945-9fd5b1703bf0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="54163c28-b41c-470b-bd2b-68d2d6f45f7a" name="Input Variables" type="Block">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<displayx>-195</displayx>

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

```xml
<stage stageid="e80898a2-9079-4a39-8263-ab3d63ed91ca" name="Parameter Name" type="Data">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Example Parameter</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ef43e707-a054-4b22-919b-37610c4c9f47" name="Bearer Token" type="Block">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>30</displayy>
<displaywidth>480</displaywidth>
<displayheight>195</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="cad1b3e7-d8d9-485e-8945-9fd5b1703bf0" name="Select Bearer Token" type="Action">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authentication Type" narrative="The name of the type of authentication you wan

</inputs>

<onsuccess>6d5d6d1f-5fa3-4f20-ac91-654d704473d0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Type (Web APi)"/>

</stage>

<stage stageid="6d5d6d1f-5fa3-4f20-ac91-654d704473d0" name="Check Defaults (Credential)" type="Act

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting t

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>c41d6bb5-64dd-4306-91ff-6ba1698ae601</onsuccess>

```xml
<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>
</stage>
<stage stageid="a7035e34-51a7-431e-bf8b-190790c9084f" name="Press OK" type="Action">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>72a52dce-50fe-4787-b98b-b9ddf0540a40</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="67677213-4394-4a66-b42c-597d884090e0" name="Press Edit" type="Action">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ffaec66e-de5d-4f52-a4c1-9b6f6e4ab4c6</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="35225eb6-1952-4bfc-b436-576483ff738b" name="Select Web API" type="Action">
```

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>67677213-4394-4a66-b42c-597d884090e0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="ffaec66e-de5d-4f52-a4c1-9b6f6e4ab4c6" name="Select Common Authentication" type="A

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0ea351bd-5f22-456b-a068-ef2716cb9d01</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="c41d6bb5-64dd-4306-91ff-6ba1698ae601" name="Set Credential" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential" narrative="IF you want to, this is the name of the credential you want

<input type="flag" name="Expose to Process?" narrative="This is optional. If you want to expose the choice

<input type="text" name="Parameter Name" narrative="The name of the input parameter. If left blank this v

</inputs>

<onsuccess>a7035e34-51a7-431e-bf8b-190790c9084f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Credential (Web API)"/>

</stage>

<stage stageid="0ea351bd-5f22-456b-a068-ef2716cb9d01" name="Check Credential" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>c2c5dc6d-17af-4590-96e0-5ae5d353dfcf</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

<stage stageid="c483b6c4-e320-402c-ace1-2852a04debed" name="Set Credential" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential" narrative="IF you want to, this is the name of the credential you want

<input type="flag" name="Expose to Process?" narrative="This is optional. If you want to expose the choic

<input type="text" name="Parameter Name" narrative="The name of the input parameter. If left blank this v

</inputs>

<onsuccess>8b8f68b8-205d-42c4-987a-befeb84dcf58</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Credential (Web API)"/>

</stage>

<stage stageid="8b8f68b8-205d-42c4-987a-befeb84dcf58" name="Press OK" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

```xml
<displayx>255</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8d8702b7-26d1-4292-bbe8-5232fe65d899</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="d94d6968-e5f3-4181-8816-9d7397f9d655" name="Press Edit" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0024006a-30c2-4418-aa51-35cde645823e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="8d8702b7-26d1-4292-bbe8-5232fe65d899" name="Select Web API" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>
```

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>d94d6968-e5f3-4181-8816-9d7397f9d655</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="973d9294-5122-4460-9a58-85c3bcb42aea" name="Select Common Authentication" type=

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>959f5fe4-8214-455e-82d7-f4c609084fbc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="959f5fe4-8214-455e-82d7-f4c609084fbc" name="Check Credential" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>a205376c-5a57-4aff-887d-8d02364c2279</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

<stage stageid="0024006a-30c2-4418-aa51-35cde645823e" name="Anchor7" type="Anchor">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3a5f45fa-59cd-4163-b982-df83e5711020</onsuccess>

</stage>

<stage stageid="3a5f45fa-59cd-4163-b982-df83e5711020" name="Anchor8" type="Anchor">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>973d9294-5122-4460-9a58-85c3bcb42aea</onsuccess>

</stage>

<stage stageid="c2c5dc6d-17af-4590-96e0-5ae5d353dfcf" name="Anchor7" type="Anchor">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d501bacf-4189-4c5c-ba5b-0ed3c6f9e90a</onsuccess>

</stage>

<stage stageid="d501bacf-4189-4c5c-ba5b-0ed3c6f9e90a" name="Anchor8" type="Anchor">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c483b6c4-e320-402c-ace1-2852a04debed</onsuccess>

</stage>

```xml
<stage stageid="72a52dce-50fe-4787-b98b-b9ddf0540a40" name="Anchor7" type="Anchor">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>24036bf0-281f-49bb-8297-4f0f6213e0eb</onsuccess>
</stage>
<stage stageid="24036bf0-281f-49bb-8297-4f0f6213e0eb" name="Anchor8" type="Anchor">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>35225eb6-1952-4bfc-b436-576483ff738b</onsuccess>
</stage>
<stage stageid="45914037-ab52-46e7-bc96-c4931729012d" name="Select Web API" type="Action">
<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>29881d50-3b71-44d7-9a08-15bf5409c336</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="29881d50-3b71-44d7-9a08-15bf5409c336" name="Press Edit" type="Action">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>530b50be-d04c-4431-9614-af4156749e69</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="a205376c-5a57-4aff-887d-8d02364c2279" name="End2" type="End">

<subsheetid>5805892f-c073-4900-a34d-5d6b30c8f6b8</subsheetid>

<narrative>

</narrative>

<displayx>375</displayx>
```

```
<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b1747b0d-0ceb-4fa3-b0cd-b9d77b0a0b3d" name="Create Bearer Token Cred" type="Act

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr="&amp;quot;admin

</inputs>

<outputs>

<output type="text" name="Output" narrative="The output from the command" stage=""/>

</outputs>

<onsuccess>50e4f258-6851-4bdb-a8f1-6824f3ee861d</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="75415b8d-fc6d-4cb2-a52d-8b20f5bbfeae" name="Recover" type="Recover">
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b5bc9711-e34e-40ae-9913-ba823d8fd57b</onsuccess>

</stage>

<stage stageid="31f90d63-8b5a-41cc-9107-ecc45ee4ab3d" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>16af9b4a-bdd9-40b6-b161-041b1fca999e</onsuccess>

</stage>

<stage stageid="b5bc9711-e34e-40ae-9913-ba823d8fd57b" name="Get Exception" type="MultipleCalculat

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>31f90d63-8b5a-41cc-9107-ecc45ee4ab3d</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="e8bf8094-a73e-47bf-96c1-3a2d4b65a7eb" name="Collapse Tree" type="Action">

<subsheetid>28bda44d-733c-4c9f-86d7-b168edd3406c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a6558748-f87e-4215-961b-e5fc5230ffbb</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>

</stage>

</process>

<process name="Test Web API Config (Auth - Client Credentials)" version="1.0" bpversion="6.4.0.6824" n

<view>

<camerax>0</camerax>

<cameray>147</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

```xml
<subsheet subsheetid="661dc4de-d058-4152-a3c4-5acaaebc2463" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>140</camerax>
<cameray>-198</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="41cb3b41-7e55-4e67-a25d-1a25e00934b3" type="Normal" published="False">
<name>Authentication (Client Credentials)</name>
<view>
<camerax>125</camerax>
<cameray>69</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="c5ca60f3-71a9-4e1d-8a62-c79558e911bb" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="9e5d2641-b966-46de-a934-a0a60f33cea8" type="Normal" published="False">
<name>Cleanup</name>
<view>
```

```xml
<camerax>85</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="9104283b-ae3b-457a-973b-4427a43d041d" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="20dbee30-0969-4d4b-bbb5-03f29b409159" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0e883515-7661-4deb-8393-ccfa8951101f</onsuccess>

</stage>

<stage stageid="a8c9e76b-ba7a-4771-a3f7-41dfebebf098" name="End" type="End">

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0e883515-7661-4deb-8393-ccfa8951101f" name="Setup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0e7ea717-73f0-4d1f-807e-e7f5044d1e27</onsuccess>

<processid>661dc4de-d058-4152-a3c4-5acaaebc2463</processid>

</stage>

<stage stageid="78709b5c-e7d7-4404-984e-dd70034f0ef0" name="Web API Name" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Auth - Client)</initialvalue>

```xml
<alwaysinit/>
</stage>
<stage stageid="72c45c86-71e2-44e6-9593-c82b9221ae22" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="17f17fb9-474e-4600-8fee-761b74fb51ac" name="pid" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="4db082fb-078e-4c8f-b615-d4631efb37c1" name="OAuth 2 Credential Name" type="Data"
<narrative>
</narrative>
<displayx>-135</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">OAuth2Cred</initialvalue>

</stage>

<stage stageid="0e7ea717-73f0-4d1f-807e-e7f5044d1e27" name="Authentication (Client Credentials)" typ

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>591f0f2e-fa31-4085-a211-95bfd5b9ae6a</onsuccess>

<processid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</processid>

</stage>

<stage stageid="ecb90b1f-f9a8-4a3a-aab8-64f9411f5cfe" name="Cleanup" type="Block">

<displayx>-45</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```xml
</stage>
<stage stageid="591f0f2e-fa31-4085-a211-95bfd5b9ae6a" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>993f48ca-9224-4c06-96bb-24ba6496b3dd</onsuccess>
<processid>9e5d2641-b966-46de-a934-a0a60f33cea8</processid>
</stage>
<stage stageid="993f48ca-9224-4c06-96bb-24ba6496b3dd" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>d8bd34a3-c643-4b02-a512-ab90b6424d50</ontrue>
<onfalse>a8c9e76b-ba7a-4771-a3f7-41dfebebf098</onfalse>
</stage>
<stage stageid="824bbad1-4292-4ceb-b5eb-b0922817efab" name="Failed?" type="Data">
<narrative>
</narrative>
```

```xml
<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="25d1f236-a01d-472f-8069-4b9de0a9ea8a" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>210</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6563a170-acb3-45cb-9622-b18363d3fc11" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>
```

```
<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d8bd34a3-c643-4b02-a512-ab90b6424d50" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="8c59314c-63ed-41ba-a20a-6814ad33c0d6" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>591f0f2e-fa31-4085-a211-95bfd5b9ae6a</onsuccess>

</stage>

<stage stageid="1a141639-d411-4164-ac6d-b1f405d2230c" name="Scheme Name" type="Data">

<narrative>
```

```xml
</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Scheme (Auth - Client)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="1fa0a7ba-813a-4a71-a472-772bba117702" name="Setup" type="SubSheetInfo">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-540</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c7d606b2-f3d8-4c33-aa21-03fbdf54354d" name="Start" type="Start">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-570</displayy>

<displaywidth>60</displaywidth>
```

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9db515a0-0e21-42d6-b22b-6a0ce5d1e89a</onsuccess>
</stage>
<stage stageid="0e263557-f241-43b9-89e1-d9fd4604d6e4" name="End" type="End">
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9db515a0-0e21-42d6-b22b-6a0ce5d1e89a" name="Launch" type="Action">
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>7b7e71e7-4dda-48fa-8d0f-bf9f113e3b24</onsuccess>
```

```xml
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="6f12fd08-63a5-4ce7-b6b1-a1a452dc6e7a" name="Sign In" type="Action">
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
</inputs>
<onsuccess>5eeea1ba-e347-4a8e-aeec-87d00c80a8e7</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="04d15d59-e9f5-4764-8de1-223dfd45efd2" name="Select Web API" type="Action">
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>1f0e6e60-3e9d-48c2-8a51-b321162187a6</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="1be20ce7-e0dc-44df-89c9-4a9eaa7d1440" name="Create OAuth 2 Cred" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr="&quot;admin

</inputs>

<outputs>

</outputs>

<onsuccess>4f8e1668-d584-4556-ab4c-bb6376081f4f</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="5eeea1ba-e347-4a8e-aeec-87d00c80a8e7" name="GoTo Tab (System)" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>e5de890d-590a-4405-83bf-3ed40a2347af</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="13410f79-e40e-49bc-b502-e02ffbfbfd47" name="Select Encryption Schemes" type="Actio

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;End

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>e61b690a-a6fb-41c2-8cbe-0e6750e58f83</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="e61b690a-a6fb-41c2-8cbe-0e6750e58f83" name="Create Encryption Scheme" type="Acti

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s

<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to be

<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab

<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Schen

</inputs>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Schen

</stage>

<stage stageid="09f4b977-2d36-4891-8be1-7fc7c1b57839" name="Select Encryption Scheme" type="Actio

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[:

</inputs>

<onsuccess>698d1ccf-a06f-4818-8b39-7d5cda878c67</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen

</stage>

<stage stageid="e67741b2-883b-4663-90ba-5a1bc041b4a6" name="Input Variables" type="Block">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<displayx>-60</displayx>

<displayy>-480</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```xml
</stage>

<stage stageid="c8e2e5f4-1f9b-4366-a92d-eb749ffb4b2c" name="Scheme Method" type="Data">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-450</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f256b2c2-790a-47f5-988f-ea1576dfe32f" name="Attach to System" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>
```

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="9ab2afc9-fc77-4bb4-bc8c-2f89787d705f" name="Add Web API" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>126292e6-d465-485a-b223-f686be6dbbc8</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="1f0e6e60-3e9d-48c2-8a51-b321162187a6" name="Press Add" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9ab2afc9-fc77-4bb4-bc8c-2f89787d705f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="6f2f5d96-9633-43ba-9009-8cda14e5da40" name="Base URL" type="Data">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="7b7e71e7-4dda-48fa-8d0f-bf9f113e3b24" name="Add to CleanUp Collection (Blue Prism)

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp
</inputs>
<onsuccess>f256b2c2-790a-47f5-988f-ea1576dfe32f</onsuccess>
<processid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</processid>
</stage>
<stage stageid="fbc0cb87-7ed1-40d3-8b5c-3eb5071e8178" name="Add to CleanUp Collection (Encryptior
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp
</inputs>
<onsuccess>09f4b977-2d36-4891-8be1-7fc7c1b57839</onsuccess>
<processid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</processid>
</stage>
<stage stageid="698d1ccf-a06f-4818-8b39-7d5cda878c67" name="Add to CleanUp Collection (Selected S
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
```

```xml
<displayy>-75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp
</inputs>
<onsuccess>1be20ce7-e0dc-44df-89c9-4a9eaa7d1440</onsuccess>
<processid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</processid>
</stage>
<stage stageid="4f8e1668-d584-4556-ab4c-bb6376081f4f" name="Add to CleanUp Collection (Cred)" type
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp
</inputs>
<onsuccess>04d15d59-e9f5-4764-8de1-223dfd45efd2</onsuccess>
<processid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</processid>
</stage>
<stage stageid="77000b6e-8c7d-433f-9483-d782cc3fea17" name="Add to CleanUp Collection (Web API)"
<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>
```

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>0e263557-f241-43b9-89e1-d9fd4604d6e4</onsuccess>

<processid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</processid>

</stage>

<stage stageid="126292e6-d465-485a-b223-f686be6dbbc8" name="Press OK" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>77000b6e-8c7d-433f-9483-d782cc3fea17</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="62044390-d535-4ce7-b57b-456fab286856" name="Authentication (Client Credentials)" ty

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a12f1130-393a-4bea-b8fe-4efedd263cb1" name="Start" type="Start">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<displayy>-135</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c3659708-fdfe-4cbd-836d-5cc670d9bc98</onsuccess>

</stage>

<stage stageid="4f46bca9-c9b5-4ba6-89b8-16887876bcd4" name="Select Common Authentication" type=

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>aedf851b-20f5-4b02-a204-a26e5da31044</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>
</stage>
<stage stageid="a3621b62-a4c4-4f5d-b07b-213d4bc61aee" name="OAuth 2 (Client)" type="Block">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>30</displayy>
<displaywidth>480</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="531e4bd0-dc3c-49a1-b5b0-8092c8f695d4" name="Input Variables" type="Block">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="4d9acbec-a944-4541-a272-738c19641813" name="Parameter Name" type="Data">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
```

</narrative>

<displayx>-135</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Example Parameter</initialvalue>

</stage>

<stage stageid="89ead7e0-b5eb-48f6-8b98-03500e3e2e96" name="Authorization URL" type="Data">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="fea4bcb6-d42c-4efe-9d4d-a00f5bb876a5" name="Scope" type="Data">

```xml
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">API</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="aedf851b-20f5-4b02-a204-a26e5da31044" name="Select OAuth 2 (Client)" type="Action">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Authentication Type" narrative="The name of the type of authentication you want
</inputs>
<onsuccess>a74241c2-78a2-4d76-b847-f8707e65197a</onsuccess>
<resource object="Blue Prism - System - Objects" action="Set Authentication Type (Web APi)"/>
</stage>
```

```xml
<stage stageid="a74241c2-78a2-4d76-b847-f8707e65197a" name="Check Defaults (OAuth)" type="Action

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Authorization URL" expr="&amp;quot;http://example.com/&amp;quot;"/

<input type="text" name="Expected  Scope" expr="&amp;quot;&amp;quot;"/>

</inputs>

<onsuccess>c6d697a5-9fc9-4f21-b603-498afc31adab</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check OAuth 2.0 Authentication (Web API)"/>

</stage>

<stage stageid="ca6faf6a-feb7-45cb-9459-948f3d1260f4" name="Set OAuth 2" type="Action">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authorization URL" expr="[Authorization URL]"/>
```

```
<input type="text" name="Scope" expr="[Scope]"/>

</inputs>

<onsuccess>303428b6-9b98-4fa7-8e00-9247bf060316</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set OAuth 2.0 Authentication (Web API)"/>

</stage>

<stage stageid="c6d697a5-9fc9-4f21-b603-498afc31adab" name="Check Defaults (Credential)" type="Acti

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &amp;quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>4e075464-d2e6-4765-b3c6-906033f5b090</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

<stage stageid="801e75d6-1a5d-41b2-a3d9-e420d6c598f4" name="Press OK" type="Action">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ac830171-9a3c-4f6c-8d68-e168a265d9cc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="e2a6242a-f689-416f-a803-1485ecb33152" name="Press Edit" type="Action">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5f5a56ca-5e58-478c-a033-c9cb54b0e95a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="22a4adeb-1ee7-4084-b29c-bc9c15e463ab" name="Select Web API" type="Action">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF
</inputs>
<onsuccess>e2a6242a-f689-416f-a803-1485ecb33152</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="5f5a56ca-5e58-478c-a033-c9cb54b0e95a" name="Select Common Authentication" type=
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dc7642ea-85f1-42d7-bffb-a8bff2eafb55</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>
</stage>
<stage stageid="66cbbb44-fe94-45eb-b5b5-74619bccc200" name="Check OAuth" type="Action">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>375</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Authorization URL" expr="[Authorization URL]"/>
<input type="text" name="Expected  Scope" expr="[Scope]"/>
</inputs>
<onsuccess>c91ba224-e497-4699-a41d-5314f4cb421c</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check OAuth 2.0 Authentication (Web API)"/>
</stage>
<stage stageid="c91ba224-e497-4699-a41d-5314f4cb421c" name="Check Credential" type="Action">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>375</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to
<input type="flag" name="Expected Expose to Process?" narrative="The state of the &amp;quot;Exposed t
<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe
</inputs>
<onsuccess>6cb1698e-d61c-4d98-8e85-caa19540bcac</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>
</stage>
<stage stageid="303428b6-9b98-4fa7-8e00-9247bf060316" name="Set Credential" type="Action">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential" narrative="IF you want to, this is the name of the credential you want

<input type="flag" name="Expose to Process?" narrative="This is optional. If you want to expose the choic

<input type="text" name="Parameter Name" narrative="The name of the input parameter. If left blank this v

</inputs>

<onsuccess>801e75d6-1a5d-41b2-a3d9-e420d6c598f4</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Credential (Web API)"/>

</stage>

<stage stageid="4e075464-d2e6-4765-b3c6-906033f5b090" name="Anchor7" type="Anchor">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>722c2d09-d5b2-41d8-a71f-2b611f649546</onsuccess>

</stage>

<stage stageid="722c2d09-d5b2-41d8-a71f-2b611f649546" name="Anchor8" type="Anchor">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ca6faf6a-feb7-45cb-9459-948f3d1260f4</onsuccess>

</stage>

<stage stageid="dc7642ea-85f1-42d7-bffb-a8bff2eafb55" name="Anchor7" type="Anchor">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>40893eeb-88da-4d54-8757-adcf0bc49ffd</onsuccess>

</stage>

<stage stageid="40893eeb-88da-4d54-8757-adcf0bc49ffd" name="Anchor8" type="Anchor">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

```xml
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>66cbbb44-fe94-45eb-b5b5-74619bccc200</onsuccess>

</stage>

<stage stageid="ac830171-9a3c-4f6c-8d68-e168a265d9cc" name="Anchor7" type="Anchor">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>308cbfb9-9699-495d-a06f-6150ddeca2cc</onsuccess>

</stage>

<stage stageid="308cbfb9-9699-495d-a06f-6150ddeca2cc" name="Anchor8" type="Anchor">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>22a4adeb-1ee7-4084-b29c-bc9c15e463ab</onsuccess>

</stage>
```

```xml
<stage stageid="c3659708-fdfe-4cbd-836d-5cc670d9bc98" name="Select Web API" type="Action">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP
</inputs>
<onsuccess>9cf40576-8c85-4dd4-9374-d00b21246de2</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="9cf40576-8c85-4dd4-9374-d00b21246de2" name="Press Edit" type="Action">
<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4f46bca9-c9b5-4ba6-89b8-16887876bcd4</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
```

<stage stageid="37b24d10-29db-4e0b-9450-27b4df3ccbff" name="Add to CleanUp Collection" type="SubS

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2afd6cb2-da9c-486a-88af-c13b8a2a6ca7" name="Start" type="Start">

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>a5867949-2be5-452a-a20e-169f21950841</onsuccess>

</stage>

<stage stageid="bed1337f-4b3a-4daf-a67e-fee207d13b84" name="End" type="End">

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="812d3a23-b5b5-4261-ac4e-86a40b023693" name="Item Name" type="Data">

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="7548d32b-72e7-4847-a965-01759b5184ea" name="Input Variables" type="Block">

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

```xml
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a5867949-2be5-452a-a20e-169f21950841" name="Add Row" type="Action">
<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp
</inputs>
<onsuccess>865a6a53-e67e-498f-93e4-c8dd4b697fc5</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="af6734a2-6544-433d-817f-e8558c536548" name="CleanUp Collection" type="Collection">
<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="6318d651-ba1a-4722-9290-f16863f3a994" name="Local Variables" type="Block">

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="865a6a53-e67e-498f-93e4-c8dd4b697fc5" name="Add To Row" type="Calculation">

<subsheetid>c5ca60f3-71a9-4e1d-8a62-c79558e911bb</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bed1337f-4b3a-4daf-a67e-fee207d13b84</onsuccess>
```

```xml
<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="35eb795d-53a2-4f51-917b-c62a688dce25" name="Cleanup" type="SubSheetInfo">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d2987f47-ade1-45af-90c0-6d0acc706888" name="Start" type="Start">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c57b1e0f-11c1-494b-9fbe-fbbf88b34f04</onsuccess>

</stage>

<stage stageid="d36fe052-85a6-466a-aae5-3b06d371dde6" name="To Clean" type="LoopStart">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cc62a91d-1429-4eae-b088-17f6a1d26a7b</onsuccess>

<groupid>8a924265-f066-421e-8ba3-6700bc8e13c1</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="26d3dd62-2f38-46ef-ba48-bdb4cc2b26ee" name="To Clean" type="LoopEnd">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers

</outputs>

<onsuccess>d36fe052-85a6-466a-aae5-3b06d371dde6</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="52158c6f-ab5e-46d5-ad32-1ea464b7a425" name="Reversed CleanUp" type="Collection"

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="f8411cfa-9ee8-4353-b4b3-ec5ebc49b586" name="Local Variables" type="Block">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="cc62a91d-1429-4eae-b088-17f6a1d26a7b" name="Which Clean Up" type="ChoiceStart">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>28a26b9f-1159-41fb-a203-aaa021c7143a</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>6f3838d6-e15a-41d1-94d8-29c29c9c36bb</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Encryption Scheme&quot;">

<name>Encryption Scheme</name>

```xml
<distance>75</distance>

<ontrue>f016e405-6d8d-4d8f-8eb4-ed91eb24d318</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Selected Scheme&amp;quot;">

<name>Selected Scheme</name>

<distance>120</distance>

<ontrue>75307bb2-dc7e-494d-a10f-a97251f094a7</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Credential&amp;quot;">

<name>Credential</name>

<distance>165</distance>

<ontrue>c47c6ed9-ecbe-465c-87f9-bfb2d94a7fc8</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">

<name>Web API</name>

<distance>210</distance>

<ontrue>0e22eb0d-17c6-42ae-b457-7f0837505c9c</ontrue>

</choice>

</choices>

</stage>

<stage stageid="c54869e0-2036-445a-b8ce-2eecd7b9f686" name="Otherwise" type="ChoiceEnd">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>
```

\<displayheight\>30\</displayheight\>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/\>

\<onsuccess\>82247763-468e-4350-b522-6d2cb67c548b\</onsuccess\>

\<groupid\>28a26b9f-1159-41fb-a203-aaa021c7143a\</groupid\>

\</stage\>

\<stage stageid="d074181d-ceff-4761-92ca-001187c938f4" name="Terminate" type="Action"\>

\<subsheetid\>9e5d2641-b966-46de-a934-a0a60f33cea8\</subsheetid\>

\<narrative\>

\</narrative\>

\<displayx\>570\</displayx\>

\<displayy\>60\</displayy\>

\<displaywidth\>90\</displaywidth\>

\<displayheight\>30\</displayheight\>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/\>

\<onsuccess\>97aa5153-bb71-4669-974e-2b2d05cb6c91\</onsuccess\>

\<resource object="Blue Prism" action="Exit Application"/\>

\</stage\>

\<stage stageid="97aa5153-bb71-4669-974e-2b2d05cb6c91" name="Anchor2" type="Anchor"\>

\<subsheetid\>9e5d2641-b966-46de-a934-a0a60f33cea8\</subsheetid\>

\<narrative\>

\</narrative\>

\<displayx\>630\</displayx\>

\<displayy\>60\</displayy\>

\<displaywidth\>10\</displaywidth\>

\<displayheight\>10\</displayheight\>

\<font family="Segoe UI" size="10" style="Regular" color="000000"/\>

\<onsuccess\>40f7447d-174b-4bf8-aac6-76457fffeb11\</onsuccess\>

```xml
</stage>
<stage stageid="40f7447d-174b-4bf8-aac6-76457fffeb11" name="Anchor3" type="Anchor">
<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>75762d8b-2b32-4666-8306-5aef40f8248c</onsuccess>
</stage>
<stage stageid="0819985b-fac4-476b-8b37-2ac442161bb6" name="Anchor4" type="Anchor">
<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>330</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>26d3dd62-2f38-46ef-ba48-bdb4cc2b26ee</onsuccess>
</stage>
<stage stageid="8beae13f-3188-42c7-9b6c-d321ca59a984" name="Open System Tab" type="Action">
<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>
<narrative>
</narrative>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>69ee0404-1a9f-4286-b69e-ce6316f993d6</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="69ee0404-1a9f-4286-b69e-ce6316f993d6" name="GoTo Encryption Scheme" type="Actio

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="82247763-468e-4350-b522-6d2cb67c548b" name="FAIL" type="Exception">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="c21d9700-57fd-4b28-a750-3093fa4ffb74" name="Delete Encryption Scheme" type="Actio

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t

</inputs>

<onsuccess>40f7447d-174b-4bf8-aac6-76457fffeb11</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Schem

</stage>

<stage stageid="75762d8b-2b32-4666-8306-5aef40f8248c" name="Anchor2" type="Anchor">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0fea1835-190c-4f13-99bb-6c526ba206cc</onsuccess>

</stage>

<stage stageid="0fea1835-190c-4f13-99bb-6c526ba206cc" name="Anchor3" type="Anchor">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6191179c-90e1-4c08-996d-a9fa6ab5f69b</onsuccess>

</stage>

<stage stageid="6191179c-90e1-4c08-996d-a9fa6ab5f69b" name="Anchor3" type="Anchor">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

</narrative>

<displayx>630</displayx>

<displayy>240</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0819985b-fac4-476b-8b37-2ac442161bb6</onsuccess>

</stage>

<stage stageid="f4359262-7a0b-4bd2-a915-9abbabe113de" name="Open System Tab" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>865d0f10-04ad-4c47-9276-d03c2cb30767</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="865d0f10-04ad-4c47-9276-d03c2cb30767" name="GoTo Encryption Scheme" type="Actio

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>e70ae7d6-8284-4d93-8672-c6f86108f3b1</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="e70ae7d6-8284-4d93-8672-c6f86108f3b1" name="Select Encryption Scheme Default" typ

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="&

</inputs>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="f016e405-6d8d-4d8f-8eb4-ed91eb24d318" name="Close All Child Windows" type="Action

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8beae13f-3188-42c7-9b6c-d321ca59a984</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="75307bb2-dc7e-494d-a10f-a97251f094a7" name="Close All Child Windows" type="Action

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f4359262-7a0b-4bd2-a915-9abbabe113de</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="c47c6ed9-ecbe-465c-87f9-bfb2d94a7fc8" name="Close All Child Windows" type="Action"

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>96a7b5ee-1e77-48c1-be03-79123a85caaf</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="0e22eb0d-17c6-42ae-b457-7f0837505c9c" name="Close All Child Windows" type="Action"

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4182e3d7-7120-4f9e-b449-aebf73d09afd</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="96a7b5ee-1e77-48c1-be03-79123a85caaf" name="Open System Tab" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

```
</narrative>

<displayx>360</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>131c4ace-da2a-4ee7-a66e-4717165abca4</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="4182e3d7-7120-4f9e-b449-aebf73d09afd" name="Open System Tab" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>3cebf7ce-42dc-4118-8620-67444da5e401</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>
```

<stage stageid="131c4ace-da2a-4ee7-a66e-4717165abca4" name="GoTo Credentials" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Cre

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>2db740b4-2baa-4337-b13d-1d81455b5daf</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="3cebf7ce-42dc-4118-8620-67444da5e401" name="GoTo Web API" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>7be381f4-7c55-4878-a8bd-b0c4d597f76b</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="2db740b4-2baa-4337-b13d-1d81455b5daf" name="Delete Credential" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp

</inputs>

<onsuccess>0fea1835-190c-4f13-99bb-6c526ba206cc</onsuccess>

<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>

</stage>

<stage stageid="08dc96da-61d3-49d7-b254-bce7258e63fb" name="Press Delete Web API" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6191179c-90e1-4c08-996d-a9fa6ab5f69b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="7be381f4-7c55-4878-a8bd-b0c4d597f76b" name="Select Web API" type="Action">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>08dc96da-61d3-49d7-b254-bce7258e63fb</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="8a68a51a-4d0a-4671-ae29-231f64699d4d" name="End1" type="End">

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6f3838d6-e15a-41d1-94d8-29c29c9c36bb" name="Close All Child Windows" type="Action

<subsheetid>9e5d2641-b966-46de-a934-a0a60f33cea8</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d074181d-ceff-4761-92ca-001187c938f4</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="6cb1698e-d61c-4d98-8e85-caa19540bcac" name="End2" type="End">

<subsheetid>41cb3b41-7e55-4e67-a25d-1a25e00934b3</subsheetid>

```xml
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e5de890d-590a-4405-83bf-3ed40a2347af" name="Collapse Tree" type="Action">

<subsheetid>661dc4de-d058-4152-a3c4-5acaaebc2463</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>13410f79-e40e-49bc-b502-e02ffbfbfd47</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>

</stage>

<stage stageid="9d0a46fe-b47c-4435-8591-173c178033be" name="Recover" type="Recover">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6c269390-0f91-4894-b6b7-9ea571ba4233</onsuccess>

</stage>

<stage stageid="38b2cc90-d2d8-49af-983a-e26395669619" name="Resume" type="Resume">
```

```
<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8c59314c-63ed-41ba-a20a-6814ad33c0d6</onsuccess>

</stage>

<stage stageid="6c269390-0f91-4894-b6b7-9ea571ba4233" name="Get Exception" type="MultipleCalculat

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>38b2cc90-d2d8-49af-983a-e26395669619</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

</process>

<process name="Test Web API Config (Auth - Custom)" version="1.0" bpversion="6.4.0.6824" narrative=""

<view>

<camerax>0</camerax>
```

```xml
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="a940e1ab-933f-4696-b92c-2e5817951418" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>140</camerax>
<cameray>-315</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="1aac0421-4c2c-435f-b0bf-c766350e3d48" type="Normal" published="False">
<name>Authentication (Custom)</name>
<view>
<camerax>-40</camerax>
<cameray>90</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="87e9612c-9ed3-4193-b464-a6b79b9f4839" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
```

```xml
</view>

</subsheet>

<subsheet subsheetid="b0b6b5e6-0b9a-4fd7-a191-0039e1431226" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>15</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="ceda32b0-ec6b-49d8-95f8-3afd1f2f2fef" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2e86eec7-acdd-48f0-8d09-058d85aa0438" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="dffa8861-6827-45b2-bb17-11d89aa5b9be" name="End" type="End">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d900289d-e454-4215-b1b9-e5b6f4443042" name="Setup" type="SubSheet">

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>79cebb27-087d-4189-aa17-5bcd412eece7</onsuccess>

<processid>a940e1ab-933f-4696-b92c-2e5817951418</processid>

</stage>

<stage stageid="d95bf7b3-1ab0-4acb-bbf3-aedddb5b6491" name="Web API Name" type="Data">

```xml
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API (Auth - Custom)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="13510437-040d-4e9c-9be9-aa7719b4f209" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="94e383e9-e5a8-452e-9931-f3fde1b0fbd7" name="pid" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
```

```xml
</stage>
<stage stageid="3df43e80-1d13-4ebd-afac-d6f531341e1f" name="Custom Auth Credential Name" type="D
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">CustomAuthCred</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="79cebb27-087d-4189-aa17-5bcd412eece7" name="Authentication (Custom)" type="SubS
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d73f8b28-f705-42ef-b2b2-d7c0343788d8</onsuccess>
<processid>1aac0421-4c2c-435f-b0bf-c766350e3d48</processid>
</stage>
<stage stageid="c204c514-b60a-4b79-98f7-2ab4e8c57243" name="Cleanup" type="Block">
<narrative>
</narrative>
```

```xml
<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>225</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d73f8b28-f705-42ef-b2b2-d7c0343788d8" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bf0b2f7c-29e1-4521-9398-a5e93adde1d5</onsuccess>

<processid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</processid>

</stage>

<stage stageid="bf0b2f7c-29e1-4521-9398-a5e93adde1d5" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>fe198bf2-5190-4386-a80b-76b654d91aa7</ontrue>
```

</stage>

<stage stageid="d97aa254-7eda-44fe-a327-b74671f81534" name="Failed?" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

</stage>

<stage stageid="cf98b81e-abbf-405b-8512-558a85acbfa2" name="Exception" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
</stage>

<stage stageid="fe198bf2-5190-4386-a80b-76b654d91aa7" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="5675e631-5318-4f45-af41-19e2fc40bd79" name="Scheme Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Scheme (Auth - Custom)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="9fea870f-f4bd-4c5b-9a56-26f1ac5bcbcc" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>
```

```xml
<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="66d0a71d-e94d-4ae4-bbbd-39091061dbd0" name="Setup" type="SubSheetInfo">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-540</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="49d009c0-441d-487b-ba0c-bb27b0ed6b9a" name="Start" type="Start">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-570</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>104b3afb-0b66-410e-9b30-573b98463c84</onsuccess>

</stage>

<stage stageid="3cefde68-225b-481f-895d-fc01d3da1dbf" name="End" type="End">
```

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="104b3afb-0b66-410e-9b30-573b98463c84" name="Launch" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<displayy>-525</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>52ceabd8-ca54-495c-a42c-175c03c5abdd</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="954967cf-fe78-4af4-9508-c7893fc1ce4f" name="Sign In" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>ef047e1e-92dd-4676-969f-b5031711da7f</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="00428d7c-63d5-419e-821c-bdb5e380f407" name="Select Web API" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>1e8c4605-ed8f-4e59-b014-6ddf3f3585f5</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="a60c33b1-2926-4254-b62a-c5618c73ac18" name="Create Custom Cred" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<displayy>-30</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr="&quot;admin

</inputs>

<onsuccess>f4f1cf7e-a0a2-42c7-b949-fe93fe6b74bd</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="ef047e1e-92dd-4676-969f-b5031711da7f" name="GoTo Tab (System)" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>5a7e9c7b-c4da-4f94-ae8c-249d5352c03d</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="79b665fd-4303-4c6a-abf5-4136d42a43e1" name="Select Encryption Schemes" type="Act

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<displayy>-255</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>87bc5299-0e22-40c9-b549-10dc20c0998e</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="87bc5299-0e22-40c9-b549-10dc20c0998e" name="Create Encryption Scheme" type="Ac

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s

<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b

<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab

<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Scher

</inputs>

<onsuccess>a5cbfcde-ae8b-420b-b714-98faf154a5c3</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Scher

</stage>

<stage stageid="5b265b61-da6a-43cc-b1e4-f84b24254bf0" name="Select Encryption Scheme" type="Actio

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[

</inputs>

<onsuccess>290272cc-8539-4095-a29d-9778eb1d7b7a</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="35e333ed-0fe2-453f-a875-9b6d9ac831e8" name="Input Variables" type="Block">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<displayx>-60</displayx>

<displayy>-480</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8659273a-0b15-41f4-b95b-e6fdcab01f10" name="Scheme Method" type="Data">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

```xml
<displayx>15</displayx>

<displayy>-450</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4bb37d8b-97f3-48ff-9c55-4c1269232870" name="Attach to System" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>954967cf-fe78-4af4-9508-c7893fc1ce4f</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="f19e04ec-57cd-4925-9c3e-4759c3ad0abc" name="Add Web API" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>d3a26446-5ad7-410c-8898-c4982f9d3528</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="1e8c4605-ed8f-4e59-b014-6ddf3f3585f5" name="Press Add" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f19e04ec-57cd-4925-9c3e-4759c3ad0abc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

```
<stage stageid="d86a3b0e-9e58-4f3f-8664-f3fe704669ee" name="Base URL" type="Data">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-420</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="52ceabd8-ca54-495c-a42c-175c03c5abdd" name="Add to CleanUp Collection (Blue Prisr

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>4bb37d8b-97f3-48ff-9c55-4c1269232870</onsuccess>
```

```xml
<processid>87e9612c-9ed3-4193-b464-a6b79b9f4839</processid>

</stage>

<stage stageid="a5cbfcde-ae8b-420b-b714-98faf154a5c3" name="Add to CleanUp Collection (Encryption

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>5b265b61-da6a-43cc-b1e4-f84b24254bf0</onsuccess>

<processid>87e9612c-9ed3-4193-b464-a6b79b9f4839</processid>

</stage>

<stage stageid="290272cc-8539-4095-a29d-9778eb1d7b7a" name="Add to CleanUp Collection (Selected

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>a60c33b1-2926-4254-b62a-c5618c73ac18</onsuccess>

<processid>87e9612c-9ed3-4193-b464-a6b79b9f4839</processid>

</stage>

<stage stageid="f4f1cf7e-a0a2-42c7-b949-fe93fe6b74bd" name="Add to CleanUp Collection (Cred)" type=

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>00428d7c-63d5-419e-821c-bdb5e380f407</onsuccess>

<processid>87e9612c-9ed3-4193-b464-a6b79b9f4839</processid>

</stage>

<stage stageid="f29db0dd-4b24-45b2-b9a9-6db7279f98c9" name="Add to CleanUp Collection (Web API)"

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>3cefde68-225b-481f-895d-fc01d3da1dbf</onsuccess>

<processid>87e9612c-9ed3-4193-b464-a6b79b9f4839</processid>

</stage>

<stage stageid="d3a26446-5ad7-410c-8898-c4982f9d3528" name="Press OK" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f29db0dd-4b24-45b2-b9a9-6db7279f98c9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="47093330-6b0d-4471-bd00-63cbaeb8eca0" name="Authentication (Custom)" type="SubS

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="87712937-12a9-4526-a290-7c7f7b55fca4" name="Start" type="Start">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>59e8419f-cb27-490e-b15f-063a10cc9469</onsuccess>

</stage>

<stage stageid="ac2a77d9-88ea-4885-9807-bad885ca3e84" name="Select Common Authentication" type=

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4f526d28-7ac1-46b3-93d3-cc5d916dec73</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="0c54fef1-f20b-4fa0-a364-a252e38db18d" name="Input Variables" type="Block">

```xml
<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="15922e75-1214-48a5-8272-cabdfc62df07" name="Parameter Name" type="Data">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Example Parameter</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4f526d28-7ac1-46b3-93d3-cc5d916dec73" name="Select Custom" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authentication Type" narrative="The name of the type of authentication you wan

</inputs>

<onsuccess>51be8b5e-e4f4-4644-8c37-06eaf45b4d19</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Type (Web APi)"/>

</stage>

<stage stageid="600586a0-e4e5-41f0-b7f6-8d6fb75f6c9d" name="Custom" type="Block">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="51be8b5e-e4f4-4644-8c37-06eaf45b4d19" name="Check Defaults (Credential)" type="Ac

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting tc

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>340e74d0-a886-4c1a-8b7d-14c65f71627a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

<stage stageid="340e74d0-a886-4c1a-8b7d-14c65f71627a" name="Anchor7" type="Anchor">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>30b67808-c6e8-4edd-bc3f-987a253699f4</onsuccess>

</stage>

<stage stageid="30b67808-c6e8-4edd-bc3f-987a253699f4" name="Anchor8" type="Anchor">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

```xml
<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5a784e58-264b-4297-9d5e-5ceb7bea0acf</onsuccess>

</stage>

<stage stageid="5531d0f4-f949-4bd6-a8ee-0a5aefa98dc1" name="Anchor7" type="Anchor">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>58ca690f-61da-43ab-becc-aa0c8300d23c</onsuccess>

</stage>

<stage stageid="58ca690f-61da-43ab-becc-aa0c8300d23c" name="Anchor8" type="Anchor">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bbd64599-171e-4a27-8323-61b2c8d2055e</onsuccess>
```

</stage>

<stage stageid="406c8dad-ebe6-4a97-8eba-0b3bfb5fb9f2" name="Anchor7" type="Anchor">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>166a5e9a-13a5-4c0d-94c7-ee83166e2e3b</onsuccess>

</stage>

<stage stageid="166a5e9a-13a5-4c0d-94c7-ee83166e2e3b" name="Anchor8" type="Anchor">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>528a1582-319b-4836-8783-a13d1dbfa2f5</onsuccess>

</stage>

<stage stageid="5a784e58-264b-4297-9d5e-5ceb7bea0acf" name="Set Credential" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

```
<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential" narrative="IF you want to, this is the name of the credential you want

<input type="flag" name="Expose to Process?" narrative="This is optional. If you want to expose the choice

<input type="text" name="Parameter Name" narrative="The name of the input parameter. If left blank this v

</inputs>

<onsuccess>aa216b9e-9e1b-4d97-b73e-a219d4d8e9a2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Credential (Web API)"/>

</stage>

<stage stageid="aa216b9e-9e1b-4d97-b73e-a219d4d8e9a2" name="Press OK" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>406c8dad-ebe6-4a97-8eba-0b3bfb5fb9f2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="2ed9dc57-fe6b-4f7b-bc27-261b002140a7" name="Press Edit" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5531d0f4-f949-4bd6-a8ee-0a5aefa98dc1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="528a1582-319b-4836-8783-a13d1dbfa2f5" name="Select Web API" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>2ed9dc57-fe6b-4f7b-bc27-261b002140a7</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="bbd64599-171e-4a27-8323-61b2c8d2055e" name="Select Common Authentication" type=

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>aca25871-4bfb-4141-834e-16cd41d5d04e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="aca25871-4bfb-4141-834e-16cd41d5d04e" name="Check Credential" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>ae31ce48-5070-4aa2-933f-1eb4e690742e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

```
<stage stageid="59e8419f-cb27-490e-b15f-063a10cc9469" name="Select Web API" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>1bd45376-b38b-4a92-87b6-794f1e8322de</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="1bd45376-b38b-4a92-87b6-794f1e8322de" name="Press Edit" type="Action">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ac2a77d9-88ea-4885-9807-bad885ca3e84</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>
```

```xml
<stage stageid="b6187457-67a9-4c52-8e15-4ae1a49883c1" name="Add to CleanUp Collection" type="Su
<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="48100d16-7c4e-495f-b2bc-46773b7cc050" name="Start" type="Start">
<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item
</inputs>
<onsuccess>20a6dcc9-0dda-4466-b98d-31a10d1631e0</onsuccess>
</stage>
<stage stageid="d3aac84a-8e35-4aa3-8100-fc398e3c0cbe" name="End" type="End">
<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>
<narrative>
```

```xml
</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="65b65a8a-dfac-4fc0-96c5-d4f5b00b355d" name="Item Name" type="Data">

<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9cab24e6-a78e-4f4d-98b6-575011e259f6" name="Input Variables" type="Block">

<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>
```

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="20a6dcc9-0dda-4466-b98d-31a10d1631e0" name="Add Row" type="Action">

<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&

</inputs>

<onsuccess>b706a3ce-587c-43fd-bf1d-30af42536bd9</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="46cdcf86-90bb-458a-9bca-aa0703a07ea1" name="CleanUp Collection" type="Collection"

<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="fe5a14f5-a6c1-41f0-b6d6-eb7f6b7c74d6" name="Local Variables" type="Block">

<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="b706a3ce-587c-43fd-bf1d-30af42536bd9" name="Add To Row" type="Calculation">

<subsheetid>87e9612c-9ed3-4193-b464-a6b79b9f4839</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d3aac84a-8e35-4aa3-8100-fc398e3c0cbe</onsuccess>
```

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="2ee0517c-c876-43ae-99c8-b0c26fb7b397" name="Cleanup" type="SubSheetInfo">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8e9f53a9-dd54-4fda-81d4-3e3ce0b46f22" name="Start" type="Start">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b328538e-8923-40de-9055-60060eeba92a</onsuccess>

</stage>

<stage stageid="6566c3a0-abdf-471e-97b9-b13f0ea82f3a" name="To Clean" type="LoopStart">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

```xml
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>62f33da7-dc85-4930-8138-03363465dccb</onsuccess>
<groupid>cb175187-91ec-4ef7-ba40-f4291d4dc1cc</groupid>
<looptype>ForEach</looptype>
<loopdata>Reversed CleanUp</loopdata>
</stage>
<stage stageid="1dd65073-603b-40fb-8542-afd9fbda3c46" name="To Clean" type="LoopEnd">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ea60fef6-d6bf-446f-abf0-4326051eb185</onsuccess>
<groupid>cb175187-91ec-4ef7-ba40-f4291d4dc1cc</groupid>
</stage>
<stage stageid="b328538e-8923-40de-9055-60060eeba92a" name="Reverse Collection" type="Action">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse

</outputs>

<onsuccess>6566c3a0-abdf-471e-97b9-b13f0ea82f3a</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="89c0d25d-cb67-417c-8674-1fa81e7954e7" name="Reversed CleanUp" type="Collection":

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="a590eda0-57ae-4f03-8d60-e88850e42731" name="Local Variables" type="Block">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="62f33da7-dc85-4930-8138-03363465dccb" name="Which Clean Up" type="ChoiceStart">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>5ad5b84b-eddd-4f86-9ffa-3b92063aa3de</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>e6ca572b-b245-41a5-882e-0186c387ccb3</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Encryption Scheme&quot;">

<name>Encryption Scheme</name>

```xml
<distance>75</distance>

<ontrue>f65262d6-2d9c-4355-bc13-b89bd4aee598</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Selected Scheme&amp;quot;">

<name>Selected Scheme</name>

<distance>120</distance>

<ontrue>abff8027-946e-4ba4-8fc3-88af02632335</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Credential&amp;quot;">

<name>Credential</name>

<distance>165</distance>

<ontrue>6e18031e-3a3d-4220-973b-0e18c8a909b7</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">

<name>Web API</name>

<distance>210</distance>

<ontrue>def94359-c9ad-484b-bbd7-4fd7d6b584f5</ontrue>

</choice>

</choices>

</stage>

<stage stageid="fb6c920b-ac42-42aa-94ca-989a3d916c18" name="Otherwise" type="ChoiceEnd">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f5d55f18-e9e2-4fad-b2d2-5dcf9518ab49</onsuccess>

<groupid>5ad5b84b-eddd-4f86-9ffa-3b92063aa3de</groupid>

</stage>

<stage stageid="0d0338f1-e470-4594-bc2a-8c1a560ee742" name="Terminate" type="Action">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7f156168-2747-477c-8cba-e5d10c283559</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="7f156168-2747-477c-8cba-e5d10c283559" name="Anchor2" type="Anchor">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>974bd9af-c337-4193-a287-15c4521b858e</onsuccess>
```

```xml
</stage>
<stage stageid="974bd9af-c337-4193-a287-15c4521b858e" name="Anchor3" type="Anchor">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1138fe42-ac8c-4691-9b42-adf2fa6d32f1</onsuccess>
</stage>
<stage stageid="d8037392-0dbf-4573-b6ab-29f6266e9a83" name="Anchor4" type="Anchor">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>330</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1dd65073-603b-40fb-8542-afd9fbda3c46</onsuccess>
</stage>
<stage stageid="11a42739-0721-408e-bfe5-5387014da8d1" name="Open System Tab" type="Action">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>4ac4c177-c74b-4af2-9358-2c56ce81a0f3</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="4ac4c177-c74b-4af2-9358-2c56ce81a0f3" name="GoTo Encryption Scheme" type="Actio

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="f5d55f18-e9e2-4fad-b2d2-5dcf9518ab49" name="FAIL" type="Exception">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="567f08d7-0b24-4639-914a-c008169fbad5" name="Delete Encryption Scheme" type="Acti

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t

</inputs>

<onsuccess>974bd9af-c337-4193-a287-15c4521b858e</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Scher

</stage>

<stage stageid="1138fe42-ac8c-4691-9b42-adf2fa6d32f1" name="Anchor2" type="Anchor">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a302abec-b7e3-4d4b-b318-339c19cab5c8</onsuccess>

</stage>

<stage stageid="a302abec-b7e3-4d4b-b318-339c19cab5c8" name="Anchor3" type="Anchor">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6ef63957-2829-4ae4-a985-753cff753699</onsuccess>

</stage>

<stage stageid="6ef63957-2829-4ae4-a985-753cff753699" name="Anchor3" type="Anchor">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

</narrative>

<displayx>630</displayx>

<displayy>240</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d8037392-0dbf-4573-b6ab-29f6266e9a83</onsuccess>

</stage>

<stage stageid="ae51ffdb-d305-4b3a-a4d5-2a44fef67654" name="Open System Tab" type="Action">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>77491fd5-8534-4006-a7c5-9a95c18d9b14</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="77491fd5-8534-4006-a7c5-9a95c18d9b14" name="GoTo Encryption Scheme" type="Actio

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>c434b08f-0a24-46f1-8f6b-a7c3be48a166</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="c434b08f-0a24-46f1-8f6b-a7c3be48a166" name="Select Encryption Scheme Default" typ

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="&

</inputs>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="f65262d6-2d9c-4355-bc13-b89bd4aee598" name="Close All Child Windows" type="Action

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>11a42739-0721-408e-bfe5-5387014da8d1</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="abff8027-946e-4ba4-8fc3-88af02632335" name="Close All Child Windows" type="Action"

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ae51ffdb-d305-4b3a-a4d5-2a44fef67654</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="6e18031e-3a3d-4220-973b-0e18c8a909b7" name="Close All Child Windows" type="Actio

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a6766011-0791-4d39-8c38-852cd605dac6</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="def94359-c9ad-484b-bbd7-4fd7d6b584f5" name="Close All Child Windows" type="Action"

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8d46d801-bd1d-49c2-9061-a18f5339dc8e</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="a6766011-0791-4d39-8c38-852cd605dac6" name="Open System Tab" type="Action">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

```xml
</narrative>

<displayx>360</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>e3b4bd6b-4de0-485b-9c74-17cc302eb17d</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="8d46d801-bd1d-49c2-9061-a18f5339dc8e" name="Open System Tab" type="Action">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>4f62e585-3030-4e46-b2e2-a2d89449610e</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>
```

```xml
<stage stageid="e3b4bd6b-4de0-485b-9c74-17cc302eb17d" name="GoTo Credentials" type="Action">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>4d2f6888-fc48-4e6d-b017-7fa03d06a739</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="4f62e585-3030-4e46-b2e2-a2d89449610e" name="GoTo Web API" type="Action">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>360</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```xml
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>69f7d778-ab1e-4fb1-b80a-76b3b7d94e60</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="4d2f6888-fc48-4e6d-b017-7fa03d06a739" name="Delete Credential" type="Action">
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>a302abec-b7e3-4d4b-b318-339c19cab5c8</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="e58bc73d-2d5d-4986-a488-cfdbc370c654" name="Press Delete Web API" type="Action">
```

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6ef63957-2829-4ae4-a985-753cff753699</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="69f7d778-ab1e-4fb1-b80a-76b3b7d94e60" name="Select Web API" type="Action">

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>e58bc73d-2d5d-4986-a488-cfdbc370c654</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="ea60fef6-d6bf-446f-abf0-4326051eb185" name="End1" type="End">

```xml
<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e6ca572b-b245-41a5-882e-0186c387ccb3" name="Close All Child Windows" type="Actio

<subsheetid>b0b6b5e6-0b9a-4fd7-a191-0039e1431226</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0d0338f1-e470-4594-bc2a-8c1a560ee742</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="ae31ce48-5070-4aa2-933f-1eb4e690742e" name="End2" type="End">

<subsheetid>1aac0421-4c2c-435f-b0bf-c766350e3d48</subsheetid>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>165</displayy>
```

```xml
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5a7e9c7b-c4da-4f94-ae8c-249d5352c03d" name="Collapse Tree" type="Action">

<subsheetid>a940e1ab-933f-4696-b92c-2e5817951418</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>79b665fd-4303-4c6a-abf5-4136d42a43e1</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>

</stage>

<stage stageid="28747e5a-498d-47ee-afb0-5d5db895b088" name="Recover" type="Recover">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e590bfe9-fa55-4979-a3c3-43b522074bb1</onsuccess>

</stage>

<stage stageid="13a8eb67-ab27-4462-8005-11772613307f" name="Resume" type="Resume">
```

```xml
    <narrative>
    </narrative>
    <displayx>120</displayx>
    <displayy>45</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <onsuccess>90d92fdb-8130-4548-8080-c90296059140</onsuccess>
  </stage>
  <stage stageid="e590bfe9-fa55-4979-a3c3-43b522074bb1" name="Get Exception" type="MultipleCalculati
    <narrative>
    </narrative>
    <displayx>120</displayx>
    <displayy>0</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <onsuccess>13a8eb67-ab27-4462-8005-11772613307f</onsuccess>
    <steps>
      <calculation expression="True" stage="Failed?"/>
      <calculation expression="ExceptionDetail()" stage="Exception"/>
    </steps>
  </stage>
  <stage stageid="90d92fdb-8130-4548-8080-c90296059140" name="Anchor1" type="Anchor">
    <narrative>
    </narrative>
    <displayx>120</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d73f8b28-f705-42ef-b2b2-d7c0343788d8</onsuccess>

</stage>

</process>

<process name="Test Web API Config (Auth - JWT Bearer Token)" version="1.0" bpversion="6.4.0.6922"

<view>

<camerax>0</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="21d3070d-7a44-46e0-9ef5-178f633a4e61" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-336</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2" type="Normal" published="False">

<name>Authentication (JWT)</name>

<view>

<camerax>21</camerax>

```xml
<cameray>48</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="eb81b667-329c-49fd-8a19-76ad4e7ab990" type="Normal" published="False">

<name>Add to CleanUp Collection</name>

<view>

<camerax>0</camerax>

<cameray>84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="cff64c5e-e8cf-4662-a308-6044c053f943" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>376</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="9f4ebf2f-f87f-4700-9087-6884271e0ce7" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="56e5eadb-f752-44b0-84bc-9cb1e9d95336" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c72220b2-f575-4439-b806-767f7756587b</onsuccess>
</stage>
<stage stageid="1e6564ed-d6c1-4e9b-9dce-2457f36ee4b3" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c72220b2-f575-4439-b806-767f7756587b" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>986177b7-1503-43b0-a3b0-a8842aebed01</onsuccess>

<processid>21d3070d-7a44-46e0-9ef5-178f633a4e61</processid>

</stage>

<stage stageid="df74822e-450c-4ec7-b5d6-1a846d915827" name="Web API Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Auth - JWT)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="a116a24b-dc4a-4c9e-877d-0f648eb1bad6" name="Global Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8be31f08-2476-497a-8063-67e348676b5f" name="pid" type="Data">
```

```xml
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="c0269ffd-1701-4b4e-b6c6-78913628f2ce" name="OAuth 2 JWT Credential Name" type="
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">OAuth2JWTCred</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="986177b7-1503-43b0-a3b0-a8842aebed01" name="Authentication (JWT)" type="SubShe
<narrative>
</narrative>
<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a98c5dbe-e664-46b9-8231-5e60242b90ea</onsuccess>

<processid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</processid>

</stage>

<stage stageid="03a76adb-52f5-4be0-9f6e-24752cf867e2" name="Cleanup" type="Block">

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="a98c5dbe-e664-46b9-8231-5e60242b90ea" name="Cleanup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>47af97a1-14cc-44ff-91cc-f54b4276ddeb</onsuccess>

<processid>cff64c5e-e8cf-4662-a308-6044c053f943</processid>

</stage>

```xml
<stage stageid="47af97a1-14cc-44ff-91cc-f54b4276ddeb" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>f4937c95-ca72-49db-a693-65ad52a11c32</ontrue>
<onfalse>1e6564ed-d6c1-4e9b-9dce-2457f36ee4b3</onfalse>
</stage>
<stage stageid="91544a4e-e27b-43ae-9527-0b25f4d3ec3e" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a8f414b3-e4a4-428d-b817-569cfd1d2e73" name="Exception" type="Data">
<narrative>
```

```
</narrative>

<displayx>-135</displayx>

<displayy>210</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c5e62ac3-1246-4f45-9a49-f4f8967edcc4" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f4937c95-ca72-49db-a693-65ad52a11c32" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="8acecbf6-597a-4f56-b964-8d488e9f76d0" name="Scheme Name" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Scheme (Auth - JWT)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="c0d9ae0d-8d2d-41b0-874f-065331e9fc76" name="Setup" type="SubSheetInfo">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-540</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4004bbc2-f377-49d5-9216-427f139cb513" name="Start" type="Start">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>
```

```
<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-570</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dff76e30-cb47-47fe-9827-2e13e45f0a95</onsuccess>

</stage>

<stage stageid="141b436e-7e34-4266-84c8-aeb0ebb9573d" name="End" type="End">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="dff76e30-cb47-47fe-9827-2e13e45f0a95" name="Launch" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-525</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

</outputs>

<onsuccess>9ccd5869-f6b2-46e9-a03d-49aa413582ac</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="d685b1ba-da5e-48a1-9245-340022b5f4bc" name="Sign In" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>a3d49f84-40b8-4fa3-bd99-79cfa2050564</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="496921dc-1dd1-47da-af90-9f507035653c" name="Select Web API" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

  </narrative>

  <displayx>150</displayx>

  <displayy>60</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Segoe UI" size="10" style="Regular" color="000000"/>

  <inputs>

  <input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

  <input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

  <input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

  <input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

  <input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

  </inputs>

  <onsuccess>8db0e38d-5382-44fd-b911-7d24c640f46f</onsuccess>

  <resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

  </stage>

  <stage stageid="da0d4549-c27d-411f-9854-374a3c9eda50" name="Create JWT Cred" type="Action">

  <subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

  <narrative>

  </narrative>

  <displayx>150</displayx>

  <displayy>-30</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Segoe UI" size="10" style="Regular" color="000000"/>

  <inputs>

  <input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr="&quot;admin

</inputs>

<outputs>

</outputs>

<onsuccess>bd9198cd-9bb8-4584-ba90-39672e619688</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="a3d49f84-40b8-4fa3-bd99-79cfa2050564" name="GoTo Tab (System)" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>fa6c2e67-b106-4d93-bb1d-b965f4b1e874</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="46b6bafd-bf5f-4a22-a107-bd92ed128ebe" name="Select Encryption Schemes" type="Act

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>e92b3898-2e9d-4633-8e9a-d4bd0605f342</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="e92b3898-2e9d-4633-8e9a-d4bd0605f342" name="Create Encryption Scheme" type="Ac

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<displayy>-210</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s
<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b
<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab
<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Scher
</inputs>
<onsuccess>3eca6fd7-f999-4f1c-a99a-171f97c4ebda</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Scher
</stage>
<stage stageid="aac1da48-2d57-40f4-93b1-78c571af630c" name="Select Encryption Scheme" type="Actic
<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[:
</inputs>
<onsuccess>b1e74fb9-5948-49d7-a049-e8728e761e2a</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem
</stage>
<stage stageid="3a3b4151-4776-478b-8528-62e6ae2b12e8" name="Input Variables" type="Block">
<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>
<narrative>
</narrative>
```

```xml
<displayx>-60</displayx>
<displayy>-480</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ba34e299-4a40-4b89-a71a-ce0fc7283af2" name="Scheme Method" type="Data">
<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-450</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="fd7d33ea-1194-4a5c-bf6f-767e981fcc18" name="Attach to System" type="Action">
<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-435</displayy>
<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>d685b1ba-da5e-48a1-9245-340022b5f4bc</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="55becfef-4cd2-4e3d-ba28-3b4869e7e467" name="Add Web API" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>e6fbeefa-5e35-4654-ae7e-946d3044be36</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="8db0e38d-5382-44fd-b911-7d24c640f46f" name="Press Add" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>55becfef-4cd2-4e3d-ba28-3b4869e7e467</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="1ff00a79-669f-48f1-a01f-2eff2154b9eb" name="Base URL" type="Data">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<displayy>-420</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="9ccd5869-f6b2-46e9-a03d-49aa413582ac" name="Add to CleanUp Collection (Blue Prism

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>fd7d33ea-1194-4a5c-bf6f-767e981fcc18</onsuccess>

<processid>eb81b667-329c-49fd-8a19-76ad4e7ab990</processid>

</stage>

<stage stageid="3eca6fd7-f999-4f1c-a99a-171f97c4ebda" name="Add to CleanUp Collection (Encryption S

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>aac1da48-2d57-40f4-93b1-78c571af630c</onsuccess>

<processid>eb81b667-329c-49fd-8a19-76ad4e7ab990</processid>

</stage>

<stage stageid="b1e74fb9-5948-49d7-a049-e8728e761e2a" name="Add to CleanUp Collection (Selected

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>da0d4549-c27d-411f-9854-374a3c9eda50</onsuccess>

<processid>eb81b667-329c-49fd-8a19-76ad4e7ab990</processid>

</stage>

<stage stageid="bd9198cd-9bb8-4584-ba90-39672e619688" name="Add to CleanUp Collection (Cred)" typ

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

```xml
<onsuccess>496921dc-1dd1-47da-af90-9f507035653c</onsuccess>

<processid>eb81b667-329c-49fd-8a19-76ad4e7ab990</processid>

</stage>

<stage stageid="acac3bf1-98ae-4b73-b5ad-8ef2e5b90f3b" name="Add to CleanUp Collection (Web API)" 

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>141b436e-7e34-4266-84c8-aeb0ebb9573d</onsuccess>

<processid>eb81b667-329c-49fd-8a19-76ad4e7ab990</processid>

</stage>

<stage stageid="e6fbeefa-5e35-4654-ae7e-946d3044be36" name="Press OK" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="5a99867c-0f48-45b6-b88a-40d387a58ad2" name="Authentication (JWT)" type="SubShee

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="41bfa624-e987-474b-81bd-2645b2e60881" name="Start" type="Start">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<displayy>-135</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6936ee06-2aec-46b8-9d5a-c2228a9dd656</onsuccess>

</stage>

<stage stageid="9171ea84-90a5-4580-aba5-d85e7622c479" name="Select Common Authentication" type=

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

```
</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3795956d-5b58-4875-960d-0ae015f87604</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="3795956d-5b58-4875-960d-0ae015f87604" name="Select OAuth 2 (JWT)" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authentication Type" narrative="The name of the type of authentication you wan

</inputs>

<onsuccess>b297e66f-7b20-4928-9191-eb3c0cfbb6fa</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Type (Web APi)"/>

</stage>

<stage stageid="24e2926f-954d-4f45-be6a-86bc9651b404" name="OAuth 2 (JWT)" type="Block">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>
```

```
</narrative>

<displayx>-45</displayx>

<displayy>30</displayy>

<displaywidth>480</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="63e6aa2e-9e56-4cd6-92f3-1c31de9d81ab" name="Input Variables" type="Block">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>210</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d81e48f1-76b2-46b6-9f62-68f7c83355f7" name="Parameter Name" type="Data">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

```xml
<initialvalue xml:space="preserve">Example Parameter</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a14a77c1-2647-49df-8ce3-43dddfa625e7" name="Authorization URL" type="Data">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d1842b25-4e28-44d2-9587-0afa4d01d734" name="Scope" type="Data">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<datatype>text</datatype>

<initialvalue xml:space="preserve">API</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8c9f3012-8085-4d23-a832-2ab0db0a7f66" name="Audience" type="Data">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">MyAudience</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="97c470b5-050f-4549-a186-ce12f9bec315" name="Subject" type="Data">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">MySubject</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c637a6b5-fa99-4315-90d8-bf9193542df2" name="JWT Expiry" type="Data">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">1</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b297e66f-7b20-4928-9191-eb3c0cfbb6fa" name="Check Defaults (JWT)" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Authorization URL" expr="&amp;quot;http://example.com/&amp;quot;"/

<input type="text" name="Expected Audience" expr="&amp;quot;&amp;quot;"/>

<input type="text" name="Expected Scope" expr="&amp;quot;&amp;quot;"/>

<input type="text" name="Expected Subject" expr="&amp;quot;&amp;quot;"/>

<input type="text" name="Expected JWT Expiry" expr="&amp;quot;3600&amp;quot;"/>

</inputs>

<onsuccess>c2081001-11fd-406c-9dfb-c3164fece07a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check OAuth 2.0 JWT (Web API)"/>

</stage>

<stage stageid="22ff17d0-0917-4f55-af6c-563571508b54" name="Set OAuth 2.0 JWT" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Authorization URL" expr="[Authorization URL]"/>

<input type="text" name="Audience" expr="[Audience]"/>

<input type="text" name="Scope" expr="[Scope]"/>

<input type="text" name="Subject" expr="[Subject]"/>

<input type="text" name="JWT Expiry" expr="[JWT Expiry]"/>
```

```xml
</inputs>
<onsuccess>5d92f643-bdfd-4e28-bb2c-02b6f6721feb</onsuccess>
<resource object="Blue Prism - System - Objects" action="Set OAuth 2.0 JWT (Web API)"/>
</stage>
<stage stageid="c2081001-11fd-406c-9dfb-c3164fece07a" name="Check Defaults (Credential)" type="Acti
<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to
<input type="flag" name="Expected Expose to Process?" narrative="The state of the &amp;quot;Exposed t
<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe
</inputs>
<onsuccess>e539cd5f-c167-467d-9b73-503cbac69522</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>
</stage>
<stage stageid="e539cd5f-c167-467d-9b73-503cbac69522" name="Anchor7" type="Anchor">
<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>150</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>20f0029d-53f1-4550-8d84-d9fb436dca78</onsuccess>

</stage>

<stage stageid="20f0029d-53f1-4550-8d84-d9fb436dca78" name="Anchor8" type="Anchor">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>22ff17d0-0917-4f55-af6c-563571508b54</onsuccess>

</stage>

<stage stageid="d7f2d86c-35db-45ae-88fc-fe2b80066cb0" name="Anchor7" type="Anchor">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>51fe9023-e963-447d-ac30-368e1bfb9748</onsuccess>

</stage>

```xml
<stage stageid="51fe9023-e963-447d-ac30-368e1bfb9748" name="Anchor8" type="Anchor">
<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>
<narrative>
</narrative>
<displayx>315</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e2035396-d43b-452c-8f54-4670a12cfd15</onsuccess>
</stage>
<stage stageid="c4f6e2d4-1162-476d-958d-adee620b48ee" name="Anchor7" type="Anchor">
<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>150</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8c74f099-a9b6-48d9-87ca-ecec2494163d</onsuccess>
</stage>
<stage stageid="8c74f099-a9b6-48d9-87ca-ecec2494163d" name="Anchor8" type="Anchor">
<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
```

```xml
<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>29bb937c-638e-464b-b44c-8db2ae45ba0a</onsuccess>

</stage>

<stage stageid="5d92f643-bdfd-4e28-bb2c-02b6f6721feb" name="Set Credential" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential" narrative="IF you want to, this is the name of the credential you want

<input type="flag" name="Expose to Process?" narrative="This is optional. If you want to expose the choice

<input type="text" name="Parameter Name" narrative="The name of the input parameter. If left blank this

</inputs>

<onsuccess>13ab487d-81aa-4030-9066-8e317cac4f1d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Authentication Credential (Web API)"/>

</stage>

<stage stageid="13ab487d-81aa-4030-9066-8e317cac4f1d" name="Press OK" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>
```

```
<displayx>135</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c4f6e2d4-1162-476d-958d-adee620b48ee</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="840706c9-0f2b-48bb-8ed9-1e23657d5680" name="Press Edit" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ab340178-7965-4ef7-b72d-e48f67916709</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="29bb937c-638e-464b-b44c-8db2ae45ba0a" name="Select Web API" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>840706c9-0f2b-48bb-8ed9-1e23657d5680</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="ab340178-7965-4ef7-b72d-e48f67916709" name="Select Common Authentication" type=

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d7f2d86c-35db-45ae-88fc-fe2b80066cb0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Authentication (Web API)"/>

</stage>

<stage stageid="e2035396-d43b-452c-8f54-4670a12cfd15" name="Check OAuth JWT" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Authorization URL" expr="[Authorization URL]"/>

<input type="text" name="Expected Audience" expr="[Audience]"/>

<input type="text" name="Expected Scope" expr="[Scope]"/>

<input type="text" name="Expected Subject" expr="[Subject]"/>

<input type="text" name="Expected JWT Expiry" expr="[JWT Expiry]"/>

</inputs>

<onsuccess>64b280c3-7dca-452b-877d-87717ab8e011</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check OAuth 2.0 JWT (Web API)"/>

</stage>

<stage stageid="64b280c3-7dca-452b-877d-87717ab8e011" name="Check Credential" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Credential" narrative="The name of the credential you are expecting to

<input type="flag" name="Expected Expose to Process?" narrative="The state of the &quot;Exposed t

<input type="text" name="Expected Parameter Name" narrative="The name of the parameter you are expe

</inputs>

<onsuccess>51c9c0a1-9a7a-485b-9f97-ff0909fb58eb</onsuccess>

```
<resource object="Blue Prism - System - Objects" action="Check Authentication Credential (Web API)"/>

</stage>

<stage stageid="6936ee06-2aec-46b8-9d5a-c2228a9dd656" name="Select Web API" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>1327e834-181f-40ef-a054-d530ddca9469</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="1327e834-181f-40ef-a054-d530ddca9469" name="Press Edit" type="Action">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9171ea84-90a5-4580-aba5-d85e7622c479</onsuccess>
```

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="c4d96c3a-814c-4a95-9d03-69516361be2e" name="Add to CleanUp Collection" type="Sul

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1e20135a-2c32-4bf8-bfc4-611cf21234cd" name="Start" type="Start">

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>1912c45c-1ad1-46fd-879d-512980fac9f3</onsuccess>

</stage>

<stage stageid="c0e4fa04-dc42-429b-9534-97a331652b79" name="End" type="End">

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8e2e9777-28c3-427d-93b8-8e79e3df681c" name="Item Name" type="Data">

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

<displayx>-120</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="35297b2f-f7a0-4e1f-bb7f-3448242dde70" name="Input Variables" type="Block">

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

```xml
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="1912c45c-1ad1-46fd-879d-512980fac9f3" name="Add Row" type="Action">
<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp;
</inputs>
<onsuccess>23e024ac-cccc-46fa-8686-dcfb717574b7</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="5132b230-48e7-43b3-a16f-7023a4e0ee96" name="CleanUp Collection" type="Collection"
<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="0d75270e-642d-4d46-9328-f360f43c7176" name="Local Variables" type="Block">

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="23e024ac-cccc-46fa-8686-dcfb717574b7" name="Add To Row" type="Calculation">

<subsheetid>eb81b667-329c-49fd-8a19-76ad4e7ab990</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c0e4fa04-dc42-429b-9534-97a331652b79</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="edad7d99-663e-46ae-ad9d-718139ad7451" name="Cleanup" type="SubSheetInfo">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1d256ef8-82cd-4f86-a956-28b6c724dce9" name="Start" type="Start">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3880f027-2585-4cec-82d2-ec043d3cab2b</onsuccess>

</stage>

<stage stageid="c8212ac5-2633-445b-98cc-2463b8d35567" name="To Clean" type="LoopStart">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fba3a579-b84f-4781-b059-9193d24a6cde</onsuccess>

<groupid>20b5be92-0df4-417e-86c5-0ce955de1717</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="74644495-225e-4796-84fb-2a5b231a0a37" name="To Clean" type="LoopEnd">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers

</outputs>

<onsuccess>c8212ac5-2633-445b-98cc-2463b8d35567</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="c9381ea7-74e5-4421-a153-96a893d64275" name="Reversed CleanUp" type="Collection"

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

```
</stage>

<stage stageid="d41498ec-1c71-4da2-85ec-ca7eaf2fb685" name="Local Variables" type="Block">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="fba3a579-b84f-4781-b059-9193d24a6cde" name="Which Clean Up" type="ChoiceStart">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>e085dcaa-275f-42ab-a2bf-01cb298a9603</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>8870a1fd-be49-4ab2-9dfa-4ed4f49421cb</ontrue>

</choice>
```

```xml
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Encryption Scheme&amp;quot;">
<name>Encryption Scheme</name>
<distance>75</distance>
<ontrue>8ed43912-61f8-4707-969b-0d8dd68f0360</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Selected Scheme&amp;quot;">
<name>Selected Scheme</name>
<distance>120</distance>
<ontrue>d5ba5b0f-7c15-4518-a922-b73bd1932e03</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Credential&amp;quot;">
<name>Credential</name>
<distance>165</distance>
<ontrue>13fd3600-901c-4875-9339-6cd39f435978</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">
<name>Web API</name>
<distance>210</distance>
<ontrue>2bfd7a13-3637-42d3-8dd7-b3e1a4970857</ontrue>
</choice>
</choices>
</stage>
<stage stageid="18492dab-eef0-47b9-a051-28ba7ddf63f5" name="Otherwise" type="ChoiceEnd">
<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```xml
<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9fd47cca-5db8-42a3-ba6e-5915419a0eb3</onsuccess>

<groupid>e085dcaa-275f-42ab-a2bf-01cb298a9603</groupid>

</stage>

<stage stageid="3f5aa85c-5d3c-4f6c-9153-be2349be1cab" name="Terminate" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>473620e4-2459-49c8-99b0-8092e91e114b</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="473620e4-2459-49c8-99b0-8092e91e114b" name="Anchor2" type="Anchor">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4f27339f-54e1-4327-ac2f-5cb71df1da39</onsuccess>

</stage>

<stage stageid="4f27339f-54e1-4327-ac2f-5cb71df1da39" name="Anchor3" type="Anchor">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>327d517e-ed42-4472-b8d7-5e33660fe581</onsuccess>

</stage>

<stage stageid="3cc08c0c-a459-4f71-9cb6-74eda4edd57b" name="Anchor4" type="Anchor">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>74644495-225e-4796-84fb-2a5b231a0a37</onsuccess>

</stage>

<stage stageid="80921749-1323-40bc-b6a7-282a5a170c0e" name="Open System Tab" type="Action">

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>1a18ca95-f9a8-45a3-8b28-a3b4f7107ffd</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="1a18ca95-f9a8-45a3-8b28-a3b4f7107ffd" name="GoTo Encryption Scheme" type="Action

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>2a5b2ba7-d619-4101-b043-d2ff958a8753</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="9fd47cca-5db8-42a3-ba6e-5915419a0eb3" name="FAIL" type="Exception">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="2a5b2ba7-d619-4101-b043-d2ff958a8753" name="Delete Encryption Scheme" type="Acti

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish t

</inputs>

<onsuccess>4f27339f-54e1-4327-ac2f-5cb71df1da39</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Scher

</stage>

<stage stageid="327d517e-ed42-4472-b8d7-5e33660fe581" name="Anchor2" type="Anchor">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>74030c84-3339-4728-a54d-8ace5c90618e</onsuccess>

</stage>

<stage stageid="74030c84-3339-4728-a54d-8ace5c90618e" name="Anchor3" type="Anchor">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bde67df4-0f48-4b52-b2a8-a5fc8a7b77f7</onsuccess>

</stage>

<stage stageid="bde67df4-0f48-4b52-b2a8-a5fc8a7b77f7" name="Anchor3" type="Anchor">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>240</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3cc08c0c-a459-4f71-9cb6-74eda4edd57b</onsuccess>

</stage>

<stage stageid="6a31a973-3cc5-4f64-b522-6f861077d16e" name="Open System Tab" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>5aac0aa2-c099-4231-918b-7aa56ff9287d</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="5aac0aa2-c099-4231-918b-7aa56ff9287d" name="GoTo Encryption Scheme" type="Actio

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;En

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>ca6187ca-317c-46e0-beaa-77f61828d3fb</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="ca6187ca-317c-46e0-beaa-77f61828d3fb" name="Select Encryption Scheme Default" typ

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="&

</inputs>

<onsuccess>327d517e-ed42-4472-b8d7-5e33660fe581</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schem

</stage>

<stage stageid="8ed43912-61f8-4707-969b-0d8dd68f0360" name="Close All Child Windows" type="Action

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>80921749-1323-40bc-b6a7-282a5a170c0e</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="d5ba5b0f-7c15-4518-a922-b73bd1932e03" name="Close All Child Windows" type="Action

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="13fd3600-901c-4875-9339-6cd39f435978" name="Close All Child Windows" type="Action
<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f83839e9-3906-4997-8260-96dd38910a5d</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="2bfd7a13-3637-42d3-8dd7-b3e1a4970857" name="Close All Child Windows" type="Action
<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3bde95cb-d06d-47ab-8484-4ddc1a01d8ee</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="f83839e9-3906-4997-8260-96dd38910a5d" name="Open System Tab" type="Action">
```

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>3c2c7947-0f1c-4768-ab5e-6ce9e4487e0a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="3bde95cb-d06d-47ab-8484-4ddc1a01d8ee" name="Open System Tab" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>eb5bc077-41eb-4b6a-9f3c-2c1a226fb8d3</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="3c2c7947-0f1c-4768-ab5e-6ce9e4487e0a" name="GoTo Credentials" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Cre

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>49d45ec9-1c98-4b9e-aa71-203a572ac3de</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="eb5bc077-41eb-4b6a-9f3c-2c1a226fb8d3" name="GoTo Web API" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>4a9b9b2b-edcd-430e-9675-35a622d54f53</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="49d45ec9-1c98-4b9e-aa71-203a572ac3de" name="Delete Credential" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp

</inputs>

<onsuccess>74030c84-3339-4728-a54d-8ace5c90618e</onsuccess>

<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
```

```xml
</stage>

<stage stageid="c7235012-4e15-4688-b715-ec08e2819dc8" name="Press Delete Web API" type="Action"

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bde67df4-0f48-4b52-b2a8-a5fc8a7b77f7</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="4a9b9b2b-edcd-430e-9675-35a622d54f53" name="Select Web API" type="Action">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>c7235012-4e15-4688-b715-ec08e2819dc8</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
```

</stage>

<stage stageid="7fc9d71f-16f3-45e1-8583-a0f5a47afeac" name="End1" type="End">

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8870a1fd-be49-4ab2-9dfa-4ed4f49421cb" name="Close All Child Windows" type="Action"

<subsheetid>cff64c5e-e8cf-4662-a308-6044c053f943</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3f5aa85c-5d3c-4f6c-9153-be2349be1cab</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="51c9c0a1-9a7a-485b-9f97-ff0909fb58eb" name="End2" type="End">

<subsheetid>df64d18b-c7bc-49d6-81e0-d2d6fb5ef1c2</subsheetid>

<displayx>375</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fa6c2e67-b106-4d93-bb1d-b965f4b1e874" name="Collapse Tree" type="Action">

<subsheetid>21d3070d-7a44-46e0-9ef5-178f633a4e61</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>46b6bafd-bf5f-4a22-a107-bd92ed128ebe</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>

</stage>

<stage stageid="e51b3117-a4b3-4b41-8c3b-c7adcfe7ee4e" name="Recover" type="Recover">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a47866cc-5c19-4e9d-baee-8a6453af3da7</onsuccess>

```
</stage>

<stage stageid="9603db13-62ee-481a-9589-f7018be3356e" name="Resume" type="Resume">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a01e38ac-6db1-45c2-8b2e-9607b6dfb497</onsuccess>

</stage>

<stage stageid="a47866cc-5c19-4e9d-baee-8a6453af3da7" name="Get Exception" type="MultipleCalculat

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9603db13-62ee-481a-9589-f7018be3356e</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="a01e38ac-6db1-45c2-8b2e-9607b6dfb497" name="Anchor1" type="Anchor">

<narrative>
```

```xml
</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a98c5dbe-e664-46b9-8231-5e60242b90ea</onsuccess>

</stage>

</process>

<process name="Test Web API Config (Basic)" version="1.0" bpversion="6.4.0.7386" narrative="" byrefcol

<view>

<camerax>228</camerax>

<cameray>207</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="ee671b2a-e5da-45f3-a5d8-1a431467442c" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>90</camerax>

<cameray>-96</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8142bb13-c1c7-43ad-b871-a778c1b1e26d" type="Normal" published="False">

<name>Web API</name>
```

```xml
<view>
<camerax>113</camerax>
<cameray>738</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="1bb997c5-fd60-45a3-a00e-414479b8006a" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>115</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="305d1f84-c084-4b78-ad5e-4617f0f47331" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>60</displayy>
```

```xml
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="68a430f3-173f-42d0-ac1f-657c7be0a25b" name="Web API" type="SubSheetInfo">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-165</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c6bd01cb-7508-49b7-b0e3-51fa789cb665" name="Start" type="Start">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cdce2685-b797-4d1d-9531-93592cc165b7</onsuccess>
</stage>
<stage stageid="6816af59-f049-4394-bd63-1d5572e86049" name="End" type="End">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
```

```xml
    <narrative>
    </narrative>
    <displayx>15</displayx>
    <displayy>1035</displayy>
    <displaywidth>60</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
  </stage>
  <stage stageid="4fe04e5c-d7da-4bdd-b56e-217b6c1d0621" name="Add Web API" type="Action">
    <subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
    <narrative>
    </narrative>
    <displayx>15</displayx>
    <displayy>-105</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <inputs>
    <input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na
    <input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas
    <input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W
    </inputs>
    <onsuccess>03153363-1fc1-4777-a12a-4130c4e10f35</onsuccess>
    <resource object="Blue Prism - System - Objects" action="Add (Web API)"/>
  </stage>
  <stage stageid="27453fc0-0589-478c-831c-0e75c91e7fa1" name="Check Web API" type="Action">
    <subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Name" narrative="The name you are expecting for the Web API." expr

<input type="text" name="Expected Base URL" narrative="The base URL you are expecting for the Web A

<input type="flag" name="Expected Enabled?" narrative="The exposed flag you are expecting for the Web

</inputs>

<onsuccess>d81239f6-523c-44fe-9809-79e1d5219b44</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check (Web API)"/>

</stage>

<stage stageid="dd89c167-7cbf-4178-b76d-c83a53034d10" name="Check Web API Exists" type="Action";

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to check for." expr="[Web

<input type="flag" name="Expected Fail?" narrative="False as default. Did you expect the Web API to not k

```
</inputs>

<onsuccess>d2fd9b27-588f-48b0-ad06-9279c237bea4</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Exists (Web API)"/>

</stage>

<stage stageid="d81239f6-523c-44fe-9809-79e1d5219b44" name="Edit Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Set Name?" narrative="False as default. True or False do you want to edit the na

<input type="text" name="Name" narrative="The new name you want to give the Web API." expr="[Web AF

<input type="flag" name="Set Base URL?" narrative="False as default. True or False do you want to edit th

<input type="text" name="Base URL" narrative="The new base URL you want to give the Web API." expr=

<input type="flag" name="Set Enabled?" narrative="False as default. True or False do you want to change

<input type="flag" name="Enabled" narrative="The new flag value for enabled you want to set on the Web

</inputs>

<onsuccess>8074735f-0834-4b1d-a1ca-aefd00cc0073</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit (Web API)"/>

</stage>

<stage stageid="5369389f-a8d2-4be0-acbe-3de666d83fb0" name="Check Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Name" narrative="The name you are expecting for the Web API." expr

<input type="text" name="Expected Base URL" narrative="The base URL you are expecting for the Web A

<input type="flag" name="Expected Enabled?" narrative="The exposed flag you are expecting for the Web

</inputs>

<onsuccess>cfceeebe-2e5c-4c78-8678-7d5f48a7c375</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check (Web API)"/>

</stage>

<stage stageid="cdce2685-b797-4d1d-9531-93592cc165b7" name="Press Add" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4fe04e5c-d7da-4bdd-b56e-217b6c1d0621</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="03153363-1fc1-4777-a12a-4130c4e10f35" name="Press OK" type="Action">

```xml
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5e8cc149-64c6-457a-9de4-c97b72212b81</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="643a34bb-d529-42a1-ba9d-03c69062cbbe" name="Press Edit" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>27453fc0-0589-478c-831c-0e75c91e7fa1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="8074735f-0834-4b1d-a1ca-aefd00cc0073" name="Press OK" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>
```

```xml
<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f851b05c-5849-4acb-a509-f1d97b7ec7a6</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="0decec6d-8a1a-4b9b-b84b-13f19417d733" name="Press Edit" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5369389f-a8d2-4be0-acbe-3de666d83fb0</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="d2fd9b27-588f-48b0-ad06-9279c237bea4" name="Select Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>643a34bb-d529-42a1-ba9d-03c69062cbbe</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="f851b05c-5849-4acb-a509-f1d97b7ec7a6" name="Check Web API Exists" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to check for." expr="[Web

<input type="flag" name="Expected Fail?" narrative="False as default. Did you expect the Web API to not b

</inputs>

<onsuccess>c7e227ad-1fc9-4a1e-a562-07971287f6aa</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Exists (Web API)"/>

</stage>

<stage stageid="51758c68-7210-4063-9585-4406b29f857a" name="Select Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

```xml
</narrative>

<displayx>15</displayx>

<displayy>390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>0decec6d-8a1a-4b9b-b84b-13f19417d733</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="589dacaf-c53a-4773-84a5-89c5391a3562" name="Base URL (1)" type="Data">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b2d9baae-ec6f-425c-b16d-14bd4e165775" name="Base URL (2)" type="Data">
```

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.barr.co.uk/</initialvalue>

</stage>

<stage stageid="823a652c-93df-4307-903f-d98289a47fa8" name="Local Variables" type="Block">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<displayx>-195</displayx>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1fb1c089-1196-43fb-b6a9-19731e1352b4" name="Enabled (1)" type="Data">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

```xml
<displayx>-120</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2e20efa8-7471-41b4-8311-5f6a131a4a25" name="Enabled (2)" type="Data">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f17cec72-ef11-4616-8e41-e10ac776647c" name="Setup" type="SubSheetInfo">

<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>

<narrative>
```

```xml
</narrative>

<displayx>15</displayx>

<displayy>-360</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4371740f-6960-4bf8-8a1a-7768d4a42415" name="Start" type="Start">

<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2fd8388e-f9d9-4cac-8c30-5027dcfe8701</onsuccess>

</stage>

<stage stageid="a6a10eb4-1329-4c00-9d88-70d65e411d98" name="End" type="End">

<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
</stage>
<stage stageid="2fd8388e-f9d9-4cac-8c30-5027dcfe8701" name="Launch" type="Action">
<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>860a6757-0bba-4e65-a968-03ded1413f81</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="591ea1ed-edfd-4d8c-84ff-22f4958197ac" name="Sign In" type="Action">
<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
```

```xml
<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>6c828ec1-e7ee-4142-84e2-3c41c7b37dd8</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="78828a9b-efb0-4e4d-97ed-7341a3dfdaa6" name="Select Web API" type="Action">

<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obj

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>a6a10eb4-1329-4c00-9d88-70d65e411d98</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="6c828ec1-e7ee-4142-84e2-3c41c7b37dd8" name="GoTo Tab (System)" type="Action">

<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>78828a9b-efb0-4e4d-97ed-7341a3dfdaa6</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="ed921d30-b0f6-486a-abdb-d8d18457365b" name="Attach to System" type="Action">

<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>

<displayy>-255</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>591ea1ed-edfd-4d8c-84ff-22f4958197ac</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="4c320ce3-398e-41bc-82d8-b5cc8f3b6420" name="Add to CleanUp Collection" type="Sub

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e877ac08-609f-4087-8b47-7a744e44d388" name="Start" type="Start">

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>6b1bf5ba-bce0-4b03-8f12-e73012c31e3f</onsuccess>

</stage>

<stage stageid="864426df-abd6-40cb-8465-db3d686427e4" name="End" type="End">

```xml
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="24aa18c7-5fe6-44e1-a013-94cfed8f228f" name="Item Name" type="Data">

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="259a5b06-f773-4a56-9bbf-f906612f1f87" name="Input Variables" type="Block">

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>
```

```
<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="6b1bf5ba-bce0-4b03-8f12-e73012c31e3f" name="Add Row" type="Action">

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp

</inputs>

<onsuccess>90f92a3b-d846-4f26-8d36-ac4bd9e04e60</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="a219bb55-a647-45d4-b714-b05c3e721bed" name="CleanUp Collection" type="Collection

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="9ba2c1ce-1339-4123-8c79-aed14a4de91d" name="Local Variables" type="Block">

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="90f92a3b-d846-4f26-8d36-ac4bd9e04e60" name="Add To Row" type="Calculation">

<subsheetid>1bb997c5-fd60-45a3-a00e-414479b8006a</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<onsuccess>864426df-abd6-40cb-8465-db3d686427e4</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="b30d05b2-021f-463d-9fe2-8f1b77343a14" name="Cleanup" type="SubSheetInfo">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f8bc0079-6905-4722-881a-1d72aded6abc" name="Start" type="Start">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7979a6e4-d637-412c-ab41-e245d04bd219</onsuccess>

</stage>

<stage stageid="810d1eb9-dd55-45b4-8278-6bfc1c798d04" name="To Clean" type="LoopStart">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e1be3c1b-cd58-44af-8f5c-2335db65aa93</onsuccess>

<groupid>9b4b0bff-3681-436a-9f5c-98d9af6e80da</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="5013bf0e-2e64-4fe6-95a4-204142a8bc92" name="To Clean" type="LoopEnd">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>da21a4c4-d289-4a0b-a24c-2f32ba986e71</onsuccess>

<groupid>9b4b0bff-3681-436a-9f5c-98d9af6e80da</groupid>

</stage>

<stage stageid="7979a6e4-d637-412c-ab41-e245d04bd219" name="Reverse Collection" type="Action">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>
```

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse

</outputs>

<onsuccess>810d1eb9-dd55-45b4-8278-6bfc1c798d04</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="f5986d2e-f51f-4d74-a0e7-87a3e3178cfb" name="Reversed CleanUp" type="Collection">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="22799943-a77a-4ab2-857d-4d2754cb7f3a" name="Local Variables" type="Block">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e1be3c1b-cd58-44af-8f5c-2335db65aa93" name="Which Clean Up" type="ChoiceStart">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>d9fc53d5-c5c8-4b01-a357-25c5ec09bfa8</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>bee3f4d8-6ff5-48ea-8867-50735324425b</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<distance>75</distance>

<ontrue>2d761833-739d-4b05-bcb6-af39b7e84b7c</ontrue>

</choice>

</choices>

</stage>

<stage stageid="a053610e-6cdb-4043-a94c-ce64ad4c7b2f" name="Otherwise" type="ChoiceEnd">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1ade1ec9-3088-4804-95dd-7baa46b9a7c3</onsuccess>

<groupid>d9fc53d5-c5c8-4b01-a357-25c5ec09bfa8</groupid>

</stage>

<stage stageid="bee3f4d8-6ff5-48ea-8867-50735324425b" name="Terminate" type="Action">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="f066b1b0-cae9-418c-becf-3ca0041dc559" name="Anchor2" type="Anchor">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3fa6e1a2-3b3b-43e4-8f07-da118aa8ad47</onsuccess>

</stage>

<stage stageid="156d56f6-ab83-49e7-abe4-94574a6ff254" name="Anchor4" type="Anchor">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5013bf0e-2e64-4fe6-95a4-204142a8bc92</onsuccess>

</stage>

<stage stageid="1ade1ec9-3088-4804-95dd-7baa46b9a7c3" name="FAIL" type="Exception">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="3fa6e1a2-3b3b-43e4-8f07-da118aa8ad47" name="Anchor3" type="Anchor">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>156d56f6-ab83-49e7-abe4-94574a6ff254</onsuccess>

</stage>

<stage stageid="2d761833-739d-4b05-bcb6-af39b7e84b7c" name="Close All Child Windows" type="Action

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>43d7d0d2-8332-4dcf-ae79-266f54c455c8</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="43d7d0d2-8332-4dcf-ae79-266f54c455c8" name="Open System Tab" type="Action">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>f52166bf-adcf-4b49-8dd6-5a70b25f92c7</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="f52166bf-adcf-4b49-8dd6-5a70b25f92c7" name="GoTo Web API" type="Action">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>2f4f5aa6-16a0-4ef1-a291-9ddd6fbd1e16</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="9ba9bfbc-4a5b-4fa0-a88c-1e54cf27bb12" name="Press Delete Web API" type="Action">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3fa6e1a2-3b3b-43e4-8f07-da118aa8ad47</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="2f4f5aa6-16a0-4ef1-a291-9ddd6fbd1e16" name="Select Web API" type="Action">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

```
</narrative>

<displayx>465</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>9ba9bfbc-4a5b-4fa0-a88c-1e54cf27bb12</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="da21a4c4-d289-4a0b-a24c-2f32ba986e71" name="End1" type="End">

<subsheetid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fdef67f3-a92c-4e71-8eba-30227c02b005" name="Start" type="Start">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>30</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>619c1671-c64e-41fa-9b89-52c2ce037c53</onsuccess>

</stage>

<stage stageid="619c1671-c64e-41fa-9b89-52c2ce037c53" name="Setup" type="SubSheet">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>46416e8d-5008-41d0-b3a1-891b12fc0ea4</onsuccess>

<processid>ee671b2a-e5da-45f3-a5d8-1a431467442c</processid>

</stage>

<stage stageid="63e7ab6f-02ef-446e-af42-44eeb966b750" name="Web API Name" type="Data">

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Web API</initialvalue>

<alwaysinit/>
```

```
</stage>

<stage stageid="7d537d09-a5df-4910-a848-a0aa450c404f" name="Global Variables" type="Block">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>120</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="ad3fdb65-251b-4b4a-81e5-7c4ee7c0e727" name="pid" type="Data">

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="6eb5eb17-6b72-4ee6-a524-cb7ecfb60934" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>240</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9bb55b46-a927-40da-ba7a-9f4d38d9b638</onsuccess>

<processid>ac4abe0e-66f3-42d2-8dee-c6bb8f7719e9</processid>

</stage>

<stage stageid="9bb55b46-a927-40da-ba7a-9f4d38d9b638" name="Failed?" type="Decision">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>badff0f7-57f0-432a-b61f-98b0ad6d6b8f</ontrue>

<onfalse>f5d9bd0d-7dde-4814-a833-6b3333863016</onfalse>

</stage>

<stage stageid="0c750122-6ce3-4534-a6d6-4463b0c06630" name="Failed?" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="367e15c8-7973-49fb-a1fe-3da7a5ca666b" name="Exception" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="44023fc4-7a52-4f1b-a4ac-421517a4e598" name="Local Variables" type="Block">

<displayx>-15</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="badff0f7-57f0-432a-b61f-98b0ad6d6b8f" name="RETHROW" type="Exception">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="301f6efb-6e9e-449d-a114-dae94704d2a0" name="Anchor1" type="Anchor">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6eb5eb17-6b72-4ee6-a524-cb7ecfb60934</onsuccess>

</stage>

<stage stageid="3b96883e-d1d5-418b-b365-8256e52df84a" name="Cleanup" type="Block">

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```xml
</stage>

<stage stageid="f5d9bd0d-7dde-4814-a833-6b3333863016" name="End2" type="End">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="46416e8d-5008-41d0-b3a1-891b12fc0ea4" name="Web API" type="SubSheet">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6eb5eb17-6b72-4ee6-a524-cb7ecfb60934</onsuccess>

<processid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</processid>

</stage>

<stage stageid="066a5054-bc93-4668-adda-9cb03f389679" name="Web API Name (2)" type="Data">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>
```

```xml
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">My Second Web API</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="860a6757-0bba-4e65-a968-03ded1413f81" name="Add to CleanUp Collection" type="Sub
<subsheetid>ee671b2a-e5da-45f3-a5d8-1a431467442c</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp
</inputs>
<onsuccess>ed921d30-b0f6-486a-abdb-d8d18457365b</onsuccess>
<processid>1bb997c5-fd60-45a3-a00e-414479b8006a</processid>
</stage>
<stage stageid="5e8cc149-64c6-457a-9de4-c97b72212b81" name="Add to CleanUp Collection" type="Sub
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>dd89c167-7cbf-4178-b76d-c83a53034d10</onsuccess>

<processid>1bb997c5-fd60-45a3-a00e-414479b8006a</processid>

</stage>

<stage stageid="c7e227ad-1fc9-4a1e-a562-07971287f6aa" name="Set Web API Name" type="Calculation

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>51758c68-7210-4063-9585-4406b29f857a</onsuccess>

<calculation expression="&quot;My Second Web API&quot;" stage="Web API Name"/>

</stage>

<stage stageid="cfceeebe-2e5c-4c78-8678-7d5f48a7c375" name="Edit Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Set Name?" narrative="False as default. True or False do you want to edit the na

<input type="text" name="Name" narrative="The new name you want to give the Web API." expr=""/>

<input type="flag" name="Set Base URL?" narrative="False as default. True or False do you want to edit th

<input type="text" name="Base URL" narrative="The new base URL you want to give the Web API." expr=

<input type="flag" name="Set Enabled?" narrative="False as default. True or False do you want to change

<input type="flag" name="Enabled" narrative="The new flag value for enabled you want to set on the Web

</inputs>

<onsuccess>c3149719-3887-4c7b-8ef1-4e6247ece41d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit (Web API)"/>

</stage>

<stage stageid="35a32e9d-0a53-4d18-ac15-6ec768d59f93" name="Check Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Name" narrative="The name you are expecting for the Web API." expr

<input type="text" name="Expected Base URL" narrative="The base URL you are expecting for the Web A

<input type="flag" name="Expected Enabled?" narrative="The exposed flag you are expecting for the Web

</inputs>

<onsuccess>84520569-d198-4d75-b163-4647f01ff5bf</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check (Web API)"/>

</stage>

<stage stageid="c3149719-3887-4c7b-8ef1-4e6247ece41d" name="Press OK" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>585</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9394c73b-8f52-4976-8053-d0210f3d0b70</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="0e115d9b-096c-4b56-a684-99563576ef1e" name="Press Edit" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>675</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>35a32e9d-0a53-4d18-ac15-6ec768d59f93</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="9394c73b-8f52-4976-8053-d0210f3d0b70" name="Select Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>0e115d9b-096c-4b56-a684-99563576ef1e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="ba4cbd2c-a415-486c-97cd-46c694f8666e" name="Base URL (3)" type="Data">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<displayx>-120</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<initialvalue xml:space="preserve">https://www.matt:443/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bfb4ddb6-fbd0-416b-9c46-2f76f935373b" name="Base URL (4)" type="Data">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">http://www.barr:80/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="84520569-d198-4d75-b163-4647f01ff5bf" name="Edit Web API" type="Action">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>795</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<inputs>
<input type="flag" name="Set Name?" narrative="False as default. True or False do you want to edit the na
<input type="text" name="Name" narrative="The new name you want to give the Web API." expr=""/>
<input type="flag" name="Set Base URL?" narrative="False as default. True or False do you want to edit th
<input type="text" name="Base URL" narrative="The new base URL you want to give the Web API." expr=
<input type="flag" name="Set Enabled?" narrative="False as default. True or False do you want to change
<input type="flag" name="Enabled" narrative="The new flag value for enabled you want to set on the Web
</inputs>
<onsuccess>0c1fe33b-8c79-4534-a844-3a3941903130</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit (Web API)"/>
</stage>
<stage stageid="19c50800-dfec-40ed-affa-8cdb76ee2dfc" name="Check Web API" type="Action">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>975</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Name" narrative="The name you are expecting for the Web API." expr
<input type="text" name="Expected Base URL" narrative="The base URL you are expecting for the Web A
<input type="flag" name="Expected Enabled?" narrative="The exposed flag you are expecting for the Web
</inputs>
<onsuccess>6816af59-f049-4394-bd63-1d5572e86049</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check (Web API)"/>
```

```xml
</stage>
<stage stageid="0c1fe33b-8c79-4534-a844-3a3941903130" name="Press OK" type="Action">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>840</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4af94374-eee0-4580-a3f1-3d07cf834e56</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="7f51e272-a415-40c9-886c-f66c234063b9" name="Press Edit" type="Action">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>930</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>19c50800-dfec-40ed-affa-8cdb76ee2dfc</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="4af94374-eee0-4580-a3f1-3d07cf834e56" name="Select Web API" type="Action">
<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>7f51e272-a415-40c9-886c-f66c234063b9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="6aa0a921-9918-423f-9cee-4f88d22b0bea" name="Port 443" type="Block">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="77c7c0c3-9da6-4eb2-b4d8-fa3295ab60d5" name="Port 80" type="Block">

<subsheetid>8142bb13-c1c7-43ad-b871-a778c1b1e26d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="4dffbc90-31e5-4ec9-b53b-3c2d87b9b98e" name="Recover" type="Recover">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c26961a1-2f53-4ebb-8def-89dfd44f741e</onsuccess>

</stage>

<stage stageid="77457c33-2945-4eaa-a713-629d172089bd" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>301f6efb-6e9e-449d-a114-dae94704d2a0</onsuccess>

</stage>

<stage stageid="c26961a1-2f53-4ebb-8def-89dfd44f741e" name="Get Exception" type="MultipleCalculatio

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>77457c33-2945-4eaa-a713-629d172089bd</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

</process>

<process name="Test Web API Config (Check Code)" version="1.0" bpversion="6.4.0.7386" narrative="" b

<view>

<camerax>0</camerax>

<cameray>123</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="95564ec8-6ee0-4180-ad1f-cb6a85909844" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>-45</camerax>

```xml
<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c7303451-4a15-49ce-808c-9b5da2c92a0c" type="Normal" published="False">

<name>Test Page</name>

<view>

<camerax>77</camerax>

<cameray>717.8</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="f28636f7-6922-42c4-84aa-3fff8b19ccee" type="Normal" published="False">

<name>Open Web API</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="f8187606-672d-47ed-be75-a0b6290fde46" type="Normal" published="False">

<name>Press Check Code</name>

<view>

<camerax>0</camerax>

<cameray>-105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>
```

```xml
<subsheet subsheetid="5eb7c986-2d16-434a-8b01-ca29e2f6af7e" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f9cf44c8-0583-48b7-8300-fc7ac139e4c4" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>411</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="2d7bd894-dc4b-4580-8fe6-d7d6659f6a8c" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4dc96572-9f8f-4132-84d5-6417c82b759b</onsuccess>
</stage>
<stage stageid="158a4725-a84b-452e-ba42-1be3a8258a1e" name="End" type="End">
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9bee6072-6fdb-4521-be36-c7da4a870538" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="29055d58-0643-47d5-9ca1-426b4a95de5a" name="Setup" type="SubSheetInfo">

<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-240</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>
```

```xml
<stage stageid="91c7e97a-dc9b-467d-9ada-518c88826531" name="Start" type="Start">
<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c2e11d50-7216-4f14-a095-27d2af3dc54a</onsuccess>
</stage>
<stage stageid="c5e47ebb-a864-4563-92cd-55423d88738f" name="End" type="End">
<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a5afae3e-7aeb-41fb-834e-2c8a9ef1b669" name="Add to CleanUp Collection" type="SubS
<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a6ce7c78-94c4-4287-b246-2ac4167c0237" name="Start" type="Start">

<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>af1bb4b8-fc31-4586-a2d5-ace74c8eb836</onsuccess>

</stage>

<stage stageid="b70320d8-cc98-4add-af10-612cfa8e69de" name="End" type="End">

<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8ddc587b-cdb0-4cd8-8fc4-a8ee9fc186ff" name="Item Name" type="Data">

<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="7aa17df9-de4d-494a-ac85-6328f98019a7" name="Input Variables" type="Block">

<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="af1bb4b8-fc31-4586-a2d5-ace74c8eb836" name="Add Row" type="Action">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp

</inputs>

<onsuccess>1ff94a85-20a3-4af2-bc69-a61b7094a254</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="f24a362a-990c-4c82-a92b-4a1c1e6523dd" name="CleanUp Collection" type="Collection"

<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>

<displayx>-120</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

```xml
</stage>
<stage stageid="0a0f6525-5972-494e-8c31-555a69546abe" name="Local Variables" type="Block">
<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="1ff94a85-20a3-4af2-bc69-a61b7094a254" name="Add To Row" type="Calculation">
<subsheetid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b70320d8-cc98-4add-af10-612cfa8e69de</onsuccess>
<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>
</stage>
<stage stageid="baf2516c-ab2e-4d8c-a914-0b1d00b7fab9" name="Cleanup" type="SubSheetInfo">
<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>
<narrative>
</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b2d09abd-9250-44dc-b2c5-2939082fb2a5" name="Start" type="Start">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d0a691dc-f2e3-41b4-b500-4c56a44e72b5</onsuccess>

</stage>

<stage stageid="97702b3c-0e55-4a11-8b69-6ceadfcc3126" name="To Clean" type="LoopStart">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>9739f83d-2595-4397-abe0-85f4cf480657</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="70efe53f-06aa-4589-81b6-c97dc90b4c34" name="To Clean" type="LoopEnd">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

```xml
    </inputs>
    <outputs>
    <output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers
    </outputs>
    <onsuccess>97702b3c-0e55-4a11-8b69-6ceadfcc3126</onsuccess>
    <resource object="Utility - Collection Manipulation" action="Reverse Collection"/>
    </stage>
    <stage stageid="8e073c4b-56fc-4dc1-8222-25a23d81f22a" name="Reversed CleanUp" type="Collection">
    <subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>
    <narrative>
    </narrative>
    <displayx>-120</displayx>
    <displayy>15</displayy>
    <displaywidth>150</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <datatype>collection</datatype>
    <private/>
    <alwaysinit/>
    <collectioninfo>
    <field name="Item Name" type="text"/>
    </collectioninfo>
    </stage>
    <stage stageid="5ec40ffd-7d26-40b8-bef1-1b130674368c" name="Local Variables" type="Block">
    <subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>
    <narrative>
    </narrative>
```

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="4b262eb1-5e18-4e90-aebd-62ac74b8d562" name="Which Clean Up" type="ChoiceStart":

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>8964c459-dac9-4282-a7db-11328d6e8780</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>e5e7131c-a158-4ffb-a2c6-dfdd60b4b91a</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API 1&quot;">

<name>Web API 1</name>

<distance>75</distance>

<ontrue>b9e09b78-7193-4874-bd65-8ab765c2c185</ontrue>

</choice>

```xml
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API 2&amp;quot;">

<name>Web API 2</name>

<distance>120</distance>

<ontrue>036a55c2-b474-4725-b560-311dc1a89c8f</ontrue>

</choice>

</choices>

</stage>

<stage stageid="025a279c-08e7-4bb7-92d2-334db9dc3daf" name="Otherwise" type="ChoiceEnd">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>02e803c5-1f70-4944-9588-a101d9ff9241</onsuccess>

<groupid>8964c459-dac9-4282-a7db-11328d6e8780</groupid>

</stage>

<stage stageid="9fa9b84d-f05c-4b0b-a024-13954f85dfdd" name="Terminate" type="Action">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9538c789-4ffa-430a-a0dd-61af730590a2</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="9538c789-4ffa-430a-a0dd-61af730590a2" name="Anchor2" type="Anchor">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f72d1d24-ab0e-4e4d-9c79-66979d3f97b2</onsuccess>

</stage>

<stage stageid="1cf267c1-eb1e-46d2-a160-f41c47bb617a" name="Anchor4" type="Anchor">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>240</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>70efe53f-06aa-4589-81b6-c97dc90b4c34</onsuccess>

</stage>

<stage stageid="02e803c5-1f70-4944-9588-a101d9ff9241" name="FAIL" type="Exception">
```

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="f72d1d24-ab0e-4e4d-9c79-66979d3f97b2" name="Anchor3" type="Anchor">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>38dacf72-f2a4-4232-978b-87489bc36fc8</onsuccess>

</stage>

<stage stageid="b9e09b78-7193-4874-bd65-8ab765c2c185" name="Close All Child Windows" type="Actio

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9a9e8c5c-3d0a-44dd-8925-3954c9c37925</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="9a9e8c5c-3d0a-44dd-8925-3954c9c37925" name="Open System Tab" type="Action">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>90af5bb4-40e6-42c9-a87e-0d908fd38960</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="90af5bb4-40e6-42c9-a87e-0d908fd38960" name="GoTo Web API" type="Action">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obj

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>83c7a957-ed13-423c-9b29-97a0ebe6ae65</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="2a4e7040-c3e9-4a79-8905-1a8d0201b8a2" name="Press Delete Web API" type="Action'

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f72d1d24-ab0e-4e4d-9c79-66979d3f97b2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="83c7a957-ed13-423c-9b29-97a0ebe6ae65" name="Select Web API" type="Action">

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>2a4e7040-c3e9-4a79-8905-1a8d0201b8a2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="bbd1d70b-5a25-41b9-8b6e-963948002079" name="End1" type="End">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="042376bc-c0a9-4ca1-b094-628ea37747c8" name="Global Variables" type="Block">

```xml
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6b49d997-9351-45c5-a732-c8489a3f74a1" name="pid" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="6381f004-3b68-443d-90f4-6cdc484d6a3f" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3969d877-cb2d-45c9-b03a-e86f6f3240ac</onsuccess>
<processid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</processid>
```

```xml
</stage>

<stage stageid="3969d877-cb2d-45c9-b03a-e86f6f3240ac" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>54bbe09f-e8b6-48aa-9026-eeed9820fafd</ontrue>

<onfalse>158a4725-a84b-452e-ba42-1be3a8258a1e</onfalse>

</stage>

<stage stageid="786dbbe7-d66d-434f-bda8-5f223294412c" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>225</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7b4f83ce-c8ef-413f-a2f5-1b9ede5f3c8c" name="Exception" type="Data">
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="dbc5b14d-21f3-4cfa-8a90-9c7b11f53890" name="Local Variables" type="Block">

<displayx>-210</displayx>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="54bbe09f-e8b6-48aa-9026-eeed9820fafd" name="RETHROW" type="Exception">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="949db388-ee61-43e4-8741-fdf9acfca9f7" name="Anchor1" type="Anchor">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6381f004-3b68-443d-90f4-6cdc484d6a3f</onsuccess>

</stage>

<stage stageid="6f4ccf49-805f-4d3d-b68b-c29eb2883729" name="Cleanup" type="Block">

<displayx>-45</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="4dc96572-9f8f-4132-84d5-6417c82b759b" name="Setup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<displayx>-45</displayx>

<displayy>-135</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e

<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the au

<input type="text" name="Username" narrative="The username that you want to authenticate against." exp

<input type="text" name="Password" narrative="The password for the username." expr="&quot;admin

</inputs>

<onsuccess>3d429a05-b7bd-4551-9c36-9979c6d925fe</onsuccess>

<resource object="Call AutomateC" action="Call AutomateC"/>

</stage>

<stage stageid="c2e11d50-7216-4f14-a095-27d2af3dc54a" name="Launch" type="Action">

<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

<displayx>-45</displayx>

<displayy>-225</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>360cafe5-fade-4324-8b1f-e639af080493</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="9dab6478-b6f7-4d24-ac99-40841382228c" name="Attach to System" type="Action">

<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

```xml
    </inputs>

    <onsuccess>a4f58923-f5f8-4a92-aeba-894cbc189dd4</onsuccess>

    <resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="a4f58923-f5f8-4a92-aeba-894cbc189dd4" name="Sign In" type="Action">

    <subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

    <narrative>

    </narrative>

    <displayx>-45</displayx>

    <displayy>45</displayy>

    <displaywidth>90</displaywidth>

    <displayheight>30</displayheight>

    <font family="Segoe UI" size="10" style="Regular" color="000000"/>

    <inputs>

    <input type="text" name="Username" expr=""/>

    <input type="password" name="Password" expr=""/>

    <input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

    </inputs>

    <onsuccess>0d575c26-2189-4d11-822c-dacf6eff71e1</onsuccess>

    <resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="0d575c26-2189-4d11-822c-dacf6eff71e1" name="Browse to System" type="Action">

    <subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

    <narrative>

    </narrative>

    <displayx>-45</displayx>

    <displayy>90</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>2e9dc5b4-c0c0-43a2-b222-e5891395471e</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="2e9dc5b4-c0c0-43a2-b222-e5891395471e" name="Browse to Web API" type="Action">

<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>c5e47ebb-a864-4563-92cd-55423d88738f</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

```
</stage>

<stage stageid="a0e99a78-46bf-4376-be74-763993069eed" name="Test Page" type="SubSheetInfo">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b3fd6190-d569-41d9-be79-0a5c27dae4b9" name="Start" type="Start">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>19d1826e-25b1-475d-ab05-ee67781c7f8a</onsuccess>

</stage>

<stage stageid="3d429a05-b7bd-4551-9c36-9979c6d925fe" name="Add to CleanUp Collection" type="Sub

<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>c4ac4d2f-c2b0-4c9f-bd75-5d436bea78b5</onsuccess>

<processid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</processid>

</stage>

<stage stageid="c4ac4d2f-c2b0-4c9f-bd75-5d436bea78b5" name="Add to CleanUp Collection" type="SubS

<subsheetid>95564ec8-6ee0-4180-ad1f-cb6a85909844</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>9dab6478-b6f7-4d24-ac99-40841382228c</onsuccess>

<processid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</processid>

</stage>

<stage stageid="360cafe5-fade-4324-8b1f-e639af080493" name="Add to CleanUp Collection" type="SubS

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>886738a2-fc4b-42e0-9ad1-9f80e5885a95</onsuccess>

<processid>5eb7c986-2d16-434a-8b01-ca29e2f6af7e</processid>

</stage>

<stage stageid="036a55c2-b474-4725-b560-311dc1a89c8f" name="Close All Child Windows" type="Action

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>94eba367-4387-4991-bb46-b1c9815a50af</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="94eba367-4387-4991-bb46-b1c9815a50af" name="Open System Tab" type="Action">

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>ed1d00e4-62d8-4912-877a-4884f3b3ef6a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="ed1d00e4-62d8-4912-877a-4884f3b3ef6a" name="GoTo Web API" type="Action">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>9ca2d0c0-a39f-4421-a2db-31bf47562574</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="6380da4a-adcb-4083-8863-364bf2fe742f" name="Press Delete Web API" type="Action">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38dacf72-f2a4-4232-978b-87489bc36fc8</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="9ca2d0c0-a39f-4421-a2db-31bf47562574" name="Select Web API" type="Action">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>6380da4a-adcb-4083-8863-364bf2fe742f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="38dacf72-f2a4-4232-978b-87489bc36fc8" name="Anchor5" type="Anchor">

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1cf267c1-eb1e-46d2-a160-f41c47bb617a</onsuccess>

</stage>

<stage stageid="e5e7131c-a158-4ffb-a2c6-dfdd60b4b91a" name="Close All Child Windows" type="Action"

<subsheetid>f9cf44c8-0583-48b7-8300-fc7ac139e4c4</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9fa9b84d-f05c-4b0b-a024-13954f85dfdd</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
```

```xml
      </stage>
      <stage stageid="7cdb32ee-8dfd-4a6b-a889-e943383a510c" name="Web API Name 1" type="Data">
        <narrative>
        </narrative>
        <displayx>-135</displayx>
        <displayy>120</displayy>
        <displaywidth>150</displaywidth>
        <displayheight>30</displayheight>
        <font family="Segoe UI" size="10" style="Regular" color="000000"/>
        <datatype>text</datatype>
        <initialvalue xml:space="preserve">Web Api Service (Output Parameters - Invalid Common Code - C#)</in
        <alwaysinit/>
      </stage>
      <stage stageid="6924a8c2-d654-4942-9469-87aaa5d8e924" name="Web API Name 2" type="Data">
        <narrative>
        </narrative>
        <displayx>-135</displayx>
        <displayy>150</displayy>
        <displaywidth>150</displaywidth>
        <displayheight>30</displayheight>
        <font family="Segoe UI" size="10" style="Regular" color="000000"/>
        <datatype>text</datatype>
        <initialvalue xml:space="preserve">Web API Service (Output Parameters - Valid Common code - C#)</init
        <alwaysinit/>
      </stage>
      <stage stageid="8ab7bbcf-dc54-40bf-aee1-d9eb5ef67480" name="Test Page" type="SubSheet">
        <narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6381f004-3b68-443d-90f4-6cdc484d6a3f</onsuccess>

<processid>c7303451-4a15-49ce-808c-9b5da2c92a0c</processid>

</stage>

<stage stageid="7a26343e-1350-45b0-9769-28e0b094b95b" name="Invalid Common Code" type="Block">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>120</displaywidth>

<displayheight>285</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="07a27568-1d78-4f61-86c7-c5e51c09616f" name="Valid Common Code" type="Block">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>225</displayy>

<displaywidth>120</displaywidth>

<displayheight>240</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="93726e41-c48b-44ea-ad98-f4ca7a2342bf" name="Valid Common Code" type="Block">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>480</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="8b5e6c76-c44c-464f-9858-e9d7062b4787" name="Valid Common Code" type="Block">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>600</displayy>
<displaywidth>120</displaywidth>
<displayheight>195</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d017bae1-faa8-4b2d-9dc1-10717a339e78" name="Open Web API" type="SubSheetInfo":
<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
```

```xml
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b816a41c-4ee9-4de6-ab49-376b4a127886" name="Start" type="Start">
<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Web API Name" narrative="The name of the Web API you want to open." stage=
</inputs>
<onsuccess>d69a307f-43bf-4469-9722-6ac55dd11dd5</onsuccess>
</stage>
<stage stageid="d82e53ef-ed95-4468-a374-14fc78207bd3" name="End" type="End">
<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d69a307f-43bf-4469-9722-6ac55dd11dd5" name="Select Web API" type="Action">

<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>52a093ce-a2e5-43c3-9260-950cf4055cae</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="52a093ce-a2e5-43c3-9260-950cf4055cae" name="Press Edit" type="Action">

<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="0dd89461-4f0e-4c58-892d-861824c50531" name="Web API Name" type="Data">

<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="1cabab62-ad45-40c4-b1e1-c26af894a80b" name="Input Variable" type="Block">

<subsheetid>f28636f7-6922-42c4-84aa-3fff8b19ccee</subsheetid>

<displayx>-195</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="19d1826e-25b1-475d-ab05-ee67781c7f8a" name="Open Web API" type="SubSheet">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Web API Name" narrative="The name of the Web API you want to open." expr="

</inputs>

<onsuccess>4013a220-793b-4ca2-a449-1f79b1f3dc68</onsuccess>

<processid>f28636f7-6922-42c4-84aa-3fff8b19ccee</processid>

</stage>

<stage stageid="4013a220-793b-4ca2-a449-1f79b1f3dc68" name="Select Common Code" type="Action">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ae1c71bb-674a-40f5-a18e-39702e8b21bc</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Code (Web API)"/>

</stage>

<stage stageid="5b5c9d42-f823-4f6d-9143-33ee75fd1891" name="Press Check Code" type="SubSheetInf

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ac2574da-0cc4-4712-92e0-4886cb713546" name="Start" type="Start">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click

</inputs>

<onsuccess>c93937b7-54a0-47ce-9786-95d54d0f0936</onsuccess>

</stage>

<stage stageid="36dcfb58-c2c0-4c20-801e-7bdcee3b41e8" name="End" type="End">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c93937b7-54a0-47ce-9786-95d54d0f0936" name="Press Check Code" type="Action">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Output Message" narrative="The message provided by clicking check code." st

</outputs>

<onsuccess>1246bdac-c6bb-4e4d-b7ca-12e8f599ffb9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Check Code (Web API)"/>

</stage>

<stage stageid="f3d652ff-d02b-418e-aca4-1c4a121b1107" name="Expected Message" type="Data">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

```xml
<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="39803fad-74b5-4b85-9458-b77f8b2f9f6c" name="Output Message" type="Data">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="82f37559-23a9-4062-a9d9-d212469b9d52" name="Input Variable" type="Block">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="cb646204-355c-4c19-bfd9-bd6ad0a4774f" name="Local Variable" type="Block">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1246bdac-c6bb-4e4d-b7ca-12e8f599ffb9" name="Message Correct?" type="Decision">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Output Message]=[Expected Message]"/>

```xml
</stage>

<stage stageid="7242d581-912c-475f-938e-08e6f0dd0b7c" name="FAIL" type="Exception">

<subsheetid>f8187606-672d-47ed-be75-a0b6290fde46</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;The compile message was incorrect. You expected &amp;quot;&

</stage>

<stage stageid="982bd8f6-ff30-41f4-bc3f-ea30b618ddda" name="Compile Message (2)" type="Data">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Code compiled successfully.</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="20045f55-4f45-437c-bdac-9ce0290fb336" name="Compile Message (1)" type="Data">
```

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Compilation failed:

Shared code (line 4): ; expected</initialvalue>

</stage>

<stage stageid="be75d2b9-3e35-47b0-bb9a-ab3591522fd9" name="Compile Message (3)" type="Data">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Compilation failed:

Action "GenerateOutputParameters Invalid Output Code - Should not Compile" (line 3): ; expected</initialv

```xml
<alwaysinit/>
</stage>
<stage stageid="8b662a65-798c-4e1f-ae15-2590fe14e201" name="Compile Message (4)" type="Data">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Compilation failed:

Action "GenerateRequestContent Valid Output Code - Invalid Code in Request Body - Should Compile" (lir
<private/>
<alwaysinit/>
</stage>
<stage stageid="9a38cfa3-fd2f-4271-beb4-3214e2d22022" name="Local Variables" type="Block">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>270</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```xml
<stage stageid="b45083f7-cb75-4ad5-bc53-afd3c494cf8b" name="Select Common Code" type="Action">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6a90a7a7-11e2-457d-8b5b-df0c568a63f3</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Common Code (Web API)"/>
</stage>
<stage stageid="be0813cf-91df-49f1-a71a-7e39e0727228" name="Open Web API" type="SubSheet">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Web API Name" narrative="The name of the Web API you want to open." expr="
</inputs>
<onsuccess>b45083f7-cb75-4ad5-bc53-afd3c494cf8b</onsuccess>
<processid>f28636f7-6922-42c4-84aa-3fff8b19ccee</processid>
</stage>
```

<stage stageid="ae1c71bb-674a-40f5-a18e-39702e8b21bc" name="Press Check Code" type="SubSheet":

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click o

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click o

</inputs>

</stage>

<stage stageid="ad596c35-5506-4e2d-96ce-d9672ff2038d" name="Select Action Response" type="Action"

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>aebf5b42-a21e-4957-9c0f-6f26f69e5ff1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="8f886d9a-6bcf-40ac-a59d-6d9986329684" name="Action (1)" type="Data">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<datatype>text</datatype>
<initialvalue xml:space="preserve">Valid Ouput Code - Invalid Common Code - Should not Compile</initia
<private/>
<alwaysinit/>
</stage>
<stage stageid="78e590c1-1960-40fb-94f8-66ceda2e21ff" name="Action (2)" type="Data">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>165</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Valid Output Code - Should Compile</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8c905e00-5ecb-4c79-b920-333966027266" name="Action (3)" type="Data">
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>195</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Invalid Output Code - Should not Compile</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5a212955-2641-452d-953f-f9914db5e9f3" name="Action (4)" type="Data">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>225</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Valid Output Code - Invalid Code in Request Body - Should Compile</i

<private/>

<alwaysinit/>

</stage>

<stage stageid="62f0db97-2658-4825-ae93-a8f3b50f1f4a" name="Close Web API" type="Action">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>be0813cf-91df-49f1-a71a-7e39e0727228</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Cancel (Web API)"/>

</stage>

<stage stageid="cd9e4e56-e869-4c31-b779-eb3d79e31cc8" name="Note1" type="Note">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>Invalid Common Code - Valid Response Code - Shouldn't Compile</narrative>

<displayx>135</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>270</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d522c956-7d76-47db-8e0c-77c2c9011908" name="Note1" type="Note">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>Valid Common Code - Valid Response Code - Should Compile</narrative>

<displayx>135</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>240</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eaa3a3d0-587c-482a-a94c-550148abae92" name="Note1" type="Note">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>Valid Common Code - Invalid Response Code - Shouldn't Compile</narrative>

<displayx>135</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bc4fa6b1-0f64-4251-92da-e3ede29d4c12" name="Note1" type="Note">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>Valid Common Code - Valid Response Code - Invalid Request Code - Should Compile</narrative

<displayx>135</displayx>

<displayy>705</displayy>

<displaywidth>90</displaywidth>

<displayheight>180</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6a90a7a7-11e2-457d-8b5b-df0c568a63f3" name="Press Check Code" type="SubSheet">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click

</inputs>

<onsuccess>1dd68f0b-c536-46b0-a263-b92dea79bca2</onsuccess>

```xml
<processid>f8187606-672d-47ed-be75-a0b6290fde46</processid>
</stage>
<stage stageid="1dd68f0b-c536-46b0-a263-b92dea79bca2" name="Select Action Response" type="Action
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Action Name" narrative="The name of the action you want to select the response
</inputs>
<onsuccess>e9feaf36-9414-4776-9a58-2e753943cd4a</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>
</stage>
<stage stageid="c7667f57-fe51-496e-948c-28e98b8acb3b" name="Select Action Response" type="Action"
<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>cb6d367a-3e4c-4bdc-80b9-6cc39e18e110</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="272e3852-db05-47b2-ac41-299e4d14694a" name="Select Action Response" type="Actio

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>720</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>54dd58a1-1b7b-4ccc-a509-0be4a17fe20e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="e9feaf36-9414-4776-9a58-2e753943cd4a" name="Press Check Code" type="SubSheet">

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>435</displayy>

<displaywidth>90</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click o

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click o

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="46510a61-e725-4aec-a2d7-167c6910657b" name="Select Action Request" type="Action"

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to selet the request fo

</inputs>

<onsuccess>110a1276-cc6a-4ad9-a79d-dc2eb2d43635</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Request (Web API)"/>

</stage>

<stage stageid="110a1276-cc6a-4ad9-a79d-dc2eb2d43635" name="Press Check Code" type="SubSheet"

<subsheetid>c7303451-4a15-49ce-808c-9b5da2c92a0c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Message" narrative="The message you are expecting when you click o

</inputs>

<onsuccess>272e3852-db05-47b2-ac41-299e4d14694a</onsuccess>

<processid>f8187606-672d-47ed-be75-a0b6290fde46</processid>

</stage>

<stage stageid="170cdfa8-bb2c-4656-a1a7-d22cb47f03f2" name="QA Root" type="Data">

```xml
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="3bdc4c73-9d5c-4f37-8e79-0d2336f43fc4" name="Environment Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6554e481-ad75-4cae-94bf-d0c3040c4dfa" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>ccdfe755-d1c4-499b-b3e2-9e130b3b63c7</onsuccess>

</stage>

<stage stageid="cff09a27-a78c-4f5c-aab8-88d16b1c1020" name="Resume" type="Resume">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>949db388-ee61-43e4-8741-fdf9acfca9f7</onsuccess>

</stage>

<stage stageid="ccdfe755-d1c4-499b-b3e2-9e130b3b63c7" name="Get Exception" type="MultipleCalculat

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cff09a27-a78c-4f5c-aab8-88d16b1c1020</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

</process>
```

```xml
<process name="Test Web API Config (Common Code)" version="1.0" bpversion="6.4.0.7150" narrative="
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="d7f4b011-213a-4d5f-baa2-cd877bc2ddbe" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>140</camerax>
<cameray>-252</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e32bf61c-2aa8-4b95-9f21-d60e36c26448" type="Normal" published="False">
<name>Common Code</name>
<view>
<camerax>15</camerax>
<cameray>390</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
```

```
<camerax>0</camerax>

<cameray>84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>283</camerax>

<cameray>88</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="8cce34b5-3dba-4ee0-824e-2c3983f24f5d" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>136fef0d-8787-431a-8af1-2c1a9ce48358</onsuccess>

</stage>

<stage stageid="733442fe-afa3-45cf-be8b-968c0fad56fe" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="dd24a53b-ee7a-47e4-851b-5a0d94a64d07" name="Stage1" type="ProcessInfo">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="136fef0d-8787-431a-8af1-2c1a9ce48358" name="Setup" type="SubSheet">

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7c49a8b6-4a4f-4ef5-bbe6-d2c7c7555e96</onsuccess>

<processid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</processid>

</stage>

<stage stageid="a5da6db6-3e56-4c09-928f-fbed3147d2b8" name="Web API Name" type="Data">

```
</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Common Code)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="5db9b346-5901-43ca-afde-52f36af7f2a6" name="Global Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e0ccbc30-aad6-4e6c-8bf9-6527fd77d303" name="pid" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="4078f1a2-3018-4f98-8c3d-2cc707b68374" name="Recover" type="Recover">

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c6fb2216-5c05-430e-99c1-dec8e945400b</onsuccess>

</stage>

<stage stageid="df2fac85-9b77-45e4-ab27-dbd17c8b5f12" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bae3a09b-07be-4cb8-a314-55b8412a5c84</onsuccess>

</stage>

<stage stageid="c6fb2216-5c05-430e-99c1-dec8e945400b" name="Get Exception" type="MultipleCalculat

```xml
<displayx>135</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>df2fac85-9b77-45e4-ab27-dbd17c8b5f12</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="dd144d6c-f41a-4079-9e93-64769bb444c8" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>39f1b47f-01d9-4021-a14a-d3395be53728</onsuccess>

<processid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</processid>

</stage>

<stage stageid="39f1b47f-01d9-4021-a14a-d3395be53728" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>3e7c5b6a-9c64-445d-8e18-e43c17fd6185</ontrue>

<onfalse>733442fe-afa3-45cf-be8b-968c0fad56fe</onfalse>

</stage>

<stage stageid="29c13e87-1c67-490c-ab00-db6d6cd45114" name="Failed?" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

</stage>

<stage stageid="c0eaffdb-441f-40bb-a21d-979d7fc48317" name="Exception" type="Data">

<displayx>-135</displayx>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="504481e0-e96e-4358-8892-c91be93bb924" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="3e7c5b6a-9c64-445d-8e18-e43c17fd6185" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="bae3a09b-07be-4cb8-a314-55b8412a5c84" name="Anchor1" type="Anchor">

<narrative>
```

```xml
</narrative>

<displayx>135</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dd144d6c-f41a-4079-9e93-64769bb444c8</onsuccess>

</stage>

<stage stageid="e778b97e-f351-4e0f-a666-7b989966db35" name="Cleanup" type="Block">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>240</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1f18c55a-6930-4fa9-b5de-53985fe898cd" name="Setup" type="SubSheetInfo">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>
```

<stage stageid="05ba2be1-58dc-4f6d-accf-a58fa70676fc" name="Start" type="Start">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>eab5f5fb-6b5f-4053-8ada-0b1e8ec44755</onsuccess>

</stage>

<stage stageid="a53b7cb2-8a7a-45d2-b7c6-a5fde626eb02" name="End" type="End">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<displayy>-30</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eab5f5fb-6b5f-4053-8ada-0b1e8ec44755" name="Launch" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b4160ee7-ff9e-44cf-bb7a-06b8c1b64599</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="a991e246-4197-4951-a6c9-1721f57fab2b" name="Sign In" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<displayy>-345</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>70ebba9a-da3c-43f2-856b-b1b66bd86a1c</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="4900380e-cb4b-4cfe-9c0b-a4edbd75ab35" name="Select Web API" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>a6069b7d-e663-4e0f-b60f-35a9dcbe22f6</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="70ebba9a-da3c-43f2-856b-b1b66bd86a1c" name="GoTo Tab (System)" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>4900380e-cb4b-4cfe-9c0b-a4edbd75ab35</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="ff4df330-b9aa-4d52-a225-40488f4fd044" name="Input Variables" type="Block">
<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-435</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="718ad6e6-1db8-4132-baba-acf373009aaa" name="Attach to System" type="Action">
<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
```

```
</inputs>

<onsuccess>a991e246-4197-4951-a6c9-1721f57fab2b</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="35c2921a-2e90-415e-ac4c-a6d63c3de92f" name="Add Web API" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>f23e40f0-a933-4664-967a-949782d2c951</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="a6069b7d-e663-4e0f-b60f-35a9dcbe22f6" name="Press Add" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-210</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>35c2921a-2e90-415e-ac4c-a6d63c3de92f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="991f5a48-1b2b-4002-a97e-7377f8ea0aa5" name="Base URL" type="Data">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

</stage>

<stage stageid="b4160ee7-ff9e-44cf-bb7a-06b8c1b64599" name="Add to CleanUp Collection (Blue Prism)

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>718ad6e6-1db8-4132-baba-acf373009aaa</onsuccess>

<processid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</processid>

</stage>

<stage stageid="6985a5cd-4f2f-4bd7-a10b-0ba9d8a23112" name="Add to CleanUp Collection (Web API)"

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>a53b7cb2-8a7a-45d2-b7c6-a5fde626eb02</onsuccess>

<processid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</processid>

</stage>

<stage stageid="f23e40f0-a933-4664-967a-949782d2c951" name="Press OK" type="Action">

<subsheetid>d7f4b011-213a-4d5f-baa2-cd877bc2ddbe</subsheetid>

```xml
<displayx>150</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6985a5cd-4f2f-4bd7-a10b-0ba9d8a23112</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="3eeddbb3-8c5f-4bb5-8561-0a2d1136dbf4" name="Cleanup" type="SubSheetInfo">
<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ae5135fa-2683-4571-b1e1-5fe691fa3a16" name="Start" type="Start">
<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="6e6d0c7e-73d6-4a31-b605-2b4defc4878f" name="To Clean" type="LoopStart">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d664952d-d993-464d-912c-ab077bed70b7</onsuccess>

<groupid>8a9838a0-ad0c-465f-9ffc-fef806dace7e</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="bee35a70-0e06-491c-bdbb-80d6cd8f5460" name="To Clean" type="LoopEnd">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="223da875-3919-4237-9389-9f9d731ca171" name="Reverse Collection" type="Action">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers

</outputs>

<onsuccess>6e6d0c7e-73d6-4a31-b605-2b4defc4878f</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="57f6902f-a383-4653-81ad-f25cb0ced27d" name="Reversed CleanUp" type="Collection">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7da3ef75-b564-49c4-9527-94d9fdb4f5f6" name="Local Variables" type="Block">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d664952d-d993-464d-912c-ab077bed70b7" name="Which Clean Up" type="ChoiceStart":

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>33bd3925-e26a-48ac-a66f-84b051591046</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">
```

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>23816f8a-5a62-49ab-bdda-0c369f4b1cb3</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<distance>75</distance>

<ontrue>fc4816fb-b227-4ddf-a6ce-5af6527cd318</ontrue>

</choice>

</choices>

</stage>

<stage stageid="50e62e25-b674-4ef5-872c-1a6355aaafd9" name="Otherwise" type="ChoiceEnd">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>749d1e73-4e5b-4763-b110-b308155e995f</onsuccess>

<groupid>33bd3925-e26a-48ac-a66f-84b051591046</groupid>

</stage>

<stage stageid="23816f8a-5a62-49ab-bdda-0c369f4b1cb3" name="Terminate" type="Action">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

```
<displayx>570</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c669d752-2eca-4c7d-8d71-e291b99786ad</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="c669d752-2eca-4c7d-8d71-e291b99786ad" name="Anchor2" type="Anchor">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>aac7641a-b2a1-4b1a-b32e-91a9e569986b</onsuccess>

</stage>

<stage stageid="598aef41-5690-42fd-a080-5412ece0f31f" name="Anchor4" type="Anchor">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bee35a70-0e06-491c-bdbb-80d6cd8f5460</onsuccess>

</stage>

<stage stageid="749d1e73-4e5b-4763-b110-b308155e995f" name="FAIL" type="Exception">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;You have entered a clean up item the choice doesn't recognise.&

</stage>

<stage stageid="aac7641a-b2a1-4b1a-b32e-91a9e569986b" name="Anchor3" type="Anchor">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>598aef41-5690-42fd-a080-5412ece0f31f</onsuccess>

</stage>

<stage stageid="fc4816fb-b227-4ddf-a6ce-5af6527cd318" name="Close All Child Windows" type="Action">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>45110496-70ff-436f-8821-400ca2ec6fb0</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="45110496-70ff-436f-8821-400ca2ec6fb0" name="Open System Tab" type="Action">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>a9b86752-97b8-46c6-9c84-6cacc70ec541</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="a9b86752-97b8-46c6-9c84-6cacc70ec541" name="GoTo Web API" type="Action">

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>effb4d49-3676-4d94-85bb-69f18e37cd58</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="26ce1f01-ba70-433d-98bc-0eeb5c3972bd" name="Press Delete Web API" type="Action">

<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```xml
<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>
</stage>
<stage stageid="effb4d49-3676-4d94-85bb-69f18e37cd58" name="Select Web API" type="Action">
<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF
</inputs>
<onsuccess>26ce1f01-ba70-433d-98bc-0eeb5c3972bd</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="b3191518-2878-49d3-8f32-289e7a4dc3fb" name="End1" type="End">
<subsheetid>c6c4a6a0-b524-44bb-8ed9-2a6ac2e60db9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

<stage stageid="1076228b-d125-452a-aec2-5328d9aad6a3" name="Add to CleanUp Collection" type="Su

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bd72d172-16bc-49f8-a707-8dce153dc462" name="Start" type="Start">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>58a0b56a-aa7a-41c6-ba06-b9338e4c2b2c</onsuccess>

</stage>

<stage stageid="db90a300-5a19-49a6-9271-bc9cdb2a5c8c" name="End" type="End">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8b0ae989-54ce-467e-9d5b-ccc2adc2276a" name="Item Name" type="Data">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

</stage>

<stage stageid="517a0b37-100a-4cb0-b0d5-ae92ced1ef84" name="Input Variables" type="Block">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="58a0b56a-aa7a-41c6-ba06-b9338e4c2b2c" name="Add Row" type="Action">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&

</inputs>

<onsuccess>20ab7492-4f3d-4387-871e-44d1464aaae5</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="f1c03a59-466f-4d24-928c-4c1f83499808" name="CleanUp Collection" type="Collection">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<displayx>-120</displayx>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="9819dfee-31ea-48d5-bcb8-74a5d1cd5261" name="Local Variables" type="Block">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="20ab7492-4f3d-4387-871e-44d1464aaae5" name="Add To Row" type="Calculation">

<subsheetid>faedcb4a-a0d3-4986-a3c9-dcd3941fa2c4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>db90a300-5a19-49a6-9271-bc9cdb2a5c8c</onsuccess>
```

```xml
<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="162b3fa5-1237-427d-a28b-8a8d6a9be824" name="Common Code" type="SubSheetInfo"

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-165</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e93021f9-9384-4c81-9ee2-3ec8bec43100" name="Start" type="Start">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c248666b-0a78-4ebb-a379-4ffd0fbfb7c0</onsuccess>

</stage>

<stage stageid="7c49a8b6-4a4f-4ef5-bbe6-d2c7c7555e96" name="Common Code" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>
```

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dd144d6c-f41a-4079-9e93-64769bb444c8</onsuccess>

<processid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</processid>

</stage>

<stage stageid="ee53ba58-bb56-4389-9da8-bdb264c47691" name="Set Common Code" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Code" narrative="The code you want to set." expr="[Code]"/>

</inputs>

<onsuccess>f9f9f77a-781d-4f7b-9cd1-84f5f6d7ffb5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Common Code (Web API)"/>

</stage>

<stage stageid="f9f9f77a-781d-4f7b-9cd1-84f5f6d7ffb5" name="Check Common Code" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

```
<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Code" narrative="The code you expect." expr="[Code]"/>

</inputs>

<onsuccess>b3f5ae84-04a2-4ffd-aad9-8ebcbac80ab6</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Common Code (Web API)"/>

</stage>

<stage stageid="c4c4b85c-fb51-44ef-9a95-cdaf9f7b0262" name="Press Edit" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>988d65f0-b5ba-4a18-af39-fb675ad77033</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="f152ddce-ef44-4647-8812-86a369a65c43" name="Select Web API" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>c4c4b85c-fb51-44ef-9a95-cdaf9f7b0262</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="49c07d54-7456-4e34-9748-032958c7e4df" name="Press OK" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f152ddce-ef44-4647-8812-86a369a65c43</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="40b21db6-c733-48eb-aef5-dd79bfdb5177" name="Select Common Code" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ee53ba58-bb56-4389-9da8-bdb264c47691</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Code (Web API)"/>

</stage>

<stage stageid="fdd20222-0847-430f-86f1-b47f4ab2c4f6" name="Local Variables" type="Block">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>120</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="988d65f0-b5ba-4a18-af39-fb675ad77033" name="Select Common Code" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>380b4173-beca-4da3-a86a-150b3c967d03</onsuccess>

```
<resource object="Blue Prism - System - Objects" action="Select Common Code (Web API)"/>

</stage>

<stage stageid="380b4173-beca-4da3-a86a-150b3c967d03" name="Check Common Code" type="Action"

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Code" narrative="The code you expect." expr="[Code]"/>

</inputs>

<onsuccess>1b32293e-0ab8-4edc-bf4a-40dabf23389a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Common Code (Web API)"/>

</stage>

<stage stageid="3f8589f8-07ff-4a93-8f24-910e918be6b3" name="Get Languages" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>
```

<output type="collection" name="Languages" narrative="A collection with all of the languages available for

</outputs>

<onsuccess>6bdec097-0d29-4b59-931d-63d722cf1b31</onsuccess>

<resource object="Blue Prism - System - Objects" action="Get Common Code Languages (Web API)"/>

</stage>

<stage stageid="26c2610e-1409-4f87-820e-56179352433d" name="Languages" type="Collection">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b3f5ae84-04a2-4ffd-aad9-8ebcbac80ab6" name="Select Tab (Code Options)" type="Actio

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="Tab" narrative="The name of the tab you want to select." expr="&amp;quot;Code
</inputs>
<onsuccess>3f8589f8-07ff-4a93-8f24-910e918be6b3</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select Common Code Tab (Web API)"/>
</stage>
<stage stageid="e4de695f-83df-474d-a50f-3e52c5fa8936" name="Get Languages" type="Action">
<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Languages" narrative="A collection with all of the languages available for
</outputs>
<onsuccess>91a4d0ef-725b-41a1-91b7-0a4ed39951b5</onsuccess>
<resource object="Blue Prism - System - Objects" action="Get Common Code Languages (Web API)"/>
</stage>
<stage stageid="1b32293e-0ab8-4edc-bf4a-40dabf23389a" name="Select Tab (Code Options)" type="Acti
<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>480</displayy>
```

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab" narrative="The name of the tab you want to select." expr="&amp;quot;Code

</inputs>

<onsuccess>e4de695f-83df-474d-a50f-3e52c5fa8936</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Common Code Tab (Web API)"/>

</stage>

<stage stageid="5e5674fa-298b-48cb-9164-2dcef03a6a46" name="End2" type="End">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2e0bd77c-9bb3-4d71-ad68-eac9b8173b38" name="Expected Languages" type="Collectio

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text"/>

</collectioninfo>

<initialvalue>

<row>

<field name="Item Name" type="text" value="Visual Basic"/>

</row>

<row>

<field name="Item Name" type="text" value="C#"/>

</row>

</initialvalue>

</stage>

<stage stageid="6bdec097-0d29-4b59-931d-63d722cf1b31" name="Languages Correct?" type="Decision"

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Expected Languages]=[Languages]"/>

</stage>

<stage stageid="effec7c0-1844-4c2a-9f8f-3c17d55bcdbc" name="FAIL" type="Exception">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The wrong code languages where in the combobox.&quot;"

</stage>

<stage stageid="91a4d0ef-725b-41a1-91b7-0a4ed39951b5" name="Languages Correct?" type="Decision"

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Expected Languages]=[Languages]"/>

<ontrue>5e5674fa-298b-48cb-9164-2dcef03a6a46</ontrue>

<onfalse>bd154895-f66a-4cca-bbe8-6a8a313a4055</onfalse>

</stage>

<stage stageid="bd154895-f66a-4cca-bbe8-6a8a313a4055" name="FAIL" type="Exception">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>570</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The wrong code languages where in the combobox.&quot;"

</stage>

<stage stageid="c8a2458f-b6f8-4802-a197-9d339d3ded8c" name="Press Edit" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>40b21db6-c733-48eb-aef5-dd79bfdb5177</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="c248666b-0a78-4ebb-a379-4ffd0fbfb7c0" name="Select Web API" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>c8a2458f-b6f8-4802-a197-9d339d3ded8c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="9b3215e9-8ac6-418d-a3cb-12a71d444fbf" name="Code" type="Data">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Some REALY good code!</initialvalue>

</stage>

<stage stageid="550cc463-44c9-419e-9364-c3aafb719abc" name="Clear Languages" type="Action">

<subsheetid>e32bf61c-2aa8-4b95-9f21-d60e36c26448</subsheetid>

```xml
</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp;

</inputs>

<onsuccess>49c07d54-7456-4e34-9748-032958c7e4df</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove All Rows"/>

</stage>

</process>

<process name="Test Web API Config (Common Headers Parameters)" version="1.0" bpversion="6.4.0.66

<view>

<camerax>0</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="15fed998-20e2-401e-9858-9dbd9d9d70a6" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>140</camerax>

<cameray>-252</cameray>

<zoom version="2">1.25</zoom>
```

```xml
    </view>

    </subsheet>

    <subsheet subsheetid="2bac5fff-c50e-428e-9e4c-b6b3d0a40782" type="Normal" published="False">

    <name>Common Headers</name>

    <view>

    <camerax>0</camerax>

    <cameray>-62</cameray>

    <zoom version="2">1.25</zoom>

    </view>

    </subsheet>

    <subsheet subsheetid="2a35c02a-6306-4ef9-9000-107fbc2b8a39" type="Normal" published="False">

    <name>Common Parameters</name>

    <view>

    <camerax>0</camerax>

    <cameray>435</cameray>

    <zoom version="2">1.25</zoom>

    </view>

    </subsheet>

    <subsheet subsheetid="c79d282f-bdbb-47d0-b8c5-16853d188e72" type="Normal" published="False">

    <name>Add to CleanUp Collection</name>

    <view>

    <camerax>0</camerax>

    <cameray>84</cameray>

    <zoom version="2">1.25</zoom>

    </view>

    </subsheet>

    <subsheet subsheetid="9203a3e8-3962-4894-8ef4-588d70415ea0" type="Normal" published="False">
```

<name>Cleanup</name>

<view>

<camerax>15</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="8305eadb-fcf2-47f7-a47b-6dd203b2c9d4" name="Start" type="Start">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>eab85d3c-7e6a-414c-82ae-2d048104b9c7</onsuccess>

</stage>

<stage stageid="d281b4d7-5902-44d8-ba9f-a3f50fc31fab" name="Stage1" type="ProcessInfo">

<displayx>-195</displayx>

<displayy>-105</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7aac9f9e-4f62-4376-ad05-bcd6e42ee02c" name="Setup" type="SubSheetInfo">

```
<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c3dbcb7c-fb28-421c-9e54-04c5fb96f575" name="Start" type="Start">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a08599b4-3027-4ce6-848b-dec95c02dde6</onsuccess>

</stage>

<stage stageid="04c4dd8f-df86-4a3b-a817-422d26f08aea" name="End" type="End">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a08599b4-3027-4ce6-848b-dec95c02dde6" name="Launch" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="pid" narrative="PID of the process" stage="pid"/>

</outputs>

<onsuccess>c723d78e-b4cf-4137-aff0-794c5b2671a6</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="5abea6f8-14cf-4f5e-bc93-4dc8c51e519d" name="Sign In" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>f84d2f20-7ccf-4ac2-aed3-6c07edc20e66</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="04cb3540-da9a-4931-a9bb-2a3b2d981f2c" name="Select Web API" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>6e7a2c8d-50b7-4ec7-943c-6728d61531b6</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>
```

<stage stageid="f84d2f20-7ccf-4ac2-aed3-6c07edc20e66" name="GoTo Tab (System)" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>04cb3540-da9a-4931-a9bb-2a3b2d981f2c</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="1c5cf6b1-b23c-4268-a3d2-9b65df741576" name="Input Variables" type="Block">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<displayx>-60</displayx>

<displayy>-435</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="a067fed2-6697-42c6-b7fc-d4c638c53554" name="Attach to System" type="Action">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>5abea6f8-14cf-4f5e-bc93-4dc8c51e519d</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="fa79dc69-109d-48bb-a6dc-c8a1107e462f" name="Add Web API" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="6e7a2c8d-50b7-4ec7-943c-6728d61531b6" name="Press Add" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fa79dc69-109d-48bb-a6dc-c8a1107e462f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="06b0d216-c7cf-4e2e-b576-271f674fd9c9" name="Base URL" type="Data">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<displayy>-405</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

```
<alwaysinit/>

</stage>

<stage stageid="c723d78e-b4cf-4137-aff0-794c5b2671a6" name="Add to CleanUp Collection (Blue Prism)

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>a067fed2-6697-42c6-b7fc-d4c638c53554</onsuccess>

<processid>c79d282f-bdbb-47d0-b8c5-16853d188e72</processid>

</stage>

<stage stageid="26754440-8235-45a6-81f9-9941b52fad06" name="Add to CleanUp Collection (Web API)"

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>04c4dd8f-df86-4a3b-a817-422d26f08aea</onsuccess>

<processid>c79d282f-bdbb-47d0-b8c5-16853d188e72</processid>

</stage>

<stage stageid="9791820d-0edf-4f32-8ba9-1399a263d2ce" name="Press OK" type="Action">

<subsheetid>15fed998-20e2-401e-9858-9dbd9d9d70a6</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>26754440-8235-45a6-81f9-9941b52fad06</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="4470fba3-7f36-433b-8a54-d574f3329627" name="Add to CleanUp Collection" type="Sub

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="46d7486a-3db0-464a-a185-1d6db0f79372" name="Start" type="Start">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>b5d3ba85-f6c3-45d7-b8ae-0ae604689a19</onsuccess>

</stage>

<stage stageid="cd52fe66-701c-4a0d-a8ce-635be91631e9" name="End" type="End">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1e20f2c9-5c49-48dc-844d-d028a0b68331" name="Item Name" type="Data">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

```
</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="53796fc2-7935-4dd5-97df-1cdfe97d93b3" name="Input Variables" type="Block">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="b5d3ba85-f6c3-45d7-b8ae-0ae604689a19" name="Add Row" type="Action">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>
```

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am

</inputs>

<onsuccess>fb25793d-227a-476a-8e55-a1485e15a175</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="4ac5a661-939e-4633-bda7-82e764e1c702" name="CleanUp Collection" type="Collection

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

<noalwaysinit/>

</stage>

<stage stageid="72addf6e-ee4d-4504-ae2e-207fffae72f4" name="Local Variables" type="Block">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<narrative>

```
</narrative>

<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="fb25793d-227a-476a-8e55-a1485e15a175" name="Add To Row" type="Calculation">

<subsheetid>c79d282f-bdbb-47d0-b8c5-16853d188e72</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cd52fe66-701c-4a0d-a8ce-635be91631e9</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="5222a7f9-ffe7-4c06-9c16-9df235331fba" name="Cleanup" type="SubSheetInfo">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="431fc438-a39a-4db7-a8ed-e6cac75ef68a" name="Start" type="Start">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c92f418c-558d-4a02-ac12-1ef49b9096ff</onsuccess>

</stage>

<stage stageid="d415d9b1-a960-4fae-8c5e-be93dfede72e" name="To Clean" type="LoopStart">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e586f52c-740f-4dd1-a43c-b59bd4fdb8c5</onsuccess>

<groupid>2e0f855b-4734-4a54-a9bc-f750dc195e28</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

```
<stage stageid="1e5d092a-9fad-4e85-84ce-d0bc5e029fc9" name="To Clean" type="LoopEnd">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4d60cd75-ef5e-4b4c-8ad1-36206349f8ab</onsuccess>

<groupid>2e0f855b-4734-4a54-a9bc-f750dc195e28</groupid>

</stage>

<stage stageid="c92f418c-558d-4a02-ac12-1ef49b9096ff" name="Reverse Collection" type="Action">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse

</outputs>
```

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="e76f11ac-76ab-4527-8cac-81157d87c53d" name="Reversed CleanUp" type="Collection":

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="b648668d-3f2e-4c0e-924d-b5b5cdf92830" name="Local Variables" type="Block">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e586f52c-740f-4dd1-a43c-b59bd4fdb8c5" name="Which Clean Up" type="ChoiceStart">

```xml
<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>d6f9078b-ec4e-42bf-b4f8-3f5a55ca6f9b</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>9d3fa981-aa2d-4421-b9ce-3bcde1de72db</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API&amp;quot;">

<name>Web API</name>

<distance>75</distance>

<ontrue>62465843-38ba-4ffe-bb05-0d1b21f34ed4</ontrue>

</choice>

</choices>

</stage>

<stage stageid="b582d9fe-4e1f-40cc-b030-e7df81e2198c" name="Otherwise" type="ChoiceEnd">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>475e281d-4534-48c4-91d6-d190237ca7ae</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="475e281d-4534-48c4-91d6-d190237ca7ae" name="Anchor2" type="Anchor">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>47910205-92bd-4ee9-84bf-0c37f4590976</onsuccess>

</stage>

<stage stageid="4789ecee-049d-49d2-b820-e77da658b473" name="Anchor4" type="Anchor">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1e5d092a-9fad-4e85-84ce-d0bc5e029fc9</onsuccess>

</stage>

<stage stageid="4962ea95-0330-4937-9e78-1736e7625480" name="FAIL" type="Exception">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&amp;quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="47910205-92bd-4ee9-84bf-0c37f4590976" name="Anchor3" type="Anchor">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>
```

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4789ecee-049d-49d2-b820-e77da658b473</onsuccess>

</stage>

<stage stageid="62465843-38ba-4ffe-bb05-0d1b21f34ed4" name="Close All Child Windows" type="Action"

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3cb3f452-8121-47ea-ae35-fb400f17b69f</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="3cb3f452-8121-47ea-ae35-fb400f17b69f" name="Open System Tab" type="Action">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>105</displayy>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>3c58cb75-b5ed-4655-b1af-0f33e6bb7c59</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="3c58cb75-b5ed-4655-b1af-0f33e6bb7c59" name="GoTo Web API" type="Action">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obj

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>2435d368-7ca9-43dc-abd0-8afa85e3e907</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="9d3b387c-891a-4e54-8c1a-201c62d8954f" name="Press Delete Web API" type="Action">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>47910205-92bd-4ee9-84bf-0c37f4590976</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="2435d368-7ca9-43dc-abd0-8afa85e3e907" name="Select Web API" type="Action">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>9d3b387c-891a-4e54-8c1a-201c62d8954f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="4d60cd75-ef5e-4b4c-8ad1-36206349f8ab" name="End1" type="End">

<subsheetid>9203a3e8-3962-4894-8ef4-588d70415ea0</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eab85d3c-7e6a-414c-82ae-2d048104b9c7" name="Setup" type="SubSheet">

<displayx>-45</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>79b1351e-ad85-4454-9a61-6fc0122b041c</onsuccess>

<processid>15fed998-20e2-401e-9858-9dbd9d9d70a6</processid>

</stage>

<stage stageid="50cda984-cdc9-4d87-a8ec-ef0c2288c2d3" name="Web API Name" type="Data">

```xml
<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Headers / Parameters)</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="4abe15bc-d2c2-4ee9-ba2d-892757b5ca72" name="Global Variables" type="Block">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="a27212f6-426e-4743-8f85-9056270a80ca" name="pid" type="Data">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<alwaysinit/>
```

```
</stage>

<stage stageid="f440c6da-0492-4726-a1ab-274348090611" name="Recover" type="Recover">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d8361f79-6304-42c1-b699-481765945dc8</onsuccess>

</stage>

<stage stageid="4723b724-bc0f-4ee1-b677-927e57c9dcd8" name="Resume" type="Resume">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>25f9796d-e989-432c-86c4-30237ceaf0f0</onsuccess>

</stage>

<stage stageid="d8361f79-6304-42c1-b699-481765945dc8" name="Get Exception" type="MultipleCalculat

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4723b724-bc0f-4ee1-b677-927e57c9dcd8</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="ea5254a6-786e-4794-8a28-dbfdd35c35af" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ddbe4bd4-15cb-422b-8fa2-2675da891fa0</onsuccess>

<processid>9203a3e8-3962-4894-8ef4-588d70415ea0</processid>

</stage>

<stage stageid="ddbe4bd4-15cb-422b-8fa2-2675da891fa0" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<decision expression="[Failed?]"/>

<ontrue>1be7feee-f5b8-489b-999e-62b263a0035e</ontrue>

<onfalse>368934bb-3130-4f9d-9185-ca5e93db6846</onfalse>

</stage>

<stage stageid="94a6deb4-8f7c-4592-ae3f-51cb2954fd37" name="Failed?" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

</stage>

<stage stageid="e369ca7b-6b1d-4e24-8f23-17aec6b8fe49" name="Exception" type="Data">

<displayx>-195</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="9bc19d04-aa57-4bf9-a742-d51ceb098dfe" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1be7feee-f5b8-489b-999e-62b263a0035e" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="25f9796d-e989-432c-86c4-30237ceaf0f0" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>75</displayy>
```

```xml
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ea5254a6-786e-4794-8a28-dbfdd35c35af</onsuccess>

</stage>

<stage stageid="7eb3dbbd-ea6d-4a21-b9f0-c9ca4bdbbeba" name="Cleanup" type="Block">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-105</displayy>

<displaywidth>240</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="368934bb-3130-4f9d-9185-ca5e93db6846" name="End2" type="End">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="104a4c16-0000-4680-b2d9-1a69f3b129cd" name="Common Headers" type="SubSheetIn

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c170e4d7-a507-4f35-946a-c7598a4a6741" name="Start" type="Start">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e128078d-9549-4fb7-b5b3-071ff8f670cc</onsuccess>

</stage>

<stage stageid="f34a41f1-1bfa-4399-9478-080dd22387df" name="End" type="End">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

```xml
<stage stageid="3474ba8b-2f39-45e2-8435-7322be43146d" name="Add Header" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Header - Name" narrative="The name that you want to give the header." expr="[

<input type="text" name="Header - Value" narrative="The value you want to give the header." expr="[Head

</inputs>

<onsuccess>73d9df85-f2ed-40b0-9d27-dec18e48a164</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add Header (Web API)"/>

</stage>

<stage stageid="73d9df85-f2ed-40b0-9d27-dec18e48a164" name="Check Header" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Header - Name" narrative="The name of the Header you are expecting
```

```xml
<input type="text" name="Expected Header - Value" narrative="The value of the Header you are expecting
<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the he
</inputs>
<onsuccess>7161def1-1811-41af-9a93-3a10d86a86c1</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Header (Web API)"/>
</stage>
<stage stageid="7161def1-1811-41af-9a93-3a10d86a86c1" name="Edit Header" type="Action">
<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Header - Name" narrative="The name of the Header you want to edit." expr="[He
<input type="text" name="Header - Value" narrative="The value you want to give the header." expr="[Head
</inputs>
<onsuccess>55415bce-e4a4-4adc-a2a3-369381b6412c</onsuccess>
<resource object="Blue Prism - System - Objects" action="Edit Header (Web API)"/>
</stage>
<stage stageid="38c3d2a4-1243-4e49-8f37-25a95238feb8" name="Local Variables" type="Block">
<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
```

```xml
<displayy>-165</displayy>

<displaywidth>150</displaywidth>

<displayheight>120</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="01d29bf3-8f64-4a20-8516-054d3a90e446" name="Press Edit" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>68f12706-5d5c-4cb1-9399-222af29dd077</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="0d3d3329-847c-4ce0-be15-70f5ea1336ee" name="Select Web API" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>01d29bf3-8f64-4a20-8516-054d3a90e446</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="dd70df31-73e2-47c8-8b6b-9e82834384d5" name="Header - Name" type="Data">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Common Header</initialvalue>

</stage>

<stage stageid="b63c0cde-704a-4d25-a140-60bdf6eff1ad" name="Header - Value" type="Data">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<displayx>-135</displayx>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Common Header Value</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f38e583e-ffc3-4853-9a59-f26fd1f5fd56" name="Header - Value (2)" type="Data">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My Second Common Header Value</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8224e0df-8723-4c01-86cc-29e760bb3d73" name="Check Header" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Header - Name" narrative="The name of the Header you are expecting

<input type="text" name="Expected Header - Value" narrative="The value of the Header you are expecting

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the hea

</inputs>

<onsuccess>e7df44ef-2acc-46f5-a351-5c26761fa639</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Header (Web API)"/>

</stage>

<stage stageid="55415bce-e4a4-4adc-a2a3-369381b6412c" name="Press OK" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>95e867c5-f16b-4ad5-899a-f58ef620e967</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="d93e942a-5096-4945-8405-2d271fc67b84" name="Navigate to Common Headers" type="

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Headers or Parameters" narrative="Enter &quot;Headers&quot; or &ar

</inputs>

<onsuccess>3474ba8b-2f39-45e2-8435-7322be43146d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W

</stage>

<stage stageid="68f12706-5d5c-4cb1-9399-222af29dd077" name="Navigate to Common Headers" type="A

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Headers or Parameters" narrative="Enter &quot;Headers&quot; or &ar

</inputs>

<onsuccess>8224e0df-8723-4c01-86cc-29e760bb3d73</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W

</stage>

<stage stageid="e7df44ef-2acc-46f5-a351-5c26761fa639" name="Delete Header" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Header - Name" narrative="The name of the header you want to remove." expr=

</inputs>

<onsuccess>baba109c-79a6-4873-96a6-e6dd58d415e5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Delete Header (Web API)"/>

</stage>

<stage stageid="f462d334-1ccb-49e3-a8a0-4002326f21aa" name="Press OK" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>51fc4dcf-1f22-4f3c-865e-38c22862849d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="a01c39be-69e4-4631-9951-2a2942a800da" name="Navigate to Common Headers" type=

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Headers or Parameters" narrative="Enter &quot;Headers&quot; or &am

</inputs>

<onsuccess>61930dc8-682f-4656-b3ef-a21964308968</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W

</stage>

<stage stageid="0a562a21-a986-45a7-b835-9ac94ed1bb5c" name="Press Edit" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a01c39be-69e4-4631-9951-2a2942a800da</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="51fc4dcf-1f22-4f3c-865e-38c22862849d" name="Select Web API" type="Action">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>0a562a21-a986-45a7-b835-9ac94ed1bb5c</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="61930dc8-682f-4656-b3ef-a21964308968" name="Check Header" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Expected Header - Name" narrative="The name of the Header you are expecting

<input type="text" name="Expected Header - Value" narrative="The value of the Header you are expecting

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the hea

</inputs>

<resource object="Blue Prism - System - Objects" action="Check Header (Web API)"/>

</stage>

<stage stageid="79b1351e-ad85-4454-9a61-6fc0122b041c" name="Common Headers" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dd049e85-bfdd-4f81-9be2-8a6b755dbb4c</onsuccess>

<processid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</processid>

</stage>

<stage stageid="95e867c5-f16b-4ad5-899a-f58ef620e967" name="Anchor5" type="Anchor">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>06cb5c68-eed3-41b0-a2b2-bc0201901c66</onsuccess>

</stage>

<stage stageid="06cb5c68-eed3-41b0-a2b2-bc0201901c66" name="Anchor6" type="Anchor">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0d3d3329-847c-4ce0-be15-70f5ea1336ee</onsuccess>

</stage>

<stage stageid="baba109c-79a6-4873-96a6-e6dd58d415e5" name="Anchor7" type="Anchor">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>905e397a-7399-4161-9949-387898a964c0</onsuccess>

</stage>

<stage stageid="905e397a-7399-4161-9949-387898a964c0" name="Anchor8" type="Anchor">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f462d334-1ccb-49e3-a8a0-4002326f21aa</onsuccess>

</stage>

<stage stageid="ec0ce0f8-4768-490a-b19c-a46d8237587d" name="Headers" type="Block">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e128078d-9549-4fb7-b5b3-071ff8f670cc" name="Select Web API" type="Action">

<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>

<displayy>-210</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>b56f99a4-11c6-4b79-adf6-3369449577b0</onsuccess>

```xml
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="b56f99a4-11c6-4b79-adf6-3369449577b0" name="Press Edit" type="Action">
<subsheetid>2bac5fff-c50e-428e-9e4c-b6b3d0a40782</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d93e942a-5096-4945-8405-2d271fc67b84</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="5e5752f5-fd2b-47b8-9d29-49c3b4fcd6fb" name="Common Parameters" type="SubSheetI
<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b7a5d09b-611a-447e-9966-afe9358c1ee2" name="Start" type="Start">
<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>
<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>38517ef4-6c89-4d62-9535-da28e86e227c</onsuccess>

</stage>

<stage stageid="2b0a7628-cb25-4766-b49f-806c0acccbef" name="End" type="End">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5e2175bf-db53-41fb-ad7d-8e19019d5169" name="Add Parameter" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=

<input type="text" name="Parameter - Description" narrative="The description you want to give the parame

<input type="collection" name="Parameter - Value" narrative="The value you want to use for the paramete

<input type="flag" name="Expose?" narrative="Default is true. True or False do you want to expose the pa

<input type="text" name="Parameter - Data Tyoe" narrative="The data type you want to set for the parame

</inputs>

<onsuccess>8e409da8-bfbb-4486-9575-94509251f93a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add Parameter (Web API)"/>

</stage>

<stage stageid="8e409da8-bfbb-4486-9575-94509251f93a" name="Check Parameter" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=

<input type="text" name="Expected Parameter - Description" narrative="The description you want to give t

<input type="flag" name="Expected Expose" narrative="Default is true. True or False do you want to expos

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the par

<input type="text" name="Expected Parameter - Data Tyoe" narrative="The data type you are expecting to

<input type="collection" name="Expected Initial Value" narrative="The value you expect for the parameter.

</inputs>

<resource object="Blue Prism - System - Objects" action="Check Parameter (Web API)"/>

</stage>

<stage stageid="2665701c-f34d-43d5-b174-66f5aef4a585" name="Edit Parameter" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name of the parameter you want to edit." exp

<input type="flag" name="Set Parameter - Description?" narrative="False as default. True or false do you v

<input type="text" name="Parameter - Description" narrative="The description you want to give the parame

<input type="flag" name="Set Parameter - Value?" narrative="False as default. True or false do you want t

<input type="flag" name="Set Expose?" narrative="False as default. True or false do you want to change th

<input type="flag" name="Expose?" narrative="Default is true. True or False do you want to expose the par

<input type="flag" name="Set Parameter - Data Type" narrative="False as default. True or False, do you w

<input type="text" name="Parameter - Data Type" narrative="The name of the data type you want to set," e

<input type="collection" name="Initial Value" expr="[Initial Values]"/>

</inputs>

<onsuccess>c227c103-68b1-4651-89fe-3b3d21814355</onsuccess>

<resource object="Blue Prism - System - Objects" action="Edit Parameter (Web API)"/>

</stage>

<stage stageid="c9c3a5e9-6e3b-4d59-a710-b2352e31da78" name="Local Variables" type="Block">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="13da72bf-c8be-460c-9fe4-61fe5f83378e" name="Press Edit" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0fc8f132-ba0b-4818-baf3-9376cc829459</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="6f3caaa4-2cd3-4858-b135-6b49ce5a59e8" name="Select Web API" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>13da72bf-c8be-460c-9fe4-61fe5f83378e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="bdfe28aa-2585-4680-990f-fbb485c1b536" name="Parameter - Name" type="Data">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Common Parameter</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="72d19143-4eb8-4f8b-ada1-27c51a252475" name="Parameter - Value" type="Data">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>
```

```xml
<displayx>-120</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My First Common Parameter Value</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="12f4ead4-e8ae-47e0-bba2-77bda99f2916" name="Parameter - Value (2)" type="Data">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">02/07/2018</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="490710cc-d918-4fdf-a17b-eee4dba1bb23" name="Check Parameter" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=

<input type="text" name="Expected Parameter - Description" narrative="The description you want to give t

<input type="flag" name="Expected Expose" narrative="Default is true. True or False do you want to expos

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the par

<input type="text" name="Expected Parameter - Data Tyoe" narrative="The data type you are expecting to

<input type="collection" name="Expected Initial Value" narrative="The value you expect for the parameter.

</inputs>

<onsuccess>300a8fdd-0d13-4a91-b191-be96eb0641c2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Parameter (Web API)"/>

</stage>

<stage stageid="c227c103-68b1-4651-89fe-3b3d21814355" name="Press OK" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6f3caaa4-2cd3-4858-b135-6b49ce5a59e8</onsuccess>
```

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="38517ef4-6c89-4d62-9535-da28e86e227c" name="Navigate to Common Parameter" type

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Headers or Parameters" narrative="Enter &quot;Headers&quot; or &ar

</inputs>

<onsuccess>5e2175bf-db53-41fb-ad7d-8e19019d5169</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W

</stage>

<stage stageid="007fe49b-5a72-4e9d-8cc2-28a3c911de98" name="Parameter - Description" type="Data">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

```xml
<initialvalue xml:space="preserve">This is my first common description.</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5d8927a9-6ede-4fb8-826b-611a8bf48271" name="Parameter - Description (2)" type="Dat

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>105</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">This is my second common description.</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0fc8f132-ba0b-4818-baf3-9376cc829459" name="Navigate to Common Parameter" type=

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<inputs>
<input type="text" name="Headers or Parameters" narrative="Enter &amp;quot;Headers&amp;quot; or &ar
</inputs>
<onsuccess>490710cc-d918-4fdf-a17b-eee4dba1bb23</onsuccess>
<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W
</stage>
<stage stageid="300a8fdd-0d13-4a91-b191-be96eb0641c2" name="Delete Parameter" type="Action">
<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter - Name" narrative="The name of the parameter you want to remove"
</inputs>
<onsuccess>5559d207-2a28-4806-a120-b3ef3e4f803c</onsuccess>
<resource object="Blue Prism - System - Objects" action="Delete Parameter (Web API)"/>
</stage>
<stage stageid="5559d207-2a28-4806-a120-b3ef3e4f803c" name="Press OK" type="Action">
<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e9366ef2-0a89-40b4-8b0e-d5875aa8a6a8</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="ba69f141-1178-4f5a-9cf0-116fbf7e1ad6" name="Navigate to Common Parameters" type=

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Headers or Parameters" narrative="Enter &quot;Headers&quot; or &ar

</inputs>

<onsuccess>4212f369-bb2d-42f3-a00c-3cb64ad41763</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Common Headers / Parameters (W

</stage>

<stage stageid="74a40998-8bd1-40c5-b534-fc39d679fa57" name="Press Edit" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ba69f141-1178-4f5a-9cf0-116fbf7e1ad6</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="e9366ef2-0a89-40b4-8b0e-d5875aa8a6a8" name="Select Web API" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>74a40998-8bd1-40c5-b534-fc39d679fa57</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="4212f369-bb2d-42f3-a00c-3cb64ad41763" name="Check Parameter" type="Action">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter - Name" narrative="The name you want to give the parameter." expr=

<input type="text" name="Expected Parameter - Description" narrative="The description you want to give t

<input type="text" name="Expected Parameter - Value" narrative="The value you want to give the paramet

<input type="flag" name="Expected Expose" narrative="Default is true. True or False do you want to expos

<input type="flag" name="Expected Fail?" narrative="False as default. True or False do you expect the par

</inputs>

<onsuccess>2b0a7628-cb25-4766-b49f-806c0acccbef</onsuccess>

<resource object="Blue Prism - System - Objects" action="Check Parameter (Web API)"/>

</stage>

<stage stageid="dd049e85-bfdd-4f81-9be2-8a6b755dbb4c" name="Common Parameters" type="SubShee

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ea5254a6-786e-4794-8a28-dbfdd35c35af</onsuccess>

<processid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</processid>

</stage>

<stage stageid="5f966b12-f95f-415d-b7c0-76bcd86a06e8" name="Initial Values" type="Collection">

<subsheetid>2a35c02a-6306-4ef9-9000-107fbc2b8a39</subsheetid>

</narrative>

<displayx>-120</displayx>

<displayy>165</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Date" type="date" description="Use this when setting the &quot;Date&quot; data ty

<field name="DateTime" type="datetime" description="Use this when setting the &quot;DateTime&am

<field name="Time" type="time" description="Use this when setting the &quot;Time&quot; data ty

<field name="Flag" type="flag" description="Use this when setting the &quot;Flag&quot; data typ

<field name="Number" type="number" description="Use this when setting the &quot;Number&qu

<field name="Password" type="password" description="Use this when setting the &quot;Password&am

<field name="Text" type="text" description="Use this when setting the &quot;Text&quot; data typ

<field name="Days" type="text" description="Use this when setting the &quot;TimeSpan&quot; da

<field name="Hours" type="text" description="Use this when setting the &quot;TimeSpan&quot; d

<field name="Mins" type="text" description="Use this when setting the &quot;TimeSpan&quot; da

<field name="Seconds" type="text" description="Use this when setting the &quot;TimeSpan&quo

</collectioninfo>

<initialvalue>

<row>

<field name="DateTime" type="datetime" value="2018-07-05 06:52:07Z"/>

<field name="Time" type="time" value="08:50:12"/>

```xml
<field name="Flag" type="flag" value="True"/>

<field name="Number" type="number" value="42"/>

<field name="Password" type="password" encvalue="aCpGKl8qTyp6KlgqQypZKkcqBCppKkUqWCpPKgQ

<field name="Text" type="text" value="Some Text"/>

<field name="Days" type="text" value="1"/>

<field name="Hours" type="text" value="2"/>

<field name="Mins" type="text" value="3"/>

<field name="Seconds" type="text" value="4"/>

</row>

</initialvalue>

</stage>

</process>

<process name="Test Web API Config (Non-Standard Methods)" version="1.0" bpversion="6.4.0.6623" na

<view>

<camerax>8</camerax>

<cameray>22</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="9d7933b7-9f1b-4db3-b5f0-543bf57d8090" type="Normal" published="False">

<name>Setup</name>

<view>

<camerax>249</camerax>

<cameray>-315</cameray>

<zoom version="2">1.25</zoom>

</view>
```

```xml
</subsheet>

<subsheet subsheetid="d472856f-1b73-4746-8dd0-b657158fa6ec" type="Normal" published="False">

<name>Check Non-Standard Methods UI</name>

<view>

<camerax>55</camerax>

<cameray>62</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="974e6990-98d6-4b58-a3bb-1844d15786f7" type="Normal" published="False">

<name>Add to CleanUp Collection</name>

<view>

<camerax>0</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c60ef097-575b-4175-8a27-3c0ef89944a4" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>262</camerax>

<cameray>21</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="cb653b50-31f7-4497-8382-06392c9c4788" name="Start" type="Start">

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1a6badb5-d66d-4872-8ce1-6d6a611590f5</onsuccess>

</stage>

<stage stageid="8244e30d-0df2-4ccf-9099-4c159c0eeb51" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d6a7e91a-3662-4a68-b171-40e80ef966f8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f1123e1c-f5a2-4ee6-97e2-031ad8260999" name="Setup" type="SubSheetInfo">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ea052a1f-7794-42ba-917e-79dc9eaea076" name="Start" type="Start">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>53cd2a95-08da-4ffd-aa18-e5255993e5e0</onsuccess>

</stage>

<stage stageid="bfac94b5-e676-4743-898f-635fb473db2a" name="End" type="End">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="53cd2a95-08da-4ffd-aa18-e5255993e5e0" name="Launch" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayy>-480</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8bb7d1fd-5865-47ca-8a94-1cbe52da1e59</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="d4ab6667-157f-431a-8cb4-845b1d843e7e" name="Sign In" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<displayy>-345</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="Username" expr="&amp;quot;Admin&amp;quot;"/>
<input type="password" name="Password" expr="&amp;quot;admin&amp;quot;"/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
</inputs>
<onsuccess>58bf8fb4-654a-4e2e-8fa0-d4d7cd4941c8</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="58bf8fb4-654a-4e2e-8fa0-d4d7cd4941c8" name="Go To Tab (System)" type="Action">
<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>460234f8-a45a-4c44-837d-e8d992a7acc8</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="7cd3674e-5e38-4724-904e-c17ee985a2c5" name="Input Variables" type="Block">
<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-60</displayx>

<displayy>-435</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="5f078dcd-6476-476e-917c-d5b6cf730c52" name="Scheme Method" type="Data">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-405</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="37981e0f-056e-499c-bff0-0fff7c90515a" name="Attach to System" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>
```

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>d4ab6667-157f-431a-8cb4-845b1d843e7e</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="1a6badb5-d66d-4872-8ce1-6d6a611590f5" name="Setup" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>497dd2f4-39af-4fe3-8041-6bd52bddb0ad</onsuccess>

<processid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</processid>

</stage>

<stage stageid="c250a1de-c8e6-4489-aa79-5e443092e95c" name="Press Add" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c341f975-7b01-49db-995f-8734ae6fee16</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="1574c38e-5828-4d0f-836d-e25a0cc2801e" name="Global Variables" type="Block">

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="8fcc84c3-8e67-423e-b2f8-8f001e6d6edb" name="pid" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="6e7073d1-19be-4f3a-9f69-e94e4b1592c2" name="Cleanup" type="Block">

```xml
</narrative>

<displayx>-45</displayx>

<displayy>-90</displayy>

<displaywidth>225</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d04705fd-0b64-408b-833d-02c7aec88b96" name="Recover" type="Recover">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8ec3e985-1574-40e3-99f3-daf16469825e</onsuccess>

</stage>

<stage stageid="6086ee4e-20ea-4825-a756-f4d9dae3ad08" name="Resume" type="Resume">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>871b7afc-106d-47c7-80f8-19f79c37429c</onsuccess>

</stage>
```

<stage stageid="8ec3e985-1574-40e3-99f3-daf16469825e" name="Get Exception" type="MultipleCalculati

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6086ee4e-20ea-4825-a756-f4d9dae3ad08</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="2146f9a0-a6d6-45b8-ba2c-b0a3b942229e" name="Cleanup" type="SubSheetInfo">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<displayx>-120</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="90b9f7c2-f26b-44b5-b232-c78aa156e517" name="Start" type="Start">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9aa86371-303e-46a5-b6ac-919fae338632</onsuccess>

</stage>

<stage stageid="197fe7e3-f90f-40f4-b893-f8e6739251a3" name="Cleanup" type="SubSheet">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>33a196c1-4fe7-4637-9e65-7979649fde6d</onsuccess>

<processid>c60ef097-575b-4175-8a27-3c0ef89944a4</processid>

</stage>

<stage stageid="33a196c1-4fe7-4637-9e65-7979649fde6d" name="Failed?" type="Decision">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>07713b68-1851-4004-81e9-dcfc6b996060</ontrue>

<onfalse>8244e30d-0df2-4ccf-9099-4c159c0eeb51</onfalse>

</stage>

<stage stageid="39d6ac53-b718-413c-80a2-79dd48c3b76e" name="Failed?" type="Data">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

</stage>

<stage stageid="9c3f03d5-0055-42bb-a0ac-4e5ee09d5a30" name="Exception" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<private/>

<alwaysinit/>

</stage>

<stage stageid="f85239ad-3556-4f64-a9d7-4db5d2f3c7ad" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="07713b68-1851-4004-81e9-dcfc6b996060" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="871b7afc-106d-47c7-80f8-19f79c37429c" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>90</displayy>
```

```xml
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>197fe7e3-f90f-40f4-b893-f8e6739251a3</onsuccess>

</stage>

<stage stageid="e718132e-ddcb-455d-9e6b-dcff2ef73802" name="Base URL" type="Data">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-375</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.google.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2a73d2af-de6f-420f-bb91-7c50f4a45b8e" name="Add to CleanUp Collection" type="SubS

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fa0d7c62-2c4b-4151-9935-eb46e7dc5a9b" name="Start" type="Start">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>cc71cc96-d19e-4c94-8491-7c2f594e2831</onsuccess>

</stage>

<stage stageid="0f77f149-db36-4d5b-a8df-6afa895a34fe" name="End" type="End">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0a5e4526-1725-4e19-8c27-8616ac064649" name="Item Name" type="Data">

```xml
<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="de7cc525-acd2-44fc-8a4a-5012fe31edc3" name="Input Variables" type="Block">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="cc71cc96-d19e-4c94-8491-7c2f594e2831" name="Add Row" type="Action">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp

</inputs>

<onsuccess>e7c42219-5a52-4114-802e-5baeed9d90eb</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="21024b51-072b-4dcd-b210-0f1a85ed3e16" name="CleanUp Collection" type="Collection"

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="5cd84027-e33c-4b53-8d18-aa9b7af66605" name="Local Variables" type="Block">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e7c42219-5a52-4114-802e-5baeed9d90eb" name="Add To Row" type="Calculation">

<subsheetid>974e6990-98d6-4b58-a3bb-1844d15786f7</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0f77f149-db36-4d5b-a8df-6afa895a34fe</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="303dab68-6db5-44f1-be69-d4541d6de493" name="To Clean" type="LoopStart">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>137f21e3-5127-4a35-9013-5dd6c188894a</onsuccess>

<groupid>845f811a-9b87-4197-bf30-b3169c6c1040</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="26e27fbe-fc87-438d-92de-df22df824f46" name="To Clean" type="LoopEnd">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cc4339d6-ba57-4dda-a08b-390e5f9a70cb</onsuccess>

<groupid>845f811a-9b87-4197-bf30-b3169c6c1040</groupid>

</stage>

<stage stageid="9aa86371-303e-46a5-b6ac-919fae338632" name="Reverse Collection" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Revers

</outputs>

<onsuccess>303dab68-6db5-44f1-be69-d4541d6de493</onsuccess>

<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>

</stage>

<stage stageid="508aa74a-abb5-4fd4-9e33-b596c9448a50" name="Reversed CleanUp" type="Collection"

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

</stage>

<stage stageid="09171368-4e58-4fe3-8274-18c364b3b46e" name="Local Variables" type="Block">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="137f21e3-5127-4a35-9013-5dd6c188894a" name="Which Clean Up" type="ChoiceStart">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>e48db550-6798-4b8d-8f64-46db27c78532</groupid>

<choices>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Blue Prism&quot;">

<name>Blue Prism</name>

<distance>30</distance>

<ontrue>625c2914-524b-4848-b7c8-82b2c966c205</ontrue>

</choice>

<choice expression="[Reversed CleanUp.Item Name]=&quot;Web API&quot;">

<name>Web API</name>

<distance>75</distance>

```xml
</choice>

</choices>

</stage>

<stage stageid="bb1d463e-3f8a-4589-bdee-fc2489ac36c3" name="Otherwise" type="ChoiceEnd">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>63115db0-9888-4e99-9b0b-d4b0d2ae3ebe</onsuccess>

<groupid>e48db550-6798-4b8d-8f64-46db27c78532</groupid>

</stage>

<stage stageid="625c2914-524b-4848-b7c8-82b2c966c205" name="Terminate" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>525</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>46d774c9-bfb3-479b-87c6-d03629a97aff</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>
```

```xml
<stage stageid="46d774c9-bfb3-479b-87c6-d03629a97aff" name="Anchor2" type="Anchor">
<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>63f88707-7a84-4e7f-aa43-e94a318d3227</onsuccess>
</stage>
<stage stageid="fa1f1eec-d09d-410f-bc7b-acf080d9889d" name="Anchor4" type="Anchor">
<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>26e27fbe-fc87-438d-92de-df22df824f46</onsuccess>
</stage>
<stage stageid="63115db0-9888-4e99-9b0b-d4b0d2ae3ebe" name="FAIL" type="Exception">
<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
```

```xml
<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&amp;quot;You have entered a clean up item the choice doesn't recognise.&am

</stage>

<stage stageid="8bb7d1fd-5865-47ca-8a94-1cbe52da1e59" name="Add to CleanUp Collection (Blue Prism

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>37981e0f-056e-499c-bff0-0fff7c90515a</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="63f88707-7a84-4e7f-aa43-e94a318d3227" name="Anchor3" type="Anchor">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>585</displayx>

<displayy>105</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fa1f1eec-d09d-410f-bc7b-acf080d9889d</onsuccess>

</stage>

<stage stageid="3a1aba31-bb29-47cb-957b-87fc712757f7" name="Close All Child Windows" type="Action

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c26188d0-2534-4ed9-9406-742246770035</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

<stage stageid="c26188d0-2534-4ed9-9406-742246770035" name="Open System Tab" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>4cb5947d-707c-474f-81d6-bc5b9b36a5ac</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="4cb5947d-707c-474f-81d6-bc5b9b36a5ac" name="GoTo Web API" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>8935a2a9-fbbe-495c-8163-23adf7e0a875</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="a2ca51ea-202c-4086-b796-6a669617ef31" name="Press Delete Web API" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>525</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>63f88707-7a84-4e7f-aa43-e94a318d3227</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="cc4339d6-ba57-4dda-a08b-390e5f9a70cb" name="End1" type="End">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2520cbb6-3a28-4081-93ce-d31964022631" name="Add to CleanUp Collection (Web API)

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>bfac94b5-e676-4743-898f-635fb473db2a</onsuccess>

<processid>974e6990-98d6-4b58-a3bb-1844d15786f7</processid>

</stage>

<stage stageid="22a242aa-d1b6-43ce-905a-a27e086abc6d" name="Press OK" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2520cbb6-3a28-4081-93ce-d31964022631</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="460234f8-a45a-4c44-837d-e8d992a7acc8" name="Go To Tab (Web API)" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>c250a1de-c8e6-4489-aa79-5e443092e95c</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="b7872cf2-ec3e-44da-b8dc-03d3d59f1902" name="Check Non-Standard Methods UI" type

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-195</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="97b049be-be2d-4af5-b808-5400d1bf55f5" name="Start" type="Start">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-225</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>28005dd9-35d0-49b3-957d-2fd541cf7d4f</onsuccess>

</stage>

<stage stageid="afbd9d0a-1eb8-4e82-be65-8a6ef744e81b" name="End" type="End">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="655dc674-21e5-421c-83f3-15d2bd87f25e" name="Press Edit" type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7b2d212e-55bd-48b8-8ebf-b293579a29a1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>
```

```xml
<stage stageid="497dd2f4-39af-4fe3-8041-6bd52bddb0ad" name="Check Non-Standard Methods UI" type
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>197fe7e3-f90f-40f4-b893-f8e6739251a3</onsuccess>
<processid>d472856f-1b73-4746-8dd0-b657158fa6ec</processid>
</stage>
<stage stageid="7b2d212e-55bd-48b8-8ebf-b293579a29a1" name="Navigate to 'New Action - Request'" ty
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."
<input type="text" name="Headers or Parameters" narrative="Enter either &amp;quot;Headers&amp;quot;
</inputs>
<onsuccess>9e2a203b-8086-462f-bdb9-3a68fa8fb626</onsuccess>
<resource object="Blue Prism - System - Objects" action="Navigate to Action Request (Web API)"/>
</stage>
```

```xml
<stage stageid="27b8a3fc-70cc-4e37-b87f-e74bffa5ac2c" name="Input Variables" type="Block">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="8a315c17-fa71-4f40-8ace-d1a1fc62933f" name="Valid Method Name Lower Case" type="
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">abcdefghijklmnopqrstuvwxyz</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c95ae307-3727-4a33-b0e3-5d093f173b0f" name="ExpectedName" type="Data">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
```

```xml
</narrative>

<displayx>-180</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">ABCDEFGHIJKLMNOPQRSTUVWXYZ</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9e2a203b-8086-462f-bdb9-3a68fa8fb626" name="Set Action Request" type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Method" narrative="The request method you want to use." expr="[Valid Method N

</inputs>

<onsuccess>d17c1ee2-1f37-4596-8f17-3ab14b740c23</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Action Request Method Only (Web API)"/>

</stage>

<stage stageid="d17c1ee2-1f37-4596-8f17-3ab14b740c23" name="Read Method Name " type="Action">
```

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d97850b9-574f-4c1e-9920-5d5f81f70bc7</onsuccess>

<resource object="Blue Prism - System - Objects" action="Read Action Request Method Only (Web API)"/:

</stage>

<stage stageid="f4d0ee82-2668-4b62-9e42-fb85b7204d7f" name="Read Method Name" type="Data">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
</stage>

<stage stageid="7fc3d2ff-e797-462f-a641-7caf19561021" name="Output Variables" type="Block">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="d97850b9-574f-4c1e-9920-5d5f81f70bc7" name="Correct method name?" type="Decision

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Read Method Name]=[ExpectedName]"/>

<ontrue>7ab9fac6-1669-4667-8e42-825c336e11dc</ontrue>

<onfalse>da0e4823-fb2c-4dca-a2f5-637605d953f5</onfalse>

</stage>

<stage stageid="da0e4823-fb2c-4dca-a2f5-637605d953f5" name="Excpt" type="Exception">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>
```

```
</narrative>

<displayx>60</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Test Fail" detail=""/>

</stage>

<stage stageid="7ab9fac6-1669-4667-8e42-825c336e11dc" name="Press Ok" type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>48b3d179-c779-415a-ab4e-313d593334d1</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="4772c47a-4649-4e19-b363-29ad32647e15" name="Press Edit" type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>180</displayy>

<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2de23f87-99fc-4486-a340-f87029b328c5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="2de23f87-99fc-4486-a340-f87029b328c5" name="Navigate to 'New Action - Request'" typ

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to add the header to."

<input type="text" name="Headers or Parameters" narrative="Enter either &amp;quot;Headers&amp;quot;

</inputs>

<onsuccess>fc37063e-c06f-4bc6-9a03-f49e04c72107</onsuccess>

<resource object="Blue Prism - System - Objects" action="Navigate to Action Request (Web API)"/>

</stage>

<stage stageid="ca0b52f6-1e64-4610-bebb-be52ce6088fd" name="Correct method name?" type="Decisio

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>315</displayy>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Test Fail" detail=""/>

</stage>

<stage stageid="fc37063e-c06f-4bc6-9a03-f49e04c72107" name="Read Method Name " type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<displayx>-45</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ca0b52f6-1e64-4610-bebb-be52ce6088fd</onsuccess>

<resource object="Blue Prism - System - Objects" action="Read Action Request Method Only (Web API)"/>

</stage>

<stage stageid="28005dd9-35d0-49b3-957d-2fd541cf7d4f" name="Select Web API" type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<displayx>-45</displayx>

<displayy>-180</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>655dc674-21e5-421c-83f3-15d2bd87f25e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="48b3d179-c779-415a-ab4e-313d593334d1" name="Select Web API" type="Action">

<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>4772c47a-4649-4e19-b363-29ad32647e15</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="c341f975-7b01-49db-995f-8734ae6fee16" name="Add" type="Action">

<subsheetid>9d7933b7-9f1b-4db3-b5f0-543bf57d8090</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="&am

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>22a242aa-d1b6-43ce-905a-a27e086abc6d</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="22dccb7b-b212-4ff8-8740-0f9bee7a7563" name="Web API Name" type="Data">

```
<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API Non-Standard Method</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="8935a2a9-fbbe-495c-8163-23adf7e0a875" name="Select Web API" type="Action">

<subsheetid>c60ef097-575b-4175-8a27-3c0ef89944a4</subsheetid>

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>a2ca51ea-202c-4086-b796-6a669617ef31</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

</process>
```

```xml
<process name="Test Web API Config (Response Resilience)" version="1.0" bpversion="6.3.0.5630" narra
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="e790d64d-d0b4-4e74-9403-fffe132d3f81" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>140</camerax>
<cameray>-84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="d674de75-de64-4a63-8268-1d62c8cc8ffc" type="Normal" published="False">
<name>Test BG-1816</name>
<view>
<camerax>0</camerax>
<cameray>480</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="2d1289f5-6eb7-45d9-9383-7d08896eb4d1" type="Normal" published="False">
<name>Add to CleanUp Collection</name>
<view>
```

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="2c7c57f8-7671-4be7-b4db-f01b1a3124e6" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>15</camerax>

<cameray>172</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="f72c3fd1-f16b-41b9-9cc1-90b29548454f" name="Start" type="Start">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bd1cb4b2-0714-40d2-924c-3575959817c9</onsuccess>

</stage>

<stage stageid="ffc5a4bb-9ea1-4a44-8a28-41d77595c12c" name="Stage1" type="ProcessInfo">

```xml
<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="676de009-ad1a-4776-bc58-9cb2f46120e9" name="Setup" type="SubSheetInfo">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-495</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ee453922-2aca-4fdc-a1c9-2c4f9cf665a1" name="Start" type="Start">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>51e8ea9b-576e-4cf3-81df-23c7ae72b877</onsuccess>

</stage>

<stage stageid="42f44d29-8960-4767-91c8-9897c97b36a7" name="End" type="End">
```

```xml
<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="51e8ea9b-576e-4cf3-81df-23c7ae72b877" name="Launch" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-480</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="pid" narrative="PID of the process" stage="pid"/>

</outputs>

<onsuccess>2a728125-d7df-46d1-be47-8e41f0476bc2</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="5212cccb-fb7a-4843-b986-a5c6cbef72fe" name="Sign In" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>
```

</narrative>

<displayx>150</displayx>

<displayy>-345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>1f4999c7-2fd1-48af-a6fe-49a3fc8a42fa</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="a93788c5-a5ed-4af6-a139-8d75f4ec35f4" name="Select Web API" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>ccb1f8b8-51b4-447c-a7f1-5c87f92fcfc2</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="1f4999c7-2fd1-48af-a6fe-49a3fc8a42fa" name="GoTo Tab (System)" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>a93788c5-a5ed-4af6-a139-8d75f4ec35f4</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="b3cfa958-d6ac-45f1-8fd4-b80700830f06" name="Input Variables" type="Block">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-435</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="5ef8def7-a4ad-440a-8c4e-096f4181e77b" name="Attach to System" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-390</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>5212cccb-fb7a-4843-b986-a5c6cbef72fe</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="92824d12-881e-4356-bfcf-29508ae5526f" name="Add Web API" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na
<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas
<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W
</inputs>
<onsuccess>298cd074-ea73-4f4d-abc7-b16b17db1367</onsuccess>
<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>
</stage>
<stage stageid="ccb1f8b8-51b4-447c-a7f1-5c87f92fcfc2" name="Press Add" type="Action">
<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>92824d12-881e-4356-bfcf-29508ae5526f</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>
</stage>
<stage stageid="6e7a3196-b55d-4fed-8fb4-fddacc57dc0f" name="Base URL" type="Data">
<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-405</displayy>
```

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2a728125-d7df-46d1-be47-8e41f0476bc2" name="Add to CleanUp Collection (Blue Prism

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&

</inputs>

<onsuccess>5ef8def7-a4ad-440a-8c4e-096f4181e77b</onsuccess>

<processid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</processid>

</stage>

<stage stageid="d94588ce-bcec-4db5-ae27-acef525fce54" name="Add to CleanUp Collection (Web API)"

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

```
<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>

<onsuccess>a55afca5-8110-4903-81ae-d4886f39aa01</onsuccess>

<processid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</processid>

</stage>

<stage stageid="298cd074-ea73-4f4d-abc7-b16b17db1367" name="Press OK" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d94588ce-bcec-4db5-ae27-acef525fce54</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="857f7b49-5529-46e0-b65b-ae1dd60955b9" name="Add Web API" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>
```

```
<displayx>150</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name you want to give the Web API." expr="[Web API Na

<input type="text" name="Base URL" narrative="The base URL you want to give the Web API." expr="[Bas

<input type="flag" name="Enabled?" narrative="Default is True. True or False do you want to enable this W

</inputs>

<onsuccess>6b4329e9-0c25-4128-9027-c302d968f408</onsuccess>

<resource object="Blue Prism - System - Objects" action="Add (Web API)"/>

</stage>

<stage stageid="6b4329e9-0c25-4128-9027-c302d968f408" name="Press OK" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0591f4ea-cf69-49f4-a175-e065884f3735</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="845499e8-5f4f-4159-b813-f3dd2684a2fc" name="Web API Name (1)" type="Data">

<narrative>
```

</narrative>

<displayx>-135</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Response)</initialvalue>

</stage>

<stage stageid="d9664d50-13f1-4069-aff2-db9fadaa6396" name="Global Variables" type="Block">

<displayx>-210</displayx>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="956332ed-98a8-40ef-b689-d5b074cf7b01" name="pid" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ccef94e8-ed33-4cfc-8740-4b5c0e632369" name="Web API Name (2)" type="Data">

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Web API (Response 2)</initialvalue>

</stage>

<stage stageid="37ca5726-be91-4137-9d8c-f9d8564201aa" name="Add to CleanUp Collection" type="Sub

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<displayx>-120</displayx>

<displayy>-75</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="766eb800-e109-4792-a100-df3286dc868c" name="Start" type="Start">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item

</inputs>

<onsuccess>fd74a69f-c115-4279-a8a9-c4baa53e61d4</onsuccess>

</stage>

<stage stageid="a8c5402a-5642-4ddd-8ce8-92f6e1e0a693" name="End" type="End">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1faeead6-4596-4121-b218-88780a1c8325" name="Item Name" type="Data">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

```xml
<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="81a28a6d-02c9-4233-a11d-ac17257aae81" name="Input Variables" type="Block">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="fd74a69f-c115-4279-a8a9-c4baa53e61d4" name="Add Row" type="Action">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&

</inputs>

<onsuccess>c3284ea2-12c3-487a-9000-fe0f936e4485</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="8579ceaf-f645-4b8b-81b3-682b1152b5b6" name="CleanUp Collection" type="Collection":

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>

</collectioninfo>

</stage>

<stage stageid="5f9e063d-4372-4fd1-ac57-0b4c0e3cf16a" name="Local Variables" type="Block">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

```
<displayx>-195</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="c3284ea2-12c3-487a-9000-fe0f936e4485" name="Add To Row" type="Calculation">

<subsheetid>2d1289f5-6eb7-45d9-9383-7d08896eb4d1</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a8c5402a-5642-4ddd-8ce8-92f6e1e0a693</onsuccess>

<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>

</stage>

<stage stageid="128e331d-2d4a-4a57-8852-71c5f3db518c" name="Cleanup" type="SubSheetInfo">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
</stage>

<stage stageid="43c77afb-4cd1-44b0-ae1d-777b62702628" name="Start" type="Start">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>32ac7c14-3341-4fbc-a595-b37539a03fa5</onsuccess>

</stage>

<stage stageid="1b8e3c66-d3e8-4097-9e40-ccb09b40a8b0" name="To Clean" type="LoopStart">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0f779269-44bb-4110-b376-0e441cb2800e</onsuccess>

<groupid>8bf847c0-3bbe-4193-b727-2854d8d42938</groupid>

<looptype>ForEach</looptype>

<loopdata>Reversed CleanUp</loopdata>

</stage>

<stage stageid="97a3d659-2415-44c6-a89c-26a258c78bbb" name="To Clean" type="LoopEnd">
```

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Colle

</inputs>

<outputs>

<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reverse

</outputs>

<onsuccess>1b8e3c66-d3e8-4097-9e40-ccb09b40a8b0</onsuccess>

```xml
<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>
</stage>
<stage stageid="75755c48-25b9-40d0-9f16-b52c01f36399" name="Reversed CleanUp" type="Collection">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8013911c-3633-4173-b728-d44c39d605a1" name="Local Variables" type="Block">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="0f779269-44bb-4110-b376-0e441cb2800e" name="Which Clean Up" type="ChoiceStart">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
```

```xml
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>1aaa62f0-97a3-4b61-8a2a-1e1f1d58f34d</groupid>
<choices>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">
<name>Blue Prism</name>
<distance>30</distance>
<ontrue>9aafda66-ef43-42df-a9c1-f3ea93fb70ff</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API 1&amp;quot;">
<name>Web API 1</name>
<distance>75</distance>
<ontrue>bdbc3189-68d4-4c17-876f-ffa7f9a01d9b</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Web API 2&amp;quot;">
<name>Web API 2</name>
<distance>120</distance>
<ontrue>370a767e-418e-466a-a75b-54bf5769e83c</ontrue>
</choice>
</choices>
</stage>
<stage stageid="69fb04c5-a615-438d-b45f-14c4b2e41257" name="Otherwise" type="ChoiceEnd">
```

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e670dc74-9de8-4e69-963a-82514a1d5b19</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="e670dc74-9de8-4e69-963a-82514a1d5b19" name="Anchor2" type="Anchor">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2b86c636-9bb8-4f38-88cb-8b86300ae981</onsuccess>

</stage>

<stage stageid="59cdd74b-64a8-4cb8-8886-005104b3d983" name="Anchor4" type="Anchor">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>97a3d659-2415-44c6-a89c-26a258c78bbb</onsuccess>

</stage>

<stage stageid="d496d552-3c61-42e2-b8d3-bd83aa7cc8e3" name="FAIL" type="Exception">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<exception type="" detail="&amp;quot;You have entered a clean up item the choice doesn't recognise.&am
</stage>
<stage stageid="2b86c636-9bb8-4f38-88cb-8b86300ae981" name="Anchor3" type="Anchor">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
<narrative>
</narrative>
<displayx>630</displayx>
<displayy>105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3e5c5666-aaa2-498c-a4aa-6de8942437e9</onsuccess>
</stage>
<stage stageid="bdbc3189-68d4-4c17-876f-ffa7f9a01d9b" name="Close All Child Windows" type="Action":
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8f3d6fc0-87f1-43d0-b82e-1d4fc21b8b43</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="8f3d6fc0-87f1-43d0-b82e-1d4fc21b8b43" name="Open System Tab" type="Action">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
```

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>d5338680-875f-4d2b-819c-644c41399cd8</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="d5338680-875f-4d2b-819c-644c41399cd8" name="GoTo Web API" type="Action">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>4d1ce1a9-9496-4705-b5bd-7ff9f347449e</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="9e6f73a9-6aa5-44fd-be3d-3c3d568b8189" name="Press Delete Web API" type="Action">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2b86c636-9bb8-4f38-88cb-8b86300ae981</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="4d1ce1a9-9496-4705-b5bd-7ff9f347449e" name="Select Web API" type="Action">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>9e6f73a9-6aa5-44fd-be3d-3c3d568b8189</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="396d1448-89b7-42b2-b7f7-2532ce1cd63c" name="End1" type="End">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0591f4ea-cf69-49f4-a175-e065884f3735" name="Add to CleanUp Collection (Web API)" t

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item Name" narrative="The name of the item you want to clean up." expr="&amp

</inputs>
```

</stage>

<stage stageid="a55afca5-8110-4903-81ae-d4886f39aa01" name="Press Add" type="Action">

<subsheetid>e790d64d-d0b4-4e74-9403-fffe132d3f81</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>857f7b49-5529-46e0-b65b-ae1dd60955b9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Add (Web API)"/>

</stage>

<stage stageid="370a767e-418e-466a-a75b-54bf5769e83c" name="Close All Child Windows" type="Actior

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8fffc0dd-f112-45ae-b25f-26b463b11824</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>

</stage>

```xml
<stage stageid="8fffc0dd-f112-45ae-b25f-26b463b11824" name="Open System Tab" type="Action">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>0e962662-210f-4505-bf13-fc61c577297e</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="0e962662-210f-4505-bf13-fc61c577297e" name="GoTo Web API" type="Action">
<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>
<narrative>
</narrative>
<displayx>360</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We
```

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>6b59fb6d-c421-4113-81b0-26a1f75a08f8</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="837f3f04-0796-4e86-8eac-a202323c737a" name="Press Delete Web API" type="Action">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e5c5666-aaa2-498c-a4aa-6de8942437e9</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Delete (Web API)"/>

</stage>

<stage stageid="6b59fb6d-c421-4113-81b0-26a1f75a08f8" name="Select Web API" type="Action">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>837f3f04-0796-4e86-8eac-a202323c737a</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="3e5c5666-aaa2-498c-a4aa-6de8942437e9" name="Anchor1" type="Anchor">

<subsheetid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>59cdd74b-64a8-4cb8-8886-005104b3d983</onsuccess>

</stage>

<stage stageid="bd1cb4b2-0714-40d2-924c-3575959817c9" name="Setup" type="SubSheet">

<displayy>-45</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="be262442-3b72-4286-916d-3049fc4beb9c" name="Recover" type="Recover">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8167f830-828a-492b-99e5-a4c48df018b8</onsuccess>

</stage>

<stage stageid="d9446ca9-5863-42f6-b694-4980c06aeea3" name="Resume" type="Resume">

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a3fc0fbb-11ec-492a-8df9-05ad5533168f</onsuccess>

</stage>

<stage stageid="8167f830-828a-492b-99e5-a4c48df018b8" name="Get Exception" type="MultipleCalculati

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d9446ca9-5863-42f6-b694-4980c06aeea3</onsuccess>

<steps>

<calculation expression="True" stage="Failed?"/>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</steps>

</stage>

<stage stageid="3dd1732e-96f4-417a-a6ef-dbf56e8783c5" name="Cleanup" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cd5b1cd1-a5cc-469e-a679-cb3b76dbb25d</onsuccess>

<processid>2c7c57f8-7671-4be7-b4db-f01b1a3124e6</processid>

</stage>

<stage stageid="cd5b1cd1-a5cc-469e-a679-cb3b76dbb25d" name="Failed?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Failed?]"/>

<ontrue>a0299347-1ca4-4ee7-89d8-d914c4c1190e</ontrue>

<onfalse>aabd125d-1ad3-46ef-a471-2f313119d71c</onfalse>

</stage>

<stage stageid="1afd0ef8-12ed-4c98-b8e5-ca40ffcc1b69" name="Failed?" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c0e14a7c-a1e7-4ce6-a8be-2f961efd4118" name="Exception" type="Data">

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

```xml
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7e5c3771-5a4c-4dcd-a3f8-4ed1d036e783" name="Local Variables" type="Block">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>120</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="a0299347-1ca4-4ee7-89d8-d914c4c1190e" name="RETHROW" type="Exception">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="RETHROW" detail="[Exception]"/>

</stage>

<stage stageid="a3fc0fbb-11ec-492a-8df9-05ad5533168f" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>135</displayx>
```

```xml
<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3dd1732e-96f4-417a-a6ef-dbf56e8783c5</onsuccess>

</stage>

<stage stageid="33bb7344-2482-4142-a525-365c43d74377" name="Cleanup" type="Block">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>240</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="aabd125d-1ad3-46ef-a471-2f313119d71c" name="End2" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="564767bb-91c7-430a-a3a8-9e333af684b1" name="Test BG-1816" type="SubSheetInfo">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>
```

```xml
</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="84af5c95-8c9b-4d0c-864f-6d2e78b69f6e" name="Start" type="Start">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0b18520c-3ff5-4116-a893-f9ec71b3358d</onsuccess>

</stage>

<stage stageid="12d9e2b1-1bd3-4d62-9960-65214430615f" name="End" type="End">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>705</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>

<stage stageid="d0fb9a65-73ec-40d9-a791-14a5f120e06b" name="Test BG-1816" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3dd1732e-96f4-417a-a6ef-dbf56e8783c5</onsuccess>

<processid>d674de75-de64-4a63-8268-1d62c8cc8ffc</processid>

</stage>

<stage stageid="65e31134-a41c-49b8-8287-f253a86fde27" name="Navigate to Action Response" type="A

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>6d537739-275f-4d92-9c57-b4e15d66d98f</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>
```

```xml
<stage stageid="0b18520c-3ff5-4116-a893-f9ec71b3358d" name="Select Web API (1)" type="Action">
<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF
</inputs>
<onsuccess>875d0515-5f19-4fdb-9581-fcba54f57b83</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="875d0515-5f19-4fdb-9581-fcba54f57b83" name="Press Edit" type="Action">
<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>65e31134-a41c-49b8-8287-f253a86fde27</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
```

<stage stageid="6d537739-275f-4d92-9c57-b4e15d66d98f" name="Add Action Response" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Parameter" narrative="The name of the parameter." expr="&quot;Test&

<input type="text" name="Path" narrative="The path to the parameter." expr="&quot;Test&quot;"/

<input type="text" name="Data Type" narrative="The data type of the parameter." expr="&quot;Text&

</inputs>

<onsuccess>8a638fd9-89e6-4012-a1bd-6aa76e6061f5</onsuccess>

<resource object="Blue Prism - System - Objects" action="Set Action Response (Web API)"/>

</stage>

<stage stageid="8a638fd9-89e6-4012-a1bd-6aa76e6061f5" name="Press OK" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1b0aeed3-5606-4f8f-a7b2-1575ad6835f3</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="c083e8d4-58b7-42e0-866b-512c552f2715" name="Navigate to Action Response" type="A

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>7dbd7da3-6673-4798-802f-fa553c1f9b93</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="1b0aeed3-5606-4f8f-a7b2-1575ad6835f3" name="Select Web API (1)" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP
</inputs>
<onsuccess>51140f33-2727-4fc4-8781-85261031cead</onsuccess>
<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>
</stage>
<stage stageid="51140f33-2727-4fc4-8781-85261031cead" name="Press Edit" type="Action">
<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c083e8d4-58b7-42e0-866b-512c552f2715</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>
</stage>
<stage stageid="7dbd7da3-6673-4798-802f-fa553c1f9b93" name="Check Action Response" type="Action"
<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```xml
<input type="text" name="Parameter" narrative="The name of the parameter." expr="&amp;quot;Test&amp;
<input type="text" name="Path" narrative="The path to the parameter." expr="&amp;quot;Test&amp;quot;"/
<input type="text" name="Data Type" narrative="The data type of the parameter." expr="&amp;quot;Text&amp;
<input type="flag" name="Expect Failure" expr="False"/>
</inputs>
<onsuccess>3dd1844b-7d86-4bbd-b218-c9dae75d1a11</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Action Response (Web API)"/>
</stage>
<stage stageid="3dd1844b-7d86-4bbd-b218-c9dae75d1a11" name="Press OK" type="Action">
<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>630bceda-65e1-4ae5-8927-05542ae6b6d0</onsuccess>
<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>
</stage>
<stage stageid="630bceda-65e1-4ae5-8927-05542ae6b6d0" name="Select Web API (2)" type="Action">
<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AP

</inputs>

<onsuccess>5fc49140-538b-41a2-a0fc-9dbc87c73a22</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="5fc49140-538b-41a2-a0fc-9dbc87c73a22" name="Press Edit" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a1b289d1-081c-40bf-b882-6ab5686dfa1e</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="a1b289d1-081c-40bf-b882-6ab5686dfa1e" name="Press OK" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d0b689a0-e6ca-4f1a-8720-cd688e9428a2</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Ok (Web API)"/>

</stage>

<stage stageid="819d8768-0592-4a79-b811-be059a8f9cc3" name="Navigate to Action Response" type="A

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Action Name" narrative="The name of the action you want to select the response

</inputs>

<onsuccess>a0317fb9-72ed-46dd-bf4b-0dd70b71b310</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select Action Response (Web API)"/>

</stage>

<stage stageid="d0b689a0-e6ca-4f1a-8720-cd688e9428a2" name="Select Web API (1)" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>90</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the Web API you want to select." expr="[Web AF

</inputs>

<onsuccess>bfbfb4b7-eae1-4a9c-95a5-964b3ff9cd3b</onsuccess>

<resource object="Blue Prism - System - Objects" action="Select (Web API)"/>

</stage>

<stage stageid="bfbfb4b7-eae1-4a9c-95a5-964b3ff9cd3b" name="Press Edit" type="Action">

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>819d8768-0592-4a79-b811-be059a8f9cc3</onsuccess>

<resource object="Blue Prism - System - Objects" action="Press Edit (Web API)"/>

</stage>

<stage stageid="a0317fb9-72ed-46dd-bf4b-0dd70b71b310" name="Check Action Response" type="Action

<subsheetid>d674de75-de64-4a63-8268-1d62c8cc8ffc</subsheetid>

```xml
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Parameter" narrative="The name of the parameter." expr="&amp;quot;Test&amp;
<input type="text" name="Path" narrative="The path to the parameter." expr="&amp;quot;Test&amp;quot;"/>
<input type="text" name="Data Type" narrative="The data type of the parameter." expr="&amp;quot;Text&amp;
<input type="flag" name="Expect Failure" expr="False"/>
</inputs>
<onsuccess>12d9e2b1-1bd3-4d62-9960-65214430615f</onsuccess>
<resource object="Blue Prism - System - Objects" action="Check Action Response (Web API)"/>
</stage>
</process>
<process name="Test Web API Connection Settings" version="1.0" bpversion="6.4.0.7430" narrative="" by
<view>
<camerax>0</camerax>
<cameray>189</cameray>
<zoom version="2">1.25</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="512be5d9-af3a-469b-aab7-158ac6951fa2" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
```

</subsheet>

<subsheet subsheetid="21e9b0c5-fb76-4ea1-a153-3a0a51ad0200" type="Normal" published="False">

<name>Check Defaults</name>

<view>

<camerax>0</camerax>

<cameray>477</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="f45a8853-b4a6-476b-a807-234b80ec3b38" type="Normal" published="False">

<name>Creating a URI</name>

<view>

<camerax>0</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6a20a516-a3fd-43a3-96aa-7d2c28293d82" type="Normal" published="False">

<name>Creating a URI with Lease Timeout</name>

<view>

<camerax>69</camerax>

<cameray>93</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="85e3374d-a310-460a-ae92-eef17d67b8f6" type="Normal" published="False">

<name>Creating a URI with Custom Settings</name>

```xml
<view>

<camerax>17</camerax>

<cameray>63</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="95f031ab-4e5e-470b-886a-fa65c144774d" type="Normal" published="False">

<name>Creating Multiple URIs</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0e88ed08-3234-4f75-97d1-4ffc2937a155" type="Normal" published="False">

<name>Default Values Validation (Lower Limits)</name>

<view>

<camerax>0</camerax>

<cameray>411</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e5452e46-ef0c-4336-ab24-a1621cc78e5e" type="Normal" published="False">

<name>Change Default Values</name>

<view>

<camerax>0</camerax>

<cameray>464</cameray>
```

```xml
<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="05b1e1bd-aad2-43d8-8f9e-8daaf0150794" type="Normal" published="False">

<name>Check Grid Validation (URI)</name>

<view>

<camerax>93</camerax>

<cameray>-13</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="240d05e1-211e-4aa8-8204-a369c09efe8c" type="Normal" published="False">

<name>Check Grid Validation (Values)</name>

<view>

<camerax>1</camerax>

<cameray>456</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c66e157c-4dd6-4699-aab5-a145a8d55936" type="Normal" published="False">

<name>Cleanup</name>

<view>

<camerax>-10</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>
```

```xml
<stage stageid="2088e182-578e-4a1d-a3b6-45981f6d2bc9" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2a2ae46e-3fd9-404b-adb9-7aa469ddcfbd</onsuccess>
</stage>
<stage stageid="8d3f15ad-bbb2-4257-9e89-572d45ed6975" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3bfa164e-6aff-446b-ab6b-0327f6c8d631" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>

<stage stageid="62dfe3c6-c686-4031-803d-751f11535028" name="Check Grid Validation (URI)" type="Su

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-315</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="20c79c00-c0de-474f-9446-e6efb7c833b7" name="Start" type="Start">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2d5bc4cc-eb22-47d5-bca9-a26153a684a4</onsuccess>

</stage>

<stage stageid="ebaf7b81-d33a-4471-8ba9-d198881cda52" name="End" type="End">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

```xml
<displayy>945</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d0d8a9e4-addc-4961-b647-2219cdeea6b2" name="Setup" type="SubSheetInfo">

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3cf38440-cd07-4381-a62e-c5316b03f1af" name="Start" type="Start">

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8b893a8a-59fc-49a6-b2f8-1296cc6fc192</onsuccess>

</stage>

<stage stageid="18248b29-e264-4fce-8b07-132fbc828e3d" name="End" type="End">
```

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="660ef2bf-9012-4de1-98a4-2cd8b619f79f" name="Creating a URI" type="SubSheetInfo">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<displayx>-135</displayx>

<displayy>-150</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f864c5fd-d8d3-44c2-b194-29017f887bbf" name="Start" type="Start">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>04278e1a-b7de-4224-b5de-2d73b909293a</onsuccess>

</stage>

<stage stageid="f2494a4d-d1d5-4555-9fdd-97040c8390aa" name="End" type="End">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2a2ae46e-3fd9-404b-adb9-7aa469ddcfbd" name="Setup" type="SubSheet">

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>964353ac-67a5-40a0-9a41-b43bcad11228</onsuccess>

<processid>512be5d9-af3a-469b-aab7-158ac6951fa2</processid>

</stage>

<stage stageid="f426d6e7-9fe2-45eb-a021-db193382b06b" name="Creating a URI" type="SubSheet">

```xml
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>69df825d-d8db-4915-be8b-72d708d18816</onsuccess>
<processid>f45a8853-b4a6-476b-a807-234b80ec3b38</processid>
</stage>
<stage stageid="1d8a2861-d5cc-437b-af13-7920e64d5039" name="Check Grid Validation (URI)" type="Su
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b6b798a2-77a1-420d-9269-d1244b025b4a</onsuccess>
<processid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</processid>
</stage>
<stage stageid="8b893a8a-59fc-49a6-b2f8-1296cc6fc192" name="Launch" type="Action">
<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b7a18ee6-976a-40c2-9743-e7950670ed93</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="b7a18ee6-976a-40c2-9743-e7950670ed93" name="Attach to System" type="Action">

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>22b830ac-f6d2-4d99-862b-80017e08c772</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="22b830ac-f6d2-4d99-862b-80017e08c772" name="Sign In" type="Action">

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

```xml
<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

<input type="flag" name="Expect Password Reset" expr=""/>

</inputs>

<onsuccess>555fe7cc-949f-4192-b8a0-4e68de33f788</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="555fe7cc-949f-4192-b8a0-4e68de33f788" name="Browse to System" type="Action">

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>31dce2ce-9881-4161-9b10-79c90f8d2b5a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
```

</stage>

<stage stageid="31dce2ce-9881-4161-9b10-79c90f8d2b5a" name="Browse to Connection Settings" type=

<subsheetid>512be5d9-af3a-469b-aab7-158ac6951fa2</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&

</inputs>

<onsuccess>18248b29-e264-4fce-8b07-132fbc828e3d</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="2f1e4b72-f28c-4a8f-acfd-6c9032a61e7e" name="pid" type="Data">

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="9ea88210-0e53-44e7-9322-7506d175ca54" name="Global Variable" type="Block">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="72531e04-7021-4d2e-abb8-8822db78fc52" name="Create URI" type="Action">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr=""/>
```

<input type="number" name="Maximum Idle Time" expr=""/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="False"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>

</inputs>

<onsuccess>05120f7d-bb6b-4b29-a88b-1d0ccb3a396b</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>

</stage>

<stage stageid="faf4435c-cc88-4ef9-927e-cff90bf2b802" name="URI" type="Data">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.matt.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="05120f7d-bb6b-4b29-a88b-1d0ccb3a396b" name="Check URI" type="Action">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>547b2473-313e-4bb8-978c-72b3d4844341</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="8fd30905-6898-415a-8965-2b95a2072850" name="Check Defaults" type="SubSheetInfo"

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-315</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="674653bb-d592-4fee-bd81-2d6dbe4b0b42" name="Start" type="Start">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0eabf6a9-3068-4e2e-9113-93ee4fefcc65</onsuccess>

</stage>

<stage stageid="dda208b5-fdc8-49b6-bcdc-5ed5c9ebfe66" name="End" type="End">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="10f49e9d-554d-42be-b676-cec2b8594468" name="Get Default Lease Timeout Checkbox

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8a8649c7-dbeb-4368-b7e7-a11daea77b52</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout Ch

</stage>

<stage stageid="86e4d640-0cf9-42b5-b124-a9aaf10f0acb" name="Checkbox State" type="Data">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<displayx>-135</displayx>

<displayy>-225</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

</stage>

<stage stageid="8a8649c7-dbeb-4368-b7e7-a11daea77b52" name="Checkbox False?" type="Decision">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Checkbox State]"/>

<ontrue>3d1ff55a-7172-4f6e-aa68-fac13fb5ad3e</ontrue>

<onfalse>2e8934dd-6ab4-4b96-bae5-5102be64a06e</onfalse>

</stage>

<stage stageid="3d1ff55a-7172-4f6e-aa68-fac13fb5ad3e" name="FAIL" type="Exception">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-180</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The deafult state for the 'Default lease timeout' checkbox was w

</stage>

<stage stageid="96670715-7f45-4866-9663-649aa78e5798" name="Local Variables" type="Block">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-255</displayy>

<displaywidth>150</displaywidth>

<displayheight>150</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```xml
</stage>

<stage stageid="964353ac-67a5-40a0-9a41-b43bcad11228" name="Check Defaults" type="SubSheet">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f426d6e7-9fe2-45eb-a021-db193382b06b</onsuccess>

<processid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</processid>

</stage>

<stage stageid="547b2473-313e-4bb8-978c-72b3d4844341" name="Save Changes" type="Action">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a479675f-a0d9-46fc-9ce7-9ee94b8f4a22</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="a479675f-a0d9-46fc-9ce7-9ee94b8f4a22" name="Browse Away" type="Action">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;Home&amp;quot

</inputs>

<onsuccess>017877c6-3445-4217-baef-c5782cc52200</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="017877c6-3445-4217-baef-c5782cc52200" name="Browse to System" type="Action">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>5607e3ac-e0ab-4fa6-b202-268a16dea825</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>
```

<stage stageid="5607e3ac-e0ab-4fa6-b202-268a16dea825" name="Browse to Connection Settings" type=

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&

</inputs>

<onsuccess>1033f774-9993-490c-ac51-0ca2b04196c0</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="1033f774-9993-490c-ac51-0ca2b04196c0" name="Check URI" type="Action">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>f2494a4d-d1d5-4555-9fdd-97040c8390aa</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="ca0601ed-03ac-4dd9-b376-fc265953cea2" name="Creating a URI with Lease Timeout" ty

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="25a632ef-2a8d-4861-87f0-316602f7d31b" name="Start" type="Start">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5e5ee42e-a427-4e21-b7f2-e5f2f3f4afaa</onsuccess>

</stage>

<stage stageid="5b04da84-38ce-480d-a52f-c411ec5deffb" name="End" type="End">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e929a841-2c07-4f36-bc06-2e6ae11687ea" name="Set Lease Timeout Checkbox" type="/

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Flag" narrative="True or False" expr="True"/>

</inputs>

<onsuccess>04627f16-7d58-4a23-9a77-befd889f77e5</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Lease Timeout Ch

</stage>

<stage stageid="04627f16-7d58-4a23-9a77-befd889f77e5" name="Get Lease Timeout Checkbox" type="A

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<displayy>-15</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6876f6a4-d2b0-4937-ad33-ff43e1ec6d18</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout Ch

</stage>

<stage stageid="4848cf54-4771-4d38-98de-12f3298a970f" name="Create URI" type="Action">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr=""/>
<input type="number" name="Maximum Idle Time" expr=""/>
<input type="number" name="Connection Lease Timeout" expr=""/>
<input type="flag" name="Set Connection Limit?" expr="False"/>
<input type="flag" name="Set Maximum Idle Time?" expr="False"/>
<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>
</inputs>
<onsuccess>105db419-5be4-4f02-b8c2-5fa000b1c849</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>
</stage>
<stage stageid="105db419-5be4-4f02-b8c2-5fa000b1c849" name="Check URI" type="Action">
<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr="2"/>
<input type="number" name="Maximum Idle Time" expr="5"/>
<input type="number" name="Connection Lease Timeout" expr="1"/>
```

```xml
<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>2262f0f7-25bf-4ace-89f5-d470d2a2930e</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="2262f0f7-25bf-4ace-89f5-d470d2a2930e" name="Save Changes" type="Action">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>08bcde52-4a9a-4b98-929c-b5f34de5675b</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="08bcde52-4a9a-4b98-929c-b5f34de5675b" name="Browse Away" type="Action">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

```xml
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;Home&amp;quot
</inputs>

<onsuccess>e99a2110-485f-48d8-8984-27ff5370c84b</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="e99a2110-485f-48d8-8984-27ff5370c84b" name="Browse to System" type="Action">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>8d4a81eb-f051-44f2-9f5e-9c49eb46c28e</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="8d4a81eb-f051-44f2-9f5e-9c49eb46c28e" name="Browse to Connection Settings" type="

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>
```

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obj

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&

</inputs>

<onsuccess>7fb83a24-1ba7-4be1-99d3-95d5ddb9777c</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="7fb83a24-1ba7-4be1-99d3-95d5ddb9777c" name="Check URI" type="Action">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="1"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>5b04da84-38ce-480d-a52f-c411ec5deffb</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="98b41b05-c725-4c51-b743-700121c6d0bd" name="Creating a URI with Custom Settings"

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3d4f31cf-5542-4017-ae58-4446fa9bd4f3" name="Start" type="Start">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<displayy>-180</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8bb87908-9c7a-47f2-88e5-d2bfda5fc32d</onsuccess>

</stage>

<stage stageid="641c21e3-d5bd-4e11-8ab5-ea84f37bf6d3" name="End" type="End">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ca502a8b-2a4e-4425-83c4-6e8aa712b19b" name="Checkbox State" type="Data">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<displayx>-135</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

</stage>

<stage stageid="29823cb7-e0ee-4ca9-8821-b372ad743a1d" name="Local Variables" type="Block">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

```xml
<displayx>-210</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="6876f6a4-d2b0-4937-ad33-ff43e1ec6d18" name="Lease Checkbox Set?" type="Decision"

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Checkbox State]"/>

<ontrue>4848cf54-4771-4d38-98de-12f3298a970f</ontrue>

<onfalse>af8e0711-f0f8-4617-919e-73fc8d385bd7</onfalse>

</stage>

<stage stageid="af8e0711-f0f8-4617-919e-73fc8d385bd7" name="FAIL" type="Exception">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The 'Default lease timeout' check was wrong, you expected Tru

</stage>

<stage stageid="276d2011-288f-41a7-9107-5f38a55e2fa7" name="Input Variables" type="Block">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f3ce94df-96ce-4b7c-99fa-8456b27a90e0" name="Input Variables" type="Block">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<displayx>-210</displayx>

<displayy>-90</displayy>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="af0708f4-9190-4658-9f28-7d8971f7d04f" name="URI" type="Data">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

```
<displayx>-135</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.bob.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d3a45504-1fd0-402b-9cce-0491ea2a07aa" name="Create URI" type="Action">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="3"/>

<input type="number" name="Maximum Idle Time" expr="6"/>

<input type="number" name="Connection Lease Timeout" expr="2"/>

<input type="flag" name="Set Connection Limit?" expr="True"/>

<input type="flag" name="Set Maximum Idle Time?" expr="True"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="True"/>
```

```
</inputs>

<onsuccess>c03507b0-fb00-47f9-82d6-bd9d8cd6d6b0</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>

</stage>

<stage stageid="c03507b0-fb00-47f9-82d6-bd9d8cd6d6b0" name="Check URI" type="Action">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="3"/>

<input type="number" name="Maximum Idle Time" expr="6"/>

<input type="number" name="Connection Lease Timeout" expr="2"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>63f09074-a439-42eb-8e8f-58a2037c7ff0</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="63f09074-a439-42eb-8e8f-58a2037c7ff0" name="Save Changes" type="Action">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<narrative>

</narrative>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2442c18b-fb28-46b8-8e1a-f3fd7792c199</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="2442c18b-fb28-46b8-8e1a-f3fd7792c199" name="Browse Away" type="Action">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;Home&quot

</inputs>

<onsuccess>9f6ab64e-8101-49d8-b0e7-7332b7474acb</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="9f6ab64e-8101-49d8-b0e7-7332b7474acb" name="Browse to System" type="Action">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>970b0832-a11e-4679-ba89-6ad0224ea61f</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="970b0832-a11e-4679-ba89-6ad0224ea61f" name="Browse to Connection Settings" type=

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&

```xml
</inputs>
<onsuccess>cb1dc0fb-116b-467d-b924-be9d9be0450d</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="cb1dc0fb-116b-467d-b924-be9d9be0450d" name="Check URI" type="Action">
<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr="3"/>
<input type="number" name="Maximum Idle Time" expr="6"/>
<input type="number" name="Connection Lease Timeout" expr="2"/>
<input type="flag" name="Expect Fail?" expr=""/>
</inputs>
<onsuccess>641c21e3-d5bd-4e11-8ab5-ea84f37bf6d3</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>
</stage>
<stage stageid="69df825d-d8db-4915-be8b-72d708d18816" name="Creating a URI with Lease Timeout" t
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>63a4be90-aa79-486e-a82b-0acd25dc9d2c</onsuccess>

<processid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</processid>

</stage>

<stage stageid="63a4be90-aa79-486e-a82b-0acd25dc9d2c" name="Creating a URI with Custom Settings"

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f7ac1331-5059-4979-a6af-57383e727094</onsuccess>

<processid>85e3374d-a310-460a-ae92-eef17d67b8f6</processid>

</stage>

<stage stageid="92bf368b-8f39-4346-9d23-bd758c2709e5" name="Input Variables" type="Block">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```xml
</stage>
<stage stageid="4478bdca-9d74-4a2b-bbef-eb9fd516b3ee" name="URI" type="Data">
<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">https://www.dave.co.uk/</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="98e49172-0382-407f-9b45-b0a077494bad" name="Create URI" type="Action">
<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI (1)]"/>
<input type="number" name="Connection Limit" expr=""/>
```

```xml
<input type="number" name="Maximum Idle Time" expr=""/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="False"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>

</inputs>

<onsuccess>fa3c7437-706f-4ef3-9dc2-3c028faf73c7</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>

</stage>

<stage stageid="fa3c7437-706f-4ef3-9dc2-3c028faf73c7" name="Check URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (1)]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="1"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>a2d74de4-7484-4da9-9a24-9599c5c1c354</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>
```

```xml
</stage>
<stage stageid="a2d74de4-7484-4da9-9a24-9599c5c1c354" name="Save Changes" type="Action">
<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expect Fail?" expr="True"/>
</inputs>
<outputs>
<output type="text" name="Error" stage="Error"/>
</outputs>
<onsuccess>26c86a4f-10c8-4c03-a556-64ad2381e3c5</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>
</stage>
<stage stageid="09aa0d14-5d4e-4170-b5b3-95a5a3a2485b" name="Input Variables" type="Block">
<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-255</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="fd2145f5-17f8-4abd-9133-2d32cb0f9f16" name="URI (1)" type="Data">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">FALSE</initialvalue>

</stage>

<stage stageid="6ba6f5f4-e378-4395-8a05-6215974ba4a5" name="Change Default Values" type="SubShe

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<displayx>-135</displayx>

<displayy>-300</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="de4b7269-4cd4-4224-b85d-56f6efef9f8f" name="Start" type="Start">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ab3b0ec6-6624-423a-9027-5867b2b65b74</onsuccess>

</stage>

<stage stageid="73a32b34-52f4-49f3-b304-9c0fb7e7f381" name="End" type="End">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>735</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="26c86a4f-10c8-4c03-a556-64ad2381e3c5" name="Error Correct?" type="Decision">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&amp;quot;Invalid uri: FALSE&amp;quot;"/>

<ontrue>82ce07fc-b1c3-4211-a406-bcf944e7da70</ontrue>

<onfalse>1156a34b-d40a-4c03-9dea-29a3123d23f5</onfalse>

</stage>

<stage stageid="da1b4f02-0c25-447b-b6f2-1e01da227480" name="Error" type="Data">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="54b5ba5d-aac3-40dd-a6f7-b1812267a4d6" name="Local Variables" type="Block">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>
```

```xml
<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1156a34b-d40a-4c03-9dea-29a3123d23f5" name="FAIL" type="Exception">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;This is not the error you're looking for: &amp;quot;[Error]"/>

</stage>

<stage stageid="c4a9f16f-81a6-4cfa-8754-849df43cc96f" name="Edit URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (1)]"/>

<input type="number" name="Connection Limit" expr=""/>

<input type="number" name="Maximum Idle Time" expr=""/>
```

```xml
<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="False"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>

<input type="flag" name="Set URI?" expr="True"/>

<input type="text" name="New URI" expr="[URI (2)]"/>

</inputs>

<onsuccess>ba57e89d-856d-4e5c-a722-ec36142857fa</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Edit URI"/>

</stage>

<stage stageid="ba57e89d-856d-4e5c-a722-ec36142857fa" name="Check URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (2)]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="1"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>963ea9ed-ca62-4b27-995b-adc8482f7520</onsuccess>
```

```xml
<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>
</stage>
<stage stageid="963ea9ed-ca62-4b27-995b-adc8482f7520" name="Save Changes" type="Action">
<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expect Fail?" expr="True"/>
</inputs>
<outputs>
<output type="text" name="Error" stage="Error"/>
</outputs>
<onsuccess>2e772062-71bb-4fd8-b72a-462b5bbeb652</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>
</stage>
<stage stageid="2e772062-71bb-4fd8-b72a-462b5bbeb652" name="Error Correct?" type="Decision">
<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&quot;Uri should be scheme and host only: https://www.false.co.uk/fals

<ontrue>ff252ad3-99aa-491e-bb20-b3aa19301451</ontrue>

<onfalse>a3e6ac4b-fcd9-4750-8901-cac7b4b08e0b</onfalse>

</stage>

<stage stageid="93da01c6-3e21-4f5b-bcdb-42bd06ed9b0b" name="URI (2)" type="Data">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.false.co.uk/false</initialvalue>

</stage>

<stage stageid="0478f869-ec18-4432-a32e-3fb96a0dc614" name="Edit URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (2)]"/>

<input type="number" name="Connection Limit" expr=""/>

<input type="number" name="Maximum Idle Time" expr=""/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="False"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>

<input type="flag" name="Set URI?" expr="True"/>

<input type="text" name="New URI" expr="[URI (3)]"/>

</inputs>

<onsuccess>dcde47e7-ef50-47b2-8396-9f77a8a0e9d6</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Edit URI"/>

</stage>

<stage stageid="dcde47e7-ef50-47b2-8396-9f77a8a0e9d6" name="Check URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (3)]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="1"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>e2914bd0-8b38-4fe1-b83a-e5ec38b13dc2</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="e2914bd0-8b38-4fe1-b83a-e5ec38b13dc2" name="Save Changes" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Expect Fail?" expr="True"/>

</inputs>

<onsuccess>4fd8926b-3df8-43f9-9e5c-b5dc4e938e50</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="4fd8926b-3df8-43f9-9e5c-b5dc4e938e50" name="Error Correct?" type="Decision">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&quot;Invalid uri: https://www.false*.co.uk/&quot;"/>

<ontrue>cffa68aa-b808-49eb-ad1b-eafb0d63df01</ontrue>

<onfalse>1f6baf23-d223-4589-9b20-2e97dfbd2a73</onfalse>

</stage>

<stage stageid="0a3b2cd3-0bbc-4108-9633-4306b5676281" name="URI (3)" type="Data">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<displayx>-135</displayx>

<displayy>-165</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.false*.co.uk/</initialvalue>

</stage>

<stage stageid="82ce07fc-b1c3-4211-a406-bcf944e7da70" name="Clear Error" type="Calculation">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7dff314b-48d1-44e7-bb03-ca5119a6a64c</onsuccess>

<calculation expression="&quot;&quot;" stage="Error"/>

</stage>

<stage stageid="ff252ad3-99aa-491e-bb20-b3aa19301451" name="Clear Error" type="Calculation">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>189fdc04-c625-4499-8ebc-75389febf100</onsuccess>

<calculation expression="&quot;&quot;" stage="Error"/>

</stage>

<stage stageid="57e12461-ecd3-4568-b023-9f5da55249dd" name="Clear Error" type="Calculation">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

```
<displayx>15</displayx>

<displayy>600</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3442d669-6e68-40fd-991a-cf361f9e1e05</onsuccess>

<calculation expression="&amp;quot;&amp;quot;" stage="Error"/>

</stage>

<stage stageid="d33f902e-58ef-4d56-a5a6-9bd29e7e4c81" name="Save Changes" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>810</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Expect Fail?" expr="True"/>

</inputs>

<outputs>

<output type="text" name="Error" stage="Error"/>

</outputs>

<onsuccess>50d7d7c0-7caa-46be-8b1a-f61ebd1facea</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="50d7d7c0-7caa-46be-8b1a-f61ebd1facea" name="Error Correct?" type="Decision">
```

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>855</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&quot;Duplicate settings for the URI 'https://www.james.co.uk/'&q

<ontrue>f68dcb33-2b6c-4700-a271-0499a0c09041</ontrue>

<onfalse>4bc102a8-cd0e-4f7e-9c6a-ed7cbef193bb</onfalse>

</stage>

<stage stageid="1c619d33-b50e-40ef-a13e-7517cd4bac71" name="URI (4)" type="Data">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.james.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="677577bd-1512-4983-9441-70debdf12873" name="Create URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (4)]"/>

<input type="number" name="Connection Limit" expr=""/>

<input type="number" name="Maximum Idle Time" expr=""/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="False"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>

</inputs>

<onsuccess>fc2e2295-786e-4fbc-8269-77da409f5e99</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>

</stage>

<stage stageid="fc2e2295-786e-4fbc-8269-77da409f5e99" name="Create URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (4)]"/>

<input type="number" name="Connection Limit" expr=""/>

<input type="number" name="Maximum Idle Time" expr=""/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="False"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>

</inputs>

<onsuccess>d33f902e-58ef-4d56-a5a6-9bd29e7e4c81</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>

</stage>

<stage stageid="f6de490a-8c97-4570-a015-cea2a53d8242" name="Change Default Values" type="SubSh

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a8e95411-ef2a-4df7-a2be-2b8e3c772609</onsuccess>

<processid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</processid>

</stage>

<stage stageid="6b96749c-6580-4ac9-9b34-bc240cdc0aa8" name="Set Default Connection Limit" type="A

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Default Connection Limit" expr="5"/>

</inputs>

<onsuccess>67dfb233-1282-4a95-93a8-7d1a4d051a1e</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Connection Limit"/

</stage>

<stage stageid="67dfb233-1282-4a95-93a8-7d1a4d051a1e" name="Get Default Connection Limit" type="A

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<displayy>-165</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c01c1a45-0792-41a0-abb9-6bae1d8e2cb3</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Connection Limit"/

</stage>

<stage stageid="63ed4221-bd7b-4731-903d-991b65d81a0b" name="Default Connection Limit" type="Data

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="c01c1a45-0792-41a0-abb9-6bae1d8e2cb3" name="Default Connection Limit Correct?" typ

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<displayy>-120</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Connection Limit]=5"/>

<ontrue>be1c49c5-2484-41ec-a1c0-c5b7c0481a91</ontrue>

```
</stage>

<stage stageid="d6651fa8-148a-4077-a7ef-b6a8e91f94ab" name="Set Maximum Idle Time" type="Action":

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Default Maximum Idle Time" expr="6"/>

</inputs>

<onsuccess>f36f2310-5a14-4db8-ba8e-464f1aae02ea</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Maximum Idle Tim

</stage>

<stage stageid="f36f2310-5a14-4db8-ba8e-464f1aae02ea" name="Get Maximum Idle Time" type="Action"

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Default Maximum Idle Time" stage="Default Maximum Idle Time"/>
```

</outputs>

<onsuccess>b481e251-6545-4146-907b-7c83712c56b6</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Maximum Idle Tim

</stage>

<stage stageid="b481e251-6545-4146-907b-7c83712c56b6" name="Maximum Idle Time Correct?" type="I

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Maximum Idle Time]=6"/>

<ontrue>7471a10f-39fb-4d25-ac3d-b624ae6d1722</ontrue>

<onfalse>6a02b9cd-6de1-4265-ab1e-9c4395ffff01</onfalse>

</stage>

<stage stageid="9025eab5-4d73-42b3-8d4c-456c84d43fca" name="Set Default Lease Timeout" type="Act

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<input type="number" name="Default Lease Timeout" expr="7"/>

</inputs>

<onsuccess>08c3a282-5399-4b1c-8761-207ad928feeb</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Lease Timeout"/>

</stage>

<stage stageid="08c3a282-5399-4b1c-8761-207ad928feeb" name="Get Default Lease Timeout" type="Act

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>34fb7bdc-51e8-4dd5-9ac5-325382942f65</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout"/>

</stage>

<stage stageid="34fb7bdc-51e8-4dd5-9ac5-325382942f65" name="Default Lease Timeout Correct?" type=

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Lease Timeout]=7"/>

<ontrue>364841d0-134e-4460-8181-ca005d9b64fe</ontrue>

<onfalse>4df3fb88-d441-4ab9-8d30-cac0ef6391c6</onfalse>

</stage>

<stage stageid="4d8435c4-d839-41d8-965d-f3da310c70db" name="Default Maximum Idle Time" type="Da

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="02dece47-04b0-4267-80c2-a751f1562290" name="Default Lease Timeout" type="Data">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

```xml
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="969b7dc6-e247-4414-9356-b8d9a15fce57" name="FAIL" type="Exception">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;The 'Default Connection Limit' wasn't set.&amp;quot;"/>

</stage>

<stage stageid="6a02b9cd-6de1-4265-ab1e-9c4395ffff01" name="FAIL" type="Exception">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<exception type="Bug" detail="&amp;quot;The 'Default Maximum Idle Time' wasn't set."/>
</stage>
<stage stageid="4df3fb88-d441-4ab9-8d30-cac0ef6391c6" name="FAIL" type="Exception">
<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>300</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The 'Default Lease Timeout' wasn't set.&amp;quot;"/>
</stage>
<stage stageid="13996a48-1c99-4c42-8d60-05a8245459bf" name="Default Values Validation (Lower Limit
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cc8765c0-5e3e-45d7-b2bc-4c3972caa709" name="Start" type="Start">
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>8c12bf33-6d4e-4514-90c6-c22599fca5af</onsuccess>

</stage>

<stage stageid="29d2f572-be5e-4bbe-9962-dd41dddd6905" name="End" type="End">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>495</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bd9b38b1-0c85-41b0-99cb-9fa82b64c1d7" name="Local Variables" type="Block">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-165</displayy>

<displaywidth>150</displaywidth>

<displayheight>120</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>
```

```xml
<stage stageid="ede8b27a-1d22-4391-863a-6053eef4e3fe" name="Create URI" type="Action">
<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr=""/>
<input type="number" name="Maximum Idle Time" expr=""/>
<input type="number" name="Connection Lease Timeout" expr=""/>
<input type="flag" name="Set Connection Limit?" expr="False"/>
<input type="flag" name="Set Maximum Idle Time?" expr="False"/>
<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>
</inputs>
<onsuccess>022c8902-43b8-4c32-95a4-45d8000254a1</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>
</stage>
<stage stageid="5709645f-02f3-42ab-b16c-7014f54aa6bd" name="URI" type="Data">
<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-210</displayy>
```

```
<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.george.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="022c8902-43b8-4c32-95a4-45d8000254a1" name="Check URI" type="Action">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="5"/>

<input type="number" name="Maximum Idle Time" expr="6"/>

<input type="number" name="Connection Lease Timeout" expr="7"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>3fb6dc79-14ac-44cf-bee8-427654d036d3</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>
```

```xml
<stage stageid="3fb6dc79-14ac-44cf-bee8-427654d036d3" name="Save Changes" type="Action">
<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6198ad6e-6041-47a5-b12b-94506942293d</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>
</stage>
<stage stageid="6198ad6e-6041-47a5-b12b-94506942293d" name="Browse Away" type="Action">
<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>555</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;Home&amp;quot
</inputs>
<onsuccess>5f9c18f1-d54c-4e48-8661-1bc38aa68fde</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
```

<stage stageid="5f9c18f1-d54c-4e48-8661-1bc38aa68fde" name="Browse to System" type="Action">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&qu

</inputs>

<onsuccess>1a892a21-e6d4-45cd-9b7d-6eabfe3f51cf</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="1a892a21-e6d4-45cd-9b7d-6eabfe3f51cf" name="Browse to Connection Settings" type="

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&

</inputs>

<onsuccess>f2d2c1f4-5d3a-41fd-aa96-eba42c6cd9db</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="467c317d-bc83-425a-8db2-40e42032c704" name="Input Variables" type="Block">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-240</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f2d2c1f4-5d3a-41fd-aa96-eba42c6cd9db" name="Check URI" type="Action">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>690</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr="5"/>
<input type="number" name="Maximum Idle Time" expr="6"/>
<input type="number" name="Connection Lease Timeout" expr="7"/>
<input type="flag" name="Expect Fail?" expr=""/>
</inputs>
<onsuccess>73a32b34-52f4-49f3-b304-9c0fb7e7f381</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>
</stage>
<stage stageid="68f80628-e3ac-4a2f-9bc5-2291ccb5b7ca" name="Set Default Connection Limit" type="Ac
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Default Connection Limit" expr="1"/>
</inputs>
<onsuccess>8b229b41-fafd-4e40-a11f-c7b9ab241c5e</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Connection Limit"/
</stage>
<stage stageid="8b229b41-fafd-4e40-a11f-c7b9ab241c5e" name="Get Default Connection Limit" type="Ac
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>45bf55ab-88cb-4240-a780-6e1df6e4f589</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Connection Limit"/

</stage>

<stage stageid="5720056a-5f97-4df4-a077-dd16ec6c042e" name="Default Connection Limit" type="Data">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<displayx>-135</displayx>

<displayy>-60</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="45bf55ab-88cb-4240-a780-6e1df6e4f589" name="Default Connection Limit Correct?" type

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Connection Limit]=2"/>

<ontrue>71bd66fb-516e-4235-811d-9957d4e19a5a</ontrue>

<onfalse>8bff8e77-ee4b-46e6-93e0-2fc3bc682134</onfalse>

</stage>

<stage stageid="5a095905-1bcf-4b1f-bd51-324680bf248c" name="Set Maximum Idle Time" type="Action":

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Default Maximum Idle Time" expr="4"/>

</inputs>

<onsuccess>144ac40e-77d3-46a3-aa26-bf0a3e03889d</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Maximum Idle Tim

```
</stage>
<stage stageid="144ac40e-77d3-46a3-aa26-bf0a3e03889d" name="Get Maximum Idle Time" type="Action
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Default Maximum Idle Time" stage="Default Maximum Idle Time"/>
</outputs>
<onsuccess>18f25004-332c-4f63-9ea5-40de3d2fd704</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Maximum Idle Tim
</stage>
<stage stageid="18f25004-332c-4f63-9ea5-40de3d2fd704" name="Maximum Idle Time Correct?" type="De
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Default Maximum Idle Time]=5"/>
<ontrue>6d5b39f6-d1b6-4de4-a550-e30848fcce47</ontrue>
```

```
<onfalse>da9bda23-60da-401e-a27c-1714a3236c84</onfalse>

</stage>

<stage stageid="17ebfa50-e833-4448-980f-9360fd7ef31f" name="Set Default Lease Timeout" type="Action

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Default Lease Timeout" expr="0"/>

</inputs>

<onsuccess>85b84f1f-c821-4a28-8c90-ed0d81d43c78</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Lease Timeout"/>

</stage>

<stage stageid="85b84f1f-c821-4a28-8c90-ed0d81d43c78" name="Get Default Lease Timeout" type="Acti

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>
```

```xml
<output type="text" name="Default Lease Timeout" stage="Default Lease Timeout"/>
</outputs>
<onsuccess>3819b407-592d-45bb-9e73-d590f8f04d55</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout"/>
</stage>
<stage stageid="3819b407-592d-45bb-9e73-d590f8f04d55" name="Default Lease Timeout Correct?" type=
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>450</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Default Lease Timeout]=1"/>
<ontrue>29d2f572-be5e-4bbe-9962-dd41dddd6905</ontrue>
<onfalse>6f13d98a-c5ea-456b-a8cf-700b89f756e1</onfalse>
</stage>
<stage stageid="c8b67b31-6275-4e58-af8d-2f259e03bd99" name="Default Maximum Idle Time" type="Da
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="11e74de6-6296-4eb4-868a-d7ffc4d6d459" name="Default Lease Timeout" type="Data">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8bff8e77-ee4b-46e6-93e0-2fc3bc682134" name="FAIL" type="Exception">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The default connection limit was too low.&amp;quot;"/>
</stage>
<stage stageid="da9bda23-60da-401e-a27c-1714a3236c84" name="FAIL" type="Exception">
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The default maximum idle was too low.&amp;quot;"/>
</stage>
<stage stageid="6f13d98a-c5ea-456b-a8cf-700b89f756e1" name="FAIL" type="Exception">
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>450</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The default connection limit was too low.&amp;quot;"/>
</stage>
<stage stageid="018bc0c2-ed5e-492d-906f-7e9034bb93ca" name="Local Variables" type="Block">
<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>
```

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="a8e95411-ef2a-4df7-a2be-2b8e3c772609" name="Default Values Validation (Lower Limit

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>610c67d2-d6a5-4c22-a676-7851cd9ef6e0</onsuccess>

<processid>0e88ed08-3234-4f75-97d1-4ffc2937a155</processid>

</stage>

<stage stageid="320a58ac-9630-4199-b735-6feaadc36d31" name="Get Default Connection Limit" type="A

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f3a30514-3344-43b5-a01d-9512071aa631</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Connection Limit",

</stage>

<stage stageid="59319fc3-d8d2-4ed6-8a67-bb6266e69602" name="Default Connection Limit" type="Data"

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<displayx>-135</displayx>

<displayy>-195</displayy>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="f3a30514-3344-43b5-a01d-9512071aa631" name="Default Connection Limit Correct?" typ

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Connection Limit]=2"/>

<ontrue>462f78b0-7b75-464d-afaa-1c5e90daa3a0</ontrue>

<onfalse>d04f7ee6-9550-4dd4-91cf-c9fe891ba9a1</onfalse>

</stage>

<stage stageid="63fd3d8a-bdc1-4720-bea9-c82170255c8b" name="Get Maximum Idle Time" type="Action

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>54d545a0-caff-40d0-a744-ed606784895e</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Maximum Idle Tim

</stage>

<stage stageid="54d545a0-caff-40d0-a744-ed606784895e" name="Maximum Idle Time Correct?" type="D

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Maximum Idle Time]=5"/>

<ontrue>578d5bb5-8729-4f23-8cdb-22370cd5380c</ontrue>

<onfalse>429ddc63-65c7-4a49-94b6-2c06e5c2946d</onfalse>

</stage>

<stage stageid="65fa6429-758c-4ac8-9926-5907c3ecac87" name="Get Default Lease Timeout" type="Act

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

</outputs>

<onsuccess>a1e96f5f-a737-4486-8ca6-78d95c5f1a38</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout"/>

</stage>

<stage stageid="a1e96f5f-a737-4486-8ca6-78d95c5f1a38" name="Default Lease Timeout Correct?" type=

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Default Lease Timeout]=1"/>

<ontrue>8a6cba14-c36e-48eb-99c7-c7b1acb8621d</ontrue>

<onfalse>d31af120-7e4c-4f8c-8512-98fb5ce26245</onfalse>

</stage>

<stage stageid="20ee56a0-af95-4d83-b83d-aee3b0f717fe" name="Default Maximum Idle Time" type="Dat

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

</stage>

<stage stageid="d463c68c-2e03-4254-ad8a-0317f9cc94e2" name="Default Lease Timeout" type="Data">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

```
<displayx>-135</displayx>

<displayy>-135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d04f7ee6-9550-4dd4-91cf-c9fe891ba9a1" name="FAIL" type="Exception">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;The 'Default connetion limit' was wrong, you expected 2, howeve

</stage>

<stage stageid="429ddc63-65c7-4a49-94b6-2c06e5c2946d" name="FAIL" type="Exception">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>150</displayy>
```

```xml
<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;The 'Maximum idle timeout' was wrong, the default should have

</stage>

<stage stageid="d31af120-7e4c-4f8c-8512-98fb5ce26245" name="FAIL" type="Exception">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>450</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;The 'Default lease timeout' default was wrong. You expected it t

</stage>

<stage stageid="3cd3cb3e-ee51-450d-9c56-f77f87cb9642" name="Set Lease Timeout Checkbox" type="A

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>270</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Flag" narrative="True or False" expr="True"/>
```

```
</inputs>

<onsuccess>3ef89f0a-ec96-485e-bba6-d2fbb6ed3de7</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Lease Timeout Ch

</stage>

<stage stageid="3ef89f0a-ec96-485e-bba6-d2fbb6ed3de7" name="Get Lease Timeout Checkbox" type="A

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Flag" narrative="The state of the checkbox." stage="Checkbox State"/>

</outputs>

<onsuccess>7da4100b-79b2-4744-b451-99292100ec4f</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout Ch

</stage>

<stage stageid="7da4100b-79b2-4744-b451-99292100ec4f" name="Lease Checkbox Set?" type="Decisio

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Checkbox State]"/>

<ontrue>65fa6429-758c-4ac8-9926-5907c3ecac87</ontrue>

<onfalse>75ca0ff8-4029-4276-a88e-babfac2ab46a</onfalse>

</stage>

<stage stageid="75ca0ff8-4029-4276-a88e-babfac2ab46a" name="FAIL" type="Exception">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>360</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The 'Default lease timeout' checkbox wasn't set correctly. You e

</stage>

<stage stageid="8a6cba14-c36e-48eb-99c7-c7b1acb8621d" name="Set Lease Timeout Checkbox" type="

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>495</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Flag" narrative="True or False" expr="False"/>

</inputs>

<onsuccess>58dc5bd3-bc9d-4378-a93a-5abb1e1d6ec6</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Lease Timeout Ch

</stage>

<stage stageid="58dc5bd3-bc9d-4378-a93a-5abb1e1d6ec6" name="Get Lease Timeout Checkbox" type="

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>540</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

</outputs>

<onsuccess>7b04b0f5-db18-4b1c-9e8d-6d0dc7f2e906</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout Ch

</stage>

<stage stageid="7b04b0f5-db18-4b1c-9e8d-6d0dc7f2e906" name="Lease Checkbox Set?" type="Decision

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>585</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;The 'Deafult lease timeout' checkbox was wrong, you expected

</stage>

<stage stageid="4c2048c5-58fb-4484-855f-f9fc291896dc" name="Save Changes" type="Action">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dda208b5-fdc8-49b6-bcdc-5ed5c9ebfe66</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

```
</stage>

<stage stageid="3ee4abe5-be5d-49a7-946d-3ed43f970f20" name="Check Grid Validation (Values)" type="

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f8202cf5-2470-4159-ae94-146946b3c71f" name="Start" type="Start">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ac7cc61a-39ad-4ffe-b9b4-b81949744605</onsuccess>

</stage>

<stage stageid="b6b798a2-77a1-420d-9269-d1244b025b4a" name="Check Grid Validation (Values)" type=

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>255</displayy>
```

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f6de490a-8c97-4570-a015-cea2a53d8242</onsuccess>

<processid>240d05e1-211e-4aa8-8204-a369c09efe8c</processid>

</stage>

<stage stageid="55e646ea-751e-4754-a269-fa78ff1a9ec6" name="Check URI" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="1"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="1"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>4a0f35c4-1e3d-48de-a751-08714bf7a484</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="cf950cc5-f6f2-46ed-9e40-659800e95f2f" name="Input Variables" type="Block">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>
```

```xml
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-90</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="b6d3182a-1a69-41c4-964e-e05c84f95099" name="Edit URI" type="Action">
<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr="2"/>
<input type="number" name="Maximum Idle Time" expr="4"/>
<input type="number" name="Connection Lease Timeout" expr=""/>
<input type="flag" name="Set Connection Limit?" expr="True"/>
<input type="flag" name="Set Maximum Idle Time?" expr="True"/>
<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>
<input type="flag" name="Set URI?" expr=""/>
<input type="text" name="New URI" expr=""/>
```

</inputs>

<onsuccess>eb58ca9a-2ac1-4b60-8fcc-fa120ca803a8</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Edit URI"/>

</stage>

<stage stageid="ab5b182a-b88d-4c04-9145-043c6a927e51" name="Edit URI" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr=""/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="0"/>

<input type="flag" name="Set Connection Limit?" expr="False"/>

<input type="flag" name="Set Maximum Idle Time?" expr="True"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="True"/>

<input type="flag" name="Set URI?" expr=""/>

<input type="text" name="New URI" expr=""/>

</inputs>

<onsuccess>ae2ef4d7-d1a2-49ff-8176-f245883b7780</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Edit URI"/>

</stage>

```xml
<stage stageid="d5a0348b-36c1-40a8-b2bd-3bc215c4fcc4" name="URI" type="Data">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">https://www.james.co.uk/</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5cdd059b-1e59-4ff2-b476-df9b26c05382" name="Delete URI" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>765</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

</inputs>

<onsuccess>99366bdd-3d64-460b-ad89-9023b81c6acd</onsuccess>
```

```
<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>
</stage>
<stage stageid="9f3c8c18-099c-41af-b220-ade5c5d87a85" name="Edit URI" type="Action">
<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="URI" expr="[URI]"/>
<input type="number" name="Connection Limit" expr="1"/>
<input type="number" name="Maximum Idle Time" expr=""/>
<input type="number" name="Connection Lease Timeout" expr=""/>
<input type="flag" name="Set Connection Limit?" expr="True"/>
<input type="flag" name="Set Maximum Idle Time?" expr="False"/>
<input type="flag" name="Set Connection Lease Timeout?" expr="False"/>
<input type="flag" name="Set URI?" expr="False"/>
<input type="text" name="New URI" expr=""/>
</inputs>
<onsuccess>55e646ea-751e-4754-a269-fa78ff1a9ec6</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Edit URI"/>
</stage>
<stage stageid="99366bdd-3d64-460b-ad89-9023b81c6acd" name="End1" type="End">
<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>810</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="cffa68aa-b808-49eb-ad1b-eafb0d63df01" name="Delete URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>555</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (3)]"/>

</inputs>

<onsuccess>57e12461-ecd3-4568-b023-9f5da55249dd</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>

</stage>

<stage stageid="f68dcb33-2b6c-4700-a271-0499a0c09041" name="Delete URI" type="Action">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>900</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI (4)]"/>

</inputs>

<onsuccess>ebaf7b81-d33a-4471-8ba9-d198881cda52</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>

</stage>

<stage stageid="eb58ca9a-2ac1-4b60-8fcc-fa120ca803a8" name="Check URI" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="4"/>

<input type="number" name="Connection Lease Timeout" expr="1"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="ae2ef4d7-d1a2-49ff-8176-f245883b7780" name="Check URI" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URI]"/>

<input type="number" name="Connection Limit" expr="2"/>

<input type="number" name="Maximum Idle Time" expr="5"/>

<input type="number" name="Connection Lease Timeout" expr="0"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>cf491f3e-0c8a-47a5-94e7-3b86d151cfe5</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="6c5f7b44-5078-45e9-b5e1-206af40d69ef" name="Error Correct?" type="Decision">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&quot;Invalid value for Connection limit: 1&quot;"/>

<ontrue>4eb676b5-9b18-43ff-b5e5-20a9554893bc</ontrue>

<onfalse>1f33b1e8-d241-40b9-9934-8fedda568ac4</onfalse>

</stage>

<stage stageid="c8642e80-9621-4457-aeb2-d0d72130aece" name="Error" type="Data">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9df8cdb4-7f32-4c08-8b46-ac4118b893ed" name="Local Variables" type="Block">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

```
<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="4eb676b5-9b18-43ff-b5e5-20a9554893bc" name="Clear Error" type="Calculation">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5947cf95-0bec-4623-b53b-6b300deacd4d</onsuccess>

<calculation expression="&amp;quot;&amp;quot;" stage="Error"/>

</stage>

<stage stageid="3d80fa48-1daa-4400-813c-eb5b2b7a1035" name="Error Correct?" type="Decision">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>375</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&amp;quot;Invalid value for Max idle time: 4&amp;quot;"/>
```

<ontrue>a823bb62-1d5b-4448-9cf0-96676459ee2c</ontrue>

<onfalse>8dd43cba-23e3-4db8-a6d6-7ba19c9ef5e1</onfalse>

</stage>

<stage stageid="a823bb62-1d5b-4448-9cf0-96676459ee2c" name="Clear Error" type="Calculation">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>420</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f5c93a2f-5ec4-4a5c-8e1b-9f1d44dca859</onsuccess>

<calculation expression="&quot;&quot;" stage="Error"/>

</stage>

<stage stageid="872b0cd0-4a8e-400b-9509-c5ed9fedb7e6" name="Error Correct?" type="Decision">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>675</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Error]=&quot;Invalid value for Connection lease timeout: 0&quot;"/>

<ontrue>ee8aa47d-c6cc-4f8e-98f0-b3efe88cc384</ontrue>

<onfalse>e0146dae-aed9-4925-9853-4dfd91bf66f8</onfalse>

</stage>

<stage stageid="ee8aa47d-c6cc-4f8e-98f0-b3efe88cc384" name="Clear Error" type="Calculation">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5cdd059b-1e59-4ff2-b476-df9b26c05382</onsuccess>

<calculation expression="&quot;&quot;" stage="Error"/>

</stage>

<stage stageid="4a0f35c4-1e3d-48de-a751-08714bf7a484" name="Save Changes" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Expect Fail?" expr="True"/>

</inputs>

<outputs>

</outputs>

<onsuccess>6c5f7b44-5078-45e9-b5e1-206af40d69ef</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="04dfa291-fbbf-457b-9d4f-0905d7d2c854" name="Save Changes" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Expect Fail?" expr="True"/>

</inputs>

<onsuccess>3d80fa48-1daa-4400-813c-eb5b2b7a1035</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="cf491f3e-0c8a-47a5-94e7-3b86d151cfe5" name="Save Changes" type="Action">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Expect Fail?" expr="True"/>

</inputs>

<onsuccess>872b0cd0-4a8e-400b-9509-c5ed9fedb7e6</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="a3e6ac4b-fcd9-4750-8901-cac7b4b08e0b" name="FAIL" type="Exception">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>210</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;This is not the error you're looking for: &quot;[Error]"/>

</stage>

<stage stageid="1f6baf23-d223-4589-9b20-2e97dfbd2a73" name="FAIL" type="Exception">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

```xml
</narrative>

<displayx>90</displayx>

<displayy>510</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;This is not the error you're looking for: &amp;quot;[Error]"/>

</stage>

<stage stageid="4bc102a8-cd0e-4f7e-9c6a-ed7cbef193bb" name="FAIL" type="Exception">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>855</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;This is not the error you're looking for: &amp;quot;[Error]"/>

</stage>

<stage stageid="e0146dae-aed9-4925-9853-4dfd91bf66f8" name="FAIL" type="Exception">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>675</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;This is not the error you're looking for: &amp;quot;[Error]"/>

</stage>

<stage stageid="8dd43cba-23e3-4db8-a6d6-7ba19c9ef5e1" name="FAIL" type="Exception">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>375</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;This is not the error you're looking for: &amp;quot;[Error]"/>

</stage>

<stage stageid="1f33b1e8-d241-40b9-9934-8fedda568ac4" name="FAIL" type="Exception">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&amp;quot;This is not the error you're looking for: &amp;quot;[Error]"/>

</stage>

<stage stageid="ac7cc61a-39ad-4ffe-b9b4-b81949744605" name="Note1" type="Note">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>
```

<narrative>Testing the lower limits for Connection Limit within the grid.</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9f3c8c18-099c-41af-b220-ade5c5d87a85</onsuccess>

</stage>

<stage stageid="5947cf95-0bec-4623-b53b-6b300deacd4d" name="Note1" type="Note">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>Testing the lower limits for Maximum Idle Time within the grid.</narrative>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b6d3182a-1a69-41c4-964e-e05c84f95099</onsuccess>

</stage>

<stage stageid="f5c93a2f-5ec4-4a5c-8e1b-9f1d44dca859" name="Note1" type="Note">

<subsheetid>240d05e1-211e-4aa8-8204-a369c09efe8c</subsheetid>

<narrative>Testing the lower limits for Connection Lease Timeout within the grid.</narrative>

<displayx>15</displayx>

<displayy>480</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ab5b182a-b88d-4c04-9145-043c6a927e51</onsuccess>

</stage>

<stage stageid="8c12bf33-6d4e-4514-90c6-c22599fca5af" name="Note1" type="Note">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>Testing the lower limits for Deafult Connection Limit.</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>68f80628-e3ac-4a2f-9bc5-2291ccb5b7ca</onsuccess>

</stage>

<stage stageid="71bd66fb-516e-4235-811d-9957d4e19a5a" name="Note1" type="Note">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>Testing the lower limits for Default Idle Time.</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5a095905-1bcf-4b1f-bd51-324680bf248c</onsuccess>

</stage>

<stage stageid="6d5b39f6-d1b6-4de4-a550-e30848fcce47" name="Note1" type="Note">

<subsheetid>0e88ed08-3234-4f75-97d1-4ffc2937a155</subsheetid>

<narrative>Testing the lower limits for Default Connection Timeout.</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

```xml
<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>17ebfa50-e833-4448-980f-9360fd7ef31f</onsuccess>

</stage>

<stage stageid="ab3b0ec6-6624-423a-9027-5867b2b65b74" name="Note1" type="Note">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>Testing the custom Deafult Connection Limit saves.</narrative>

<displayx>15</displayx>

<displayy>-270</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6b96749c-6580-4ac9-9b34-bc240cdc0aa8</onsuccess>

</stage>

<stage stageid="be1c49c5-2484-41ec-a1c0-c5b7c0481a91" name="Note1" type="Note">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>Testing the custom Default Maximum Idle Time saves.</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d6651fa8-148a-4077-a7ef-b6a8e91f94ab</onsuccess>

</stage>

<stage stageid="7471a10f-39fb-4d25-ac3d-b624ae6d1722" name="Note1" type="Note">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>Testing the custom Default Lease Timeout saves.</narrative>
```

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9025eab5-4d73-42b3-8d4c-456c84d43fca</onsuccess>

</stage>

<stage stageid="364841d0-134e-4460-8181-ca005d9b64fe" name="Note1" type="Note">

<subsheetid>e5452e46-ef0c-4336-ab24-a1621cc78e5e</subsheetid>

<narrative>Testing the custom Default values are passed into the grid.</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ede8b27a-1d22-4391-863a-6053eef4e3fe</onsuccess>

</stage>

<stage stageid="2d5bc4cc-eb22-47d5-bca9-a26153a684a4" name="Note1" type="Note">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>Testing setting a false URI.</narrative>

<displayx>15</displayx>

<displayy>-285</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>98e49172-0382-407f-9b45-b0a077494bad</onsuccess>

</stage>

<stage stageid="7dff314b-48d1-44e7-bb03-ca5119a6a64c" name="Note1" type="Note">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>Testing setting more than scheme and host.</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c4a9f16f-81a6-4cfa-8754-849df43cc96f</onsuccess>

</stage>

<stage stageid="189fdc04-c625-4499-8ebc-75389febf100" name="Note1" type="Note">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>Testing setting false characters in the URI</narrative>

<displayx>15</displayx>

<displayy>315</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0478f869-ec18-4432-a32e-3fb96a0dc614</onsuccess>

</stage>

<stage stageid="3442d669-6e68-40fd-991a-cf361f9e1e05" name="Note1" type="Note">

<subsheetid>05b1e1bd-aad2-43d8-8f9e-8daaf0150794</subsheetid>

<narrative>Testing setting duplicate URIs.</narrative>

<displayx>15</displayx>

<displayy>660</displayy>

<displaywidth>120</displaywidth>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>677577bd-1512-4983-9441-70debdf12873</onsuccess>

</stage>

<stage stageid="8bb87908-9c7a-47f2-88e5-d2bfda5fc32d" name="Note1" type="Note">

<subsheetid>85e3374d-a310-460a-ae92-eef17d67b8f6</subsheetid>

<narrative>Testing that saving a URI with custom settings works.</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>d3a45504-1fd0-402b-9cce-0491ea2a07aa</onsuccess>

</stage>

<stage stageid="5e5ee42e-a427-4e21-b7f2-e5f2f3f4afaa" name="Note1" type="Note">

<subsheetid>6a20a516-a3fd-43a3-96aa-7d2c28293d82</subsheetid>

<narrative>Testing that the Default Lease Timeout is set in the grid.</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e929a841-2c07-4f36-bc06-2e6ae11687ea</onsuccess>

</stage>

<stage stageid="04278e1a-b7de-4224-b5de-2d73b909293a" name="Note1" type="Note">

<subsheetid>f45a8853-b4a6-476b-a807-234b80ec3b38</subsheetid>

<narrative>Testing that a URI is saved into the grid. Along with the Default Connection Limit / Maximum Idl

<displayx>15</displayx>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>72531e04-7021-4d2e-abb8-8822db78fc52</onsuccess>

</stage>

<stage stageid="0eabf6a9-3068-4e2e-9113-93ee4fefcc65" name="Note1" type="Note">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>Testing that the Default Lease Timeout checkbox is set to False as deafult.</narrative>

<displayx>15</displayx>

<displayy>-285</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>10f49e9d-554d-42be-b676-cec2b8594468</onsuccess>

</stage>

<stage stageid="2e8934dd-6ab4-4b96-bae5-5102be64a06e" name="Note1" type="Note">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>Testing that the Default Connection Limit is set to 2 as default.</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>320a58ac-9630-4199-b735-6feaadc36d31</onsuccess>

</stage>

<stage stageid="462f78b0-7b75-464d-afaa-1c5e90daa3a0" name="Note1" type="Note">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>Testing that the Default Maximum Idle Time is set to 5 as default.</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>63fd3d8a-bdc1-4720-bea9-c82170255c8b</onsuccess>

</stage>

<stage stageid="578d5bb5-8729-4f23-8cdb-22370cd5380c" name="Note1" type="Note">

<subsheetid>21e9b0c5-fb76-4ea1-a153-3a0a51ad0200</subsheetid>

<narrative>Testing that the Default Lease Timeout is set to 1 as default, once the checkbox is True.</narra

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>3cd3cb3e-ee51-450d-9c56-f77f87cb9642</onsuccess>

</stage>

<stage stageid="3c00c1fd-fb27-4f7f-8b2a-513cd36ae082" name="Cleanup" type="SubSheetInfo">

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a3639977-59b0-4fd5-ba3f-3dd6dab14676" name="Start" type="Start">
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8299cc08-a63e-454f-88b6-211b570529f1</onsuccess>
</stage>
<stage stageid="dffd02c2-0b2c-46ec-91a6-d562f327b61f" name="End" type="End">
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8299cc08-a63e-454f-88b6-211b570529f1" name="Delete URI" type="Action">
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
<narrative>
</narrative>
```

```xml
<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="&amp;quot;https://www.matt.co.uk/&amp;quot;"/>

</inputs>

<onsuccess>9c027a7c-e5dd-490d-a0c6-acd2cb857be5</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>

</stage>

<stage stageid="9c027a7c-e5dd-490d-a0c6-acd2cb857be5" name="Delete URI" type="Action">

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="&amp;quot;https://www.bob.co.uk/&amp;quot;"/>

</inputs>

<onsuccess>bdaad124-bf78-4d30-9a8c-31bd7ffa6264</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>

</stage>

<stage stageid="bdaad124-bf78-4d30-9a8c-31bd7ffa6264" name="Delete URI" type="Action">
```

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="&quot;https://www.dave.co.uk/&quot;"/>

</inputs>

<onsuccess>c5d72c60-3845-47cb-871b-f641dceeb29e</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>

</stage>

<stage stageid="c5d72c60-3845-47cb-871b-f641dceeb29e" name="Delete URI" type="Action">

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="&quot;https://www.george.co.uk/&quot;"/>

</inputs>

<onsuccess>be6d2e9d-9a5e-469c-a840-3daa8251a2b5</onsuccess>

```xml
<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>
</stage>
<stage stageid="be6d2e9d-9a5e-469c-a840-3daa8251a2b5" name="Set Lease Timeout Checkbox" type="
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Flag" narrative="True or False" expr="False"/>
</inputs>
<onsuccess>afe96776-e982-43b9-aca3-9a1ee5fd89b6</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Set Default Lease Timeout Ch
</stage>
<stage stageid="afe96776-e982-43b9-aca3-9a1ee5fd89b6" name="Get Lease Timeout Checkbox" type="A
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
```

```xml
<output type="flag" name="Flag" narrative="The state of the checkbox." stage="Checkbox State"/>

</outputs>

<onsuccess>1602595e-3380-4838-a612-b770483b866f</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Get Default Lease Timeout Ch

</stage>

<stage stageid="1602595e-3380-4838-a612-b770483b866f" name="Lease Checkbox Set?" type="Decisio

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Checkbox State]"/>

<ontrue>c8cafc55-9ede-40a0-a74a-e6c171a83eb9</ontrue>

<onfalse>ff2e46bb-5579-4793-bf8e-0594e38aae60</onfalse>

</stage>

<stage stageid="c8cafc55-9ede-40a0-a74a-e6c171a83eb9" name="FAIL" type="Exception">

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>210</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```xml
<exception type="Bug" detail="&amp;quot;The 'Deafult lease timeout' checkbox was wrong, you expected
</stage>
<stage stageid="ff2e46bb-5579-4793-bf8e-0594e38aae60" name="Save Changes" type="Action">
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dffd02c2-0b2c-46ec-91a6-d562f327b61f</onsuccess>
<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>
</stage>
<stage stageid="610c67d2-d6a5-4c22-a676-7851cd9ef6e0" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8d3f15ad-bbb2-4257-9e89-572d45ed6975</onsuccess>
<processid>c66e157c-4dd6-4699-aab5-a145a8d55936</processid>
</stage>
<stage stageid="f75652cf-2654-4b85-a84d-a5d21c63dc4a" name="Checkbox State" type="Data">
<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>
```

```xml
<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a92390e6-43a5-4b7c-9898-eb923bdb6bf3" name="Local Variables" type="Block">

<subsheetid>c66e157c-4dd6-4699-aab5-a145a8d55936</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="c5737387-5f29-48a8-a247-1867452c9df5" name="Creating Multiple URIs" type="SubShe

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="69094218-d71c-41cb-befc-7807c73e686c" name="Start" type="Start">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1738595e-2ae3-4805-877a-0e885b5e7ce2</onsuccess>

</stage>

<stage stageid="fef0baa1-f94e-42ec-9d96-1ccda2becb9e" name="End" type="End">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eff9da07-5666-4232-8f9d-9c64e7565728" name="URIs" type="Collection">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<collectioninfo>

<field name="URI" type="text"/>

<field name="Connection Limit" type="number"/>

<field name="Maximum Idle Time" type="number"/>

<field name="Connection Lease Timeout" type="number"/>

</collectioninfo>

<initialvalue>

<row>

<field name="URI" type="text" value="https://www.1.co.uk/"/>

<field name="Connection Limit" type="number" value="10"/>

<field name="Maximum Idle Time" type="number" value="11"/>

<field name="Connection Lease Timeout" type="number" value="12"/>

</row>

<row>

<field name="URI" type="text" value="https://www.2.co.uk/"/>

<field name="Connection Limit" type="number" value="13"/>

```xml
<field name="Maximum Idle Time" type="number" value="14"/>

<field name="Connection Lease Timeout" type="number" value="15"/>

</row>

<row>

<field name="URI" type="text" value="https://www.3.co.uk/"/>

<field name="Connection Limit" type="number" value="16"/>

<field name="Maximum Idle Time" type="number" value="17"/>

<field name="Connection Lease Timeout" type="number" value="18"/>

</row>

</initialvalue>

</stage>

<stage stageid="f7ac1331-5059-4979-a6af-57383e727094" name="Creating Multiple URIs" type="SubShe

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1d8a2861-d5cc-437b-af13-7920e64d5039</onsuccess>

<processid>95f031ab-4e5e-470b-886a-fa65c144774d</processid>

</stage>

<stage stageid="76940e8d-490c-463a-b5b5-77f10e755be6" name="URIs" type="LoopStart">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>92189d04-b124-4393-a380-551ad3573074</onsuccess>

<groupid>b1d978ec-bd17-49cf-8902-43abc38f8e26</groupid>

<looptype>ForEach</looptype>

<loopdata>URIs</loopdata>

</stage>

<stage stageid="7fe66924-7532-4eed-8f6a-f2d8f8e48b84" name="URIs" type="LoopEnd">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```xml
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URIs.URI]"/>

<input type="number" name="Connection Limit" expr="[URIs.Connection Limit]"/>

<input type="number" name="Maximum Idle Time" expr="[URIs.Maximum Idle Time]"/>

<input type="number" name="Connection Lease Timeout" expr="[URIs.Connection Lease Timeout]"/>

<input type="flag" name="Set Connection Limit?" expr="True"/>

<input type="flag" name="Set Maximum Idle Time?" expr="True"/>

<input type="flag" name="Set Connection Lease Timeout?" expr="True"/>

</inputs>

<onsuccess>35ebe7a8-649b-4477-8329-66d356d415bf</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Create URI"/>

</stage>

<stage stageid="35ebe7a8-649b-4477-8329-66d356d415bf" name="Check URI" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URIs.URI]"/>

<input type="number" name="Connection Limit" expr="[URIs.Connection Limit]"/>
```

```xml
<input type="number" name="Maximum Idle Time" expr="[URIs.Maximum Idle Time]"/>

<input type="number" name="Connection Lease Timeout" expr="[URIs.Connection Lease Timeout]"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>7fe66924-7532-4eed-8f6a-f2d8f8e48b84</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="ba604f54-3240-4e22-9346-f9cab8379b17" name="Save Changes" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>86e18757-f0f9-44bb-b759-30384feea4ac</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="86e18757-f0f9-44bb-b759-30384feea4ac" name="Browse Away" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```xml
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;Home&amp;quot

</inputs>

<onsuccess>2d83b4c7-92e5-4dfc-98dc-9ca910c61afd</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="2d83b4c7-92e5-4dfc-98dc-9ca910c61afd" name="Browse to System" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu

</inputs>

<onsuccess>531208c1-4a79-48c0-bd69-2669eaeb6b7d</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="531208c1-4a79-48c0-bd69-2669eaeb6b7d" name="Browse to Connection Settings" type=

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

<displayy>255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Obje

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;We

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&

</inputs>

<onsuccess>14c5e271-3b99-46dc-91a6-38e96a3cc66e</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="14c5e271-3b99-46dc-91a6-38e96a3cc66e" name="URIs" type="LoopStart">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>bfd56656-40e7-4a36-ad50-de8a9673febb</onsuccess>

<groupid>9b9254ea-9162-4837-a803-28dd58d18c0b</groupid>

<looptype>ForEach</looptype>

<loopdata>URIs</loopdata>

</stage>

<stage stageid="1186c146-7248-4974-99c7-576f076d0c9f" name="URIs" type="LoopEnd">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URIs.URI]"/>

<input type="number" name="Connection Limit" expr="[URIs.Connection Limit]"/>

<input type="number" name="Maximum Idle Time" expr="[URIs.Maximum Idle Time]"/>

<input type="number" name="Connection Lease Timeout" expr="[URIs.Connection Lease Timeout]"/>

<input type="flag" name="Expect Fail?" expr=""/>

</inputs>

<onsuccess>1186c146-7248-4974-99c7-576f076d0c9f</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

<stage stageid="1738595e-2ae3-4805-877a-0e885b5e7ce2" name="Note1" type="Note">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>Testing the Multiple URIs get saved in one block.</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>76940e8d-490c-463a-b5b5-77f10e755be6</onsuccess>

</stage>

<stage stageid="fb252dac-f296-4ab7-a821-17527f701d0d" name="Input Variables" type="Block">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="7db89218-9288-456e-8b47-95857abc8ba5" name="Note1" type="Note">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>Testing the Multiple URIs get saved in one block.</narrative>

<displayx>165</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>05ad2a33-91a5-4990-94e9-128de572813a</onsuccess>

</stage>

<stage stageid="839836e2-444d-4dc9-8141-17e508c55bd7" name="Anchor1" type="Anchor">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e24c3a47-f9fa-483e-a14d-d37ddd515d7e</onsuccess>

</stage>

<stage stageid="e24c3a47-f9fa-483e-a14d-d37ddd515d7e" name="Anchor2" type="Anchor">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7db89218-9288-456e-8b47-95857abc8ba5</onsuccess>

</stage>

<stage stageid="05ad2a33-91a5-4990-94e9-128de572813a" name="URIs" type="LoopStart">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f879e914-ab20-4f41-a098-c5f9690b3e2d</onsuccess>

<groupid>309a1087-f420-47c1-a46e-39abe9aebd07</groupid>

<looptype>ForEach</looptype>

<loopdata>URIs</loopdata>

</stage>

<stage stageid="627ead22-44e0-4f8d-a942-f6c57837ac82" name="URIs" type="LoopEnd">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b7de6283-0cdd-44df-b92a-b379d231dff9</onsuccess>

<groupid>309a1087-f420-47c1-a46e-39abe9aebd07</groupid>

</stage>

<stage stageid="f879e914-ab20-4f41-a098-c5f9690b3e2d" name="Delete URI" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URIs.URI]"/>

</inputs>

<onsuccess>627ead22-44e0-4f8d-a942-f6c57837ac82</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Delete URI"/>

</stage>

<stage stageid="b7de6283-0cdd-44df-b92a-b379d231dff9" name="Save Changes" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<resource object="Blue Prism - System - Web Connection Settings" action="Save URI Changes"/>

</stage>

<stage stageid="c7fc15c8-9e2f-4ab4-840f-5e70902ec9ef" name="Browse Away" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;Home&quot

</inputs>

<onsuccess>f9c9ff68-796a-485d-a484-ae4883266a38</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="f9c9ff68-796a-485d-a484-ae4883266a38" name="Browse to System" type="Action">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>97191120-1fdd-46ad-8b42-3b26545c82de</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="97191120-1fdd-46ad-8b42-3b26545c82de" name="Browse to Connection Settings" type=
<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Obje
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;We
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
<input type="text" name="Sub Item Name" narrative="Name of the sub item to be clicked on." expr="&amp;
</inputs>
<onsuccess>67c02bb4-84d2-4734-a860-5a7807afd619</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="67c02bb4-84d2-4734-a860-5a7807afd619" name="URIs" type="LoopStart">
```

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6bb8664d-b3df-4043-9db7-3554eae81eff</onsuccess>

<groupid>e4fa3bd2-fd6d-4c9b-8057-4ffa815cd049</groupid>

<looptype>ForEach</looptype>

<loopdata>URIs</loopdata>

</stage>

<stage stageid="6184ffc0-ecd7-4871-adbd-2af8ae9898f6" name="URIs" type="LoopEnd">

<subsheetid>95f031ab-4e5e-470b-886a-fa65c144774d</subsheetid>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fef0baa1-f94e-42ec-9d96-1ccda2becb9e</onsuccess>

<groupid>e4fa3bd2-fd6d-4c9b-8057-4ffa815cd049</groupid>

</stage>

<stage stageid="6bb8664d-b3df-4043-9db7-3554eae81eff" name="Check URI" type="Action">

```xml
<narrative>

</narrative>

<displayx>165</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="URI" expr="[URIs.URI]"/>

<input type="number" name="Connection Limit" expr=""/>

<input type="number" name="Maximum Idle Time" expr=""/>

<input type="number" name="Connection Lease Timeout" expr=""/>

<input type="flag" name="Expect Fail?" expr="True"/>

</inputs>

<onsuccess>6184ffc0-ecd7-4871-adbd-2af8ae9898f6</onsuccess>

<resource object="Blue Prism - System - Web Connection Settings" action="Check URI"/>

</stage>

</process>

</Root>
```