```
<?xml version='1.0' encoding='UTF-8'?>
<Root>
coress name="Utility - Image Manipulation" version="6.7.0.0" narrative="Utility methods for analysing anal
<appdef>
<element name="Application Root">
<id>373c66fe-ed50-4347-8826-961c605c36a2</id>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="5afcdaf5-28c3-4fa9-9c82-296be88ed2bf" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
```

```
<subsheet subsheetid="770f130d-2233-4b18-b427-a6b2068004c9" type="Normal" published="True">
<name>Image is White</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="58ce2146-7428-4658-8368-0a657b4650b8" type="Normal" published="True">
<name>Image Contains Colour</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="51f754b0-95a4-49ae-8911-4df231659481" type="Normal" published="True">
<name>Image Is Uniform Colour</name>
<view>
<camerax>0</camerax>
<cameray>-42</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6" type="Normal" published="True">
<name>Get Sub Image Position</name>
<view>
```

```
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="1415e255-6251-4f44-84a2-9def682b5033" type="Normal" published="True">
<name>Find First Pixel From Left</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="86993a9b-04d3-4088-97b9-173ee7ae96e5" type="Normal" published="True">
<name>Find First Pixel From Bottom</name>
<view>
<camerax>154</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="260695ce-598a-45da-857b-faaf399998a1" type="Normal" published="False">
<name>Find First Pixel From Direction</name>
<view>
<camerax>97</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
```

```
</view>
</subsheet>
<stage stageid="1682a9b9-5e52-4020-9af1-4903109033fc" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c42f55e8-f668-45da-b9d4-c31d1674ded1</onsuccess>
</stage>
<stage stageid="c42f55e8-f668-45da-b9d4-c31d1674ded1" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6a2af24c-7a9d-4380-b981-d03dd8ae1334" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
<import>System.IO</import>
<import>System.XML</import>
<import>Microsoft.VisualBasic</import>
</imports>
<language>visualbasic</language>
<globalcode>
</globalcode>
<code>
Public Function GetDataTable(ByVal ColumnNamesCSV As String, ByVal ColumnTypesCSV As String) As
```

Dim objTable As DataTable

Dim objColumn As DataColumn

Dim aColumnNames As String() = ColumnNamesCSV.Split(",")

```
Dim aColumnTypes As String() = ColumnTypesCSV.Split(",")
Try
objTable = New DataTable
For i As Integer = 0 To aColumnNames.Length - 1
objColumn = New DataColumn
objColumn.DataType = System.Type.GetType(aColumnTypes(i).Trim)
objColumn.ColumnName = aColumnNames(i).Trim
objTable.Columns.Add(objColumn)
Next
Catch e As Exception
objTable = nothing
End Try
Return objTable
End Function
</code>
</stage>
<stage stageid="ac71c3ed-405e-43d0-90d0-40a5cbc70038" name="Clean Up" type="SubSheetInfo">
<subsheetid>5afcdaf5-28c3-4fa9-9c82-296be88ed2bf</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2466cb5f-eb76-43fb-8eb4-6c9abc075131" name="Start" type="Start">
<subsheetid>5afcdaf5-28c3-4fa9-9c82-296be88ed2bf</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e18f9486-056a-4f45-af10-ebf4fe0dfaa8</onsuccess>
</stage>
<stage stageid="e18f9486-056a-4f45-af10-ebf4fe0dfaa8" name="End" type="End">
<subsheetid>5afcdaf5-28c3-4fa9-9c82-296be88ed2bf</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7edd516c-669b-4090-8945-e74489e05155" name="new" type="Note">
```

```
<subsheetid>5afcdaf5-28c3-4fa9-9c82-296be88ed2bf</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="55619304-07ca-4697-a7ec-4ab708a96063" name="new" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
```



```
</stage>
<stage stageid="989c9452-a94a-4dd7-bd86-c6108901a496" name="Image is White" type="SubSheetInfo"
<subsheetid>770f130d-2233-4b18-b427-a6b2068004c9</subsheetid>
<narrative>Determines whether the supplied image is all white
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="50daf261-a2c1-4a71-b422-c3930b774d87" name="Start" type="Start">
<subsheetid>770f130d-2233-4b18-b427-a6b2068004c9</subsheetid>
<loginhibit/>
onditions>
<condition narrative="None"/>
onditions>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" narrative="The image to check" stage="Image"/>
</inputs>
<onsuccess>e3a5956c-32d6-4363-8c93-10a8d6654be2</onsuccess>
```

```
</stage>
<stage stageid="055b2548-e116-4bfa-9d08-e32e53324111" name="End" type="End">
<subsheetid>770f130d-2233-4b18-b427-a6b2068004c9</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="flag" name="White" narrative="True if the image is white" stage="White"/>
</outputs>
</stage>
<stage stageid="e3a5956c-32d6-4363-8c93-10a8d6654be2" name="Image Is White" type="Code">
<subsheetid>770f130d-2233-4b18-b427-a6b2068004c9</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" expr="[Image]"/>
</inputs>
```

```
<outputs>
<output type="flag" name="White" stage="White"/>
</outputs>
<onsuccess>055b2548-e116-4bfa-9d08-e32e53324111
<code>
Dim c as System.Drawing.Color
White = False
For y As Integer = 0 To Image. Height - 1
For x As Integer = 0 To Image.Width - 1
c = Image.GetPixel(x, y)
If c.Name <&gt; "ffffffff" Then
White = False
Exit Sub
End If
Next
Next
White = True</code>
</stage>
<stage stageid="d5332b0b-0700-4136-a598-1e2d5679bcd1" name="Image" type="Data">
<subsheetid>770f130d-2233-4b18-b427-a6b2068004c9</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d109ed4d-380e-4c12-82c7-bdcc50b8fd73" name="White" type="Data">
<subsheetid>770f130d-2233-4b18-b427-a6b2068004c9</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="806e2448-b127-47af-82cf-20a97d90299e" name="Image Contains Colour" type="SubShe
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<narrative>Determines whether the specified colour is contained in the image.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
```

<displayheight>90</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="99d72a81-ce2e-4def-b84a-69a636b594f5" name="Start" type="Start">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<loginhibit/>
onditions>
<condition narrative="None."/>
conditions>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" narrative="The image to check" stage="Image"/>
<input type="text" name="Test Colour" narrative="The colour to check for in the hexadecimal format AARR
</inputs>
<onsuccess>d485eeca-314d-47ab-88d7-da0d7a86bfc1</onsuccess>
</stage>
<stage stageid="8ee84eda-d89e-44be-9a93-9d421c786b4a" name="End" type="End">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="flag" name="Contains Colour" stage="Contains Colour"/>
</outputs>
</stage>
<stage stageid="d485eeca-314d-47ab-88d7-da0d7a86bfc1" name="Image Contains Colour" type="Code">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" expr="[Image]"/>
<input type="text" name="Test Colour" expr="[Test Colour]"/>
</inputs>
<outputs>
<output type="flag" name="Contains Colour" stage="Contains Colour"/>
</outputs>
<onsuccess>8ee84eda-d89e-44be-9a93-9d421c786b4a</onsuccess>
<code>'First Validate the input colour
```

If Test_Colour.Length = 8

For Each ch as Char In Test_Colour.ToCharArray() If Not char.IsNumber(ch) Then Dim IsValidChar As Boolean = False For Each ValidChar As Char In New Char() {"A", "B", "C", "D", "E", "F"} If char.ToUpper(ch).Equals(ValidChar) Then IsValidChar = True Exit For End If Next If Not IsValidChar Then Throw New ArgumentException("The supplied test colour " & amp; amp; Test_Colour & amp; amp; " is not v End If End If Next End If Dim c as System.Drawing.Color Contains Colour = False For y As Integer = 0 To Image.Height - 1 For x As Integer = 0 To Image.Width - 1c = Image.GetPixel(x, y)If c.Name.ToUpper() = Test_Colour.ToUpper() Then Contains_Colour = True Exit Sub End If

```
Next
Next
</code>
</stage>
<stage stageid="3ff3d56c-4233-4e9b-9707-f9c463efcc9e" name="Image" type="Data">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1b1064cd-42e6-4418-b77c-ed32265cec51" name="Black" type="Data">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="44c80ec6-4258-4d28-b48b-6d5b5793b82f" name="Test Colour" type="Data">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e65c1106-cd95-4665-b535-7c767f58f68a" name="Get Sub Image Position" type="SubSh
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<narrative>Finds whether the main image contains a sub image, and if found gives the X,Y coordinates of
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="a7e30009-84a0-48b0-b4ee-8ac3f7e18719" name="Start" type="Start">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Main Image" narrative="The image to check" stage="Main Image"/>
<input type="image" name="Potential SubImage" narrative="The image to check for" stage="Potential Sub
</inputs>
<onsuccess>9581a702-c064-4ee6-a892-a8f051d39872
</stage>
<stage stageid="1d937619-473b-4d9b-b9bc-03d10e8e426a" name="End" type="End">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<outputs>
<output type="number" name="X Index" narrative="The X location of the sub image" stage="X Index"/>
<output type="number" name="Y Index" narrative="The Y location of the sub image" stage="Y Index"/>
<output type="flag" name="Contained" narrative="True if the main image contains the sub image" stage="0"</p>
</outputs>
</stage>
<stage stageid="9581a702-c064-4ee6-a892-a8f051d39872" name="Detect Partial Image" type="Code">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Potential SubImage" expr="[Potential SubImage]"/>
<input type="image" name="Main Image" expr="[Main Image]"/>
</inputs>
<outputs>
<output type="number" name="X Index" stage="X Index"/>
<output type="number" name="Y Index" stage="Y Index"/>
<output type="flag" name="Contained" stage="Contained"/>
</outputs>
<onsuccess>1d937619-473b-4d9b-b9bc-03d10e8e426a</onsuccess>
<code>Contained = False
```

Dim bmPartial as Bitmap = ctype(Potential_SubImage, bitmap) Dim bmCaptured as bitmap = ctype(Main_Image, bitmap) Dim i As Integer = 0 Dim j As Integer = 0 For i = 0 to bmCaptured.Width - bmPartial.Width For j = 0 to bmCaptured.Height - bmPartial.Height Dim IsSubImage as Boolean = True For x as integer = 0 to bmpartial.width -1 For y as integer = 0 to bmpartial.height -1 If bmCaptured.GetPixel(i+x,j+y).ToArgb() <> bmPartial.GetPixel(x,y).ToArgb() IsSubImage = False Goto NextAnchor End If Next Next NextAnchor: If IsSubImage Then $X_{Index} = i$ $Y_Index = j$ Contained = True Exit Sub End If

Next

```
X_{Index} = -1
Y Index = -1
Contained = False</code>
</stage>
<stage stageid="d6454be3-1f6d-4dd6-94f7-383bb306ffad" name="Contained" type="Data">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="514ea927-ab73-447d-87c7-f7647125551e" name="Y Index" type="Data">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b055c12d-48c3-493e-8a96-d403e783e2af" name="X Index" type="Data">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="52799220-2f09-48da-9a90-bec11811733e" name="Potential SubImage" type="Data">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="843e698a-2e6a-4acc-bdc0-55f88a76e265" name="Main Image" type="Data">
<subsheetid>52a8e75a-abe2-40d1-9aaf-8c4df1ed37d6</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="dfbd8a53-c386-4e12-b484-0f3052db4f61" name="Contains Colour" type="Data">
<subsheetid>58ce2146-7428-4658-8368-0a657b4650b8</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
```

```
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="fff62d3f-8e87-40c1-92ef-39744dd31d71" name="Find First Pixel From Left" type="SubShi
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<narrative>Finds the index of the first column of pixels from the left, containing a pixel of the specified colo
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0aa9c991-2445-4945-8be2-1dad98e7048d" name="Start" type="Start">
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Colour" narrative="The colour of interest, expressed as AARRGGBB in hex form
<input type="image" name="Image" narrative="The image to be examined." stage="Image"/>
<input type="flag" name="Invert Logic" narrative="When true, the first pixel NOT equal to the specified cold
</inputs>
<onsuccess>095a4aaf-717c-4e5b-8fd7-6dbd5dc391b4</onsuccess>
</stage>
<stage stageid="f4be1535-44d7-41de-b71c-e998382198ac" name="End" type="End">
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="First Pixel Index" narrative="The index of the first pixel from the left of the c</p>
</outputs>
</stage>
<stage stageid="30a1f8e8-5c67-4cb4-8602-f7782964129d" name="Colour" type="Data">
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f8e53b21-c678-4135-85a2-cab7c67da67a" name="Image" type="Data">
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="45be70b4-d30a-40ad-a1e1-cd8b0566b289" name="First Pixel Index" type="Data">
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<narrative>
</narrative>
```

```
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="0f8e4bbb-e816-4a9e-a972-3ab769d9239c" name="Invert Logic" type="Data">
<subsheetid>1415e255-6251-4f44-84a2-9def682b5033</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="bcdb71aa-15c6-440a-a006-c2a5f32d9343" name="Find First Pixel From Direction" type="
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<narrative>Finds the index of the first row or column of pixels from the given direction, containing a pixel of
```

```
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="44f28f15-0b20-4c21-83f1-cc7f80092cdd" name="Start" type="Start">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Colour" narrative="The colour of interest, expressed as AARRGGBB in hex form
<input type="image" name="Image" narrative="The image to be examined." stage="Image"/>
<input type="flag" name="Invert Logic" narrative="When true, the first pixel NOT equal to the specified cold
<input type="text" name="Direction" narrative="The direction to search from - Left, Right, Top, Bottom" stage
</inputs>
<onsuccess>4d5132e6-f382-4bd7-97c9-69e7c58f5a7d</onsuccess>
</stage>
<stage stageid="b79ccae7-75cc-4bcc-84f4-749e4f82a147" name="Colour" type="Data">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f67e7eff-7bcf-4c31-88a5-980e2f495d23" name="Image" type="Data">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="9c15ce02-d385-407a-965a-1794ec504bea" name="Invert Logic" type="Data">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
```


```
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d20f9712-8c03-4fb2-a7ea-6d03460bcf03" name="Direction" type="Data">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4d5132e6-f382-4bd7-97c9-69e7c58f5a7d" name="Find First Pixel" type="Code">
```

```
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" expr="[Image]"/>
<input type="text" name="Test Colour" expr="[Colour]"/>
<input type="flag" name="Invert Logic" expr="[Invert Logic]"/>
<input type="text" name="Direction" expr="[Direction]"/>
</inputs>
<outputs>
<output type="number" name="FirstPixelIndex" stage="First Pixel Index"/>
</outputs>
<onsuccess>e8fcf813-e125-4a62-aef5-3009e3839408</onsuccess>
<code>'First Validate the input colour
If Test_Colour.Length = 8
For Each ch as Char In Test_Colour.ToCharArray()
If Not char.IsNumber(ch) Then
Dim IsValidChar As Boolean = False
For Each ValidChar As Char In New Char() {"A", "B", "C", "D", "E", "F"}
If char.ToUpper(ch).Equals(ValidChar) Then
IsValidChar = True
Exit For
```



```
StartYIndex = 0
EndYIndex = Image.Height - 1
Case "Top"
StartXIndex = 0
EndXIndex = Image.Width - 1
StartYIndex = 0
EndYIndex = Image.Height - 1
Case "Bottom"
StartXIndex = 0
EndXIndex = Image.Width - 1
StartYIndex = Image.Height - 1
EndYIndex = 0
Case Else
Throw New ApplicationException("Invalid Direction - " & Direction)
End Select
If StartXIndex > EndXIndex Then XStep = -1
If StartYIndex > EndYIndex Then YStep = -1
If Direction = "Left" OrElse Direction = "Right" Then
For x As Integer = StartXIndex To EndXIndex Step XStep
For y As Integer = StartYIndex To EndYIndex Step YStep
c = Image.GetPixel(x, y)
Dim Match As Boolean = c.Name.ToUpper() = Test_Colour.ToUpper()
If (Match AndAlso Not Invert_Logic) OrElse (Not Match AndAlso Invert_Logic) Then
FirstPixeIIndex = x
```

EndXIndex = 0



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Colour" narrative="The colour of interest, expressed as AARRGGBB in hex form
<input type="image" name="Image" narrative="The image to be examined." expr="[Image]"/>
<input type="flag" name="Invert Logic" narrative="When true, the first pixel NOT equal to the specified cold
<input type="text" name="Direction" narrative="The direction to search from - Left, Right, Top, Bottom" exp
</inputs>
<outputs>
<output type="number" name="First Pixel Index" narrative="The index of the first pixel from the left of the c</p>
</outputs>
<onsuccess>f4be1535-44d7-41de-b71c-e998382198ac</onsuccess>
cessid>260695ce-598a-45da-857b-faaf399998a1/processid>
</stage>
<stage stageid="e8fcf813-e125-4a62-aef5-3009e3839408" name="End" type="End">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="First Pixel Index" narrative="The index of the first pixel from the left of the c</p>
</outputs>
</stage>
```

```
<stage stageid="8b653267-9f22-4a6c-98a5-1786802aacb3" name="First Pixel Index" type="Data">
<subsheetid>260695ce-598a-45da-857b-faaf399998a1</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="abc37893-2948-4e5a-a928-8d3ff9d1caf0" name="Find First Pixel From Bottom" type="Su
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<narrative>Finds the index of the first row of pixels from the bottom, containing a pixel of the specified colo
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="507e6b7e-f58f-4a64-bfa2-0208fb1f4b5b" name="Start" type="Start">
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Colour" narrative="The colour of interest, expressed as AARRGGBB in hex form
<input type="image" name="Image" narrative="The image to be examined." stage="Image"/>
<input type="flag" name="Invert Logic" narrative="When true, the first pixel NOT equal to the specified cold
</inputs>
<onsuccess>9587f833-3c43-452e-b0fc-44f0b23ee385</onsuccess>
</stage>
<stage stageid="5ad5e976-e5ca-431c-af3a-5413c033f7eb" name="End" type="End">
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="First Pixel Index" narrative="The index of the first pixel from the left of the c</p>
</outputs>
</stage>
```

```
<stage stageid="324d4eab-2e2c-4221-a15d-675362686388" name="Colour" type="Data">
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a4ac85c2-9007-4dfc-85b5-c41fc2651643" name="Image" type="Data">
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="28a2bbe9-b996-4f50-9391-bf205a1f3d75" name="First Pixel Index" type="Data">
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e22ee215-2ceb-4749-8cfd-0bc744f8597f" name="Invert Logic" type="Data">
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="9587f833-3c43-452e-b0fc-44f0b23ee385" name="Find First Pixel From Direction" type="$
<subsheetid>86993a9b-04d3-4088-97b9-173ee7ae96e5</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Colour" narrative="The colour of interest, expressed as AARRGGBB in hex form
<input type="image" name="Image" narrative="The image to be examined." expr="[Image]"/>
<input type="flag" name="Invert Logic" narrative="When true, the first pixel NOT equal to the specified cold
<input type="text" name="Direction" narrative="The direction to search from - Left, Right, Top, Bottom" exp
</inputs>
<outputs>
<output type="number" name="First Pixel Index" narrative="The index of the first pixel from the left of the c</p>
</outputs>
<onsuccess>5ad5e976-e5ca-431c-af3a-5413c033f7eb</onsuccess>
cessid>260695ce-598a-45da-857b-faaf399998a1/processid>
</stage>
<stage stageid="fb7b0b1d-6ad3-42ae-abf7-ae9c71c9000e" name="Image Is Uniform Colour" type="SubSl
<subsheetid>51f754b0-95a4-49ae-8911-4df231659481</subsheetid>
<narrative>Determines whether the image contains a single colour or not
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3f18bf6a-8403-4cb1-8086-38e576dcb2a5" name="Start" type="Start">
<subsheetid>51f754b0-95a4-49ae-8911-4df231659481</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" narrative="The image to test for uniform colour" stage="Image"/>
</inputs>
<onsuccess>bec769bc-c01b-43ba-875b-cb97cb2f090a</onsuccess>
</stage>
<stage stageid="bd709bcc-53a9-4ff8-abc5-a3b2a5f45b6c" name="End" type="End">
<subsheetid>51f754b0-95a4-49ae-8911-4df231659481</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="flag" name="Uniform" narrative="True if the image contains a single colour (regardless of wheeless of the image).</p>
</outputs>
</stage>
<stage stageid="bec769bc-c01b-43ba-875b-cb97cb2f090a" name="Is Uniform" type="Code">
<subsheetid>51f754b0-95a4-49ae-8911-4df231659481</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="image" name="Image" expr="[Image]"/>
</inputs>
<outputs>
<output type="flag" name="Uniform" stage="Uniform"/>
</outputs>
<onsuccess>bd709bcc-53a9-4ff8-abc5-a3b2a5f45b6c/onsuccess>
<code>' Assume uniform
Uniform = True
```

```
' An empty image is (sort of) uniform
If Image.Size = Size.Empty Then Return
' Get the argb value of the origin
Dim argb as Integer = Image.GetPixel(0,0).ToArgb()
' And check each pixel against that value
For y As Integer = 0 To Image. Height - 1
For x As Integer = 0 To Image.Width - 1
If Image.GetPixel(x, y).ToArgb() <&gt; argb Then
Uniform = False
Return
End If
Next
Next
</code>
</stage>
<stage stageid="8428e08f-f97f-4e39-880e-9a0b8c32e364" name="Image" type="Data">
<subsheetid>51f754b0-95a4-49ae-8911-4df231659481</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="8d1707e3-f291-4617-b0c7-083b8834d748" name="Uniform" type="Data">
<subsheetid>51f754b0-95a4-49ae-8911-4df231659481</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
</process>
color="0.7.0.0" bpversion="6.0.0.0" narrative="An object for parsing JS0
<appdef>
<element name="Application Root">
<id>8f20ac0c-296f-43c3-b0d9-59b5b2b7da1c</id>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
```

```
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="6a9ccb5a-8cc3-44ac-b343-39680558062f" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="560472b9-cea4-41d5-bc36-c49d6c1b26e6" type="Normal" published="True">
<name>Collection to JSON</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e5aeb4cb-cd25-4535-b3be-b46681b4e6b6" type="Normal" published="True">
<name>JSON to Collection</name>
```

```
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e53062c7-68de-4763-b37a-456688d0d607" type="Normal" published="True">
<name>JSON to Collection (skipping JArray)</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="222ee4c2-914e-4b2b-8e13-443c1c76b3dd" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ff6524a3-da73-439c-a4ba-2aabb994009c</onsuccess>
</stage>
<stage stageid="ff6524a3-da73-439c-a4ba-2aabb994009c" name="End" type="End">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7fd071f3-6769-4dd5-95cf-a911c73c42ff" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
<reference>Newtonsoft.Json.dll</reference>
<reference>System.Core.dll</reference>
</references>
<imports>
<import>System.Data</import>
<import>System.Drawing</import>
<import>Newtonsoft.Json</import>
```

```
<import>System.Collections.Generic</import>
<import>System.Text</import>
<import>System.IO</import>
<import>System</import>
<import>Newtonsoft.Json.Ling</import>
<import>System.Collections</import>
<import>System.Linq</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code> Private Class JSON
Public Const Array As String = "JSON:Array"
Public Const Null As String = "JSON:Null"
End Class
Private mUseNewParseMethod As Boolean
Public Function ConvertToJSON(ByVal dt As DataTable) As String
Dim o As Object = SerialiseGeneric(dt, True)
Return JsonConvert.SerializeObject(o)
End Function
Public Function SerialiseGeneric(ByVal o As Object, ByVal removeArray As Boolean) As Object
Dim dt As DataTable = TryCast(o, DataTable)
If dt IsNot Nothing Then
Return SerialiseDataTable(dt)
End If
```


Dim dr As DataRow = TryCast(o, DataRow) If dr IsNot Nothing Then Return SerialiseDataRow(dr, removeArray) End If Dim s As String = TryCast(o, String) If s IsNot Nothing AndAlso s = JSON.Null Then Return Nothing End If If o IsNot Nothing Then Return o End If Return Nothing **End Function** Public Function SerialiseDataTable(ByVal dt As DataTable) As Object If IsSingleRow(dt) Then Return SerialiseGeneric(dt.Rows(0), False) Else Dim ja As New JArray() For Each r As DataRow In dt.Rows ja.Add(SerialiseGeneric(r, True)) Next Return ja

End If **End Function** Public Function IsSingleRow(ByVal dt As DataTable) As Boolean If dt.ExtendedProperties.Contains("SingleRow") Then Return CBool(dt.ExtendedProperties("SingleRow")) End If 'Fallback for older versions of blueprism Return dt.Rows.Count = 1 End Function Public Function SerialiseDataRow(ByVal dr As DataRow, ByVal removeArray As Boolean) As Object Dim jo As New JObject() For Each c As DataColumn In dr. Table. Columns Dim s As String = c.ColumnName If removeArray AndAlso s = JSON.Array Then Return SerialiseGeneric(dr(s), True) End If jo(s) = JToken.FromObject(SerialiseGeneric(dr(s), False)) Next Return jo End Function Public Function ConvertToDataTable(ByVal json As String) As DataTable Dim o As Object = JsonConvert.DeserializeObject(json)

Return DirectCast(DeserialiseGeneric(o, True), DataTable)

End Function

```
Private Function DeserialiseGeneric(ByVal o As Object, ByVal populate As Boolean) As Object
Dim a As JArray = TryCast(o, JArray)
If a IsNot Nothing Then
Return If(mUseNewParseMethod,
DeserialiseArrayWithoutJArray(a, populate),
DeserialiseArray(a, populate)
End If
Dim jo As JObject = TryCast(o, JObject)
If jo IsNot Nothing Then
Return DeserialiseObject(jo, populate)
End If
Dim jv As JValue = TryCast(o, JValue)
If jv IsNot Nothing Then
Return jv. Value
End If
Return JSON.Null
End Function
Private Function GetKey(ByVal kv As KeyValuePair(Of String, JToken)) As String
If kv.Key IsNot Nothing Then
Return kv.Key.ToString()
End If
```




For Each e As Object In jarr If first Is Nothing Then first = GetTypeOf(DeserialiseGeneric(e, False)) End If If GetTypeOf(DeserialiseGeneric(e, False)) IsNot first Then Throw New Exception("Data Type mismatch in array") End If Next Dim columns As New Specialized.OrderedDictionary() Dim allTypesInColumnsMatch = jarr.All(Function(e) If Not TypeOf e Is JObject Then Return False For Each pair As KeyValuePair(Of String, JToken) In DirectCast(e, JObject) Dim val As Object = pair. Value If TypeOf val Is JValue Then val = CType(val, JValue). Value Dim tp = If(val, CObj("")).GetType() If columns.Contains(pair.Key) Then If tp <> columns(pair.Key) Then Return False Else columns(pair.Key) = tp End If Next Return True

End Function

```
)
```

If allTypesInColumnsMatch Then For Each pair As DictionaryEntry In columns Dim key As String = CStr(pair.Key) Dim tp as Type = CType(pair.Value, Type) If tp = GetType(JObject) OrElse tp = GetType(JArray) Then dt.Columns.Add(key, GetType(DataTable)) Else dt.Columns.Add(key, tp) End If Next Elself first IsNot Nothing Then dt.Columns.Add(JSON.Array, first) End If If populate Then For Each e As Object In jarr Dim dr As DataRow = dt.NewRow() If allTypesInColumnsMatch Then For Each pair As KeyValuePair(Of String, JToken) In DirectCast(e, JObject) dr(pair.Key) = DeserialiseGeneric(pair.Value, True) Next Else dr(JSON.Array) = DeserialiseGeneric(e, True) End If



```
dt.Rows.Add(dr)
Next
End If
Return dt
End Function
Private Function GetTypeOf(ByVal o As Object) As Type
If o Is Nothing Then Return GetType(String)
Return o.GetType
End Function</code>
</stage>
<stage stageid="c290e7f4-b01b-4012-9422-044432a3cc82" name="Clean Up" type="SubSheetInfo">
<subsheetid>6a9ccb5a-8cc3-44ac-b343-39680558062f</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="662f70f7-7036-462d-b9bf-f35265dd971a" name="Start" type="Start">
<subsheetid>6a9ccb5a-8cc3-44ac-b343-39680558062f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>153f4275-2acd-48a5-b6e6-409fcb2441a8</onsuccess>
</stage>
<stage stageid="153f4275-2acd-48a5-b6e6-409fcb2441a8" name="End" type="End">
<subsheetid>6a9ccb5a-8cc3-44ac-b343-39680558062f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="885aaf30-a216-44c5-975b-ca58ce02f815" name="JSON to Collection" type="SubSheetIn
<subsheetid>e5aeb4cb-cd25-4535-b3be-b46681b4e6b6</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="e5625896-d966-4a10-aa39-2e85611f490f" name="Start" type="Start">
<subsheetid>e5aeb4cb-cd25-4535-b3be-b46681b4e6b6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" stage="json"/>
</inputs>
<onsuccess>779de445-0658-4a45-a1ef-a38d6de24429</onsuccess>
</stage>
<stage stageid="66526e3e-8b9e-4452-9ca8-f70baa9aec4a" name="End" type="End">
<subsheetid>e5aeb4cb-cd25-4535-b3be-b46681b4e6b6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
```

```
<output type="collection" name="Result" stage="Result"/>
</outputs>
</stage>
<stage stageid="007e04e2-4ed0-4afd-87d3-c06d79f48d86" name="new" type="Note">
<subsheetid>6a9ccb5a-8cc3-44ac-b343-39680558062f</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d92fd7fc-b028-457a-a14a-17d66c4b5513" name="new" type="Note">
```

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

<narrative>Initialise Page

You will not be able to call this action from a business process, nor will it be called at any other time than a -180displayx>-180

```
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="779de445-0658-4a45-a1ef-a38d6de24429" name="JSON To Collection" type="Code">
<subsheetid>e5aeb4cb-cd25-4535-b3be-b46681b4e6b6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" expr="[json]"/>
</inputs>
<outputs>
<output type="collection" name="result" stage="Result"/>
</outputs>
<onsuccess>66526e3e-8b9e-4452-9ca8-f70baa9aec4a</onsuccess>
<code>result = ConvertToDataTable(json)</code>
</stage>
<stage stageid="da3984e5-ce52-4649-81c5-a71d452a5ba0" name="json" type="Data">
<subsheetid>e5aeb4cb-cd25-4535-b3be-b46681b4e6b6</subsheetid>
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="0e93e91c-85e1-4c75-b74c-52d08c0724e6" name="Collection to JSON" type="SubSheetI
<subsheetid>560472b9-cea4-41d5-bc36-c49d6c1b26e6</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c10fccbd-439b-447d-908a-58f20a540146" name="Start" type="Start">
<subsheetid>560472b9-cea4-41d5-bc36-c49d6c1b26e6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Data" stage="Data"/>
</inputs>
<onsuccess>7923115c-5283-4694-b2c1-142afb4d3788</onsuccess>
</stage>
<stage stageid="ede1f653-07f1-42eb-8616-8d2d3dfb5244" name="End" type="End">
<subsheetid>560472b9-cea4-41d5-bc36-c49d6c1b26e6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="JSON" stage="JSON"/>
</outputs>
</stage>
<stage stageid="8f488472-d2dd-4bbc-a98e-07d6a494ab3f" name="Result" type="Collection">
<subsheetid>e5aeb4cb-cd25-4535-b3be-b46681b4e6b6</subsheetid>
<narrative>
</narrative>
```

```
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="7923115c-5283-4694-b2c1-142afb4d3788" name="Collection To JSON" type="Code">
<subsheetid>560472b9-cea4-41d5-bc36-c49d6c1b26e6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="data" expr="[Data]"/>
</inputs>
<outputs>
<output type="text" name="json" stage="JSON"/>
</outputs>
<onsuccess>ede1f653-07f1-42eb-8616-8d2d3dfb5244</onsuccess>
```

<code>json = convertToJSON(data)</code>

```
</stage>
<stage stageid="dbeac687-55ba-4b1a-9e9b-1a5f1e763886" name="Data" type="Collection">
<subsheetid>560472b9-cea4-41d5-bc36-c49d6c1b26e6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="60425486-0e54-4004-afef-6ccb7e96828d" name="JSON" type="Data">
<subsheetid>560472b9-cea4-41d5-bc36-c49d6c1b26e6</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="68820997-9906-40ef-b5f3-325f6f0a25b9" name="JSON to Collection (skipping JArray)" ty
<subsheetid>e53062c7-68de-4763-b37a-456688d0d607</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="14799289-a9b9-4b93-aeb6-f0240547be63" name="Start" type="Start">
<subsheetid>e53062c7-68de-4763-b37a-456688d0d607</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" stage="json"/>
</inputs>
<onsuccess>8cb729e4-705c-400b-8d1d-0b54dd51fb94</onsuccess>
</stage>
```

```
<stage stageid="21187841-67f3-4ed1-a3b0-de763bb1e801" name="End" type="End">
<subsheetid>e53062c7-68de-4763-b37a-456688d0d607</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
</stage>
<stage stageid="8cb729e4-705c-400b-8d1d-0b54dd51fb94" name="JSON To Collection Without JArray" ty
<subsheetid>e53062c7-68de-4763-b37a-456688d0d607</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" expr="[json]"/>
</inputs>
```

```
<outputs>
<output type="collection" name="result" stage="Result"/>
</outputs>
<onsuccess>21187841-67f3-4ed1-a3b0-de763bb1e801
<code>Try
mUseNewParseMethod = True
result = ConvertToDataTable(json)
Finally
mUseNewParseMethod = False
End Try</code>
</stage>
<stage stageid="b3a37b86-f505-4522-80d4-2c9e45ab723c" name="json" type="Data">
<subsheetid>e53062c7-68de-4763-b37a-456688d0d607</subsheetid>
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="98ca8a8f-1ce6-4cb7-85e6-9fff8b1b06f9" name="Result" type="Collection">
<subsheetid>e53062c7-68de-4763-b37a-456688d0d607</subsheetid>
```

```
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
</process>
coress name="Utility - Locking" version="6.7.0.0" narrative="Manages locks on items" type="object" runions
<appdef>
<element name="Application Root">
<type>Application</type>
<basetype>Application/basetype>
<id>82d60e0b-a672-4083-9bd7-8e211227ca88</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
```

```
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="1a46f257-7bd7-4c79-bd2f-45b93d4946c4" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="42312858-7074-4e68-9a5f-062306c0f439" type="Normal" published="False">
<name>Sleep</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="8528e309-fa4d-4abc-8eb3-26c087288eab" type="Normal" published="False">
<name>Add to Dictionary</name>
<view>
<camerax>0</camerax>
<cameray>-42</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="83a1957b-e164-4408-ba12-8b16b686769e" type="Normal" published="False">
```

```
<name>Item ID from Dictionary</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea" type="Normal" published="False">
<name>Remove From Dictionary</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="e5d65eae-43e9-4bb2-ab20-3b349d092cde" type="Normal" published="True">
<name>Set Up Queue Item</name>
<view>
<camerax>52</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="39b8267a-c473-4c70-9460-929811e434fa" type="Normal" published="True">
<name>Lock Item</name>
<view>
<camerax>0</camerax>
```

```
<cameray>63</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="36e6ed40-192f-48c3-b17d-75284ac86507" type="Normal" published="True">
<name>Release Lock</name>
<view>
<camerax>0</camerax>
<cameray>-12</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="4d026044-83a8-46cc-b296-0c959bc5e5d7" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3e6bb003-f4c5-4058-b741-5212a895333e</onsuccess>
</stage>
<stage stageid="3e6bb003-f4c5-4058-b741-5212a895333e" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="57eff6f3-2ec4-4e8e-85b8-bd6879776adf" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
</imports>
<language>visualbasic</language>
<globalcode>
```

</globalcode>

```
<code>
</code>
</stage>
<stage stageid="15251a4b-1d73-44b9-8f11-b1c4ec9f66ec" name="Clean Up" type="SubSheetInfo">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="39a54109-be85-4fa0-9277-be774e014636" name="Start" type="Start">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9e29024a-8bc5-4c26-bfc1-84718bffa45e</onsuccess>
</stage>
<stage stageid="87c0b1e6-31ce-4621-828a-34ab36550644" name="End" type="End">
```

```
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="111cac05-9154-4afa-b31d-eb508673a9b0" name="Lock Item" type="SubSheetInfo">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<narrative>
</narrative>
<displayx>-285</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2521be69-56c7-4ed2-9fb8-22bf8e1648e3" name="Start" type="Start">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" stage="Item Key"/>
<input type="timespan" name="Timeout" stage="Timeout"/>
</inputs>
<onsuccess>5cbfd3da-5948-4ab5-a12b-edd4e136c358</onsuccess>
</stage>
<stage stageid="c160feaa-d779-416d-abf1-9d2bb47e6dbf" name="End" type="End">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="16dacabe-90cb-49ec-b92a-d64489365f8b" name="new" type="Note">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

```
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bab68dee-ef0a-4be4-a4d3-9e9da3957066" name="new" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="05a8ceb2-ae87-49ef-85fe-ec9536b97075" name="Open Items" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
```

```
<displayy>-90</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
<field name="Item ID" type="text"/>
<field name="Item Key" type="text"/>
</collectioninfo>
<initialvalue/>
</stage>
<stage stageid="33af5ea1-b0d3-47ec-b089-13184ebd08e0" name="Item Key" type="Data">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="d998e15c-8b94-409a-b6ad-b4dae95bc9df" name="Get Item" type="Action">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite</p>
</outputs>
<onsuccess>35d1273e-3be2-4fe6-83be-522926fadc68</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="54e2c328-04e8-4fb6-8548-42c669beb749" name="Item ID" type="Data">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="35d1273e-3be2-4fe6-83be-522926fadc68" name="Got Item?" type="Decision">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] & amp; It; & amp; quot; & amp; quot; & amp; quot; "/>
<ontrue>e78a5aec-1060-4cdd-a5d0-c2b8395aaba0</ontrue>
<onfalse>b02e7823-0c34-4fea-8022-2882e82d664d</onfalse>
</stage>
<stage stageid="4f49c4f9-1e51-4aa1-8a76-8abc120603d8" name="Timeout" type="Data">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5cbfd3da-5948-4ab5-a12b-edd4e136c358" name="Start Time" type="Calculation">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d998e15c-8b94-409a-b6ad-b4dae95bc9df</onsuccess>
<calculation expression="Now()" stage="Start Time"/>
</stage>
<stage stageid="c70f3cf5-eee8-4003-a131-d5aee4a99d04" name="Start Time" type="Data">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="b02e7823-0c34-4fea-8022-2882e82d664d" name="Timeout?" type="Decision">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="Now() - [Start Time] & amp;gt; [Timeout]"/>
<ontrue>db49422e-e45f-4fab-9db2-fb2809324db1</ontrue>
<onfalse>bf796355-10ec-4a81-9611-e24aaf4b96ad/onfalse>
</stage>
<stage stageid="db49422e-e45f-4fab-9db2-fb2809324db1" name="Exception1" type="Exception">
```

```
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Timeout" detail="&amp;quot;Timeout waiting for lock on item &amp;quot; &amp;amp; [Ite
</stage>
<stage stageid="a1dc34be-2e67-4fa5-97e3-d7affd6a57c5" name="Release Lock" type="SubSheetInfo">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1864dc01-a33d-476f-ae3e-9805cbeba629" name="End" type="End">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>360</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d37980d2-ef9d-4eba-b19c-132e54820e11" name="Start" type="Start">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" narrative="The key of the item to be unlocked." stage="Item Key"/>
<input type="flag" name="Error If Not Locked" narrative="Indicates whether an exception should be thrown
</inputs>
<onsuccess>e5483d20-dd67-42ef-818e-d76532b29c78</onsuccess>
</stage>
<stage stageid="d2f70992-f51d-48dd-812e-20833826148c" name="Item Key" type="Data">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-75</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="cd5f7ea8-65cf-4863-86bd-418c6b8829ef" name="Defer" type="Action">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the item to defer" expr="[Item ID]"/>
<input type="datetime" name="Until" narrative="When to resume processing the case" expr="Now()"/>
</inputs>
<onsuccess>e1fb1183-a056-464c-ba69-15758a7fcd25</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Defer"/>
</stage>
<stage stageid="c3bef86c-67cd-43f8-9aea-b2e4739c05b6" name="Add to Dictionary" type="SubSheetInfo
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="40aa852d-4b23-46bb-9253-1488fb8b354d" name="Start" type="Start">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" stage="Item ID"/>
<input type="text" name="Item Key" stage="Item Key"/>
</inputs>
<onsuccess>8f6cd284-a33c-4c26-a7c1-f3bdc8923224
</stage>
<stage stageid="7dda72be-3705-4754-aac7-1f95b4d32748" name="End" type="End">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="714dd282-2b54-40d7-af90-c36297545521" name="Item ID" type="Data">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="66ef757e-0135-4bd6-8f21-842b2187a698" name="Item Key" type="Data">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
```

```
<displayy>-225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d7494916-850e-4c20-9dbb-85ba3228cc7b" name="New Row" type="Action">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>3f280f88-002a-4640-ba99-22bebe7a3eaa</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="3f280f88-002a-4640-ba99-22bebe7a3eaa" name="Values" type="MultipleCalculation">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7dda72be-3705-4754-aac7-1f95b4d32748</onsuccess>
<steps>
<calculation expression="[Queue Name]" stage="Open Items.Queue Name"/>
<calculation expression="[Item ID]" stage="Open Items.Item ID"/>
<calculation expression="[Item Key]" stage="Open Items.Item Key"/>
</steps>
</stage>
<stage stageid="8c30cc6c-4a86-454f-a784-e24f0b6ff488" name="Item ID from Dictionary" type="SubShee
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c8f3da09-c811-4603-ae08-6cfe820fd3e7" name="End" type="End">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Item ID" stage="Item ID"/>
</outputs>
</stage>
<stage stageid="5057e223-f43a-41ed-97ac-20690eebab74" name="Start" type="Start">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" stage="Item Key"/>
</inputs>
<onsuccess>d64df9a9-78c4-4223-a35b-f118ca59983d
</stage>
```

```
<stage stageid="088dfb80-76dd-4b6b-ae66-cf783120ee66" name="Item Key" type="Data">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d64df9a9-78c4-4223-a35b-f118ca59983d" name="For Each Open Item" type="LoopStart"
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1754c5bb-6679-4128-ad40-755da99d1ec8</onsuccess>
<groupid>a635c1d6-d740-46dd-b312-be07394f26f8</groupid>
<looptype>ForEach</looptype>
```

```
<loopdata>Open Items</loopdata>
</stage>
<stage stageid="5e528a74-f5b8-47a7-8b2a-3794e087bdc0" name="Next Item" type="LoopEnd">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b2f39e11-2c3a-4768-9d44-e761229f3563</onsuccess>
<groupid>a635c1d6-d740-46dd-b312-be07394f26f8</groupid>
</stage>
<stage stageid="1754c5bb-6679-4128-ad40-755da99d1ec8" name="Match?" type="Decision">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Queue Name] = [Open Items.Queue Name]&amp;#xA;and&amp;#xA;[Item Key] =</pre>
<ontrue>c86a166c-7f6b-4a4b-bd16-7bb0906a20b9</ontrue>
```

```
<onfalse>5e528a74-f5b8-47a7-8b2a-3794e087bdc0</onfalse>
</stage>
<stage stageid="c86a166c-7f6b-4a4b-bd16-7bb0906a20b9" name="Item ID" type="Calculation">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c8f3da09-c811-4603-ae08-6cfe820fd3e7</onsuccess>
<calculation expression="[Open Items.Item ID]" stage="Item ID"/>
</stage>
<stage stageid="5108897d-c72d-4ecb-ae4d-0648f60376a0" name="Item ID" type="Data">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="b2f39e11-2c3a-4768-9d44-e761229f3563" name="No Item ID" type="Calculation">
<subsheetid>83a1957b-e164-4408-ba12-8b16b686769e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c8f3da09-c811-4603-ae08-6cfe820fd3e7</onsuccess>
<calculation expression="&amp;quot;&amp;quot;" stage="Item ID"/>
</stage>
<stage stageid="8f6cd284-a33c-4c26-a7c1-f3bdc8923224" name="Item ID from Dictionary" type="SubShe
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" expr="[Item Key]"/>
```

```
</inputs>
<outputs>
<output type="text" name="Item ID" stage="Existing Item ID"/>
</outputs>
<onsuccess>95c667e2-8cbd-4291-ae4f-94eb517a9def</onsuccess>
</stage>
<stage stageid="95c667e2-8cbd-4291-ae4f-94eb517a9def" name="Found?" type="Decision">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Existing Item ID] & amp; It; & amp; quot; & amp; quot; & amp; quot; "/>
<ontrue>614ed257-6f55-4089-867c-96421e2b0419</ontrue>
<onfalse>d7494916-850e-4c20-9dbb-85ba3228cc7b</onfalse>
</stage>
<stage stageid="614ed257-6f55-4089-867c-96421e2b0419" name="Exception2" type="Exception">
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Configuration Exception" detail="&amp;quot;ltem already in dictionary&amp;quot;"/>
</stage>
<stage stageid="896364b1-4496-4352-aa9c-eac86009ca25" name="Remove From Dictionary" type="Sub$
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0a3d611e-b91b-4bc2-ad08-6d929bd269ac" name="End" type="End">
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>315</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8676ddad-16f2-4cf3-8266-8b63a17f8403" name="Start" type="Start">
```

```
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" stage="Item ID"/>
</inputs>
<onsuccess>4b7a0b18-7cda-42eb-bc69-a597134fbfaa/onsuccess>
</stage>
<stage stageid="4b7a0b18-7cda-42eb-bc69-a597134fbfaa" name="For Each Open Item" type="LoopStart"
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ee41e21c-e09a-4b4f-b8dd-97033565112d</onsuccess>
<groupid>82873f9f-1a34-4c5b-bfa5-be57a7b164ca</groupid>
<looptype>ForEach</looptype>
```

```
<loopdata>Open Items</loopdata>
</stage>
<stage stageid="aaa9472f-5e88-4761-a259-9873d005dcdc" name="Next Item" type="LoopEnd">
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0fe6e637-f2c6-4abb-b52c-6289220a09c7</onsuccess>
<groupid>82873f9f-1a34-4c5b-bfa5-be57a7b164ca</groupid>
</stage>
<stage stageid="ee41e21c-e09a-4b4f-b8dd-97033565112d" name="Match?" type="Decision">
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] = [Open Items.Item ID]"/>
<ontrue>0d0e2595-c251-40c4-b39d-5e9f56059121</ontrue>
```

```
<onfalse>aaa9472f-5e88-4761-a259-9873d005dcdc</onfalse>
</stage>
<stage stageid="0d0e2595-c251-40c4-b39d-5e9f56059121" name="Remove" type="Action">
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>0a3d611e-b91b-4bc2-ad08-6d929bd269ac</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove Row"/>
</stage>
<stage stageid="0fe6e637-f2c6-4abb-b52c-6289220a09c7" name="Exception3" type="Exception">
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<exception type="Configuration Exception" detail="&amp;quot;Item not found in dictionary - cannot remove
</stage>
<stage stageid="9e29024a-8bc5-4c26-bfc1-84718bffa45e" name="For Each Open Item" type="LoopStart":
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4b70d5d8-9e1b-4512-82d3-5a0caa734af3
<groupid>3bf3236f-3bfa-40fc-9051-944759b72a2e</groupid>
<looptype>ForEach</looptype>
<loopdata>Open Items</loopdata>
</stage>
<stage stageid="fc58b778-a789-4610-b7a5-708a3c23b94e" name="Next Item" type="LoopEnd">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>87c0b1e6-31ce-4621-828a-34ab36550644</onsuccess>
<groupid>3bf3236f-3bfa-40fc-9051-944759b72a2e</groupid>
</stage>
<stage stageid="e5483d20-dd67-42ef-818e-d76532b29c78" name="Item ID from Dictionary" type="SubSh
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" expr="[Item Key]"/>
</inputs>
<outputs>
<output type="text" name="Item ID" stage="Item ID"/>
</outputs>
<onsuccess>11bd4f89-e683-41b8-b23d-02f8b8118c6e</onsuccess>
</stage>
<stage stageid="11bd4f89-e683-41b8-b23d-02f8b8118c6e" name="Found?" type="Decision">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] &amp;It;&amp;gt; &amp;quot;&amp;quot;"/>
<ontrue>829f6373-71f3-4343-96c1-4680faab683d</ontrue>
<onfalse>25f0a550-b572-4b48-b8e6-bcebfe8f8118</onfalse>
</stage>
<stage stageid="829f6373-71f3-4343-96c1-4680faab683d" name="Remove from Dictionary" type="SubSh
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" expr="[Item ID]"/>
</inputs>
<onsuccess>cd5f7ea8-65cf-4863-86bd-418c6b8829ef</onsuccess>
</stage>
<stage stageid="5833d13d-bd66-4ad9-940c-c2aad4ddf980" name="Item ID" type="Data">
<subsheetid>88d6eef4-e4f7-4016-92b5-b8bc7d7fdfea</subsheetid>
```

```
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a4933b59-eaee-453d-b741-0aee31bd074c" name="Exception4" type="Exception">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<narrative>
</narrative>
<displayx>315</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Configuration Exception" detail="&amp;quot;Cannot release item - not found in dictionary</p>
</stage>
<stage stageid="e78a5aec-1060-4cdd-a5d0-c2b8395aaba0" name="Add to Dictionary" type="SubSheet">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" expr="[Item ID]"/>
<input type="text" name="Item Key" expr="[Item Key]"/>
</inputs>
<onsuccess>c160feaa-d779-416d-abf1-9d2bb47e6dbf</onsuccess>
</stage>
<stage stageid="4b70d5d8-9e1b-4512-82d3-5a0caa734af3" name="Release Lock" type="SubSheet">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" narrative="The key of the item to be unlocked." expr="[Open Items.Ite
<input type="flag" name="Error If Not Locked" narrative="Indicates whether an exception should be thrown
</inputs>
```

```
<onsuccess>fc58b778-a789-4610-b7a5-708a3c23b94e</onsuccess>
</stage>
<stage stageid="b29013ba-5063-4886-bc8e-0fc8fe6fb74e" name="Block1" type="Block">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-45</displayy>
<displaywidth>390</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7ad977a4-0f4b-45fc-a818-b69374095fe3" name="Recover1" type="Recover">
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>238fd8a4-ff09-4b06-baea-14be9f8fca84</onsuccess>
</stage>
<stage stageid="238fd8a4-ff09-4b06-baea-14be9f8fca84" name="Resume1" type="Resume">
```

```
<subsheetid>1a46f257-7bd7-4c79-bd2f-45b93d4946c4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fc58b778-a789-4610-b7a5-708a3c23b94e</onsuccess>
</stage>
<stage stageid="816c64fd-5a60-47d2-874b-33581ac0543e" name="Item ID" type="Data">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ee098ccb-a35b-4685-bb52-ee13c3660d92" name="Set Up Queue Item" type="SubSheet
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b8994811-1221-4a60-87b2-e56a2756d291" name="Start" type="Start">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Key" narrative="The item key of the queue item to be created" stage="Item
<input type="flag" name="Ignore If Exists" narrative="When true, no action will be taken if the item already
</inputs>
<onsuccess>70adba11-0d37-43f4-b072-341e8a9fba5f</onsuccess>
</stage>
<stage stageid="3b2b4fff-7d48-432e-ba91-490ab36cca33" name="End" type="End">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="47da8e0c-3b3d-42ec-8508-ad5fe754f37b" name="Item Key" type="Data">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-165</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">PAS Login</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="68cf6ffe-3681-4cd2-b271-fb898bdd8638" name="Data" type="Collection">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>330</displayx>
<displayy>135</displayy>
<displaywidth>210</displaywidth>
<displayheight>120</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Key" type="text"/>
</collectioninfo>
<initialvalue/>
</stage>
<stage stageid="6ee915bc-4ec5-4fc3-b1e6-90c710aa3719" name="New Row" type="Action">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
```

```
<onsuccess>e4c91440-fe42-4e9b-a593-2d086a254ff6</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="e4c91440-fe42-4e9b-a593-2d086a254ff6" name="Values" type="Calculation">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>418995c9-f69b-4a21-a58a-b5896d8824f2</onsuccess>
<calculation expression="[Item Key]" stage="Data.Item Key"/>
</stage>
<stage stageid="418995c9-f69b-4a21-a58a-b5896d8824f2" name="Add to Queue" type="Action">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="collection" name="Data" narrative="A collection containing the data, one row for each item to
<input type="datetime" name="Defer Until" narrative="Optionally, the date/time the new item(s) should be
<input type="number" name="Priority" narrative="Optionally, the priority for the new item(s). Lower number
<input type="text" name="Tags" narrative="Optionally, a semi-colon-separated set of tags to apply to the q
<input type="text" name="Status" narrative="Optionally, the initial status required of the work queue item(s
</inputs>
<outputs>
<output type="collection" name="Item IDs" narrative="The IDs of the items which have been added to the control of the items.</p>
</outputs>
<onsuccess>3b2b4fff-7d48-432e-ba91-490ab36cca33</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Add To Queue"/>
</stage>
<stage stageid="42913b2d-8e01-4a8a-8e22-65a08fa3cde8" name="Queue Name" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Locking Queue</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="1d5cb36f-7219-4799-8616-7a1f2905ab06" name="Existing Item ID" type="Data">
```

```
<subsheetid>8528e309-fa4d-4abc-8eb3-26c087288eab</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="201b6cbb-85fe-4228-8233-69fa3127e021" name="Error If Not Locked" type="Data">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>True</initialvalue>
<alwaysinit/>
</stage>
```

```
<stage stageid="25f0a550-b572-4b48-b8e6-bcebfe8f8118" name="Throw Error?" type="Decision">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Error If Not Locked]"/>
<ontrue>a4933b59-eaee-453d-b741-0aee31bd074c</ontrue>
<onfalse>aebe605a-1323-4f23-b798-8c0986a91880</onfalse>
</stage>
<stage stageid="aebe605a-1323-4f23-b798-8c0986a91880" name="anchor1" type="Anchor">
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>360</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1864dc01-a33d-476f-ae3e-9805cbeba629</onsuccess>
</stage>
<stage stageid="84da6e4e-fce0-49e9-8de3-90d2aaf00f57" name="Ignore If Exists" type="Data">
```

```
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-165</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="70adba11-0d37-43f4-b072-341e8a9fba5f" name="Item Exists" type="Action">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to check" expr="[Queue Name
<input type="text" name="Key" narrative="The key to check." expr="[Item Key]"/>
<input type="flag" name="Include Pending" narrative="Check any items in the queue which are currently a
```

```
<input type="flag" name="Include Deferred" narrative="Check any items in the queue which are currently deferred.
<input type="flag" name="Include Completed" narrative="Check any items in the queue which are completed
<input type="flag" name="Include Terminated" narrative="Check any items in the queue which have been to
</inputs>
<outputs>
<output type="flag" name="Result" narrative="True if an item with the given key is in the queue, False other</p>
</outputs>
<onsuccess>ee1888ef-de98-4e02-ae32-5fdc7a1d159a</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Is Item In Queue"/>
</stage>
<stage stageid="160f61b2-1133-436d-827c-13bc186b87a0" name="Exists" type="Data">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ee1888ef-de98-4e02-ae32-5fdc7a1d159a" name="Exists?" type="Decision">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Exists]"/>
<ontrue>72ac249b-863b-4083-aecd-73f58a6649cc</ontrue>
<onfalse>6ee915bc-4ec5-4fc3-b1e6-90c710aa3719</onfalse>
</stage>
<stage stageid="72ac249b-863b-4083-aecd-73f58a6649cc" name="Throw Error?" type="Decision">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Ignore If Exists]=False"/>
<ontrue>70563429-28bc-454f-9bce-35bc9e8d0401</ontrue>
<onfalse>606571d6-7531-45c5-955c-b42ff7d1cd7a</onfalse>
</stage>
<stage stageid="70563429-28bc-454f-9bce-35bc9e8d0401" name="Exception5" type="Exception">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
```

```
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail=""/>
</stage>
<stage stageid="606571d6-7531-45c5-955c-b42ff7d1cd7a" name="anchor2" type="Anchor">
<subsheetid>e5d65eae-43e9-4bb2-ab20-3b349d092cde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>150</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3b2b4fff-7d48-432e-ba91-490ab36cca33</onsuccess>
</stage>
<stage stageid="5284adfc-f465-421e-96d1-6a19ae8cb304" name="Sleep" type="SubSheetInfo">
<subsheetid>42312858-7074-4e68-9a5f-062306c0f439</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bb56e330-ba06-4d28-ba43-856fc07f20bc" name="Start" type="Start">
<subsheetid>42312858-7074-4e68-9a5f-062306c0f439</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Sleep Time (Seconds)" stage="Sleep Time (Seconds)"/>
</inputs>
<onsuccess>be2bce45-1333-4555-931f-3133876a773d</onsuccess>
</stage>
<stage stageid="ea0e3448-3460-4035-b927-0136da5a1069" name="End" type="End">
<subsheetid>42312858-7074-4e68-9a5f-062306c0f439</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bc854747-21ab-40cb-bb80-2af3f67d6f1c" name="Time Out1" type="WaitEnd">
<subsheetid>42312858-7074-4e68-9a5f-062306c0f439</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ea0e3448-3460-4035-b927-0136da5a1069/onsuccess>
<groupid>50c7bdeb-191b-4d6d-9e9f-e222397e2305</groupid>
</stage>
<stage stageid="be2bce45-1333-4555-931f-3133876a773d" name="Wait1" type="WaitStart">
<subsheetid>42312858-7074-4e68-9a5f-062306c0f439</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>50c7bdeb-191b-4d6d-9e9f-e222397e2305</groupid>
```

```
<choices/>
<timeout>[Sleep Time (Seconds)]</timeout>
</stage>
<stage stageid="1a45e14b-1568-4cc6-bed6-65856ddc5735" name="Sleep Time (Seconds)" type="Data">
<subsheetid>42312858-7074-4e68-9a5f-062306c0f439</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e1fb1183-a056-464c-ba69-15758a7fcd25" name="Sleep In Case the Caller Requests Thi
<subsheetid>36e6ed40-192f-48c3-b17d-75284ac86507</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="number" name="Sleep Time (Seconds)" expr="2 * [Sleep Inteval (Seconds)]"/>
</inputs>
<onsuccess>1864dc01-a33d-476f-ae3e-9805cbeba629</onsuccess>
cessid>42312858-7074-4e68-9a5f-062306c0f439/processid>
</stage>
<stage stageid="bf796355-10ec-4a81-9611-e24aaf4b96ad" name="Sleep" type="SubSheet">
<subsheetid>39b8267a-c473-4c70-9460-929811e434fa</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Sleep Time (Seconds)" expr="[Sleep Inteval (Seconds)]"/>
</inputs>
<onsuccess>d998e15c-8b94-409a-b6ad-b4dae95bc9df</onsuccess>
</stage>
<stage stageid="af53aed8-4509-4007-b96e-3b7eb07f8570" name="Sleep Inteval (Seconds)" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
```

```
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0.25</initialvalue>
<alwaysinit/>
</stage>
</process>
<appdef>
<element name="Utility - Environment (extended)">
<id>6d008319-b6b6-4fdf-b366-598241c67d1d</id>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Attach</id>
<parameters>
<parameter>
<name>WindowTitle</name>
<value>Administrator*</value>
</parameter>
<parameter>
```

<name>ProcessName</name>

<value></value>
<parameter></parameter>
<name>Path</name>
<value></value>
<parameter></parameter>
<name>CommandLineParams</name>
<value></value>
<parameter></parameter>
<name>NonInvasive</name>
<value>True</value>
<parameter></parameter>
<name>ProcessMode</name>
<value>Internal</value>
<view></view>
<camerax>0</camerax>
<cameray>0</cameray>

```
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="5f21a6a2-cdb3-4d80-a8f3-b0efc6665b6f" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="2e5ddf19-f310-4429-8309-a2377c5851e5" type="Normal" published="True">
<name>Ping</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="cc386a36-af51-4499-bc43-8a9a5407a881" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6aae6635-0d2b-458f-9052-1ace6bbfd402</onsuccess>
</stage>
<stage stageid="6aae6635-0d2b-458f-9052-1ace6bbfd402" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5388b9ac-8551-4b68-8c85-b43fdcabcd28" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
```

```
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Net.NetworkInformation/import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="78247cd0-4a8b-4ba9-9606-3a4c6cf51122" name="Clean Up" type="SubSheetInfo">
<subsheetid>5f21a6a2-cdb3-4d80-a8f3-b0efc6665b6f</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="80a773f1-2e40-4833-b9be-865fb16ce513" name="Start" type="Start">
<subsheetid>5f21a6a2-cdb3-4d80-a8f3-b0efc6665b6f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2ba811c0-d8c0-4f72-a5c1-86f4954dc807</onsuccess>
</stage>
<stage stageid="2ba811c0-d8c0-4f72-a5c1-86f4954dc807" name="End" type="End">
<subsheetid>5f21a6a2-cdb3-4d80-a8f3-b0efc6665b6f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f5198681-ab5e-4781-8bdb-4b4cd39e77e1" name="new" type="Note">
<subsheetid>5f21a6a2-cdb3-4d80-a8f3-b0efc6665b6f</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
```

```
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="76772e92-3d97-452c-a128-db49a67a65d3" name="new" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="63a3a2b4-e879-437e-a3d2-90298c9a24f3" name="Ping" type="SubSheetInfo">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="adeb690c-9fd3-459a-8a4a-83b624907159" name="Start" type="Start">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Location" narrative="The computer name or ip address you want to ping" stage=
</inputs>
<onsuccess>70574e9d-3764-4839-8247-c5df0a5f2f1c</onsuccess>
</stage>
<stage stageid="3f976139-c96e-48a5-a84f-b4af0aa75921" name="End" type="End">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="flag" name="Ping Success" stage="Ping Success"/>
```

```
<output type="text" name="Address" stage="Address"/>
<output type="number" name="Round Trip Time (Milliseconds)" stage="Round Trip Time (Milliseconds)"/>
<output type="text" name="Ping Exception" stage="Ping Exception"/>
</outputs>
</stage>
<stage stageid="16c0b46b-f799-4e33-8121-5d6d779f4b71" name="Location" type="Data">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>-15</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="70574e9d-3764-4839-8247-c5df0a5f2f1c" name="Ping" type="Code">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Location" expr="[Location]"/>
</inputs>
<outputs>
<output type="flag" name="Success" stage="Ping Success"/>
<output type="text" name="Address" stage="Address"/>
<output type="number" name="Round Trip Time" stage="Round Trip Time (Milliseconds)"/>
<output type="text" name="Exception" stage="Ping Exception"/>
</outputs>
<onsuccess>3f976139-c96e-48a5-a84f-b4af0aa75921
<code>Success = False
Dim pingSender As New Ping
Try
Dim reply As PingReply = pingSender.Send(Location)
If (reply.Status = IPStatus.Success) Then
Success = True
Address = reply.Address.ToString()
Round_Trip_Time = reply.RoundtripTime
End If
Catch ex as Exception
Exception = ex.ToString()
End Try</code>
```

```
</stage>
<stage stageid="ad81f7a6-de26-45e0-af37-1fcc16c65311" name="Ping Success" type="Data">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>45</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8db99241-b839-49aa-a493-f51f61418185" name="Round Trip Time (Milliseconds)" type=
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>105</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="36226432-f5da-4f05-b068-dd8cc8996689" name="Address" type="Data">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>75</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="43f92e8a-9aea-4905-a868-f8fae4365ccd" name="Ping Exception" type="Data">
<subsheetid>2e5ddf19-f310-4429-8309-a2377c5851e5</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>135</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<private/>
<alwaysinit/>
</stage>
</process>
color="0.7.0.0" narrative="Mathematical functions" type="
<appdef>
<element name="Application Root">
<type>Application</type>
<id>a7f254ce-6c9f-4c50-a9d0-03c2cd24ef07</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="2875d2a6-0236-416e-bf04-c638bbb57806" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
```

```
</subsheet>
<subsheet subsheetid="97a91b4e-590f-4fb9-b450-f820d746c260" type="Normal" published="True">
<name>Get Absolute Value</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="de3d40ad-d45c-476b-8cb3-409f48fda754" type="Normal" published="True">
<name>Calculate Rolling Average (fixed denominator)</name>
<view>
<camerax>112</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="d3813186-bbc2-4727-a08a-76df7f3419dc" type="Normal" published="True">
<name>Calculate Rolling Average (variable denominator)</name>
<view>
<camerax>255</camerax>
<cameray>-192</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="92089dfa-b677-47d9-89dd-d830e0728e56" type="Normal" published="False">
<name>Test Rolling Averages</name>
```

```
<view>
<camerax>0</camerax>
<cameray>69</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="954f3eee-6816-44ed-890e-338b6fb01349" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>da124292-a510-41de-aa90-d98a7ccc019e</onsuccess>
</stage>
<stage stageid="da124292-a510-41de-aa90-d98a7ccc019e" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="dadc5051-89c1-4a2d-bc7f-a9e5fa025ea8" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
<reference>Microsoft.VisualBasic.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
<import>Microsoft.VisualBasic</import>
</imports>
<language>visualbasic</language>
<globalcode>
</globalcode>
<code>
```

</code>

```
</stage>
<stage stageid="1c87d27f-f30b-4069-8899-ecf4f5fcbb0a" name="Clean Up" type="SubSheetInfo">
<subsheetid>2875d2a6-0236-416e-bf04-c638bbb57806</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="081451dd-39f7-48e2-b47c-21aa18a50082" name="Start" type="Start">
<subsheetid>2875d2a6-0236-416e-bf04-c638bbb57806</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>37195e20-c2cc-4dd1-8c80-e0bb35636321
</stage>
<stage stageid="37195e20-c2cc-4dd1-8c80-e0bb35636321" name="End" type="End">
<subsheetid>2875d2a6-0236-416e-bf04-c638bbb57806</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9a0eaf23-df6e-4ffd-bcbe-c9d5f759eb6c" name="new" type="Note">
<subsheetid>2875d2a6-0236-416e-bf04-c638bbb57806</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0820845d-7215-43e2-ae11-3cc74304cc58" name="new" type="Note">
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

```
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9260f24a-514b-4e85-b4e0-cb745addf3c2" name="Get Absolute Value" type="SubSheetIr
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<narrative>Gets the numerical value of a number without regard to its sign.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e6b4592b-5e02-45eb-a791-84678ab35798" name="Start" type="Start">
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Input" narrative="The number to get the absolute value of " stage="Input"/>
</inputs>
<onsuccess>a8066261-2778-4e3d-9cc1-600f96534599</onsuccess>
</stage>
<stage stageid="4225cec2-fba0-43f4-ba89-5773dc1199fb" name="End" type="End">
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="Absolute Value" stage="Input"/>
</outputs>
</stage>
<stage stageid="ee6ae5e3-485c-44ee-bda3-b95fd0bd5f43" name="Input" type="Data">
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
```

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="a8066261-2778-4e3d-9cc1-600f96534599" name="Negative?" type="Decision">
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Input] & amp; It; 0"/>
<ontrue>443ea222-04fc-476a-905c-c4f0d8e32a3f</ontrue>
<onfalse>4225cec2-fba0-43f4-ba89-5773dc1199fb</onfalse>
</stage>
<stage stageid="443ea222-04fc-476a-905c-c4f0d8e32a3f" name="Negate" type="Calculation">
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>135</displayx>
```

```
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>273e7090-384a-4f21-8770-8fd6f06bcf68</onsuccess>
<calculation expression="[Input] * -1" stage="Input"/>
</stage>
<stage stageid="273e7090-384a-4f21-8770-8fd6f06bcf68" name="anchor1" type="Anchor">
<subsheetid>97a91b4e-590f-4fb9-b450-f820d746c260</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>90</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4225cec2-fba0-43f4-ba89-5773dc1199fb</onsuccess>
</stage>
<stage stageid="f3ffdd20-3c64-40ff-be03-a65ab5edd2a0" name="Calculate Rolling Average (fixed denomi
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>Finds the rolling average of a set of numbers given a fixed denominator.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="b64329c2-4895-4408-889c-5c11491d3d29" name="Calculate Rolling Average (variable d
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>Finds the rolling average of a set of numbers given a variable set denominators.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5b22715c-629e-4a2a-a008-da75c5629116" name="Start" type="Start">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Numerator Values" narrative="The series of numbers to find the moving av
<input type="collection" name="Denominator Values" narrative="The series of numbers to use as denimination of the collection of the collec
<input type="flag" name="Break at Zero Points" narrative="Set to true if you wish to break at zero points" s
<input type="number" name="Rolling Period Length" narrative="The length of the rolling period" stage="Ro
</inputs>
<onsuccess>c51a3b69-434e-49bd-aaea-93ccf9175656</onsuccess>
```

```
</stage>
<stage stageid="ee0a01bc-752f-4e02-8989-1afee7164126" name="End" type="End">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>615</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Rolling Average Values" stage="Rolling Average Values"/>
<output type="flag" name="Success" stage="Success"/>
<output type="text" name="Error Message" stage="Error Message"/>
</outputs>
</stage>
<stage stageid="1eb6ffaf-3152-45f0-8337-67c995dfca11" name="Numerator Values" type="Collection">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<private/>
<alwaysinit/>
</stage>
<stage stageid="ede06c50-0c0c-4f56-b8f1-956c680ddc7d" name="Denominator Values" type="Collection"
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="464be8b5-6852-4ef7-8b11-231f833ad4db" name="Validate" type="ChoiceStart">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>d45c276b-e502-4042-8914-05d55c58e8ba</groupid>
```

```
<choices>
<choice expression="[Numerator Row Count] = 0">
<name>No Numerator Rows</name>
<distance>45</distance>
<ontrue>c6cf5d20-32a0-4947-b4fc-4ac728eb495a</ontrue>
</choice>
<choice expression="[Numerator Row Count] & amp;gt; 1">
<name>More than one Numerator Row</name>
<distance>90</distance>
<ontrue>470fc45a-d040-4792-8860-0220a95f7053</ontrue>
</choice>
<choice expression="[Denominator Row Count] = 0">
<name>No Denominator Rows</name>
<distance>135</distance>
<ontrue>08ff5c35-f0c6-4497-9894-ca17fae3939e</ontrue>
</choice>
<choice expression="[Denominator Row Count] & amp;gt; 1">
<name>More than one Denominator Row</name>
<distance>180</distance>
<ontrue>6d5f06cb-a0ce-4dd8-991c-0d1f3c3589b6</ontrue>
</choice>
<choice expression="[Rolling Period Length] & amp;lt; 1">
<name>Invalid Rolling Period Length</name>
<distance>225</distance>
<ontrue>73d86166-982d-4051-bfd5-ec8bbbc5601b</ontrue>
</choice>
</choices>
```

```
</stage>
<stage stageid="5681a0ac-3314-49d4-acda-e93198c0896a" name="Valid" type="ChoiceEnd">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fe626c6a-6f0a-4faf-bcb1-f8fe0dfaf140</onsuccess>
<groupid>d45c276b-e502-4042-8914-05d55c58e8ba</groupid>
</stage>
<stage stageid="c51a3b69-434e-49bd-aaea-93ccf9175656" name="Count Numerator Rows" type="Action
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" expr="&amp;quot;Numerator Values&amp;quot;"/>
</inputs>
```

```
<outputs>
<output type="number" name="Count" stage="Numerator Row Count"/>
</outputs>
<onsuccess>2c1f2db9-8089-48c1-a836-318bc03cad7c</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>
</stage>
<stage stageid="f0fbf567-bff1-4043-a546-6088d62da8d0" name="Numerator Row Count" type="Data">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="2c1f2db9-8089-48c1-a836-318bc03cad7c" name="Count Denominator Rows" type="Action of the count Denominator Rows of the count Denominator Rows of type="Action of type
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" expr="&amp;quot;Denominator Values&amp;quot;"/>
</inputs>
<outputs>
<output type="number" name="Count" stage="Denominator Row Count"/>
</outputs>
<onsuccess>6955ab72-2076-4cb9-8ace-6609890a69a4
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>
</stage>
<stage stageid="6955ab72-2076-4cb9-8ace-6609890a69a4" name="Count Numerator Columns" type="Ac
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" expr="&amp;quot;Numerator Values&amp;quot;"/>
</inputs>
<outputs>
<output type="number" name="Count" stage="Numerator Column Count"/>
```

```
</outputs>
<onsuccess>aefdb9e9-ae93-411f-8f7c-9b727c77381e</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Columns"/>
</stage>
<stage stageid="4383f084-71ea-4c47-8aad-e3d496dcd480" name="Denominator Row Count" type="Data"
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="aefdb9e9-ae93-411f-8f7c-9b727c77381e" name="Count Denominator Columns" type="Ad
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" expr="&amp;quot;Denominator Values&amp;quot;"/>
</inputs>
<outputs>
<output type="number" name="Count" stage="Denominator Column Count"/>
</outputs>
<onsuccess>464be8b5-6852-4ef7-8b11-231f833ad4db</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Columns"/>
</stage>
<stage stageid="b27838d3-3c3c-491d-96ab-a5673fc4b7f2" name="Denominator Column Count" type="Da
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>105</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c6cf5d20-32a0-4947-b4fc-4ac728eb495a" name="Message" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
```

<loginhibit/>

```
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>14fb216c-8e85-4a1e-a5ad-24d92d86feff</onsuccess>
<calculation expression="&amp;quot;Numerator Values collection must contain precisely one row - &amp;
</stage>
<stage stageid="3ad01cf9-7f88-40ed-b772-4efa5f34ad09" name="Error Message" type="Data">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="470fc45a-d040-4792-8860-0220a95f7053" name="Message" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b3e6253d-5819-4d11-9227-3e66ddeafb3d</onsuccess>
<calculation expression="&amp;quot;Numerator Values collection must contain precisely one row - &amp;
</stage>
<stage stageid="08ff5c35-f0c6-4497-9894-ca17fae3939e" name="Message" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>29066db6-f2d8-401d-8679-fe7c2b5f4d94</onsuccess>
<calculation expression="&amp;quot;Denominator Values collection must contain precisely one row - &am</p>
</stage>
<stage stageid="6d5f06cb-a0ce-4dd8-991c-0d1f3c3589b6" name="Message" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>195</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4bbe75da-da48-4671-9554-5715634cac20</onsuccess>
<calculation expression="&amp;quot;Denominator Values collection must contain precisely one row - &am</p>
</stage>
<stage stageid="14fb216c-8e85-4a1e-a5ad-24d92d86feff" name="anchor2" type="Anchor">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b3e6253d-5819-4d11-9227-3e66ddeafb3d</onsuccess>
</stage>
<stage stageid="b3e6253d-5819-4d11-9227-3e66ddeafb3d" name="anchor3" type="Anchor">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>255</displayx>
```

```
<displayy>255</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>29066db6-f2d8-401d-8679-fe7c2b5f4d94</onsuccess>
</stage>
<stage stageid="29066db6-f2d8-401d-8679-fe7c2b5f4d94" name="anchor4" type="Anchor">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>300</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4bbe75da-da48-4671-9554-5715634cac20</onsuccess>
</stage>
<stage stageid="4bbe75da-da48-4671-9554-5715634cac20" name="anchor5" type="Anchor">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cc3f1a18-65f7-4e46-af57-b9304bfae638</onsuccess>
</stage>
<stage stageid="fe626c6a-6f0a-4faf-bcb1-f8fe0dfaf140" name="Calculate Rolling Average" type="Code">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>495</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Numerator Values" expr="[Numerator Values]"/>
<input type="collection" name="Denominator Values" expr="[Denominator Values]"/>
<input type="flag" name="Break at Zero Points" expr="[Break at Zero Points]"/>
<input type="number" name="Rolling Period Length" expr="[Rolling Period Length]"/>
</inputs>
<outputs>
<output type="collection" name="Rolling Average Values" stage="Rolling Average Values"/>
</outputs>
<onsuccess>e1b6ddb7-512d-48a4-bb15-23bcbf8b139c</onsuccess>
<code>Rolling_Average_Values = New DataTable
For Each Col As DataColumn in Numerator_Values.Columns
Rolling Average Values.Columns.Add(Col.ColumnName, Col.DataType)
```

Next

Dim Values(Numerator_Values.Columns.Count - 1) As Object Dim LastBreakPoint As Integer = -1 For I as Integer = 0 to Numerator_Values.Columns.Count - 1 If Break_At_Zero_Points AndAlso Numerator_Values.Rows(0)(I) = 0 andalso Denominator_Values.Rows(0) LastBreakpoint = I Values(I) = 0Else Dim ThisNumeratorTotal As Decimal = 0d Dim ThisDenominatorTotal As Decimal = 0d For J as Integer = Math.Max(LastBreakPoint + 1, I - Rolling_Period_Length + 1) To I Dim Numerator As Decimal = Numerator_Values.Rows(0)(J) Dim Denominator As Decimal = Denominator_Values.Rows(0)(J) If Denominator = 0 Then If Numerator <> 0 Then Throw New ApplicationException("Rolling average cannot be computed - denominator is zero for a non-ze Else If Break_At_Zero_Points Then 'Both zero, should never get here - breakpoints are dealt with above Throw New ApplicationException("Unexpected breakpoint") End If End If End If

ThisNumeratorTotal += Numerator

```
ThisDenominatorTotal += Denominator
Values(I) = ThisNumeratorTotal / ThisDenominatorTotal
Next
End If
Next
Rolling_Average_Values.Rows.Add(Values)</code>
</stage>
<stage stageid="b070c1cd-fd3e-4515-97d8-ff2d3dc77a69" name="Rolling Average Values" type="Collections"
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>615</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="c153f41a-43ab-4dba-8c9b-66c0a542a943" name="Break at Zero Points" type="Data">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
```

```
<displayx>270</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>True</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="e1b6ddb7-512d-48a4-bb15-23bcbf8b139c" name="Success" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>540</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ee0a01bc-752f-4e02-8989-1afee7164126</onsuccess>
<calculation expression="True" stage="Success"/>
</stage>
<stage stageid="56aaf772-78b1-40df-a500-c741c7078f57" name="Success" type="Data">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-150</displayx>
<displayy>630</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="8a7cf9ae-3b62-49b9-a353-547203a35db2" name="Fail" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>615</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ee0a01bc-752f-4e02-8989-1afee7164126</onsuccess>
<calculation expression="False" stage="Success"/>
</stage>
<stage stageid="ceaedade-3a4c-4a8b-9a04-4bd83c31ae99" name="Rolling Period Length" type="Data">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
```

```
<displayx>330</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="73d86166-982d-4051-bfd5-ec8bbbc5601b" name="Message" type="Calculation">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cc3f1a18-65f7-4e46-af57-b9304bfae638</onsuccess>
<calculation expression="&amp;quot;Rolling period length must be at least 1 - the value supplied was &am</p>
</stage>
<stage stageid="cc3f1a18-65f7-4e46-af57-b9304bfae638" name="anchor5" type="Anchor">
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>255</displayx>
<displayy>390</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8a7cf9ae-3b62-49b9-a353-547203a35db2</onsuccess>
</stage>
<stage stageid="db942bb1-2512-450b-8950-5b70e390a963" name="Start" type="Start">
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Numerator Values" narrative="The series of numbers to find the moving av
<input type="flag" name="Break at Zero Points" narrative="Set to true if you wish to break at zero points" s
<input type="number" name="Denominator Value" narrative="The value of the denominator" stage="Denoi
<input type="number" name="Rolling Period Length" narrative="The length of the rolling period" stage="Ro
</inputs>
<onsuccess>367b78a9-9ec7-428c-b05f-f110867db44b</onsuccess>
</stage>
<stage stageid="572eadfb-2155-477d-9c9e-673e9165b282" name="Numerator Values" type="Collection">
```

```
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-75</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="62ab1f32-b02f-40bb-8e72-6c276a0c120b" name="Denominator Values" type="Collection
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>-75</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="f1260d13-d4a4-445a-92ae-0875aee1b5ab" name="Break at Zero Points" type="Data">
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
```

```
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>True</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="75c9aeb4-a05c-44bf-b27a-1443915f64e9" name="Rolling Period Length" type="Data">
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="bf7abf49-661d-4dbe-97c7-667eb5625132" name="Denominator Value" type="Data">
```

```
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="367b78a9-9ec7-428c-b05f-f110867db44b" name="Create Collection of Denominators" type
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Denominator Value" expr="[Denominator Value]"/>
<input type="collection" name="Numerator Values" expr="[Numerator Values]"/>
</inputs>
```

```
<outputs>
<output type="collection" name="Denominator Values" stage="Denominator Values"/>
</outputs>
<onsuccess>507e4969-eaa9-43a2-804b-8bf5be4a61a3</onsuccess>
<code>Denominator_Values = New DataTable
For Each Col As DataColumn In Numerator_Values.Columns
Denominator_Values.Columns.Add(Col.ColumnName, Col.DataType)
Next
Dim Values(Numerator_Values.Columns.Count - 1) As Object
For I As Integer = 0 to Values.Length - 1
Values(I) = Denominator_Value
Next
Denominator_Values.Rows.Add(Values)</code>
</stage>
<stage stageid="507e4969-eaa9-43a2-804b-8bf5be4a61a3" name="Calculate Rolling Average (variable description of the control of 
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="collection" name="Numerator Values" expr="[Numerator Values]"/>
<input type="collection" name="Denominator Values" expr="[Denominator Values]"/>
<input type="flag" name="Break at Zero Points" expr="[Break at Zero Points]"/>
<input type="number" name="Rolling Period Length" expr="[Rolling Period Length]"/>
</inputs>
<outputs>
<output type="collection" name="Rolling Average Values" stage="Rolling Average Values"/>
<output type="flag" name="Success" stage="Success"/>
<output type="text" name="Error Message" stage="Error Message"/>
</outputs>
<onsuccess>4ce60b03-6f99-47c5-950d-fc05cefe43a1
</stage>
<stage stageid="ba3e72a6-040e-4165-8939-03ec2a692985" name="Rolling Average Values" type="Collections" |
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="4ce60b03-6f99-47c5-950d-fc05cefe43a1" name="End" type="End">
```

```
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Rolling Average Values" narrative="The rolling average results" stage="R</p>
<output type="flag" name="Success" narrative="True if successful" stage="Success"/>
<output type="text" name="Error Message" narrative="An error message if unsuccessful" stage="Error Message"</p>
</outputs>
</stage>
<stage stageid="00eb3893-db7d-4d3f-b157-0394bdb87089" name="Success" type="Data">
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="7c88f089-49d0-4570-92b9-503aa351254f" name="Error Message" type="Data">
<subsheetid>de3d40ad-d45c-476b-8cb3-409f48fda754</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="40deed37-b05e-4037-b736-bb1740a16c51" name="Numerator Column Count" type="Dat
<subsheetid>d3813186-bbc2-4727-a08a-76df7f3419dc</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="1e7926d4-4a29-45b7-83aa-d22db8282755" name="Test Rolling Averages" type="SubSh
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="32577fe1-e27f-4535-ac18-32ff8bca2032" name="Start" type="Start">
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>71dc7a66-0c37-40fd-b429-60977d11f142</onsuccess>
</stage>
<stage stageid="19417cd9-95e3-4bf4-86f2-c7d56836e454" name="End" type="End">
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>405</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="20c17df7-c7f5-4432-a281-0557bdc717a8" name="Coll1" type="Collection">
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Field1" type="number"/>
<field name="Field2" type="number"/>
<field name="Field3" type="number"/>
<field name="Field4" type="number"/>
```

```
<field name="Field5" type="number"/>
<field name="Field6" type="number"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Field1" type="number" value="1"/>
<field name="Field2" type="number" value="2"/>
<field name="Field3" type="number" value="3"/>
<field name="Field4" type="number" value="0"/>
<field name="Field5" type="number" value="5"/>
<field name="Field6" type="number" value="6"/>
</row>
</initialvalue>
</stage>
<stage stageid="16047749-2018-47aa-a0a3-94d25443857a" name="Coll2" type="Collection">
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>75</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
```

```
<collectioninfo>
<field name="Field1" type="number"/>
<field name="Field2" type="number"/>
<field name="Field3" type="number"/>
<field name="Field4" type="number"/>
<field name="Field5" type="number"/>
<field name="Field6" type="number"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Field1" type="number" value="6"/>
<field name="Field2" type="number" value="5"/>
<field name="Field3" type="number" value="4"/>
<field name="Field4" type="number" value="0"/>
<field name="Field5" type="number" value="2"/>
<field name="Field6" type="number" value="1"/>
</row>
</initialvalue>
</stage>
<stage stageid="71dc7a66-0c37-40fd-b429-60977d11f142" name="Calculate Rolling Average (variable de
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
```

<displaywidth>120</displaywidth>

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Numerator Values" expr="[Coll1]"/>
<input type="collection" name="Denominator Values" expr="[Coll2]"/>
<input type="flag" name="Break at Zero Points" expr="True"/>
<input type="number" name="Rolling Period Length" expr="2"/>
</inputs>
<outputs>
<output type="collection" name="Rolling Average Values" stage="Rolling Average Values"/>
<output type="flag" name="Success"/>
<output type="text" name="Error Message" stage=""/>
</outputs>
<onsuccess>6a98671a-73dd-46f1-9df0-16a9ae0e160b</onsuccess>
</stage>
<stage stageid="1755ffff-dcfe-4188-a6ed-01e4a5a2a8ca" name="Rolling Average Values" type="Collection
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
</stage>
<stage stageid="6a98671a-73dd-46f1-9df0-16a9ae0e160b" name="Calculate Rolling Average (variable de
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Numerator Values" expr="[Coll1]"/>
<input type="flag" name="Break at Zero Points" expr="True"/>
<input type="number" name="Rolling Period Length" expr="2"/>
<input type="number" name="Denominator Value" expr="5"/>
</inputs>
<outputs>
<output type="collection" name="Rolling Average Values" stage="Rolling Average Values 2"/>
<output type="flag" name="Success"/>
<output type="text" name="Error Message" stage=""/>
</outputs>
<onsuccess>19417cd9-95e3-4bf4-86f2-c7d56836e454</onsuccess>
</stage>
<stage stageid="8b1cb360-9652-488d-abfb-d69089a24ce1" name="Rolling Average Values 2" type="College"
```

```
<subsheetid>92089dfa-b677-47d9-89dd-d830e0728e56</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
coress name="Utility - Strings" version="6.7.0.18133" bpversion="6.7.0.0" narrative="Utility functions for
<appdef>
<element name="Application Root">
<id>b30f5d67-5c3c-49c9-8f9b-66d573097498</id>
<type>Application</type>
<basetype>Application
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>647.8</camerax>
<cameray>-35</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="9a74af4c-280a-4e30-bdbb-21295b6256ca" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="65117a41-f7ff-4f3f-abd1-7a3cbe18cfda" type="Normal" published="True">
<name>Remove Non-word Characters</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="d8fea7a8-24d9-41c8-9397-a3839e6ffdc1" type="Normal" published="True">
<name>Generate New GUID</name>
<view>
<camerax>283</camerax>
<cameray>-84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
```

```
<subsheet subsheetid="e70e8f13-02df-4b14-bb74-6fd5c4c95928" type="Normal" published="True">
<name>Delete Characters</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="6a710d42-8f41-45d0-9e74-1eddf74c0e75" type="Normal" published="True">
<name>Split Lines by Length</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e6bab90c-ddfd-48c0-af38-804fe4f770ed" type="Normal" published="True">
<name>Split Lines</name>
<view>
<camerax>283</camerax>
<cameray>-6</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a5871062-5ad2-4950-afbc-cb5b1b7a7f0b" type="Normal" published="True">
<name>Split Text</name>
<view>
```

```
<camerax>0</camerax>
<cameray>-56</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a2c09338-7850-4daf-a545-8972d333b826" type="Normal" published="True">
<name>Join Text</name>
<view>
<camerax>65</camerax>
<cameray>75</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a854bb6a-4399-4e51-8fc3-64f9e1d4f896" type="Normal" published="True">
<name>Join Lines</name>
<view>
<camerax>152</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="fcddf4bf-83af-4431-88db-cc2c88390cec" type="Normal" published="True">
<name>Get Newline Character</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
</subsheet>
<subsheet subsheetid="06780f7c-9622-4d84-9db3-bb56a2ff9f36" type="Normal" published="True">
<name>Extract Regex Values</name>
<view>
<camerax>70</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a6b6398e-c21a-4c4e-9742-65ccad8370d9" type="Normal" published="True">
<name>Test Regex Match</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="5110b353-010b-4874-97bd-8b7621c24384" type="Normal" published="True">
<name>Format Number</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="ef8de52d-842b-45f0-8f1b-619bc97d4bbc" type="Normal" published="True">
```

```
<name>PadLeft</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="818441a5-ffec-4841-b0ea-00712caf63aa" type="Normal" published="True">
<name>Get XML Elements</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e8af11f7-dfd4-4c86-9935-e83828b9e711" type="Normal" published="True">
<name>Get XML Attribute</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f9add4d4-31de-4c0f-a109-0b51fa576a23" type="Normal" published="True">
<name>Get Collection as CSV</name>
<view>
<camerax>0</camerax>
```


```
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f5b26213-5463-4b2d-b10f-b188876b436f" type="Normal" published="True">
<name>Get CSV As Collection</name>
<view>
<camerax>283</camerax>
<cameray>-87</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="040cc29a-27ac-402c-8a66-328554dd4bc0" type="Normal" published="True">
<name>Escape Sendkeys String</name>
<view>
<camerax>0</camerax>
<cameray>5</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="527ca986-a03f-4231-880e-5b1c244b035e" type="Normal" published="True">
<name>Compare Font Text</name>
<view>
<camerax>150</camerax>
<cameray>139</cameray>
<zoom version="2">1.25</zoom>
</view>
```


```
</subsheet>
<subsheet subsheetid="0244396a-1d3d-4892-b6cb-461468f4c7e1" type="Normal" published="True">
<name>InStr</name>
<view>
<camerax>0</camerax>
<cameray>-2</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="9ab28c01-86eb-458d-b8d9-74f98926d266" type="Normal" published="True">
<name>InStrRev</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="d8c547cc-60d0-459b-876f-90bf696a5757" name="Start" type="Start">
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>807e7d33-91e2-4241-a85e-ea0718fc487d</onsuccess>
</stage>
<stage stageid="807e7d33-91e2-4241-a85e-ea0718fc487d" name="End" type="End">
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="1a8c9ebd-54e1-442f-a6c7-e87df3b59232" name="Stage1" type="ProcessInfo">
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
<import>System.IO</import>
<import>System.XML</import>
<import>System.Diagnostics</import>
<import>Microsoft.VisualBasic</import>
<import>System.Data</import>
<import>system.text.regularexpressions</import>
<import>System.Text</import>
<import>System.Collections.Generic</import>
<import>Microsoft.VisualBasic.FileIO</import>
</imports>
<language>visualbasic</language>
<globalcode>
```

```
</globalcode>
<code>Public Function GetDataTable(ByVal ColumnNamesCSV As String, ByVal ColumnTypesCSV As S
Dim objTable As DataTable
Dim objColumn As DataColumn
Dim aColumnNames As String() = ColumnNamesCSV.Split(",")
Dim aColumnTypes As String() = ColumnTypesCSV.Split(",")
Try
objTable = New DataTable
For i As Integer = 0 To aColumnNames.Length - 1
objColumn = New DataColumn
objColumn.DataType = System.Type.GetType(aColumnTypes(i).Trim)
objColumn.ColumnName = aColumnNames(i).Trim
objTable.Columns.Add(objColumn)
Next
Catch e As Exception
objTable = nothing
End Try
Return objTable
End Function
Private Function SplitStringInto(_
ByVal fldName As String, _
```

```
ByVal txt As String, _
ByVal ParamArray splitters() As String) As DataTable
Dim dt As New DataTable()
dt.Columns.Add(fldName, GetType(String))
For Each s As String In txt.Split(splitters, StringSplitOptions.None)
dt.Rows.Add(New Object() {s})
Next
Return dt
End Function
Public Shared Function ParseCsvToList(ByVal csv As String) As List(Of String())
Dim result = New List(Of String())()
Using sr As New StringReader(csv)
Using lineParser As New TextFieldParser(sr)
lineParser.TextFieldType = FieldType.Delimited
lineParser.SetDelimiters(",")
While Not lineParser.EndOfData
Dim fields As String() = lineParser.ReadFields()
result.Add(fields)
End While
End Using
End Using
```





'Splits text into lines of approximately equal length, looking for 'gaps between words as splitting points in order to avoid ugly 'line splitting in the middle of words. Useful for mainframe memos 'where a long message needs to be broken into lines of up to 80 'characters.

Private Shared Function SplitTextByLengthEngine(Texttosplit As String, MaxLineLength As Integer) As Lis Dim RetVal as New List(Of String)

MaxLineLength = Math.Min(MaxLineLength, TexttoSplit.Length)

'We look for the last space within (MaxLineLength + 1) and then work backwards '(always by at least one) to find the last non-space character. We can then 'chop at this point, assuming such exists. Otherwise we just chop at the 'requested line length accepting we will be splitting a word.

Dim LastIndex as integer = TexttoSplit.Substring(0, Math.Min(MaxLineLength + 1, TextToSplit.Length)).Last

If TextToSplit.Length &It;= MaxLineLength OrElse LastIndex = -1 Then

RetVal.Add(TexttoSplit.Substring(0, MaxLineLength))

Dim RemainingText As String = TexttoSplit.SubString(MaxLineLength,TextToSplit.Length - MaxLineLength If RemainingText.Length > 0 Then RetVal.AddRange(SplitTextByLengthEngine(RemainingText, MaxLineLength)

Else

'Track backwards to find previous non-space character

Dim Index As Integer = LastIndex - 1

While Index >= 0 Andalso TextToSplit.SubString(Index, 1) = " "

Index -=1

```
If Index >= 0 Then
RetVal.Add(TextToSplit.SubString(0, Index + 1))
Dim RemainingText As String = TexttoSplit.SubString(Index + 1, TextToSplit.Length - (Index + 1)).Trim()
If RemainingText.Length > 0 Then RetVal.AddRange(SplitTextByLengthEngine(RemainingText, MaxLin
Else
'Must all be spaces. We assume this are to be ignored
End If
End If
Return RetVal
End Function
</code>
</stage>
<stage stageid="0bf7814a-647b-4bcb-b6a6-3d24dfd5b736" name="Clean Up" type="SubSheetInfo">
<subsheetid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b6df3b6c-090d-4126-a16c-8caa889b0646" name="Generate New GUID" type="SubShee
<subsheetid>d8fea7a8-24d9-41c8-9397-a3839e6ffdc1</subsheetid>
<narrative>Generates a new globally unique identifier as text.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0c56e2f8-68ce-48a3-97ad-81e1f076e9ce" name="new" type="Note">
```

End While

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

```
You will not be able to call this action from a business process, nor will it be called at any other time than a
<display x="-180" y="60" w="180" h="230"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="be35a29d-2b71-42e1-9ca7-4534046d5dfc" name="Start" type="Start">
<subsheetid>d8fea7a8-24d9-41c8-9397-a3839e6ffdc1</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd80e756-d12c-4dc7-9d64-bbde733f60b7</onsuccess>
</stage>
<stage stageid="bd80e756-d12c-4dc7-9d64-bbde733f60b7" name="Get GUID" type="Code">
<subsheetid>d8fea7a8-24d9-41c8-9397-a3839e6ffdc1</subsheetid>
<loginhibit/>
<display x="15" y="-45"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="id" stage="GUID"/>
</outputs>
<onsuccess>4930704e-00c1-456a-8aad-02220fd81c99</onsuccess>
<code>dim g as new Guid
```

```
id = guid.newguid.tostring</code>
</stage>
<stage stageid="695dad7d-b634-454c-9171-baf489698067" name="GUID" type="Data">
<subsheetid>d8fea7a8-24d9-41c8-9397-a3839e6ffdc1</subsheetid>
<display x="-60" y="-45"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4930704e-00c1-456a-8aad-02220fd81c99" name="End1" type="End">
<subsheetid>d8fea7a8-24d9-41c8-9397-a3839e6ffdc1</subsheetid>
<loginhibit/>
<display x="15" y="15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="GUID" narrative="The new guid" stage="GUID"/>
</outputs>
</stage>
<stage stageid="2271a79e-27e5-4434-b5be-146e02946317" name="new" type="Note">
<subsheetid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsheetid>
<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

```
You will not be able to call this action from a business process, nor will it be called at any other time than b
<display x="-180" y="60" w="180" h="230"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="36451c72-b274-4817-a153-beb1e8a6e76a" name="Start" type="Start">
<subsheetid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsheetid>
<loginhibit/>
<display x="30" y="-120"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9a8c4505-8606-4a0c-b118-09a6b9932b3b</onsuccess>
</stage>
<stage stageid="9a8c4505-8606-4a0c-b118-09a6b9932b3b" name="End" type="End">
<subsheetid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsheetid>
<loginhibit/>
<display x="30" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a130f3e8-fad5-413c-a068-75ac20600244" name="Remove Non-word Characters" type="
<subsheetid>65117a41-f7ff-4f3f-abd1-7a3cbe18cfda</subsheetid>
<narrative>Trims non word characters from the begining and end of the text. Non word characters are any
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="dd85470c-e10b-4f0b-b729-c006136517eb" name="Start" type="Start">
<subsheetid>65117a41-f7ff-4f3f-abd1-7a3cbe18cfda</subsheetid>
<loginhibit/>
```

```
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text to remove the non word characters from" stage="Text".</p>
</inputs>
<onsuccess>a2426b0a-eab8-4571-a6d9-fa89c49559be</onsuccess>
</stage>
<stage stageid="3eae8050-c325-49f6-9e3f-ee12400ca5d4" name="End" type="End">
<subsheetid>65117a41-f7ff-4f3f-abd1-7a3cbe18cfda</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Trimmed Text" narrative="The text with the non word characters removed" stage</p>
</outputs>
</stage>
<stage stageid="a2426b0a-eab8-4571-a6d9-fa89c49559be" name="Trim" type="Code">
<subsheetid>65117a41-f7ff-4f3f-abd1-7a3cbe18cfda</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" expr="[Text]"/>
</inputs>
<outputs>
<output type="text" name="Trimmed Text" stage="Trimmed Text"/>
</outputs>
```

```
<onsuccess>3eae8050-c325-49f6-9e3f-ee12400ca5d4</onsuccess>
<code>
dim r as new regex("\W*|\W*$")
Trimmed Text = r.replace(text, "")
</code>
</stage>
<stage stageid="1f3570bd-8411-4e92-8fd3-1dd418411570" name="Text" type="Data">
<subsheetid>65117a41-f7ff-4f3f-abd1-7a3cbe18cfda</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve"> qwerqwer </initialvalue>
<alwaysinit/>
</stage>
<stage stageid="0967c44a-1a53-49a7-8bb4-e1f6733a41b0" name="Trimmed Text" type="Data">
<subsheetid>65117a41-f7ff-4f3f-abd1-7a3cbe18cfda</subsheetid>
<display x="90" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="00a08897-25f2-48e0-aa88-e40bb27b94e7" name="Split Lines" type="SubSheetInfo">
<subsheetid>e6bab90c-ddfd-48c0-af38-804fe4f770ed</subsheetid>
<narrative>Splits multiple line text into a collection text values with a single row per line.
```

```
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5f6c9d2f-247d-42a7-bc18-8b4283b21c80" name="Start" type="Start">
<subsheetid>e6bab90c-ddfd-48c0-af38-804fe4f770ed</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text to Split" narrative="The text to split" stage="Text to Split"/>
</inputs>
<onsuccess>ee14a8f3-9fd3-4342-abcf-3cbe1d57431a
</stage>
<stage stageid="370a75cf-d54f-438d-b7b1-0f931038d7a2" name="End" type="End">
<subsheetid>e6bab90c-ddfd-48c0-af38-804fe4f770ed</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Split Values" narrative="The resulting collection containing the split value</p>
</outputs>
</stage>
<stage stageid="b655e5fa-2cb9-487a-b4e8-8faf44531e8d" name="Text to Split" type="Data">
<subsheetid>e6bab90c-ddfd-48c0-af38-804fe4f770ed</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ee14a8f3-9fd3-4342-abcf-3cbe1d57431a" name="Split" type="Code">
<subsheetid>e6bab90c-ddfd-48c0-af38-804fe4f770ed</subsheetid>
<loginhibit/>
<display x="15" y="0"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text to Split" expr="[Text to Split]"/>
</inputs>
<outputs>
<output type="collection" name="Split Values" stage="Split Values"/>
</outputs>
<onsuccess>370a75cf-d54f-438d-b7b1-0f931038d7a2</onsuccess>
<code>Split_Values = SplitStringInto("Value", _
Text_to_Split, vbCrLf, vbLf, vbCr)</code>
</stage>
<stage stageid="5c6c7749-e4c1-45ef-9fb7-a7b7ca77214d" name="Split Values" type="Collection">
<subsheetid>e6bab90c-ddfd-48c0-af38-804fe4f770ed</subsheetid>
<display x="120" y="90" w="90" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
```

```
<field name="Value" type="text"/>
</collectioninfo>
</stage>
<stage stageid="99d3d4f8-598b-44be-9744-5142537aff99" name="Split Text" type="SubSheetInfo">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<narrative>Splits text with a given delimiter into a collection of text values.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="97069dc2-f2a1-4f61-a3f6-e26e88d1da58" name="Start" type="Start">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<loginhibit/>
<display x="120" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text to Split" narrative="The text to split" stage="Text to Split"/>
<input type="text" name="Split Char" narrative="The split delimiter" stage="Split Char"/>
<input type="text" name="Collection Field Name" narrative="The name of the field for the resulting collection
</inputs>
<onsuccess>d1694d87-2fff-467b-9a07-5f5dd570bd41</onsuccess>
</stage>
<stage stageid="2972f0ee-292a-4bb0-bed5-c9a19f8945f6" name="End" type="End">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<loginhibit/>
<display x="120" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
```

```
<output type="collection" name="Split Values" narrative="The resulting collection containing the split value</p>
</outputs>
</stage>
<stage stageid="33bff0c5-22b9-4ab3-ac0a-c352221a4f79" name="Text to Split" type="Data">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<display x="195" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d1694d87-2fff-467b-9a07-5f5dd570bd41" name="Split Text" type="Code">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<loginhibit/>
<display x="120" y="0"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text to Split" expr="[Text to Split]"/>
<input type="text" name="Split Char" expr="[Split Char]"/>
<input type="text" name="Collection Field Name" expr="[Collection Field Name]"/>
</inputs>
<outputs>
<output type="collection" name="Split Values" stage="Split Values"/>
</outputs>
<onsuccess>2972f0ee-292a-4bb0-bed5-c9a19f8945f6</onsuccess>
<code>Split_Values = SplitStringInto( _
```

```
Collection_Field_Name, _
Text_to_Split, Split_Char)</code>
</stage>
<stage stageid="17ffca42-be51-4343-90e3-035d29366b7f" name="Split Values" type="Collection">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<display x="225" y="90" w="90" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="05ba6aed-e91b-4383-9001-69b78a2e474d" name="Split Char" type="Data">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<display x="255" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="20afce2f-59e1-4fc1-896c-ab71d2f871b2" name="Collection Field Name" type="Data">
<subsheetid>a5871062-5ad2-4950-afbc-cb5b1b7a7f0b</subsheetid>
<display x="45" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="786d2d47-37c8-4324-8e43-8fc75f0eca95" name="Join Text" type="SubSheetInfo">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<narrative>Joins values from a collection into a single line of text using a given delimiter between values.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ccd8aec8-19c3-4d48-a184-a8895ed1ebbf" name="Start" type="Start">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
conditions>
<condition narrative=""/>
conditions>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Values" narrative="The text values collection to join" stage="Values"/>
<input type="text" name="Join Character" narrative="The delimeter between text values" stage="Join Char
<input type="flag" name="Trim Values" narrative="Set true to apply trimming to the values" stage="Trim Va
</inputs>
<onsuccess>b05ea94b-f0d1-4047-b854-04877801ef0b</onsuccess>
</stage>
<stage stageid="7dbff5b3-7cd4-406a-9650-265fb88988ef" name="End" type="End">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="15" y="285"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Joined Text" narrative="The resulting joined text" stage="Joined Text"/>
</outputs>
</stage>
<stage stageid="13059fce-ee5a-4fbc-a76c-efc5db5d1240" name="Values" type="Collection">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Item Value" type="text"/>
</collectioninfo>
</stage>
<stage stageid="b0cf2931-5486-4779-b457-e8af03062df8" name="Join Character" type="Data">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<display x="150" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="019a4343-9b5c-4400-8b76-5efbf2156032" name="Join Lines" type="SubSheetInfo">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
```

```
<narrative>Joins values from a collection into multiline text.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6f376101-4dd4-43b4-85a0-19dd1090df02" name="Start" type="Start">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<loginhibit/>
<display x="15" y="-75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Values" narrative="The text values collection to join" stage="Values"/>
<input type="flag" name="Trim Lines" narrative="Set true to apply trimming to the lines" stage="Trim Lines"
</inputs>
<onsuccess>816591dd-a42d-436b-9fd0-4ca095d78e29</onsuccess>
</stage>
<stage stageid="f2d9cbef-9cdb-4daa-bbb6-5d3dc0548c2e" name="Values" type="Collection">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<display x="90" y="-75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="579d0466-882d-47ce-a2c3-d4a7f25eaa8c" name="Joined Text" type="Data">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<display x="90" y="285"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="724a0223-71bd-48d0-bcca-f4d554fcf91b" name="End" type="End">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<loginhibit/>
<display x="15" y="135"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Joined Text" narrative="The resulting joined text" stage="Joined Text"/>
</outputs>
</stage>
<stage stageid="8bcc24ca-f588-4c3c-b09b-fe08b425b5db" name="Joined Text" type="Data">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<display x="90" y="135" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e3b84350-20a1-442e-bebb-0232a5b73299" name="Join Text" type="SubSheet">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<loginhibit/>
<display x="15" y="60"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Values" expr="[Values]"/>
<input type="text" name="Join Character" expr="[Join Character]"/>
<input type="flag" name="Trim Values" expr="[Trim Lines]"/>
</inputs>
<outputs>
<output type="text" name="Joined Text" stage="Joined Text"/>
</outputs>
<onsuccess>724a0223-71bd-48d0-bcca-f4d554fcf91b</onsuccess>
</stage>
<stage stageid="816591dd-a42d-436b-9fd0-4ca095d78e29" name="Get Carriage Return" type="Code">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<loginhibit/>
<display x="15" y="0" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Join Character" stage="Join Character"/>
</outputs>
<onsuccess>e3b84350-20a1-442e-bebb-0232a5b73299</onsuccess>
<code>Join_Character = vbcrlf</code>
</stage>
<stage stageid="9a8e3b40-f136-4397-b62b-4a69cd010c37" name="Join Character" type="Data">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<display x="105" y="0"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="13a0e17b-9b82-4dd6-8e3a-313890d8caf3" name="For Each Value" type="LoopStart">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="15" y="15" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e4c0da52-0523-4109-b705-3fadd035597b</onsuccess>
<groupid>fffab271-8052-4aaf-9a1e-1402d77939ea</groupid>
<looptype>ForEach</looptype>
<loopdata>Values</loopdata>
</stage>
<stage stageid="98f2416b-599a-42d1-a76f-d41ea3e23572" name="Next Value" type="LoopEnd">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="15" y="195" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7dbff5b3-7cd4-406a-9650-265fb88988ef</onsuccess>
<groupid>fffab271-8052-4aaf-9a1e-1402d77939ea</groupid>
</stage>
<stage stageid="b05ea94b-f0d1-4047-b854-04877801ef0b" name="Reset Output" type="Calculation">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="15" y="-45"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>13a0e17b-9b82-4dd6-8e3a-313890d8caf3
<calculation expression="&amp;quot;&amp;quot;" stage="Joined Text"/>
</stage>
<stage stageid="49168356-8449-4cb3-9798-0796b15b77a3" name="Append Value" type="Calculation">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="15" y="150"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>98f2416b-599a-42d1-a76f-d41ea3e23572</onsuccess>
<calculation expression="[Joined Text] & amp; amp; [Values. Item Value] & amp; amp; [Join Character]" stage</p>
</stage>
<stage stageid="54cf1a89-b26c-4916-ab45-8f1e80b9b86f" name="Trim Lines" type="Data">
<subsheetid>a854bb6a-4399-4e51-8fc3-64f9e1d4f896</subsheetid>
<display x="150" y="-75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6aa04814-e2fd-4630-b391-bfe892ddc8df" name="Trim Values" type="Data">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<display x="210" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="e4c0da52-0523-4109-b705-3fadd035597b" name="Trim?" type="Decision">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="15" y="75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Trim Values]"/>
<ontrue>91ef5da4-e47e-4442-98ec-d46cbd8d8692</ontrue>
<onfalse>49168356-8449-4cb3-9798-0796b15b77a3</onfalse>
</stage>
<stage stageid="91ef5da4-e47e-4442-98ec-d46cbd8d8692" name="Do Trim" type="Calculation">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="105" y="75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>10ac89cc-d24c-4622-ad92-34ebe2365083
<calculation expression="Trim([Values.Item Value])" stage="Values.Item Value"/>
</stage>
<stage stageid="10ac89cc-d24c-4622-ad92-34ebe2365083" name="anchor1" type="Anchor">
<subsheetid>a2c09338-7850-4daf-a545-8972d333b826</subsheetid>
<loginhibit/>
<display x="105" y="150" w="10" h="10"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>49168356-8449-4cb3-9798-0796b15b77a3</onsuccess>
</stage>
```

```
<stage stageid="b837f601-57e9-4136-8dee-db8ca9ebf15f" name="Format Number" type="SubSheetInfo">
<subsheetid>5110b353-010b-4874-97bd-8b7621c24384</subsheetid>
<narrative>Formats a number into comma-delimited triplets, as appropriate. Eg 123456.789 becomes 123,
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="df1e573a-3e89-43a8-8e6a-61f1840b3869" name="Start" type="Start">
<subsheetid>5110b353-010b-4874-97bd-8b7621c24384</subsheetid>
<loginhibit/>
onditions>
<condition narrative="None"/>
conditions>
<postconditions>
<condition narrative="The number will have been formatted."/>
</postconditions>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Input Number" narrative="The number to format" stage="Input Number"/>
</inputs>
<onsuccess>df4ce97f-4b9c-4087-a9bf-c6e35eba156b</onsuccess>
</stage>
<stage stageid="dd89bdff-2f14-4268-98f4-7ef3747a5233" name="End" type="End">
<subsheetid>5110b353-010b-4874-97bd-8b7621c24384</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<outputs>
<output type="text" name="Formatted Currency Numbers" narrative="The resulting formatted number" stage
</outputs>
</stage>
<stage stageid="b0f25370-1f87-4edd-b03a-0a3ac16537fb" name="Input Number" type="Data">
<subsheetid>5110b353-010b-4874-97bd-8b7621c24384</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>987654123456.789</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="df4ce97f-4b9c-4087-a9bf-c6e35eba156b" name="Format" type="Code">
<subsheetid>5110b353-010b-4874-97bd-8b7621c24384</subsheetid>
<loginhibit/>
<display x="15" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Input" expr="[Input Number]"/>
</inputs>
<outputs>
<output type="text" name="Output" stage="Formatted Currency Value"/>
</outputs>
<onsuccess>dd89bdff-2f14-4268-98f4-7ef3747a5233</onsuccess>
<code>Output = Input.ToString("N")</code>
</stage>
```

```
<stage stageid="a6d6d631-89c5-4460-9771-6a15a0e1d7d5" name="Formatted Currency Value" type="Da
<subsheetid>5110b353-010b-4874-97bd-8b7621c24384</subsheetid>
<display x="90" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b3013d63-9017-4dd9-bcf6-5e0d09ab372f" name="PadLeft" type="SubSheetInfo">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<narrative>Ensures that a string (usually a number) is of fixed width, by padding with a special character o
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="af05cd75-42db-4c09-875d-3fedfc3ca0a2" name="Start" type="Start">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
onditions>
<condition narrative="None"/>
</preconditions>
<postconditions>
<condition narrative="The supplied text will have been padded to be at least the number of desired characters."</p>
</postconditions>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Input String" narrative="The string to pad" stage="Input String"/>
<input type="number" name="Target Width" narrative="The total number of characters required after padd
<input type="text" name="Padding Character" narrative="The character to pad with" stage="Padding Character"
</inputs>
<onsuccess>6527cdd9-47d7-4784-bd96-e63afa4ec955</onsuccess>
</stage>
<stage stageid="f432b972-ae44-4485-943b-87848fd43487" name="End" type="End">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
<display x="15" y="165"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Padded String" narrative="The resultant padded string" stage="Input String"/>
</outputs>
</stage>
<stage stageid="888a814c-a03d-43f0-b6d6-30501b8b3250" name="Input String" type="Data">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">123</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="ea8d90c7-c341-4859-919c-4ecc076162eb" name="Target Width" type="Data">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
```

<display x="150" y="-105"/>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>5</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="56c037f3-4ff0-4923-974c-e925c84e69c8" name="Padding Character" type="Data">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<display x="210" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6527cdd9-47d7-4784-bd96-e63afa4ec955" name="Blank Padding Character?" type="Dec
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
<display x="15" y="-45" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="Len([Padding Character]) = 0"/>
<ontrue>26f66718-649a-4472-965d-0e1e125e7473
<onfalse>b6b30eec-0ee3-4316-a9af-d0a55d5ec137</onfalse>
</stage>
<stage stageid="26f66718-649a-4472-965d-0e1e125e7473" name="Use Space for Padding" type="Calcul
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
```

```
<display x="135" y="-45" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6acfdd2b-9298-4841-9111-003fc203edd0</onsuccess>
<calculation expression="&amp;quot; &amp;quot;" stage="Padding Character"/>
</stage>
<stage stageid="6acfdd2b-9298-4841-9111-003fc203edd0" name="anchor2" type="Anchor">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
<display x="135" y="0" w="10" h="10"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b6b30eec-0ee3-4316-a9af-d0a55d5ec137</onsuccess>
</stage>
<stage stageid="b6b30eec-0ee3-4316-a9af-d0a55d5ec137" name="anchor3" type="Anchor">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
<display x="15" y="0" w="10" h="10"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e13c9c2d-2cbe-4262-828c-6307a805d9c1</onsuccess>
</stage>
<stage stageid="e13c9c2d-2cbe-4262-828c-6307a805d9c1" name="Long Enough?" type="Decision">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
<display x="15" y="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="Len([Input String]) & amp;gt;= [Target Width]"/>
<ontrue>f432b972-ae44-4485-943b-87848fd43487</ontrue>
<onfalse>87af11ea-fa7e-45cf-b02a-fd6edeae0b85</onfalse>
```

```
</stage>
<stage stageid="87af11ea-fa7e-45cf-b02a-fd6edeae0b85" name="Insert Padding" type="Calculation">
<subsheetid>ef8de52d-842b-45f0-8f1b-619bc97d4bbc</subsheetid>
<loginhibit/>
<display x="135" y="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6acfdd2b-9298-4841-9111-003fc203edd0</onsuccess>
<calculation expression="[Padding Character] & amp; amp; [Input String]" stage="Input String"/>
</stage>
<stage stageid="92edef27-4b78-40dd-97bd-e5a4f9169214" name="Get XML Elements" type="SubSheetIr
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<narrative>Gets a collection of xml elements with a given name from an xml document.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="04bec0f1-e8bb-4c30-a5d1-b7eee243e6f9" name="Start" type="Start">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<loginhibit/>
<display x="135" y="-120"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="XML" narrative="The xml to get elements from" stage="XML"/>
<input type="text" name="Element Name" narrative="The name of the xml elements to get" stage="Element"
</inputs>
<onsuccess>17f4a862-c7e3-44c3-a373-5b325fdaab8a</onsuccess>
</stage>
<stage stageid="e4b99f55-7171-46d6-992b-db797e99b1ed" name="End" type="End">
```

```
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<loginhibit/>
<display x="135" y="165"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Elements" narrative="The collection of xml elements that match the given</p>
</outputs>
</stage>
<stage stageid="31472749-70ee-477e-a042-fcf5a25a4099" name="XML" type="Data">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<display x="-75" y="60" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;?xml version="1.0" encoding="utf-8" ?&amp;gt; &amp;lt;Potent
<private/>
<alwaysinit/>
</stage>
<stage stageid="68a0eeb2-9377-4b12-8f31-5ae52e7109e4" name="Element Name" type="Data">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<display x="-75" y="90" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Image</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="7b46fe82-142a-411b-bf80-b2f0047952da" name="Get Elements" type="Code">
```

```
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<loginhibit/>
<display x="135" y="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="XML" expr="[XML]"/>
<input type="text" name="Element" expr="[Element Name]"/>
</inputs>
<outputs>
<output type="collection" name="Elements" stage="Elements"/>
</outputs>
<onsuccess>e4b99f55-7171-46d6-992b-db797e99b1ed/onsuccess>
<code>
dim table as datatable = GetDataTable("XML", "System.String")
dim row as datarow
dim doc as new xmldocument
dim list as xmlnodelist
doc.loadxml(xml)
list = doc.getelementsbytagname(element)
for each n as xmlnode in list
row = table.newrow()
row("XML") = n.outerxml
table.rows.Add(row)
next
```

```
Elements = table
</code>
</stage>
<stage stageid="d693d2fb-a196-4ddc-b2e9-b41cbe618fc3" name="Elements" type="Collection">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<display x="-75" y="165" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="17f4a862-c7e3-44c3-a373-5b325fdaab8a" name="Blank XML?" type="Decision">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<loginhibit/>
<display x="135" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="Len(Trim([XML])) = 0"/>
<ontrue>6eb4f747-35c0-4e57-acbf-be93ac0a1bbb</ontrue>
<onfalse>7b46fe82-142a-411b-bf80-b2f0047952da</onfalse>
</stage>
<stage stageid="6eb4f747-35c0-4e57-acbf-be93ac0a1bbb" name="anchor1" type="Anchor">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<loginhibit/>
<display x="240" y="-30" w="10" h="10"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a460ec9b-8afb-4b37-8ae0-7545448b025d</onsuccess>
</stage>
```

```
<stage stageid="a460ec9b-8afb-4b37-8ae0-7545448b025d" name="anchor2" type="Anchor">
<subsheetid>818441a5-ffec-4841-b0ea-00712caf63aa</subsheetid>
<loginhibit/>
<display x="240" y="165" w="10" h="10"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e4b99f55-7171-46d6-992b-db797e99b1ed</onsuccess>
</stage>
<stage stageid="97b59270-9eda-4994-9fce-24d8b5d856a4" name="Get XML Attribute" type="SubSheetIn
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<narrative>Gets the value of an xml attribute with a given name from an xml document fragment.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="802dd6e8-6b25-42b9-9af6-931049d4062a" name="Start" type="Start">
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<loginhibit/>
<display x="120" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="XML" narrative="The xml document to get attributes from" stage="XML"/>
<input type="text" name="Attribute Name" narrative="The name of the xml attribute to get" stage="Attribute
</inputs>
<onsuccess>76737597-b716-4a52-8cbc-dfe9b5ad1f0c</onsuccess>
</stage>
<stage stageid="bc64fcfd-4386-47ec-b799-19c5454d8374" name="End" type="End">
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<loginhibit/>
```

```
<display x="120" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Value" narrative="The text value of the requested attribute" stage="Attribute Va</p>
</outputs>
</stage>
<stage stageid="18f2ae57-8ed9-457b-8763-82dedb14a5e0" name="XML" type="Data">
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<display x="-90" y="75" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;iGrading&amp;gt;&amp;lt;Response transactionID="de3dc0b1
<private/>
<alwaysinit/>
</stage>
<stage stageid="1941e7f9-164d-4aa2-b06e-cb3a579a30e4" name="Attribute Name" type="Data">
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<display x="-90" y="105" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">method</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c9ec2a39-8f5d-42cc-856f-33bdb2c16477" name="Attribute Value" type="Data">
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<display x="-90" y="135" w="150" h="30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="76737597-b716-4a52-8cbc-dfe9b5ad1f0c" name="Get Attribute" type="Code">
<subsheetid>e8af11f7-dfd4-4c86-9935-e83828b9e711</subsheetid>
<loginhibit/>
<display x="120" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="XML" expr="[XML]"/>
<input type="text" name="Attribute" expr="[Attribute Name]"/>
</inputs>
<outputs>
<output type="text" name="Value" stage="Attribute Value"/>
</outputs>
<onsuccess>bc64fcfd-4386-47ec-b799-19c5454d8374</onsuccess>
<code>
dim i as integer = XML.indexof(Attribute)
if i > 0 then
i += Attribute.length + 2
value = XML.substring(i)
value = value.substring(0, value.indexof(""""))
else
```

```
value = ""
end if</code>
</stage>
<stage stageid="ebd306f5-f0a3-46cf-8a04-9bde5bf5cc3d" name="Get Collection as CSV" type="SubShee"
<subsheetid>f9add4d4-31de-4c0f-a109-0b51fa576a23</subsheetid>
<narrative>Turns a collection into a list of comma seperated values.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1e2d9aba-666e-457b-adb8-c5991d17ba24" name="Start" type="Start">
<subsheetid>f9add4d4-31de-4c0f-a109-0b51fa576a23</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Input Collection" narrative="The collection to be converted to CSV" stage=
</inputs>
<onsuccess>e5946197-de00-4008-9491-d0ab28eaf2ee</onsuccess>
</stage>
<stage stageid="a619ae29-9260-47d3-b15c-f47342810991" name="End" type="End">
<subsheetid>f9add4d4-31de-4c0f-a109-0b51fa576a23</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Collection CSV" narrative="The CSV representation of the Input Collection" sta</pre>
</outputs>
```

```
</stage>
<stage stageid="18eea322-16ab-4d30-a555-5ac6638b468f" name="Input Collection" type="Collection">
<subsheetid>f9add4d4-31de-4c0f-a109-0b51fa576a23</subsheetid>
<display x="120" y="-105" w="120" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e5946197-de00-4008-9491-d0ab28eaf2ee" name="Serialise to CSV" type="Code">
<subsheetid>f9add4d4-31de-4c0f-a109-0b51fa576a23</subsheetid>
<loginhibit/>
<display x="15" y="0" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Input Collection" expr="[Input Collection]"/>
</inputs>
<outputs>
<output type="text" name="Output CSV" stage="Output CSV"/>
</outputs>
<onsuccess>a619ae29-9260-47d3-b15c-f47342810991
<code>
Dim SB As New StringBuilder
WriteDataTable(SB, Input_Collection, True)
Output_CSV = SB.ToString()</code>
</stage>
<stage stageid="9e68e0db-adac-4a32-bd92-c7d5bfe31468" name="Output CSV" type="Data">
```

```
<subsheetid>f9add4d4-31de-4c0f-a109-0b51fa576a23</subsheetid>
<display x="90" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="47ea7760-3b58-442b-8271-c90d3c08f114" name="Split Lines by Length" type="SubSheet
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<narrative>Splits text into lines of a given length using word boundries to find the split point.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="51996cc8-b76e-4de1-899a-66c678dbe1f3" name="Start" type="Start">
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<loginhibit/>
<display x="0" y="-135"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text to Split" narrative="The single line of text that needs to be split" stage="Text
<input type="number" name="Maximum Line Length" narrative="The maximum length of the line" stage="N
<input type="flag" name="Split Strictly by Length" narrative="Set true if the line should be split at character
</inputs>
<onsuccess>0fd3f2cd-7fff-49c7-b4d9-4cfc3476793a</onsuccess>
</stage>
<stage stageid="52e75580-936a-4647-a154-e984ab8d199a" name="End" type="End">
```

```
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<loginhibit/>
<display x="0" y="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="Line Count" stage="Line Count"/>
<output type="collection" name="Split Lines" stage="Split Lines"/>
</outputs>
</stage>
<stage stageid="0fd3f2cd-7fff-49c7-b4d9-4cfc3476793a" name="Split Lines By Length" type="Code">
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<loginhibit/>
<display x="0" y="-45" w="90" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text to Split" expr="[Text to Split]"/>
<input type="number" name="Maximum Line Length" expr="[Maximum Line Length]"/>
<input type="flag" name="Strict Split" expr="[Split Strictly by Length]"/>
</inputs>
<outputs>
<output type="collection" name="Split Lines" stage="Split Lines"/>
<output type="number" name="Line Count" stage="Line Count"/>
</outputs>
<onsuccess>52e75580-936a-4647-a154-e984ab8d199a</onsuccess>
<code>Dim Values as List(Of String) = Nothing
If Strict Split Then
Values = New List(Of String)
```

```
While Text_to_Split.Length > 0
Dim NewLine As String = Text_to_Split.SubString(0, Math.Min(Maximum_Line_Length, Text_to_Split.Leng
NewLine = NewLine.Trim()
Values.Add(NewLine)
If Text_to_Split.Length > NewLine.Length Then
Text_to_Split = Text_to_Split.SubString(NewLine.Length, Text_to_Split.Length - NewLine.Length)
Else
Text to Split = ""
End If
Text_to_Split = Text_to_Split.Trim()
End While
Else
Values = SplitTextByLengthEngine(Text_to_Split, Maximum_Line_length)
End If
Split_Lines = New DataTable()
Split_Lines.Columns.Add("Line Text", GetType(String))
For Each s as String in Values
Split_Lines.Rows.Add(New Object() {s})
Next
Line_Count = Values.Count</code>
</stage>
<stage stageid="c20b3e81-de90-46c1-a347-f094034ff28c" name="Text to Split" type="Data">
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<display x="75" y="-135"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">aaaa bbbb cccc dddd eeee ffff gggg hhhh iiii jjjj kkkk llll mmmm nnnn o
<alwaysinit/>
</stage>
<stage stageid="e329d1c6-7a17-4af0-aa33-d6fb517adb68" name="Split Lines" type="Collection">
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<display x="135" y="45" w="120" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Line Text" type="text"/>
</collectioninfo>
</stage>
<stage stageid="50f47d4a-73f4-46d2-93e1-24a2470d2df9" name="Maximum Line Length" type="Data">
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<display x="150" y="-135"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>6</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="d1f11813-b465-4a95-9194-630fb1424d37" name="Line Count" type="Data">
```

```
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<display x="90" y="-60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="89c59225-5fb8-45a8-9fb8-a102420ddbc5" name="Split Strictly by Length" type="Data">
<subsheetid>6a710d42-8f41-45d0-9e74-1eddf74c0e75</subsheetid>
<display x="225" y="-135"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="8d911bb3-c87f-4748-b226-9d2faaf45c95" name="Get CSV As Collection" type="SubSheets)
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<narrative>Turns a list of comma seperated values into a collection.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="90168461-d901-4bf7-886d-42176fe2fe34" name="Start" type="Start">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<loginhibit/>
<display x="150" y="-105"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" stage="CSV"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<onsuccess>33e5caa5-61ec-4ef6-9ae8-01466a277896</onsuccess>
</stage>
<stage stageid="f06f6c62-eada-49b0-bf89-fdbb436e13fe" name="End" type="End">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<loginhibit/>
<display x="150" y="15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
</stage>
<stage stageid="d5778bd8-695a-4c5e-8e8a-3764ae34f57f" name="CSV" type="Data">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<loginhibit/>
<display x="225" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="c5b7df42-71fd-41f6-af35-62ed6f68caa0" name="Output Collection" type="Collection">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<loginhibit/>
<display x="45" y="15" w="120" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="617f911a-8f73-4ce5-b428-f1441214c602" name="First Row Is Header" type="Data">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<loginhibit/>
<display x="285" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ff699bd2-cd5a-4996-927a-e579b22b0313" name="Schema" type="Collection">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<narrative>The columns must appear in the same order as they appear in the CSV file
<display x="390" y="-105" w="120" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
```

```
<collectioninfo>
<field name="Column Name" type="text"/>
</collectioninfo>
</stage>
<stage stageid="e1587123-3967-4743-b475-5499f8c41803" name="Get Newline Character" type="SubSh
<subsheetid>fcddf4bf-83af-4431-88db-cc2c88390cec</subsheetid>
<narrative>Gets the text representing the two newline characters used under windows (Carriage return foll
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b09f1e76-fb7c-4ef1-9a47-db4a1377d056" name="Start" type="Start">
<subsheetid>fcddf4bf-83af-4431-88db-cc2c88390cec</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>af411d25-0e83-4e28-b4f3-30f43beb9b88</onsuccess>
</stage>
<stage stageid="bee4d44f-957c-415f-be9c-614e97d6f255" name="End" type="End">
<subsheetid>fcddf4bf-83af-4431-88db-cc2c88390cec</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Newline Character" narrative="The new line text" stage="Newline Character"/>
</outputs>
</stage>
<stage stageid="af411d25-0e83-4e28-b4f3-30f43beb9b88" name="Get Newline Character" type="Code">
```

```
<subsheetid>fcddf4bf-83af-4431-88db-cc2c88390cec</subsheetid>
<loginhibit/>
<display x="15" y="0" w="90" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Newline Character" stage="Newline Character"/>
</outputs>
<onsuccess>bee4d44f-957c-415f-be9c-614e97d6f255</onsuccess>
<code>Newline Character = VbCrLf</code>
</stage>
<stage stageid="dde302f4-2b62-45c0-a8f3-190c52116470" name="Newline Character" type="Data">
<subsheetid>fcddf4bf-83af-4431-88db-cc2c88390cec</subsheetid>
<display x="90" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="dd7d11e6-2bc7-40ed-ab47-1180482d82ed" name="Delete Characters" type="SubSheetli
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
<narrative>Removes the given characters from the text.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6e15c3f7-07db-4e3d-a24d-84be7e09b06e" name="Start" type="Start">
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
```

```
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text Sample" narrative="The piece of text to be operated on" stage="Text Samp
<input type="text" name="Characters to Delete" narrative="A string of characters to be deleted from the Te
</inputs>
<onsuccess>89bfbefd-b0a3-472a-b72c-75105d0a7895</onsuccess>
</stage>
<stage stageid="c7719606-01b9-4626-9a24-4d9cf42d1e75" name="End" type="End">
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Amended Sample" narrative="The amended sample, with the characters delete</p>
</outputs>
</stage>
<stage stageid="78d405b1-aa60-46a6-af38-fb4bba55e752" name="Text Sample" type="Data">
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="66318e10-ff11-43c1-9b3c-6ce27546458f" name="Characters to Delete" type="Data">
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
<display x="150" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="89bfbefd-b0a3-472a-b72c-75105d0a7895" name="Replace" type="Code">
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text Sample" expr="[Text Sample]"/>
<input type="text" name="Characters to Delete" expr="[Characters to Delete]"/>
</inputs>
<outputs>
<output type="text" name="Amended Sample" stage="Amended Sample"/>
</outputs>
<onsuccess>c7719606-01b9-4626-9a24-4d9cf42d1e75</onsuccess>
<code>For Each C as Char in Characters_To_Delete.ToCharArray()
Text_Sample = Text_Sample.Replace(C, "")
Next
```

Amended_Sample = Text_Sample</code>

```
</stage>
<stage stageid="930e7d0f-68a5-4d40-a291-e2dcfa4918c6" name="Amended Sample" type="Data">
<subsheetid>e70e8f13-02df-4b14-bb74-6fd5c4c95928</subsheetid>
<display x="90" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<subsheetid>040cc29a-27ac-402c-8a66-328554dd4bc0</subsheetid>
<narrative>Escapes characters to be sent via the sendkeys method, to ensure that all characters are interpreted in the sendkeys method.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5bb1d666-6ef6-4371-a0f4-111fdf5ee69e" name="Start" type="Start">
<subsheetid>040cc29a-27ac-402c-8a66-328554dd4bc0</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Sendkeys Text" narrative="The text to be escaped" stage="Sendkeys Text"/>
</inputs>
<onsuccess>5ea70bdd-732c-4a8e-b5cb-a747f97e1090</onsuccess>
</stage>
<stage stageid="7bfda30d-2f75-46ec-b5e2-88a965528b49" name="End" type="End">
```

```
<subsheetid>040cc29a-27ac-402c-8a66-328554dd4bc0</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Escaped Sendkeys Text" narrative="The escaped sendkeys text, which can be</p>
</outputs>
</stage>
<stage stageid="5ea70bdd-732c-4a8e-b5cb-a747f97e1090" name="Escape Text" type="Code">
<subsheetid>040cc29a-27ac-402c-8a66-328554dd4bc0</subsheetid>
<loginhibit/>
<display x="15" y="-30" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="SendKeys Text" expr="[Sendkeys Text]"/>
</inputs>
<outputs>
<output type="text" name="Escaped Sendkeys Text" stage="Escaped Sendkeys Text"/>
</outputs>
<onsuccess>7bfda30d-2f75-46ec-b5e2-88a965528b49</onsuccess>
<code>Escaped_Sendkeys_Text = Regex.Replace(SendKeys_Text, "[\[\]{}+^%~()]", "{$0}")</code>
</stage>
<stage stageid="c0e80092-2acc-4552-b6ab-9e3fa5abb07a" name="Escaped Sendkeys Text" type="Data"
<subsheetid>040cc29a-27ac-402c-8a66-328554dd4bc0</subsheetid>
<display x="150" y="90" w="180" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="172f06e8-629e-434a-9bee-084a177606eb" name="Sendkeys Text" type="Data">
<subsheetid>040cc29a-27ac-402c-8a66-328554dd4bc0</subsheetid>
<display x="90" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4e2f3e3d-72e1-4483-b79e-49e9f1387d8a" name="Compare Font Text" type="SubSheetle"
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<narrative>Compares two items of text read using Font Recognition for equality, where "equality" means the compares two items of text read using Font Recognition for equality, where "equality" means the compares two items of text read using Font Recognition for equality, where "equality" means the compares two items of text read using Font Recognition for equality, where "equality" means the compares two items of text read using Font Recognition for equality, where "equality" means the compares two items of text read using Font Recognition for equality, where "equality" means the compares the 
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1a092a3a-7389-4bd7-8d31-a3ed761ff97c" name="Start" type="Start">
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
conditions>
<condition narrative="None"/>
onditions>
<postconditions>
<condition narrative="None"/>
```

```
</postconditions>
<display x="150" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Sample 1" narrative="The first item to be compared" stage="Sample 1"/>
<input type="text" name="Sample 2" narrative="The second item to be compared" stage="Sample 2"/>
<input type="collection" name="Conflicting Characters" narrative="A collection of conflicting font characters
</inputs>
<onsuccess>2aac81fd-1231-450b-94e5-3a5928ddb08b</onsuccess>
</stage>
<stage stageid="f07d147e-0807-4996-8746-e6b232b63283" name="End" type="End">
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
<display x="150" y="330"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="flag" name="Samples Equal" narrative="Indicates whether the samples are equal, once con</p>
<output type="text" name="Amended Sample 1" narrative="The first sample, with conflicting characters rer</p>
<output type="text" name="Amended Sample 2" narrative="The second sample, with conflicting characters</p>
</outputs>
</stage>
<stage stageid="fbb964d4-b0d6-4729-b88d-04d1cbfd0cb5" name="Sample 1" type="Data">
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<display x="225" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="4187bcbb-ee93-4b01-b7b6-4e4944c8967a" name="Sample 2" type="Data">
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<display x="285" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="16d61c29-acde-49f1-a0dc-5b93885cb724" name="Conflicting Characters" type="Collection of the confliction of the 
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<display x="0" y="-15" w="120" h="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
cprivate/>
<alwaysinit/>
</stage>
<stage stageid="2aac81fd-1231-450b-94e5-3a5928ddb08b" name="For Each Character Group" type="Loc
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
<display x="150" y="45" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dde2966f-3ac6-4a0a-9613-7f8c83db2d3a</onsuccess>
<groupid>d5a546ca-79ce-4ba9-917c-4165b543a787</groupid>
```

```
<looptype>ForEach</looptype>
<loopdata>Conflicting Characters/loopdata>
</stage>
<stage stageid="5f4d2cf9-a6a3-47c1-beed-8c8912b3f81e" name="Next Character Group" type="LoopEnd
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
<display x="150" y="180" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cd3e8b56-7767-489d-96de-6c9d0740de02</onsuccess>
<groupid>d5a546ca-79ce-4ba9-917c-4165b543a787</groupid>
</stage>
<stage stageid="cd3e8b56-7767-489d-96de-6c9d0740de02" name="Determine Equality" type="Calculation
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
<display x="150" y="240"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f07d147e-0807-4996-8746-e6b232b63283</onsuccess>
<calculation expression="[Sample 1] = [Sample 2]" stage="Samples Equal"/>
</stage>
<stage stageid="7c680a7d-326b-4d7b-b298-02df94778092" name="Samples Equal" type="Data">
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<display x="225" y="330"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
```

```
</stage>
<stage stageid="a589a76f-6d45-4f76-a3d8-a7220c5409ed" name="Extract Regex Values" type="SubSheets)
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e85db034-efea-43db-9f60-c5d086ce0f5a" name="Start" type="Start">
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<loginhibit/>
<display x="45" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Regex Pattern" narrative="The regex pattern to apply" stage="Regex Pattern"/>
<input type="text" name="Target String" narrative="The target string to which apply the pattern and extract
<input type="collection" name="Named Values" narrative="A collection of named values to extract from the
</inputs>
<onsuccess>526b7aa5-2df6-4a52-a8d5-fef9e3c9e776</onsuccess>
</stage>
<stage stageid="78d491bd-ce28-422a-8d1f-334ba9248f4e" name="End" type="End">
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<loginhibit/>
<display x="45" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Named Values" narrative="Results of the named values extracted from the
</outputs>
</stage>
```

```
<stage stageid="e0d2e8e4-b2f1-4cab-a39c-7252cd042e68" name="Regex Pattern" type="Data">
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<display x="240" y="-105" w="300" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">(?&amp;lt;Lower&amp;gt;\d+)\s*(-|to)\s*(?&amp;lt;Upper&amp;gt;\d+)<
<alwaysinit/>
</stage>
<stage stageid="d1344ba9-2a6f-4a88-bc72-0188e2ead8b7" name="Target String" type="Data">
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<narrative>100-200
56 to 99
400 - 600</narrative>
<display x="240" y="-60" w="300" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">100-200</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="70580e44-41d3-40b3-9b12-3460963b2f5f" name="Named Values" type="Collection">
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<display x="240" y="30" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
```

```
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text"/>
<field name="Value" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Name" type="text" value="Lower"/>
<field name="Value" type="text" value=""/>
</row>
<row>
<field name="Name" type="text" value="Upper"/>
<field name="Value" type="text" value=""/>
</row>
</initialvalue>
</stage>
<stage stageid="526b7aa5-2df6-4a52-a8d5-fef9e3c9e776" name="Extract Values" type="Code">
<subsheetid>06780f7c-9622-4d84-9db3-bb56a2ff9f36</subsheetid>
<loginhibit/>
<display x="45" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Regex Pattern" expr="[Regex Pattern]"/>
<input type="text" name="Target String" expr="[Target String]"/>
<input type="collection" name="Named Values" expr="[Named Values]"/>
</inputs>
<outputs>
```

```
<output type="collection" name="Named Values Out" stage="Named Values"/>
</outputs>
<onsuccess>78d491bd-ce28-422a-8d1f-334ba9248f4e</onsuccess>
<code>For Each Row As DataRow in Named Values.Rows
Row("Value") = ""
Next
Dim R as New Regex(Regex_Pattern, RegexOptions.SingleLine)
Dim M as Match = R.Match(Target_String)
If M IsNot Nothing AndAlso M.Success Then
If M.Groups IsNot Nothing AndAlso M.Groups.Count > 0 Then
For Each Row As DataRow in Named_Values.Rows
Dim GroupName As String = CStr(Row("Name"))
Dim G As Group = M.Groups(GroupName)
If G.Success Then
Row("Value") = G.Value
End If
Next
End If
End If
Named_Values_Out = Named_Values</code>
</stage>
<stage stageid="33e5caa5-61ec-4ef6-9ae8-01466a277896" name="ParseCSV" type="Code">
<subsheetid>f5b26213-5463-4b2d-b10f-b188876b436f</subsheetid>
<loginhibit/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" expr="[CSV]"/>
<input type="collection" name="Schema" expr="[Schema]"/>
<input type="flag" name="FirstRowIsHeader" expr="[First Row Is Header]"/>
</inputs>
<outputs>
<output type="collection" name="outputCollection" stage="Output Collection"/>
</outputs>
<onsuccess>f06f6c62-eada-49b0-bf89-fdbb436e13fe</onsuccess>
<code>Const SchemaColumnName As String = "Column Name"
Const DefaultColumnName As String = "Column "
Const nonSchemaHeadingIndex As Integer = 0
Dim emptySchema As Boolean = Schema Is Nothing OrElse Schema.Rows.Count = 0
Dim csvValuesList = ParseCsvToList(CSV)
' If we want to parse with no schema and want the first row be used as headings
we need to know what the headings will be.
Dim nonSchemaHeadings = If(csvValuesList.Count > 0, csvValuesList(nonSchemaHeadingIndex), New
' Arrange the column headings into the table first.
If emptySchema Then
For Each columnHeader As String In nonSchemaHeadings
```

Dim colName As String = If(FirstRowlsHeader, columnHeader,

<display x="150" y="-45"/>

DefaultColumnName & DefaultCollection.Columns.Count) outputCollection.Columns.Add(colName, GetType(String)) Next Else For Each columnHeader As DataRow In Schema.Rows Dim colName As String = columnHeader(SchemaColumnName).ToString outputCollection.Columns.Add(colName, GetType(String)) Next End If ' If the first row is being used for headings then skip those headings / values in csvValuesList. Dim startListIndex As Integer = If(FirstRowIsHeader, nonSchemaHeadingIndex + 1, nonSchemaHeadingIn 'Insert the csv values into the table row by row. For i As Integer = startListIndex To csvValuesList.Count - 1 Dim currentRow As Datarow = outputCollection.NewRow outputCollection.Rows.Add(currentRow) Dim csvArray = csvValuesList(i) For columnIndex As Integer = 0 To csvArray.Length - 1 currentRow.ltem(columnIndex) = csvArray(columnIndex) Next Next</code> </stage> <stage stageid="feb4e385-2919-4066-86ad-53cb6226c867" name="InStr" type="SubSheetInfo"> <subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid> <narrative>Tests to see if one peice of text contains another peice of sub text.

```
<display x="-150" y="-180" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="353f092b-3d6f-4fda-bdab-cd5798047c44" name="End" type="End">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<loginhibit/>
<display x="15" y="60"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="Position" narrative="The index of the sub text within the text or -1 if not four</p>
</outputs>
</stage>
<stage stageid="f594335d-8723-4704-a8ae-e8dbcfe492c7" name="Text" type="Data">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<display x="-180" y="-30" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1a43e2c2-c8c1-4dfd-b58f-2775e2ea7d0e" name="Search String" type="Data">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<display x="-180" y="0" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="c9bbb24e-51f9-489f-9944-30d9612c396a" name="Start Byte" type="Data">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<display x="-180" y="30" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="65e660c1-4379-4323-9e01-6cd7ae38f150" name="Note1" type="Note">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<loginhibit/>
<narrative>Inputs/narrative>
<display x="-180" y="-60" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="424c6e04-b000-4dce-8eb7-ba00b0fea671" name="InStr" type="Code">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="InText" expr="[Text]"/>
<input type="text" name="Search String" expr="[Search String]"/>
```

```
<input type="number" name="Start Byte" expr="[Start Byte]"/>
<input type="number" name="Compare Method" expr="[Compare Method]"/>
</inputs>
<outputs>
<output type="number" name="Position" stage="Position"/>
</outputs>
<onsuccess>353f092b-3d6f-4fda-bdab-cd5798047c44</onsuccess>
<code> Position = Microsoft.VisualBasic.InStr(Start_Byte,InText, Search_String, 1)</code>
</stage>
<stage stageid="7f283fb0-e9fa-4e24-82d1-aae53fd5afe1" name="Position" type="Data">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<display x="-165" y="165" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d00b9153-969d-4db4-b737-b1ac835c7b2a" name="Compare Method" type="Data">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<loginhibit/>
<narrative>1 = text, 0 = binary
<display x="-180" y="60" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>1</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="4bbb2261-2d01-49a5-88e8-c8d37745fd60" name="InStrRev" type="SubSheetInfo">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<narrative>Tests to see if one peice of text contains another peice of sub text but matches in reverse.
<display x="-150" y="-135" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3ddcb7e5-570f-430d-8374-ed9066da51c0" name="Start" type="Start">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="Text to search in" stage="Text"/>
<input type="text" name="Search String" narrative="The text to search for" stage="Search String"/>
<input type="number" name="Start Byte" narrative="Where in the string to search from" stage="Start Byte"
<input type="number" name="Compare Method" narrative="1=text, 0=binary" stage="Compare Method"/>
</inputs>
<onsuccess>4991333f-9a42-4dc3-b73b-a8bc97edab6d</onsuccess>
</stage>
<stage stageid="251f9278-c41e-44a0-835b-bfc48910933d" name="Text" type="Data">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<display x="-180" y="-30" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="393bbd43-ae95-438d-b358-f51cc69d5e5c" name="Search String" type="Data">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<display x="-180" y="0" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a898a11a-c6ca-4a70-abcd-42f38192de24" name="Start Byte" type="Data">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<display x="-180" y="30" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>-1</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="73737012-9282-4e33-9d87-c4718367216d" name="Note1" type="Note">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<loginhibit/>
<narrative>Inputs</narrative>
<display x="-180" y="-60" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="4991333f-9a42-4dc3-b73b-a8bc97edab6d" name="InStrRev" type="Code">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="InText" expr="[Text]"/>
<input type="text" name="Search String" expr="[Search String]"/>
<input type="number" name="Start Byte" expr="[Start Byte]"/>
<input type="number" name="Compare Method" expr="[Compare Method]"/>
</inputs>
<outputs>
<output type="number" name="Position" stage="Position"/>
</outputs>
<onsuccess>ba288c3f-ff29-4df2-af77-a2823f65f60c</onsuccess>
<code> Position = Microsoft.VisualBasic.InStrRev(InText, Search_String, Start_Byte, 1)
</stage>
<stage stageid="63d5b70d-b54a-4451-b957-9ea177292994" name="Position" type="Data">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<display x="-165" y="150" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="57a39985-6197-4f21-bdff-e46bd897faa6" name="Compare Method" type="Data">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<loginhibit/>
<narrative>1 = text, 0 = binary
<display x="-180" y="60" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>1</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="d0bb7b29-fbb3-43cd-ab69-7f76a9c657e5" name="Note1" type="Note">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<loginhibit/>
<narrative>Outputs</narrative>
<display x="-165" y="120" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b27c7a93-8e3b-4ed8-b105-e08cd2c96fdf" name="Note1" type="Note">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
<loginhibit/>
<narrative>Outputs</narrative>
<display x="-165" y="135" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bc4f3574-a096-4b9f-b836-0bc100bf2a18" name="Start" type="Start">
<subsheetid>0244396a-1d3d-4892-b6cb-461468f4c7e1</subsheetid>
```

```
<loginhibit/>
onditions>
<condition narrative=""/>
onditions>
<display x="15" y="-90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="Text to search in" stage="Text"/>
<input type="text" name="Search String" narrative="The text to search for" stage="Search String"/>
<input type="number" name="Start Byte" narrative="Where in the string to search from" stage="Start Byte"
<input type="number" name="Compare Method" narrative="1=text, 0=binary" stage="Compare Method"/>
</inputs>
<onsuccess>424c6e04-b000-4dce-8eb7-ba00b0fea671
</stage>
<stage stageid="ba288c3f-ff29-4df2-af77-a2823f65f60c" name="End" type="End">
<subsheetid>9ab28c01-86eb-458d-b8d9-74f98926d266</subsheetid>
<loginhibit/>
<display x="15" y="75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="Position" narrative="The index of the sub text within the text from the end o
</outputs>
</stage>
<stage stageid="73739a66-400b-488a-bd7a-63a2f0d2a4ef" name="Test Regex Match" type="SubSheetIn
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<narrative>Check if a given Text value matches a regular expression.
<display x="-195" y="-105" w="150" h="90"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="568b67f8-4216-4af4-bea8-1c83bbff7e16" name="Start" type="Start">
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<loginhibit/>
<display x="-30" y="-120"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Regex Pattern" narrative="The regex pattern to apply" stage="Regex Pattern"/>
<input type="text" name="Target String" narrative="The target string to which apply the pattern and extract
</inputs>
<onsuccess>2ad0c111-6108-4ca5-945b-22aab4b6bb27</onsuccess>
</stage>
<stage stageid="46282093-d3a9-4e38-b030-95b332ec5371" name="End" type="End">
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<loginhibit/>
<display x="-30" y="75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="flag" name="Matched?" narrative="Whether or not the regex match" stage="Regex Match"/>
</outputs>
</stage>
<stage stageid="32d3ef8a-d0b2-4093-afc5-98bad356c881" name="Regex Pattern" type="Data">
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<display x="165" y="-120" w="300" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5747c96e-0ce3-4e78-b446-17b9cef5b655" name="Target String" type="Data">
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<narrative>100-200
56 to 99
400 - 600</narrative>
<display x="165" y="-75" w="300" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2ad0c111-6108-4ca5-945b-22aab4b6bb27" name="Test Regex Match1" type="Code">
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<loginhibit/>
<display x="-30" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Regex Pattern" expr="[Regex Pattern]"/>
<input type="text" name="Target String" expr="[Target String]"/>
</inputs>
<outputs>
<output type="flag" name="Regex Match" stage="Regex Match"/>
```

```
</outputs>
<onsuccess>46282093-d3a9-4e38-b030-95b332ec5371
<code>
Dim R as New Regex(Regex_Pattern, RegexOptions.SingleLine)
Dim M as Match = R.Match(Target_String)
Regex_Match = M IsNot Nothing AndAlso M.Success</code>
</stage>
<stage stageid="24d6e567-f121-4d8a-a4ee-1402f8f2832d" name="Regex Match" type="Data">
<subsheetid>a6b6398e-c21a-4c4e-9742-65ccad8370d9</subsheetid>
<display x="45" y="-30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="dde2966f-3ac6-4a0a-9613-7f8c83db2d3a" name="Delete from Sample 1" type="SubShee
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
<display x="150" y="90"/>
<inputs>
<input type="text" name="Text Sample" narrative="The piece of text to be operated on" expr="[Sample 1]"/</p>
<input type="text" name="Characters to Delete" narrative="A string of characters to be deleted from the Te
</inputs>
<outputs>
<output type="text" name="Amended Sample" narrative="The amended sample, with the characters delete</p>
</outputs>
```

```
<onsuccess>50c19466-f7e4-4066-a4c1-d18f65876de0</onsuccess>
</stage>
<stage stageid="50c19466-f7e4-4066-a4c1-d18f65876de0" name="Delete from Sample 2" type="SubShee
<subsheetid>527ca986-a03f-4231-880e-5b1c244b035e</subsheetid>
<loginhibit/>
<display x="150" y="135"/>
<inputs>
<input type="text" name="Text Sample" narrative="The piece of text to be operated on" expr="[Sample 2]"/
<input type="text" name="Characters to Delete" narrative="A string of characters to be deleted from the Te
</inputs>
<outputs>
<output type="text" name="Amended Sample" narrative="The amended sample, with the characters delete</p>
</outputs>
<onsuccess>5f4d2cf9-a6a3-47c1-beed-8c8912b3f81e</onsuccess>
</stage>
</process>
compressed File" version="6.7.0.0" bpversion="6.4.0.6917" narrative="
<appdef>
<element name="Application Root">
<id>a2f9b8bd-885a-454f-8920-1bfb80d1e30d</id>
<type>Application</type>
<basetype>Application
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
```

```
</appdef>
<view>
<camerax>46</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions>
<condition narrative="The object uses the following system dll: System.IO.Compression.dll, System.IO.Compression.dll, System.IO.Compression.dll, System.IO.Compression.dll, System.IO.Compression.dll, System.IO.Compression.dll, System.IO.Compression.dll</p>
onditions>
<endpoint narrative=""/>
<subsheet subsheetid="a8c54015-2025-4723-aefa-2bb6f3b3c82e" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="cba14fb2-1425-4834-b382-ac9cea30c23e" type="Normal" published="True">
<name>Create Zip from Folder</name>
<view>
<camerax>13</camerax>
<cameray>-42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="ae2b448f-a968-4bda-a664-20a9149cb9dc" type="Normal" published="True">
```

```
<name>Add File to Zip</name>
<view>
<camerax>0</camerax>
<cameray>9</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6" type="Normal" published="True">
<name>Extract All from Zip</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="9f52e71b-02ee-46c3-be9e-aabc3292fcee" type="Normal" published="True">
<name>Extract File from Zip</name>
<view>
<camerax>-4</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="384cbfc3-88e8-41ab-8878-b2bac7146be0" type="Normal" published="True">
<name>Delete File from Zip</name>
<view>
<camerax>159</camerax>
```

```
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4ae23c8c-54a6-4a86-a148-2175c86923b8" type="Normal" published="True">
<name>Get Zip Contents</name>
<view>
<camerax>-17</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e" type="Normal" published="True">
<name>Find File in Zip</name>
<view>
<camerax>-324</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="de2a9469-aaff-47a3-b6ab-a3f9655ba178" name="Start" type="Start">
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5038e902-5abf-4672-a1eb-db05a9a64573
</stage>
<stage stageid="5038e902-5abf-4672-a1eb-db05a9a64573" name="End" type="End">
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b923ffc0-d01c-4d44-8de1-d6e7ce0fa1bd" name="Stage1" type="ProcessInfo">
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
```

```
<reference>System.Drawing.dll</reference>
<reference>System.IO.Compression.dll</reference>
<reference>System.IO.Compression.FileSystem.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
<import>System.IO.Compression</import>
<import>System.IO</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="311e15cd-3b4f-4437-882d-c780422f4eba" name="Clean Up" type="SubSheetInfo">
<subsheetid>a8c54015-2025-4723-aefa-2bb6f3b3c82e</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b1151e12-bd2b-4313-9510-a7e7e23270ab" name="Start" type="Start">
```

```
<subsheetid>a8c54015-2025-4723-aefa-2bb6f3b3c82e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>974309d2-4236-40ed-8fb3-d5022f214e75</onsuccess>
</stage>
<stage stageid="974309d2-4236-40ed-8fb3-d5022f214e75" name="End" type="End">
<subsheetid>a8c54015-2025-4723-aefa-2bb6f3b3c82e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f3bb5c44-9e21-44b3-87bb-2c13e43d4ee4" name="Create Zip from Folder" type="SubSh
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>Creates a zip archive that contains the files and directories from the specified directory and option
```

The directory structure from the file system is preserved in the archive. If the directory is empty, an empty a

```
If the archive already exists, an exception is thrown. If an entry with the specified name already exists in the
If a file in the directory cannot be added to the archive, the archive is left incomplete and invalid, and the m
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>210</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2b33354e-4b3c-45fc-983b-469e5f4c1112" name="Start" type="Start">
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Source Folder Name" narrative="Mandatory: The path to the directory to be arch
<input type="text" name="Destination Zip File Name" narrative="Mandatory: The path and name of the arc
<input type="flag" name="Include Base Folder" narrative="Optional: True to include the directory name from
</inputs>
<onsuccess>ab1ebb75-538f-4b88-86db-cbc9ec59ec7f</onsuccess>
</stage>
<stage stageid="d85e5bc8-34f9-47f4-a90b-1c121cade800" name="End" type="End">
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
```

```
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d3bbabee-48ed-4a02-8ba2-ea6f26120dd3" name="Note1" type="Note">
<subsheetid>a8c54015-2025-4723-aefa-2bb6f3b3c82e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a691fffd-16c4-45d9-8857-19c63fc3df21" name="Note2" type="Note">
loginhibit onsuccess="true"/>
```

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

```
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ab1ebb75-538f-4b88-86db-cbc9ec59ec7f" name="CreateFromDirectory" type="Code">
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="sourcePath" expr="[Source Folder Name]"/>
<input type="text" name="destinationPath" expr="[Destination Zip File Name]"/>
<input type="flag" name="includeFolder" expr="[Include Base Folder]"/>
```

```
</inputs>
<onsuccess>d85e5bc8-34f9-47f4-a90b-1c121cade800</onsuccess>
<code>ZipFile.CreateFromDirectory(sourcePath, destinationPath, CompressionLevel.Fastest, includeFold
</stage>
<stage stageid="c2a2fa27-6dfb-48ed-a0ac-093c908df743" name="Source Folder Name" type="Data">
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path to the directory to be archived, specified as an absolute path
<displayx>-195</displayx>
<displayy>0</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="801f9184-f52a-4658-9f7a-651ee0500101" name="Destination Zip File Name" type="Data
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the archive to be created, specified as an absolute path
<displayx>-195</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="6440cb36-2e97-4c3c-b42d-8f77984a6253" name="Add File to Zip" type="SubSheetInfo">
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
loginhibit onsuccess="true"/>
<narrative>Archives a file by compressing it and adding it to the zip archive. If an entry with the specified n
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9654be57-b0eb-490b-bd0f-2cef3d08368c" name="End" type="End">
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="25f35431-4b28-4c14-b45e-48b3844f6baa" name="CreateEntryFromFile" type="Code">
```

```
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="sourcePath" expr="[Source File Name]"/>
<input type="text" name="destinationPath" expr="[Destination Zip File Name]"/>
<input type="text" name="destinationName" expr="[Destination File Name]"/>
</inputs>
<onsuccess>9654be57-b0eb-490b-bd0f-2cef3d08368c</onsuccess>
<code>Dim f As New FileInfo(sourcePath)
Using archive As ZipArchive = ZipFile.Open(destinationPath, ZipArchiveMode.Update)
If destinationName <&gt; "" Then
destinationName = destinationName.Replace("\", "/")
archive.CreateEntryFromFile(sourcePath, destinationName, CompressionLevel.Fastest)
Else
archive.CreateEntryFromFile(sourcePath, f.Name, CompressionLevel.Fastest)
End If
End Using</code>
</stage>
<stage stageid="1e5d5703-3998-4708-beab-7e74b905098a" name="Source File Name" type="Data">
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
```

```
loginhibit onsuccess="true"/>
<narrative>The path and name of the file to be archived, specify as an absolute path
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8c8d36df-3d94-49c9-b7b2-c8a5b4931cf5" name="Destination Zip File Name" type="Data
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the zip archive to add the file to, specified as an absolute path
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="24dbb76c-b80e-4bc1-a91b-1edff6d414e8" name="Start" type="Start">
```

```
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Source File Name" narrative="Mandatory: The path and name of the file to be ar
<input type="text" name="Destination Zip File Name" narrative="Mandatory: The path and name of the zip
<input type="text" name="Destination File Name" narrative="Optional: The path and name of the added file
</inputs>
<onsuccess>25f35431-4b28-4c14-b45e-48b3844f6baa</onsuccess>
</stage>
<stage stageid="69b3f3a6-22d9-4434-82c8-91267d1f8e5f" name="Include Base Folder" type="Data">
<subsheetid>cba14fb2-1425-4834-b382-ac9cea30c23e</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>-true- to include the directory name from [Source Folder Name] at the root of the archive; -false
<displayx>-195</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
```

```
<private/>
<alwaysinit/>
</stage>
<stage stageid="f6393684-039c-4cb4-9d15-bef3fccfabe0" name="Extract All from Zip" type="SubSheetInfo
<subsheetid>4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6</subsheetid>
loginhibit onsuccess="true"/>
<narrative>Extracts all the files in the specified zip archive to a directory on the file system
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f353f740-6721-4910-b393-5bf8c85f4890" name="End" type="End">
<subsheetid>4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a11db9ca-5780-4400-8e14-26d0e638e2a7" name="ExtractToDirectory" type="Code">
<subsheetid>4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6</subsheetid>
loginhibit onsuccess="true"/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="sourcePath" expr="[Source Zip File Name]"/>
<input type="text" name="destinationPath" expr="[Destination Folder Name]"/>
</inputs>
<onsuccess>f353f740-6721-4910-b393-5bf8c85f4890</onsuccess>
<code>ZipFile.ExtractToDirectory(sourcePath, destinationPath)</code>
</stage>
<stage stageid="8b916105-3bcc-47d7-ac6c-3c5f499b5a29" name="Source Zip File Name" type="Data">
<subsheetid>4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the zip archive to open, specified as an absolute path
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="32f81ae0-9a03-45df-8dfe-a72db5269d07" name="Destination Folder Name" type="Data":
<subsheetid>4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path to the directory in which to place the extracted files, specified as a absolute path
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8e8ed20c-ca5d-4447-96cc-8a40bad4d590" name="Start" type="Start">
<subsheetid>4b8d01fc-6c2f-4fd8-b898-ae83af14c4e6</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Source Zip File Name" narrative="Mandatory: The path and name of the zip arch
```

```
<input type="text" name="Destination Folder Name" narrative="Mandatory: The path to the directory in whi
</inputs>
<onsuccess>a11db9ca-5780-4400-8e14-26d0e638e2a7
</stage>
<stage stageid="8a5997b0-2204-4cdc-a5b9-232ef9e8d580" name="Get Zip Contents" type="SubSheetInfo
<subsheetid>4ae23c8c-54a6-4a86-a148-2175c86923b8</subsheetid>
loginhibit onsuccess="true"/>
<narrative>Reads the details of the entries of a zip file into a collection
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="14faa9d4-8ced-4d2b-b6ad-3fa355ce0f41" name="Start" type="Start">
<subsheetid>4ae23c8c-54a6-4a86-a148-2175c86923b8</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Zip File Name" narrative="Mandatory: The path and name of the zip archive to o
</inputs>
```

```
<onsuccess>1107bae2-b326-4987-852a-63accf822f46</onsuccess>
</stage>
<stage stageid="166051b1-a675-4188-a195-b225947d8cbd" name="End" type="End">
<subsheetid>4ae23c8c-54a6-4a86-a148-2175c86923b8</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Contents" narrative="The files in the zip archive" stage="Contents"/>
</outputs>
</stage>
<stage stageid="1107bae2-b326-4987-852a-63accf822f46" name="GetZipContents" type="Code">
<subsheetid>4ae23c8c-54a6-4a86-a148-2175c86923b8</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="path" expr="[Zip File Name]"/>
</inputs>
<outputs>
<output type="collection" name="Contents" stage="Contents"/>
</outputs>
<onsuccess>166051b1-a675-4188-a195-b225947d8cbd</onsuccess>
<code>Dim dt As New DataTable
With dt.Columns
.Add("Name", GetType(String))
.Add("Path", GetType(String))
.Add("Length", GetType(Long))
.Add("CompressedLength", GetType(Long))
End With
Using archive As ZipArchive = ZipFile.OpenRead(path)
For Each entry As ZipArchiveEntry In archive.Entries
Dim dr As Data.DataRow = dt.NewRow
dr(0) = entry.Name
dr(1) = entry.FullName
dr(2) = entry.Length
dr(3) = entry.CompressedLength
dt.Rows.Add(dr)
Next
End Using
Contents = dt</code>
</stage>
```

```
<stage stageid="f577fc93-b8cc-4ed8-8de6-ceac00a1a0bf" name="Contents" type="Collection">
<subsheetid>4ae23c8c-54a6-4a86-a148-2175c86923b8</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The list of files contained in the zip archive
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text" description="The file name"/>
<field name="Path" type="text" description="The file path within the zip archive"/>
<field name="Length" type="number" description="The original file size"/>
<field name="CompressedLength" type="number" description="The compressed file size"/>
</collectioninfo>
</stage>
<stage stageid="0fcbe61b-7770-4f5f-b1bc-67bee177e610" name="Extract File from Zip" type="SubSheetli
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>Extracts an entry in the zip archive to a file, and optionally overwrites an existing file that has th
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5ce56c02-f357-4f04-93b1-e8807172f3a6" name="End" type="End">
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="63d43b33-8fc2-426f-a51a-79b181c5d39e" name="Start" type="Start">
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Source File Name" narrative="Mandatory: The path and name of the zip archive
<input type="text" name="Source Zip File Name" narrative="Mandatory: The file name (and its path within
<input type="text" name="Destination File Path" narrative="Mandatory: The path and name of the file to cre</p>
```

```
<input type="flag" name="Overwrite Destination File" narrative="Optional: True to overwrite an existing file
</inputs>
<onsuccess>355ff556-1f34-4d39-b0c9-e20c6d46a1cb</onsuccess>
</stage>
<stage stageid="db77b30a-f8d6-4bc4-9f16-b0d979a56d0d" name="Destination File Name" type="Data">
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the file to create from the contents of the entry (absolute path)
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e146c445-49ef-430f-b415-89c1e4044de4" name="Source File Name" type="Data">
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>The file name (and its path within the zip archive if necessary) to extract
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="493af76c-d917-47cf-9ca1-95f580d8fd82" name="Source Zip File Name" type="Data">
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the zip archive to open, specified as an absolute path
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="355ff556-1f34-4d39-b0c9-e20c6d46a1cb" name="GetFile" type="Code">
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="zipPath" expr="[Source Zip File Name]"/>
<input type="text" name="sourcePath" expr="[Source File Name]"/>
<input type="text" name="destinationPath" expr="[Destination File Name]"/>
<input type="flag" name="overwrite" expr="[Overwrite Destination File]"/>
</inputs>
<onsuccess>5ce56c02-f357-4f04-93b1-e8807172f3a6</onsuccess>
<code>sourcePath = sourcePath.Replace("\", "/")
Using archive As ZipArchive = ZipFile.OpenRead(zipPath)
For Each entry As ZipArchiveEntry In archive.Entries
If String.Equals(entry.FullName, sourcePath, StringComparison.OrdinalIgnoreCase) Then
entry.ExtractToFile(destinationPath, overwrite)
Exit Sub
End If
Next
End Using
Throw New Exception("File not found in archive: " + sourcePath)</code>
</stage>
<stage stageid="7dedd1d6-152c-4e65-8f1b-9436749da135" name="Overwrite Destination File" type="Data
<subsheetid>9f52e71b-02ee-46c3-be9e-aabc3292fcee</subsheetid>
loginhibit onsuccess="true"/>
<narrative>True to overwrite an existing file that has the same name as the destination file; otherwise, Fals
<displayx>-195</displayx>
<displayy>105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>True</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="ea5ce3ca-0ce0-49e0-a8bf-421fa853d4c5" name="Extract File from Zip" type="SubSheetl
<subsheetid>384cbfc3-88e8-41ab-8878-b2bac7146be0</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>Deletes the entry from the zip archive
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b2567083-5ffa-4ee6-81f3-743d2ff807d5" name="End" type="End">
<subsheetid>384cbfc3-88e8-41ab-8878-b2bac7146be0</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="643b1483-c5c2-433c-936e-77ac1af120d9" name="Start" type="Start">
<subsheetid>384cbfc3-88e8-41ab-8878-b2bac7146be0</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Zip File Name" narrative="Mandatory: The path and name of the zip archive to o
<input type="text" name="File Name" narrative="Mandatory: The file name (and its path within the zip arch
</inputs>
<onsuccess>a88b5869-dd86-4665-b65d-a978a09487d2</onsuccess>
</stage>
<stage stageid="a88b5869-dd86-4665-b65d-a978a09487d2" name="DeleteFile" type="Code">
<subsheetid>384cbfc3-88e8-41ab-8878-b2bac7146be0</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="zipPath" expr="[Zip File Name]"/>
<input type="text" name="sourcePath" expr="[File Name]"/>
</inputs>
<onsuccess>b2567083-5ffa-4ee6-81f3-743d2ff807d5</onsuccess>
<code>sourcePath = sourcePath.Replace("\", "/")
Using archive As ZipArchive = ZipFile.Open(zipPath, ZipArchiveMode.Update)
For Each entry As ZipArchiveEntry In archive.Entries
If String.Equals(entry.FullName, sourcePath, StringComparison.OrdinalIgnoreCase) Then
entry.Delete
Exit Sub
End If
Next
End Using
Throw New Exception("File not found in archive: " + sourcePath)</code>
</stage>
<stage stageid="6f9ade2f-5c0d-4d45-a78b-fdaa04fe961d" name="File Name" type="Data">
<subsheetid>384cbfc3-88e8-41ab-8878-b2bac7146be0</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>The file name (and its path within the zip archive if necessary) to delete
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="20021330-607d-4145-b42f-fa0d5931e080" name="Zip File Name" type="Data">
<subsheetid>384cbfc3-88e8-41ab-8878-b2bac7146be0</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the zip archive to open, specified as an absolute path
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="4c62b494-7f4e-4444-993d-bb5717e49cd2" name="Zip File Name" type="Data">
<subsheetid>4ae23c8c-54a6-4a86-a148-2175c86923b8</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the zip archive to open, specified as an absolute path
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e93650ad-a9f2-4a38-b5fc-0d3dc1daf818" name="Find File in Zip" type="SubSheetInfo">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>Check if a file exists in the Zip Archive
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4de67c14-ac7c-44c0-86b9-376b76499209" name="End" type="End">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
```

```
<output type="flag" name="Found" narrative="True if the file exists in the Zip Archive file, otherwise False"</pre>
</outputs>
</stage>
<stage stageid="0418a4c1-99c5-45b7-bb82-cfce74f10de8" name="FindFile" type="Code">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="path" expr="[Zip File Name]"/>
<input type="text" name="file" expr="[File Name]"/>
</inputs>
<outputs>
<output type="flag" name="Found" stage="Found"/>
</outputs>
<onsuccess>4de67c14-ac7c-44c0-86b9-376b76499209</onsuccess>
<code>file = file.Replace("\", "/")
Dim dt As New DataTable
dt.Columns.Add("Path", Type.GetType("System.String"))
found = false
```

```
Using archive As ZipArchive = ZipFile.OpenRead(path)
For Each entry As ZipArchiveEntry In archive.Entries
If entry.FullName = file Then
found = true
Exit For
End If
Next
End Using</code>
</stage>
<stage stageid="8aa98f62-8978-41ea-9630-8db70ace9246" name="Zip File Name" type="Data">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the zip archive to open, specified as an absolute path
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1141bb0a-b624-4b18-aff8-c9811f614f30" name="File Name" type="Data">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The file name (and its path within the zip archive if necessary) to delete
```

```
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="0cd0782c-3296-4f6e-b34c-fc338a3936c3" name="Found" type="Data">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
<loginhibit onsuccess="true"/>
<narrative>True if the file exists in the Zip Archive file, otherwise False
<displayx>-195</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5445aaf9-872d-4e36-917e-236f24830f33" name="Start" type="Start">
<subsheetid>09530b1d-93d7-49b4-9a7c-ff1f3e9c6b7e</subsheetid>
loginhibit onsuccess="true"/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Zip File Name" narrative="Mandatory: The path and name of the zip archive to o
<input type="text" name="File Name" narrative="Mandatory: The file name (and its path within the zip arch
</inputs>
<onsuccess>0418a4c1-99c5-45b7-bb82-cfce74f10de8</onsuccess>
</stage>
<stage stageid="3e0fb337-31e8-4c10-be19-ace7fc440e8a" name="Destination File Name" type="Data">
<subsheetid>ae2b448f-a968-4bda-a664-20a9149cb9dc</subsheetid>
loginhibit onsuccess="true"/>
<narrative>The path and name of the added file as it will be stored in the zip file. Path can be specified a re-
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
```

```
</process>
<appdef>
<element name="VB6 Controls">
<id>e4250a95-a3b4-4c1b-a150-bf63ceb5b761</id>
<element name="Main Window">
<id>a3ed6523-64f9-4bc4-a2e7-7e57da46eb37</id>
<type>Window</type>
<basetype>Window
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="VB6 Automated Test App"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="ThunderRT6FormDC"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="44"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="58"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="466"/>
</attribute>
```

```
<attribute name="Height">
<ProcessValue datatype="number" value="381"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="6"/>
</attribute>
</attributes>
</element>
<element name="ApexGrid">
<id>17c2f1d7-12c5-47f5-8c90-d5e0cac23e96</id>
<type>ApexGrid</type>
<basetype>ApexGrid</basetype>
<datatype>collection</datatype>
<diagnose>False</diagnose>
<attributes>
```

```
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="ApexGrid.19"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="text" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="24"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="360"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="282"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="130"/>
</attribute>
<attribute name="Visible">
<ProcessValue datatype="text" value="True"/>
</attribute>
<attribute name="Enabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
```

```
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="pWindowText" inuse="True">
<ProcessValue datatype="text" value="VB6 Automated Test App"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="text" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="-253"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="-214"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="701"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="531"/>
</attribute>
```

```
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="15"/>
</attribute>
</attributes>
</element>
<element name="Flexgrid">
<id>5eae4a46-1829-460e-8969-531d7be517f4</id>
<type>MSFlexGrid</type>
<basetype>MSFlexGrid</basetype>
<datatype>collection</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="MSFlexGridWndClass"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
```

```
<attribute name="X">
<ProcessValue datatype="number" value="296"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="240"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="362"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="90"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
```

```
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWindowText" inuse="True">
<ProcessValue datatype="text" value="VB6 Automated Test App"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="88"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="88"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="701"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="531"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
```

```
<attribute name="pChildCount">
<ProcessValue datatype="number" value="13"/>
</attribute>
</attributes>
</element>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>C:\BluePrism\QA\Code\VB6 App 3\VB6AutomatedTestApp.exe</value>
</parameter>
<parameter>
<name>CommandLineParams</name>
<value>300</value>
</parameter>
<parameter>
<name>WorkingDirectory</name>
<value>
</value>
</parameter>
<parameter>
```

```
<name>NonInvasive</name>
<value>False</value>
</parameter>
<parameter>
<name>ProcessMode</name>
<value>Ext32bit</value>
</parameter>
<parameter>
<name>ExternalProcessTimeout</name>
<value>0</value>
</parameter>
<parameter>
<name>Options</name>
<value>
</value>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="5f45c088-6c82-4037-bb47-2dc25151bb0a" type="CleanUp" published="True">
```

```
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="39bf39c2-048e-49d1-8499-6601a1745814" type="Normal" published="True">
<name>Launch</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a86bb644-dd28-419c-abd3-dba7b7dae00d" type="Normal" published="True">
<name>Terminate</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="5839af8e-871e-4407-a40e-b230aaee79ce" type="Normal" published="True">
<name>Read MsFlexGrid</name>
<view>
<camerax>0</camerax>
```

```
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="ce217320-2f18-43ba-8494-eb8e1e007691" name="Start" type="Start">
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4a6fb64e-746c-4830-9129-7068c098d75a</onsuccess>
</stage>
<stage stageid="4a6fb64e-746c-4830-9129-7068c098d75a" name="End" type="End">
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a3fa776e-3aef-40cf-9187-7babbcc29ba9" name="Stage1" type="ProcessInfo">
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
```

<reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference> <reference>System.Xml.dll</reference> <reference>System.Data.dll</reference>

```
<reference>System.Xml.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
</references>
<imports>
<import>System</import>
```

<import>System</import> <import>System</import>

```
<import>System</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="5ff85ab7-0c14-4e12-99f4-32589a524540" name="Clean Up" type="SubSheetInfo">
<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a4809dd1-651e-4603-93c1-9b52a89d7130" name="Start" type="Start">
<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>
```

```
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fea24c27-9dd6-4ada-ba19-0491832a459d</onsuccess>
</stage>
<stage stageid="fea24c27-9dd6-4ada-ba19-0491832a459d" name="End" type="End">
<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="289de0b6-e0c5-4771-8eb0-74392e9ded0b" name="Launch" type="SubSheetInfo">
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ecc14fe2-d5c9-473f-8e0c-aaed899cae02" name="Start" type="Start">
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1a2c3a9a-b9d0-42ab-b0bc-15b454549de4</onsuccess>
</stage>
<stage stageid="32be968e-b95f-453a-b9ce-5c81a8265d72" name="End" type="End">
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<loginhibit/>
<display x="0" y="15"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6f981412-9a8b-4c94-b883-7adcdd81c53f" name="new" type="Note">
<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>
<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<display x="-180" y="60" w="180" h="230"/>
```


</stage>

<stage stageid="1c65dd31-6f31-4e61-b1c9-146f63528a42" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically by Automate immediately after loading your business object

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<display x="-180" y="60" w="180" h="230"/>
```


</stage>

<stage stageid="1a2c3a9a-b9d0-42ab-b0bc-15b454549de4" name="Start Controls Form" type="Navigate"

<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>

```
<loginhibit/>
<display x="15" y="-45" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dee799e7-b36a-4e90-a0e3-213b93d0eb75/onsuccess>
<step>
<element id="e4250a95-a3b4-4c1b-a150-bf63ceb5b761"/>
<action>
<id>Launch</id>
<arguments>
<argument>
<id>Path</id>
<value>[QA Root] & amp; amp; "\Code\VB6 App 3\VB6AutomatedTestApp.exe"</value>
</argument>
<argument>
<id>CommandLineParams</id>
<value>
</value>
</argument>
<argument>
<id>WorkingDirectory</id>
<value>
</value>
</argument>
<argument>
<id>NonInvasive</id>
<value>
</value>
```

```
</argument>
<argument>
<id>ProcessMode</id>
<value>
</value>
</argument>
<argument>
<id>Options</id>
<value>
</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="8bd3918a-e948-4992-b6f2-f41df976ff18" name="Time Out2" type="WaitEnd">
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<loginhibit/>
<display x="135" y="90" w="30" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>eeb14d0f-750c-4e0a-ad95-881cb49587a0</onsuccess>
<groupid>f33db3aa-7f3c-42d1-9de3-a1a8a5e022bf</groupid>
</stage>
<stage stageid="dee799e7-b36a-4e90-a0e3-213b93d0eb75" name="Wait for window to appear" type="Wait for window type="Wait for window to appear" type="Wait for window type="Wait f
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<loginhibit/>
<display x="135" y="-45" w="30" h="30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>f33db3aa-7f3c-42d1-9de3-a1a8a5e022bf</groupid>
<choices>
<choice reply="True">
<name>Main Window Check Exists</name>
<distance>67.5</distance>
<ontrue>32be968e-b95f-453a-b9ce-5c81a8265d72</ontrue>
<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>25</timeout>
</stage>
<stage stageid="eeb14d0f-750c-4e0a-ad95-881cb49587a0" name="Note2" type="Note">
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<loginhibit/>
<narrative>App didn't launch within 50 secs
<display x="225" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="13158b66-484d-4570-808b-b3f39416ab79" name="Terminate" type="SubSheetInfo">
<subsheetid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="7bcb43b4-9e12-455f-9f6c-6537514e6bd7" name="Start" type="Start">
<subsheetid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6deda559-8fea-48d2-993d-3f07ff1fff5e</onsuccess>
</stage>
<stage stageid="f1b7c3c5-df47-4268-bcbc-e0b4ba2dfa57" name="End" type="End">
<subsheetid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6deda559-8fea-48d2-993d-3f07ff1fff5e" name="Terminate" type="Navigate">
<subsheetid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f1b7c3c5-df47-4268-bcbc-e0b4ba2dfa57</onsuccess>
<step>
<element id="e4250a95-a3b4-4c1b-a150-bf63ceb5b761"/>
<action>
<id>Terminate</id>
</action>
</step>
</stage>
```

```
<stage stageid="d5858454-630e-401c-b3e5-11f27bfc9c29" name="Read MsFlexGrid" type="SubSheetInfo
<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>
<narrative>Reads the entire contents of the ApexGrid control, returning the result as a collection.
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="161b2779-77a7-4f70-a42b-1cac297d09d7" name="Start" type="Start">
<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>
<loginhibit/>
conditions>
<condition narrative=""/>
</preconditions>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3f286f06-c3ec-4265-878b-5b1bd25520ab</onsuccess>
</stage>
<stage stageid="fde66d48-3caf-4447-bc89-2dd6744effb3" name="End" type="End">
<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>
<loginhibit/>
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Contents" stage="Contents"/>
</outputs>
</stage>
<stage stageid="562d6963-4544-4b01-b011-9aac1bd7a6a7" name="Contents" type="Collection">
<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>
```

```
<loginhibit/>
<display x="195" y="75"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="3f286f06-c3ec-4265-878b-5b1bd25520ab" name="Read Grid" type="Read">
<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fde66d48-3caf-4447-bc89-2dd6744effb3</onsuccess>
<step stage="Contents">
<element id="5eae4a46-1829-460e-8969-531d7be517f4"/>
<action>
<id>GetAllItems</id>
</action>
</step>
</stage>
<stage stageid="268c9f3c-c95d-46f8-99bf-ec0bbde73595" name="QA Root" type="Data">
<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
<loginhibit/>
<display x="-210" y="-15" w="150" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>
```

```
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
</process>
<appdef>
<element name="Toolbar">
<id>92fe371c-5a0b-48e5-a342-3f8dee02c6ac</id>
<element name="Toolbar">
<id>b96b6bb3-0762-4f27-8c73-90889a94e105</id>
<type>Toolbar</type>
<basetype>Window</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="msvb_lib_toolbar"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="0"/>
```

```
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="507"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="41"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
```

```
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="507"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="43"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="1"/>
```

```
</attribute>
</attributes>
</element>
<element name="Popup Window">
<id>255be120-de4d-4bc8-8eab-dada182e219c</id>
<element name="Inner Label">
<id>59c8166f-0245-433f-8a44-5ab0daf57451</id>
<type>Label</type>
<basetype>Window
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="text" value="hey, you just pressed button 1"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Static"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="15"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="11"/>
</attribute>
```

```
<attribute name="Width">
<ProcessValue datatype="number" value="151"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="16"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWindowText" inuse="True">
<ProcessValue datatype="text" value="Project1"/>
</attribute>
```

```
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="554"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="458"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="178"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="101"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
</attributes>
</element>
<element name="OK Button">
```

```
<id>d0b5cbfe-ab2a-4715-8c85-2dbef7fae62b</id>
<type>Button</type>
<basetype>Button
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="OK"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="48"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="41"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="76"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="24"/>
</attribute>
```

```
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Project1"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="554"/>
</attribute>
```

```
<attribute name="pY">
<ProcessValue datatype="number" value="458"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="178"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="101"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
</attributes>
</element>
<type>Window</type>
<basetype>Window</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="Project1"/>
```

```
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="554"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="458"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="178"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="101"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
</attributes>
</element>
<type>Application</type>
<basetype>Application
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>c:\BluePrism\qa\code\VBToolbar\VBToolbar.exe</value>
</parameter>
<parameter>
<name>CommandLineParams</name>
<value>
```

```
</value>
</parameter>
<parameter>
<name>WorkingDirectory</name>
</parameter>
<parameter>
<name>NonInvasive</name>
<value>True</value>
</parameter>
<parameter>
<name>ProcessMode</name>
<value>Internal</value>
</parameter>
<parameter>
<name>ExternalProcessTimeout</name>
<value>0</value>
</parameter>
<parameter>
<name>Options</name>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
onditions/>
<endpoint narrative=""/>
<subsheet subsheetid="30c3bbad-c0f2-47ae-81b9-7e9bd1ace4ee" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="74949473-0a0f-4dec-a871-3ac907c08ab4" type="Normal" published="True">
<name>Launch</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4e2dc503-5198-4441-a02e-17169bcb9f67" type="Normal" published="True">
<name>Run Tests</name>
<view>
<camerax>150</camerax>
<cameray>315</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
```

```
<stage stageid="dccf3a99-2036-4a44-b556-13d841f0cec8" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>38b92afc-8a35-4f61-b2d4-bc6eb1656cf0</onsuccess>
</stage>
<stage stageid="38b92afc-8a35-4f61-b2d4-bc6eb1656cf0" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0a996c10-91f0-47fa-a122-f2e59d10ea75" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
</imports>
<language>visualbasic</language>
<globalcode>
</globalcode>
<code>
</code>
</stage>
<stage stageid="b5c3dc0f-dbde-4d93-8cf1-26ea653dc013" name="Clean Up" type="SubSheetInfo">
<subsheetid>30c3bbad-c0f2-47ae-81b9-7e9bd1ace4ee</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fb7f1a3b-f7e5-4683-a335-425bead9d340" name="Start" type="Start">
<subsheetid>30c3bbad-c0f2-47ae-81b9-7e9bd1ace4ee</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>729eb01f-3451-40d1-9882-cd125fe2befa</onsuccess>
</stage>
<stage stageid="5a492052-6e45-43d9-8779-f78d90b9d676" name="End" type="End">
<subsheetid>30c3bbad-c0f2-47ae-81b9-7e9bd1ace4ee</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="948718b8-19bc-4f26-9055-92cb5588db78" name="Run Tests" type="SubSheetInfo">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8fe707e6-8c23-4874-b479-6895fe2e7655" name="Start" type="Start">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f9fcfd59-97c1-470c-b631-efbe05aba251</onsuccess>
</stage>
<stage stageid="55487d2b-5e77-4f5f-80af-5a9f59478452" name="End" type="End">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>480</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ec48000f-c9df-4294-b0d8-35f7ec8bcd14" name="new" type="Note">
<subsheetid>30c3bbad-c0f2-47ae-81b9-7e9bd1ace4ee</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b19e3271-857d-474f-85f3-5154ea4800d0" name="new" type="Note">
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="257ce0e6-b86e-4d37-8441-fb6063e45ab2" name="Click Button" type="Navigate">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e429a27b-23a7-4457-8c02-4f82df9f93a7</onsuccess>
<step>
<element id="b96b6bb3-0762-4f27-8c73-90889a94e105"/>
<action>
<id>ClickToolbarButton</id>
<arguments>
<argument>
<id>position</id>
<value>[Button Index]</value>
</argument>
</arguments>
```

```
</action>
</step>
</stage>
<stage stageid="760e60b9-d515-4914-b490-df246b89c50f" name="Read Booleans" type="Read">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fbf31cee-b790-424d-9135-c59b606844f2</onsuccess>
<step stage="Pressed">
<element id="b96b6bb3-0762-4f27-8c73-90889a94e105"/>
<action>
<id>IsToolbarButtonPressed</id>
<arguments>
<argument>
<id>position</id>
<value>1</value>
</argument>
</arguments>
</action>
</step>
<step stage="Enabled">
```

```
<element id="b96b6bb3-0762-4f27-8c73-90889a94e105"/>
<action>
<id>IsToolbarButtonEnabled</id>
<arguments>
<argument>
<id>position</id>
<value>1</value>
</argument>
</arguments>
</action>
</step>
<step stage="Checked">
<element id="b96b6bb3-0762-4f27-8c73-90889a94e105"/>
<action>
<id>IsToolbarButtonChecked</id>
<arguments>
<argument>
<id>position</id>
<value>1</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="952e9feb-d116-4675-a1b5-618c03552024" name="Pressed" type="Data">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-240</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8b0557cd-8c1d-4459-90f6-632894e87c25" name="Enabled" type="Data">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ff0e9695-9629-4ef3-a0be-1b9d52da50be" name="Checked" type="Data">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f9fcfd59-97c1-470c-b631-efbe05aba251" name="Count Items" type="Read">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f923e1ff-8b60-4e52-808e-57bfebf1595d</onsuccess>
<step stage="Item Count">
<element id="b96b6bb3-0762-4f27-8c73-90889a94e105"/>
<action>
<id>GetItemCount</id>
```

```
</action>
</step>
</stage>
<stage stageid="0a38d25d-fa00-4ff0-8460-f01ebff54953" name="Item Count" type="Data">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f923e1ff-8b60-4e52-808e-57bfebf1595d" name="Verify Item Count" type="Decision">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Item Count] = 3"/>
<ontrue>760e60b9-d515-4914-b490-df246b89c50f</ontrue>
<onfalse>9f4e8ffc-322f-4e6f-8af1-f3a02946cb33</onfalse>
</stage>
<stage stageid="9f4e8ffc-322f-4e6f-8af1-f3a02946cb33" name="Note1" type="Note">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>FAIL</narrative>
<displayx>165</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fbf31cee-b790-424d-9135-c59b606844f2" name="Verify Booleans" type="Decision">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="([Checked] = False) and ([Pressed] = False) and ([Enabled] = True)"/>
<ontrue>0a528561-f7d4-4455-9705-4ddc6a07a6c4</ontrue>
<onfalse>d4d576f2-51b8-434c-8320-3cf16100facb</onfalse>
```

```
</stage>
<stage stageid="d4d576f2-51b8-434c-8320-3cf16100facb" name="Note1" type="Note">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>FAIL</narrative>
<displayx>165</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="60059918-465c-4ce7-8363-ab33254309b5" name="Time Out1" type="WaitEnd">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>150</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>eb8d7d80-f2f8-4475-afca-3fe10b2cdc88</groupid>
</stage>
<stage stageid="e429a27b-23a7-4457-8c02-4f82df9f93a7" name="Wait for Popup" type="WaitStart">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>eb8d7d80-f2f8-4475-afca-3fe10b2cdc88</groupid>
<choices>
<choice reply="True">
<name>Popup Window Check Exists</name>
<distance>90</distance>
<ontrue>6e15f059-1636-4493-ab56-60445051ad07</ontrue>
<element id="255be120-de4d-4bc8-8eab-dada182e219c"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>5</timeout>
</stage>
<stage stageid="6e15f059-1636-4493-ab56-60445051ad07" name="Get Popup Text" type="Read">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
```

```
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b0a0685f-6b92-462e-aa61-a8f2329fb51d</onsuccess>
<step stage="Label Text">
<element id="59c8166f-0245-433f-8a44-5ab0daf57451">
<elementparameter>
<name>WindowText</name>
<expression>"hey*"</expression>
<datatype>text</datatype>
<comparisontype>Wildcard</comparisontype>
</elementparameter>
</element>
<action>
<id>GetWindowText</id>
</action>
</step>
</stage>
<stage stageid="8164f7ab-ded6-46f7-ba9e-26447f4a398b" name="Label Text" type="Data">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="b0a0685f-6b92-462e-aa61-a8f2329fb51d" name="Verify Text" type="Decision">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="EndsWith([Label Text], [Button Index])"/>
<ontrue>e1b93342-a509-44a1-8bdc-951b1e035416
<onfalse>3652c5c3-0503-47d5-99e4-6ea35423ad86</onfalse>
</stage>
<stage stageid="b3dca9e7-2f05-4335-92e0-9e831d5d9a03" name="Button Index" type="Data">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>30</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="0807ce5a-a017-47ab-84ea-3903e5a55e7e" name="Done All Buttons?" type="Decision">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>375</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Button Index] = 3"/>
<ontrue>55487d2b-5e77-4f5f-80af-5a9f59478452</ontrue>
<onfalse>07d6e72b-8899-4ef5-85d0-2bc00c677317</onfalse>
</stage>
<stage stageid="07d6e72b-8899-4ef5-85d0-2bc00c677317" name="anchor1" type="Anchor">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>300</displayx>
<displayy>375</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c4a0c031-11dc-4866-b73f-ac956db160af</onsuccess>
</stage>
<stage stageid="c4a0c031-11dc-4866-b73f-ac956db160af" name="anchor3" type="Anchor">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>30</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0a528561-f7d4-4455-9705-4ddc6a07a6c4</onsuccess>
</stage>
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>257ce0e6-b86e-4d37-8441-fb6063e45ab2</onsuccess>
<calculation expression="1 + [Button Index]" stage="Button Index"/>
</stage>
<stage stageid="bdd7b503-2d1a-46a9-a16d-4437976d107b" name="Launch" type="SubSheetInfo">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="413b6e7d-b851-4310-af70-06c8d86abcb0" name="Start" type="Start">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cbba8198-e9c3-4b2b-aba4-6aec30f32aff</onsuccess>
</stage>
```

```
<stage stageid="1b9854f5-b961-4d2b-8c5b-503dc29cb220" name="End" type="End">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cbba8198-e9c3-4b2b-aba4-6aec30f32aff" name="Launch" type="Navigate">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f77c3304-b4aa-433f-8f7e-23b8d4f1e68f</onsuccess>
<step>
<element id="92fe371c-5a0b-48e5-a342-3f8dee02c6ac"/>
<action>
<id>Launch</id>
<arguments>
```



```
</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="af158245-69de-4847-bf7f-50ff44cf493e" name="Time Out2" type="WaitEnd">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>30</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>da97b642-6b5d-42b9-b68b-c3f0d4fc6230</groupid>
</stage>
<stage stageid="f77c3304-b4aa-433f-8f7e-23b8d4f1e68f" name="Wait for Toolbar" type="WaitStart">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>da97b642-6b5d-42b9-b68b-c3f0d4fc6230</groupid>
<choices>
<choice reply="True">
<name>Toolbar Check Exists</name>
<distance>60</distance>
<ontrue>1b9854f5-b961-4d2b-8c5b-503dc29cb220</ontrue>
<element id="b96b6bb3-0762-4f27-8c73-90889a94e105"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>5</timeout>
</stage>
<stage stageid="729eb01f-3451-40d1-9882-cd125fe2befa" name="Terminate" type="Navigate">
<subsheetid>30c3bbad-c0f2-47ae-81b9-7e9bd1ace4ee</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5a492052-6e45-43d9-8779-f78d90b9d676</onsuccess>
```

```
<step>
<element id="92fe371c-5a0b-48e5-a342-3f8dee02c6ac"/>
<action>
<id>Terminate</id>
</action>
</step>
</stage>
<stage stageid="e1b93342-a509-44a1-8bdc-951b1e035416" name="Click OK" type="Navigate">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0807ce5a-a017-47ab-84ea-3903e5a55e7e</onsuccess>
<step>
<element id="d0b5cbfe-ab2a-4715-8c85-2dbef7fae62b"/>
<action>
<id>Press</id>
</action>
</step>
</stage>
<stage stageid="3652c5c3-0503-47d5-99e4-6ea35423ad86" name="Note1" type="Note">
<subsheetid>4e2dc503-5198-4441-a02e-17169bcb9f67</subsheetid>
```

```
<loginhibit/>
<narrative>FAIL</narrative>
<displayx>0</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="90f9baa9-a5e7-490f-a6de-9318a4a6a8a5" name="QA Root" type="Data">
<subsheetid>74949473-0a0f-4dec-a871-3ac907c08ab4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
</process>
object" runmode
<appdef>
```

```
<element name="ObjSouth">
<id>c93709f8-3c8d-46e6-962f-d938e0c7f0c1</id>
<element name="text">
<id>e31b1e66-d028-491f-a957-711be1bf5885</id>
<type>Edit</type>
<basetype>Edit/basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Edit"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="1365"/>
</attribute>
```

```
<attribute name="Height">
<ProcessValue datatype="number" value="540"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="Untitled - Notepad & amp; It; UNKNOWN & amp; gt; "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
```

```
<attribute name="TypeName">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:80,759,1281,1427"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="1345323268"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Untitled - Notepad"/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="Notepad"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="-2137113584"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="72"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="708"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="1381"/>
</attribute>
```

```
<attribute name="pHeight">
<ProcessValue datatype="number" value="599"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pStyle">
<ProcessValue datatype="number" value="1345323268"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
```

```
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>C:\Windows\notepad.exe</value>
</parameter>
<parameter>
<name>CommandLineParams</name>
<value>
</value>
</parameter>
<parameter>
<name>WorkingDirectory</name>
<value>
</value>
</parameter>
```

```
<parameter>
<name>NonInvasive</name>
<value>True</value>
</parameter>
<parameter>
<name>ProcessMode</name>
<value>Internal</value>
</parameter>
<parameter>
<name>ExternalProcessTimeout</name>
<value>0</value>
</parameter>
<parameter>
<name>Options</name>
<value>
</value>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
```

```
<subsheet subsheetid="a49fd77a-f465-4fbc-a2f4-09b105294e1f" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="607e900f-4386-4282-acd0-c7d736929432" type="Normal" published="False">
<name>Action 1</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="0cf93f43-4cbf-4b48-ada2-1ed932849b07" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>51ee478e-f6c6-4137-a81c-f6e60b251bf9</onsuccess>
</stage>
```

```
<stage stageid="51ee478e-f6c6-4137-a81c-f6e60b251bf9" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="60f72655-4e13-421d-b3aa-9c9ea29aea35" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
```

```
<import>System.Data</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="45088a42-6896-4c59-a8c9-dc520e2598c5" name="Clean Up" type="SubSheetInfo">
<subsheetid>a49fd77a-f465-4fbc-a2f4-09b105294e1f</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b395542a-73bc-4e1f-ba40-13f73df106ea" name="Start" type="Start">
<subsheetid>a49fd77a-f465-4fbc-a2f4-09b105294e1f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8497ca5b-d759-4d39-85e2-c5f77bddcc53</onsuccess>
```

```
</stage>
<stage stageid="8497ca5b-d759-4d39-85e2-c5f77bddcc53" name="End" type="End">
<subsheetid>a49fd77a-f465-4fbc-a2f4-09b105294e1f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1e2af71a-a9c9-4636-841e-362b13eeea29" name="Action 1" type="SubSheetInfo">
<subsheetid>607e900f-4386-4282-acd0-c7d736929432</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2574886f-bc37-4be6-ac32-57711b383779" name="Start" type="Start">
<subsheetid>607e900f-4386-4282-acd0-c7d736929432</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2cd3979a-6691-4e18-8079-fc2a4079f398" name="End" type="End">
<subsheetid>607e900f-4386-4282-acd0-c7d736929432</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="eeee0831-0620-4f7a-9a2e-7be0476ea11e" name="Note1" type="Note">
<subsheetid>a49fd77a-f465-4fbc-a2f4-09b105294e1f</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
```

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

```
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9f88cec2-856f-4cdc-8081-5dec76d96aa6" name="Note2" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
object" runmode
<appdef/>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
```

</view>

```
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="0469dc7b-0a23-49ba-abc7-8a4cfc19abde" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="2c04d570-3696-48f4-8b9d-d41446a60b8d" type="Normal" published="False">
<name>Action 1</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="9cd1be75-3406-4909-8ab1-ef753979328b" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>8c397733-b710-4a89-889b-9511e089f923</onsuccess>
</stage>
<stage stageid="8c397733-b710-4a89-889b-9511e089f923" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="da8fe737-6427-46c8-80e3-232acb4d4dba" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
```

```
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="c454ec7b-a674-4245-a102-d977117cd926" name="Clean Up" type="SubSheetInfo">
<subsheetid>0469dc7b-0a23-49ba-abc7-8a4cfc19abde</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d47dac43-f9df-4be3-a5e3-0cebd0803682" name="Start" type="Start">
<subsheetid>0469dc7b-0a23-49ba-abc7-8a4cfc19abde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8f28eb6a-1ffc-4275-8720-e6882f5ae434
</stage>
<stage stageid="8f28eb6a-1ffc-4275-8720-e6882f5ae434" name="End" type="End">
<subsheetid>0469dc7b-0a23-49ba-abc7-8a4cfc19abde</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6082e464-6c9f-4cca-b15d-02725c86fe98" name="Action 1" type="SubSheetInfo">
<subsheetid>2c04d570-3696-48f4-8b9d-d41446a60b8d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="aa0145d5-e289-4055-9118-ff379798cae0" name="Start" type="Start">
<subsheetid>2c04d570-3696-48f4-8b9d-d41446a60b8d</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7b12b8f2-5320-4d41-9e38-b8749aa0543f" name="End" type="End">
<subsheetid>2c04d570-3696-48f4-8b9d-d41446a60b8d</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d28e6392-7b44-4c26-89a4-8338debfab8d" name="Note1" type="Note">
<subsheetid>0469dc7b-0a23-49ba-abc7-8a4cfc19abde</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
```

The cleanup action will be called automatically immediately after closing your business object at the end of

```
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9a717181-b076-4548-ad9a-1dea36ba3a7f" name="Note2" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
</process>
object"
<appdef>
<element name="TestExecAndViewVBO">
<id>e3a051dc-4909-4e6a-a721-ec2b760dfb65</id>
<element name="Element1">
```

```
<id>88d8dea4-f787-427e-ae07-af1b35461231</id>
<type>Edit</type>
<basetype>Edit</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Edit"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="1365"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="540"/>
</attribute>
```

```
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="Untitled - Notepad & amp; It; UNKNOWN & amp; gt; "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value=""/>
</attribute>
```

```
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:246,914,1436,1593"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="1345323268"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Untitled - Notepad"/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="Notepad"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="-2137305504"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="238"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="863"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="1381"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="599"/>
</attribute>
```

```
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pStyle">
<ProcessValue datatype="number" value="1345323268"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
```

```
</attributes>
</element>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>C:\Windows\notepad.exe</value>
</parameter>
<parameter>
<name>CommandLineParams</name>
<value>
</value>
</parameter>
<parameter>
<name>WorkingDirectory</name>
<value>
</value>
</parameter>
<parameter>
<name>NonInvasive</name>
<value>True</value>
```

```
</parameter>
<parameter>
<name>ProcessMode</name>
<value>Internal</value>
</parameter>
<parameter>
<name>ExternalProcessTimeout</name>
<value>0</value>
</parameter>
<parameter>
<name>Options</name>
<value>
</value>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="a8d384f2-1dfb-46bc-aacb-108c74e40adc" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
```

```
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="3348c16f-9fa7-4592-bbec-e13018105768" type="Normal" published="False">
<name>Action 1</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="973d1351-5daf-4f52-8c03-1f26bded4d8b" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d4a7e5e3-62b3-4e13-8639-d2ef359a1d7b</onsuccess>
</stage>
<stage stageid="d4a7e5e3-62b3-4e13-8639-d2ef359a1d7b" name="End" type="End">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="30255fd7-6e91-42e3-b9b6-03e3c829729f" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
</imports>
<language>visualbasic</language>
```

```
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="6a37bd08-7cf9-4bd9-9a52-65e55f1917bc" name="Clean Up" type="SubSheetInfo">
<subsheetid>a8d384f2-1dfb-46bc-aacb-108c74e40adc</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="efe14cea-c455-47a5-8d67-e4f2d57109a7" name="Start" type="Start">
<subsheetid>a8d384f2-1dfb-46bc-aacb-108c74e40adc</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>436cba60-06d6-451e-a390-f5dd2983248b</onsuccess>
</stage>
<stage stageid="436cba60-06d6-451e-a390-f5dd2983248b" name="End" type="End">
<subsheetid>a8d384f2-1dfb-46bc-aacb-108c74e40adc</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e5783b06-14e9-4e4c-870d-8bf0be376c3a" name="Action 1" type="SubSheetInfo">
<subsheetid>3348c16f-9fa7-4592-bbec-e13018105768</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5d4459a4-0fbb-40c1-a284-402de4ca59bb" name="Start" type="Start">
<subsheetid>3348c16f-9fa7-4592-bbec-e13018105768</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a583efdd-1ad8-4578-8f90-8a00fc4bcd47</onsuccess>
</stage>
<stage stageid="a583efdd-1ad8-4578-8f90-8a00fc4bcd47" name="End" type="End">
<subsheetid>3348c16f-9fa7-4592-bbec-e13018105768</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bb72409c-04f4-4f58-9d96-9e413a602f41" name="Note1" type="Note">
<subsheetid>a8d384f2-1dfb-46bc-aacb-108c74e40adc</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
```

```
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d581f6d0-ae34-4b0e-abab-09d8a8acdf69" name="Note2" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
</process>
<appdef>
<element name="objnorth">
<id>a6e38521-8744-486c-a9f4-0a0ab165cc12</id>
<element name="Element1">
<id>ee133fdd-95ef-4f2d-8a9b-1bf4e9fc524c</id>
<type>Edit</type>
<basetype>Edit</basetype>
<datatype>text</datatype>
```

```
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Edit"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="1365"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="540"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
```

```
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="Untitled - Notepad & amp; It; UNKNOWN & amp; gt; "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:203,913,1435,1550"/>
</attribute>
<attribute name="Style">
```

```
<ProcessValue datatype="number" value="1345323268"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Untitled - Notepad"/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="Notepad"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="-2138401344"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="195"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="862"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="1381"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="599"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
```

```
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pStyle">
<ProcessValue datatype="number" value="1345323268"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<type>Application</type>
<basetype>Application
```

```
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>c:\windows\notepad.exe</value>
</parameter>
<parameter>
<name>CommandLineParams</name>
<value>
</value>
</parameter>
<parameter>
<name>WorkingDirectory</name>
<value>
</value>
</parameter>
<parameter>
<name>NonInvasive</name>
<value>True</value>
</parameter>
<parameter>
<name>ProcessMode</name>
<value>Internal</value>
```

```
</parameter>
<parameter>
<name>ExternalProcessTimeout</name>
<value>0</value>
</parameter>
<parameter>
<name>Options</name>
<value>
</value>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="435e33ec-a069-400c-a4f9-f3e60750a836" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
```

```
</subsheet>
<subsheet subsheetid="f9e61de5-177f-474c-8377-98fd4266d414" type="Normal" published="False">
<name>Action 1</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="f4488970-4855-4404-8f80-c5e47bd364aa" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>690e049b-2dc7-4e7b-a4e1-63c5b34e2e32</onsuccess>
</stage>
<stage stageid="690e049b-2dc7-4e7b-a4e1-63c5b34e2e32" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e0bc339e-ecbc-41bf-afb2-975bded5ce95" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="b8d9ffeb-f88a-46ab-9482-9f359aa843e0" name="Clean Up" type="SubSheetInfo">
```

```
<subsheetid>435e33ec-a069-400c-a4f9-f3e60750a836</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7c5032dd-2253-4330-ae1a-288ededccd49" name="Start" type="Start">
<subsheetid>435e33ec-a069-400c-a4f9-f3e60750a836</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8f0a4120-15bf-49eb-988f-5d0467f53d00</onsuccess>
</stage>
<stage stageid="8f0a4120-15bf-49eb-988f-5d0467f53d00" name="End" type="End">
<subsheetid>435e33ec-a069-400c-a4f9-f3e60750a836</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="45aa6a43-c703-42e6-9a5f-0d18bc585ba0" name="Action 1" type="SubSheetInfo">
<subsheetid>f9e61de5-177f-474c-8377-98fd4266d414</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ae32181d-ead5-4141-a327-efe653c8ff68" name="Start" type="Start">
<subsheetid>f9e61de5-177f-474c-8377-98fd4266d414</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fd301105-85f5-4801-a014-81332e2b6808" name="End" type="End">
```

```
<subsheetid>f9e61de5-177f-474c-8377-98fd4266d414</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ca389ba8-2764-40b5-b084-d00f8394d104" name="Note1" type="Note">
<subsheetid>435e33ec-a069-400c-a4f9-f3e60750a836</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3b9c7aa3-41cb-4819-b570-8e1fc00e11bb" name="Note2" type="Note">
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

```
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
</process>
<appdef>
<element name="Application Root">
<id>407557f7-f4b6-46e8-84e7-e7df623dd8ed</id>
<type>Application</type>
<basetype>Application
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
```

<zoom version="2">1.25</zoom>

```
</view>
onditions/>
<endpoint narrative=""/>
<subsheet subsheetid="3e75179e-60b1-42c8-b954-72f031e1f5b2" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="90967f9b-6786-4aee-b48e-b95902cdd9ff" type="Normal" published="True">
<name>Wait</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="87c8a42c-520a-457b-96a7-0be903c938a9" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e501fb0d-4830-47e7-900c-78c340efb188</onsuccess>
</stage>
<stage stageid="e501fb0d-4830-47e7-900c-78c340efb188" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8366fca2-c116-4f56-b770-ce27739ae3ca" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
```

```
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>System.Data</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="dff7c12d-0e62-451b-ae58-0e3929cce02c" name="Clean Up" type="SubSheetInfo">
<subsheetid>3e75179e-60b1-42c8-b954-72f031e1f5b2</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e9cd2303-950b-429f-954c-18b24bfcae62" name="Start" type="Start">
<subsheetid>3e75179e-60b1-42c8-b954-72f031e1f5b2</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7e1c88bd-f6a1-4225-9115-79f8110757fa</onsuccess>
</stage>
<stage stageid="7e1c88bd-f6a1-4225-9115-79f8110757fa" name="End" type="End">
<subsheetid>3e75179e-60b1-42c8-b954-72f031e1f5b2</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="83c0af78-f327-4765-82f2-e080adf22faf" name="Wait" type="SubSheetInfo">
<subsheetid>90967f9b-6786-4aee-b48e-b95902cdd9ff</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2eb9543e-080d-49b8-8c10-f8d7dcb699b1" name="Start" type="Start">
<subsheetid>90967f9b-6786-4aee-b48e-b95902cdd9ff</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Seconds" stage="Wait seconds"/>
</inputs>
<onsuccess>8db9867e-0896-4fa4-876a-a95f8f2226cd</onsuccess>
</stage>
<stage stageid="1240e7b5-5db5-4729-8875-2126b297ee02" name="End" type="End">
<subsheetid>90967f9b-6786-4aee-b48e-b95902cdd9ff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1a32c6ac-4a50-494b-a134-304f457330b5" name="Note1" type="Note">
<subsheetid>3e75179e-60b1-42c8-b954-72f031e1f5b2</subsheetid>
<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>
```

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="d63eff56-29bf-47eb-9356-d93095c2bcaa" name="Note2" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<displayx>-180</displayx>
```

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="8d695665-66b1-455f-8476-2eb55b9d3cd6" name="Time Out1" type="WaitEnd">

```
<subsheetid>90967f9b-6786-4aee-b48e-b95902cdd9ff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1240e7b5-5db5-4729-8875-2126b297ee02</onsuccess>
<groupid>d60b883d-4cb8-4ac1-9bdd-d1fd66a55f7c</groupid>
</stage>
<stage stageid="8db9867e-0896-4fa4-876a-a95f8f2226cd" name="Wait1" type="WaitStart">
<subsheetid>90967f9b-6786-4aee-b48e-b95902cdd9ff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>d60b883d-4cb8-4ac1-9bdd-d1fd66a55f7c</groupid>
<choices/>
<timeout>[Wait seconds]</timeout>
</stage>
<stage stageid="8a914ea9-b67a-4c74-af89-f331481882f4" name="Wait seconds" type="Data">
```

```
<subsheetid>90967f9b-6786-4aee-b48e-b95902cdd9ff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
</process>
cprocess name="Web API" version="1.0" bpversion="6.3.0.4482" narrative="" byrefcollection="true" type="
<appdef>
<element name="Web API">
<id>5398aced-f18d-44ba-8e49-e5438af5d2ad</id>
<group name="Element1">
<id>52e9e4a1-5745-43d9-94a6-cfe3bf722f7d</id>
</group>
<type>Application</type>
<basetype>Application
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
```



```
<value>0</value>
</parameter>
<parameter>
<name>Options</name>
<value>
</value>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="f3efd936-1225-4442-ab12-af1228708dfb" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="c3995b9e-d94e-41b9-9074-14dbdb4c142c" type="Normal" published="True">
<name>Launch</name>
```

```
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="347ba102-894d-48e1-876b-e4b94cfa4812" type="Normal" published="True">
<name>Terminate</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="f8ba390d-3927-49b5-ad6a-cc58f4a35157" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5dd06d07-2afd-4109-a67e-c1e2caf47825</onsuccess>
</stage>
<stage stageid="5dd06d07-2afd-4109-a67e-c1e2caf47825" name="End" type="End">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8fae9fda-541e-46ea-8f63-1f02bcd2b204" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<references>
<reference>System.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Diagnostics</import>
<import>System.Runtime.InteropServices</import>
</imports>
<language>csharp/language>
<globalcode></globalcode>
<code>private Process m_WebAPI;
```

```
[DllImport("kernel32.dll")]
static extern int GetSystemDefaultLCID();</code>
</stage>
<stage stageid="ecd52996-d2c2-4fa2-8838-8801436c8f20" name="Clean Up" type="SubSheetInfo">
<subsheetid>f3efd936-1225-4442-ab12-af1228708dfb</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fbb18edb-8b55-4e54-9ac1-14e647681ac7" name="Start" type="Start">
<subsheetid>f3efd936-1225-4442-ab12-af1228708dfb</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6049a8cb-d6b3-4563-99e0-4d971b8cd5a5</onsuccess>
</stage>
<stage stageid="6049a8cb-d6b3-4563-99e0-4d971b8cd5a5" name="End" type="End">
```

```
<subsheetid>f3efd936-1225-4442-ab12-af1228708dfb</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="66613b45-9788-42b8-90aa-0a40921b22e1" name="Launch" type="SubSheetInfo">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4eb1353b-1c03-4139-88e9-0bfb11e057a0" name="Start" type="Start">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e631f247-e185-49b6-8280-61cc3cc7bf18</onsuccess>
</stage>
<stage stageid="5cfbd376-1fdc-46ac-8c7b-67fc03609de1" name="End" type="End">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
</stage>
<stage stageid="dabc3e58-2588-4883-a0ec-12d4b57c7ce7" name="Note1" type="Note">
<subsheetid>f3efd936-1225-4442-ab12-af1228708dfb</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
```

The cleanup action will be called automatically immediately after closing your business object at the end of

```
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a2a0c492-6a6f-4fe4-9fb7-7e8113041e34" name="Note2" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7a185c98-36bf-4035-a7d6-444572c3393f" name="Terminate" type="SubSheetInfo">
<subsheetid>347ba102-894d-48e1-876b-e4b94cfa4812</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="96793143-7cec-4302-86ba-544df023645d" name="Start" type="Start">
<subsheetid>347ba102-894d-48e1-876b-e4b94cfa4812</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." stage="PID"/>
</inputs>
<onsuccess>49d771b6-fd35-444f-b99e-9a05f105bd37</onsuccess>
</stage>
<stage stageid="c90b7ba1-1a3e-4226-b33d-da98d705c083" name="End" type="End">
<subsheetid>347ba102-894d-48e1-876b-e4b94cfa4812</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e631f247-e185-49b6-8280-61cc3cc7bf18" name="Launch" type="Code">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Microsoft Sans Serif" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="QARoot" expr="[QA Root]"/>
</inputs>
<outputs>
<output type="number" name="PID" stage="PID"/>
<output type="text" name="path" stage="Path"/>
</outputs>
<onsuccess>fb5302fb-6215-45d3-832e-3ee2613bc3b3</onsuccess>
<code>String s = QARoot + @"\Code\Web API\SelfHost\bin\Release\SelfHost.exe";
path = s;
PID = Process.Start(s).ld;
</code>
</stage>
<stage stageid="49d771b6-fd35-444f-b99e-9a05f105bd37" name="Terminate" type="Code">
```

```
<subsheetid>347ba102-894d-48e1-876b-e4b94cfa4812</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Microsoft Sans Serif" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" expr="[PID]"/>
</inputs>
<onsuccess>c90b7ba1-1a3e-4226-b33d-da98d705c083</onsuccess>
<code>Process p = Process.GetProcessById((int)PID);
p.Kill();</code>
</stage>
<stage stageid="d016d7ee-b2f3-41dc-b23d-1117b5a5d5a8" name="PID" type="Data">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="3f60c73d-38ef-46c6-af61-759a228df91a" name="PID" type="Data">
<subsheetid>347ba102-894d-48e1-876b-e4b94cfa4812</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f38f624b-108f-4967-a4df-943f2eb1948b" name="Output Variable" type="Block">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>
<stage stageid="fb36349c-9ac8-4bf7-92c1-ecd62150bd44" name="Input Variable" type="Block">
<subsheetid>347ba102-894d-48e1-876b-e4b94cfa4812</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="236d620a-97e7-41a1-a39a-c960b6e97080" name="PAUSE" type="WaitEnd">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-15</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5cfbd376-1fdc-46ac-8c7b-67fc03609de1</onsuccess>
<groupid>c611a317-91da-4242-9c82-ea91106eccd8</groupid>
</stage>
<stage stageid="fb5302fb-6215-45d3-832e-3ee2613bc3b3" name="PAUSE" type="WaitStart">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-15</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>c611a317-91da-4242-9c82-ea91106eccd8</groupid>
<choices/>
<timeout>2</timeout>
</stage>
<stage stageid="ce6378fe-9588-4248-8b91-a67174c145d2" name="QA Root" type="Data">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">C:\BluePrism\qacontrol\qa\</initialvalue>
<exposure>Environment</exposure>
<alwaysinit/>
```

```
</stage>
<stage stageid="dabf8d5b-8bff-413b-a1a0-90d6f4524037" name="Input Variable" type="Block">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="84de96be-b249-4586-8cea-e8d801f9392b" name="Path" type="Data">
<subsheetid>c3995b9e-d94e-41b9-9074-14dbdb4c142c</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
</process>
```

```
oprocess name="WebServiceInputsOutputs" version="1.0" narrative="Testing inputs and outputs across all outputs)
<appdef>
<element name="Application Root">
<id>6cb77e51-8a14-4962-9f22-5416d2d0b5e8</id>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="a7af269f-5fee-49bd-95ea-39961565d3d7" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="0d51072d-bc40-4160-84da-ee80c9b9ee3d" type="Normal" published="True">
<name>Inputs Only</name>
```

```
<view>
<camerax>0</camerax>
<cameray>25</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="d5a21d41-0f3a-49f6-abe3-a44dc6e09897" type="Normal" published="True">
<name>Outputs Only</name>
<view>
<camerax>0</camerax>
<cameray>69</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="4cf48d4c-77fb-4475-8236-95b75684e73f" type="Normal" published="True">
<name>Inputs and Outputs</name>
<view>
<camerax>0</camerax>
<cameray>-13</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="654e72c6-0792-4915-9f5e-91d7568b5e41" type="Normal" published="True">
<name>Collection Out</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
```

```
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="73fbb6af-93e6-4e14-8a41-138f71359299" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>46fb182d-3a3d-4883-8aae-89d105627942
</stage>
<stage stageid="46fb182d-3a3d-4883-8aae-89d105627942" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="946aabe6-f115-4785-aee7-e96b49ab3587" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
```

```
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
</imports>
<language>visualbasic</language>
<globalcode>
</globalcode>
<code>
</code>
</stage>
<stage stageid="458387e1-7d4d-43a6-b29c-430856b21a86" name="Clean Up" type="SubSheetInfo">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3bb3e354-dcaa-4c47-af5d-3490c4bdc3b1" name="Start" type="Start">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0c662000-0ea1-4833-b82a-d1c888b762ee</onsuccess>
</stage>
<stage stageid="0c662000-0ea1-4833-b82a-d1c888b762ee" name="End" type="End">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="6f7247af-d4f3-4a4d-a149-1bcbfe35a711" name="Inputs Only" type="SubSheetInfo">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>Tests that inputs are successfully received, and that values match those expected.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2cd40514-4158-4107-ac0d-51bc3a5ceebb" name="Start" type="Start">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
onditions>
<condition narrative="No inputs may be left blank. The following values should be supplied:"/>
<condition narrative="Test Text - Banana"/>
<condition narrative="Test Password - Secret"/>
<condition narrative="Test Number - 5"/>
<condition narrative="Test Flag - True"/>
<condition narrative="Test Date - 2009-12-25"/>
<condition narrative="Test DateTime - 2001-07-04 13:37"/>
<condition narrative="Test Time - 11:27"/>
<condition narrative="Test TimeSpan - 12 Days, 11 Hours, 10 Minutes, 9 Seconds"/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
```

```
<condition narrative=""/>
<condition narrative="Test Flag - True"/>
<condition narrative="Test Flag - True"/>
<condition narrative=""/>
<condition narrative="Test TimeSpan - 12 Days, 11 Hours, 10 Minutes, 9 Seconds"/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
<condition narrative=""/>
```

```
<condition narrative=""/>
<condition narrative=""/>
onditions>
<postconditions>
<condition narrative="The input values will have been inspected"/>
</postconditions>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Test Text" stage="Test Text"/>
<input type="password" name="Test Password" stage="Test Password"/>
<input type="number" name="Test Number" stage="Test Number"/>
<input type="flag" name="Test Flag" stage="Test Flag"/>
<input type="date" name="Test Date" stage="Test Date"/>
<input type="datetime" name="Test DateTime" stage="Test DateTime"/>
<input type="time" name="Test Time" stage="Test Time"/>
<input type="timespan" name="Test Timespan" stage="Test Timespan"/>
</inputs>
<onsuccess>b5e1b2bb-7a32-44ec-ab5a-a24bccdf1b94</onsuccess>
</stage>
<stage stageid="9d09623d-7c6a-44f9-b2e4-4570c9018c42" name="End" type="End">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="192f1e90-52e0-4e28-af31-ccd7e5cb6ed2" name="new" type="Note">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="dd713e6a-639f-48c0-b628-541000b126cd" name="new" type="Note">
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

```
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d1423244-3a6d-487c-beec-1c70e28d86cb" name="Test Text" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e8758c17-b2ed-4139-b430-66b10c3b1e6a" name="Test Password" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-180</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="c13c2cb1-09e9-435a-98f3-4ba500af90d0" name="Test Number" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e6375894-0033-42a5-8c1b-7c349d861a7c" name="Test Flag" type="Data">
```

```
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e80e4ad2-b89a-4ef4-87e1-5bf58c0ff680" name="Test Date" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="ba66b0ab-cdb8-432d-a510-44ff29ae8f70" name="Test DateTime" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a13070ee-1926-4b7a-bdb2-d0ac5df6663c" name="Test Time" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="24f3bb0c-8ebe-4591-876c-ceca405f8f76" name="Test Timespan" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="b5e1b2bb-7a32-44ec-ab5a-a24bccdf1b94" name="Verify Text" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Text] = &amp;quot;Banana&amp;quot;"/>
<ontrue>98bdd73e-a396-46e8-bdcb-d9a3bf67b0a4</ontrue>
<onfalse>3e0d17c9-a005-4dae-abee-e83993aef4d6</onfalse>
```

```
</stage>
<stage stageid="3e0d17c9-a005-4dae-abee-e83993aef4d6" name="Note1" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="32eac335-7c05-40d1-bbfc-05000e799131" name="Verify Password" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Password Valid]"/>
<ontrue>76658f85-9a55-48ac-91e4-aa00c21446ca</ontrue>
<onfalse>a9cd563f-fbbf-4f50-a4c2-ae1cad025bce</onfalse>
</stage>
<stage stageid="76658f85-9a55-48ac-91e4-aa00c21446ca" name="Verify Number" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Number] = 5"/>
<ontrue>25bef5dd-9b1b-4a7a-b000-93ad9a7e1ad9</ontrue>
<onfalse>5307bb33-5a0e-4dc1-9031-441aa5d896c9</onfalse>
</stage>
<stage stageid="25bef5dd-9b1b-4a7a-b000-93ad9a7e1ad9" name="Verify Flag" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Flag] = True"/>
<ontrue>fd99c2cd-871b-4870-8a04-a2239bcc891d/ontrue>
<onfalse>60dd91d5-ce1a-473e-80a2-449db3d80fda</onfalse>
</stage>
<stage stageid="fd99c2cd-871b-4870-8a04-a2239bcc891d" name="Verify Date" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Date] = MakeDate(25, 12, 2009)"/>
<ontrue>2b57320a-61b4-4b84-983a-6d4dbd84ded7</ontrue>
<onfalse>f27a2ce1-dfa7-462c-8e47-b1f6df9f663e</onfalse>
</stage>
<stage stageid="2b57320a-61b4-4b84-983a-6d4dbd84ded7" name="Verify DateTime" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test DateTime] = MakeDateTime(4, 7, 2003, 10, 27, 0, False)"/>
<ontrue>141eb2a1-48b8-41f0-a472-0e4820beb42d</ontrue>
<onfalse>aafae97a-c86e-40af-a3cc-974e345e07fd</onfalse>
</stage>
<stage stageid="141eb2a1-48b8-41f0-a472-0e4820beb42d" name="Verify Time" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Time] = MakeTime(11,27,0)"/>
<ontrue>938a079a-3261-4ca4-a3f8-6bbe7cbbc474</ontrue>
<onfalse>5c956bc0-6297-47cd-a9dd-d0d983bab6a8</onfalse>
</stage>
<stage stageid="938a079a-3261-4ca4-a3f8-6bbe7cbbc474" name="Verify TimeSpan" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Timespan] = MakeTimeSpan(12,11,10,9,0)"/>
<ontrue>9d09623d-7c6a-44f9-b2e4-4570c9018c42</ontrue>
<onfalse>90ecb625-0d73-4fe9-b322-88f4de5b1deb</onfalse>
</stage>
<stage stageid="a9cd563f-fbbf-4f50-a4c2-ae1cad025bce" name="Password Fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5307bb33-5a0e-4dc1-9031-441aa5d896c9" name="Number Fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="60dd91d5-ce1a-473e-80a2-449db3d80fda" name="Flag fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f27a2ce1-dfa7-462c-8e47-b1f6df9f663e" name="Date fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="aafae97a-c86e-40af-a3cc-974e345e07fd" name="DateTime fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5c956bc0-6297-47cd-a9dd-d0d983bab6a8" name="Time fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="90ecb625-0d73-4fe9-b322-88f4de5b1deb" name="Timespan fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="682e43b5-0494-402b-bf5c-e15aeb2f8fe7" name="Outputs Only" type="SubSheetInfo">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>Generates some output values - one of each supported data type. The values should match the
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="32ffbb8e-abae-49da-876e-d6158854f0df" name="Start" type="Start">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dde1c3c2-8504-41ee-855e-3fa82495688a</onsuccess>
</stage>
<stage stageid="0c4e7b45-d637-4236-9294-dd3b942743d1" name="End" type="End">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>360</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Test Text" stage="Test Text"/>
<output type="password" name="Test Password" stage="Test Password"/>
<output type="number" name="Test Number" stage="Test Number"/>
<output type="flag" name="Test Flag" stage="Test Flag"/>
<output type="date" name="Test Date" stage="Test Date"/>
<output type="datetime" name="Test DateTime" stage="Test DateTime"/>
<output type="time" name="Test Time" stage="Test Time"/>
<output type="timespan" name="Test Timespan" stage="Test Timespan"/>
</outputs>
</stage>
<stage stageid="a7643249-de39-42b2-aa26-7cfbccd9ab5f" name="Test Text" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="5a53970e-576b-4b90-88e8-d7fed87726dd" name="Test Password" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="cc9b2bd8-9b4c-40e1-b803-a049c90e3958" name="Test Number" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="16311cbc-b03f-44a2-8dc4-75866508ceef" name="Test Flag" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="269afb55-f01e-4a1e-b2a8-c3e8913c9050" name="Test Date" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>date</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d0c82672-9320-4dd4-94f9-7282cb5e06d2" name="Test DateTime" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1dc698f6-9162-4b6b-a2a9-622e7a5d166b" name="Test Time" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="2c110756-6ea4-42da-aaa3-19f502a432ae" name="Test Timespan" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="dde1c3c2-8504-41ee-855e-3fa82495688a" name="Set Text" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>614893ec-0f6a-4baf-9b17-7d6afb88f428</onsuccess>
<calculation expression="&amp;quot;Banana&amp;quot;" stage="Test Text"/>
</stage>
<stage stageid="b5b83cb0-3873-4464-9c75-df61277508b4" name="Set Number" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8259a93c-17fa-445c-8b22-c4fa149599d8</onsuccess>
<calculation expression="5" stage="Test Number"/>
</stage>
<stage stageid="8259a93c-17fa-445c-8b22-c4fa149599d8" name="Set Flag" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>60182a0c-a7a5-4cf6-87b7-e1b9594e3f3e</onsuccess>
```

```
<calculation expression="True" stage="Test Flag"/>
</stage>
<stage stageid="60182a0c-a7a5-4cf6-87b7-e1b9594e3f3e" name="Set Date" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d4d2b207-60ed-4873-b508-1f238fa26225</onsuccess>
<calculation expression="MakeDate(25,12,2009)" stage="Test Date"/>
</stage>
<stage stageid="d4d2b207-60ed-4873-b508-1f238fa26225" name="Set DateTime" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>04b20ef6-c516-4a14-9c77-2d40447b6cf8</onsuccess>
<calculation expression="MakeDateTime(4, 7, 2003, 10, 27, 0, False)" stage="Test DateTime"/>
</stage>
<stage stageid="04b20ef6-c516-4a14-9c77-2d40447b6cf8" name="Set Time" type="Calculation">
```

```
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ae8f3c0a-6e3c-4ef5-9ae4-fdf979dc4468</onsuccess>
<calculation expression="MakeTime(11,27,0)" stage="Test Time"/>
</stage>
<stage stageid="ae8f3c0a-6e3c-4ef5-9ae4-fdf979dc4468" name="Set Timespan" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9396ee46-69d3-402c-b119-eb672fb5bc30</onsuccess>
<calculation expression="MakeTimeSpan(12,11,10,9,0)" stage="Test Timespan"/>
</stage>
<stage stageid="9396ee46-69d3-402c-b119-eb672fb5bc30" name="Verify Values" type="SubSheet">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Test Text" expr="[Test Text]"/>
<input type="password" name="Test Password" expr="[Test Password]"/>
<input type="number" name="Test Number" expr="[Test Number]"/>
<input type="flag" name="Test Flag" expr="[Test Flag]"/>
<input type="date" name="Test Date" expr="[Test Date]"/>
<input type="datetime" name="Test DateTime" expr="[Test DateTime]"/>
<input type="time" name="Test Time" expr="[Test Time]"/>
<input type="timespan" name="Test Timespan" expr="[Test Timespan]"/>
</inputs>
<onsuccess>0c4e7b45-d637-4236-9294-dd3b942743d1/
</stage>
<stage stageid="532db24d-52ad-4e2c-8b19-166517d0753d" name="Note2" type="Note">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>Internal consistency check - check our output against the values we expect as input
<displayx>150</displayx>
<displayy>300</displayy>
<displaywidth>120</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>9396ee46-69d3-402c-b119-eb672fb5bc30</onsuccess>

```
</stage>
<stage stageid="141e53ef-8b76-401f-80b6-537e3d9b0cd7" name="Inputs and Outputs" type="SubSheetIr
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>General calculation operations on the input data.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="957456d4-3541-4bd9-a5a2-923fbbff365e" name="Start" type="Start">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
onditions>
<condition narrative=""/>
```

<pre><condition narrative=""></condition></pre>
<pre><condition narrative=""></condition></pre>

```
<condition narrative=""/>
<condition narrative=""/>
onditions>
<postconditions>
<condition narrative="Input values will have been modified as follows:"/>
<condition narrative="Text and Password values will be repeated - eg &amp;quot;abc&amp;quot; becomes</p>
<condition narrative="Numbers will be incremented by 1"/>
<condition narrative="Flags will be inverted - True becomes False and vice versa"/>
<condition narrative="Dates will be advanced by one day"/>
<condition narrative="DateTimes will be advanced by one hour"/>
<condition narrative="Times will be advanced by one minute"/>
<condition narrative="Timespans will be added to by one second"/>
<condition narrative=""/>
<condition narrative=""/>
</postconditions>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Test Text" stage="Test Text"/>
<input type="password" name="Test Password" stage="Test Password"/>
<input type="number" name="Test Number" stage="Test Number"/>
<input type="flag" name="Test Flag" stage="Test Flag"/>
```

```
<input type="date" name="Test Date" stage="Test Date"/>
<input type="datetime" name="Test DateTime" stage="Test DateTime"/>
<input type="time" name="Test Time" stage="Test Time"/>
<input type="timespan" name="Test Timespan" stage="Test Timespan"/>
<input type="binary" name="Test Binary" stage="Test Binary"/>
</inputs>
<onsuccess>dc7b605b-df2b-42cb-8212-8cd804f362af</onsuccess>
</stage>
<stage stageid="a39c505e-4c3e-49a9-b1af-ab099f3ba108" name="Test Text" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="57ac67c0-5fec-4837-a069-c3a0d7f5338c" name="Test Password" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
```

```
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="aa8fff22-cc71-44f8-b1fd-b1c294867bdb" name="Test Number" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e94d621e-acfd-4f43-b930-96fb125c7b42" name="Test Flag" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-240</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4301a6a3-5d79-4497-a7e0-521e430b17cf" name="Test Date" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e094394a-b27a-4ede-b085-7bab2310a762" name="Test DateTime" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>105</displayy>
<displaywidth>180</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="12d1a37a-639b-46ab-8b8d-87a09ac957dc" name="Test Time" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d7c04080-6017-4745-8726-2d8e152ca25c" name="Test Timespan" type="Data">
```

```
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00:00</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="dc7b605b-df2b-42cb-8212-8cd804f362af" name="Repeat Text" type="Calculation">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>743da3c7-cdea-4a9c-90cb-8b250a2e0389</onsuccess>
<calculation expression="[Test Text] & amp; amp; [Test Text]" stage="Test Text"/>
</stage>
<stage stageid="623c21b1-fba3-469b-976e-de64790e819e" name="End" type="End">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Test Text" stage="Test Text"/>
<output type="password" name="Test Password" stage="Test Password"/>
<output type="number" name="Test Number" stage="Test Number"/>
<output type="flag" name="Test Flag" stage="Test Flag"/>
<output type="date" name="Test Date" stage="Test Date"/>
<output type="datetime" name="Test DateTime" stage="Test DateTime"/>
<output type="time" name="Test Time" stage="Test Time"/>
<output type="timespan" name="Test Timespan" stage="Test Timespan"/>
<output type="binary" name="Test Binary" stage="Test Binary"/>
</outputs>
</stage>
<stage stageid="743da3c7-cdea-4a9c-90cb-8b250a2e0389" name="Repeat Password" type="Calculation"
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>42e4470c-1299-4215-a729-a53034dd0d34</onsuccess>
<calculation expression="[Test Password] & amp; amp; [Test Password]" stage="Test Password"/>
</stage>
<stage stageid="42e4470c-1299-4215-a729-a53034dd0d34" name="Increment Number" type="Calculation"
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e96f793b-aeac-487f-ba2c-b712572448ac</onsuccess>
<calculation expression="[Test Number] + 1" stage="Test Number"/>
</stage>
<stage stageid="e96f793b-aeac-487f-ba2c-b712572448ac" name="Invert Flag" type="Calculation">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b3244b36-29cc-43d8-b9e0-2ba2298e0d38</onsuccess>
<calculation expression="[Test Flag] = False" stage="Test Flag"/>
```

```
</stage>
<stage stageid="b3244b36-29cc-43d8-b9e0-2ba2298e0d38" name="Advance Date by One Day" type="Ca
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4a7273fc-2643-4a4b-8355-2215b03a3355
<calculation expression="DateAdd(9, 1, [Test Date])" stage="Test Date"/>
</stage>
<stage stageid="4a7273fc-2643-4a4b-8355-2215b03a3355" name="Advance DateTime by One Hour" type
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>868a598b-44a3-49eb-9194-c501a3bb7093</onsuccess>
<calculation expression="[Test DateTime] + [One Hour]" stage="Test DateTime"/>
</stage>
<stage stageid="868a598b-44a3-49eb-9194-c501a3bb7093" name="Advance Time by One Minute" type=
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d4495522-f9b4-4ce5-bfd2-964d1270770f</onsuccess>
<calculation expression="[Test Time] + [One Minute]" stage="Test Time"/>
</stage>
<stage stageid="d4495522-f9b4-4ce5-bfd2-964d1270770f" name="Add to Timespan by one second" type=
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>623c21b1-fba3-469b-976e-de64790e819e</onsuccess>
<calculation expression="[Test Timespan] + [One Second]" stage="Test Timespan"/>
</stage>
<stage stageid="999d6c84-a6ad-438f-aa57-1b627abb05fb" name="One Second" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
```

```
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00:01</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b307101b-d855-4b62-859a-dea712ed041e" name="One Minute" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:01:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="2f6e0b19-1c32-43a5-9224-b1d4552dfb6c" name="Repeat Password" type="Code">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="Pwd" expr="[Test Password]"/>
</inputs>
<outputs>
<output type="password" name="outPwd" stage="Test Password"/>
</outputs>
<onsuccess>42e4470c-1299-4215-a729-a53034dd0d34</onsuccess>
<code>outPwd = Pwd & amp; amp; Pwd</code>
</stage>
<stage stageid="92f0cb2b-8edb-4166-87f4-b0d3a32447b7" name="Set Password" type="Code">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="password" name="outPwd" stage="Test Password"/>
</outputs>
```

```
<onsuccess>b5b83cb0-3873-4464-9c75-df61277508b4</onsuccess>
<code>outPwd = "Secret"</code>
</stage>
<stage stageid="98bdd73e-a396-46e8-bdcb-d9a3bf67b0a4" name="Check Password Valid" type="Code">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="Pwd" expr="[Test Password]"/>
</inputs>
<outputs>
<output type="flag" name="Password Valid" stage="Password Valid"/>
</outputs>
<onsuccess>32eac335-7c05-40d1-bbfc-05000e799131
<code>Password_Valid = (Pwd = "Secret")</code>
</stage>
<stage stageid="4c18d5c5-c349-4976-9df7-3237d8c40477" name="Password Valid" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
```

```
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="614893ec-0f6a-4baf-9b17-7d6afb88f428" name="Set Password" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b5b83cb0-3873-4464-9c75-df61277508b4</onsuccess>
<calculation expression="&amp;quot;Secret&amp;quot;" stage="Test Password"/>
</stage>
<stage stageid="bd059250-6372-4305-9b78-a07b82e90a86" name="One Hour" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>165</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.01:00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="8f83c2e3-f209-4e5c-a554-eebaf61e0828" name="Collection Out" type="SubSheetInfo">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bcf852e6-ea23-4f68-93ba-44d3d7f6850e" name="Start" type="Start">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```



```
<onsuccess>2f5b5811-c719-41ba-ab41-c09371bd0445</onsuccess>
</stage>
<stage stageid="2f5b5811-c719-41ba-ab41-c09371bd0445" name="End" type="End">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="BeeGees" narrative="Essential facts about the Bee Gees" stage="BeeGe</p>
</outputs>
</stage>
<stage stageid="dc33756b-358c-46d6-8b1f-875001e2b846" name="BeeGees" type="Collection">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text" description="Name"/>
<field name="Born" type="date" description="Date born"/>
<field name="Squeakiness" type="number" description="How high-pictched and squeaky, on a scale of 1 t
</collectioninfo>
<initialvalue>
<row>
<field name="Name" type="text" value="Barry"/>
<field name="Born" type="date" value="1949/12/22"/>
<field name="Squeakiness" type="number" value="9"/>
</row>
<row>
<field name="Name" type="text" value="Robin"/>
<field name="Born" type="date" value="1949/12/22"/>
<field name="Squeakiness" type="number" value="10"/>
</row>
<row>
<field name="Name" type="text" value="Maurice"/>
<field name="Born" type="date" value="1946/09/01"/>
<field name="Squeakiness" type="number" value="11"/>
</row>
</initialvalue>
</stage>
<stage stageid="56f8af4d-dfca-4419-b227-740878b672b9" name="Test Binary" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
</process>
<appdef>
<element name="Application Root">
<id>6cb77e51-8a14-4962-9f22-5416d2d0b5e8</id>
<type>Application</type>
<basetype>Application
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
```

<zoom>1</zoom>

```
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="a7af269f-5fee-49bd-95ea-39961565d3d7" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="0d51072d-bc40-4160-84da-ee80c9b9ee3d" type="Normal" published="True">
<name>Inputs Only</name>
<view>
<camerax>0</camerax>
<cameray>25</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="d5a21d41-0f3a-49f6-abe3-a44dc6e09897" type="Normal" published="True">
<name>Outputs Only</name>
<view>
<camerax>0</camerax>
<cameray>69</cameray>
<zoom>1</zoom>
</view>
</subsheet>
```

```
<subsheet subsheetid="4cf48d4c-77fb-4475-8236-95b75684e73f" type="Normal" published="True">
<name>Inputs and Outputs</name>
<view>
<camerax>0</camerax>
<cameray>-13</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="654e72c6-0792-4915-9f5e-91d7568b5e41" type="Normal" published="True">
<name>Collection Out</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="423207ae-5d49-4057-aafb-1007105e6e6a" type="Normal" published="True">
<name>Collection In Out</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="73fbb6af-93e6-4e14-8a41-138f71359299" name="Start" type="Start">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>46fb182d-3a3d-4883-8aae-89d105627942</onsuccess>
</stage>
<stage stageid="46fb182d-3a3d-4883-8aae-89d105627942" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="946aabe6-f115-4785-aee7-e96b49ab3587" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
```

```
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
</imports>
<language>visualbasic</language>
<globalcode>
</globalcode>
<code>
</code>
</stage>
<stage stageid="458387e1-7d4d-43a6-b29c-430856b21a86" name="Clean Up" type="SubSheetInfo">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3bb3e354-dcaa-4c47-af5d-3490c4bdc3b1" name="Start" type="Start">
```

```
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0c662000-0ea1-4833-b82a-d1c888b762ee</onsuccess>
</stage>
<stage stageid="0c662000-0ea1-4833-b82a-d1c888b762ee" name="End" type="End">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6f7247af-d4f3-4a4d-a149-1bcbfe35a711" name="Inputs Only" type="SubSheetInfo">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>Tests that inputs are successfully received, and that values match those expected.
<displayx>-195</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2cd40514-4158-4107-ac0d-51bc3a5ceebb" name="Start" type="Start">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
onditions>
<condition narrative="No inputs may be left blank. The following values should be supplied:"/>
<condition narrative="Test Text - Banana"/>
<condition narrative="Test Password - Secret"/>
<condition narrative="Test Number - 5"/>
<condition narrative="Test Flag - True"/>
<condition narrative="Test Date - 2009-12-25"/>
<condition narrative="Test DateTime - 2001-07-04 13:37"/>
<condition narrative="Test Time - 11:27"/>
<condition narrative="Test TimeSpan - 12 Days, 11 Hours, 10 Minutes, 9 Seconds"/>
<condition narrative=""/>
```

```
<condition narrative=""/>
<condition narrative="Test Flag - True"/>
<condition narrative="Test Flag - True"/>
<condition narrative=""/>
<condition narrative="Test TimeSpan - 12 Days, 11 Hours, 10 Minutes, 9 Seconds"/>
<condition narrative=""/>
onditions>
<postconditions>
<condition narrative="The input values will have been inspected"/>
</postconditions>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Test Text" stage="Test Text"/>
<input type="password" name="Test Password" stage="Test Password"/>
<input type="number" name="Test Number" stage="Test Number"/>
<input type="flag" name="Test Flag" stage="Test Flag"/>
<input type="date" name="Test Date" stage="Test Date"/>
<input type="datetime" name="Test DateTime" stage="Test DateTime"/>
<input type="time" name="Test Time" stage="Test Time"/>
<input type="timespan" name="Test Timespan" stage="Test Timespan"/>
</inputs>
<onsuccess>b5e1b2bb-7a32-44ec-ab5a-a24bccdf1b94</onsuccess>
</stage>
<stage stageid="9d09623d-7c6a-44f9-b2e4-4570c9018c42" name="End" type="End">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="192f1e90-52e0-4e28-af31-ccd7e5cb6ed2" name="new" type="Note">
<subsheetid>a7af269f-5fee-49bd-95ea-39961565d3d7</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="dd713e6a-639f-48c0-b628-541000b126cd" name="new" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
```

```
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d1423244-3a6d-487c-beec-1c70e28d86cb" name="Test Text" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e8758c17-b2ed-4139-b430-66b10c3b1e6a" name="Test Password" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="c13c2cb1-09e9-435a-98f3-4ba500af90d0" name="Test Number" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e6375894-0033-42a5-8c1b-7c349d861a7c" name="Test Flag" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e80e4ad2-b89a-4ef4-87e1-5bf58c0ff680" name="Test Date" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ba66b0ab-cdb8-432d-a510-44ff29ae8f70" name="Test DateTime" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a13070ee-1926-4b7a-bdb2-d0ac5df6663c" name="Test Time" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="24f3bb0c-8ebe-4591-876c-ceca405f8f76" name="Test Timespan" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
```

```
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b5e1b2bb-7a32-44ec-ab5a-a24bccdf1b94" name="Verify Text" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Text] = &amp;quot;Banana&amp;quot;"/>
<ontrue>98bdd73e-a396-46e8-bdcb-d9a3bf67b0a4</ontrue>
<onfalse>3e0d17c9-a005-4dae-abee-e83993aef4d6</onfalse>
</stage>
<stage stageid="3e0d17c9-a005-4dae-abee-e83993aef4d6" name="Note1" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>-120</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="32eac335-7c05-40d1-bbfc-05000e799131" name="Verify Password" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Password Valid]"/>
<ontrue>76658f85-9a55-48ac-91e4-aa00c21446ca</ontrue>
<onfalse>a9cd563f-fbbf-4f50-a4c2-ae1cad025bce</onfalse>
</stage>
<stage stageid="76658f85-9a55-48ac-91e4-aa00c21446ca" name="Verify Number" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Number] = 5"/>
```

```
<ontrue>25bef5dd-9b1b-4a7a-b000-93ad9a7e1ad9</ontrue>
<onfalse>5307bb33-5a0e-4dc1-9031-441aa5d896c9</onfalse>
</stage>
<stage stageid="25bef5dd-9b1b-4a7a-b000-93ad9a7e1ad9" name="Verify Flag" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Flag] = True"/>
<ontrue>fd99c2cd-871b-4870-8a04-a2239bcc891d</ontrue>
<onfalse>60dd91d5-ce1a-473e-80a2-449db3d80fda</onfalse>
</stage>
<stage stageid="fd99c2cd-871b-4870-8a04-a2239bcc891d" name="Verify Date" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Date] = MakeDate(25, 12, 2009)"/>
<ontrue>2b57320a-61b4-4b84-983a-6d4dbd84ded7</ontrue>
```

```
<onfalse>f27a2ce1-dfa7-462c-8e47-b1f6df9f663e</onfalse>
</stage>
<stage stageid="2b57320a-61b4-4b84-983a-6d4dbd84ded7" name="Verify DateTime" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test DateTime] = MakeDateTime(4, 7, 2003, 10, 27, 0, False)"/>
<ontrue>141eb2a1-48b8-41f0-a472-0e4820beb42d</ontrue>
<onfalse>aafae97a-c86e-40af-a3cc-974e345e07fd</onfalse>
</stage>
<stage stageid="141eb2a1-48b8-41f0-a472-0e4820beb42d" name="Verify Time" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Time] = MakeTime(11,27,0)"/>
<ontrue>938a079a-3261-4ca4-a3f8-6bbe7cbbc474</ontrue>
<onfalse>5c956bc0-6297-47cd-a9dd-d0d983bab6a8</onfalse>
```

```
</stage>
<stage stageid="938a079a-3261-4ca4-a3f8-6bbe7cbbc474" name="Verify TimeSpan" type="Decision">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Test Timespan] = MakeTimeSpan(12,11,10,9,0)"/>
<ontrue>9d09623d-7c6a-44f9-b2e4-4570c9018c42</ontrue>
<onfalse>90ecb625-0d73-4fe9-b322-88f4de5b1deb</onfalse>
</stage>
<stage stageid="a9cd563f-fbbf-4f50-a4c2-ae1cad025bce" name="Password Fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5307bb33-5a0e-4dc1-9031-441aa5d896c9" name="Number Fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
```

```
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="60dd91d5-ce1a-473e-80a2-449db3d80fda" name="Flag fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f27a2ce1-dfa7-462c-8e47-b1f6df9f663e" name="Date fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="aafae97a-c86e-40af-a3cc-974e345e07fd" name="DateTime fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
```

```
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5c956bc0-6297-47cd-a9dd-d0d983bab6a8" name="Time fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="90ecb625-0d73-4fe9-b322-88f4de5b1deb" name="Timespan fail" type="Note">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>FAIL</narrative>
<displayx>150</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="682e43b5-0494-402b-bf5c-e15aeb2f8fe7" name="Outputs Only" type="SubSheetInfo">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>Generates some output values - one of each supported data type. The values should match the
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="32ffbb8e-abae-49da-876e-d6158854f0df" name="Start" type="Start">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dde1c3c2-8504-41ee-855e-3fa82495688a</onsuccess>
</stage>
<stage stageid="0c4e7b45-d637-4236-9294-dd3b942743d1" name="End" type="End">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>360</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Test Text" stage="Test Text"/>
```

```
<output type="password" name="Test Password" stage="Test Password"/>
<output type="number" name="Test Number" stage="Test Number"/>
<output type="flag" name="Test Flag" stage="Test Flag"/>
<output type="date" name="Test Date" stage="Test Date"/>
<output type="datetime" name="Test DateTime" stage="Test DateTime"/>
<output type="time" name="Test Time" stage="Test Time"/>
<output type="timespan" name="Test Timespan" stage="Test Timespan"/>
</outputs>
</stage>
<stage stageid="a7643249-de39-42b2-aa26-7cfbccd9ab5f" name="Test Text" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5a53970e-576b-4b90-88e8-d7fed87726dd" name="Test Password" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-165</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="cc9b2bd8-9b4c-40e1-b803-a049c90e3958" name="Test Number" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="16311cbc-b03f-44a2-8dc4-75866508ceef" name="Test Flag" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="269afb55-f01e-4a1e-b2a8-c3e8913c9050" name="Test Date" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d0c82672-9320-4dd4-94f9-7282cb5e06d2" name="Test DateTime" type="Data">
```

```
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1dc698f6-9162-4b6b-a2a9-622e7a5d166b" name="Test Time" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="2c110756-6ea4-42da-aaa3-19f502a432ae" name="Test Timespan" type="Data">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="dde1c3c2-8504-41ee-855e-3fa82495688a" name="Set Text" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>614893ec-0f6a-4baf-9b17-7d6afb88f428</onsuccess>
<calculation expression="&amp;quot;Banana&amp;quot;" stage="Test Text"/>
</stage>
<stage stageid="b5b83cb0-3873-4464-9c75-df61277508b4" name="Set Number" type="Calculation">
```

```
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8259a93c-17fa-445c-8b22-c4fa149599d8</onsuccess>
<calculation expression="5" stage="Test Number"/>
</stage>
<stage stageid="8259a93c-17fa-445c-8b22-c4fa149599d8" name="Set Flag" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>60182a0c-a7a5-4cf6-87b7-e1b9594e3f3e</onsuccess>
<calculation expression="True" stage="Test Flag"/>
</stage>
<stage stageid="60182a0c-a7a5-4cf6-87b7-e1b9594e3f3e" name="Set Date" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d4d2b207-60ed-4873-b508-1f238fa26225</onsuccess>
<calculation expression="MakeDate(25,12,2009)" stage="Test Date"/>
</stage>
<stage stageid="d4d2b207-60ed-4873-b508-1f238fa26225" name="Set DateTime" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>04b20ef6-c516-4a14-9c77-2d40447b6cf8</onsuccess>
<calculation expression="MakeDateTime(4, 7, 2003, 10, 27, 0, False)" stage="Test DateTime"/>
</stage>
<stage stageid="04b20ef6-c516-4a14-9c77-2d40447b6cf8" name="Set Time" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ae8f3c0a-6e3c-4ef5-9ae4-fdf979dc4468</onsuccess>
<calculation expression="MakeTime(11,27,0)" stage="Test Time"/>
</stage>
<stage stageid="ae8f3c0a-6e3c-4ef5-9ae4-fdf979dc4468" name="Set Timespan" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9396ee46-69d3-402c-b119-eb672fb5bc30</onsuccess>
<calculation expression="MakeTimeSpan(12,11,10,9,0)" stage="Test Timespan"/>
</stage>
<stage stageid="9396ee46-69d3-402c-b119-eb672fb5bc30" name="Verify Values" type="SubSheet">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Test Text" expr="[Test Text]"/>
<input type="password" name="Test Password" expr="[Test Password]"/>
<input type="number" name="Test Number" expr="[Test Number]"/>
<input type="flag" name="Test Flag" expr="[Test Flag]"/>
<input type="date" name="Test Date" expr="[Test Date]"/>
<input type="datetime" name="Test DateTime" expr="[Test DateTime]"/>
<input type="time" name="Test Time" expr="[Test Time]"/>
<input type="timespan" name="Test Timespan" expr="[Test Timespan]"/>
</inputs>
<onsuccess>0c4e7b45-d637-4236-9294-dd3b942743d1/
cessid>0d51072d-bc40-4160-84da-ee80c9b9ee3d/processid>
</stage>
<stage stageid="532db24d-52ad-4e2c-8b19-166517d0753d" name="Note2" type="Note">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>Internal consistency check - check our output against the values we expect as input
<displayx>150</displayx>
<displayy>300</displayy>
<displaywidth>120</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9396ee46-69d3-402c-b119-eb672fb5bc30</onsuccess>
</stage>
<stage stageid="141e53ef-8b76-401f-80b6-537e3d9b0cd7" name="Inputs and Outputs" type="SubSheetIr
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>General calculation operations on the input data.
<displayx>-195</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="957456d4-3541-4bd9-a5a2-923fbbff365e" name="Start" type="Start">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
onditions>
<condition narrative=""/>
```



```
<condition narrative="Numbers will be incremented by 1"/>
<condition narrative="Flags will be inverted - True becomes False and vice versa"/>
<condition narrative="Dates will be advanced by one day"/>
<condition narrative="DateTimes will be advanced by one hour"/>
<condition narrative="Times will be advanced by one minute"/>
<condition narrative="Timespans will be added to by one second"/>
<condition narrative=""/>
<condition narrative=""/>
</postconditions>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Test Text" stage="Test Text"/>
<input type="password" name="Test Password" stage="Test Password"/>
<input type="number" name="Test Number" stage="Test Number"/>
<input type="flag" name="Test Flag" stage="Test Flag"/>
<input type="date" name="Test Date" stage="Test Date"/>
<input type="datetime" name="Test DateTime" stage="Test DateTime"/>
<input type="time" name="Test Time" stage="Test Time"/>
<input type="timespan" name="Test Timespan" stage="Test Timespan"/>
<input type="binary" name="Test Binary" stage="Test Binary"/>
</inputs>
```

```
<onsuccess>dc7b605b-df2b-42cb-8212-8cd804f362af</onsuccess>
</stage>
<stage stageid="a39c505e-4c3e-49a9-b1af-ab099f3ba108" name="Test Text" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="57ac67c0-5fec-4837-a069-c3a0d7f5338c" name="Test Password" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
```

```
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="aa8fff22-cc71-44f8-b1fd-b1c294867bdb" name="Test Number" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e94d621e-acfd-4f43-b930-96fb125c7b42" name="Test Flag" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="4301a6a3-5d79-4497-a7e0-521e430b17cf" name="Test Date" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e094394a-b27a-4ede-b085-7bab2310a762" name="Test DateTime" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>105</displayy>
<displaywidth>180</displaywidth>
<displayheight>60</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="12d1a37a-639b-46ab-8b8d-87a09ac957dc" name="Test Time" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d7c04080-6017-4745-8726-2d8e152ca25c" name="Test Timespan" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="dc7b605b-df2b-42cb-8212-8cd804f362af" name="Repeat Text" type="Calculation">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>743da3c7-cdea-4a9c-90cb-8b250a2e0389</onsuccess>
<calculation expression="[Test Text] & amp; amp; [Test Text]" stage="Test Text"/>
</stage>
<stage stageid="623c21b1-fba3-469b-976e-de64790e819e" name="End" type="End">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Test Text" stage="Test Text"/>
<output type="password" name="Test Password" stage="Test Password"/>
<output type="number" name="Test Number" stage="Test Number"/>
<output type="flag" name="Test Flag" stage="Test Flag"/>
<output type="date" name="Test Date" stage="Test Date"/>
<output type="datetime" name="Test DateTime" stage="Test DateTime"/>
<output type="time" name="Test Time" stage="Test Time"/>
<output type="timespan" name="Test Timespan" stage="Test Timespan"/>
<output type="binary" name="Test Binary" stage="Test Binary"/>
</outputs>
</stage>
<stage stageid="743da3c7-cdea-4a9c-90cb-8b250a2e0389" name="Repeat Password" type="Calculation"
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>42e4470c-1299-4215-a729-a53034dd0d34</onsuccess>
<calculation expression="[Test Password] & amp; amp; [Test Password]" stage="Test Password"/>
</stage>
<stage stageid="42e4470c-1299-4215-a729-a53034dd0d34" name="Increment Number" type="Calculation"
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e96f793b-aeac-487f-ba2c-b712572448ac</onsuccess>
<calculation expression="[Test Number] + 1" stage="Test Number"/>
</stage>
<stage stageid="e96f793b-aeac-487f-ba2c-b712572448ac" name="Invert Flag" type="Calculation">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b3244b36-29cc-43d8-b9e0-2ba2298e0d38</onsuccess>
<calculation expression="[Test Flag] = False" stage="Test Flag"/>
</stage>
<stage stageid="b3244b36-29cc-43d8-b9e0-2ba2298e0d38" name="Advance Date by One Day" type="Ca
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4a7273fc-2643-4a4b-8355-2215b03a3355
<calculation expression="DateAdd(9, 1, [Test Date])" stage="Test Date"/>
</stage>
<stage stageid="4a7273fc-2643-4a4b-8355-2215b03a3355" name="Advance DateTime by One Hour" type
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>868a598b-44a3-49eb-9194-c501a3bb7093</onsuccess>
<calculation expression="[Test DateTime] + [One Hour]" stage="Test DateTime"/>
</stage>
<stage stageid="868a598b-44a3-49eb-9194-c501a3bb7093" name="Advance Time by One Minute" type=
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d4495522-f9b4-4ce5-bfd2-964d1270770f</onsuccess>
<calculation expression="[Test Time] + [One Minute]" stage="Test Time"/>
</stage>
<stage stageid="d4495522-f9b4-4ce5-bfd2-964d1270770f" name="Add to Timespan by one second" type=
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>623c21b1-fba3-469b-976e-de64790e819e</onsuccess>
<calculation expression="[Test Timespan] + [One Second]" stage="Test Timespan"/>
</stage>
<stage stageid="999d6c84-a6ad-438f-aa57-1b627abb05fb" name="One Second" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00:01</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="b307101b-d855-4b62-859a-dea712ed041e" name="One Minute" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:01:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="2f6e0b19-1c32-43a5-9224-b1d4552dfb6c" name="Repeat Password" type="Code">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="password" name="Pwd" expr="[Test Password]"/>
</inputs>
<outputs>
<output type="password" name="outPwd" stage="Test Password"/>
</outputs>
<onsuccess>42e4470c-1299-4215-a729-a53034dd0d34</onsuccess>
<code>outPwd = Pwd & amp;amp; Pwd</code>
</stage>
<stage stageid="92f0cb2b-8edb-4166-87f4-b0d3a32447b7" name="Set Password" type="Code">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="password" name="outPwd" stage="Test Password"/>
</outputs>
<onsuccess>b5b83cb0-3873-4464-9c75-df61277508b4</onsuccess>
<code>outPwd = "Secret"</code>
</stage>
<stage stageid="98bdd73e-a396-46e8-bdcb-d9a3bf67b0a4" name="Check Password Valid" type="Code">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="Pwd" expr="[Test Password]"/>
</inputs>
<outputs>
<output type="flag" name="Password Valid" stage="Password Valid"/>
</outputs>
<onsuccess>32eac335-7c05-40d1-bbfc-05000e799131
<code>Password_Valid = (Pwd = "Secret")</code>
</stage>
<stage stageid="4c18d5c5-c349-4976-9df7-3237d8c40477" name="Password Valid" type="Data">
<subsheetid>0d51072d-bc40-4160-84da-ee80c9b9ee3d</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="614893ec-0f6a-4baf-9b17-7d6afb88f428" name="Set Password" type="Calculation">
<subsheetid>d5a21d41-0f3a-49f6-abe3-a44dc6e09897</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b5b83cb0-3873-4464-9c75-df61277508b4</onsuccess>
<calculation expression="&amp;quot;Secret&amp;quot;" stage="Test Password"/>
</stage>
<stage stageid="bd059250-6372-4305-9b78-a07b82e90a86" name="One Hour" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.01:00:00</initialvalue>
<alwaysinit/>
```

```
</stage>
<stage stageid="8f83c2e3-f209-4e5c-a554-eebaf61e0828" name="Collection Out" type="SubSheetInfo">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bcf852e6-ea23-4f68-93ba-44d3d7f6850e" name="Start" type="Start">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2f5b5811-c719-41ba-ab41-c09371bd0445</onsuccess>
</stage>
<stage stageid="2f5b5811-c719-41ba-ab41-c09371bd0445" name="End" type="End">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="BeeGees" narrative="Essential facts about the Bee Gees" stage="BeeGe</p>
</outputs>
</stage>
<stage stageid="dc33756b-358c-46d6-8b1f-875001e2b846" name="BeeGees" type="Collection">
<subsheetid>654e72c6-0792-4915-9f5e-91d7568b5e41</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text" description="Name"/>
<field name="Born" type="date" description="Date born"/>
<field name="Squeakiness" type="number" description="How high-pictched and squeaky, on a scale of 1 t
```

```
</collectioninfo>
<initialvalue>
<row>
<field name="Name" type="text" value="Barry"/>
<field name="Born" type="date" value="1949/12/22"/>
<field name="Squeakiness" type="number" value="9"/>
</row>
<row>
<field name="Name" type="text" value="Robin"/>
<field name="Born" type="date" value="1949/12/22"/>
<field name="Squeakiness" type="number" value="10"/>
</row>
<row>
<field name="Name" type="text" value="Maurice"/>
<field name="Born" type="date" value="1946/09/01"/>
<field name="Squeakiness" type="number" value="11"/>
</row>
</initialvalue>
</stage>
<stage stageid="56f8af4d-dfca-4419-b227-740878b672b9" name="Test Binary" type="Data">
<subsheetid>4cf48d4c-77fb-4475-8236-95b75684e73f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="31179d4d-7ed2-4354-a1fc-c16b941d712d" name="Collection In Out" type="SubSheetInfo
<subsheetid>423207ae-5d49-4057-aafb-1007105e6e6a</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="df6fce7e-708c-40e4-9832-88e2538a2967" name="Start" type="Start">
<subsheetid>423207ae-5d49-4057-aafb-1007105e6e6a</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<inputs>

```
<input type="collection" name="BeegeesIn" stage="BeeGees"/>
</inputs>
<onsuccess>8e8b454a-964c-426b-9cce-1d31ef5ef4df</onsuccess>
</stage>
<stage stageid="8e8b454a-964c-426b-9cce-1d31ef5ef4df" name="End" type="End">
<subsheetid>423207ae-5d49-4057-aafb-1007105e6e6a</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="BeeGeesOut" stage="BeeGees"/>
</outputs>
</stage>
<stage stageid="0147e3f2-fd3b-4538-b0ed-4e27ac8df60d" name="BeeGees" type="Collection">
<subsheetid>423207ae-5d49-4057-aafb-1007105e6e6a</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text" description="Name"/>
<field name="Born" type="date" description="Date born"/>
<field name="Squeakiness" type="number" description="How high-pictched and squeaky, on a scale of 1 t
</collectioninfo>
</stage>
<appdef>
<element name="Application Root">
<id>0309f0b3-8c71-468a-b6e2-ce934f4511bf</id>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
```

conditions/>

```
<endpoint narrative=""/>
<subsheet subsheetid="daf2aeae-ccbf-47e7-be80-d7f9f7cda452" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="67318fea-06de-4ab4-b24e-c296aa10321f" type="Normal" published="True">
<name>Request</name>
<view>
<camerax>260</camerax>
<cameray>69</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="7652b71d-b844-4e53-b2af-59d9ec31a0ac" type="Normal" published="False">
<name>Request Token</name>
<view>
<camerax>0</camerax>
<cameray>-7</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="1cfc2c33-3381-4972-abb6-b529f18cfa44" type="Normal" published="False">
<name>Request Resource</name>
```

```
<view>
<camerax>320</camerax>
<cameray>193</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="28c240f1-b990-40b4-95fc-035aea399ac1" type="Normal" published="False">
<name>Refresh Token</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="7ae9fd1e-48b3-41c1-9b9d-a822c0f60126" type="Normal" published="True">
<name>Load Certificate</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="45775d87-040d-40a6-b73b-5971c041501c" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8a5639e4-7770-49e5-961e-6e539e072fe3</onsuccess>
</stage>
<stage stageid="8a5639e4-7770-49e5-961e-6e539e072fe3" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c3627a11-b60c-467d-b514-2a81e17d44d5" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
```

```
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
<import>Microsoft.VisualBasic</import>
<import>System.Text</import>
<import>System.Security.Cryptography</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code>Private Shared ReadOnly Jan1st1970 As New DateTime(1970, 1, 1, 0, 0, 0, DateTimeKind.Utc)
Public Shared Function currentTimeMillis() As Long
Return CLng((DateTime.UtcNow - Jan1st1970).TotalMilliseconds)
End Function</code>
</stage>
<stage stageid="16647fe3-8725-4eb4-ac44-7f2a3d396da2" name="Clean Up" type="SubSheetInfo">
<subsheetid>daf2aeae-ccbf-47e7-be80-d7f9f7cda452</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="d6b6c2e2-5fe2-4ce9-9c12-3ca7d86e4172" name="Start" type="Start">
<subsheetid>daf2aeae-ccbf-47e7-be80-d7f9f7cda452</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bf7a5e90-a6ba-48df-bc5f-f87e6dd329e9</onsuccess>
</stage>
<stage stageid="bf7a5e90-a6ba-48df-bc5f-f87e6dd329e9" name="End" type="End">
<subsheetid>daf2aeae-ccbf-47e7-be80-d7f9f7cda452</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1358dda6-d7a9-42b3-a857-9cee53b075a1" name="Request" type="SubSheetInfo">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>Reguest a token and then use it immediately to reguest the resource
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="49eac0fa-75de-4797-ae9d-1793392b2cc5" name="Start" type="Start">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Token URL" narrative="The url for the token request" stage="Token URL"/>
<input type="text" name="Resource URL" narrative="The url for the resource" stage="Resource URL"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" stage="Username"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" stage="Password"/2
<input type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" stage="Ce
<input type="text" name="Method" narrative="HTTP Method" stage="Method"/>
<input type="text" name="Content Type" narrative="HTTP Content Type" stage="Content Type"/>
<input type="text" name="Body" narrative="HTTP Body" stage="Body"/>
</inputs>
<onsuccess>f8f33cad-f70a-4f0f-a3af-e78ddb123389</onsuccess>
```

```
</stage>
<stage stageid="f29a7d05-311f-4d69-bb79-a295ed678ee7" name="new" type="Note">
<subsheetid>daf2aeae-ccbf-47e7-be80-d7f9f7cda452</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
You will not be able to call this action from a business process, nor will it be called at any other time than b
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8f9725ca-938f-4127-a1b7-abacdad87e9d" name="new" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
```

```
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3fb70227-b46b-4284-9d51-1cf18d58d84a" name="Token URL" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="9c05a019-4565-449b-a509-0526e280254e" name="Resource URL" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="019eb6f8-4781-4098-aee7-11fa57c63a63" name="Username" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="02a7084c-766b-462e-8696-feca3622186b" name="Password" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="d4e3bc71-0a4e-4e05-a931-979d5e4b87ed" name="Request Token" type="SubSheetInfo
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2cd4ceab-8e1d-41d0-ba80-1c33daf765f9" name="End" type="End">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<outputs>

```
<output type="collection" name="Token" narrative="The resulting token as a collection" stage="Token"/>
</outputs>
</stage>
<stage stageid="14735bd9-9b52-4305-83b9-050508831c0a" name="Request Token" type="Action">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Request U
<input type="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="text" name="t
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;POST&</p>
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr=""/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr="&amp;quot;application/json&amp
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr="[User
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr="[Password] |
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
<input type="flag" name="Force Pre Authorization" narrative="OPTIONAL: Force the request to send the a
```

```
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Result"/>
</outputs>
<onsuccess>ca7a6451-d288-4763-9b1c-24b9399ad05e</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="1683c17c-6c04-4bb6-b020-4715f06f7c08" name="Result" type="Data">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ca7a6451-d288-4763-9b1c-24b9399ad05e" name="Parse JSON" type="Action">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" expr="[Result]"/>
</inputs>
<outputs>
<output type="collection" name="Result" stage="Token"/>
</outputs>
<onsuccess>2cd4ceab-8e1d-41d0-ba80-1c33daf765f9</onsuccess>
<resource object="Utility - JSON" action="JSON to Collection"/>
</stage>
<stage stageid="d0931d2f-5f90-42c5-b30a-420eb0e53315" name="Token" type="Collection">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6f7bca05-6f56-44bc-b1bc-a6650093c669" name="Request URL" type="Data">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a017716c-2c9e-4970-9e12-0001d03a8612" name="Start" type="Start">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Request URL" narrative="The url for the token request" stage="Request URL"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" stage="Username"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" stage="Password"/2
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" stage="Ce
```

```
</inputs>
<onsuccess>14735bd9-9b52-4305-83b9-050508831c0a</onsuccess>
</stage>
<stage stageid="7c8fcfbe-eba5-406d-8704-0c95499a43a3" name="Username" type="Data">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4d1983e3-95b7-44d5-82fb-affade540f80" name="Password" type="Data">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
```

```
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="a9ebba89-880f-4f91-9b86-6b60d3b593f1" name="Request Token" type="SubSheet">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Request URL" narrative="The url for the token request" expr="[Token URL]"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" expr="[Username]"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" expr="[Password]"/:
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" expr="[Ce
</inputs>
<outputs>
<output type="collection" name="Token" narrative="The resulting token as a collection" stage="Token"/>
</outputs>
<onsuccess>4fb0385d-aa21-497c-b051-d7180524f54b</onsuccess>
</stage>
```

```
<stage stageid="ded9724a-ffe3-4375-88b2-0149c26055cb" name="Request Resource" type="SubSheetIn
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2f9ca3d9-381d-435c-81a9-50c40b3d7f80" name="End" type="End">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Result" stage="Result"/>
</outputs>
</stage>
<stage stageid="ffaaa3bd-1c38-401f-9078-52a6c4cd59b2" name="Get Access Token" type="Calculation">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
```

```
</narrative>
<displayx>150</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>894804c9-f098-42f0-a061-70e59c75bc6d</onsuccess>
<calculation expression="[ResultData.access_token]" stage="Access Token"/>
</stage>
<stage stageid="0dfeedf9-28ff-4299-ab83-e162c09bb214" name="Access Token" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1120a7e2-3a7b-47db-bb24-00dc8f53e672" name="Request Resource" type="Action">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
```

```
<displayx>150</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Resource I
<input type="text" name="Body" narrative="The body text of the HTTP request" expr="[Body]"/>
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="[Content
<input type="text" name="Method" narrative="The method of the HTTP request." expr="[Method]"/>
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr="[Headers]"/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr=""/>
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr=""/>
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr=""/>
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Result"/>
</outputs>
<onsuccess>2f9ca3d9-381d-435c-81a9-50c40b3d7f80</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="894804c9-f098-42f0-a061-70e59c75bc6d" name="Add Row" type="Action">
```

```
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>488dfdc4-eed9-4fe0-ac8b-ee3428d07149</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="c6b185a9-11b7-4975-a383-baf0304e4fca" name="Headers" type="Collection">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
```

```
<field name="Authorization" type="text"/>
</collectioninfo>
</stage>
<stage stageid="488dfdc4-eed9-4fe0-ac8b-ee3428d07149" name="Set Auth" type="Calculation">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1120a7e2-3a7b-47db-bb24-00dc8f53e672</onsuccess>
<calculation expression="&amp;quot;Bearer &amp;quot; &amp;amp; [Access Token]" stage="Headers.Aut
</stage>
<stage stageid="33d3eda7-7c80-4dd9-96c3-f810a377efea" name="Token Type" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="a7572632-0116-49be-862c-ebda9ae96b3b" name="Token Type" type="ChoiceStart">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>4e1cfb66-0bef-4124-a7b9-c8805be5ee9c</groupid>
<choices>
<choice expression="Lower([Token Type]) = &amp;quot;bearer&amp;quot;">
<name>Bearer</name>
<distance>60</distance>
<ontrue>ffaaa3bd-1c38-401f-9078-52a6c4cd59b2</ontrue>
</choice>
<choice expression="Lower([Token Type]) = &amp;quot;mac&amp;quot;">
<name>MAC</name>
<distance>105</distance>
<ontrue>c838ffd2-6697-474c-bcf5-245a8bd5f149</ontrue>
</choice>
</choices>
</stage>
<stage stageid="7682a7be-bcb9-4249-a237-7d6ca90f1eba" name="Otherwise1" type="ChoiceEnd">
```

```
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>55e01eb9-1362-4f39-928b-676accdf1759</onsuccess>
<groupid>4e1cfb66-0bef-4124-a7b9-c8805be5ee9c</groupid>
</stage>
<stage stageid="c838ffd2-6697-474c-bcf5-245a8bd5f149" name="Get MAC Header" type="Code">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="macKey" expr="[MAC Key]"/>
<input type="text" name="macID" expr="[MAC ID]"/>
<input type="text" name="domainName" expr="[Domain]"/>
</inputs>
```

```
<outputs>
<output type="text" name="accessToken" stage="Access Token"/>
</outputs>
<onsuccess>d87bdfbf-df9a-4c03-a3d5-b919507debee</onsuccess>
<code>Dim key As Byte() = Encoding.UTF8.GetBytes(macKey)
Dim mac As New HMACSHA1(key)
Dim epoch As Long = currentTimeMillis()
Dim timestamp As Long = epoch \ 1000
Dim ts As String = timestamp.ToString()
'notifications.e2.app.aexp.com is hardcoded here but will change depending on the environment.
'Each of the environments (Dev, Test and Prod) will have their own host name
Dim baseString As String = _
ts & amp; amp; vbLf _
& ts & vbLf _
& "POST" & vbLf _
& "%2Faaa%2F" & vbLf _
& domainName & vbLf _
& "443" & vbLf _
& vbLf
Dim baseBytes As Byte() = Encoding.UTF8.GetBytes(baseString)
Dim rawHmac As Byte() = mac.ComputeHash(baseBytes)
Dim macValue As String = Convert.ToBase64String(rawHmac)
```

```
Dim sb As New StringBuilder()
sb.Append("id=""")
sb.Append(macID)
sb.Append(""",ts=""")
sb.Append(ts)
sb.Append(""",nonce=""")
sb.Append(ts)
sb.Append(""",mac=""")
sb.Append(macValue)
sb.Append("""")
accessToken = sb.ToString()
</code>
</stage>
<stage stageid="14c6d072-a68c-4004-b6af-a2b8bea0d8d8" name="End" type="End">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Result" stage="Result"/>
</outputs>
```

```
</stage>
<stage stageid="7890b5bd-d874-4614-867b-fbe8d908ed1a" name="Request Resource" type="Action">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Resource I
<input type="text" name="Body" narrative="The body text of the HTTP request" expr=""/>
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;GET&a
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr="[Headers]"/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr=""/>
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr=""/>
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr=""/>
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Result"/>
```

```
</outputs>
<onsuccess>14c6d072-a68c-4004-b6af-a2b8bea0d8d8</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="d87bdfbf-df9a-4c03-a3d5-b919507debee" name="Add Row" type="Action">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>416074df-5112-4888-ad6c-991fb3b3474c</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="416074df-5112-4888-ad6c-991fb3b3474c" name="Set Auth" type="Calculation">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7890b5bd-d874-4614-867b-fbe8d908ed1a
<calculation expression="&amp;quot;MAC &amp;quot; &amp;amp; [Access Token]" stage="Headers.Authorized control of the control o
</stage>
<stage stageid="55e01eb9-1362-4f39-928b-676accdf1759" name="Exception1" type="Exception">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Unknown Token Type&amp;quot;"/>
</stage>
<stage stageid="121d6fb5-4e5a-47bb-8058-b9f1b72d0f86" name="Get Token Type" type="Calculation">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a7572632-0116-49be-862c-ebda9ae96b3b</onsuccess>
<calculation expression="[ResultData.token_type]" stage="Token Type"/>
</stage>
```

```
<stage stageid="dbb0e412-52d3-4384-aed3-264bf402b427" name="Resource URL" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="af874112-9010-423a-ae9e-17007d17f62c" name="Start" type="Start">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Resource URL" narrative="The url for the resource" stage="Resource URL"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" stage="Username"/>
```

```
<input type="password" name="Password" narrative="Password for HTTP Basic auth" stage="Password"/2
<input type="collection" name="Token" narrative="Token data in a collection" stage="ResultData"/>
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" stage="Ce
<input type="text" name="Method" narrative="HTTP Method" stage="Method"/>
<input type="text" name="Content Type" narrative="HTTP Content Type" stage="Content Type"/>
<input type="text" name="Body" narrative="HTTP Body" stage="Body"/>
</inputs>
<onsuccess>121d6fb5-4e5a-47bb-8058-b9f1b72d0f86</onsuccess>
</stage>
<stage stageid="ad15b1d1-b73c-4186-a115-2b62679dfce3" name="Username" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="7535c438-0949-449e-83bd-c1df3bd1ae59" name="Password" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
```

```
<displayx>345</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="09684205-735c-4e93-9335-22224e1567a5" name="ResultData" type="Collection">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>405</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4fb0385d-aa21-497c-b051-d7180524f54b" name="Request Resource" type="SubSheet">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Resource URL" narrative="The url for the resource" expr="[Resource URL]"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" expr="[Username]"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" expr="[Password]"/:
<input type="collection" name="Token" narrative="Token data in a collection" expr="[Token]"/>
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" expr="[Ce
<input type="text" name="Method" narrative="HTTP Method" expr="[Method]"/>
<input type="text" name="Content Type" narrative="HTTP Content Type" expr="[Content Type]"/>
<input type="text" name="Body" narrative="HTTP Body" expr="[Body]"/>
</inputs>
<outputs>
<output type="text" name="Result" stage="Result"/>
</outputs>
<onsuccess>8f6bf73c-8f61-4f3b-9be7-0c3e9569315b</onsuccess>
</stage>
<stage stageid="8f6bf73c-8f61-4f3b-9be7-0c3e9569315b" name="End1" type="End">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>120</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
<output type="text" name="Result" narrative="The result of the request" stage="Result"/>
</outputs>
</stage>
<stage stageid="66542415-bebb-40cc-bd9e-5cdb486a1d14" name="Result" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="95a72b66-67a3-40c4-aa7a-5c95dcd11b29" name="Result" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="fed22b00-60a7-461a-84bf-1cc1e2c20ed0" name="Refresh Token" type="SubSheetInfo">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5b768c95-9372-4316-ac26-e4f86459ad89" name="End" type="End">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f5677136-b1ec-4657-94b7-36376cc9f13d" name="Start" type="Start">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Request URL" narrative="The url for the token request" stage="Request URL"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" stage="Username"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" stage="Password"/2
<input type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
</inputs>
<onsuccess>c176a1c4-7f84-4fc9-a276-727b91852d79</onsuccess>
</stage>
<stage stageid="c176a1c4-7f84-4fc9-a276-727b91852d79" name="Refresh Token" type="Action">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Request U
<input type="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="Body" narrative="The body text of the HTTP request" expr="&amp;quot;grant_tyle="text" name="text" name="t
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;POST&</p>
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr=""/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr="&amp;quot;application/json&amp
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr="[User
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr="[Password]" expr="[Passwor
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Result"/>
</outputs>
<onsuccess>5b768c95-9372-4316-ac26-e4f86459ad89/onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="e20dcd70-ebf1-416a-a3c2-1468f525809a" name="Request URL" type="Data">
```

```
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="61b9983f-e15b-4496-bcec-49f4faf1070b" name="Username" type="Data">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="6eedacbc-6f3c-409a-bbc6-de3dcce2b593" name="Password" type="Data">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2e2c47b8-ffab-4216-9657-51a9b74960b2" name="Token" type="Collection">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
```

```
</stage>
<stage stageid="721bd85c-0f81-4a98-9c95-2a4fd7799ff5" name="Result" type="Data">
<subsheetid>28c240f1-b990-40b4-95fc-035aea399ac1</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="09e72fd2-38b2-48e7-944b-6c507d4d00bf" name="MAC Key" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="fec9423c-6e89-4396-bfd3-111d790478fa" name="MAC ID" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="129d13ec-0ee1-4b67-82a5-fbff307d203c" name="Domain" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="cc9eee36-8f24-42d9-8138-a82a978bdb44" name="NON WORKING - Under developmen
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>0</displayy>
<displaywidth>210</displaywidth>
<displayheight>270</displayheight>
<font family="Tahoma" size="10" style="Regular" color="FF0000"/>
</stage>
<stage stageid="c0de3cf8-6c50-42b9-aacf-c2327acf9356" name="Token" type="Collection">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<datatype>collection</datatype>

```
<private/>
<alwaysinit/>
</stage>
<stage stageid="f8f33cad-f70a-4f0f-a3af-e78ddb123389" name="Token Row Count" type="Action">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection whose rows are to be co
</inputs>
<outputs>
<output type="number" name="Count" narrative="The number of rows counted in the collection" stage="Count"</p>
</outputs>
<onsuccess>f5ab79a6-f113-44f5-83aa-0fa96a1ef7d7</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>
</stage>
<stage stageid="77fed05c-6b21-488a-bfcc-d76320b583c1" name="Count" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
```

```
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f5ab79a6-f113-44f5-83aa-0fa96a1ef7d7" name="Token Empty" type="Decision">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Count]=0"/>
<ontrue>a9ebba89-880f-4f91-9b86-6b60d3b593f1</ontrue>
<onfalse>a19404db-3052-4350-8fd8-9b2ca20b304d</onfalse>
</stage>
<stage stageid="a19404db-3052-4350-8fd8-9b2ca20b304d" name="anchor1" type="Anchor">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4fb0385d-aa21-497c-b051-d7180524f54b</onsuccess>
</stage>
<stage stageid="490b22f5-ccb6-4798-b1da-86b9e0216db7" name="Load Certificate" type="SubSheetInfo"
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="da16d9e4-7e4a-4967-994c-b342aa89736e" name="End" type="End">
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Certificate ID" stage="Certificate ID"/>
</outputs>
</stage>
<stage stageid="54d1754a-7e02-4b40-855d-3fe5d945202b" name="Load" type="Action">
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Filename" narrative="OPTIONAL: The full path to a file containing the certificate
<input type="text" name="Subject" narrative="OPTIONAL: The subject of the certificate if loading from the
<input type="password" name="Password" narrative="OPTIONAL: The password to load the certificate if n
</inputs>
<outputs>
<output type="text" name="Certificate ID" narrative="The ID of the certificate" stage="Certificate ID"/>
</outputs>
<onsuccess>da16d9e4-7e4a-4967-994c-b342aa89736e</onsuccess>
<resource object="Utility - HTTP" action="Load Certificate"/>
</stage>
<stage stageid="d5f5cd2d-3aa4-4310-b403-6efd0ce446c0" name="Certificate ID" type="Data">
```

```
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a1019723-a7e7-431c-a168-1503598e04e2" name="Start" type="Start">
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Filename" narrative="OPTIONAL: The full path to a file containing the certificate
<input type="text" name="Subject" narrative="OPTIONAL: The subject of the certificate if loading from the
<input type="password" name="Password" narrative="OPTIONAL: The password to load the certificate if n
```

```
</inputs>
<onsuccess>54d1754a-7e02-4b40-855d-3fe5d945202b</onsuccess>
</stage>
<stage stageid="c31cc48e-ec21-4038-91b9-1682bae939af" name="Password" type="Data">
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="f6df3764-dcc7-4043-8421-f34731b2df9c" name="Subject" type="Data">
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="20146d7e-e545-4e86-bc22-69ce3c23fff5" name="Filename" type="Data">
<subsheetid>7ae9fd1e-48b3-41c1-9b9d-a822c0f60126</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="18cff729-a04a-4d34-91c9-80e1428679ad" name="Certificate ID" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>450</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f1c0ddf2-dd2f-440a-973e-a5a235079020" name="Certificate ID" type="Data">
<subsheetid>7652b71d-b844-4e53-b2af-59d9ec31a0ac</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="968061dc-e7ea-4d0e-8476-6a41cbbe9970" name="Certificate ID" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>525</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="48562cbe-1f7f-4334-b7c2-f4c7409f2ac3" name="Method" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="27a2c2f2-d405-4f86-ad60-bbc346beb763" name="Method" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="0a010495-6036-41e9-8142-3f4050ceeba8" name="Content Type" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6a4e8f78-0708-40cc-afae-5adc724e9ff2" name="Body" type="Data">
<subsheetid>1cfc2c33-3381-4972-abb6-b529f18cfa44</subsheetid>
<narrative>
</narrative>
<displayx>645</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1ef8820a-31cf-4ad0-82c0-61cf077afe8d" name="Content Type" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="99cdc666-eea1-4822-8131-b19f910b1e97" name="Body" type="Data">
<subsheetid>67318fea-06de-4ab4-b24e-c296aa10321f</subsheetid>
<narrative>
</narrative>
```

```
<displayx>630</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
connects to REST based webservice
<appdef>
<element name="Application Root">
<id>5ac23e07-b8e0-406f-b697-05f5f5bad2f1</id>
<type>Application</type>
<basetype>Application/basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
```

conditions/>

```
<endpoint narrative=""/>
<subsheet subsheetid="206bb6ee-e6ba-4f39-b20c-e23f5f307a8b" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="45072ac5-d810-496f-9529-1bd859241e0b" type="Normal" published="True">
<name>Get</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63" type="Normal" published="True">
<name>Post</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="4cc8c263-9485-48a7-9d85-cb0d25683a40" type="Normal" published="True">
<name>Put</name>
```

```
<view>
<camerax>0</camerax>
<cameray>47</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5" type="Normal" published="True">
<name>Delete</name>
<view>
<camerax>15</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1" type="Normal" published="True">
<name>Setup OAuth</name>
<view>
<camerax>0</camerax>
<cameray>-105</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="574ad120-65a9-4c4d-bd85-69a98d3f6c61" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d92cee9e-a6ed-4df3-8411-6e16b8669483</onsuccess>
</stage>
<stage stageid="d92cee9e-a6ed-4df3-8411-6e16b8669483" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="97ead676-4140-4289-ad6b-5294ffc6ebbf" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
```

```
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="15ee3686-616c-411c-ab56-476c349e4113" name="Clean Up" type="SubSheetInfo">
<subsheetid>206bb6ee-e6ba-4f39-b20c-e23f5f307a8b</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="02146cc7-4928-4bae-a02c-42908b228c73" name="Start" type="Start">
<subsheetid>206bb6ee-e6ba-4f39-b20c-e23f5f307a8b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a4e10117-0b86-421d-b7bb-bd691e357b00</onsuccess>
</stage>
<stage stageid="a4e10117-0b86-421d-b7bb-bd691e357b00" name="End" type="End">
<subsheetid>206bb6ee-e6ba-4f39-b20c-e23f5f307a8b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2f55b486-845c-473d-be09-c045226877f3" name="Get" type="SubSheetInfo">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<narrative>Action to get a resource via the REST API using the GET method.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2d82fb63-67ec-47d5-8b6f-3e49ab4880c0" name="Start" type="Start">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The adress of the API method." stage="Address URL"</p>
</inputs>
<onsuccess>4acd6a3b-907c-4493-86ac-2413a56b7f66</onsuccess>
</stage>
<stage stageid="8056afa2-f43c-48aa-817b-13af7a4d9337" name="End" type="End">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
</stage>
```

```
<stage stageid="143989eb-07ed-46cd-8fb2-b014ffb10808" name="new" type="Note">
<subsheetid>206bb6ee-e6ba-4f39-b20c-e23f5f307a8b</subsheetid>
<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b <displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="6c018dde-6e5a-424b-bbd2-4488261debe3" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2f58aa91-f860-4ca4-9acb-5f02e2b5a380" name="Post" type="SubSheetInfo">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<narrative>Action to create a resource via the REST API using the POST method.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e2611545-18f9-4b7c-9dfe-a5d008d9c98b" name="Put" type="SubSheetInfo">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<narrative>Action to update a resource via the REST API using the PUT method.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="161e5dad-bace-4b18-86ce-e2377c8b8c41" name="Delete" type="SubSheetInfo">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<narrative>Action to delete a resource via the REST API using the DELETE method.
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bf05bd02-fa23-405e-8eef-2ea744b7d8a4" name="Address URL" type="Data">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="00768fb3-354f-4cff-94bc-d41768d53b61" name="Start" type="Start">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Address URL" narrative="The adress of the API method." stage="Address URL",
<input type="collection" name="Data" narrative="The data to be passed to the REST API." stage="Data"/>
</inputs>
<onsuccess>f061dcb0-b584-432b-b496-6d5e84add45c</onsuccess>
</stage>
<stage stageid="19956b49-eba1-4835-b630-7509ba4094a2" name="Address URL" type="Data">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f9dc76b2-6396-4047-b20d-204b41ae3ccc" name="Data" type="Collection">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="f061dcb0-b584-432b-b496-6d5e84add45c" name="Convert data to JSON" type="Action">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Data" expr="[Data]"/>
</inputs>
<outputs>
<output type="text" name="JSON" stage="JSON"/>
</outputs>
<onsuccess>0ac97749-8120-423f-aa8c-239ad0626af4</onsuccess>
<resource object="Utility - JSON" action="Collection to JSON"/>
</stage>
<stage stageid="47cc4d30-bd02-4d73-b45e-a1b6bac28573" name="JSON" type="Data">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<narrative>
```

```
</narrative>
<displayx>105</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="be274dda-1caf-4fc4-b1b2-6b8cbc98750a" name="Convert response" type="Action">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" expr="[Response]"/>
</inputs>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
```

```
<onsuccess>8056afa2-f43c-48aa-817b-13af7a4d9337
<resource object="Utility - JSON" action="JSON to Collection"/>
</stage>
<stage stageid="056e289e-9189-4e09-a287-b964b5b48190" name="Response" type="Data">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="c2b90464-c4a1-4e85-aec0-6ad3c1b502b2" name="Result" type="Collection">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
</stage>
<stage stageid="282d0cca-3226-437b-86a6-c979d7136b8c" name="End" type="End">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
</stage>
<stage stageid="0c69da42-34d9-404a-bb46-c54757f9db29" name="Convert response" type="Action">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="json" expr="[Response]"/>
</inputs>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
<onsuccess>282d0cca-3226-437b-86a6-c979d7136b8c</onsuccess>
<resource object="Utility - JSON" action="JSON to Collection"/>
</stage>
<stage stageid="399911e4-9c13-4a67-8104-17b68d48fc02" name="Result" type="Collection">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="76c5f166-5779-49c3-9690-4812a8702ddf" name="Response" type="Data">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
```

```
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5a8b5eac-b144-432a-afcc-b21152724dc1" name="Start" type="Start">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The adress of the API method." stage="Address URL",
<input type="collection" name="Data" narrative="The data to be passed to the REST API." stage="Data"/>
</inputs>
<onsuccess>f791f896-d073-4ac4-9b21-30c6cfab2213</onsuccess>
</stage>
<stage stageid="44394618-c159-40b5-a235-016c41c2235d" name="Address URL" type="Data">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
```

```
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="28c4adf5-d8a5-492f-b2d9-3022551bf1e0" name="Data" type="Collection">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="f791f896-d073-4ac4-9b21-30c6cfab2213" name="Convert data to JSON" type="Action">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Data" expr="[Data]"/>
</inputs>
<outputs>
<output type="text" name="JSON" stage="JSON"/>
</outputs>
<onsuccess>c5f2c977-d290-4c31-a8fb-a43704d69c5a</onsuccess>
<resource object="Utility - JSON" action="Collection to JSON"/>
</stage>
<stage stageid="42441cfc-0902-4db6-9424-d196b2dde4ef" name="JSON" type="Data">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="6e208d83-fe82-46f4-b024-60df20f67f1f" name="End" type="End">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
</stage>
<stage stageid="fee30318-0209-47aa-84ec-b3a5ee03c836" name="Convert response" type="Action">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" expr="[Response]"/>
</inputs>
<outputs>
<output type="collection" name="Result" stage="Result"/>
</outputs>
<onsuccess>6e208d83-fe82-46f4-b024-60df20f67f1f</onsuccess>
<resource object="Utility - JSON" action="JSON to Collection"/>
</stage>
<stage stageid="383d320f-6cfe-42a8-9a63-a52457c1da9c" name="Result" type="Collection">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="0655c33e-a13e-4640-ad4f-cb72effed093" name="Response" type="Data">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<narrative>
</narrative>
```

```
<displayx>165</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="92cf8979-c738-4567-8f12-78c2bf98bacb" name="Start" type="Start">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The adress of the API method." stage="Address URL"</p>
</inputs>
<onsuccess>4fb8a80f-165f-42f0-bcef-f66982f1732a</onsuccess>
</stage>
<stage stageid="49d72e7b-d71f-4ab6-91e3-4ce578f6cecd" name="End" type="End">
```

<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b4271315-10ce-41cd-928a-a6c9378b17ab" name="Address URL" type="Data">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ceef9616-c8c6-4ff8-8323-13424e66ecc3" name="Response" type="Data">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<narrative>
</narrative>
```

```
<displayx>165</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="605fc049-f65b-46e5-9c3d-2a394303823f" name="Make OAuth Request" type="Action">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Token URL" narrative="The url for the token request" expr="[Token URL]"/>
<input type="text" name="Resource URL" narrative="The url for the resource" expr="[Address URL]"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" expr="[Username]"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" expr="[Password]"/:
<input type="collection" name="Token" narrative="Token data in a collection" expr="[Token]"/>
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" expr="[Ce
```

```
<input type="text" name="Method" narrative="HTTP Method" expr="&amp;quot;POST&amp;quot;"/>
<input type="text" name="Content Type" narrative="HTTP Content Type" expr="&amp;quot;application/jsol
<input type="text" name="Body" narrative="HTTP Body" expr="[JSON]"/>
</inputs>
<outputs>
<output type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
<output type="text" name="Result" narrative="The result of the request" stage="Response"/>
</outputs>
<onsuccess>0c69da42-34d9-404a-bb46-c54757f9db29</onsuccess>
<resource object="Webservices - OAuth2.0" action="Request"/>
</stage>
<stage stageid="987c8693-c16a-4631-aab8-421d93c08418" name="Setup OAuth" type="SubSheetInfo">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>Sets the REST VBO up for use with OAuth2.0 
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9b8fb7f1-1fa8-445f-9a21-dc7774a82d0a" name="Start" type="Start">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-135</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Token URL" narrative="The url for the token request" stage="Token URL"/>
<input type="text" name="Username" narrative="Username for HTTP Basic authentication" stage="Userna
<input type="password" name="Password" narrative="Password for HTTP Basic authentication" stage="Password"
<input type="text" name="Certificate Filename" narrative="OPTIONAL: Filename for the Client Authenticati
<input type="text" name="Certificate Subject" narrative="OPTIONAL: Subject for the Client Authentication</p>
<input type="password" name="Certificate Password" narrative="The password for the Client Authentication
</inputs>
<onsuccess>b212f6ab-4161-464c-aae8-38faf80f2d6c</onsuccess>
</stage>
<stage stageid="82ee50b6-75c1-4faf-a8e9-14462321cc00" name="End" type="End">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c2090365-b827-4309-b71c-9a2cb81ad4a2" name="Token URL" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
```

```
</narrative>
<displayx>30</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1b69fdb8-6b39-4ef9-b6c5-211340c0153d" name="Username" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e24691b5-efa4-424d-b1f1-dc3f612e53e8" name="Password" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
</narrative>
```

```
<displayx>30</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="f2d94949-6633-4f28-810b-7ec1dd9287af" name="Certificate ID" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="064a27f7-8011-436d-91ef-f20087d099e2" name="Token" type="Collection">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>150</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="f5fc7485-f181-4f31-8a27-f703118ff4b6" name="Make OAuth Request" type="Action">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Token URL" narrative="The url for the token request" expr="[Token URL]"/>
<input type="text" name="Resource URL" narrative="The url for the resource" expr="[Address URL]"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" expr="[Username]"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" expr="[Password]"/:
<input type="collection" name="Token" narrative="Token data in a collection" expr="[Token]"/>
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" expr="[Ce
<input type="text" name="Method" narrative="HTTP Method" expr="&amp;quot;GET&amp;quot;"/>
```

```
<input type="text" name="Content Type" narrative="HTTP Content Type" expr="&amp;quot;application/jsol
<input type="text" name="Body" narrative="HTTP Body" expr=""/>
</inputs>
<outputs>
<output type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
<output type="text" name="Result" narrative="The result of the request" stage="Response"/>
</outputs>
<onsuccess>be274dda-1caf-4fc4-b1b2-6b8cbc98750a</onsuccess>
<resource object="Webservices - OAuth2.0" action="Request"/>
</stage>
<stage stageid="6a94567e-9f64-4f00-ac7b-1b6ab6c81f6e" name="Make OAuth Request" type="Action">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Token URL" narrative="The url for the token request" expr="[Token URL]"/>
<input type="text" name="Resource URL" narrative="The url for the resource" expr="[Address URL]"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" expr="[Username]"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" expr="[Password]"/:
<input type="collection" name="Token" narrative="Token data in a collection" expr="[Token]"/>
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" expr="[Ce
```

```
<input type="text" name="Method" narrative="HTTP Method" expr="&amp;quot;PUT&amp;quot;"/>
<input type="text" name="Content Type" narrative="HTTP Content Type" expr="&amp;quot;application/jsol
<input type="text" name="Body" narrative="HTTP Body" expr="[JSON]"/>
</inputs>
<outputs>
<output type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
<output type="text" name="Result" narrative="The result of the request" stage="Response"/>
</outputs>
<onsuccess>fee30318-0209-47aa-84ec-b3a5ee03c836</onsuccess>
<resource object="Webservices - OAuth2.0" action="Request"/>
</stage>
<stage stageid="b7ad19e2-aa95-4b53-9231-fa19db9c6801" name="Make OAuth Request" type="Action">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Token URL" narrative="The url for the token request" expr="[Token URL]"/>
<input type="text" name="Resource URL" narrative="The url for the resource" expr="[Address URL]"/>
<input type="text" name="Username" narrative="Username for HTTP Basic auth" expr="[Username]"/>
<input type="password" name="Password" narrative="Password for HTTP Basic auth" expr="[Password]"/:
<input type="collection" name="Token" narrative="Token data in a collection" expr="[Token]"/>
```

```
<input type="text" name="Certificate ID" narrative="The id of the client authentication certificate" expr="[Ce
<input type="text" name="Method" narrative="HTTP Method" expr="&amp;quot;DELETE&amp;quot;"/>
<input type="text" name="Content Type" narrative="HTTP Content Type" expr="&amp;quot;application/jso
<input type="text" name="Body" narrative="HTTP Body" expr=""/>
</inputs>
<outputs>
<output type="collection" name="Token" narrative="Token data in a collection" stage="Token"/>
<output type="text" name="Result" narrative="The result of the request" stage="Response"/>
</outputs>
<onsuccess>49d72e7b-d71f-4ab6-91e3-4ce578f6cecd</onsuccess>
<resource object="Webservices - OAuth2.0" action="Request"/>
</stage>
<stage stageid="b212f6ab-4161-464c-aae8-38faf80f2d6c" name="Load Certificate" type="Action">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Filename" narrative="OPTIONAL: The full path to a file containing the certificate
<input type="text" name="Subject" narrative="OPTIONAL: The subject of the certificate if loading from the
<input type="password" name="Password" narrative="OPTIONAL: The password to load the certificate if n
</inputs>
```

```
<outputs>
<output type="text" name="Certificate ID" stage="Certificate ID"/>
</outputs>
<onsuccess>ccd8a634-c1bf-40fc-996a-d5b21538f517</onsuccess>
<resource object="Webservices - OAuth2.0" action="Load Certificate"/>
</stage>
<stage stageid="e459aef7-c93c-461a-b95c-9eb523e3d241" name="Filename" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="567a6615-4d89-428b-9bed-648f364e256a" name="Subject" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="c6f1fc08-8438-4dbe-8d4b-7fc5cdaaa29c" name="Global" type="Block">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>-105</displayy>
<displaywidth>270</displaywidth>
<displayheight>135</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="330afb7e-2be0-46c4-b413-ccdc811039e4" name="Certificate Password" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="94f965cd-a8e4-4392-a4fe-4cf2cb4685d8" name="Use OAuth" type="Data">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="ccd8a634-c1bf-40fc-996a-d5b21538f517" name="Set Use OAuth" type="Calculation">
<subsheetid>bc6c3590-2b1f-42ed-a8ca-c65bf7bc2cd1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>82ee50b6-75c1-4faf-a8e9-14462321cc00</onsuccess>
<calculation expression="True" stage="Use OAuth"/>
</stage>
<stage stageid="2970ec68-c495-466e-8a7a-8d36da8d39e3" name="Make HTTP request" type="Action">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Address U
<input type="text" name="Body" narrative="The body text of the HTTP request" expr="[JSON]"/>
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;POST&</p>
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr=""/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr=""/>
```

```
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr=""/>
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr=""/>
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Response"/>
</outputs>
<onsuccess>0c69da42-34d9-404a-bb46-c54757f9db29</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="0ac97749-8120-423f-aa8c-239ad0626af4" name="Use OAuth" type="Decision">
<subsheetid>1ccb73b7-08a9-4dc0-9614-fad8e1b3ee63</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Use OAuth]"/>
<ontrue>605fc049-f65b-46e5-9c3d-2a394303823f/ontrue>
<onfalse>2970ec68-c495-466e-8a7a-8d36da8d39e3</onfalse>
</stage>
<stage stageid="2e08d7d3-68d0-4afb-837f-51fed8e5208b" name="Make HTTP request" type="Action">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Address U
<input type="text" name="Body" narrative="The body text of the HTTP request" expr="[JSON]"/>
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;PUT&a
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr=""/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr=""/>
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr=""/>
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr=""/>
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Response"/>
</outputs>
<onsuccess>fee30318-0209-47aa-84ec-b3a5ee03c836</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
```

```
</stage>
<stage stageid="c5f2c977-d290-4c31-a8fb-a43704d69c5a" name="Use OAuth" type="Decision">
<subsheetid>4cc8c263-9485-48a7-9d85-cb0d25683a40</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Use OAuth]"/>
<ontrue>6a94567e-9f64-4f00-ac7b-1b6ab6c81f6e</ontrue>
<onfalse>2e08d7d3-68d0-4afb-837f-51fed8e5208b</onfalse>
</stage>
<stage stageid="0ed81f3d-606c-4360-be7b-7db023c451e9" name="Make HTTP request" type="Action">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Address U
```

```
<input type="text" name="Body" narrative="The body text of the HTTP request" expr=""/>
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;GET&a
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr=""/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr=""/>
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr=""/>
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr=""/>
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Response"/>
</outputs>
<onsuccess>be274dda-1caf-4fc4-b1b2-6b8cbc98750a</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="4acd6a3b-907c-4493-86ac-2413a56b7f66" name="Use OAuth" type="Decision">
<subsheetid>45072ac5-d810-496f-9529-1bd859241e0b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Use OAuth]"/>
<ontrue>f5fc7485-f181-4f31-8a27-f703118ff4b6
<onfalse>0ed81f3d-606c-4360-be7b-7db023c451e9</onfalse>
</stage>
<stage stageid="2c78a3d5-e864-477c-af30-dcd775c2de6a" name="Make HTTP request" type="Action">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Address URL" narrative="The URL to send the HTTP data to" expr="[Address U
<input type="text" name="Body" narrative="The body text of the HTTP request" expr=""/>
<input type="flag" name="Use Proxy" narrative="Set true if you need to use a proxy" expr=""/>
<input type="text" name="Content Type" narrative="The content type of the HTTP request." expr="&amp;q
<input type="text" name="Method" narrative="The method of the HTTP request." expr="&amp;quot;DELET
<input type="text" name="Proxy URL" narrative="OPTIONAL: The proxy url" expr=""/>
<input type="text" name="Proxy Username" narrative="OPTIONAL: The proxy username" expr=""/>
<input type="password" name="Proxy Password" narrative="OPTIONAL: The proxy password" expr=""/>
<input type="collection" name="Headers" narrative="OPTIONAL: Headers" expr=""/>
<input type="text" name="Accept" narrative="OPTIONAL: Accept" expr=""/>
```

```
<input type="text" name="Username" narrative="OPTIONAL: Basic Authentication username" expr=""/>
<input type="password" name="Password" narrative="OPTIONAL: Basic Authenction password" expr=""/>
<input type="text" name="Certificate ID" narrative="OPTIONAL: The id of the client authentication certificate
</inputs>
<outputs>
<output type="text" name="Result" narrative="The result from the Post query." stage="Response"/>
</outputs>
<onsuccess>49d72e7b-d71f-4ab6-91e3-4ce578f6cecd</onsuccess>
<resource object="Utility - HTTP" action="HTTP Request"/>
</stage>
<stage stageid="4fb8a80f-165f-42f0-bcef-f66982f1732a" name="Use OAuth" type="Decision">
<subsheetid>7b2abd9b-49a0-4828-9bd8-4ab7a0a713a5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Use OAuth]"/>
<ontrue>b7ad19e2-aa95-4b53-9231-fa19db9c6801</ontrue>
<onfalse>2c78a3d5-e864-477c-af30-dcd775c2de6a</onfalse>
</stage>
cprocess name="Win32 Match Optimisation" version="1.0" narrative="." type="object" runmode="Exclusive"
<appdef>
```

```
<element name="Win32 Match Optimisation">
<type>Application</type>
<basetype>Application
<id>653cdfd1-e102-4ab2-8d0e-c1f1b1bcd1e0</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<element name="MatchIndex">
<type>Button</type>
<basetype>Button
<id>053428e0-f2f8-442d-866d-ccba7acf73f2</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="96"/>
```

```
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value=" Calculator & amp;lt;UNKNOWN& amp;gt; "/>
```

```
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
```

```
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="MatchIndex" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
```

```
<element name="MatchIndex 2">
<type>Button</type>
<basetype>Button
<id>e9348a81-4496-49fe-b3fa-75ef85721689</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="96"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
```

```
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value=" Calculator & amp;lt;UNKNOWN& amp;gt; "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
```

```
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="MatchIndex" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<element name="MatchReverse">
<type>Button</type>
<basetype>Button
<id>3f42207b-bebd-42bb-816d-600aa4720426</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
```

```
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="96"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value=" Calculator & amp;lt;UNKNOWN& amp;gt; "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
```

```
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
```

```
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="MatchIndex" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<element name="MatchReverse 2">
<type>Button</type>
<basetype>Button
<id>8fbba122-a0f5-4720-9ee9-44b51a09418e</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
```

```
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="96"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
```

```
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value=" Calculator & amp;lt;UNKNOWN& amp;gt; "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
```

```
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
```

```
</attribute>
<attribute name="MatchIndex" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="MatchReverse" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<element name="AncestorCount_XP">
<type>Button</type>
<basetype>Button
<id>24e22eb8-2102-4026-b421-04e06f9fcf4a</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="5"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="39"/>
```

```
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="96"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
```

```
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value=" Calculator & amp;lt;UNKNOWN& amp;gt; "/>
</attribute>
<attribute name="AncestorCount" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
```

```
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
</attributes>
</element>
<element name="AncestorCount Win7">
<type>Button</type>
<basetype>Button/basetype>
<id>6be0ff1a-e923-41f4-a501-cd3ec99e814f</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="Y" inuse="True">
<ProcessValue datatype="number" value="96"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
```

```
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value=" Calculator & amp;lt;UNKNOWN& amp;gt; "/>
</attribute>
<attribute name="AncestorCount" inuse="True">
<ProcessValue datatype="number" value="4"/>
```

```
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
```


```
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<element name="AncestorCount_Win2k">
<type>Button</type>
<basetype>Button
```

```
<id>4bd7576d-caac-4924-854e-18165d47037b</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="93"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="106"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="37"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="30"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal" inuse="True">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="Calculator & amp;lt;UNKNOWN& amp;gt; "/>
</attribute>
<attribute name="AncestorCount" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Calculator"/>
```

```
</attribute>
<attribute name="pClassName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="-1607232392"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="176"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="176"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="261"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="253"/>
</attribute>
<attribute name="pVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pEnabled">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="30"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>calc</value>
</parameter>
<parameter>
```



```
<subsheet subsheetid="900a1b8d-2363-40cf-8e12-68926ac98a6e" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="fa6cd622-2e85-4e2e-aedb-249bd507f669" type="Normal" published="True">
<name>Test MatchIndex</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="9ee3c365-f29c-4fe1-a37c-42383bdc8c99" type="Normal" published="True">
<name>Test AncestorCount</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="8031f876-3cba-42e1-ba5c-8ff8b1499d81" type="Normal" published="True">
<name>Test MatchReverse</name>
<view>
```

```
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="15f3dc2d-86e6-4e45-8724-f6c69eb87b45" type="Normal" published="True">
<name>Launch</name>
<view>
<camerax>0</camerax>
<cameray>33</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="28e21d59-4d61-408c-9377-c5959e4b24b1" type="Normal" published="True">
<name>Terminate</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="4acd1fb5-2d4b-41fd-9a74-c4785890ced2" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d3631bcb-c4ba-41f2-8582-8fa7140c3381
</stage>
<stage stageid="d3631bcb-c4ba-41f2-8582-8fa7140c3381" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c11d8cb6-416e-4fae-ac08-5494f82520c0" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
```

```
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
</imports>
<language>visualbasic</language>
<globalcode>
</globalcode>
<code>
</code>
</stage>
<stage stageid="709b87a1-a844-45d2-b8d0-a46a7570c0a4" name="Clean Up" type="SubSheetInfo">
<subsheetid>900a1b8d-2363-40cf-8e12-68926ac98a6e</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="751a6e42-2d36-4553-995a-d6915559a7f5" name="Start" type="Start">
<subsheetid>900a1b8d-2363-40cf-8e12-68926ac98a6e</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b44b5e61-e2d9-4db8-bddc-82d08f6968d8</onsuccess>
</stage>
<stage stageid="b44b5e61-e2d9-4db8-bddc-82d08f6968d8" name="End" type="End">
<subsheetid>900a1b8d-2363-40cf-8e12-68926ac98a6e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d5ce2ccd-0293-4b82-95dd-3beed83912db" name="Test MatchIndex" type="SubSheetInfe
<subsheetid>fa6cd622-2e85-4e2e-aedb-249bd507f669</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fcf8429a-2f48-4ca3-8678-2aa5efd6aee7" name="Start" type="Start">
<subsheetid>fa6cd622-2e85-4e2e-aedb-249bd507f669</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>be650329-45ef-4b22-9d10-8f83891685b3</onsuccess>
</stage>
<stage stageid="68ce6732-e967-4775-936b-33010f40e3e5" name="End" type="End">
<subsheetid>fa6cd622-2e85-4e2e-aedb-249bd507f669</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5526a691-f697-4227-98a4-e276b0b050e8" name="new" type="Note">
<subsheetid>900a1b8d-2363-40cf-8e12-68926ac98a6e</subsheetid>
```

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="43bbd27b-4c20-4950-b5ee-42c1003d6d3a" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

```
<stage stageid="be650329-45ef-4b22-9d10-8f83891685b3" name="Verify 1" type="Navigate">
<subsheetid>fa6cd622-2e85-4e2e-aedb-249bd507f669</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cfe1f356-5840-4d7f-81c8-bc3daf3f022d</onsuccess>
<step>
<element id="053428e0-f2f8-442d-866d-ccba7acf73f2"/>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="cfe1f356-5840-4d7f-81c8-bc3daf3f022d" name="Verify 2" type="Navigate">
<subsheetid>fa6cd622-2e85-4e2e-aedb-249bd507f669</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>68ce6732-e967-4775-936b-33010f40e3e5/onsuccess>
<step>
<element id="e9348a81-4496-49fe-b3fa-75ef85721689"/>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="c1a72913-cf0b-482d-a6b7-e0f9b6b0022b" name="Launch" type="SubSheetInfo">
<subsheetid>15f3dc2d-86e6-4e45-8724-f6c69eb87b45</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2939fbf9-15d6-440d-ae61-eb91e54f507c" name="Start" type="Start">
<subsheetid>15f3dc2d-86e6-4e45-8724-f6c69eb87b45</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3a3e2985-2391-4999-9b7f-d0263f6873e8</onsuccess>
</stage>
<stage stageid="8153b4ea-578c-4d77-9d69-c266956ab980" name="End" type="End">
<subsheetid>15f3dc2d-86e6-4e45-8724-f6c69eb87b45</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3a3e2985-2391-4999-9b7f-d0263f6873e8" name="Launch" type="Navigate">
<subsheetid>15f3dc2d-86e6-4e45-8724-f6c69eb87b45</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8339ea3d-53b6-4450-becc-7db5d9ca52c9/onsuccess>
<step>
<element id="653cdfd1-e102-4ab2-8d0e-c1f1b1bcd1e0"/>
<action>
<id>Launch</id>
</action>
</step>
</stage>
<stage stageid="1293474c-8f07-474e-af00-dae869e4c0af" name="Test MatchReverse" type="SubSheetIn
<subsheetid>8031f876-3cba-42e1-ba5c-8ff8b1499d81</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b7019754-c4f8-4ab1-9f08-628d84a5c615" name="Start" type="Start">
<subsheetid>8031f876-3cba-42e1-ba5c-8ff8b1499d81</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a2e6bc0d-2c0f-4eb6-86fc-b9c2ae9f5743</onsuccess>
</stage>
<stage stageid="50fdd268-25e4-45ea-9b39-dd9cfcd9423f" name="End" type="End">
<subsheetid>8031f876-3cba-42e1-ba5c-8ff8b1499d81</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a2e6bc0d-2c0f-4eb6-86fc-b9c2ae9f5743" name="Verify 1" type="Navigate">
```

```
<subsheetid>8031f876-3cba-42e1-ba5c-8ff8b1499d81</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4afffc18-da4d-41bd-9220-174fd187270f</onsuccess>
<step>
<element id="3f42207b-bebd-42bb-816d-600aa4720426"/>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="4afffc18-da4d-41bd-9220-174fd187270f" name="Verify 2" type="Navigate">
<subsheetid>8031f876-3cba-42e1-ba5c-8ff8b1499d81</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>50fdd268-25e4-45ea-9b39-dd9cfcd9423f</onsuccess>
<step>
<element id="8fbba122-a0f5-4720-9ee9-44b51a09418e"/>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="797bdf6d-0f81-4da0-8b2c-28455aa0ffb7" name="Terminate" type="SubSheetInfo">
<subsheetid>28e21d59-4d61-408c-9377-c5959e4b24b1</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1747b598-d037-4fd8-bb0a-24a8dd3b1fdc" name="Start" type="Start">
<subsheetid>28e21d59-4d61-408c-9377-c5959e4b24b1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b163c4b4-f752-44ed-a204-d2e1f938949b</onsuccess>
</stage>
<stage stageid="0a6903dc-5420-491d-be9e-ea2beb0bea75" name="End" type="End">
<subsheetid>28e21d59-4d61-408c-9377-c5959e4b24b1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="b163c4b4-f752-44ed-a204-d2e1f938949b" name="Terminate" type="Navigate">
<subsheetid>28e21d59-4d61-408c-9377-c5959e4b24b1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0a6903dc-5420-491d-be9e-ea2beb0bea75</onsuccess>
<step>
<element id="653cdfd1-e102-4ab2-8d0e-c1f1b1bcd1e0"/>
<action>
<id>Terminate</id>
</action>
</step>
</stage>
<stage stageid="2da7eb68-541c-41a9-8a55-00c20285d9b8" name="Test AncestorCount" type="SubShee
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b25a8acd-fa0f-4b36-8793-278eb6794d61" name="Start" type="Start">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c991e054-a7a0-4d1e-b160-8d073d23be63</onsuccess>
</stage>
<stage stageid="86f187b1-71fe-4f57-b08e-6a3082eb0611" name="End" type="End">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8fdfaab7-c2ea-4c08-9fbb-40749695ba4e" name="Verify XP" type="Navigate">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>86f187b1-71fe-4f57-b08e-6a3082eb0611/onsuccess>
<step>
<element id="24e22eb8-2102-4026-b421-04e06f9fcf4a">
<elementparameter>
<name>AncestorCount</name>
<expression>[AncestorCount]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
</value>
</argument>
</arguments>
```

```
</action>
</step>
</stage>
<stage stageid="5bd65ff8-5379-4cf8-b8e4-f6306513d53a" name="Time Out1" type="WaitEnd">
<subsheetid>15f3dc2d-86e6-4e45-8724-f6c69eb87b45</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>0f5c04c1-f9ed-46a3-aa38-aa0358860b15</groupid>
</stage>
<stage stageid="8339ea3d-53b6-4450-becc-7db5d9ca52c9" name="Wait1" type="WaitStart">
<subsheetid>15f3dc2d-86e6-4e45-8724-f6c69eb87b45</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>0f5c04c1-f9ed-46a3-aa38-aa0358860b15</groupid>
<choices>
```

```
<choice reply="True">
<name>MatchIndex Check Exists</name>
<distance>60</distance>
<ontrue>8153b4ea-578c-4d77-9d69-c266956ab980</ontrue>
<element id="053428e0-f2f8-442d-866d-ccba7acf73f2"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>60</timeout>
</stage>
<stage stageid="c991e054-a7a0-4d1e-b160-8d073d23be63" name="Windows7" type="Decision">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="GetOSVersionMajor()&amp;gt;=6 AND GetOSVersionMinor()&amp;gt;=1"/>
<ontrue>3153e66d-f849-4abf-a5a0-6409cbf0742c</ontrue>
<onfalse>f519cc76-53bc-4710-b297-d33af86190ce</onfalse>
</stage>
```

```
<stage stageid="3153e66d-f849-4abf-a5a0-6409cbf0742c" name="Verify Win7" type="Navigate">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>86f187b1-71fe-4f57-b08e-6a3082eb0611</onsuccess>
<step>
<element id="6be0ff1a-e923-41f4-a501-cd3ec99e814f">
<elementparameter>
<name>AncestorCount</name>
<expression>[AncestorCount]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
```

</value>

```
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="f519cc76-53bc-4710-b297-d33af86190ce" name="Windows 2k" type="Decision">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="GetOSVersionMajor()&amp;lt;=5 AND GetOSVersionMinor()&amp;lt;=0"/>
<ontrue>27672905-d5cf-4587-9352-b54f43b59fef</ontrue>
<onfalse>8fdfaab7-c2ea-4c08-9fbb-40749695ba4e</onfalse>
</stage>
<stage stageid="27672905-d5cf-4587-9352-b54f43b59fef" name="Verify Win2k" type="Navigate">
<subsheetid>9ee3c365-f29c-4fe1-a37c-42383bdc8c99</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>86f187b1-71fe-4f57-b08e-6a3082eb0611</onsuccess>
<step>
<element id="4bd7576d-caac-4924-854e-18165d47037b">
<elementparameter>
<name>AncestorCount</name>
<expression>[AncestorCount]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>Verify</id>
<arguments>
<argument>
<id>highlight</id>
<value>
</value>
</argument>
</arguments>
</action>
</step>
</stage>
</process>
cess name="Wordpad" version="1.0" narrative="Wordpad" type="object" runmode="Exclusive" preferr
<appdef>
```

```
<element name="Wordpad">
<type>Application</type>
<basetype>Application
<id>fb5f572c-1a92-48ff-94de-6430f1ecf116</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<element name="Main Window">
<type>Window</type>
<basetype>Window
<id>4fc13309-a506-4a85-9f61-2c04b979dfb4</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="Document - WordPad"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="WordPadClass"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="-1141943224"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="66"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="66"/>
```

```
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="769"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="522"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="7"/>
</attribute>
</attributes>
<element name="Main Toolbar">
<type>Toolbar</type>
<basetype>Toolbar
<id>3a083180-a46a-4ed8-b241-d13595da1e07</id>
```

```
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="Standard"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="ToolbarWindow32"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="-2"/>
</attribute>
<attribute name="Y" inuse="True">
<ProcessValue datatype="number" value="-2"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="302"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="33"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
```

```
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Standard"/>
</attribute>
<attribute name="pCtrIID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="0"/>
</attribute>
```

```
<attribute name="pWidth">
<ProcessValue datatype="number" value="953"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="61"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="2"/>
</attribute>
</attributes>
</element>
</element>
<element name="Status Bar">
<type>Window</type>
<basetype>Window</basetype>
<id>6285c18a-6d73-4eea-80dc-480c14b1f9b2</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="For Help, press F1"/>
```

```
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="msctls_statusbar32"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="457"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="761"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="19"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
```

```
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Document - WordPad"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="-1141943224"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="66"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="66"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="769"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="522"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
```

```
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="7"/>
</attribute>
</attributes>
</element>
<element name="Open Document Window">
<type>Window</type>
<basetype>Window</basetype>
<id>ebaac658-e59b-4525-a1e5-3a9faae46287</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="Open"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="514"/>
```

```
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="215"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="564"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="413"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="17"/>
```

```
</attribute>
</attributes>
<element name="Cancel Button">
<type>Button</type>
<basetype>Button/basetype>
<id>0a0f2cd6-6774-44c9-bb04-d6aadf4b1428</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="Cancel"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="474"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="354"/>
</attribute>
<attribute name="Width" inuse="True">
<ProcessValue datatype="number" value="76"/>
</attribute>
```

```
<attribute name="Height" inuse="True">
<ProcessValue datatype="number" value="24"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="15"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="Open"/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
```

```
<attribute name="pX">
<ProcessValue datatype="number" value="514"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="215"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="564"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="413"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="17"/>
</attribute>
</attributes>
</element>
</element>
</element>
<apptypeinfo>
<id>Win32Launch</id>
```

```
<name>My application is launched from an executable file</name>
<parameters>
<parameter>
<name>Path</name>
<type>File</type>
<values/>
<value>C:\Program Files\Windows NT\Accessories\wordpad.exe</value>
<acceptsnull>False</acceptsnull>
<filefilter>Executable Files (*.exe)|*.exe</filefilter>
<helptext>Enter the path to the application executable, or use the Browse button</helptext>
</parameter>
<parameter>
<name>CommandLineParams</name>
<type>String</type>
<values/>
<value>
</value>
<acceptsnull>True</acceptsnull>
<filefilter>
</filefilter>
<helptext>Enter the command line parameters (if any) to be passed to the target application</helptext>
</parameter>
<parameter>
<name>NonInvasive</name>
<type>Boolean</type>
<values/>
<value>True</value>
```

```
<acceptsnull>False</acceptsnull>
<filefilter>
</filefilter>
<helptext>Restrict to non-invasive automation techniques</helptext>
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="427b3757-1259-4866-9fe1-8d74b2c8df37" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="80c1d0ff-2dbb-4276-9d70-19c733c230e1" type="Normal" published="True">
<name>Launch</name>
<view>
<camerax>0</camerax>
```

```
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="299ad42e-2e62-4c42-b0bc-519427235aff" type="Normal" published="False">
<name>Sleep</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="316d7b4b-8c27-43af-8873-d586148a2e47" type="Normal" published="True">
<name>Close Application</name>
<view>
<camerax>0</camerax>
<cameray>122</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="31e112ca-6627-4da4-bafa-d47ac9af94f6" type="Normal" published="True">
<name>Hide Status Bar</name>
<view>
<camerax>0</camerax>
<cameray>-63</cameray>
<zoom>1</zoom>
</view>
```

```
</subsheet>
<subsheet subsheetid="015315b9-1fcd-4b7c-bfe2-75de5ac952c6" type="Normal" published="True">
<name>Show Status Bar</name>
<view>
<camerax>0</camerax>
<cameray>90</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="da9bbfe9-2068-498c-a49d-d85223c41845" type="Normal" published="True">
<name>Test Toolbar Buttons</name>
<view>
<camerax>0</camerax>
<cameray>249</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="cc116417-23c5-4dda-b531-140e318038b4" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9c82fd83-3ebd-4533-9652-8476da691546</onsuccess>
```

```
</stage>
<stage stageid="9c82fd83-3ebd-4533-9652-8476da691546" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6d053680-6125-48ad-9e22-7ab4f0d43711" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<references>
<reference>System.Data.dll</reference>
<reference>System.Xml.dll</reference>
<reference>System.Drawing.dll</reference>
</references>
<imports>
<import>System</import>
<import>System.Drawing</import>
```

```
</imports>
<language>visualbasic</language>
<globalcode></globalcode>
<code></code>
</stage>
<stage stageid="c08c1793-3dcb-4742-8a26-ba1b5cc9b5f4" name="Clean Up" type="SubSheetInfo">
<subsheetid>427b3757-1259-4866-9fe1-8d74b2c8df37</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ded8062f-cfbc-45c7-80bb-5977e3adab56" name="Start" type="Start">
<subsheetid>427b3757-1259-4866-9fe1-8d74b2c8df37</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>aadb1250-1a3e-42b7-a60f-89aceca26a17</onsuccess>
</stage>
```

```
<stage stageid="aadb1250-1a3e-42b7-a60f-89aceca26a17" name="End" type="End">
<subsheetid>427b3757-1259-4866-9fe1-8d74b2c8df37</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3f97492e-0fab-4be7-9c44-3a9c1220c689" name="Launch" type="SubSheetInfo">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="16fb4f16-e4cf-427e-8143-f1b78a7faef0" name="Start" type="Start">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dfdd400d-426d-4c2a-909e-dbeb5e11e890</onsuccess>
</stage>
<stage stageid="c977ebc8-4800-44c9-a299-c877042ebdbb" name="End" type="End">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e35aa91b-7560-4b39-a562-94fb09ad99c5" name="new" type="Note">
<subsheetid>427b3757-1259-4866-9fe1-8d74b2c8df37</subsheetid>
<narrative>Clean Up Page
This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your
The cleanup action will be called automatically immediately after closing your business object at the end of
```

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

```
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8c8f3a19-c5dd-4e71-9006-c016d9a77754" name="new" type="Note">
<narrative>Initialise Page
This is an optional page where you might choose to perform some initialisation tasks after your business of
The initialise action will be called automatically immediately after loading your business object.
You will not be able to call this action from a business process, nor will it be called at any other time than a
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>230</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="dfdd400d-426d-4c2a-909e-dbeb5e11e890" name="Launch" type="Navigate">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fc243965-1290-4413-b22f-d1f96a7a1675</onsuccess>
<step>
<element id="fb5f572c-1a92-48ff-94de-6430f1ecf116"/>
<action>
<id>Launch</id>
</action>
</step>
</stage>
<stage stageid="86a3de44-f720-4022-9fd1-9b3874883cd8" name="Time Out1" type="WaitEnd">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>30</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>34554f86-2c99-45d3-9423-8daded19bd21</groupid>
</stage>
<stage stageid="fc243965-1290-4413-b22f-d1f96a7a1675" name="Wait for Main Window" type="WaitStart
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>34554f86-2c99-45d3-9423-8daded19bd21</groupid>
<choices>
<choice reply="True">
<name>Main Window Check Exists</name>
<distance>60</distance>
<ontrue>3787855f-2c12-41ec-8bbd-751ff2a47ac0</ontrue>
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>30</timeout>
</stage>
<stage stageid="48f94ace-5f5b-430c-aca5-e37c3e16228a" name="Close Application" type="SubSheetInfo
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-180</displayy>
```

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="607c5a05-7b90-4679-8ecb-8a12ec9ded7a" name="Start" type="Start">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>21899c89-7927-44be-87ce-3a539a3eaeed</onsuccess>
</stage>
<stage stageid="41fae6fb-deed-4f03-a6c5-8db95de1bc53" name="End" type="End">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>375</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ec4f5daf-5cbc-4d5d-b08f-c67e322ba9c7" name="Choose & amp;quot; Exit& amp;quot; fror
```

```
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a3de46ef-e2fe-4f97-8129-f273e1bcffe8</onsuccess>
<step>
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>SelectMenuItem</id>
<arguments>
<argument>
<id>Value</id>
<value>"{File}{Exit}"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="e927c507-d35b-48fd-be3d-c86fd9218d4f" name="Hide Status Bar" type="SubSheetInfo">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6a0fcfa8-3ab2-4b8c-833d-9a7f31119b85" name="End" type="End">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d31bf1b8-3879-4f5d-a6f8-541ac3587474" name="Time Out2" type="WaitEnd">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>-45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>f2cb2152-cd6a-4512-ab52-c1787e39cde6</onsuccess>
<groupid>94dc9f85-1d67-4946-bae8-b98273b53ed0</groupid>
</stage>
<stage stageid="96fd44c0-6020-4085-868b-7c0642b2701a" name="Check Status Bar Exists" type="WaitS
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>94dc9f85-1d67-4946-bae8-b98273b53ed0</groupid>
<choices>
<choice reply="True">
<name>Status Bar Check Exists</name>
<distance>75.37407</distance>
<ontrue>a9fd454f-06d1-45be-98b0-59a21b8fb042</ontrue>
<element id="6285c18a-6d73-4eea-80dc-480c14b1f9b2"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>0.5</timeout>
```

```
</stage>
<stage stageid="f2cb2152-cd6a-4512-ab52-c1787e39cde6" name="Note1" type="Note">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>No Action Required
<displayx>285</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2ee04925-38cf-43b3-8f1f-71897a0c283a</onsuccess>
</stage>
<stage stageid="a9fd454f-06d1-45be-98b0-59a21b8fb042" name="Hide using Menu Options" type="Navig
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>373317a8-f276-4c2d-b27b-a33f9496a98e</onsuccess>
<step>
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>SelectMenuItem</id>
```

```
<arguments>
<argument>
<id>Value</id>
<value>"{View}{Status Bar}"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="584a8898-cb60-49f8-a7d4-c51ca9ad296a" name="Fail" type="WaitEnd">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>837ff642-33c0-450d-bc29-e0eb9304f747</groupid>
</stage>
<stage stageid="373317a8-f276-4c2d-b27b-a33f9496a98e" name="Check Status Bar Now Gone" type="W
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>90</displayx>
```

```
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>837ff642-33c0-450d-bc29-e0eb9304f747</groupid>
<choices>
<choice reply="False">
<name>Status Bar Check Exists</name>
<distance>75.37407</distance>
<ontrue>2ee04925-38cf-43b3-8f1f-71897a0c283a</ontrue>
<element id="6285c18a-6d73-4eea-80dc-480c14b1f9b2"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>0.5</timeout>
</stage>
<stage stageid="991d6ad6-6524-4df4-95b3-448b40a9317d" name="Show Status Bar" type="SubSheetInfo
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d9814957-ccb7-4d30-9f6e-32c360c90573" name="Start" type="Start">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e89e1a56-b7f3-4a50-9eb0-023e81fc02f1</onsuccess>
</stage>
<stage stageid="21af4e3b-265a-4443-b3fd-317f27410d86" name="Time Out2" type="WaitEnd">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c9a9491f-6e3e-4946-bc02-ca7ac41468a4</onsuccess>
<groupid>d40f432e-415d-4d30-a78a-95fef6f0a0fb</groupid>
</stage>
```

```
<stage stageid="d3c26028-0b7c-4a23-b926-ed692ee9461a" name="Check Status Bar Exists" type="Waits
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>d40f432e-415d-4d30-a78a-95fef6f0a0fb</groupid>
<choices>
<choice reply="False">
<name>Status Bar Check Exists</name>
<distance>75.37407</distance>
<ontrue>52394f24-8983-4b17-b4e0-d5fec48532b2</ontrue>
<element id="6285c18a-6d73-4eea-80dc-480c14b1f9b2"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>0.5</timeout>
</stage>
<stage stageid="52394f24-8983-4b17-b4e0-d5fec48532b2" name="Hide using Menu Options" type="Navig
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0ef7262b-9f1a-4c61-bae5-675da9a51385/onsuccess>
<step>
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>SelectMenuItem</id>
<arguments>
<argument>
<id>Value</id>
<value>"{View}{Status Bar}"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="b563fab1-bb65-46e7-bdc7-2fad45028c62" name="Fail" type="WaitEnd">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>165</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>c59cbab1-de11-4276-b5fd-943ce4f0a954</groupid>
</stage>
<stage stageid="0ef7262b-9f1a-4c61-bae5-675da9a51385" name="Check Status Bar Now Present" type=
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>c59cbab1-de11-4276-b5fd-943ce4f0a954</groupid>
<choices>
<choice reply="True">
<name>Status Bar Check Exists</name>
<distance>75.37407</distance>
<ontrue>3796b03b-ef00-4270-80bf-03ea7f2b2d58</ontrue>
<element id="6285c18a-6d73-4eea-80dc-480c14b1f9b2"/>
<condition>
<id>CheckExists</id>
```

</condition>

```
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>0.5</timeout>
</stage>
<stage stageid="3787855f-2c12-41ec-8bbd-751ff2a47ac0" name="Reader1" type="Read">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c977ebc8-4800-44c9-a299-c877042ebdbb</onsuccess>
<step stage="a">
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>IsMenuItemEnabled</id>
<arguments>
<argument>
<id>Value</id>
<value>"{Edit}{Object}"</value>
</argument>
</arguments>
</action>
```

```
</step>
</stage>
<stage stageid="f40d6f8d-4a14-4b61-aca6-988bf73a25dc" name="a" type="Data">
<subsheetid>80c1d0ff-2dbb-4276-9d70-19c733c230e1</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="2ee04925-38cf-43b3-8f1f-71897a0c283a" name="anchor1" type="Anchor">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dcdef0d7-b635-46a2-b618-798f6ea0df18</onsuccess>
```

```
</stage>
<stage stageid="dcdef0d7-b635-46a2-b618-798f6ea0df18" name="Read Menu Item Checked State" type=
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>87e36a3b-c7e1-4017-9622-07288d16d7a1
<step stage="Checked?">
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>IsMenuItemChecked</id>
<arguments>
<argument>
<id>Value</id>
<value>"{View}{Status Bar}"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="2d926af1-4c2f-43f9-ac6d-6c7be12dedfc" name="Checked?" type="Data">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
```

```
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="87e36a3b-c7e1-4017-9622-07288d16d7a1" name="Verify Value" type="Decision">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Checked?] = False"/>
<ontrue>6a0fcfa8-3ab2-4b8c-833d-9a7f31119b85</ontrue>
<onfalse>96ca033a-66bb-4319-8b0f-d0b5063987cf</onfalse>
</stage>
<stage stageid="96ca033a-66bb-4319-8b0f-d0b5063987cf" name="Note2" type="Note">
```

```
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>Fail</narrative>
<displayx>285</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c9a9491f-6e3e-4946-bc02-ca7ac41468a4" name="Note1" type="Note">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>No Action Required</narrative>
<displayx>225</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3796b03b-ef00-4270-80bf-03ea7f2b2d58</onsuccess>
</stage>
<stage stageid="3796b03b-ef00-4270-80bf-03ea7f2b2d58" name="anchor1" type="Anchor">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>165</displayy>
```

```
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>56bb6fa0-03e5-42f0-b99e-a84972f54298</onsuccess>
</stage>
<stage stageid="56bb6fa0-03e5-42f0-b99e-a84972f54298" name="Read Menu Item Checked State" type=
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6e75583f-e439-4256-85e2-9d1260f16a1f</onsuccess>
<step stage="Checked?">
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>IsMenuItemChecked</id>
<arguments>
<argument>
<id>Value</id>
<value>"{View}{Status Bar}"</value>
</argument>
</arguments>
```

</action>

```
</step>
</stage>
<stage stageid="0acd9b05-96d3-4ebf-8451-0799ac2b7045" name="Checked?" type="Data">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="6e75583f-e439-4256-85e2-9d1260f16a1f" name="Verify Value" type="Decision">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Checked?] = True"/>
```

```
<ontrue>ca5b27fb-323c-4a7f-9c41-7f9d6ee69173</ontrue>
<onfalse>420a1cd7-a5a5-448c-8435-e1b22304cbfd</onfalse>
</stage>
<stage stageid="420a1cd7-a5a5-448c-8435-e1b22304cbfd" name="Note2" type="Note">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>Fail</narrative>
<displayx>225</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ca5b27fb-323c-4a7f-9c41-7f9d6ee69173" name="End1" type="End">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e89e1a56-b7f3-4a50-9eb0-023e81fc02f1" name="Read Menu Item Enabled State" type="
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5503ffb3-6b15-458f-b943-52f0f75de40e</onsuccess>
<step stage="Enabled">
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>IsMenuItemEnabled</id>
<arguments>
<argument>
<id>Value</id>
<value>"{View}{Status Bar}"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="cb931033-58fe-438d-a70a-fbbe998372df" name="Enabled" type="Data">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-210</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5503ffb3-6b15-458f-b943-52f0f75de40e" name="Verify Enabled" type="Decision">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Enabled]"/>
<ontrue>d3c26028-0b7c-4a23-b926-ed692ee9461a</ontrue>
<onfalse>55fb2ea8-84a6-4778-8b37-3d79ac961004</onfalse>
</stage>
<stage stageid="55fb2ea8-84a6-4778-8b37-3d79ac961004" name="Note3" type="Note">
<subsheetid>015315b9-1fcd-4b7c-bfe2-75de5ac952c6</subsheetid>
<loginhibit/>
<narrative>Fail</narrative>
<displayx>225</displayx>
```

```
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="93bced68-d7df-485b-a6cb-69b4a1c2a698" name="Start" type="Start">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cf32a40f-d768-4812-891a-851047daf9a7</onsuccess>
</stage>
<stage stageid="cf32a40f-d768-4812-891a-851047daf9a7" name="Read Menu Item Enabled State" type="
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>0a7b90f4-1358-48c5-aa23-25cf91c359ba</onsuccess>
<step stage="Enabled">
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<action>
<id>IsMenuItemEnabled</id>
<arguments>
<argument>
<id>Value</id>
<value>"{View}{Status Bar}"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="b5907c39-b835-45ff-b61c-97995d7ac099" name="Enabled" type="Data">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="0a7b90f4-1358-48c5-aa23-25cf91c359ba" name="Verify Enabled" type="Decision">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Enabled]"/>
<ontrue>96fd44c0-6020-4085-868b-7c0642b2701a</ontrue>
<onfalse>42341d64-e1ff-452a-8858-176faec94a93</onfalse>
</stage>
<stage stageid="42341d64-e1ff-452a-8858-176faec94a93" name="Note3" type="Note">
<subsheetid>31e112ca-6627-4da4-bafa-d47ac9af94f6</subsheetid>
<loginhibit/>
<narrative>Fail</narrative>
<displayx>285</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="dc951b67-bc22-4b71-abf4-068bb1a82762" name="Test Toolbar Buttons" type="SubShee
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a9cfc24b-0eb2-469e-a36d-9c09f827287c" name="Start" type="Start">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f8306bfc-6001-4ab5-a8fd-87bc177112bb</onsuccess>
</stage>
<stage stageid="1ada8de9-cc00-4f21-af45-f5b27b7c0529" name="Click Open Button" type="Navigate">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b34befd5-510a-45c6-a264-71e0faaa31b0</onsuccess>
<step>
<element id="3a083180-a46a-4ed8-b241-d13595da1e07"/>
<action>
<id>ClickToolbarButton</id>
<arguments>
<argument>
<id>position</id>
<value>2</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="47515f7e-fdd5-40c8-a62d-6619045158fe" name="Read Booleans" type="Read">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>e755cf40-fcac-429f-b330-2350f07d5b93</onsuccess>
<step stage="Pressed">
<element id="3a083180-a46a-4ed8-b241-d13595da1e07"/>
<action>
<id>IsToolbarButtonPressed</id>
<arguments>
<argument>
<id>position</id>
<value>2</value>
</argument>
</arguments>
</action>
</step>
<step stage="Enabled">
<element id="3a083180-a46a-4ed8-b241-d13595da1e07"/>
<action>
<id>IsToolbarButtonEnabled</id>
<arguments>
<argument>
<id>position</id>
<value>2</value>
</argument>
</arguments>
</action>
</step>
<step stage="Checked">
<element id="3a083180-a46a-4ed8-b241-d13595da1e07"/>
```

```
<action>
<id>IsToolbarButtonChecked</id>
<arguments>
<argument>
<id>position</id>
<value>2</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="6b5b4549-0262-4871-b6ee-f4ee46275170" name="Pressed" type="Data">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6f8f5cd7-7670-40f9-9353-a114e35156fb" name="Enabled" type="Data">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="49e1f4e6-f99d-43b4-ae2d-7f7f78a991e6" name="Checked" type="Data">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f8306bfc-6001-4ab5-a8fd-87bc177112bb" name="Count Items" type="Read">
```

```
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c7ebeebb-1581-40b9-8486-961af167f054</onsuccess>
<step stage="Item Count">
<element id="3a083180-a46a-4ed8-b241-d13595da1e07"/>
<action>
<id>GetItemCount</id>
</action>
</step>
</stage>
<stage stageid="56202a41-8eb6-4d34-a31d-444725babf30" name="Item Count" type="Data">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="c7ebeebb-1581-40b9-8486-961af167f054" name="Verify Item Count" type="Decision">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item Count] = 15"/>
<ontrue>47515f7e-fdd5-40c8-a62d-6619045158fe</ontrue>
<onfalse>a0e570bc-499f-45a9-8dee-856ed4c5c79e</onfalse>
</stage>
<stage stageid="a0e570bc-499f-45a9-8dee-856ed4c5c79e" name="Note1" type="Note">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>FAIL</narrative>
<displayx>165</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="e755cf40-fcac-429f-b330-2350f07d5b93" name="Verify Booleans" type="Decision">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="([Checked] = False) and ([Pressed] = False) and ([Enabled] = True)"/>
<ontrue>1ada8de9-cc00-4f21-af45-f5b27b7c0529</ontrue>
<onfalse>01f05b06-1032-4340-aa38-fc132c54a45a</onfalse>
</stage>
<stage stageid="01f05b06-1032-4340-aa38-fc132c54a45a" name="Note1" type="Note">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>FAIL</narrative>
<displayx>165</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5a494d2e-fb8d-463a-8902-7b86fa5a3551" name="Time Out1" type="WaitEnd">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>6a842d20-e846-47b0-90d8-a23e63ae94db</groupid>
</stage>
<stage stageid="b34befd5-510a-45c6-a264-71e0faaa31b0" name="Wait for Popup" type="WaitStart">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>6a842d20-e846-47b0-90d8-a23e63ae94db</groupid>
<choices>
<choice reply="True">
<name>Popup Window Check Exists</name>
<distance>90</distance>
<ontrue>2c1ddf16-ec27-40f0-8b9f-d34aa86e3f71</ontrue>
<element id="ebaac658-e59b-4525-a1e5-3a9faae46287"/>
```

```
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>5</timeout>
</stage>
<stage stageid="2c1ddf16-ec27-40f0-8b9f-d34aa86e3f71" name="Cancel" type="Navigate">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>caa9a1cc-7845-491e-99e0-c5bccc55c28d</onsuccess>
<step>
<element id="ebaac658-e59b-4525-a1e5-3a9faae46287"/>
<action>
<id>CloseWindow</id>
</action>
</step>
</stage>
<stage stageid="20599783-ee63-4951-b784-127428c75c59" name="Note4" type="Note">
```

```
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>Note there are 11 real buttons, and each of the four spaces is implemented as a button
<displayx>240</displayx>
<displayy>-60</displayy>
<displaywidth>240</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="caa9a1cc-7845-491e-99e0-c5bccc55c28d" name="End2" type="End">
<subsheetid>da9bbfe9-2068-498c-a49d-d85223c41845</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="91e6dacb-0442-4af8-8821-3a9a83289745" name="Time Out3" type="WaitEnd">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>64a070af-efe2-4ca1-9aba-a0ae70534271
<groupid>a4e2df55-e2ed-41ec-9b9e-02db28ec503d</groupid>
</stage>
<stage stageid="21899c89-7927-44be-87ce-3a539a3eaeed" name="Wait for Main Window" type="WaitStage stageid="21899c89-7927-44be-87ce-3a539a3eaeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aaeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeeed" name="WaitStage stageid="21899c89-7927-44be-87ce-3a539aeeeed" name="WaitStage stageid="21899c9" name="21899c9" name
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>a4e2df55-e2ed-41ec-9b9e-02db28ec503d</groupid>
<choices>
<choice reply="True">
<name>Main Window Check Exists</name>
<distance>60</distance>
<ontrue>ec4f5daf-5cbc-4d5d-b08f-c67e322ba9c7</ontrue>
<element id="4fc13309-a506-4a85-9f61-2c04b979dfb4"/>
<condition>
<id>CheckExists</id>
</condition>
```

<comparetype>Equal</comparetype>

```
</choice>
</choices>
<timeout>15</timeout>
</stage>
<stage stageid="64a070af-efe2-4ca1-9aba-a0ae70534271" name="Terminate" type="Navigate">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a3de46ef-e2fe-4f97-8129-f273e1bcffe8</onsuccess>
<step>
<element id="fb5f572c-1a92-48ff-94de-6430f1ecf116"/>
<action>
<id>Terminate</id>
</action>
</step>
</stage>
<stage stageid="a3de46ef-e2fe-4f97-8129-f273e1bcffe8" name="Start Time" type="Calculation">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>75</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0bf2988d-97da-438a-a180-79f6a26dc2d3</onsuccess>
<calculation expression="Now()" stage="Start Time"/>
</stage>
<stage stageid="5d1498c1-1ab5-4758-b792-5e30913f48fe" name="Start Time" type="Data">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="9c09f191-602e-4b13-8915-275e7a2baae8" name="Sleep" type="SubSheetInfo">
<subsheetid>299ad42e-2e62-4c42-b0bc-519427235aff</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4760d075-8912-4325-b299-186efc699f50" name="Start" type="Start">
<subsheetid>299ad42e-2e62-4c42-b0bc-519427235aff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Sleep Time (Seconds)" stage="Sleep Time (Seconds)"/>
</inputs>
<onsuccess>89a66dfb-9129-47c1-b84a-2a7d515500ad</onsuccess>
</stage>
<stage stageid="ddd1b517-f84e-4d03-bb2f-07bfec5f5864" name="End" type="End">
<subsheetid>299ad42e-2e62-4c42-b0bc-519427235aff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a2f47705-70de-45f4-823a-ec05fd6db84b" name="Sleep Time (Seconds)" type="Data">
<subsheetid>299ad42e-2e62-4c42-b0bc-519427235aff</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="3a48decc-dc20-4eca-8ddb-fdc02d2dcc55" name="Time Out4" type="WaitEnd">
<subsheetid>299ad42e-2e62-4c42-b0bc-519427235aff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ddd1b517-f84e-4d03-bb2f-07bfec5f5864</onsuccess>
<groupid>8b275697-3853-4887-87ac-803ecaa82a13/groupid>
</stage>
<stage stageid="89a66dfb-9129-47c1-b84a-2a7d515500ad" name="Wait1" type="WaitStart">
<subsheetid>299ad42e-2e62-4c42-b0bc-519427235aff</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>8b275697-3853-4887-87ac-803ecaa82a13/groupid>
<choices/>
<timeout>[Sleep Time (Seconds)]</timeout>
</stage>
<stage stageid="0bf2988d-97da-438a-a180-79f6a26dc2d3" name="Read Connected" type="Read">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0973acab-ae68-48a9-9e67-5171cb8ca179</onsuccess>
<step stage="Is Connected">
<element id="fb5f572c-1a92-48ff-94de-6430f1ecf116"/>
<action>
<id>IsConnected</id>
</action>
</step>
</stage>
<stage stageid="0973acab-ae68-48a9-9e67-5171cb8ca179" name="Connected?" type="Decision">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Is Connected]"/>
<ontrue>e17749d0-cb83-4a18-b3b1-f0cb5bb92902</ontrue>
<onfalse>41fae6fb-deed-4f03-a6c5-8db95de1bc53</onfalse>
</stage>
<stage stageid="819dd405-3307-4f17-951c-1af841daf6b4" name="Is Connected" type="Data">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<narrative>
</narrative>
```

```
<displayx>150</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e17749d0-cb83-4a18-b3b1-f0cb5bb92902" name="Sleep" type="SubSheet">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Sleep Time (Seconds)" expr="5"/>
</inputs>
<onsuccess>2e6f4610-bee0-4139-a66f-15b55d46b37f</onsuccess>
</stage>
<stage stageid="2e6f4610-bee0-4139-a66f-15b55d46b37f" name="Retry?" type="Decision">
```

```
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="Now() - [Start Time] & amp;gt; MakeTimeSpan(0,0,0,30,0)"/>
<ontrue>76deef69-5fd3-46f6-9fe8-9e3d7bfd488a</ontrue>
<onfalse>0bf2988d-97da-438a-a180-79f6a26dc2d3</onfalse>
</stage>
<stage stageid="76deef69-5fd3-46f6-9fe8-9e3d7bfd488a" name="Increment Retries" type="Calculation">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>acdae073-2b5b-4c22-901b-5ffed5f2190b</onsuccess>
<calculation expression="1+[Retries]" stage="Retries"/>
</stage>
<stage stageid="a4b38a87-d3c1-4f56-b69e-4bd57881d99d" name="Retries" type="Data">
```

```
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="acdae073-2b5b-4c22-901b-5ffed5f2190b" name="Too Many Retries?" type="Decision">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Retries] & amp;gt; 3"/>
<ontrue>3a7261ad-9e3f-4a73-9c39-aa284d8d2d46</ontrue>
<onfalse>21899c89-7927-44be-87ce-3a539a3eaeed</onfalse>
</stage>
```

```
<stage stageid="3a7261ad-9e3f-4a73-9c39-aa284d8d2d46" name="Exception1" type="Exception">
<subsheetid>316d7b4b-8c27-43af-8873-d586148a2e47</subsheetid>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Timeout" detail="&amp;quot;Failed to Exit&amp;quot;"/>
</stage>

<pre
```

</Root>