

```
<?xml version='1.0' encoding='UTF-8'?>

<Root>

<process name="QAFileUtil" version="1.0" narrative="File utility actions for use in the QA tests" type="object">

<appdef>

<element name="Application Root">

<id>b30f5d67-5c3c-49c9-8f9b-66d573097498</id>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="9a74af4c-280a-4e30-bdbb-21295b6256ca" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>149</camerax>

<cameray>42</cameray>

<zoom>1</zoom>

</view>

</subsheet>
```

<subsheet subsheetid="3a12dbad-57fd-45a4-b859-62df514a34d3" type="Normal" published="True">

<name>Get Files</name>

<view>

<camerax>106</camerax>

<cameray>16</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="0bafee17-a81a-40f0-9b6b-80b78142dd87" type="Normal" published="True">

<name>Get Folders</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="60b8a01d-1f74-4169-b192-5e363a7b5e61" type="Normal" published="True">

<name>File Exists</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="20e6a636-d89b-4c08-b90d-8852894005a4" type="Normal" published="True">

<name>Directory Exists</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="1ff30a41-e177-40c5-a756-a6b466004f32" type="Normal" published="True">

<name>Create Directory</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="d68f192f-eeb7-420e-b156-9636503b6082" type="Normal" published="True">

<name>Delete Directory</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8" type="Normal" published="True">

<name>Sub Directory Exists</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="b3050915-ad2e-446e-a1d6-99d11506f55e" type="Normal" published="True">

<name>Split Path</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="c80dea92-57e8-4e2e-8df4-f3ee6ceeb717" type="Normal" published="True">

<name>Combine Path</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="ed509af2-4b4a-447d-8196-18105ed12739" type="Normal" published="True">

<name>Delete Files</name>

<view>

<camerax>106</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="70940cba-8680-4eb9-8066-9e383fc5b39b" type="Normal" published="True">

<name>Delete File</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="e9dd304c-7d26-40f5-b193-eef36f0a370c" type="Normal" published="True">

<name>Copy File</name>

<view>

<camerax>49</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="85156833-c61c-4c78-916f-0b75a9a83e8d" type="Normal" published="True">

<name>Move File</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="7ca00106-fe4e-46c0-bffc-0dda1561434f" type="Normal" published="True">

<name>Get File Size</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="d2530b0d-5530-4692-8a60-1f91d1c5a9c9" type="Normal" published="True">

<name>Append to Text File</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="6bc71d89-ba5a-499e-8610-2a5912a72507" type="Normal" published="True">

<name>Read Head of File</name>

<view>

<camerax>30</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="8eb61369-ddab-4205-9a55-81054c2e4afb" type="Normal" published="True">

<name>Read All Text from File</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="602b7aad-2626-40ba-8c4b-1ec926ae9098" type="Normal" published="True">

<name>Write Text File</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="842c79f8-aa64-4781-ad18-3982e21f0fd1" type="Normal" published="True">

<name>Write Binary Data</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="f7fa43ec-67e2-4acb-8d13-ced3c5027761" type="Normal" published="True">

<name>Get CSV Text As Collection</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="40c6e605-9948-429a-ac84-d2810bca75fc" type="Normal" published="True">

<name>Get Special Folder Path</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="d8c547cc-60d0-459b-876f-90bf696a5757" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>807e7d33-91e2-4241-a85e-ea0718fc487d</onsuccess>

</stage>

<stage stageid="807e7d33-91e2-4241-a85e-ea0718fc487d" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="1a8c9ebd-54e1-442f-a6c7-e87df3b59232" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

<import>System.IO</import>

<import>System.XML</import>

<import>System.Diagnostics</import>

<import>Microsoft.VisualBasic</import>

<import>System.Data</import>

<import>system.text.regularexpressions</import>

<import>System.Data.OleDb</import>

<import>System.Text</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>Public Function GetDataTable(ByVal ColumnNamesCSV As String, ByVal ColumnTypesCSV As S

Dim objTable As DataTable

Dim objColumn As DataColumn

Dim aColumnNames As String() = ColumnNamesCSV.Split(",")

Dim aColumnTypes As String() = ColumnTypesCSV.Split(",")

Try

objTable = New DataTable

For i As Integer = 0 To aColumnNames.Length - 1

objColumn = New DataColumn

objColumn.DataType = System.Type.GetType(aColumnTypes(i).Trim)

objColumn.ColumnName = aColumnNames(i).Trim

objTable.Columns.Add(objColumn)

Next

Catch e As Exception

objTable = nothing

End Try

Return objTable

End Function

</code>

</stage>

<stage stageid="0bf7814a-647b-4bcb-b6a6-3d24dfd5b736" name="Clean Up" type="SubSheetInfo">

<subsheetsid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="0c56e2f8-68ce-48a3-97ad-81e1f076e9ce" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object.

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="07048754-58c7-4201-9869-e206f1d6c32a" name="Get Files" type="SubSheetInfo">

<subsheetsid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetsid>

<narrative>Gets all files in the specified folder matching the supplied file type pattern string.

Patterns - A comma-separated list of file patterns identifying the type(s) of files sought. Eg "*.jpg, *.png" returns

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="8448350e-b6a9-4a15-a3d0-501c4967c0f9" name="Start" type="Start">

<subsheetid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative="None."/>

</preconditions>

<postconditions>

<condition narrative="All matching files will be returned."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Folder" stage="Folder"/>

```
<input type="text" name="Patterns CSV" stage="Patterns CSV"/>

</inputs>

<onsuccess>acbbbddf-8b42-4353-8b0a-83eae216a63</onsuccess>

</stage>

<stage stageid="acbbbddf-8b42-4353-8b0a-83eae216a63" name="Get Files" type="Code">

<subsheetid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Folder" expr="[Folder]"/>

<input type="text" name="Patterns CSV" expr="[Patterns CSV]"/>

</inputs>

<outputs>

<output type="collection" name="Files" stage="Files"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>3764ae17-85d7-4ebb-99b5-502b95d7abd6</onsuccess>

<code>

Dim objTable As DataTable

Dim objRow As DataRow
```

```
Dim aFiles As FileInfo()
```

```
Dim aPatterns As String()
```

```
Dim oDirectory As New DirectoryInfo(Folder)
```

```
Try
```

```
'Create a data table to output as a collection
```

```
objTable = GetDataTable( _
```

```
"Path," _
```

```
&amp; "Folder," _
```

```
&amp; "Name," _
```

```
&amp; "Extension," _
```

```
&amp; "Created," _
```

```
&amp; "Last Accessed," _
```

```
&amp; "Last Written," _
```

```
&amp; "Read Only," _
```

```
&amp; "Bytes", _
```

```
"System.String," _
```

```
&amp; "System.String," _
```

```
&amp; "System.String," _
```

```
&amp; "System.String," _
```

```
&amp; "System.DateTime," _
```

```
&amp; "System.DateTime," _
```

```
&amp; "System.DateTime," _
```

```
&amp; "System.Boolean," _
```

```
&amp; "System.Double")
```

```
aPatterns = Patterns_CSV.split(",")
```

```
For each sPattern As String in aPatterns
```

```
aFiles = oDirectory.GetFiles(sPattern.Trim)
```

```
For each oFile as FileInfo in aFiles
```

```
objRow = objTable.NewRow()
```

```
objRow("Path") = oFile.FullName
```

```
objRow("Folder") = oFile.DirectoryName
```

```
objRow("Name") = oFile.Name
```

```
objRow("Extension") = oFile.Extension
```

```
objRow("Created") = oFile.CreationTime
```

```
objRow("Last Accessed") = oFile.LastAccessTime
```

```
objRow("Last Written") = oFile.LastWriteTime
```

```
objRow("Read Only") = oFile.IsReadOnly
```

```
objRow("Bytes") = oFile.Length
```

```
objTable.Rows.Add(objRow)
```

```
Next
```

```
Next
```

```
Files = objTable
```

```
Success = True
```

```
Message = ""
```

```
Catch e As Exception
```

```
Success = False
```

```
Message = e.Message
```

```
End Try</code>
```

</stage>

<stage stageid="913867cd-7535-4857-b6b9-1b1ead2bc67f" name="Folder" type="Data">

<subsheetsid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">C:\temp</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="624240c2-02c8-48c3-9040-e9388fddf1b1" name="Patterns CSV" type="Data">

<subsheetsid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">*.jpg</initialvalue>

<private/>


```
<alwaysinit/>

</stage>

<stage stageid="95f234d2-8c1a-466c-b8a6-fb7dc34de936" name="Files" type="Collection">

<subsheetid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3764ae17-85d7-4ebb-99b5-502b95d7abd6" name="End" type="End">

<subsheetid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>
```

```
<output type="text" name="Message" stage="Message"/>

<output type="collection" name="Files" stage="Files"/>

</outputs>

</stage>

<stage stageid="8e80cc1d-27ed-43d9-985e-90d828191fb7" name="Success" type="Data">

<subsheetsid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="950111b1-7b05-4076-a673-b07166b76cdb" name="Message" type="Data">

<subsheetsid>3a12dbad-57fd-45a4-b859-62df514a34d3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>165</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="32964141-871e-474a-a1f8-eea0b10c5df2" name="Delete Files" type="SubSheetInfo">

<subsheetsid>ed509af2-4b4a-447d-8196-18105ed12739</subsheetsid>

<narrative>Deletes all files in the specified folder, matching the supplied file extension pattern.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="82b919fe-64b2-4c2b-8173-5706f671c5ce" name="End" type="End">

<subsheetsid>ed509af2-4b4a-447d-8196-18105ed12739</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="ea337dc4-4fd9-4d31-8cc6-23da41cd5665" name="Start" type="Start">

<subsheetsid>ed509af2-4b4a-447d-8196-18105ed12739</subsheetsid>

```
<loginhibit/>

<preconditions>

<condition narrative="The named folder must exist."/>

</preconditions>

<postconditions>

<condition narrative="All files within the named folder which match the supplied pattern will have been deleted."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Folder" stage="Folder"/>

<input type="text" name="Pattern" stage="Pattern"/>

</inputs>

<onsuccess>202c81a6-fd90-46ed-9eee-73c24863b69b</onsuccess>

</stage>

<stage stageid="202c81a6-fd90-46ed-9eee-73c24863b69b" name="Delete Files" type="Code">

<subsheets>ed509af2-4b4a-447d-8196-18105ed12739</subsheets>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Folder" expr="[Folder]"/>

<input type="text" name="Pattern" expr="[Pattern]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>82b919fe-64b2-4c2b-8173-5706f671c5ce</onsuccess>

<code>Dim aFiles As String()= _

Directory.GetFiles(Folder, Pattern)

For each f as String in aFiles

File.Delete(f)

Next

</code>

</stage>

<stage stageid="119002ff-ee61-4f32-b096-f3953ad107e1" name="Folder" type="Data">

<subsheetsid>ed509af2-4b4a-447d-8196-18105ed12739</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">C:\temp\Blue Prism</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="121b4fd7-a9da-4498-a8d5-6a0ab2dae758" name="Pattern" type="Data">

<subsheetsid>ed509af2-4b4a-447d-8196-18105ed12739</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">*.TIF</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7891b89f-2307-4444-8b6e-17e25e53501f" name="Append to Text File" type="SubSheet">

<subsheetsid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetsid>

<narrative>Appends some text to the specified file.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="83010bd2-019e-4b04-af0b-b401efe8d128" name="Start" type="Start">

<subsheetsid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetsid>

<loginhibit/>

<preconditions>

<condition narrative="There must be sufficient disk space to accommodate the new data. The destination f

</preconditions>

<postconditions>

<condition narrative="The supplied text will have been appended."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="File Name" stage="File Name"/>

<input type="text" name="Text" stage="Text"/>

</inputs>

<onsuccess>eeb7f0eb-73fc-4849-96a9-35f410bbde67</onsuccess>

</stage>

<stage stageid="39862014-df78-414b-9ccd-5c0d392aa282" name="End" type="End">

<subsheetsid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="f9d3e8a1-7f67-4991-b9f1-e8ec160de075" name="Success" type="Data">

<subsheetid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>
```


</stage>

<stage stageid="2ef09390-e450-4d10-a32b-4448a65b0aaf" name="Message" type="Data">

<subsheetid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4e77fcf2-8d12-4f3b-acf3-e15dccb8e90a" name="Text" type="Data">

<subsheetid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f599b6ac-5574-438b-8617-8821d9800cf7" name="File Name" type="Data">

<subsheetsid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="eeb7f0eb-73fc-4849-96a9-35f410bbde67" name="Append" type="Code">

<subsheetsid>d2530b0d-5530-4692-8a60-1f91d1c5a9c9</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" expr="[File Name]"/>

<input type="text" name="Text" expr="[Text]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>39862014-df78-414b-9ccd-5c0d392aa282</onsuccess>

<code>Try

Dim sw As StreamWriter

If File.Exists(File_Name) = False Then

sw = File.CreateText(File_Name)

Else

sw = File.AppendText(File_Name)

End If

sw.WriteLine(Text)

sw.Flush()

sw.Close()

Success = True

Message = ""

Catch e As Exception

Success = False

Message = e.Message

End Try</code>

</stage>

<stage stageid="6428e7b4-8ed6-4930-bc8f-636cc71e955a" name="Read All Text from File" type="SubSh

<subsheetid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="a783ee6f-6425-4420-9b9f-759c781f3544" name="Start" type="Start">

<subsheetid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" stage="File Name"/>

</inputs>

<onsuccess>8107f164-7ef3-4164-8a2c-500055c7b374</onsuccess>

</stage>

<stage stageid="0a76495e-bc0d-4cea-bae0-85da1e15c74f" name="End" type="End">

<subsheetid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

<output type="text" name="Text" stage="Text"/>

</outputs>

</stage>

<stage stageid="995662eb-baf3-436e-a2c1-2cc3ccfcf8fb" name="Success" type="Data">

<subsheetid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ee454760-e4c3-44cc-b071-30cdafbe8355" name="Message" type="Data">

<subsheetsid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2dbbbe6e-0b94-4d90-940a-c99f9671b774" name="Text" type="Data">

<subsheetsid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="265e14ba-8649-477d-9d21-092a9bc9ad2d" name="File Name" type="Data">

<subsheetid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8107f164-7ef3-4164-8a2c-500055c7b374" name="Read Text" type="Code">

<subsheetid>8eb61369-ddab-4205-9a55-81054c2e4afb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" expr="[File Name]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Text"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>0a76495e-bc0d-4cea-bae0-85da1e15c74f</onsuccess>

<code>Try

If File.Exists(File_Name) Then

Dim sr As New StreamReader(File_Name)

Text = sr.ReadToEnd

sr.Close()

Success = True

Message = ""

Else

Throw New ApplicationException("The file at " & File_Name & " does not exist")

End If

Catch e As Exception

Success = False

Message = e.Message

End Try</code>


```
</stage>

<stage stageid="a3f9a500-e2f0-4f48-9bb2-38ad1a4592b9" name="Write Text File" type="SubSheetInfo">
  <subsheetsid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetsid>
  <narrative>Writes text to a file. Any existing text in the file (if it exists) will be replaced.</narrative>
  <displayx>-195</displayx>
  <displayy>-105</displayy>
  <displaywidth>150</displaywidth>
  <displayheight>90</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>

<stage stageid="3f408f78-c150-49f6-9f52-a3fb59ce307e" name="Start" type="Start">
  <subsheetsid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetsid>
  <loginhibit/>
  <preconditions>
    <condition narrative="There must be sufficient disk space to accommodate the new data."/>
  </preconditions>
  <postconditions>
    <condition narrative="The supplied text will have been written to the destination file."/>
  </postconditions>
  <narrative>
  </narrative>
  <displayx>15</displayx>
  <displayy>-105</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <inputs>
```

```
<input type="text" name="File Name" stage="File Name"/>

<input type="text" name="Text" stage="Text"/>

</inputs>

<onsuccess>7d5efe35-64fc-48a0-b5a7-a5b787e90578</onsuccess>

</stage>

<stage stageid="1aab3a10-a813-470b-97c8-57938a0d0024" name="End" type="End">

<subsheetsid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="e85add3f-f65a-47dd-8be7-5ee764878dee" name="Success" type="Data">

<subsheetsid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3ba21666-440e-40ea-80e4-bb02ff535775" name="Message" type="Data">

<subsheetsid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="951ed278-f157-450e-90d0-06cc330e358c" name="Text" type="Data">

<subsheetsid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetsid>

<narrative>

</narrative>
```

```
<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="20ca70ee-ce56-4594-90ca-a03ba1934f47" name="File Name" type="Data">

<subsheetid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7d5efe35-64fc-48a0-b5a7-a5b787e90578" name="Write" type="Code">

<subsheetid>602b7aad-2626-40ba-8c4b-1ec926ae9098</subsheetid>

<loginhibit/>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" expr="[File Name]"/>

<input type="text" name="Text" expr="[Text]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>1aab3a10-a813-470b-97c8-57938a0d0024</onsuccess>

<code>Try

File.WriteAllText(File_Name, Text)

Success = True

Message = ""

Catch e As Exception

Success = False

Message = e.Message

End Try</code>

</stage>

<stage stageid="7dfd4754-e49a-447b-b9c3-c36266dfa2e8" name="File Exists" type="SubSheetInfo">

<subsheetsid>60b8a01d-1f74-4169-b192-5e363a7b5e61</subsheetsid>

<narrative>Determines whether the specified file exists. The full path must be specified.</narrative>

<displayx>-195</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="da1de8a5-b06c-4fc0-b316-2fec1a802056" name="End" type="End">

<subsheetid>60b8a01d-1f74-4169-b192-5e363a7b5e61</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

</outputs>

</stage>

<stage stageid="6b0d4683-2748-485e-88ed-cdf57c76992d" name="Start" type="Start">

<subsheetid>60b8a01d-1f74-4169-b192-5e363a7b5e61</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative="None."/>

</preconditions>

```
<postconditions>

<condition narrative="The existence of the file of interest will have been determined."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="File Name" stage="File Name"/>

</inputs>

<onsuccess>7cc66b68-5ab8-4f99-95fa-fde9dbfa38ed</onsuccess>

</stage>

<stage stageid="f92a43a8-74e6-4f49-bf65-dc7663017f2b" name="File Name" type="Data">

<subsheetsid>60b8a01d-1f74-4169-b192-5e363a7b5e61</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>
```

<alwaysinit/>

</stage>

<stage stageid="7cc66b68-5ab8-4f99-95fa-fde9dbfa38ed" name="File Exists" type="Code">

<subsheetid>60b8a01d-1f74-4169-b192-5e363a7b5e61</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" expr="[File Name]"/>

</inputs>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

</outputs>

<onsuccess>da1de8a5-b06c-4fc0-b316-2fec1a802056</onsuccess>

<code>Try

Exists = File.Exists(File_Name)

Catch e As Exception

Exists = False

End Try</code>

</stage>

<stage stageid="817167f9-bb73-4622-9254-e249dff5369f" name="Exists" type="Data">

<subsHEETid>60b8a01d-1f74-4169-b192-5e363a7b5e61</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2271a79e-27e5-4434-b5be-146e02946317" name="new" type="Note">

<subsHEETid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsHEETid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="c50578e4-df15-4b21-8a4c-469dae40724d" name="Copy File" type="SubSheetInfo">

<subsheetsid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetsid>

<narrative>Copies a file to the named destination.</narrative>

<displayx>-195</displayx>

<displayy>-135</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="30f8df38-bbc1-4b94-916b-ce06a40b630c" name="Start" type="Start">

<subsheetsid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetsid>

<loginhibit/>

<preconditions>

<condition narrative="The file to be copied must exist. The full destination path must be specified. There m

</preconditions>

<postconditions>

<condition narrative="The file will have been copied to the specified destination."/>

<condition narrative=""/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" stage="File Path"/>

<input type="text" name="Destination Path" stage="Destination Path"/>

</inputs>

<onsuccess>8de7d816-2984-4b8f-a1f0-dfdf25b3f108</onsuccess>

</stage>

<stage stageid="53e1058f-89a5-4172-b9b5-89530de8ef51" name="Success" type="Data">

<subsheetsid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="471fd171-54c1-4c9b-aa1d-6f471b939942" name="Message" type="Data">

<subsheetsid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8de7d816-2984-4b8f-a1f0-dfdf25b3f108" name="Copy" type="Code">

<subsheetid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" expr="[File Path]"/>

<input type="text" name="Destination" expr="[Destination Path]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>a7bae4fd-01fc-4447-8cf4-fbfd04353f72</onsuccess>

<code>Try

Dim sSourceFolder As String = Mid(File_Path, 1, File_Path.LastIndexOf("\") + 1)

Dim sSourceFileName As String = Mid(File_Path, File_Path.LastIndexOf("\") + 2)

Dim sDestinationFolder As String

Dim sDestinationFile As String

If Directory.Exists(Destination) Then

sDestinationFolder = Destination

If Not sDestinationFolder.EndsWith("\") Then

sDestinationFolder & amp; amp;= "\"

End If

sDestinationFile = ""

Else

sDestinationFolder = ""

sDestinationFile = Destination

End If

Dim objDirectoryInfo As DirectoryInfo = New DirectoryInfo(sSourceFolder)

Dim aFiles As FileInfo() = objDirectoryInfo.GetFiles(sSourceFileName)

For Each oFile As FileInfo In aFiles

If sDestinationFolder = "" Then

oFile.CopyTo(sDestinationFile, True)

Else

oFile.CopyTo(sDestinationFolder & amp; oFile.Name, True)

End If

Next

Success = True

Message = ""

Catch e As Exception

Success = False

Message = e.Message

End Try</code>

</stage>

<stage stageid="f12e4bba-1185-469f-aea9-0b8954cbcd77" name="File Path" type="Data">

<subsheetid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="30982d9d-8e54-4d64-af7e-2a7df861c94f" name="Destination Path" type="Data">

<subsheetid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetid>

```
<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6d608807-5c80-49f5-a177-05a15f6d0ff7" name="Get File Size" type="SubSheetInfo">

<subsheetsid>7ca00106-fe4e-46c0-bffc-0dda1561434f</subsheetsid>

<narrative>Gets the size of the specified file.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d07f9435-79c9-4cd5-b803-1cde78f5262c" name="End" type="End">

<subsheetsid>7ca00106-fe4e-46c0-bffc-0dda1561434f</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="number" name="Size" stage="Bytes"/>

</outputs>

</stage>

<stage stageid="d573bf14-6cce-4455-ae05-908d9a527dcb" name="Start" type="Start">

<subsheetsid>7ca00106-fe4e-46c0-bffc-0dda1561434f</subsheetsid>

<loginhibit/>

<preconditions>

<condition narrative="The specified file must exist."/>

</preconditions>

<postconditions>

<condition narrative="The file size will have been determined."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" stage="File Path"/>

</inputs>

<onsuccess>6543595a-59fb-4304-b9f3-1acf662a1237</onsuccess>

</stage>

<stage stageid="0c8b0631-90f5-4646-b0cf-8fab74f80999" name="File Path" type="Data">

<subsheetid>7ca00106-fe4e-46c0-bffc-0dda1561434f</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6543595a-59fb-4304-b9f3-1acf662a1237" name="Get Byte Count" type="Code">

<subsheetid>7ca00106-fe4e-46c0-bffc-0dda1561434f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" expr="[File Path]"/>

</inputs>

<outputs>

<output type="number" name="Bytes" stage="Bytes"/>

</outputs>

<onsuccess>d07f9435-79c9-4cd5-b803-1cde78f5262c</onsuccess>

<code>Try

Dim fi As New FileInfo(File_Path)

Bytes = fi.Length

Catch

Bytes = 0

End Try</code>

</stage>

<stage stageid="3eb7673c-2193-4d7f-ac06-85b1da9ce046" name="Bytes" type="Data">

<subsheetid>7ca00106-fe4e-46c0-bffc-0dda1561434f</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="36451c72-b274-4817-a153-beb1e8a6e76a" name="Start" type="Start">

<subsHEETid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9a8c4505-8606-4a0c-b118-09a6b9932b3b</onsuccess>

</stage>

<stage stageid="9a8c4505-8606-4a0c-b118-09a6b9932b3b" name="End" type="End">

<subsHEETid>9a74af4c-280a-4e30-bdbb-21295b6256ca</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="d1f13191-1583-4a03-865c-3f0758139ca3" name="Delete File" type="SubSheetInfo">

<subsHEETid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsHEETid>

<narrative>Deletes a single file from the file system.</narrative>

<displayx>-195</displayx>

```
<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="31d32d9a-4f5c-4793-afc7-d84f096922b9" name="Start" type="Start">

<subsheetid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative="The file to be deleted must exist."/>

</preconditions>

<postconditions>

<condition narrative="The named file will have been deleted."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="File Name" stage="File Name"/>

</inputs>

<onsuccess>b6262d8e-0c7b-459d-b177-37ae4d226ddf</onsuccess>

</stage>

<stage stageid="cd763cbc-81c0-42b1-9d9d-b2b7d325235d" name="File Name" type="Data">
```

<subsheetid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6262d8e-0c7b-459d-b177-37ae4d226ddf" name="Delete File" type="Code">

<subsheetid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" expr="[File Name]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>
<output type="text" name="Message" stage="Message"/>
</outputs>
<onsuccess>576295b9-757e-4588-948e-34aac5140c29</onsuccess>
<code>File.Delete(File_Name)</code>
</stage>
<stage stageid="a7bae4fd-01fc-4447-8cf4-fbfd04353f72" name="End" type="End">
<subsheetid>e9dd304c-7d26-40f5-b193-eef36f0a370c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>

<outputs>
<output type="flag" name="Success" stage="Success"/>
<output type="text" name="Message" stage="Message"/>
</outputs>
</stage>
<stage stageid="576295b9-757e-4588-948e-34aac5140c29" name="End" type="End">
<subsheetid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>

<display>75</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="cef63c98-a65d-4862-9d1d-ff02fbfc92f5" name="Get Folders" type="SubSheetInfo">

<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>

<narrative>Gets a collection of all subfolders in the specified file system folder.</narrative>

<displayx>-195</displayx>

<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="f90df4f3-71ee-4470-b90b-1e8a0513cad8" name="Start" type="Start">

<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>

<loginhibit/>

<preconditions>

<condition narrative="The named folder must exist."/>

</preconditions>

<postconditions>

<condition narrative="All sub-folders will be returned, if any exist."/>

</postconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-105</display>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Folder" stage="Folder"/>

</inputs>

<onsuccess>ff503eb2-2cb7-4dbb-90fe-2ab47a5e4a43</onsuccess>

</stage>

<stage stageid="ff503eb2-2cb7-4dbb-90fe-2ab47a5e4a43" name="Get Folders" type="Code">

<subsheetid>0bafee17-a81a-40f0-9b6b-80b78142dd87</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Folder" expr="[Folder]"/>

</inputs>

<outputs>

<output type="collection" name="Folders" stage="Folders"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>aa67216d-b83f-4c14-9f71-5ec6df626c08</onsuccess>
```


<code>

```
Dim objTable As DataTable
```

```
Dim objRow As DataRow
```

```
Dim aFolders As DirectoryInfo()
```

```
Dim oDirectory As New DirectoryInfo(Folder)
```

Try

'Create a data table to output as a collection

```
objTable = GetDataTable( _
```

```
"Path," _
```

```
&amp; "Name," _
```

```
&amp; "Created," _
```

```
&amp; "Last Accessed," _
```

```
&amp; "Last Written", _
```

```
"System.String," _
```

```
&amp; "System.String," _
```

```
&amp; "System.String," _
```

```
&amp; "System.DateTime," _
```

```
&amp; "System.DateTime")
```

```
aFolders = oDirectory.GetDirectories()
```

```
For each oFolder as DirectoryInfo in aFolders
```

```
objRow = objTable.NewRow()
```

```
objRow("Path") = oFolder.FullName
```

```
objRow("Name") = oFolder.Name
```

```
objRow("Created") = oFolder.CreationTime
```

```
objRow("Last Accessed") = oFolder.LastAccessTime
```

```
objRow("Last Written") = oFolder.LastWriteTime
```

```
objTable.Rows.Add(objRow)
```

```
Next
```

```
Folders = objTable
```

```
Success = True
```

```
Message = ""
```

```
Catch e As Exception
```

```
Success = False
```

```
Message = e.Message
```

```
End Try</code>
```

```
</stage>
```

```
<stage stageid="f72d7f92-f944-412b-8890-737f3be3b0a1" name="Folder" type="Data">
```

```
<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>
```

```
<narrative>
```

```
</narrative>
```

```
<displayx>-195</displayx>
```

```
<displayy>-15</displayy>
```

```
<displaywidth>150</displaywidth>
```

```
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
```

```
<initialvalue xml:space="preserve">C:\</initialvalue>
```

```
<private/>
```

```
<alwaysinit/>
```

```
</stage>

<stage stageid="1384f5ee-e382-4900-9900-e2e2eb7a9a78" name="Folders" type="Collection">

<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="aa67216d-b83f-4c14-9f71-5ec6df626c08" name="End" type="End">

<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>
```

```
<output type="collection" name="Folders" stage="Folders"/>

</outputs>

</stage>

<stage stageid="759f9ebb-96f6-432b-a21e-6673b71cac22" name="Success" type="Data">

<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5afbf383-4ea5-42f7-a298-d02bf6dc267a" name="Message" type="Data">

<subsheetsid>0bafef17-a81a-40f0-9b6b-80b78142dd87</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>165</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="076db864-0743-4339-b606-174f056c63f9" name="Move File" type="SubSheetInfo">

<subsheetsid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetsid>

<narrative>Moves the specified file to a new location.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="8c383fb0-b58b-44cd-8dec-c5934289e107" name="Start" type="Start">

<subsheetsid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetsid>

<loginhibit/>

<preconditions>

<condition narrative="The file to be moved must exist. There must be sufficient disk space to move the file.

</preconditions>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

```
<input type="text" name="File Path" stage="File Path"/>

<input type="text" name="Destination Path" stage="Destination Path"/>

</inputs>

<onsuccess>8cb5b945-a1c1-451f-b39e-fba3e2b5ab1b</onsuccess>

</stage>

<stage stageid="2c8abe9a-1466-4283-999a-c5c7838a0e27" name="End" type="End">

<subsheetid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="a980280c-98cd-41d0-8a54-734c9bfacc5c" name="Success" type="Data">

<subsheetid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>
```

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="779e3dfa-a01e-47f9-98c4-9ac10fcd5a11" name="Message" type="Data">

<subsheetsid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8cb5b945-a1c1-451f-b39e-fba3e2b5ab1b" name="Move" type="Code">

<subsheetsid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" expr="[File Path]"/>

<input type="text" name="Destination" expr="[Destination Path]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>2c8abe9a-1466-4283-999a-c5c7838a0e27</onsuccess>

<code>Try

Dim sSourceFolder As String = Mid(File_Path, 1, File_Path.LastIndexOf("\") + 1)

Dim sSourceFileName As String = Mid(File_Path, File_Path.LastIndexOf("\") + 2)

Dim sDestinationFolder As String

Dim sDestinationFile As String

If Directory.Exists(Destination) Then

sDestinationFolder = Destination

If Not sDestinationFolder.EndsWith("\") Then

sDestinationFolder & amp; amp;= "\"

End If

sDestinationFile = ""

Else

sDestinationFolder = ""

sDestinationFile = Destination

End If

Dim objDirectoryInfo As DirectoryInfo = New DirectoryInfo(sSourceFolder)

Dim aFiles As FileInfo() = objDirectoryInfo.GetFiles(sSourceFileName)

For Each oFile As FileInfo In aFiles

If sDestinationFolder = "" Then

oFile.MoveTo(sDestinationFile)

Else

oFile.MoveTo(sDestinationFolder & amp; oFile.Name)

End If

Next

Success = True

Message = ""

Catch e As Exception

Success = False

Message = e.Message

End Try</code>

</stage>

<stage stageid="ba83bbd5-0c51-49b0-ac63-de9e754aab48" name="File Path" type="Data">

<subsheetid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetid>

<narrative>

```
</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="57b074ac-98b9-40d1-a342-36dc0a514f77" name="Destination Path" type="Data">

<subsheetsid>85156833-c61c-4c78-916f-0b75a9a83e8d</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c83a23da-bc05-4aa4-8a8e-6c09524e2baf" name="Split Path" type="SubSheetInfo">

<subsheetsid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetsid>
```

<narrative>Splits a file path into its component parts - the filename and the folder path. The trailing backslash

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="6c655f85-fb96-448d-be05-5f6c833e1882" name="Start" type="Start">

<subsheetid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative="The specified path must correspond to a file which exists on disk."/>

</preconditions>

<postconditions>

<condition narrative="The path will have been separated."/>

</postconditions>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" stage="File Path"/>

</inputs>

<onsuccess>138061d1-d866-403d-af52-37ea509c7e78</onsuccess>

</stage>

<stage stageid="138061d1-d866-403d-af52-37ea509c7e78" name="Split Path" type="Code">

<subsheetid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Path" expr="[File Path]"/>

</inputs>

<outputs>

<output type="text" name="Folder" stage="Folder"/>

<output type="text" name="File Name" stage="File Name"/>

</outputs>

<onsuccess>0e35cb6c-257d-40a6-ba20-d661c3ad83fe</onsuccess>

<code>

Folder = Path.GetDirectoryName(File_Path)

File_Name = Path.GetFileName(File_Path)

</code>

</stage>

<stage stageid="69bae4e1-98fe-460c-807d-30657ae18ebf" name="File Name" type="Data">

<subsheetid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetid>

<narrative>

```
</narrative>

<displayx>-120</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="de3608a3-9cb7-41c3-ae88-da3dad92053e" name="Folder" type="Data">

<subsheetsid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetsid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e0497cae-7418-46ec-a442-ac21369c7a2f" name="File Path" type="Data">

<subsheetsid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetsid>
```

```
<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0e35cb6c-257d-40a6-ba20-d661c3ad83fe" name="End" type="End">

<subsheetsid>b3050915-ad2e-446e-a1d6-99d11506f55e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="File Name" stage="File Name"/>

<output type="text" name="Folder" stage="Folder"/>

</outputs>

</stage>
```

```
<stage stageid="3068b898-6d19-4469-8efd-f355853fda4e" name="Directory Exists" type="SubSheetInfo">

<subsheetid>20e6a636-d89b-4c08-b90d-8852894005a4</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="14e7b70b-4620-4b05-a9f8-5c31396209bd" name="Start" type="Start">

<subsheetid>20e6a636-d89b-4c08-b90d-8852894005a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Directory Name" stage="Directory Name"/>

</inputs>

<onsuccess>50ef1149-8307-4080-9028-d6bec6eafd78</onsuccess>

</stage>

<stage stageid="4f5a5ea1-9bcf-4b0d-b58b-fb6b18580e44" name="End" type="End">

<subsheetid>20e6a636-d89b-4c08-b90d-8852894005a4</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

</outputs>

</stage>

<stage stageid="50ef1149-8307-4080-9028-d6bec6eafd78" name="Directory Exists" type="Code">

<subsheetid>20e6a636-d89b-4c08-b90d-8852894005a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Directory Name" expr="[Directory Name]"/>

</inputs>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>
```


</outputs>

<onsuccess>4f5a5ea1-9bcf-4b0d-b58b-fb6b18580e44</onsuccess>

<code>Try

Exists = Directory.Exists(Directory_Name)

Catch e As Exception

Exists = False

End Try</code>

</stage>

<stage stageid="89cff60a-371d-476b-bc55-f0e56150ef45" name="Exists" type="Data">

<subsheetid>20e6a636-d89b-4c08-b90d-8852894005a4</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a9da119d-dbd9-4320-90e1-ca33fae50a91" name="Directory Name" type="Data">

<subsheetid>20e6a636-d89b-4c08-b90d-8852894005a4</subsheetid>

<narrative>

```
</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a1f89739-7f1c-4179-82ea-b123ecfc2854" name="Write Binary Data" type="SubSheetInfo">

<subsheetsid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="067fe5ce-ad15-436e-92fa-11e920e00501" name="Start" type="Start">

<subsheetsid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="binary" name="Binary Data" stage="Binary Data"/>

<input type="text" name="File Name" stage="FileName"/>

</inputs>

<onsuccess>48430903-e8af-4e4a-8544-8b04afc3478b</onsuccess>

</stage>

<stage stageid="83dc26e0-402d-403d-a18c-0d3ca147ba6d" name="Binary Data" type="Data">

<subsheetid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>binary</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="48430903-e8af-4e4a-8544-8b04afc3478b" name="Write Binary Data" type="Code">

<subsheetid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="binary" name="Binary Data" expr="[Binary Data]"/>

<input type="text" name="FileName" expr="[FileName]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>709d1a16-f19e-4504-ae79-4a48d1e058c7</onsuccess>

<code>Try

File.WriteAllBytes(FileName, Binary_Data)

Success = True

Message = ""

Catch e As Exception

Success = False

Message = e.Message

End Try</code>

</stage>

<stage stageid="709d1a16-f19e-4504-ae79-4a48d1e058c7" name="End" type="End">

<subsheetid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="43cbdbc2-6fdc-4080-b257-af95daad3fe4" name="Success" type="Data">

<subsheetsid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0aeb753-5358-4cf3-982a-a9f0a9870be7" name="Message" type="Data">

<subsheetid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5e035935-d499-4706-8ba0-78fdee0a782f" name="FileName" type="Data">

<subsheetid>842c79f8-aa64-4781-ad18-3982e21f0fd1</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c7604000-e2fb-4a03-b8b4-caac4c6b9f9b" name="Combine Path" type="SubSheetInfo">

<subsheetsid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="71908284-0a93-418a-9205-32dc4780032c" name="Start" type="Start">

<subsheetsid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetsid>

<loginhibit/>

<preconditions>

<condition narrative="The specified path must correspond to a file which exists on disk."/>

</preconditions>

<postconditions>

<condition narrative="The path will have been separated."/>

</postconditions>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Folder" stage="Folder"/>

<input type="text" name="File Name" stage="File Name"/>

</inputs>

<onsuccess>39d35633-fc08-4dd1-a13a-1bfc9a0a9bd1</onsuccess>

</stage>

<stage stageid="39d35633-fc08-4dd1-a13a-1bfc9a0a9bd1" name="Combine Path" type="Code">

<subsheetid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Folder" expr="[Folder]"/>

<input type="text" name="File Name" expr="[File Name]"/>

</inputs>

<outputs>

<output type="text" name="Path" stage="Path"/>

</outputs>

<onsuccess>b4d82bcb-e011-4728-a3ec-4c052dcebaaf</onsuccess>

<code>
```


Path = IO.Path.Combine(Folder, File_Name)

</code>

</stage>

<stage stageid="dca04a3f-b696-45b1-95c8-63dce520abe3" name="File Name" type="Data">

<subsheetsid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetsid>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e27e592f-8a2e-4df9-9453-1cdc8621051b" name="Folder" type="Data">

<subsheetsid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetsid>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b4d82bcb-e011-4728-a3ec-4c052dcebaaf" name="End" type="End">

<subsheetid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Path" stage="Path"/>

</outputs>

</stage>

<stage stageid="ef4fc19c-8897-431e-8688-11a52561113f" name="Path" type="Data">

<subsheetid>c80dea92-57e8-4e2e-8df4-f3ee6ceeb717</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

```
</private>
```

<alwaysinit/>

</stage>

```
<stage stageid="a664d6c1-8951-4309-95b7-b7ae2edced0d" name="Create Directory" type="SubSheetInfo"
```

<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>

<narrative>

</narrative>

$$-195$$
$$-105$$
$$150$$
$$90$$

</stage>

```
<stage stageid="82e63828-72ff-4705-8c88-89c3316aa73e" name="Start" type="Start">
```

<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>

<loginhibit/>

<narrative>

</narrative>

$$15$$
$$-105$$
$$60$$
$$30$$

<inputs>

```
<input type="flag" name="Error If Already Exists" stage="Error If Already Exists"/>

</inputs>

<onsuccess>98af3f34-4ec7-49c5-a6cc-1cf6192b0e05</onsuccess>

</stage>

<stage stageid="e061382f-4149-485b-9668-f2fc0ca334bd" name="End" type="End">

<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="800212c5-6bfb-4df9-b501-39f55906a7b2" name="Directory Path" type="Data">

<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="e00501ce-6aa6-4616-9bf2-3904d515656c" name="Error If Already Exists" type="Data">

<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="98af3f34-4ec7-49c5-a6cc-1cf6192b0e05" name="Create Directory" type="Code">

<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>
```

```

<input type="text" name="Directory Path" expr="[Directory Path]"/>
<input type="flag" name="ErrorIfAlreadyExists" expr="[Error If Already Exists]"/>
</inputs>
<outputs>
<output type="flag" name="Success" stage="Success"/>
<output type="text" name="Error Message" stage="Error Message"/>
</outputs>
<onsuccess>e061382f-4149-485b-9668-f2fc0ca334bd</onsuccess>
<code>Try
If Not Directory.Exists(Directory_Path) Then
Directory.CreateDirectory(Directory_Path)
Else
If ErrorIfAlreadyExists Then Throw New ApplicationException("Directory already exists")
End If

Success = True

Catch Ex as Exception

Success = False

Error_Message = Ex.ToString()

End Try</code>
</stage>
<stage stageid="3b33d39b-1c7c-4664-ab8b-859aa2e15836" name="Success" type="Data">
<subsheetid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>

```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9cbff7ae-931b-479f-b70f-7773ddda315c" name="Error Message" type="Data">

<subsheetsid>1ff30a41-e177-40c5-a756-a6b466004f32</subsheetsid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="20cbacd9-1e17-4fc0-85de-64615b1f3d18" name="Delete Directory" type="SubSheetInfo">

<subsheetsid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetsid>

<narrative>Deletes a directory and if Recursive is True will delete all subdirectories if present</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="df3458a7-2e7e-451c-b27a-efc3737c22a4" name="Start" type="Start">

<subsheetid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Directory Path" stage="Directory Path"/>

<input type="flag" name="Error If Not Exists" stage="Error If Not Exists"/>

<input type="flag" name="Recursive" stage="Recursive"/>

</inputs>

<onsuccess>ef40ac3e-3a06-4ca9-a3be-daae97b8c700</onsuccess>

</stage>

<stage stageid="09677c01-2e36-4330-ae33-defa66a1e7b1" name="End" type="End">

<subsheetid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>
```



```
<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Error Message"/>

</outputs>

</stage>

<stage stageid="3afa3efd-a788-4410-a16c-5e2ecfc599d8" name="Directory Path" type="Data">

<subsheetid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ef40ac3e-3a06-4ca9-a3be-daae97b8c700" name="Delete Directory" type="Code">

<subsheetid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>-45</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Directory Path" expr="[Directory Path]"/>

<input type="flag" name="Recursive" expr="[Recursive]"/>

<input type="flag" name="ErrorIfNotExists" expr="[Error If Not Exists]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Error Message" stage="Error Message"/>

</outputs>

<onsuccess>09677c01-2e36-4330-ae33-defa66a1e7b1</onsuccess>

<code>Try

If Directory.Exists(Directory_Path) Then

Dim SubDirectories As Boolean

SubDirectories = False

Dim SubdirectoryEntries As String()

SubdirectoryEntries = Directory.GetDirectories(Directory_Path)

If SubdirectoryEntries.Length > 0 Then SubDirectories = True

If SubDirectories And Not Recursive Then Throw New ApplicationException("Directory has sub directories

Directory.Delete(Directory_Path, Recursive)

Else

If ErrorIfNotExists Then Throw New ApplicationException("Directory does not exist")

End If

Success = True

Catch UAEx as UnauthorizedAccessException

Success = False

Error_Message = "The caller does not have the required permission to delete this directory or sub directory"

Catch ANEx as ArgumentNullException

Success = False

Error_Message = "Please check Directory Path parameter is not null"

Catch AEx as ArgumentException

Success = False

Error_Message = "Please check Directory Path parameter is a valid string"

Catch PTLEx as PathTooLongException

Success = False

Error_Message = "The specified path, file name, or both exceed the system-defined maximum length. For

Catch Ex as Exception

Success = False

Error_Message = Ex.ToString()

End Try</code>

</stage>

<stage stageid="1ea4ba58-4e52-4229-9f95-9f91c0fda672" name="Success" type="Data">

<subsheetsid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetsid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-45</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cd89d345-b43b-43b1-a112-d69cd7b07387" name="Error Message" type="Data">

<subsheetsid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetsid>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-30</displayy>

<displaywidth>180</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="498faab3-e919-4560-a284-8303f82f3c54" name="Recursive" type="Data">

<subsheetid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetid>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c7f09a8a-5e8c-4bd8-ae1c-03c88a61bc8b" name="Error If Not Exists" type="Data">

<subsheetid>d68f192f-eeb7-420e-b156-9636503b6082</subsheetid>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-135</displayy>
```

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1a001ca1-2f75-4d52-8668-8537da4738b3" name="Sub Directory Exists" type="SubSheet">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<narrative>Checks if a directory contains sub directories</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9d21f26b-5ccc-4f2f-b6f3-3443cb23a95f" name="Start" type="Start">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<inputs>

<input type="text" name="Directory Path" stage="Directory Path"/>

</inputs>

<onsuccess>9bd1eb97-f903-4b5b-bdb0-9aa7d84feead</onsuccess>

</stage>

<stage stageid="167ee595-8609-4b40-9cbb-70394613201b" name="End" type="End">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Error Message"/>

</outputs>

</stage>

<stage stageid="9bd1eb97-f903-4b5b-bdb0-9aa7d84feead" name="Get Sub Directories" type="Code">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>
```

```

<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Directory Path" expr="[Directory Path]"/>

</inputs>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Error Message" stage="Error Message"/>

</outputs>

<onsuccess>167ee595-8609-4b40-9cbb-70394613201b</onsuccess>

<code>Try

```

Exists = False

If Directory.Exists(Directory_Path) Then

Dim subdirectoryEntries As String()

subdirectoryEntries = Directory.GetDirectories(Directory_Path)

If subdirectoryEntries.Length > 0 Then Exists = True

Else

Throw New ApplicationException("Directory does not exist")

End If

Success = True

Catch Ex as Exception

Success = False

Error_Message = Ex.ToString()

End Try

</code>

</stage>

<stage stageid="50a0102e-8884-426d-b94f-ed07f6b9eb46" name="Exists" type="Data">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c52a3808-5f20-4498-a5a6-6e8bd391e41c" name="Directory Path" type="Data">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-105</displayy>

```
<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">C:\TEMP\Test Directory\A\c</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="227470b6-fe82-4351-a497-6094c99e4193" name="Success" type="Data">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="586142aa-051e-4ec9-8b60-fe063eb60b77" name="Error Message" type="Data">

<subsheetsid>0bad9bbd-7a9f-4791-b6a8-ff5a2c4c39b8</subsheetsid>

<narrative>

</narrative>

<displayx>450</displayx>
```

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="12caee97-e82e-461c-8b22-dabe4248d7a8" name="Get CSV Text As Collection" type="S

<subsheetsid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="939139f9-83c3-4076-85ca-1daa3e637601" name="Start" type="Start">

<subsheetsid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="CSV File Path" stage="CSV Location"/>

<input type="flag" name="First Line Is Header" stage="First Line Is Header"/>

</inputs>

<onsuccess>dd7efc8a-65d0-432e-a205-643037779b8d</onsuccess>

</stage>

<stage stageid="c85955cf-695f-4e82-acdb-72332a337fc7" name="End" type="End">

<subsheetid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="CSV Values" stage="CSV Values"/>

</outputs>

</stage>

<stage stageid="96016690-fb73-49d3-bcfc-56b25dd9d3db" name="CSV Location" type="Data">

<subsheetid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>
```

```
<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">C:\BluePrism\Medalytix\iGrading\Test_Suite\ImagesIndex.csv</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="dd7efc8a-65d0-432e-a205-643037779b8d" name="Parse CSV" type="Code">

<subsheetsid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="CSV Location" expr="[CSV Location]"/>

<input type="flag" name="First_Line_Is_Header" expr="[First Line Is Header]"/>

</inputs>

<outputs>

<output type="collection" name="Values" stage="CSV Values"/>

</outputs>

<onsuccess>c85955cf-695f-4e82-acdb-72332a337fc7</onsuccess>
```

```
<code>Dim HDRString As String = "No"
```

```
If First_Line_Is_Header Then HDRString = "Yes"
```

```
Dim Folder as String = nothing
```

```
Dim FileName As String = Nothing
```

```
Split_Path(CSV_Location, Folder, Filename)
```

```
Dim cn As New OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0; Data Source=" & Folder & "\")
```

```
Dim da As New OleDbDataAdapter()
```

```
Dim ds As New DataSet()
```

```
Dim cd As New OleDbCommand("SELECT * FROM [" & Folder & "\& Filename & ".csv]", cn)
```

```
cn.Open()
```

```
da.SelectCommand = cd
```

```
ds.Clear()
```

```
da.Fill(ds, "CSV")
```

```
Values = ds.Tables(0)
```

```
cn.Close()</code>
```

```
</stage>
```

```
<stage stageid="5fe33334-21a0-4751-931d-92622545fe5d" name="CSV Values" type="Collection">
```

```
<subsheetid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetid>
```

```
<narrative>
```

```
</narrative>
```

```
<displayx>210</displayx>
```

```
<displayy>15</displayy>
```

```
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1dc002ef-16ce-4e9b-9eed-1c4c8a375f11" name="First Line Is Header" type="Data">

<subsheetsid>f7fa43ec-67e2-4acb-8d13-ced3c5027761</subsheetsid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e1836bd9-a0bc-45e9-9f62-2835fb1f6144" name="Get Special Folder Path" type="SubSh

<subsheetsid>40c6e605-9948-429a-ac84-d2810bca75fc</subsheetsid>

<narrative>Gets the path of a special folder.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```


</stage>

<stage stageid="984cc49d-2710-42f2-85cc-b02b1af6ff97" name="Start" type="Start">

<subsheetid>40c6e605-9948-429a-ac84-d2810bca75fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Special Folder Name" narrative="The name of the special folder. Supported valu

</inputs>

<onsuccess>548052a7-4e77-4da0-a80e-07ce9d38ecba</onsuccess>

</stage>

<stage stageid="f77e4b56-0c20-4361-b1ac-7fbae4cebd0a" name="End" type="End">

<subsheetid>40c6e605-9948-429a-ac84-d2810bca75fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<outputs>

<output type="text" name="Folder Path" narrative="The corresponding path of the requested special folder

</outputs>

</stage>

<stage stageid="1eb8ae16-c4b3-4a26-9476-974fec0fb4c4" name="Special Folder Name" type="Data">

<subsheetid>40c6e605-9948-429a-ac84-d2810bca75fc</subsheetid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">InternetCache</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="548052a7-4e77-4da0-a80e-07ce9d38ecba" name="Get Folder Path" type="Code">

<subsheetid>40c6e605-9948-429a-ac84-d2810bca75fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>
```


<inputs>

<input type="text" name="Special Folder" expr="[Special Folder Name]"/>

</inputs>

<outputs>

<output type="text" name="Folder Path" stage="Folder Path"/>

</outputs>

<onsuccess>f77e4b56-0c20-4361-b1ac-7fbae4cebd0a</onsuccess>

<code>Dim EnumVal as System.Environment.SpecialFolder

Try

EnumVal = CType(System.Enum.Parse(GetType(System.Environment.SpecialFolder), Special_Folder), Sy

Catch Ex As Exception

Throw New ApplicationException("Value "" &amp; Special_Folder &amp; "" is not recognised as a

End Try

Folder_Path = System.Environment.GetFolderPath(EnumVal)</code>

</stage>

<stage stageid="394a43a7-79f9-4edb-887f-d051122fa5f0" name="Folder Path" type="Data">

<subsheetsid>40c6e605-9948-429a-ac84-d2810bca75fc</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

```
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e8cf60da-e5b7-4ae7-b636-888afeb9fe0b" name="Read Head of File" type="SubSheetInfo">

<subsheets>
<subsheetid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetid>

<narrative>Reads the beginning of the specified file - the required number of lines, or the required number of
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="44965a36-80dd-4209-8d83-bd415394edcf" name="End" type="End">

<subsheets>
<subsheetid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetid>

<loginhibit/>

<narrative>
</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Output Text" narrative="The output from the 'head' command" stage="Output Text">

</outputs>

</stage>
```

```
<stage stageid="88358900-c2bc-4e91-8f36-2eccc3a26eee" name="File Name" type="Data">

<subsheetsid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0b5f2294-b4df-4fb5-8aef-977f4b18c549" name="Head(File, Characters, Lines)" type="Co

<subsheetsid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="filename" expr="[File Name]"/>

<input type="number" name="charCount" expr="[Character Count]"/>
```

```
<input type="number" name="lineCount" expr="[Line Count]"/>
```

```
</inputs>
```

```
<outputs>
```

```
<output type="text" name="outputTxt" stage="Output Text"/>
```

```
</outputs>
```

```
<onsuccess>44965a36-80dd-4209-8d83-bd415394edcf</onsuccess>
```

```
<code>
```

```
Using sr As New StreamReader(filename)
```

```
If charCount > 0 AndAlso lineCount = 0 Then
```

```
Dim chars(charCount-1) as Char
```

```
Dim readCount as Integer = 0
```

```
While readCount < chars.Length AndAlso Not sr.EndOfStream
```

```
readCount += sr.ReadBlock(chars, readCount, chars.Length - readCount)
```

```
End While
```

```
outputTxt = New String(chars)
```

```
ElseIf lineCount > 0 AndAlso charCount = 0 Then
```

```
Dim sb as New StringBuilder()
```

```
For i as Integer = 0 To lineCount - 1
```

```
Dim line as String = sr.ReadLine()
```

```
' Null == EndOfStream
```

```
If line Is Nothing Then Exit For
```

```
sb.Append(line).Append(vbCrLf)
```

```
Next
```

```
outputTxt = sb.ToString()
```

```
Else
```

Throw New Exception(_

"Invalid char / line config : " & _

charCount & " chars and " & lineCount & " lines")

End If

End Using</code>

</stage>

<stage stageid="27058ce2-be72-465e-b230-7b6bbf4cc5d6" name="Start" type="Start">

<subsheetid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative=""/>

</preconditions>

<postconditions>

<condition narrative=""/>

</postconditions>

<narrative>Either 'Lines' or 'Characters' </narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="File Name" narrative="The file from which the head should be read" stage="File Name" />

<input type="number" name="Lines" narrative="The lines to read from the head of the file - Either this or 'Characters' />

<input type="number" name="Characters" narrative="The characters to read from the head of the file - Either this or 'Lines' />

</inputs>

<onsuccess>0b5f2294-b4df-4fb5-8aef-977f4b18c549</onsuccess>

```
</stage>

<stage stageid="4c36648c-585a-437e-b8bb-b20c713b65a6" name="Character Count" type="Data">

<subsheetsid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="895be754-298b-4a23-b117-13022d75707d" name="Line Count" type="Data">

<subsheetsid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetsid>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="cce7dc8d-7bf0-41ff-9770-9c8357a6153c" name="Output Text" type="Data">

<subsheetid>6bc71d89-ba5a-499e-8610-2a5912a72507</subsheetid>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-15</displayy>

<displaywidth>510</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d56e2e06-b5b2-4933-bccf-ea2d0d448a27" name="Success" type="Data">

<subsheetid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>
```



```
<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="84cded0a-ecd4-451c-9d5b-f8f0d6072b5e" name="Message" type="Data">

<subsheetid>70940cba-8680-4eb9-8066-9e383fc5b39b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Queue Utils" version="1.0" bpversion="6.7.0.16957" narrative="Utility functions for the qu

<appdef>

<element name="Application Root">

<id>4e5d151a-4c34-4bbf-9185-a64d649feebc</id>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>
```

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>53</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="3be3e386-6afc-4884-82f9-0e9b0ceae5ef" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>-84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="46eed926-0456-4d83-89b0-efbe3dc9a453" type="Normal" published="True">

<name>Wait 100ms</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="887127fd-e756-4079-847f-81e92084426b" type="Normal" published="True">

<name>Wait 5 Seconds</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb" type="Normal" published="True">

<name>Wait n seconds</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="68339725-266c-4c2e-a54e-e11aa473119a" type="Normal" published="True">

<name>Wait Rand(m,n) Seconds</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a913d1b2-037f-49ec-b3bd-fa0a3d0c112b" type="Normal" published="True">

<name>Create Queue</name>

<view>

<camerax>-4</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="67e059a8-19ee-4cb7-aa36-1fef0731377" type="Normal" published="True">

<name>Create (If Not Exists) Queue</name>

<view>

<camerax>28</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23" type="Normal" published="True">

<name>Export Queue</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ef914f05-dbd9-4984-b27d-acdbc410b332" type="Normal" published="True">

<name>Clear Queue</name>

<view>

<camerax>4</camerax>

<cameray>96</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="1f9a203f-b19f-4201-b62e-f9f2fc31e12a" type="Normal" published="True">

<name>Delete Queue</name>

<view>

<camerax>-160</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7bcccced6-d989-4b42-b7a0-0dce2604d4db" type="Normal" published="True">

<name>Destroy Queue</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ef99d5b8-ccf1-4256-aaf8-1db843dd0d26" type="Normal" published="True">

<name>Count Pending Items</name>

<view>

<camerax>218</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d" type="Normal" published="True">

<name>Get Random Number</name>

```
<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a8d462fe-7356-475e-82ed-57bf73d9fd30" type="Normal" published="True">

<name>Build Large Collection</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="479dd99f-2be5-4a3f-8b12-9309bf917494" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a4548d76-a21e-437f-b6a9-198469c7677e</onsuccess>

</stage>

<stage stageid="a4548d76-a21e-437f-b6a9-198469c7677e" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fea68f52-e716-4a63-9631-22b8fc83b2d9" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>
```


<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

<reference>Microsoft.VisualBasic.dll</reference>

<reference>System.Windows.Forms.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>Private rand as New Random()

Private Function GetExePath as String

' Get the executing directory name - works for console apps as well

' as the BP client app.

Dim dirPath As String = System.IO.Path.GetDirectoryName(_

System.Diagnostics.Process.GetCurrentProcess().MainModule.FileName)

Return System.IO.Path.Combine(dirPath, "AutomateC.exe")

End Function</code>

</stage>

<stage stageid="0507c1c8-ae04-4d35-bf80-d245f07be0fc" name="Clean Up" type="SubSheetInfo">

<subsheetsid>3be3e386-6afc-4884-82f9-0e9b0ceae5ef</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="8340a66b-3d99-496f-9ac4-192295658c4f" name="Start" type="Start">

<subsheetsid>3be3e386-6afc-4884-82f9-0e9b0ceae5ef</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>6e9859d4-32ca-427a-a23f-d28ad6efc334</onsuccess>

</stage>

<stage stageid="6e9859d4-32ca-427a-a23f-d28ad6efc334" name="End" type="End">

<subsheetsid>3be3e386-6afc-4884-82f9-0e9b0ceae5ef</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="38c953a5-9324-4d70-b178-ce82aa0e2f7a" name="Wait 5 Seconds" type="SubSheetInfo">

<subsheetsid>887127fd-e756-4079-847f-81e92084426b</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>


```
<stage stageid="5469a479-1057-42a8-b735-e7bfb6f8bd72" name="Start" type="Start">
<subsheetid>887127fd-e756-4079-847f-81e92084426b</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>52c54625-bb33-46d5-8765-e082ea15de4c</onsuccess>
</stage>
<stage stageid="3d82e2ab-45b2-4474-a3e3-a901efc1f27b" name="End" type="End">
<subsheetid>887127fd-e756-4079-847f-81e92084426b</subsheetid>
<loginhibit/>
<display x="15" y="15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6dec0360-fa4f-493b-9bf5-10e257f305ed" name="new" type="Note">
<subsheetid>3be3e386-6afc-4884-82f9-0e9b0ceae5ef</subsheetid>
<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<display x="-180" y="60" w="180" h="230"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="65eaf7b1-bad8-4b47-a2f1-674c91d72cf2" name="new" type="Note">
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business object is created.

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a business object is loaded.

```
<display x="-180" y="60" w="180" h="230"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
```

```
<stage stageid="2e244acb-7f02-4615-a14f-b95275633fae" name="Create Queue" type="SubSheetInfo">
```

```
<subsheets><subsheetid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetid>
```

```
<display x="-195" y="-105" w="180" h="60"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>
```

```
<stage stageid="4dbc96b1-e0c2-4346-8f53-af208b311fd5" name="Start" type="Start">
```

```
<subsheets><subsheetid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetid>
```

```
<loginhibit/>
```

```
<display x="15" y="-120"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
```

```
<input type="text" name="Queue Name" narrative="The name of the queue to be created" stage="Queue Name" value="Queue Name" />
```

```
<input type="text" name="Key Field" narrative="The key column to use in the collection which makes up a unique key" stage="Queue Name" value="Key Field" />
```

```
<input type="number" name="Max Attempts" narrative="The maximum number of retry attempts for the queue" stage="Queue Name" value="Max Attempts" />
```

```
</inputs>
```

```
<onsuccess>25e4947e-4927-4a06-978a-fa3a63ff1f93</onsuccess>
```

```
</stage>
```

```
<stage stageid="e05f4f91-f85a-4112-b7de-dc193f5b7432" name="End" type="End">
```

<subsHEETid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsHEETid>

<loginhibit/>

<display x="15" y="30"/>

</stage>

<stage stageid="0b6f8022-2382-476f-8e79-54e5ed64c434" name="Queue Name" type="Data">

<subsHEETid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsHEETid>

<display x="-270" y="-30" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Test Queue</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="25e4947e-4927-4a06-978a-fa3a63ff1f93" name="Create Queue" type="Code">

<subsHEETid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsHEETid>

<loginhibit/>

<display x="15" y="-60" w="90" h="30"/>

<inputs>

<input type="text" name="Queue Name" expr="[Queue Name]"/>

<input type="text" name="Key Field" expr="[Key Field]"/>

<input type="number" name="Max Attempts" expr="[Max Attempts]"/>

<input type="text" name="exe" expr="[AutomateC EXE]"/>

<input type="text" name="loginargs" expr="[Login Args]"/>

</inputs>

<outputs>

```
<output type="flag" name="Success" stage="Success"/>
```

```
<output type="text" name="Output" stage="Output"/>
```

```
</outputs>
```

```
<onsuccess>7ff0a605-0e95-4900-956d-a424c6b5c965</onsuccess>
```

```
<code>' It's /createqueue &lt;key> &lt;running> &lt;maxattempts> /queuename &lt;name> /&lt;lo
```

```
Dim args as String = String.Format( _
```

```
" /createqueue ""{0}"" {1} {2}" &amp; &amp; _
```

```
" /queuename ""{3}"" &amp; &amp; _
```

```
" /{4}", _
```

```
Key_Field,"True",Max_Attempts,Queue_Name,loginargs)
```

```
Dim proc as new Diagnostics.Process()
```

```
proc.EnableRaisingEvents = False
```

```
With proc.StartInfo
```

```
.FileName=exe
```

```
.Arguments = args
```

```
.UseShellExecute = False
```

```
.CreateNoWindow = True
```

```
.RedirectStandardOutput = True
```

```
End With
```

```
proc.Start()
```

```
proc.WaitForExit()
```

```
Success = (proc.ExitCode = 0)
```

```
Output = proc.StandardOutput.ReadToEnd()</code>
```

```
</stage>
```

<stage stageid="1c14f9dd-085a-44d7-9ecc-d188e85c3341" name="Success" type="Data">

<subsHEETid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsHEETid>

<display x="-135" y="15" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6574b63b-a37e-4aef-ad46-10fc3b0df6dd" name="Output" type="Data">

<subsHEETid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsHEETid>

<display x="-135" y="-30" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7ef984ac-8e1f-4152-98fc-7deac6aad708" name="Export Queue" type="SubSheetInfo">

<subsHEETid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsHEETid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="b47c99a8-6cb8-453d-b75f-f0fa9aef9c68" name="End" type="End">

<subsHEETid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsHEETid>

<loginhibit/>

<display x="15" y="90"/>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Report File" stage="Report File"/>

<output type="flag" name="Success" narrative="True if the queue was successfully exported; False otherwise"/>

<output type="text" name="Subprocess Output" narrative="The output from the forked subprocess which is the output of the subprocess"/>

</outputs>

</stage>

<stage stageid="b321252e-9493-460b-8bc7-e9230095902f" name="Start" type="Start">

<subsheetid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetid>

<loginhibit/>

<display x="15" y="-120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Queue Name" stage="Queue Name"/>

</inputs>

<onsuccess>505b37df-85a7-413c-abf7-3da71a12dd10</onsuccess>

</stage>

<stage stageid="0b7a7830-7665-4806-bd7d-6e7bcc895e87" name="Queue Name" type="Data">

<subsheetid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetid>

<display x="90" y="-120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Test Queue</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="505b37df-85a7-413c-abf7-3da71a12dd10" name="Export Queue" type="Code">
```

<subsheetid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetid>

<loginhibit/>

<display x="15" y="-30"/>

<inputs>

<input type="text" name="exe" expr="[AutomateC EXE]"/>

<input type="text" name="loginargs" expr="[Login Args]"/>

<input type="text" name="Queue Name" expr="[Queue Name]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Output" stage="Output"/>

<output type="text" name="Report File" stage="Report File"/>

</outputs>

<onsuccess>f583d9c2-b047-402e-9004-3f97eee4d8c8</onsuccess>

<code>

Report_File = Environment.GetFolderPath(_

Environment.SpecialFolder.Desktop) & "Report.csv"

Dim proc As New System.Diagnostics.Process()

proc.EnableRaisingEvents = False

With proc.StartInfo

.UseShellExecute = False

.CreateNoWindow = True

.RedirectStandardOutput = True

.FileName = exe

.Arguments = String.Format(_

```
" /exportqueue ""{0}"" & & _
```

```
" /queueName ""{1}"" & & _
```

```
" /{2}", _
```

```
report_file, Queue_Name, loginargs)
```

```
End With
```

```
proc.Start()
```

```
proc.WaitForExit()
```

```
Output = proc.StandardOutput.ReadToEnd
```

```
Success = (proc.ExitCode = 0)
```

```
</code>
```

```
</stage>
```

```
<stage stageid="686a3db3-aa86-435e-9c25-b6f61eb84714" name="Success" type="Data">
```

```
<subsheetsid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetsid>
```

```
<display x="90" y="-30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>flag</datatype>
```

```
<initialvalue/>
```

```
<private/>
```

```
<alwaysinit/>
```

```
</stage>
```

```
<stage stageid="24c17a91-ac68-4083-977f-11653b061d09" name="Output" type="Data">
```

```
<subsheetsid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetsid>
```

```
<display x="-60" y="-30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
```

```
<initialvalue/>
```


<private/>

<alwaysinit/>

</stage>

<stage stageid="5d543773-31ea-402c-8d40-d6fb1f573130" name="Report File" type="Data">

<subsheetsid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetsid>

<display x="90" y="90"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f583d9c2-b047-402e-9004-3f97eee4d8c8" name="Set Success" type="Calculation">

<subsheetsid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetsid>

<loginhibit/>

<display x="15" y="30"/>

<onsuccess>b47c99a8-6cb8-453d-b75f-f0fa9aef9c68</onsuccess>

<calculation expression="[Success] and InStr([Output], "Report written") > 0"

</stage>

<stage stageid="1a496096-82e1-4355-91a7-df8761097a67" name="Get Random Number" type="SubSheets">

<subsheetsid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetsid>

<narrative>Gets a random integer within a specified number range.</narrative>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="35948ee2-8a14-4dcf-8a59-f3f667f72c77" name="Start" type="Start">

```
<subsheetid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetid>

<loginhibit/>

<display x="-45" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Min Value" narrative="The inclusive lower bound of the random number return" />

<input type="number" name="Max Value" narrative="The exclusive upper bound of the random number return" />

</inputs>

<onsuccess>64ee23ae-8f1a-42ed-94e9-abba24c8ec57</onsuccess>

</stage>

<stage stageid="aaa6b843-981a-4592-8ce0-d932ebc45a35" name="End" type="End">

<subsheetid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetid>

<loginhibit/>

<display x="-45" y="0"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="Output" stage="Output"/>

</outputs>

</stage>

<stage stageid="0be6a904-7cf0-4af5-8e82-fccbb87f0850" name="Max Value" type="Data">

<subsheetid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetid>

<display x="30" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="72924064-4b02-4f59-b40e-3c24f6555c16" name="Min Value" type="Data">

<subsheetid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetid>

<display x="90" y="-135"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="64ee23ae-8f1a-42ed-94e9-abba24c8ec57" name="Get Random" type="Code">

<subsheetid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetid>

<loginhibit/>

<display x="-45" y="-75" w="90" h="30"/>

<inputs>

<input type="number" name="Min" expr="[Min Value]"/>

<input type="number" name="Max" expr="[Max Value]"/>

</inputs>

<outputs>

<output type="number" name="Output" stage="Output"/>

</outputs>

<onsuccess>aaa6b843-981a-4592-8ce0-d932ebc45a35</onsuccess>

<code>

output = rand.Next(min, max)</code>

</stage>

<stage stageid="337a6b7c-aaae-480e-bc51-43cf7f2d39f4" name="Output" type="Data">

<subsheetid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</subsheetid>

<display x="60" y="-75"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a6672060-83f2-4658-8c70-f1359ad920ed" name="Key Field" type="Data">

<subsheetid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetid>

<display x="-270" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5b840d8c-d2a3-4dc3-9a68-3a9cce5a6afc" name="Wait 100ms" type="SubSheetInfo">

<subsheetid>46eed926-0456-4d83-89b0-efbe3dc9a453</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="5eda05d2-69e4-4930-b04d-70bb1e96995c" name="Build Large Collection" type="SubSheet">

<subsheetid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetid>

<narrative>Builds a large collection with a "Key" text field and a "Value" numeric field.

The "Key" field has the value: "No. <index>"

The "Value" field contains the index.</narrative>

```
<display x="-225" y="-120" w="300" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8b394534-4b78-4503-a38c-e0083bb888aa" name="Start" type="Start">

<subsheetid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetid>

<loginhibit/>

<display x="15" y="-150"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Start Index" narrative="The index that the collection should be built from" sta

<input type="number" name="End Index" narrative="The last index that should be added to the collection"

</inputs>

<onsuccess>69ae7703-adf4-418d-b60f-e2973c60e5e7</onsuccess>

</stage>

<stage stageid="88fad80f-b174-4810-bb62-56e4b89852d9" name="End" type="End">

<subsheetid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetid>

<loginhibit/>

<display x="15" y="-30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Output" narrative="The collection which has been built" stage="Output"/>

</outputs>

</stage>

<stage stageid="7c58a8a0-2693-45a7-89a3-89188433e7b1" name="Start Index" type="Data">

<subsheetid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetid>

<display x="-330" y="-45" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d8b7d8fb-bec9-483d-a4e4-15369a241ab1" name="End Index" type="Data">

<subsheetsid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetsid>

<display x="-120" y="-15" w="90" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="69ae7703-adf4-418d-b60f-e2973c60e5e7" name="Build Collection" type="Code">

<subsheetsid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetsid>

<loginhibit/>

<display x="15" y="-90" w="150" h="30"/>

<inputs>

<input type="number" name="Start" expr="[Start Index]"/>

<input type="number" name="End" expr="[End Index]"/>

</inputs>

<outputs>

<output type="collection" name="Output" stage="Output"/>

</outputs>

<onsuccess>88fad80f-b174-4810-bb62-56e4b89852d9</onsuccess>

<code>

' Set up the collection

Output = New DataTable("BigCollection")

Dim colKey As New DataColumn("Key")

colKey.DataType = Type.GetType("System.String")

Output.Columns.Add(colKey)

Dim colVal As New DataColumn("Value")

colVal.DataType = Type.GetType("System.Decimal")

Output.Columns.Add(colVal)

For i as Integer = Start To [End]

Dim row As DataRow = Output.NewRow()

row("Key") = "No. " & i

row("Value") = i

Output.Rows.Add(row)

Next i</code>

</stage>

<stage stageid="aaf07768-ecdf-409c-8e68-8536910fbf3f" name="Output" type="Collection">

<subsheetid>a8d462fe-7356-475e-82ed-57bf73d9fd30</subsheetid>

<display x="-225" y="-30" w="150" h="60"/>

<datatype>collection</datatype>

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="ef7cac51-be07-4e79-89e8-a7a27a79c01c" name="Max Attempts" type="Data">

<subsheetsid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetsid>

<display x="-270" y="60" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>5</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ce737e5e-63e5-4774-b942-18991a9540c4" name="Clear Queue" type="SubSheetInfo">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<narrative>Clears any pending items in the queue by marking them with an exception (and not retrying) and

<display x="-210" y="-120" w="180" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c1ce749b-419d-4e11-a4ac-c3a2b8fd4ab5" name="Start" type="Start">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="15" y="-180"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue whose items should all be cleared" />

<input type="text" name="Exception Message" narrative="The message which should be used as the exception message" />

<input type="flag" name="Delete Items" narrative="True to delete the items after they have been marked with an exception" />
```



```
</inputs>

<onsuccess>d5163764-2979-4fcd-8277-54525ffd94d0</onsuccess>

</stage>

<stage stageid="1e3013e1-3e4e-4b22-bad2-3deb15112553" name="End" type="End">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="15" y="450"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="27669443-3163-426e-aa81-2e376f5f7ea0" name="Get Next" type="Action">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<narrative>This action gets the next item to be worked from the queue, returning its details and locking it so

Items with higher priorities (lower numerical value) are processed first. Where the priority is the same, the n

The Item ID returned is used to make further calls to update the work status for that item. It may be empty,

<display x="195" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue" expr="[Queue Name]"/>

<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key

<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. This can consist of any r

</inputs>

<outputs>

<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa

<output type="collection" name="Data" narrative="The data associated with the item - a single collection ro
```

```
<output type="text" name="Status" narrative="The status of the item." stage=""/>

<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite

</outputs>

<onsuccess>b8584224-f405-42b6-b6e2-2ff2ee4aa57d</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>

</stage>

<stage stageid="299fc428-c584-4155-9e7b-ce0546dadf33" name="Queue Name" type="Data">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<display x="-270" y="-45" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6a38bad8-d01a-4897-a9cf-52e2f38256a1" name="Exception Message" type="Data">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<display x="-285" y="0" w="210" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Marked as a result of clearing the queue</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="dad288fe-70d6-46a5-9c99-abc2552d6cf4" name="Item ID" type="Data">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<display x="300" y="135"/>
```


<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b8584224-f405-42b6-b6e2-2ff2ee4aa57d" name="Has Next?" type="Decision">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="195" y="180"/>

<decision expression="[Item ID] <> """/>

<ontrue>94d79b83-b3e1-4cba-87dd-0db45d0ff90e</ontrue>

<onfalse>3fa895c0-9c1f-425b-af6c-1c66105c8120</onfalse>

</stage>

<stage stageid="94d79b83-b3e1-4cba-87dd-0db45d0ff90e" name="EXCEPTIONATE EXCEPTIONATE" ty

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<narrative>Marks the item as an exception, optionally retrying it by cloning the item and returning the ID of

<display x="195" y="225" w="90" h="30"/>

<inputs>

<input type="text" name="Item ID" narrative="The ID of the item to mark" expr="[Item ID]"/>

<input type="text" name="Exception Reason" narrative="A description of the reason for the exception" exp

<input type="flag" name="Retry" narrative="Whether or not to retry the item, up to the maximum number of

<input type="flag" name="Keep Locked" narrative="Whether or not the clone of the item should remain lock

</inputs>

```
<outputs>

<output type="text" name="New Item ID" narrative="The Item ID of the newly cloned item. This item will be

</outputs>

<onsuccess>31b5d556-19bb-4d89-92a6-005de40694c0</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Mark Exception"/>

</stage>

<stage stageid="31b5d556-19bb-4d89-92a6-005de40694c0" name="anchor1" type="Anchor">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="120" y="225" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c793c113-a440-4fcb-94d8-4ae788a5bb2b</onsuccess>

</stage>

<stage stageid="c793c113-a440-4fcb-94d8-4ae788a5bb2b" name="anchor2" type="Anchor">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="120" y="135" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>27669443-3163-426e-aa81-2e376f5f7ea0</onsuccess>

</stage>

<stage stageid="c0255747-2605-4f50-8442-005852435f0a" name="Delete Queue" type="SubSheetInfo">

<subsheetsid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetsid>

<narrative>Deletes the named queue using automatec</narrative>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="30faed33-3a46-43c7-951a-deb58f0d1071" name="Start" type="Start">
```


</outputs>

<onsuccess>3093262f-5f47-4ebd-bae7-7febfc53e08e</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Locked Items"/>

</stage>

<stage stageid="c5aef69d-8ac1-4adf-a22e-de9ea3ce76c9" name="Locked Items" type="Collection">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<display x="-270" y="60" w="150" h="30"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Item ID" type="text"/>

<field name="Locked" type="datetime"/>

</collectioninfo>

</stage>

<stage stageid="3093262f-5f47-4ebd-bae7-7febfc53e08e" name="For Each Locked Item" type="LoopStart">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="15" y="-90" w="120" h="30"/>

<onsuccess>8b535f3a-4e3a-4c24-9c59-e87e223f27bd</onsuccess>

<groupid>f4318c87-5d82-4d7d-bd1d-ad551e38bcee</groupid>

<looptype>ForEach</looptype>

<loopdata>Locked Items</loopdata>

</stage>

<stage stageid="f4cf5fbb-dcd1-46d4-84f3-0f4c9657b7d5" name="Next Locked Item" type="LoopEnd">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="15" y="90" w="120" h="30"/>

<onsuccess>0d06c5f0-6636-4da7-88eb-ad1bfb832b4d</onsuccess>

<groupid>f4318c87-5d82-4d7d-bd1d-ad551e38bcee</groupid>

</stage>

<stage stageid="8b535f3a-4e3a-4c24-9c59-e87e223f27bd" name="Unlock it" type="Action">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<narrative>Unlocks a currently locked work queue item</narrative>

<display x="15" y="-45" w="90" h="30"/>

<inputs>

<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex

</inputs>

<outputs>

<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action o

</outputs>

<onsuccess>4580369e-8210-4f84-809c-2721e83a368f</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>

</stage>

<stage stageid="7f5edc94-330f-4537-82e6-adfc871fb2da" name="Queue Name" type="Data">

<subsheetid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetid>

<display x="-270" y="-15" w="120" h="30"/>

<datatype>text</datatype>

```

<initialvalue xml:space="preserve">Test Queue</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c8fc8bda-286b-4185-9390-7b9de68f20b7" name="Delete Queue" type="Code">

<subsheetid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetid>

<loginhibit/>

<display x="15" y="-90" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="exe" expr="[AutomateC EXE]"/>

<input type="text" name="loginargs" expr="[Login Args]"/>

<input type="text" name="name" expr="[Queue Name]"/>

</inputs>

<outputs>

<output type="flag" name="success" stage="Success"/>

<output type="text" name="output" stage="Output"/>

</outputs>

<onsuccess>4997b1a2-752b-4022-b76c-a621970db9cb</onsuccess>

<code>

Dim args as String = _

" /deletequeue " & & & _

" /queueName "" & & & name & & "" " & & _

"/" & & loginargs

Dim proc as new System.Diagnostics.Process()

proc.EnableRaisingEvents = False

```


With proc.StartInfo

.FileName=exe

.Arguments = args

.UseShellExecute = False

.CreateNoWindow = True

.RedirectStandardOutput = True

End With

proc.Start()

proc.WaitForExit()

Success = (proc.ExitCode = 0)

Output = proc.StandardOutput.ReadToEnd</code>

</stage>

<stage stageid="fb54e702-7a3b-4124-8fc8-4f617c0f79e6" name="Success" type="Data">

<subsheetid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetid>

<display x="-135" y="30" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="700e23f4-7f84-4015-a93e-ab4e29e0277f" name="Output" type="Data">

<subsheetid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetid>

<display x="-135" y="-15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a4ccc796-31e2-4fc8-860e-76ebad4af610" name="Login Args" type="Data">

<subsheetsid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetsid>

<loginhibit/>

<display x="-270" y="30" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">user admin admin</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="29fdc98a-79b6-4753-bf47-ffd05087e608" name="AutomateC EXE" type="Data">

<subsheetsid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetsid>

<loginhibit/>

<display x="-270" y="75" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">c:\BluePrism\automate\BluePrism.Automate\bin\AutomateC.exe</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d3a1ed67-1d15-4699-9c2f-c9afb6d1c7f9" name="Login Args" type="Data">

<subsheetid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetid>

<loginhibit/>

<display x="-210" y="120" w="270" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">user admin admin</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="af1cded7-be96-471c-9bad-1b5c26be5f45" name="AutomateC EXE" type="Data">

<subsheetid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetid>

<loginhibit/>

<display x="-210" y="150" w="270" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">c:\BluePrism\automate\BluePrism.Automate\bin\AutomateC.exe</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4997b1a2-752b-4022-b76c-a621970db9cb" name="Success?" type="Decision">

<subsheetid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetid>

<loginhibit/>

<display x="15" y="-45"/>

<decision expression="[Success]"/>

```
<ontrue>4f441641-6336-4652-9b29-0addb8984f83</ontrue>

<onfalse>5a7b8e1d-5041-413d-97b7-237180310e37</onfalse>

</stage>

<stage stageid="0cefc141-b902-4811-bb5d-88bd50ce2746" name="FAIL" type="Exception">

<subsheetsid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetsid>

<display x="120" y="0" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="AutomateC Error" detail="[Output]"/>

</stage>

<stage stageid="7ff0a605-0e95-4900-956d-a424c6b5c965" name="Success?" type="Decision">

<subsheetsid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetsid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>e05f4f91-f85a-4112-b7de-dc193f5b7432</ontrue>

<onfalse>550e8587-b029-4c32-959a-59acaa8bcc8a</onfalse>

</stage>

<stage stageid="550e8587-b029-4c32-959a-59acaa8bcc8a" name="FAIL" type="Exception">

<subsheetsid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</subsheetsid>

<display x="135" y="-15" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="AutomateC Error" detail="&quot;Error: &quot; &amp;amp; [Output]"/>

</stage>

<stage stageid="f3281a99-638b-4db5-b786-361151f28256" name="Wait n seconds" type="SubSheetInfo">

<subsheetsid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</subsheetsid>

<display x="-165" y="-75" w="150" h="90"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2e80ff66-c695-4c01-853c-1e9d7d33af60" name="Start" type="Start">

<subsheetid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Seconds" narrative="The number of seconds to wait (can be fractional)" stag

</inputs>

<onsuccess>42f6c562-3d9b-405f-912f-06db43a66557</onsuccess>

</stage>

<stage stageid="18fa51cc-2cc6-4a4e-a519-b802fe166adf" name="End" type="End">

<subsheetid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</subsheetid>

<loginhibit/>

<display x="15" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7fae0e6a-7917-4998-881f-5295eb767ac9" name="Seconds" type="Data">

<subsheetid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</subsheetid>

<display x="-165" y="0" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

<stage stageid="9de2b8eb-fd10-49ad-bfb5-5546e255552d" name="o" type="WaitEnd">

<subsHEETid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</subsHEETid>

<loginhibit/>

<display x="60" y="-45" w="30" h="30"/>

<onsuccess>18fa51cc-2cc6-4a4e-a519-b802fe166adf</onsuccess>

<groupid>d9753fdb-e674-4596-bbda-b17f18187753</groupid>

</stage>

<stage stageid="42f6c562-3d9b-405f-912f-06db43a66557" name="Wait n seconds" type="WaitStart">

<subsHEETid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</subsHEETid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>d9753fdb-e674-4596-bbda-b17f18187753</groupid>

<choices/>

<timeout>[Seconds]</timeout>

</stage>

<stage stageid="52c54625-bb33-46d5-8765-e082ea15de4c" name="Wait n seconds (5)" type="SubSheet">

<subsHEETid>887127fd-e756-4079-847f-81e92084426b</subsHEETid>

<loginhibit/>

<display x="15" y="-45" w="90" h="60"/>

<inputs>

<input type="number" name="Seconds" narrative="The number of seconds to wait (can be fractional)" exp

</inputs>

<onsuccess>3d82e2ab-45b2-4474-a3e3-a901efc1f27b</onsuccess>

<processid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</processid>

```
</stage>

<stage stageid="8c8e4b9f-54b8-4686-8279-fc3b991bb732" name="Start" type="Start">

<subsheetid>46eed926-0456-4d83-89b0-efbe3dc9a453</subsheetid>

<loginhibit/>

<display x="-45" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>73676521-f482-491b-8aad-6b98a9be5065</onsuccess>

</stage>

<stage stageid="66a0c685-e727-4467-bcbc-667a70bb0296" name="End" type="End">

<subsheetid>46eed926-0456-4d83-89b0-efbe3dc9a453</subsheetid>

<loginhibit/>

<display x="-45" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="73676521-f482-491b-8aad-6b98a9be5065" name="Wait n seconds (0.1)" type="SubSheet">

<subsheetid>46eed926-0456-4d83-89b0-efbe3dc9a453</subsheetid>

<loginhibit/>

<display x="-45" y="-75" w="90" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Seconds" narrative="The number of seconds to wait (can be fractional)" expression="0.1" value="0.1"/>

</inputs>

<onsuccess>66a0c685-e727-4467-bcbc-667a70bb0296</onsuccess>

<processid>f3b7ce0a-1833-42ab-96f9-cdb8a82c67cb</processid>

</stage>

<stage stageid="47e0755e-a2cf-4475-8c2e-cf21888fd5e6" name="Wait Rand(m,n) Seconds" type="SubSheet">

<subsheetid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetid>
```

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="d5882506-0ce5-4428-af76-529a9459495c" name="End" type="End">

<subsheetid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetid>

<loginhibit/>

<display x="45" y="75"/>

</stage>

<stage stageid="72de040d-df8e-4b47-a47f-333361c08958" name="Get Random Number" type="SubSheet">

<subsheetid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetid>

<loginhibit/>

<display x="45" y="-75" w="90" h="60"/>

<inputs>

<input type="number" name="Min Value" expr="[min]"/>

<input type="number" name="Max Value" expr="[max]"/>

</inputs>

<outputs>

<output type="number" name="Output" stage="period"/>

</outputs>

<onsuccess>88070215-2d4e-4be9-a098-7abf50d0c05d</onsuccess>

<processid>b385d3d1-3c2c-4c1d-8d28-4b1fb4ebd69d</processid>

</stage>

<stage stageid="94710634-9c4f-44a7-90c0-acc0a7c92759" name="period" type="Data">

<subsheetid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetid>

<display x="-210" y="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f465a62c-dc6a-4cd6-b66e-899ba93fd552" name="Start" type="Start">

<subsheetsid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetsid>

<display x="45" y="-135"/>

<inputs>

<input type="number" name="Min Seconds" narrative="The minimum number of seconds to wait" stage="n

<input type="number" name="Max Seconds" narrative="The maximum number of seconds to wait" stage="

</inputs>

<onsuccess>72de040d-df8e-4b47-a47f-333361c08958</onsuccess>

</stage>

<stage stageid="bc853ad5-d630-4164-a67f-72b8fbe5778f" name="min" type="Data">

<subsheetsid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetsid>

<display x="-180" y="-30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4df289fd-5fda-4cc6-9601-3ab9fb42349d" name="max" type="Data">

<subsheetsid>68339725-266c-4c2e-a54e-e11aa473119a</subsheetsid>

0

<div style="font-family: Tahoma; font-size: 10pt; color: black;">

<input type="text" value="0" />

</div>

<div style="border: 1px solid black; padding: 5px;">

<div style="border: 1px solid black; padding: 5px;">

</div>

<div style="border: 1px solid black; padding: 5px;">

</div>

<div style="border: 1px solid black; padding: 5px;">

<div style="border: 1px solid black; padding: 5px;">

<div style="font-family: Tahoma; font-size: 10pt; color: black;">

<div style="border: 1px solid black; padding: 5px;">

<div style="border: 1px solid black; padding: 5px;">

</div>

</div>

</div>

</div>

<div style="border: 1px solid black; padding: 5px;">

</div>

<div style="border: 1px solid black; padding: 5px;">

<div style="font-family: Tahoma; font-size: 10pt; color: black;">

<input type="checkbox" />

</div>

<div style="border: 1px solid black; padding: 5px;">

<div style="border: 1px solid black; padding: 5px;">

</div>

```
<stage stageid="e472e983-4ec9-4bb3-adcf-49e9a6717715" name="Delete Items?" type="Decision">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="15" y="360"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Delete Items]"/>

<ontrue>ea523601-71ae-4e9e-9238-7866d434a71f</ontrue>

<onfalse>97bdef6e-2804-4cd5-9e0c-6cde1f6e0440</onfalse>

</stage>

<stage stageid="ea523601-71ae-4e9e-9238-7866d434a71f" name="Delete Worked Items" type="Action">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="15" y="405" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue to delete items from" expr="[Q

<input type="datetime" name="Date Threshold" narrative="The threshold date. Items completed or marked

</inputs>

<outputs>

<output type="number" name="Deletion Count" narrative="Indicates the number of items which were delete

</outputs>

<onsuccess>1e3013e1-3e4e-4b22-bad2-3deb15112553</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Delete Processed Items"/>

</stage>

<stage stageid="2b51c950-fe70-4ff9-ade0-9ee8909ee9cc" name="anchor1" type="Anchor">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>
```

<display x="-75" y="450" w="10" h="10"/>

<onsuccess>1e3013e1-3e4e-4b22-bad2-3deb15112553</onsuccess>

</stage>

<stage stageid="97bdef6e-2804-4cd5-9e0c-6cde1f6e0440" name="anchor1" type="Anchor">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="-75" y="360" w="10" h="10"/>

<onsuccess>2b51c950-fe70-4ff9-ade0-9ee8909ee9cc</onsuccess>

</stage>

<stage stageid="95cf714b-2dbb-4fea-a37f-57e818586c34" name="Destroy Queue" type="SubSheetInfo">

<subsheetid>7bccced6-d989-4b42-b7a0-0dce2604d4db</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="1550141e-d083-4a76-a450-17204d545a6d" name="End" type="End">

<subsheetid>7bccced6-d989-4b42-b7a0-0dce2604d4db</subsheetid>

<loginhibit/>

<display x="-15" y="0"/>

</stage>

<stage stageid="96f09dc0-183d-4111-827e-f860e309aae0" name="Start" type="Start">

<subsheetid>7bccced6-d989-4b42-b7a0-0dce2604d4db</subsheetid>

<loginhibit/>

<display x="-15" y="-135"/>


```
<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue to delete" stage="Queue Name" />

</inputs>

<onsuccess>16ca392b-f2ba-40f7-a6be-14328eb98d30</onsuccess>

</stage>

<stage stageid="16ca392b-f2ba-40f7-a6be-14328eb98d30" name="Clear Queue" type="SubSheet">

<subsheets>7bccccd6-d989-4b42-b7a0-0dce2604d4db</subsheets>

<loginhibit/>

<display x="-15" y="-90" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue whose items should all be cleared" />

<input type="text" name="Exception Message" narrative="The message which should be used as the exception message" />

<input type="flag" name="Delete Items" narrative="True to delete the items after they have been marked with exception" />

</inputs>

<onsuccess>92ea1b2e-e36e-4f14-8046-bfb4f4bcfb7d</onsuccess>

<processid>ef914f05-dbd9-4984-b27d-acdbc410b332</processid>

</stage>

<stage stageid="acedd19e-0082-41b6-8676-78ce24fae9a4" name="Queue Name" type="Data">

<subsheets>7bccccd6-d989-4b42-b7a0-0dce2604d4db</subsheets>

<display x="-195" y="-30" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

```
<stage stageid="92ea1b2e-e36e-4f14-8046-bfb4f4bcfb7d" name="Delete Queue" type="SubSheet">
<subsheetsid>7bcccced6-d989-4b42-b7a0-0dce2604d4db</subsheetsid>
<loginhibit/>
<display x="-15" y="-45" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to delete" expr="[Queue Name"
</inputs>
<onsuccess>1550141e-d083-4a76-a450-17204d545a6d</onsuccess>
<processid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</processid>
</stage>
```

```
<stage stageid="5f43380e-1e09-4cd4-908e-2e0276034116" name="Login Args" type="Data">
<subsheetsid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetsid>
<loginhibit/>
<display x="-210" y="-15" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">user admin admin</initialvalue>
<exposure>Environment</exposure>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="f6e89c7d-4fef-40fe-95be-9477ba18dcf8" name="AutomateC EXE" type="Data">
<subsheetsid>e5e8f1d0-d6f9-4ab9-ab66-ba4f05ea2c23</subsheetsid>
<loginhibit/>
<display x="-210" y="30" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<datatype>text</datatype>

<initialvalue xml:space="preserve">c:\BluePrism\automate\BluePrism.Automate\bin\AutomateC.exe</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3a6a526b-d392-4b74-8422-ded7a760d3f9" name="Delete it" type="Action">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<narrative>Delete the given item from a queue. Note that there is no locking involved in this, i.e. you should

<display x="15" y="45" w="90" h="30"/>

<inputs>

<input type="text" name="Item ID" narrative="The ID of the item to delete. An error will be raised if this item

</inputs>

<onsuccess>f4cf5fbb-dcd1-46d4-84f3-0f4c9657b7d5</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Delete Item"/>

</stage>

<stage stageid="4563f76a-b0af-4b0d-b711-7dc5dad82b26" name="Get Pending Items" type="Action">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<narrative>Retrieves the IDs for all currently pending work queue items in the specified queue, matching th

<display x="15" y="180" w="120" h="30"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue for which the pending items are

<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key

```
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. This can consist of any r
<input type="number" name="Maximum" narrative="Optionally, the maximum number of items to return. De
<input type="number" name="Skip" narrative="Optionally, the number of items to skip before returning. De
</inputs>

<outputs>

<output type="collection" name="Pending Items" narrative="The currently pending items in the queue, refe
</outputs>

<onsuccess>2d509e01-230d-4999-8555-4fd79935d148</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Pending Items"/>

</stage>

<stage stageid="384ea67c-c7d4-4b7a-97cb-bc0bded63868" name="Pending Items" type="Collection">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<display x="-270" y="90" w="150" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Item ID" type="text" description="The Item ID of the work queue item"/>

</collectioninfo>

</stage>

<stage stageid="2d509e01-230d-4999-8555-4fd79935d148" name="For Each Pending Item" type="LoopS

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="15" y="225" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>50857d91-7ca4-4de3-8415-443fd49f0366</onsuccess>
```



```
<groupid>b9b46f64-563a-4460-be38-65d21207f3c8</groupid>

<looptype>ForEach</looptype>

<loopdata>Pending Items</loopdata>

</stage>

<stage stageid="8378417a-d6eb-402b-b8d2-3cb3456d8665" name="Next Pending Item" type="LoopEnd">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="15" y="315" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e472e983-4ec9-4bb3-adcf-49e9a6717715</onsuccess>

<groupid>b9b46f64-563a-4460-be38-65d21207f3c8</groupid>

</stage>

<stage stageid="50857d91-7ca4-4de3-8415-443fd49f0366" name="Delete it" type="Action">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<narrative>Delete the given item from a queue. Note that there is no locking involved in this, i.e. you should

<display x="15" y="270" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item ID" narrative="The ID of the item to delete. An error will be raised if this item

</inputs>

<onsuccess>8378417a-d6eb-402b-b8d2-3cb3456d8665</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Delete Item"/>

</stage>

<stage stageid="4580369e-8210-4f84-809c-2721e83a368f" name="Delete Items?" type="Decision">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>
```

<display x="15" y="0"/>

<decision expression="[Delete Items]"/>

<ontrue>3a6a526b-d392-4b74-8422-ded7a760d3f9</ontrue>

<onfalse>d1985be9-db2d-450c-8753-e169bdcc47fe</onfalse>

</stage>

<stage stageid="d1985be9-db2d-450c-8753-e169bdcc47fe" name="anchor5" type="Anchor">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="-75" y="0" w="10" h="10"/>

<onsuccess>14b0f81b-93c7-439b-96d3-9116717fc5d3</onsuccess>

</stage>

<stage stageid="14b0f81b-93c7-439b-96d3-9116717fc5d3" name="anchor5" type="Anchor">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="-75" y="90" w="10" h="10"/>

<onsuccess>f4cf5fbb-dcd1-46d4-84f3-0f4c9657b7d5</onsuccess>

</stage>

<stage stageid="0d06c5f0-6636-4da7-88eb-ad1bfb832b4d" name="Delete Items?" type="Decision">

<subsheetsid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetsid>

<loginhibit/>

<display x="15" y="135"/>

<decision expression="[Delete Items]"/>

<ontrue>4563f76a-b0af-4b0d-b711-7dc5dad82b26</ontrue>

<onfalse>c793c113-a440-4fcb-94d8-4ae788a5bb2b</onfalse>

</stage>

<stage stageid="3fa895c0-9c1f-425b-af6c-1c66105c8120" name="anchor1" type="Anchor">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="270" y="180" w="10" h="10"/>

<onsuccess>47d5cab7-3e7c-43ca-94b6-3cdae8c972ea</onsuccess>

</stage>

<stage stageid="47d5cab7-3e7c-43ca-94b6-3cdae8c972ea" name="anchor1" type="Anchor">

<subsheetid>ef914f05-dbd9-4984-b27d-acdbc410b332</subsheetid>

<loginhibit/>

<display x="270" y="360" w="10" h="10"/>

<onsuccess>e472e983-4ec9-4bb3-adcf-49e9a6717715</onsuccess>

</stage>

<stage stageid="6525b7c7-bced-436c-bd61-9baaa581c4f4" name="Clear Queue" type="SubSheet">

<subsheetid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsheetid>

<loginhibit/>

<display x="210" y="-90" w="90" h="30"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue whose items should all be cleared">

<input type="text" name="Exception Message" narrative="The message which should be used as the exception message">

<input type="flag" name="Delete Items" narrative="True to delete the items after they have been marked with exception">

</inputs>

<onsuccess>c8fc8bda-286b-4185-9390-7b9de68f20b7</onsuccess>

<processid>ef914f05-dbd9-4984-b27d-acdbc410b332</processid>

</stage>

<stage stageid="12eaaafd-3026-4154-9d3e-70459d6ec94f" name="Retried" type="Data">

<subsHEETid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsHEETid>

<loginhibit/>

<display x="-135" y="75" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5a7b8e1d-5041-413d-97b7-237180310e37" name="Retried?" type="Decision">

<subsHEETid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsHEETid>

<loginhibit/>

<display x="120" y="-45"/>

<decision expression="[Retried]"/>

<ontrue>0cefc141-b902-4811-bb5d-88bd50ce2746</ontrue>

<onfalse>d8b8b617-1863-4336-81dc-5b9fe7b63784</onfalse>

</stage>

<stage stageid="d8b8b617-1863-4336-81dc-5b9fe7b63784" name="Retried:=True" type="Calculation">

<subsHEETid>1f9a203f-b19f-4201-b62e-f9f2fc31e12a</subsHEETid>

<loginhibit/>

<display x="210" y="-45" w="90" h="30"/>

<onsuccess>6525b7c7-bced-436c-bd61-9baaa581c4f4</onsuccess>

```
<calculation expression="True" stage="Retried"/>

</stage>

<stage stageid="f8cee152-c89b-417c-a4de-e675cdc33ceb" name="Count Pending Items" type="SubSheet">

<subsheetsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetsheetid>

<display x="-180" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c81ad051-40e6-40b0-9a27-901321121a40" name="Start" type="Start">

<subsheetsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetsheetid>

<display x="15" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue whose items should be counted" />

<input type="text" name="Tag Filter" narrative="Count only those items which pass a particular tag filter" />

<input type="text" name="Key Filter" narrative="Count only those items with a particular key" stage="Key Filter" />

<input type="number" name="Expected" narrative="The expected number of queue items currently unlocked" />

</inputs>

<onsuccess>f8de8e28-0330-4c4c-b326-81b932e7f132</onsuccess>

</stage>

<stage stageid="06decfb7-b138-4e2d-b39f-ebe3e5443114" name="Expected" type="Data">

<subsheetsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetsheetid>

<display x="-240" y="60" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>-1</initialvalue>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="565de23a-1c45-4612-87d2-5d560e39555a" name="Item ID" type="Data">

<subsHEETid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsHEETid>

<display x="-135" y="60" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f3c128d9-51ae-4f47-a223-52e47fb72257" name="Count" type="Data">

<subsHEETid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsHEETid>

<display x="-135" y="-30" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bf70801e-d916-4889-b4af-bcfd1fdd8358" name="Queue Name" type="Data">

<subsHEETid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsHEETid>

<display x="-240" y="-30" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f8de8e28-0330-4c4c-b326-81b932e7f132" name="Get Pending Items" type="Action">

<subsHEETid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsHEETid>

<loginhibit/>

<narrative>Retrieves the IDs for all currently pending work queue items in the specified queue, matching the

<display x="15" y="-90" w="90" h="30"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue for which the pending items are returned."/>

<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key value are returned."/>

<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. This can consist of any number of tags separated by a comma."/>

<input type="number" name="Maximum" narrative="Optionally, the maximum number of items to return. Defaults to 100."/>

<input type="number" name="Skip" narrative="Optionally, the number of items to skip before returning. Defaults to 0."/>

</inputs>

<outputs>

<output type="collection" name="Pending Items" narrative="The currently pending items in the queue, referenced by the Queue Name input."/>

</outputs>

<onsuccess>7c53d6f5-868f-4cca-a251-1c4e2c966b07</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Pending Items"/>

</stage>

<stage stageid="3dbf9449-3141-43b9-ae20-16e0acb42195" name="Pending Items" type="Collection">

<subsHEETid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsHEETid>

<display x="-180" y="105" w="150" h="30"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

```
<collectioninfo>

<field name="Item ID" type="text" description="The Item ID of the work queue item"/>

</collectioninfo>

</stage>

<stage stageid="7c53d6f5-868f-4cca-a251-1c4e2c966b07" name="Count Pending Items" type="Action">

<subsheetsid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetsid>

<loginhibit/>

<display x="15" y="-45" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp;

</inputs>

<outputs>

<output type="number" name="Count" narrative="The number of rows counted in the collection" stage="Co

</outputs>

<onsuccess>c31dbc14-35b7-4670-b056-85bce5c4ace1</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>

</stage>

<stage stageid="520d1029-3ad5-4ca3-a123-1ffbb4795d0d" name="End" type="End">

<subsheetsid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetsid>

<display x="15" y="120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="Count" narrative="The count of pending items in the work queue" stage="C

</outputs>

</stage>

<stage stageid="d9e9a504-5008-4e1c-b00a-35547e2aa88a" name="Is that a bingo?" type="Decision">
```


<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<loginhibit/>

<display x="15" y="45" w="90" h="30"/>

<decision expression="[Count] = [Expected]"/>

<ontrue>520d1029-3ad5-4ca3-a123-1ffbb4795d0d</ontrue>

<onfalse>9a5fd731-e3fc-4d33-8d29-9c2cc9d5f100</onfalse>

</stage>

<stage stageid="9a5fd731-e3fc-4d33-8d29-9c2cc9d5f100" name="Basterd" type="Exception">

<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<display x="120" y="45"/>

<exception type="Queue Test Failed" detail=""Expected " & [Expected] &ar

</stage>

<stage stageid="c31dbc14-35b7-4670-b056-85bce5c4ace1" name="Are we checking?" type="Decision">

<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<loginhibit/>

<display x="15" y="0" w="90" h="30"/>

<decision expression="[Expected] > -1"/>

<ontrue>d9e9a504-5008-4e1c-b00a-35547e2aa88a</ontrue>

<onfalse>81009729-c61d-4493-b8a9-e0d9c122c712</onfalse>

</stage>

<stage stageid="81009729-c61d-4493-b8a9-e0d9c122c712" name="anchor3" type="Anchor">

<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<loginhibit/>

<display x="-60" y="0" w="10" h="10"/>

<onsuccess>b9e24cdc-5529-4c2d-82c2-17e506a51453</onsuccess>

</stage>

<stage stageid="b9e24cdc-5529-4c2d-82c2-17e506a51453" name="anchor3" type="Anchor">

<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<loginhibit/>

<display x="-60" y="120" w="10" h="10"/>

<onsuccess>520d1029-3ad5-4ca3-a123-1ffbb4795d0d</onsuccess>

</stage>

<stage stageid="dc743696-158b-408c-b2d1-dc1dd3a73b32" name="Tag Filter" type="Data">

<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<display x="-240" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4c15d233-62a6-4c96-87be-bf65eaf01083" name="Key Filter" type="Data">

<subsheetid>ef99d5b8-ccf1-4256-aaf8-1db843dd0d26</subsheetid>

<display x="-135" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

```
</stage>

<stage stageid="2ca19c66-e19f-478f-9866-2c8933c42c60" name="Create (If Not Exists) Queue" type="Su

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe7d0731377</subsheetsid>

<narrative>Creates a named queue, skipping the creation if it already exists</narrative>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9759bae9-4bce-488e-a53c-1b86272c6d50" name="End" type="End">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe7d0731377</subsheetsid>

<loginhibit/>

<display x="15" y="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Created" narrative="Flag indicating if the queue was created by this action (Tru

</outputs>

</stage>

<stage stageid="e534c3ee-c93c-42a4-b67b-796af422775a" name="Recover" type="Recover">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe7d0731377</subsheetsid>

<display x="120" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>67e6dcf8-2487-4e4f-83b0-45d00d3dea35</onsuccess>

</stage>

<stage stageid="67e6dcf8-2487-4e4f-83b0-45d00d3dea35" name="Duplicate Key?" type="Decision">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe7d0731377</subsheetsid>

<display x="195" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="InStr(ExceptionDetail(), &quot;Cannot insert duplicate key in object 'dbo.BPAV
```

```
<ontrue>2390a60c-69ae-4c5f-9e25-d986a48e3bcb</ontrue>

<onfalse>13123d35-259a-4f4f-86ac-74562880fc39</onfalse>

</stage>

<stage stageid="2390a60c-69ae-4c5f-9e25-d986a48e3bcb" name="Resume" type="Resume">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetsid>

<display x="195" y="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>60d96891-337a-4e9c-8d7f-7242ecf6a314</onsuccess>

</stage>

<stage stageid="13123d35-259a-4f4f-86ac-74562880fc39" name="REFAIL" type="Exception">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetsid>

<display x="285" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception localized="yes" type="Error" detail="" usecurrent="yes"/>

</stage>

<stage stageid="60d96891-337a-4e9c-8d7f-7242ecf6a314" name="anchor4" type="Anchor">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetsid>

<display x="15" y="30" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9759bae9-4bce-488e-a53c-1b86272c6d50</onsuccess>

</stage>

<stage stageid="42aaca38-ec7c-4ccc-a463-1d9412ac7f29" name="Try..Catch" type="Block">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetsid>

<display x="-60" y="-90" w="300" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="08ef15e6-1002-4228-a0dd-ed708d3aa226" name="Start" type="Start">
```

<subsheetid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetid>

<loginhibit/>

<display x="15" y="-120"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue to be created" stage="Queue Name">

<input type="text" name="Key Field" narrative="The key column to use in the collection which makes up a key">

<input type="number" name="Max Attempts" narrative="The maximum number of retry attempts for the queue">

</inputs>

<onsuccess>8d960dbd-4c11-4d4e-b775-b0d64ebe296e</onsuccess>

</stage>

<stage stageid="e6b47f11-05ce-4176-8065-3677aa45cb20" name="Queue Name" type="Data">

<subsheetid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetid>

<display x="-195" y="-15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b46a54af-2107-4cb1-a33b-d7db6e6fca12" name="Key Field" type="Data">

<subsheetid>67e059a8-19ee-4cb7-aa36-1fef0731377</subsheetid>

<display x="-195" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e917d954-8721-4fca-9d9c-c40f19de6431" name="Max Attempts" type="Data">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe0731377</subsheetsid>

<display x="-195" y="45" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8d960dbd-4c11-4d4e-b775-b0d64ebe296e" name="Create Queue" type="SubSheet">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe0731377</subsheetsid>

<loginhibit/>

<display x="15" y="-60" w="90" h="30"/>

<inputs>

<input type="text" name="Queue Name" narrative="The name of the queue to be created" expr="[Queue N

<input type="text" name="Key Field" narrative="The key column to use in the collection which makes up a

<input type="number" name="Max Attempts" narrative="The maximum number of retry attempts for the qu

</inputs>

<onsuccess>61d25fc9-65d2-42c8-ae37-c920cf3ca715</onsuccess>

<processid>a913d1b2-037f-49ec-b3bd-fa0a3d0c112b</processid>

</stage>

<stage stageid="06a35a80-e4fe-4723-952d-b3d77ed21c12" name="Created" type="Data">

<subsheetsid>67e059a8-19ee-4cb7-aa36-1fe0731377</subsheetsid>

<display x="-195" y="120" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="61d25fc9-65d2-42c8-ae37-c920cf3ca715" name="Created:=True" type="Calculation">

<subsHEETid>67e059a8-19ee-4cb7-aa36-1feFd0731377</subsHEETid>

<loginhibit/>

<display x="15" y="0" w="90" h="30"/>

<onsuccess>60d96891-337a-4e9c-8d7f-7242ecf6a314</onsuccess>

<calculation expression="True" stage="Created"/>

</stage>

<stage stageid="907d82b8-de74-4d68-a1a0-61e6ed845b13" name="Inputs" type="Block">

<subsHEETid>67e059a8-19ee-4cb7-aa36-1feFd0731377</subsHEETid>

<loginhibit/>

<display x="-270" y="-45" w="150" h="120"/>

</stage>

<stage stageid="1048e02b-1e90-4b84-adc4-66b7c18ee7ef" name="Outputs" type="Block">

<subsHEETid>67e059a8-19ee-4cb7-aa36-1feFd0731377</subsHEETid>

<loginhibit/>

<display x="-270" y="90" w="150" h="60"/>

</stage>

</process>

<process name="Recovery Limit Object" version="1.0" bpversion="6.5.0.9709" narrative="" byrefcollection=">

<appdef>

<element name="Application Root">

<id>373e2701-8029-410c-ad80-9c8e472c0612</id>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>-11</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="31255aa7-c002-4142-9642-43a58c5115a6" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5015511a-0c89-405a-bde3-2ea04fb13a1a" type="Normal" published="True">

<name>Recovery with no limit</name>

<view>

<camerax>0</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="187e1538-4b48-4d00-abe9-9008acd277db" type="Normal" published="True">

<name>Recovery with limit (5)</name>

<view>

<camerax>0</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="28917a57-9e66-41af-91c6-97be00eb4b33" type="Normal" published="True">

<name>Get Count</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="171ae3d8-38db-403f-b724-121163472996" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bda191e4-9d41-4ffc-b2d2-e910af14124f</onsuccess>

</stage>

<stage stageid="bda191e4-9d41-4ffc-b2d2-e910af14124f" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="6653be64-226f-4e45-9acc-3e2586d04435" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="316a2fe4-ff57-470f-8d7f-73760e98cce7" name="Clean Up" type="SubSheetInfo">

<subsheetsid>31255aa7-c002-4142-9642-43a58c5115a6</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="1a6d75ba-1321-4b3b-8b1b-53d8f11cc2e8" name="Start" type="Start">

<subsheetsid>31255aa7-c002-4142-9642-43a58c5115a6</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>54c4b60c-b3fb-493a-9af4-14264bae0c74</onsuccess>

</stage>

<stage stageid="54c4b60c-b3fb-493a-9af4-14264bae0c74" name="End" type="End">

<subsheetid>31255aa7-c002-4142-9642-43a58c5115a6</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="88c8a7ea-0b16-4d03-89a6-dee432aa48c3" name="Recovery with no limit" type="SubShe

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>


```
</stage>

<stage stageid="fc1b9394-12c8-4b6e-b791-050a692d23cf" name="Start" type="Start">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a98bb476-c8e0-4491-a013-8307d8ed4693</onsuccess>

</stage>

<stage stageid="a95d28cc-c138-43c2-a189-09d554493372" name="End" type="End">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<breakpoint type="0">

<condition>

</condition>

</breakpoint>
```

</stage>

<stage stageid="2264bfea-de44-4e85-ac3e-7270e0f0f4fc" name="Note1" type="Note">

<subsheetid>31255aa7-c002-4142-9642-43a58c5115a6</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="b0e01971-b66c-4508-929b-05499a7ba994" name="Note2" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="c2a414bd-06ba-4271-a01d-aa0e28fc33fc" name="Recover with no limit" type="Recover">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cf7ce736-90a4-4c49-8e88-46d64899f8bd</onsuccess>

</stage>

<stage stageid="24490f77-aa1c-4ff0-8a66-1af0916019ba" name="Recovery with limit (5)" type="SubSheet">

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="a98bb476-c8e0-4491-a013-8307d8ed4693" name="Anchor1" type="Anchor">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9cc0f9dc-ef04-44dd-8a00-68d6492d72e7" name="Count large enough?" type="Decision">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Count]=10000"/>

<ontrue>a95d28cc-c138-43c2-a189-09d554493372</ontrue>

<onfalse>b52b83f2-98b9-4a9a-8f7e-e9a75ff7db3a</onfalse>

</stage>

<stage stageid="cf7ce736-90a4-4c49-8e88-46d64899f8bd" name="Resume1" type="Resume">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>
```



```
</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9cc0f9dc-ef04-44dd-8a00-68d6492d72e7</onsuccess>

</stage>

<stage stageid="9580c40c-5895-4639-a0da-fe3f45d0785f" name="Recovery (Unlimited)" type="Block">

<subsheetsid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>120</displaywidth>

<displayheight>75</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="b52b83f2-98b9-4a9a-8f7e-e9a75ff7db3a" name="Count ++" type="Calculation">

<subsheetsid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a40f94bc-bb68-41e5-9508-1c48c8e06b35</onsuccess>

<calculation expression="[Count]+1" stage="Count"/>

</stage>

<stage stageid="a40f94bc-bb68-41e5-9508-1c48c8e06b35" name="Anchor2" type="Anchor">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a98bb476-c8e0-4491-a013-8307d8ed4693</onsuccess>

</stage>

<stage stageid="198923d8-6d9c-488e-8f92-a5ac0d95f063" name="Start" type="Start">

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<onsuccess>9168ff77-7898-4b3c-9364-546284c2361b</onsuccess>

</stage>

<stage stageid="c9ce4ecb-ccbc-4e26-95e8-ba82df179a22" name="Recover with no limit" type="Recover">

<subsheetsid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>381d3a99-59ef-4ecf-a70e-82ed6efabac8</onsuccess>

<attempts>5</attempts>

</stage>

<stage stageid="9168ff77-7898-4b3c-9364-546284c2361b" name="Anchor1" type="Anchor">

<subsheetsid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

</stage>

<stage stageid="381d3a99-59ef-4ecf-a70e-82ed6efabac8" name="Resume1" type="Resume">

```
<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>68d68502-384f-4fb1-87ad-e508e7dab313</onsuccess>

</stage>

<stage stageid="baa8055a-45cb-49d9-b02a-2d73b16da275" name="Recovery (5)" type="Block">

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

<displaywidth>120</displaywidth>

<displayheight>75</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="404ef643-481e-48f0-bf64-e23cb99114ff" name="Count ++" type="Calculation">

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>120</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>66d84301-8a2c-44bb-a788-001d25de8eca</onsuccess>

<calculation expression="[Count (2)]+1" stage="Count (2)"/>

</stage>

<stage stageid="66d84301-8a2c-44bb-a788-001d25de8eca" name="Anchor2" type="Anchor">

<subsheetsid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9168ff77-7898-4b3c-9364-546284c2361b</onsuccess>

</stage>

<stage stageid="fefbdf23-b72f-4451-b652-73756789a76a" name="Get Count" type="SubSheetInfo">

<subsheetsid>28917a57-9e66-41af-91c6-97be00eb4b33</subsheetsid>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>
```

<displayheight>90</displayheight>

</stage>

<stage stageid="1c90a441-c1fb-4df0-a264-da0bd6599217" name="Start" type="Start">

<subsheetid>28917a57-9e66-41af-91c6-97be00eb4b33</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>91759bc9-500b-427f-868b-4af7dde48214</onsuccess>

</stage>

<stage stageid="91759bc9-500b-427f-868b-4af7dde48214" name="End" type="End">

<subsheetid>28917a57-9e66-41af-91c6-97be00eb4b33</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="number" name="Count" stage="Count (2)"/>

```
</outputs>

</stage>

<stage stageid="0741673e-4d85-4e95-8c66-ae7d37fd970" name="Count" type="Data">

<subsheetid>5015511a-0c89-405a-bde3-2ea04fb13a1a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="db3935b9-e86c-4a1e-8a86-9b56f80fb540" name="Count (2)" type="Data">

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>number</datatype>

<initialvalue>0</initialvalue>

</stage>

<stage stageid="68d68502-384f-4fb1-87ad-e508e7dab313" name="Recovered to many times?" type="Dec

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Count (2)]&gt;10"/>

<ontrue>90773e04-d5b2-4420-adc1-fe13dfba2c79</ontrue>

<onfalse>404ef643-481e-48f0-bf64-e23cb99114ff</onfalse>

</stage>

<stage stageid="90773e04-d5b2-4420-adc1-fe13dfba2c79" name="End1" type="End">

<subsheetid>187e1538-4b48-4d00-abe9-9008acd277db</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```



```
</stage>

</process>

<process name="Region Test" version="1.0" bpversion="6.3.0.4323" narrative="Testing Region window." b

<appdef>

<element name="Region Test">

<id>5ffeb12a-f74d-4fc3-8cc2-28f38654049d</id>

<region-container name="Element1">

<id>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</id>

<region name="Region 1">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>df631d7f-13ff-4561-b763-9610c90af508</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>
```

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="88"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="149"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="115"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="127,28,137224,iVBORw0KGgoAAAANSUhEUgAAAH8AAAAcCA" data-bbox="47 410 1000 428"/>

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Fixed"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

```
</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</region>

<region name="Region 2">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>58c61ef0-5138-468f-9266-c5e47cbf4116</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">
```

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="153"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="147"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="177"/>
</attribute>
<attribute name="RetainImage" system="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ElementSnapshot" inuse="True" system="True">
<ProcessValue datatype="image" value="125,25,137224,iVBORw0KGgoAAAANSUhEUgAAAH0AAAAZC
</attribute>
<attribute name="FontName" inuse="True" system="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="LocationMethod" inuse="True" system="True">
<ProcessValue datatype="text" value="Image"/>
</attribute>
<attribute name="RegionPosition" inuse="True" system="True">
<ProcessValue datatype="text" value="Fixed"/>
</attribute>
<attribute name="ImageSearchPadding" inuse="True" system="True">
<ProcessValue datatype="text" value="20, 15, 20, 15"/>
</attribute>
<attribute name="ColourTolerance" inuse="True" system="True">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Greyscale" inuse="True" system="True">


```
<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</region>

<region name="Region 3">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>48124b3b-32c8-46c1-9f5d-7b3cf5c1eb81</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

```
<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="217"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="149"/>

</attribute>
```

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="243"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="127,27,137224,iVBORw0KGgoAAAANSUhEUgAAAH8AAAAAbC

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Fixed"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</region>

<region name="Region 4">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>3f2923d8-aa8a-4e1d-812a-3fed88e456f9</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="283"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="149"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="309"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="130,27,137224,iVBORw0KGgoAAAANSUhEUgAAAIIAAAAbCAI

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Fixed"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</region>

<region name="Region 5">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>ab43157f-6cca-46c1-8ff2-4d4e6481c7fd</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

```
<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="&lt;UNKNOWN&gt; "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">
```

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="347"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="149"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="375"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="129,29,137224,iVBORw0KGgoAAAANSUhEUgAAAIEAAAAdCA" data-bbox="129 142 1000 160"/>

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Relative"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</region>

<region name="Region 6">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>1f7d2daf-1a00-43b8-813a-9cb404c49085</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

```
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="number" value="11"/>
</attribute>

<attribute name="AncestorsText">
<ProcessValue datatype="text" value="&lt;UNKNOWN&gt;"/>
</attribute>

<attribute name="AncestorCount">
<ProcessValue datatype="number" value="1"/>
</attribute>

<attribute name="TypeName">
<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>
</attribute>
```

```
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:190,213,640,732"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="382664704"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="22"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="383"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="166"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="407"/>
</attribute>
<attribute name="RetainImage" system="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
```

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="145,25,137224,iVBORw0KGgoAAAANSUhEUgAAAJEAAAAZCA" />

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Relative"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="RelativeParentID" inuse="True" system="True">

<ProcessValue datatype="text" value="df631d7f-13ff-4561-b763-9610c90af508"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</region>

<region name="Region 7">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>8dcc4333-6b82-49a1-a8a3-602b7f0f4152</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="413"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="79"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="438"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="60,26,137224,iVBORw0KGgoAAAANSUhEUgAAADwAAAAaCA

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Relative"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="40, 25, 30, 35"/>

</attribute>

<attribute name="RelativeParentID" inuse="True" system="True">

<ProcessValue datatype="text" value="ab43157f-6cca-46c1-8ff2-4d4e6481c7fd"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</region>

<region name="Region 8">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>5cab2586-6acf-4223-bf59-066c20ee8511</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

```
<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="&lt;UNKNOWN&gt; "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">
```

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="283"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="66"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="360"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="85"/>

</attribute>

<attribute name="RetainImage" system="True">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value=""/>

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Coordinates"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Relative"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="RelativeParentID" inuse="True" system="True">

<ProcessValue datatype="text" value="48124b3b-32c8-46c1-9f5d-7b3cf5c1eb81"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>
```


</region>

<region name="Region 9">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>4f64fec9-2f98-4e31-b237-d093b7af9f03</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN>"/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

```
<attribute name="TypeName">
<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>
</attribute>
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:190,213,640,732"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="382664704"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="282"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="88"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="441"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="186"/>
</attribute>
```

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="160,99,137224,iVBORw0KGgoAAAANSUhEUgAAAKAAAABjCA

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Coordinates"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Relative"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</region>

<region name="Region 10">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>f6df7b6e-2788-4e31-8a4b-e21ed6aad117</id>

<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="283"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="193"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="374"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="215"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="92,23,137224,iVBORw0KGgoAAAANSUhEUgAAAFwAAAAXCA

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Anywhere"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="40"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</region>

<region name="Region 11">

<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>

<id>12be401a-a619-4962-a922-90aa7c6eec95</id>


```
<type>WindowRect</type>

<basetype>WindowRect</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">
```

```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="&lt;UNKNOWN&gt;"/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">
```

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="285"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="219"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="374"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="275"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="90,57,137224,iVBORw0KGgoAAAANSUhEUgAAAFoAAAAA5CAI
</attribute>
<attribute name="FontName" inuse="True" system="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="LocationMethod" inuse="True" system="True">
<ProcessValue datatype="text" value="Image"/>
</attribute>
<attribute name="RegionPosition" inuse="True" system="True">
<ProcessValue datatype="text" value="Anywhere"/>
</attribute>
<attribute name="ImageSearchPadding" inuse="True" system="True">
<ProcessValue datatype="text" value="20, 15, 20, 15"/>
</attribute>
<attribute name="ColourTolerance" inuse="True" system="True">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Greyscale" inuse="True" system="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</region>
<region name="Region 12">
<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>
<id>81e9c5d3-4ba8-4a83-89b6-242b59912121</id>
<type>WindowRect</type>
<basetype>WindowRect</basetype>

```
<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>
```

```
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="number" value="11"/>
</attribute>

<attribute name="AncestorsText">
<ProcessValue datatype="text" value="&lt;UNKNOWN&gt; "/>
</attribute>

<attribute name="AncestorCount">
<ProcessValue datatype="number" value="1"/>
</attribute>

<attribute name="TypeName">
<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>
</attribute>

<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:190,213,640,732"/>
</attribute>
```

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="283"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="316"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="399"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="343"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="117,28,137224,iVBORw0KGgoAAAANSUhEUgAAAHUAAAAcC

</attribute>

```
<attribute name="FontName" inuse="True" system="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="LocationMethod" inuse="True" system="True">
<ProcessValue datatype="text" value="Image"/>
</attribute>
<attribute name="RegionPosition" inuse="True" system="True">
<ProcessValue datatype="text" value="Anywhere"/>
</attribute>
<attribute name="ImageSearchPadding" inuse="True" system="True">
<ProcessValue datatype="text" value="20, 15, 20, 15"/>
</attribute>
<attribute name="ColourTolerance" inuse="True" system="True">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Greyscale" inuse="True" system="True">
<ProcessValue datatype="flag" value="False"/>
</attribute>
</attributes>
</region>
<region name="Region 13">
<container>599b5e2f-05ce-4140-b180-b8c14f4c8bb9</container>
<id>cb295ec5-cbc8-4426-a672-3eb866cbe365</id>
<type>WindowRect</type>
<basetype>WindowRect</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
```


<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:190,213,640,732"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="285"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="343"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="374"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="365"/>

</attribute>

<attribute name="RetainImage" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ElementSnapshot" inuse="True" system="True">

<ProcessValue datatype="image" value="90,23,137224,iVBORw0KGgoAAAANSUhEUgAAAFoAAAAXCA

</attribute>

<attribute name="FontName" inuse="True" system="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="LocationMethod" inuse="True" system="True">

<ProcessValue datatype="text" value="Image"/>

</attribute>

<attribute name="RegionPosition" inuse="True" system="True">

<ProcessValue datatype="text" value="Anywhere"/>

</attribute>

<attribute name="ImageSearchPadding" inuse="True" system="True">

<ProcessValue datatype="text" value="20, 15, 20, 15"/>

</attribute>

<attribute name="ColourTolerance" inuse="True" system="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Greyscale" inuse="True" system="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</region>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Simple Automation App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="559"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="467"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="<UNKNOWN> "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="WindowsFormsApp2.Form1"/>
</attribute>
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:190,213,640,732"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="382664704"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Screenshot">

<ProcessValue datatype="image" value="558,466,137224,iVBORw0KGgoAAAANSUhEUgAAAi4AAAHSC

</attribute>

</attributes>

</region-container>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\BluePrism\qacontrol\qa\Code\Simple Automation App\WindowsFormsApp2\WindowsFormsApp

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

<value>

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>


```
<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="365314c4-d299-4b07-a2f4-a1878fb767a5" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="2f8602a9-6842-45de-8829-77cb0371d001" type="Normal" published="False">

<name>Action 1</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="d9da8be5-4236-4679-a004-1b5d52da042c" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<onsuccess>1830fed1-d8e8-4217-b993-c425326df599</onsuccess>

</stage>

<stage stageid="1830fed1-d8e8-4217-b993-c425326df599" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="a264771f-4463-4c57-a6e0-89bc7f0e70d7" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

```
<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="f8399fcc-b480-459d-89fc-3957b89f5f0b" name="Clean Up" type="SubSheetInfo">

<subsheetsid>365314c4-d299-4b07-a2f4-a1878fb767a5</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="deebb8a2-404c-4deb-831d-ae442520c990" name="Start" type="Start">

<subsheetsid>365314c4-d299-4b07-a2f4-a1878fb767a5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>88c55a2a-053b-4b0d-800d-0f8ca60d178b</onsuccess>

</stage>

<stage stageid="88c55a2a-053b-4b0d-800d-0f8ca60d178b" name="End" type="End">

<subsheetid>365314c4-d299-4b07-a2f4-a1878fb767a5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6e27e8db-e6b7-4e47-b740-f3d62934c079" name="Action 1" type="SubSheetInfo">

<subsheetid>2f8602a9-6842-45de-8829-77cb0371d001</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bd0413e7-35ed-471c-9242-b713500e3cf2" name="Start" type="Start">

<subsheetid>2f8602a9-6842-45de-8829-77cb0371d001</subsheetid>

<loginhibit/>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f75a911a-a011-41b8-a424-f86fb9b01325</onsuccess>

</stage>

<stage stageid="f75a911a-a011-41b8-a424-f86fb9b01325" name="End" type="End">

<subsheetid>2f8602a9-6842-45de-8829-77cb0371d001</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="41c5937d-a617-4fdc-9fd4-40be3ce82a09" name="Note1" type="Note">

<subsheetid>365314c4-d299-4b07-a2f4-a1878fb767a5</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="8a09c236-86ff-4ee5-9bce-ca9103600174" name="Note2" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

</process>

<process name="Remove Boundary" version="1.0" bpversion="6.3.0.5565" narrative="" byrefcollection="tr

<appdef>

<element name="Application Root">

<id>4dd41bcc-0a6c-4c57-bc5b-8044d494c54c</id>

```
<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="ce5dfcf2-1537-4849-9efc-f22afcccde62" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c74aeb8a-6969-4daa-83c6-d9a9cff80fdf" type="Normal" published="True">

<name>Remove Boundary</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>
```

```
</view>

</subsheet>

<stage stageid="1098c125-432b-4da5-a08d-06839d37ecb6" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>206de3fb-bc67-464b-9516-096ddd2292e6</onsuccess>

</stage>

<stage stageid="206de3fb-bc67-464b-9516-096ddd2292e6" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3cd4fca1-7b77-4900-8302-d922eedd3ff1" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>
```


<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>csharp</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="463309f5-b0fc-4f71-b08b-29bbd0b824c5" name="Clean Up" type="SubSheetInfo">

<subsheetsid>ce5dfcf2-1537-4849-9efc-f22afcccde62</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="5392a36c-f7a2-4398-a28f-4ac47720c20d" name="Start" type="Start">

<subsheetid>ce5dfcf2-1537-4849-9efc-f22afcccd62</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0d260d84-927e-4c99-8d2e-f34035d0e29d</onsuccess>

</stage>

<stage stageid="0d260d84-927e-4c99-8d2e-f34035d0e29d" name="End" type="End">

<subsheetid>ce5dfcf2-1537-4849-9efc-f22afcccd62</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="e6c4cba5-94b5-4032-925f-766c868d62ff" name="Remove Boundary" type="SubSheetInfo">

<subsheetid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetid>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="2cd646aa-aa7e-4924-bfff-be7dea3dcb63" name="Start" type="Start">

<subsheetsid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Response" narrative="The response you want to remove the boundry from." stag

</inputs>

<onsuccess>e0584f12-5182-4580-8c04-513cbca1f4f7</onsuccess>

</stage>

<stage stageid="5d5b1479-ed07-497d-bcb8-3f95c0306caf" name="End" type="End">

<subsheetsid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Response" narrative="The new response, with the boundry GUID removed." st

</outputs>

</stage>

<stage stageid="d50ccfd2-8c96-4bdf-8bde-ef8fb498f038" name="Note1" type="Note">

<subsheetsid>ce5dfcf2-1537-4849-9efc-f22afcccde62</subsheetsid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="909e05aa-fcf0-4f82-bd27-272165a27a61" name="Note2" type="Note">

<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business object

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="a8095ccc-e789-4325-9f55-cf4512bb60af" name="Response" type="Data">

<subsheetsid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetsid>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">"Method: POST, RequestUri: 'http://localhost:9000/api/echo', Version: 1"

<private/>

<alwaysinit/>

</stage>

<stage stageid="6edd7505-6c19-4934-856b-6667fb3d4d0a" name="Input Variables" type="Block">

<subsheetid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

</stage>

<stage stageid="e0584f12-5182-4580-8c04-513cbca1f4f7" name="Do the do" type="Code">

<subsheetid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Response" expr="[Response]"/>

</inputs>

<outputs>

<output type="text" name="NewResponse" stage="NewResponse"/>

</outputs>

<onsuccess>5d5b1479-ed07-497d-bcb8-3f95c0306caf</onsuccess>

```
<code>if (Response.Length > 10) {  
  
string newBoundary = "Boundary00000000-0000-0000-0000-000000000000";  
  
int startPos = Response.IndexOf("boundary=") + 9;  
  
string boundary = Response.Substring(startPos, 44);  
  
NewResponse = Response.Replace(boundary, newBoundary);  
  
}  
  
else  
  
{  
  
NewResponse = Response;  
}  
</code>
```

</stage>

<stage stageid="3851e8aa-ced4-4ee0-aa3e-f4c5487cca5f" name="Output Variables" type="Block">

<subsheetid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

</stage>

<stage stageid="4f1555c7-a804-4834-aca1-7b499b56457b" name="NewResponse" type="Data">

<subsheetid>c74aeb8a-6969-4daa-83c6-d9a9cff80fdf</subsheetid>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Resource Manager" version="1.0" bpversion="6.7.0.16957" narrative="Object to provide

<appdef>

<element name="Resource Manager">

<id>0ec4a18b-4405-457c-a695-050fcb906663</id>

<element name="Hide Button">

<id>4f0ddde7-9586-425f-9fa1-167ed2c307a4</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Hide"/>

</attribute>


```
<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.BUTTON"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="334"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="150"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="76"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="27"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>
```

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="Blue Prism - Resource PC (Port 8181) <UNKNOWN&g

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.Button"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:1512,443,469,1587"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442918144"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Blue Prism - Resource PC (Port 8181)"/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="1170"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="262"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="515"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="220"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

```
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="pStyle">
<ProcessValue datatype="number" value="1442918144"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<type>Application</type>
<basetype>Application</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
```

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Blue Prism Limited\Blue Prism Automate\Automate.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

<value>

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Ext32bit</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="e036928b-eef3-4fd8-b81f-dffb65ae31da" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b6ff1809-19b3-4573-95ed-141a2c2df740" type="Normal" published="True">

<name>Start Resource</name>

<view>

<camerax>0</camerax>

<cameray>225</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="1f8a6b75-593a-4526-9e29-3213a5244755" type="Normal" published="True">

<name>Stop Resource</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="2bcc9581-2a31-4880-bc35-01710f62bb17" type="Normal" published="True">

<name>Kill Resource</name>

<view>

<camerax>0</camerax>

<cameray>28</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6ef6cfc3-2cf1-4f8d-af72-52be220577ab" type="Normal" published="True">

<name>Hide Runtime Resource</name>

<view>

<camerax>0</camerax>

<cameray>147</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6ed1fe2f-e833-43f3-8d49-a94a691bd05b" type="Normal" published="False">

<name>Read Connection</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="8fb779ce-88cb-418f-be62-d3ef6e8e4858" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>5200c884-c643-4ba1-b284-b4c988419deb</onsuccess>

</stage>

<stage stageid="5200c884-c643-4ba1-b284-b4c988419deb" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="afc23022-07c4-4afb-9e51-5e7b699e20c8" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

<reference>System.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Diagnostics</import>

<import>System.Net</import>

</imports>

<language>csharp</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="c677712c-aedd-4969-96dc-9250e10debd3" name="Clean Up" type="SubSheetInfo">

<subsHEETid>e036928b-eef3-4fd8-b81f-dffb65ae31da</subsHEETid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="b021b0e3-5533-4615-acda-550426a9eb4b" name="Start" type="Start">

<subsHEETid>e036928b-eef3-4fd8-b81f-dffb65ae31da</subsHEETid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>b65096cd-6c58-4765-b950-c32a770561b1</onsuccess>

</stage>

<stage stageid="b65096cd-6c58-4765-b950-c32a770561b1" name="End" type="End">

<subsHEETid>e036928b-eef3-4fd8-b81f-dffb65ae31da</subsHEETid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="7053feb1-114b-40b3-b2b8-e96cc9ccea5b" name="Start Resource" type="SubSheetInfo">

<subsHEETid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsHEETid>

<narrative>Starts a locally running resource on this PC</narrative>

<display x="-195" y="-120" w="150" h="90"/>

</stage>

<stage stageid="af457401-2b25-4c74-bcaf-23d001917e03" name="Start" type="Start">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="15" y="-150"/>

<inputs>

<input type="flag" name="SSO" narrative="True to login using Active Directory authentication. If this is False, the user must be authenticated using the resource PC."/>

<input type="text" name="Username" narrative="The username to use for the resource PC. Ignored if SSO is enabled."/>

<input type="password" name="Password" narrative="The password to use for the resource. Only used if SSO is disabled."/>

<input type="number" name="Port" narrative="The port number on which the resource PC should listen" stage="Start" type="Text" value="4444"/>

</inputs>

<onsuccess>b792ff6a-eed3-4870-9166-4df336cbcb2a</onsuccess>

</stage>

<stage stageid="1b126794-f520-48d5-b7b6-b200c50ad4ee" name="End" type="End">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="15" y="270"/>

<outputs>

<output type="number" name="Process ID" narrative="The PID of the newly created process" stage="Start" type="Text" value="1234"/>

</outputs>

</stage>

<stage stageid="e8ca3b8d-2c2e-402a-a6e3-c4d554c2baf0" name="Note1" type="Note">

<subsheetid>e036928b-eef3-4fd8-b81f-dffb65ae31da</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<display x="-180" y="60" w="180" h="230"/>
```

```
</stage>
```

```
<stage stageid="78803698-e706-4c3d-8281-418d362df851" name="Note2" type="Note">
```

```
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<display x="-180" y="60" w="180" h="230"/>
```

```
</stage>
```

```
<stage stageid="1b44867c-8cfe-4f50-a098-5aeed07bdf90" name="Username" type="Data">
```

```
<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>
```

```
<display x="-195" y="-30" w="120" h="30"/>
```

```
<datatype>text</datatype>
```

```
<initialvalue/>
```

```
<private/>
```

```
<alwaysinit/>
```

```
</stage>
```

```
<stage stageid="1cceebe1-a478-4113-8bdc-f04ccaedf766" name="Password" type="Data">
```

```
<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>
```

```
<display x="-195" y="0" w="120" h="30"/>
```

<datatype>password</datatype>

<initialvalueenc>

</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e813c55f-d325-4060-bc98-b4c1020d0308" name="SSO" type="Data">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<display x="-195" y="30" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cd8ebf4f-9a6b-445b-bde8-4a4ef43a241f" name="Port" type="Data">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<display x="-195" y="60" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="33e5acbd-1046-4245-baeb-0a5641419652" name="Automate EXE" type="Data">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="-195" y="210" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5e05484a-7e30-4d13-a032-0e70cdd93f0f" name="Inputs" type="Block">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="-270" y="-60" w="150" h="150"/>

</stage>

<stage stageid="b59d9ac3-60ab-4469-a09f-fe7fcea445d" name="Env Vars" type="Block">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="-270" y="180" w="150" h="60"/>

</stage>

<stage stageid="fbca92d9-29d5-43b9-9272-3c1e051abb43" name="Locals" type="Block">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="-270" y="255" w="150" h="90"/>

</stage>

<stage stageid="91a3e304-3714-4fb3-8c62-fa7a264705ce" name="Command Line" type="Data">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<display x="-195" y="285" w="120" h="30"/>

<datatype>text</datatype>

```
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0bea470e-42d7-4769-bacf-9304bc048eb0" name="&amp;&amp; /sso" type="Calculation">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="75" y="0"/>

<onsuccess>916d6b71-84c2-4394-a23a-dcd18f3580bd</onsuccess>

<calculation expression="[Command Line] &amp;&amp; &amp;quot; /sso&amp;quot;" stage="Command Lin

</stage>

<stage stageid="4c765e07-b3e1-450b-b633-d144460697eb" name="&amp;&amp; /user" type="Calculation">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="135" y="0"/>

<onsuccess>46510d3d-6b74-4784-b69d-e63409769717</onsuccess>

<calculation expression="[Command Line] &amp;&amp; &amp;quot; /user &amp;quot; &amp;&amp; [Usernam

</stage>

<stage stageid="916d6b71-84c2-4394-a23a-dcd18f3580bd" name="Anchor1" type="Anchor">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="75" y="30" w="10" h="10"/>

<onsuccess>a749fe06-d375-447a-97f9-ee137e95a0ba</onsuccess>

</stage>

<stage stageid="46510d3d-6b74-4784-b69d-e63409769717" name="Anchor2" type="Anchor">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>
```

```
<display x="135" y="30" w="10" h="10"/>

<onsuccess>916d6b71-84c2-4394-a23a-dcd18f3580bd</onsuccess>

</stage>

<stage stageid="697b8509-5519-480d-ae91-986b5a3b56ee" name="&amp;&amp; /public" type="Calculation

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="195" y="0"/>

<onsuccess>5ed647d8-d945-47b3-8347-d503c4468a94</onsuccess>

<calculation expression="[Command Line] &amp;&amp; &amp;quot; /public&amp;quot;;" stage="Command L

</stage>

<stage stageid="5ed647d8-d945-47b3-8347-d503c4468a94" name="Anchor2" type="Anchor">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="195" y="30" w="10" h="10"/>

<onsuccess>46510d3d-6b74-4784-b69d-e63409769717</onsuccess>

</stage>

<stage stageid="df56083a-48f0-4c64-925d-fc4353ea85a7" name="Auth Type" type="ChoiceStart">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="15" y="-45"/>

<groupid>8ef9d34e-9495-4b1f-be81-24e9dbc21213</groupid>

<choices>

<choice expression="[SSO]">

<name>SSO?</name>

<distance>60</distance>

<ontrue>0bea470e-42d7-4769-bacf-9304bc048eb0</ontrue>

</choice>
```

<choice expression="[Username] <> """>

<name>Username?</name>

<distance>120</distance>

<ontrue>4c765e07-b3e1-450b-b633-d144460697eb</ontrue>

</choice>

</choices>

</stage>

<stage stageid="c2050d03-185a-4584-a5d1-838036f4d974" name="Public" type="ChoiceEnd">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="195" y="-45"/>

<onsuccess>697b8509-5519-480d-ae91-986b5a3b56ee</onsuccess>

<groupid>8ef9d34e-9495-4b1f-be81-24e9dbc21213</groupid>

</stage>

<stage stageid="b792ff6a-eed3-4870-9166-4df336cbcb2a" name="& /resourcepc" type="Calcula

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="15" y="-90"/>

<onsuccess>df56083a-48f0-4c64-925d-fc4353ea85a7</onsuccess>

<calculation expression="[Command Line] & " /resourcepc&quot;" stage="Comm

</stage>

<stage stageid="a749fe06-d375-447a-97f9-ee137e95a0ba" name="Port?" type="Decision">

<subsheetsid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetsid>

<loginhibit/>

<display x="15" y="30"/>

<decision expression="[Port] <> 0"/>

<ontrue>0b2f24ff-c3b0-43e2-917f-775e13bb5fe3</ontrue>

<onfalse>337ef20e-476e-4a2b-8331-1d30626a7178</onfalse>

</stage>

<stage stageid="0b2f24ff-c3b0-43e2-917f-775e13bb5fe3" name="& /port" type="Calculation">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="15" y="75"/>

<onsuccess>7832b63b-f9fb-4067-867a-053247b7d867</onsuccess>

<calculation expression="[Command Line] & &quot; /port &quot; & [Port]" sta

</stage>

<stage stageid="cc39e1a3-4c76-4d55-ad83-4922a8e8fd94" name="Anchor4" type="Anchor">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="-60" y="135" w="10" h="10"/>

<onsuccess>7832b63b-f9fb-4067-867a-053247b7d867</onsuccess>

</stage>

<stage stageid="7832b63b-f9fb-4067-867a-053247b7d867" name="Start Resource" type="Code">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="15" y="135" w="90" h="30"/>

<inputs>

<input type="text" name="exe" expr="[Automate EXE]"/>

<input type="text" name="args" expr="[Command Line]"/>

</inputs>

<outputs>

<output type="number" name="pid" stage="ProcessId"/>

</outputs>

<onsuccess>f488302d-48d1-4bcf-b0ef-527ebebdd9d7</onsuccess>

```
<code>Process p = Process.Start(new ProcessStartInfo() {  
    FileName = exe,  
    Arguments = args,  
    UseShellExecute = false  
});  
  
pid = p.Id;
```

```
</code>
```

```
</stage>
```

```
<stage stageid="04dde012-d2b9-423e-8e80-d9bacf734d24" name="ProcessId" type="Data">
```

```
<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>
```

```
<display x="-195" y="315" w="120" h="30"/>
```

```
<datatype>number</datatype>
```

```
<initialvalue/>
```

```
<private/>
```

```
<alwaysinit/>
```

```
</stage>
```

```
<stage stageid="f488302d-48d1-4bcf-b0ef-527ebdbdd9d7" name="Processes::Add Row" type="Action">
```

```
<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>
```

```
<loginhibit/>
```

```
<display x="15" y="180" w="90" h="30"/>
```

```
<inputs>
```

```
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
```

```
</inputs>
```

```
<onsuccess>5bd09000-df0f-49b3-af9e-eeeeef94e722</onsuccess>
```

```
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
```

```
</stage>
```

```
<stage stageid="5bd09000-df0f-49b3-af9e-eeeeef94e722" name="Set Process ID" type="MultipleCalculati
```

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="15" y="225" w="90" h="30"/>

<onsuccess>1b126794-f520-48d5-b7b6-b200c50ad4ee</onsuccess>

<steps>

<calculation expression="[ProcessId]" stage="Processes.Process ID"/>

<calculation expression="[Port]" stage="Processes.Port"/>

<calculation expression="[ProcessId]" stage="Process ID"/>

</steps>

</stage>

<stage stageid="337ef20e-476e-4a2b-8331-1d30626a7178" name="Port:=8181" type="Calculation">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<narrative>To go into the collection, set the default port even if we don't explicitly add it to our command line

<display x="-60" y="30"/>

<onsuccess>cc39e1a3-4c76-4d55-ad83-4922a8e8fd94</onsuccess>

<calculation expression="8181" stage="Port"/>

</stage>

<stage stageid="c36cec70-290f-4f4b-aaa2-464b35b4b4a0" name="Process ID" type="Data">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<display x="-195" y="135" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c5bbb804-6a49-43c5-969d-25177917e551" name="Outputs" type="Block">

<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>

<loginhibit/>

<display x="-270" y="105" w="150" h="60"/>

</stage>

<stage stageid="96082d51-eb32-44d5-bca1-5a8ca1466c87" name="Stop Resource" type="SubSheetInfo">

<subsheetid>1f8a6b75-593a-4526-9e29-3213a5244755</subsheetid>

<narrative>Stops a locally running resource using the HTTP interface.

Note that currently there is no response checking from the resource in question</narrative>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="ddf37c4c-123d-4367-8b3e-f1e4187241c0" name="Start" type="Start">

<subsheetid>1f8a6b75-593a-4526-9e29-3213a5244755</subsheetid>

<loginhibit/>

<display x="0" y="-135"/>

<inputs>

<input type="number" name="Port" narrative="The port number whose resource should be stopped" stageid="ddf37c4c-123d-4367-8b3e-f1e4187241c0">

</inputs>

<onsuccess>c5732c58-8ace-414f-80e7-1b82ba0fb7a1</onsuccess>

</stage>

<stage stageid="99f2084b-29d3-4443-b09e-2279ffd00688" name="End" type="End">

<subsheetid>1f8a6b75-593a-4526-9e29-3213a5244755</subsheetid>

<loginhibit/>

<display x="0" y="-45"/>

</stage>

<stage stageid="6a443f0c-bf94-46fd-bfd2-835e714800d0" name="Processes" type="Collection">

<loginhibit/>

<display x="180" y="-105" w="120" h="30"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Port" type="number" description="The port number on which the resource is listening"/>

<field name="Process ID" type="number" description="The process ID for the resource on this port"/>

</collectioninfo>

</stage>

<stage stageid="a1d4b05c-0535-4662-a27f-e2956a766a02" name="Globals" type="Block">

<loginhibit/>

<display x="105" y="-135" w="150" h="105"/>

</stage>

<stage stageid="41f0ca15-f70d-4998-9429-0ac511947744" name="Port" type="Data">

<subsheetid>1f8a6b75-593a-4526-9e29-3213a5244755</subsheetid>

<display x="-195" y="-15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bfe03da2-abd6-4952-9120-f655b00525c6" name="Inputs" type="Block">

<subsheetid>1f8a6b75-593a-4526-9e29-3213a5244755</subsheetid>

<loginhibit/>

<display x="-270" y="-45" w="150" h="60"/>

</stage>

<stage stageid="c5732c58-8ace-414f-80e7-1b82ba0fb7a1" name="Stop Resource via HTTP" type="Code">

<subsheetid>1f8a6b75-593a-4526-9e29-3213a5244755</subsheetid>

<loginhibit/>

<display x="0" y="-90" w="120" h="30"/>

<inputs>

<input type="number" name="port" expr="[Port]"/>

</inputs>

<onsuccess>99f2084b-29d3-4443-b09e-2279ffd00688</onsuccess>

<code>using (var wc = new WebClient())

wc.DownloadString("http://localhost:" + port + "/shutdown");</code>

</stage>

<stage stageid="527bdab0-f058-454e-9024-6ad7c4bc73" name="Kill Resource" type="SubSheetInfo">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<narrative>Kills the resource running locally on the given port.

Throws a ResourceNotFoundException if the port does not correspond to a resource started by this VBO.</narrative>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="8767c6c1-47a7-4fd8-8e38-e353abf413e9" name="Start" type="Start">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="60" y="-135"/>

<inputs>

<input type="number" name="Port" narrative="The port number of the resource PC to kill" stage="Port"/>

</inputs>

<onsuccess>560c1427-1812-4a60-9e50-7eca53cc4dd5</onsuccess>

</stage>

<stage stageid="ab5dd906-559f-4705-823f-012082ff089d" name="End" type="End">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="-45" y="165"/>

</stage>

<stage stageid="249bdbee-3889-42b5-a412-b61033a8987f" name="Port" type="Data">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<display x="-195" y="-15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2bf0df35-1553-456a-8c16-c4e028fc8eab" name="Inputs" type="Block">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="-270" y="-45" w="150" h="60"/>

</stage>

<stage stageid="dcc26a19-d5a5-4932-aef4-4ceaa632eccd" name="Locals" type="Block">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="-270" y="30" w="150" h="60"/>

</stage>

<stage stageid="9c80735f-2be0-4951-8cb4-dd4db5a68c3f" name="ProcessId" type="Data">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<display x="-195" y="60" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="560c1427-1812-4a60-9e50-7eca53cc4dd5" name="For Each Resource Process" type="L

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="60" y="-75" w="90" h="30"/>

<onsuccess>42209164-b997-41ab-be39-3410f23faabd</onsuccess>

<groupid>0f08ac15-15e2-47af-b3f2-58e99b79c38b</groupid>

<looptype>ForEach</looptype>

<loopdata>Processes</loopdata>

</stage>

<stage stageid="30912239-8277-45d2-a40f-49d863efb4bc" name="For Each Resource Process" type="Lo

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="60" y="15" w="90" h="30"/>

<onsuccess>3c29e719-9706-4620-a8c1-d0ed6bab47b6</onsuccess>

<groupid>0f08ac15-15e2-47af-b3f2-58e99b79c38b</groupid>

</stage>

<stage stageid="80c5090d-2aa8-435e-a977-f6674a496dc2" name="Find the Process ID" type="Block">

<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>

<loginhibit/>

<display x="-105" y="-105" w="225" h="150"/>


```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="42209164-b997-41ab-be39-3410f23faabd" name="Is This The Port We're Looking For?" type="Code">
  <subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>
  <loginhibit/>
  <display x="60" y="-30" w="90" h="30"/>
  <decision expression="[Processes.Port] = [Port]"/>
  <ontrue>4b219429-4ef9-4ef1-8e35-03a32073701a</ontrue>
  <onfalse>30912239-8277-45d2-a40f-49d863efb4bc</onfalse>
</stage>

<stage stageid="4b219429-4ef9-4ef1-8e35-03a32073701a" name="ProcessId := Processes.Process ID" type="Code">
  <subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>
  <loginhibit/>
  <display x="-45" y="-30" w="90" h="30"/>
  <onsuccess>fcedf521-b669-401e-bb94-fbdc3bf06e3b</onsuccess>
  <calculation expression="[Processes.Process ID]" stage="ProcessId"/>
</stage>

<stage stageid="3c29e719-9706-4620-a8c1-d0ed6bab47b6" name="FAIL" type="Exception">
  <subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>
  <display x="150" y="15" w="30" h="30"/>
  <exception type="ResourceNotFoundException" detail="&quot;No resource with the port number '&quot;
</stage>

<stage stageid="fcedf521-b669-401e-bb94-fbdc3bf06e3b" name="Kill The Process" type="Code">
  <subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>
  <loginhibit/>
  <display x="-45" y="75" w="90" h="30"/>
  <inputs>
```

```
<input type="number" name="pid" expr="[ProcessId]"/>
```

```
</inputs>
```

```
<onsuccess>1f1ae6df-cc72-4a84-9625-2a804bcc7357</onsuccess>
```

```
<code>try
```

```
{
```

```
using (var proc = Process.GetProcessById((int)pid))
```

```
proc.Kill();
```

```
}
```

```
// Ignore ArgExceptions - it just means the process is no
```

```
// longer running... which is fine.
```

```
catch (ArgumentException) {}
```

```
</code>
```

```
</stage>
```

```
<stage stageid="1f1ae6df-cc72-4a84-9625-2a804bcc7357" name="Remove the row from our collection" ty
```

```
<subsheetid>2bcc9581-2a31-4880-bc35-01710f62bb17</subsheetid>
```

```
<loginhibit/>
```

```
<display x="-45" y="120" w="90" h="30"/>
```

```
<inputs>
```

```
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp
```

```
</inputs>
```

```
<onsuccess>ab5dd906-559f-4705-823f-012082ff089d</onsuccess>
```

```
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove Row"/>
```

```
</stage>
```

```
<stage stageid="65389e2d-9847-4e48-978e-282909146762" name="Set Command Line Args" type="Bloc
```

```
<subsheetid>b6ff1809-19b3-4573-95ed-141a2c2df740</subsheetid>
```

```
<loginhibit/>
```

```
<display x="-105" y="-120" w="345" h="225"/>
```

```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="b1eb2b1a-e321-4304-b90b-6f1d106e42e8" name="Hide Runtime Resource" type="SubS

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<narrative>Hides the runtime resource.</narrative>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="7f17a14a-0f92-42cb-8a5d-33eb4b9b5d41" name="Start" type="Start">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative="None."/>

</preconditions>

<postconditions>

<condition narrative="None."/>

</postconditions>

<display x="15" y="-105" w="90" h="30"/>

<inputs>

<input type="number" name="Process ID" stage="Process ID"/>

</inputs>

<onsuccess>76847a9d-30cf-4292-b2c1-2ad07eae0ef2</onsuccess>

</stage>

<stage stageid="6048e226-02fc-42dc-ac14-88eaac3f171b" name="End" type="End">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="75" y="330" w="90" h="30"/>

</stage>
```

<stage stageid="b90c5ee8-ada8-40b3-a688-0dac26ee56f1" name="Attach BP" type="Navigate">

<subsheetsid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetsid>

<loginhibit/>

<display x="15" y="75" w="90" h="30"/>

<onsuccess>9ec91e39-6a71-44af-be99-14379da62085</onsuccess>

<step>

<element id="0ec4a18b-4405-457c-a695-050fcb906663"/>

<action>

<id>AttachApplication</id>

<arguments>

<argument>

<id>WindowTitlesCollection</id>

<value>

</value>

</argument>

<argument>

<id>WindowTitle</id>

<value>

</value>

</argument>

<argument>

<id>ProcessName</id>

<value>

</value>

</argument>

<argument>

<id>ProcessID</id>

<value>[Process ID]</value>

</argument>

<argument>

<id>Username</id>

<value>

</value>

</argument>

<argument>

<id>ChildIndex</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="78fe76cc-2a58-4d33-b78b-c061d88b521d" name="Press Hide" type="Navigate">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="75" y="210" w="90" h="30"/>

<onsuccess>54d60928-d460-4b94-bada-4a76eec34529</onsuccess>

<step>

<element id="4f0ddde7-9586-425f-9fa1-167ed2c307a4"/>

<action>

<id>Press</id>

</action>

</step>

```
</stage>

<stage stageid="8f812ae7-aace-406c-b324-c43fb577b448" name="Read Connection" type="SubSheetInfo">
  <subsheets>
    <subsheetsid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</subsheetsid>
    <narrative>Reads whether the object is already attached.</narrative>
    <display x="-150" y="-105" w="150" h="90"/>
  </stage>

  <stage stageid="8dec8b84-704f-4874-95a9-9d8cc010d9fe" name="Start" type="Start">
    <subsheetsid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</subsheetsid>
    <loginhibit/>
    <preconditions>
      <condition narrative="None."/>
    </preconditions>
    <postconditions>
      <condition narrative="None."/>
    </postconditions>
    <display x="30" y="-135" w="90" h="30"/>
    <onsuccess>745f3b07-94f0-4901-959a-10cb95c4f1aa</onsuccess>
  </stage>

  <stage stageid="b37056bd-6a9b-40f2-85bb-b4052da59913" name="End" type="End">
    <subsheetsid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</subsheetsid>
    <loginhibit/>
    <display x="30" y="-15" w="90" h="30"/>
    <outputs>
      <output type="flag" name="Connected" narrative="Connected" stage="Connected"/>
    </outputs>
  </stage>

  <stage stageid="745f3b07-94f0-4901-959a-10cb95c4f1aa" name="Read Connection" type="Read">
```

<subsheetid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</subsheetid>

<loginhibit/>

<display x="30" y="-75" w="90" h="30"/>

<onsuccess>b37056bd-6a9b-40f2-85bb-b4052da59913</onsuccess>

<step stage="Connected">

<element id="0ec4a18b-4405-457c-a695-050fcb906663"/>

<action>

<id>IsConnected</id>

</action>

</step>

</stage>

<stage stageid="89bc5cf2-71e4-4961-84f5-8d624eb5fbc3" name="Connected" type="Data">

<subsheetid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</subsheetid>

<display x="-150" y="-15" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9d2cc39d-41be-4f73-b03c-f2e462f7dfc0" name="Output Variables" type="Block">

<subsheetid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</subsheetid>

<loginhibit/>

<display x="-225" y="-45" w="150" h="60"/>

</stage>

<stage stageid="76847a9d-30cf-4292-b2c1-2ad07eae0ef2" name="Read Connection" type="SubSheet">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="15" y="-45" w="90" h="30"/>

<outputs>

<output type="flag" name="Connected" narrative="Connected" stage="Connected"/>

</outputs>

<onsuccess>c3c90295-b850-48ec-9688-a32f040b4c7f</onsuccess>

<processid>6ed1fe2f-e833-43f3-8d49-a94a691bd05b</processid>

</stage>

<stage stageid="f2f8b635-0d2f-4f66-a9b1-c78d5d6227a6" name="Connected" type="Data">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<display x="-195" y="-15" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c3c90295-b850-48ec-9688-a32f040b4c7f" name="Connected?" type="Decision">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<decision expression="[Connected]"/>

<ontrue>7a53b986-e0ce-4554-b41c-8f13b5466fa6</ontrue>

<onfalse>b90c5ee8-ada8-40b3-a688-0dac26ee56f1</onfalse>

</stage>

<stage stageid="dc98c0ff-15ac-4bf0-9b81-0531b582a254" name="Time Out" type="WaitEnd">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="135" y="150" w="60" h="60"/>

<onsuccess>233e644b-879a-49fe-88da-884931dc84e6</onsuccess>

<groupid>049466cb-7ff4-4087-b962-473d0c781c86</groupid>

</stage>

<stage stageid="9ec91e39-6a71-44af-be99-14379da62085" name="Wait Button" type="WaitStart">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="15" y="150" w="60" h="60"/>

<groupid>049466cb-7ff4-4087-b962-473d0c781c86</groupid>

<choices>

<choice reply="True">

<name>Hide Button Check Exists</name>

<distance>60</distance>

<ontrue>78fe76cc-2a58-4d33-b78b-c061d88b521d</ontrue>

<element id="4f0ddde7-9586-425f-9fa1-167ed2c307a4"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>60</timeout>

</stage>

<stage stageid="00ec12c9-d715-460f-939f-ee49dd700ed7" name="Local Variables" type="Block">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="-270" y="-45" w="150" h="60"/>

</stage>

<stage stageid="7a53b986-e0ce-4554-b41c-8f13b5466fa6" name="Anchor3" type="Anchor">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="-60" y="15" w="10" h="10"/>

<onsuccess>4ee0c182-ae2d-42a4-8bab-c4cb0aa6c630</onsuccess>

</stage>

<stage stageid="4ee0c182-ae2d-42a4-8bab-c4cb0aa6c630" name="Anchor5" type="Anchor">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="-60" y="150" w="10" h="10"/>

<onsuccess>9ec91e39-6a71-44af-be99-14379da62085</onsuccess>

</stage>

<stage stageid="233e644b-879a-49fe-88da-884931dc84e6" name="End1" type="End">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<loginhibit/>

<display x="240" y="150" w="90" h="30"/>

</stage>

<stage stageid="aa7964d2-6aa0-4c06-8c91-db073b230920" name="Process ID" type="Data">

<subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>

<display x="-195" y="60" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2ba8e1cc-e603-4966-adf6-1d647cff40ec" name="Input Variables" type="Block">
 <subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>
 <loginhibit/>
 <display x="-270" y="30" w="150" h="60"/>

</stage>

<stage stageid="54d60928-d460-4b94-bada-4a76eec34529" name="Detach BP" type="Navigate">
 <subsheetid>6ef6cfc3-2cf1-4f8d-af72-52be220577ab</subsheetid>
 <loginhibit/>
 <display x="75" y="270" w="90" h="30"/>
 <onsuccess>6048e226-02fc-42dc-ac14-88eaac3f171b</onsuccess>
 <step>
 <element id="0ec4a18b-4405-457c-a695-050fcb906663"/>
 <action>
 <id>DetachApplication</id>
 </action>
 </step>
</stage>
</process>

<process name="Return Collection From Code Stage" version="1.0" narrative="Returns a collection from a">
 <appdef>
 <element name="Application Root">
 <id>d7a72bb4-e7fc-4098-bf3d-e6be26947070</id>
 <type>Application</type>
 <datatype>unknown</datatype>
 <diagnose>False</diagnose>
 </element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="b83c904e-edfb-4a6b-8c6a-8185015850a9" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="bada8f80-d436-448c-b14b-1c50f33e4f33" type="Normal" published="True">

<name>Get Collection</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="543c9a8f-fb72-4a12-b58a-44e0d9b3d94e" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>92f7d505-62d4-4faa-9008-41957940e760</onsuccess>

</stage>

<stage stageid="92f7d505-62d4-4faa-9008-41957940e760" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="a97396e1-97c3-4bd1-81fe-912ae832754e" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="5139dab8-4c9d-47a9-9dc9-a5c27d082286" name="Clean Up" type="SubSheetInfo">

<subsHEETid>b83c904e-edfb-4a6b-8c6a-8185015850a9</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="08b2c8d3-814f-4072-ae4f-c21da0664705" name="Start" type="Start">

<subsHEETid>b83c904e-edfb-4a6b-8c6a-8185015850a9</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>34ff9a04-ccf1-4724-b226-23390a310366</onsuccess>

</stage>

<stage stageid="34ff9a04-ccf1-4724-b226-23390a310366" name="End" type="End">

<subsheetid>b83c904e-edfb-4a6b-8c6a-8185015850a9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="20946667-b66f-4beb-b8ff-f4a14574a42e" name="Get Collection" type="SubSheetInfo">

<subsheetid>bada8f80-d436-448c-b14b-1c50f33e4f33</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="2746f117-8417-463e-808d-540b7e1cdcc9" name="Start" type="Start">

<subsheetid>bada8f80-d436-448c-b14b-1c50f33e4f33</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9327d88b-fbb1-4f07-9dd8-e0d01179125b</onsuccess>

</stage>

<stage stageid="d7f91a7e-460e-4a1b-9c3d-dc5c4a99bfcd" name="End" type="End">

<subsheetid>bada8f80-d436-448c-b14b-1c50f33e4f33</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="collection" name="Coll1" narrative="The Collection" stage="Coll1"/>

</outputs>

</stage>

<stage stageid="324a6f32-ad0e-431a-9a45-258418648db0" name="new" type="Note">

<subsheetsid>b83c904e-edfb-4a6b-8c6a-8185015850a9</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="c541d161-aa1e-4038-ac7a-df07b4ab5c24" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="9327d88b-fbb1-4f07-9dd8-e0d01179125b" name="Code1" type="Code">

<subsheetid>bada8f80-d436-448c-b14b-1c50f33e4f33</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="collection" name="Output" stage="Coll1"/>

</outputs>

<onsuccess>d7f91a7e-460e-4a1b-9c3d-dc5c4a99bfcd</onsuccess>

<code>Output.Columns.Add("Field1", Type.GetType("System.String"))

Dim r As System.Data.DataRow = Output.NewRow()

r("Field1") = "hello"

Output.Rows.Add(r)</code>

</stage>

<stage stageid="08f1fe4b-8675-46d1-b3a5-033ab8d610dc" name="Coll1" type="Collection">

<subsheetid>bada8f80-d436-448c-b14b-1c50f33e4f33</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<display>15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Field1" type="text" description="test"/>

</collectioninfo>

</stage>

</process>

<process name="SAP" version="1.0" bpversion="6.8.0.20441" narrative="" byrefcollection="true" type="obj">

<appdef>

<element name="SAP">

<id>e449ea81-14f7-4e4d-a49b-392a18e79457</id>

<element name="Connections' Window (Win32)">

<id>aa1db5fc-18c4-4d7e-af12-08fc362a7511</id>

<element name="SAP Connection' ListItem (AA) - Dynamic Name">

<id>38568878-561a-4cab-8b81-388bcd03cf67</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="SysListView32"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="688"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="396"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="myContainer SAP Logon 760 <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="SysListView32"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-233,-767,-386,452"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1343291721"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="myContainer"/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="Afx:00180000:0"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="688"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="396"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1343291721"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="27"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="995"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="Name" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="BP SAP SERVER"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value="SID: NPL, Group/Server: crockett.blueprism.co.uk, Instance No.: 00

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="multiple selectable"/>

</attribute>

<attribute name="Value2">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aAncestorCount">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="aChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-233,-741,-716,762"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="687"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="395"/>

</attribute>

<attribute name="pName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="pValue2">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="paChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="'Log On' Button (Win32)">

<id>839c9ed2-e376-4555-8116-2adda2a81f27</id>

<element name="'Log On' Window (Win32)">

<id>b6b919c5-534c-4d8b-9df2-063c54f213f8</id>

<element name="'Username' TextBox (SAP)">

<id>f3c077b1-1b7f-432c-a633-b8147c9ca1ff</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/txtRSYST-BNAME"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTextField"/>

</attribute>

</attributes>

</element>

<element name="'Password' Password Field (SAP)">

<id>99ded1d3-1697-4d06-901b-a766fd3d6d52</id>

<type>SAPPasswordField</type>

<basetype>SAPPasswordField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/pwdRSYST-BCODE"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiPasswordField"/>

</attribute>

</attributes>

</element>

<element name="'Enter' Button (SAP)">

<id>72e6d317-3091-4f28-b32c-8f4ac5886926</id>

<element name="'Information' Window (SAP)">

<id>b237536d-225d-42f5-ad43-e4765359f2da</id>

<element name="'Continue' Button (SAP)">

<id>5c70eb4f-cd35-4ff6-bd6e-cfc0df0bbfb6</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

```
<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[1]/tbar[0]/btn[0]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<type>SAPComponent</type>

<basetype>SAPComponent</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[1]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiModalWindow"/>

</attribute>

</attributes>

</element>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">
```

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/btn[0]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="SAP"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="SAP_FRONTEND_SESSION"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="-125"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="-828"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="909"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="532"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="<UNKNOWN> "/>

</attribute>

```
<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="SAP_FRONTEND_SESSION"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-117,-796,-305,775"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="&amp;Log On"/>
```

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="1006"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="518"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="57"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="27"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="SAP Logon 760 <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:392,-355,-329,448"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1342242827"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="SAP Logon 760"/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="#32770"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="-622"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="-905"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="1087"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="591"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="27"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1342242827"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="SAP Logon 760"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="#32770"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="-529"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="-901"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1087"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="591"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="12"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="27"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="<UNKNOWN> "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value="#32770"/>
</attribute>
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:-521,-869,-319,549"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="-1798373300"/>
</attribute>
<attribute name="MatchIndex">

```
<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="'SAP Easy Access' Window (Win32)">

<id>89aa4bf8-7e52-441f-8e75-fd6cec375178</id>

<element name="'Log off' Button (SAP)">

<id>1c692c1e-dc20-4ca4-a9eb-e30f18fbb834</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/btn[15]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<element name="'Enter' Button (SAP)">

<id>598a5028-4c6e-4e7a-b8fa-320671f7e8c9</id>

<type>SAPButton</type>
```

```
<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/btn[0]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<element name="'Transaction' ComboBox (SAP)">

<id>592d386b-b75e-412f-a675-4bde874b7a4c</id>

<type>SAPOkCodeField</type>

<basetype>SAPOkCodeField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/okcd"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiOkCodeField"/>

</attribute>

</attributes>

</element>
```

```
<element name="'Navigation' Treeview (SAP)">
<id>86242222-faf6-448a-a002-48243db20caa</id>
<type>SAPCtrlTree</type>
<basetype>SAPCtrlTree</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="ID" inuse="True">
<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/cntlIMAGE_CONTAINER/shellcont/sh
</attribute>
<attribute name="ComponentType">
<ProcessValue datatype="text" value="GuiShell"/>
</attribute>
<attribute name="SubType">
<ProcessValue datatype="text" value="Tree"/>
</attribute>
</attributes>
</element>
<element name="'Back' Button (SAP)">
<id>243b2267-e398-46c8-a039-07eef19f67ea</id>
<type>SAPButton</type>
<basetype>SAPButton</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="ID" inuse="True">
<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/btn[3]"/>
```

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<element name="'SAP Title' Window (Win32) - Dynamic Window Text">

<id>ed2735c0-bfc6-4d4d-9aa3-347b55598305</id>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="AfxWnd140"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="893"/>

</attribute>

<attribute name="Height" inuse="True">

<ProcessValue datatype="number" value="49"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="Style Guide: Check boxes <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="AfxWnd140"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-382,-934,-886,510"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442840576"/>

</attribute>

<attribute name="pWindowText" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="Style Guide: Check boxes"/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="SAP_FRONTEND_SESSION"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="-390"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="-966"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="909"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="532"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1442840576"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<group name="Style Guide Window">

<id>254b07c3-ce0c-4023-83fc-ac5a0baafb20</id>

<element name="'Control Title' Link (AA) - Dynamic Name">

<id>6609e2a0-2852-4b4d-a9bf-584853aa285c</id>

<type>AAElement</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="216"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="728"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Control Container Custom Container Style Guide: Check boxes

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-275,-797,-70,-60"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442840576"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="Shell DocObject View"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="216"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="728"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

```
<attribute name="pChildCount">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pStyle">
<ProcessValue datatype="number" value="1442840576"/>
</attribute>
<attribute name="aX">
<ProcessValue datatype="number" value="40"/>
</attribute>
<attribute name="aY">
<ProcessValue datatype="number" value="69"/>
</attribute>
<attribute name="aWidth">
<ProcessValue datatype="number" value="63"/>
</attribute>
<attribute name="aHeight">
<ProcessValue datatype="number" value="12"/>
</attribute>
<attribute name="Name" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="text" value="Radio Buttons"/>
</attribute>
<attribute name="Description">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="Role">
<ProcessValue datatype="text" value="Text"/>
</attribute>
```


<attribute name="ID">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="linked"/>

</attribute>

<attribute name="Value2">

<ProcessValue datatype="text" value="sapevent:RDB_SHORT?RDB"/>

</attribute>

<attribute name="KeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Jump"/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aAncestorCount">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

```
<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="aChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>
```

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

```
<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>
```

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-212,-708,-696,-149"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="184"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="81"/>

</attribute>

<attribute name="pName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole">

<ProcessValue datatype="text" value="List"/>

</attribute>

<attribute name="pID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

```
<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue2">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>
```

```
<attribute name="paChecked">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pMixed">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pReadOnly">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pHottracked">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pDefault">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pExpanded">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pCollapsed">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pBusy">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pFloating">
<ProcessValue datatype="flag" value="False"/>
</attribute>
```

```
<attribute name="pMarqueed">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pAnimated">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pInvisible">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pOffscreen">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pSizeable">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pMoveable">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pSelfVoicing">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pFocusable">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pSelectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
```



```
<attribute name="pLinked">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pTraversed">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pMultiselectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pExtselectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pAlert_low">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pAlert_medium">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pAlert_high">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>

<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
```

</attributes>

</element>

</group>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="SAP Easy Access*"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="SAP_FRONTEND_SESSION"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="-125"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="-828"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="909"/>

</attribute>

<attribute name="Height">

```
<ProcessValue datatype="number" value="532"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="&lt;UNKNOWN&gt; "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">
```

<ProcessValue datatype="text" value="SAP_FRONTEND_SESSION"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:-117,-796,-305,775"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="370081792"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<group name="Radio Buttons">

<id>f1ed595a-b197-4410-ad51-a303de6899b8</id>

<element name="'BIBS Radio Button' (SAP) - Dynamic ID">

<id>b4dc68be-4b5d-4832-8eeb-38e684163fdf</id>

<type>SAPRadioButton</type>

<basetype>SAPRadioButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiRadioButton"/>

</attribute>

</attributes>

</element>

</group>

<element name="'BIBS Tab' (SAP) - Dynamic ID">

<id>dba79237-b728-49b7-a01f-2d494f1e5948</id>

<element name="Tab 1 Element">

<id>1c9804be-6186-4cc2-8d64-f443215bcf59</id>

<type>SAPLabel</type>

<basetype>SAPLabel</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiLabel"/>

</attribute>

</attributes>

</element>

<element name="Tab 2 Element">

<id>3582e2ea-a047-44cb-b8b1-102cf62f127f</id>

<type>SAPComponent</type>

```
<basetype>SAPComponent</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiBox"/>

</attribute>

</attributes>

</element>

<element name="Tab 3 Element">

<id>d678e260-212b-48e0-95e2-41357d1436d1</id>

<type>SAPComponent</type>

<basetype>SAPComponent</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiBox"/>

</attribute>

</attributes>

</element>
```

<element name="Tab 4 Element">

<id>fc3c082e-6ab2-49d0-8c35-8c02bb6ae0a7</id>

<type>SAPLabel</type>

<basetype>SAPLabel</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiLabel"/>

</attribute>

</attributes>

</element>

<element name="Tab 5 Element">

<id>8a799ffb-053f-4ad5-b085-27d476da9edb</id>

<type>SAPLabel</type>

<basetype>SAPLabel</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiLabel"/>

</attribute>

</attributes>

</element>

<type>SAPTab</type>

<basetype>SAPTab</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTab"/>

</attribute>

</attributes>

</element>

<element name="'BIBS Check Box' (SAP) - Dynamic ID">

<id>6060388d-6a09-4a32-9cc2-cbd32656b408</id>

<type>SAPCheckBox</type>

<basetype>SAPCheckBox</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiCheckBox"/>

</attribute>

</attributes>

</element>

<element name="'BIBS Field' (SAP) - Dynamic ID">

<id>2721c027-159e-4d31-ac3b-96146f48199f</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTextField"/>

</attribute>

</attributes>

</element>

<element name="'BIBS Table Control' (SAP)">

<id>51c6280c-8056-437b-aa3a-3ff9fe7f107f</id>

<type>SAPTable</type>

<basetype>SAPTable</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

```
<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"  
</attribute>  
<attribute name="ComponentType">  
<ProcessValue datatype="text" value="GuiTableControl"/>  
</attribute>  
</attributes>  
</element>  
<type>Application</type>  
<basetype>Application</basetype>  
<datatype>unknown</datatype>  
<diagnose>False</diagnose>  
</element>  
<apptypeinfo>  
<id>Win32Launch</id>  
<parameters>  
<parameter>  
<name>Path</name>  
<value>C:\Program Files (x86)\SAP\FrontEnd\SapGui\saplogon.exe</value>  
</parameter>  
<parameter>  
<name>CommandLineParams</name>  
<value>  
</value>  
</parameter>  
<parameter>  
<name>WorkingDirectory</name>  
<value>
```

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="3d8a627f-fa0b-48bb-9ba5-226a94eef7e0" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="fa194325-f15b-4096-b718-2737fa11b939" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0bd633a9-8054-4d9e-83db-b18dfc8cb331" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7e8adccc-b857-470f-84b0-d6e1847fedfd" type="Normal" published="True">

<name>Get SAP Version</name>

<view>

<camerax>0</camerax>

<cameray>21</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5b095e0c-60b5-4252-9311-79c264cf9121" type="Normal" published="True">

<name>Select Connection</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="2da018d1-32d4-4f68-97d9-442257258ea4" type="Normal" published="True">

<name>Log On</name>

<view>

<camerax>0</camerax>

<cameray>219</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="280e0aa7-8b66-4a71-b7e7-8d1948c7d0e7" type="Normal" published="False">

<name>Log Off</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5af4050b-25c1-4829-ab09-5ed81a53cebd" type="Normal" published="True">

<name>Press Back</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8944c4a1-fd66-4819-9ce5-3db537664441" type="Normal" published="True">

<name>Search Transaction</name>

<view>

<camerax>0</camerax>

<cameray>21</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="90a45dc8-dddf-4a19-8a43-3c6890f0ef5d" type="Normal" published="True">

<name>Select Control Type (BIBS)</name>

<view>

<camerax>0</camerax>

<cameray>105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="926eef97-5cb4-4529-96e8-739bf3dd931a" type="Normal" published="False">

<name>===</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6ca23102-0efd-4c87-81fb-925feb4da2eb" type="Normal" published="True">

<name>Set Radio Button</name>

<view>

<camerax>0</camerax>

<cameray>21</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="9fd92d65-27b4-43c3-a0dc-9211de6e4e96" type="Normal" published="True">

<name>Read Radio Button</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b7831bb9-d0c2-4f82-9bd8-99ea776681d3" type="Normal" published="True">

<name>Select Tab</name>

<view>

<camerax>54</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7f59fc1f-4c6c-467e-8989-feee453b4bec" type="Normal" published="True">

<name>Check Tab Selection</name>

<view>

<camerax>428</camerax>

<cameray>126</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="cc057ebc-1e99-4804-bfd2-adf66f46b087" type="Normal" published="True">

<name>Set Check Box</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5164c568-fd50-4dcc-b0f6-be5f0b60ba96" type="Normal" published="True">

<name>Read Check Box</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="320cbcd5-8639-49a4-bb31-cca0df084fca" type="Normal" published="True">

<name>Set Field</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e2d76cbf-9761-4579-a758-f40edeb9ad16" type="Normal" published="True">

<name>Read Field</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ca21b343-03b5-4eb7-80cd-dfe4f51e186b" type="Normal" published="True">

<name>Read Table Control</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

```
<stage stageid="03348d5e-e07c-4da5-aa69-a04cf38bb115" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>c990e75b-5487-4f51-a88f-cffb54fa0b4b</onsuccess>

</stage>

<stage stageid="c990e75b-5487-4f51-a88f-cffb54fa0b4b" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="8e99a16e-2636-4aea-866a-5b347c1ab2a7" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="49fc3687-620e-485f-8671-555da22d1a1d" name="Clean Up" type="SubSheetInfo">
```

```
<subsheetid>3d8a627f-fa0b-48bb-9ba5-226a94eef7e0</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="b9e45a43-fb73-4a44-a193-983d9dd8e82a" name="Start" type="Start">

<subsheetid>3d8a627f-fa0b-48bb-9ba5-226a94eef7e0</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>4270d997-5374-498b-8657-877d0d40ae63</onsuccess>

</stage>

<stage stageid="4270d997-5374-498b-8657-877d0d40ae63" name="End" type="End">

<subsheetid>3d8a627f-fa0b-48bb-9ba5-226a94eef7e0</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="255259e1-9580-4396-b8f8-c76ca5ee0e88" name="Launch" type="SubSheetInfo">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="02e5a042-4f15-4eb9-a2d4-0b094b9eee95" name="Start" type="Start">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>1d7bef61-77af-4736-8da0-e04800feff67</onsuccess>

</stage>

<stage stageid="78692e91-b7f4-4995-b6d7-7300c5bb72f1" name="End" type="End">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<loginhibit/>
```

<display x="15" y="60"/>

</stage>

<stage stageid="eefd6b7a-df85-4a0f-8794-6bf313d31327" name="Note1" type="Note">

<subsheetid>3d8a627f-fa0b-48bb-9ba5-226a94eef7e0</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="85e8fbce-5f1f-41c2-bf1d-2c4d42ed67ea" name="Note2" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="2f79fb18-1cb0-4160-88c4-f08f3f769bbf" name="Terminate" type="SubSheetInfo">

<subsheetid>0bd633a9-8054-4d9e-83db-b18dfc8cb331</subsheetid>

<display x="-120" y="-75" w="150" h="90"/>

</stage>

<stage stageid="df5170f8-bf07-4875-b230-03f1a169c2c4" name="Start" type="Start">
<subsheetid>0bd633a9-8054-4d9e-83db-b18dfc8cb331</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<onsuccess>568c82d7-d621-4105-ae73-366cf90a9c08</onsuccess>
</stage>

<stage stageid="5162c46b-565d-4f89-a899-597006523485" name="End" type="End">
<subsheetid>0bd633a9-8054-4d9e-83db-b18dfc8cb331</subsheetid>
<loginhibit/>
<display x="15" y="-15"/>
</stage>

<stage stageid="44cff2f9-d17b-4e31-91da-c509e3c666dd" name="Log On" type="SubSheetInfo">
<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>
<display x="-150" y="-45" w="150" h="90"/>
</stage>

<stage stageid="5d31bcfe-7bfb-494e-8fff-dbb10f39c6c8" name="Start" type="Start">
<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>
<loginhibit/>
<display x="15" y="-75"/>
<inputs>

<input type="text" name="Username" narrative="The username for the account you want to access." stage="Pa
<input type="text" name="Password" narrative="The password for the user you want to access." stage="Pa
</inputs>

<onsuccess>f0d6ecc1-1e4f-4a48-b5fe-033ea9092ed4</onsuccess>
</stage>

<stage stageid="d6768c72-c316-4a99-a6c1-d5c85ca106ae" name="End" type="End">
<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="15" y="600"/>

</stage>

<stage stageid="1d7bef61-77af-4736-8da0-e04800feff67" name="Launch" type="Navigate">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<loginhibit/>

<display x="15" y="-60" w="90" h="30"/>

<onsuccess>f6531ced-d825-4029-a5c2-013ee3c13401</onsuccess>

<step>

<element id="e449ea81-14f7-4e4d-a49b-392a18e79457"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3ec5d95c-45dc-4906-9084-b77d29614102" name="Time Out - Wait for Connection Window">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<loginhibit/>

<display x="45" y="0" w="30" h="30"/>

<onsuccess>8aeb0513-351b-4dd8-b7a8-36a4930d7543</onsuccess>

<groupid>89596f77-acef-4873-9fb7-361007b05b4a</groupid>

</stage>

```
<stage stageid="f6531ced-d825-4029-a5c2-013ee3c13401" name="Wait for Connection Window" type="W
<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<loginhibit/>

<display x="-30" y="0" w="60" h="60"/>

<groupid>89596f77-acef-4873-9fb7-361007b05b4a</groupid>

<choices>

<choice reply="True">

<name>'Connections' Window (Win32) Check Exists</name>

<distance>45</distance>

<ontrue>78692e91-b7f4-4995-b6d7-7300c5bb72f1</ontrue>

<element id="aa1db5fc-18c4-4d7e-af12-08fc362a7511"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="8aeb0513-351b-4dd8-b7a8-36a4930d7543" name="FAIL" type="Exception">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<display x="105" y="0"/>

<exception localized="yes" type="Missing Element" detail="&quot;The sap connections window wasn'

</stage>

<stage stageid="d86304d9-5508-4ad5-bc3d-1e0bdbb383767" name="Log Off" type="SubSheetInfo">

<subsheetid>280e0aa7-8b66-4a71-b7e7-8d1948c7d0e7</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>
```



```
</stage>

<stage stageid="10de086a-7199-4562-90e4-dababc205b2d" name="Start" type="Start">

<subsheetid>280e0aa7-8b66-4a71-b7e7-8d1948c7d0e7</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

</stage>

<stage stageid="351b5df1-cd1b-429b-be02-66a28f732e93" name="End" type="End">

<subsheetid>280e0aa7-8b66-4a71-b7e7-8d1948c7d0e7</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="78ccee53-057b-4f24-b644-76e9e12aee92" name="Environment Variable" type="Block">

<subsheetid>fa194325-f15b-4096-b718-2737fa11b939</subsheetid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="75"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="568c82d7-d621-4105-ae73-366cf90a9c08" name="Terminate" type="Navigate">

<subsheetid>0bd633a9-8054-4d9e-83db-b18dfc8cb331</subsheetid>

<loginhibit/>

<display x="15" y="-60" w="90" h="30"/>

<onsuccess>5162c46b-565d-4f89-a899-597006523485</onsuccess>

<step>

<element id="e449ea81-14f7-4e4d-a49b-392a18e79457"/>

<action>

<id>Terminate</id>

</action>
```

```
</step>

</stage>

<stage stageid="ad70f8c7-d703-4744-b523-9d12ce6c8ba0" name="Select Connection" type="SubSheetIn
<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="78f3bc46-b8e5-4063-bfb3-b0c3174bb441" name="Start" type="Start">

<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="text" name="Connection Name" narrative="The name of the connection you want to select." s
</inputs>

<onsuccess>7ce765c9-fc05-4d9d-bb70-532ba7428342</onsuccess>

</stage>

<stage stageid="0402d015-9b35-4e57-86be-f6da1bba179b" name="End" type="End">

<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

</stage>

<stage stageid="eafdb625-9495-4055-86eb-d24aa9d29265" name="Time Out - Wait for Connection Windo
<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>5c06b211-3c43-450f-bd18-bbba9d18ef53</onsuccess>

<groupid>9df68b64-4bff-487f-a06a-ba0aee429eef</groupid>

</stage>
```

```
<stage stageid="7ce765c9-fc05-4d9d-bb70-532ba7428342" name="Wait for Connection Window" type="V
<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>9df68b64-4bff-487f-a06a-ba0aee429eef</groupid>

<choices>

<choice reply="True">

<name>'Connections' Window (Win32) Check Exists</name>

<distance>45</distance>

<ontrue>0954eed6-9c46-4a58-aafd-a387308bfbf6</ontrue>

<element id="aa1db5fc-18c4-4d7e-af12-08fc362a7511"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="5c06b211-3c43-450f-bd18-bbba9d18ef53" name="FAIL" type="Exception">

<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The sap connections window wasn'

</stage>

<stage stageid="d65e9e8f-f418-4868-b39c-49539489816e" name="Connection Name" type="Data">

<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<display x="-150" y="15" w="120" h="30"/>
```

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fc8f1427-a434-4ced-97a0-c9f85a5d96a5" name="Input Variable" type="Block">

<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

</stage>

<stage stageid="0954eed6-9c46-4a58-aafd-a387308bfbf6" name="Select Connection" type="Navigate">

<subsheetid>5b095e0c-60b5-4252-9311-79c264cf9121</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>0402d015-9b35-4e57-86be-f6da1bba179b</onsuccess>

<step>

<element id="38568878-561a-4cab-8b81-388bcd03cf67">

<elementparameter>

<name>Name</name>

<expression>[Connection Name]</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>Default</id>

```
</action>

</step>

</stage>

<stage stageid="3d09b765-3bc6-4dbc-b55a-d4f975e48fe1" name="Time Out - Wait for Connection Window" type="Wait">

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="45" y="-15" w="30" h="30"/>

<onsuccess>018594fe-1107-40ac-b1af-669349d4aa92</onsuccess>

<groupid>58855f76-4d4b-40d4-b3fe-8e6eb63b8941</groupid>

</stage>

<stage stageid="f0d6ecc1-1e4f-4a48-b5fe-033ea9092ed4" name="Wait for Connection Window" type="Wait">

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="-30" y="-15" w="60" h="60"/>

<groupid>58855f76-4d4b-40d4-b3fe-8e6eb63b8941</groupid>

<choices>

<choice reply="True">

<name>'Connections' Window (Win32) Check Exists</name>

<distance>45</distance>

<ontrue>a975d4b4-6d16-47fc-ace5-f11f4c27eb1f</ontrue>

<element id="aa1db5fc-18c4-4d7e-af12-08fc362a7511"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

<timeout>30</timeout>

</stage>

<stage stageid="018594fe-1107-40ac-b1af-669349d4aa92" name="FAIL" type="Exception">

<subsHEETid>2da018d1-32d4-4f68-97d9-442257258ea4</subsHEETid>

<display x="105" y="-15"/>

<exception localized="yes" type="Missing Element" detail=""The sap connections window wasn't

</stage>

<stage stageid="a975d4b4-6d16-47fc-ace5-f11f4c27eb1f" name="Press Log On" type="Navigate">

<subsHEETid>2da018d1-32d4-4f68-97d9-442257258ea4</subsHEETid>

<loginhibit/>

<display x="15" y="45" w="90" h="30"/>

<onsuccess>078ffb2e-d686-445f-aca8-66e6d2c56675</onsuccess>

<step>

<element id="839c9ed2-e376-4555-8116-2adda2a81f27"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="6e987ae2-10d8-407e-bbe2-6b5f1172ad49" name="Time Out - Check for Information Pop

<subsHEETid>2da018d1-32d4-4f68-97d9-442257258ea4</subsHEETid>

<loginhibit/>

<display x="180" y="270" w="30" h="30"/>

<onsuccess>3dfd45f0-5e34-496a-b169-8d4dd5c25786</onsuccess>

<groupid>dff8abd1-433d-4ad2-9879-3f0b90923561</groupid>

</stage>

<stage stageid="ca854ed4-439b-406a-8465-860048a05ae9" name="Check for Information Popup" type="V

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="-30" y="270" w="60" h="60"/>

<groupid>dff8abd1-433d-4ad2-9879-3f0b90923561</groupid>

<choices>

<choice reply="True">

<name>'Information' Window (SAP) Check Exists</name>

<distance>45</distance>

<ontrue>110e0fd9-456e-49b2-894d-252cf918ab39</ontrue>

<element id="b237536d-225d-42f5-ad43-e4765359f2da"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="2bd8922a-439e-45b0-b08a-6c4cddc3aa21" name="FAIL" type="Exception">

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<display x="105" y="390"/>

<exception localized="yes" type="Missing Element" detail=""The information popup didn't close.

</stage>

<stage stageid="3dfd45f0-5e34-496a-b169-8d4dd5c25786" name="Anchor1" type="Anchor">

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="180" y="435" w="10" h="10"/>

<onsuccess>5512ccf1-c33e-4441-b73b-af53c870ffdd</onsuccess>

</stage>

<stage stageid="5512ccf1-c33e-4441-b73b-af53c870ffdd" name="Anchor2" type="Anchor">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="15" y="435" w="10" h="10"/>

<onsuccess>d9dc06f8-c1bf-44b5-b053-2470d4c8146b</onsuccess>

</stage>

<stage stageid="341d7878-34c5-43c8-b00d-8f11a941bd74" name="Time Out - Wait for SAP Easy Access

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="45" y="540" w="30" h="30"/>

<onsuccess>6260f49f-14da-4105-9d4a-afff7795af5f</onsuccess>

<groupid>454fad21-5865-4ae1-8530-5aa6e9f30312</groupid>

</stage>

<stage stageid="4085f5b5-e10c-4d26-a70a-bc310a8daaf7" name="Wait for SAP Easy Access Window" ty

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="-30" y="540" w="60" h="60"/>

<groupid>454fad21-5865-4ae1-8530-5aa6e9f30312</groupid>

<choices>

<choice reply="True">

<name>'SAP Easy Access' Window (Win32) Check Exists</name>

<distance>45</distance>

<ontrue>d6768c72-c316-4a99-a6c1-d5c85ca106ae</ontrue>

<element id="89aa4bf8-7e52-441f-8e75-fd6cec375178"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="6260f49f-14da-4105-9d4a-afff7795af5f" name="FAIL" type="Exception">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<display x="105" y="540"/>

<exception localized="yes" type="Missing Element" detail=""The sap easy access window was not found.">

</stage>

<stage stageid="76632ec8-e85a-48a8-a6a0-1629a7d14b5f" name="Time Out - Check for Information Pop Up" type="Warning">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="45" y="390" w="30" h="30"/>

<onsuccess>2bd8922a-439e-45b0-b08a-6c4cddc3aa21</onsuccess>

<groupid>49bfabdc-4db0-4db9-8e7b-620338ebaa1a</groupid>

</stage>

<stage stageid="d9330c9c-58f1-4912-8a16-aa00094df2d4" name="Check for Information Popup" type="Warning">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="-30" y="390" w="60" h="60"/>

<groupid>49bfabdc-4db0-4db9-8e7b-620338ebaa1a</groupid>

<choices>

<choice reply="True">

<name>'Information' Window (SAP) Check Exists</name>

<distance>45</distance>

<ontrue>5512ccf1-c33e-4441-b73b-af53c870ffdd</ontrue>

<element id="b237536d-225d-42f5-ad43-e4765359f2da"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>NotEqual</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="110e0fd9-456e-49b2-894d-252cf918ab39" name="Press Continue" type="Navigate">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="15" y="330" w="90" h="30"/>

<onsuccess>d9330c9c-58f1-4912-8a16-aa00094df2d4</onsuccess>

<step>

<element id="5c70eb4f-cd35-4ff6-bd6e-cfc0df0bbfb6"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="eb15fb8d-1ed3-4575-8c20-8be52922d7a1" name="Press Enter" type="Navigate">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="15" y="210" w="90" h="30"/>

<onsuccess>ca854ed4-439b-406a-8465-860048a05ae9</onsuccess>

<step>

<element id="72e6d317-3091-4f28-b32c-8f4ac5886926"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="850f8da6-be35-44a3-943e-67dcc7f3c5dc" name="Time Out - Wait for Logon Window Win

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="45" y="105" w="30" h="30"/>

<onsuccess>edface99-595e-4df2-b411-3e1350bf4e5d</onsuccess>

<groupid>0cbe9b47-179e-401a-8d9b-c73d9cb8cd44</groupid>

</stage>

<stage stageid="078ffb2e-d686-445f-aca8-66e6d2c56675" name="Wait for Logon Window Window" type=

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="-30" y="105" w="60" h="60"/>

<groupid>0cbe9b47-179e-401a-8d9b-c73d9cb8cd44</groupid>

<choices>

<choice reply="True">

<name>'Log On' Window (SAP) Check Exists</name>

<distance>45</distance>

<ontrue>f903f18f-cc26-4839-a883-07162d3a9fd5</ontrue>

<element id="b6b919c5-534c-4d8b-9df2-063c54f213f8"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="edface99-595e-4df2-b411-3e1350bf4e5d" name="FAIL" type="Exception">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<display x="105" y="105"/>

<exception localized="yes" type="Missing Element" detail=""The logon window wasn't found."">

</stage>

<stage stageid="f903f18f-cc26-4839-a883-07162d3a9fd5" name="Write Account Details" type="Write">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="15" y="165" w="90" h="30"/>

<onsuccess>eb15fb8d-1ed3-4575-8c20-8be52922d7a1</onsuccess>

<step expr="[Username]">

<element id="f3c077b1-1b7f-432c-a633-b8147c9ca1ff"/>

</step>

<step expr="[Password]">

<element id="99ded1d3-1697-4d06-901b-a766fd3d6d52"/>

</step>

</stage>

<stage stageid="e6240559-494f-415e-9976-c918886e7a5f" name="Time Out - Wait for Logon Window Win">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="45" y="480" w="30" h="30"/>

<onsuccess>9c73bcd1-dec5-4dbd-aa4b-bdbdf4dee459</onsuccess>

<groupid>e568bb9d-c0d2-4e57-b69e-757f9e47f1df</groupid>

</stage>

<stage stageid="d9dc06f8-c1bf-44b5-b053-2470d4c8146b" name="Wait for Logon Window Window" type=

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<loginhibit/>

<display x="-30" y="480" w="60" h="60"/>

<groupid>e568bb9d-c0d2-4e57-b69e-757f9e47f1df</groupid>

<choices>

<choice reply="True">

<name>'Log On' Window (SAP) Check Exists</name>

<distance>40</distance>

<ontrue>4085f5b5-e10c-4d26-a70a-bc310a8daaf7</ontrue>

<element id="b6b919c5-534c-4d8b-9df2-063c54f213f8"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>NotEqual</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="9c73bcd1-dec5-4dbd-aa4b-bdbdf4dee459" name="FAIL" type="Exception">

<subsheetid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetid>

<display x="105" y="480"/>

<exception localized="yes" type="Missing Element" detail=""The logon window didn't close.&am

</stage>

<stage stageid="71da4882-0ea4-4c2c-bc50-8ea8a217f949" name="Username" type="Data">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<display x="-150" y="45" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4e6521ca-eb12-4ae9-8729-6524fe7d5aa7" name="Password" type="Data">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<display x="-150" y="75" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="75224b9a-b359-47f9-8ae4-0610844959e1" name="Input Variables" type="Block">

<subsheetsid>2da018d1-32d4-4f68-97d9-442257258ea4</subsheetsid>

<loginhibit/>

<display x="-225" y="15" w="150" h="90"/>

</stage>

<stage stageid="1002cda1-9c48-42ad-a139-475b6071ac9b" name="Press Back" type="SubSheetInfo">

<subsheetsid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsheetsid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="e5b1783c-128b-47e4-87ee-39ec2c39432c" name="Start" type="Start">

<subsHEETid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsHEETid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>bf0b84c8-3494-413e-af44-83bb5481aae8</onsuccess>

</stage>

<stage stageid="d1b83a12-1930-469d-a892-dca29615a133" name="End" type="End">

<subsHEETid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsHEETid>

<loginhibit/>

<display x="15" y="60"/>

</stage>

<stage stageid="16595f19-5eda-4f51-a80e-0b1a131a6405" name="Time Out - Wait for Easy Access Wind

<subsHEETid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsHEETid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>ad3b26eb-8a99-474c-bf5b-adc30549233a</onsuccess>

<groupid>632059ae-71a0-4022-9bc2-9eada265dae4</groupid>

</stage>

<stage stageid="bf0b84c8-3494-413e-af44-83bb5481aae8" name="Wait for Easy Access Window" type="V

<subsHEETid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsHEETid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>632059ae-71a0-4022-9bc2-9eada265dae4</groupid>

<choices>

<choice reply="True">

<name>'SAP Easy Access' Window (Win32) Check Exists</name>

<distance>45</distance>

```
<ontrue>01034086-d480-4f3b-b96c-bac20412ebed</ontrue>

<element id="89aa4bf8-7e52-441f-8e75-fd6cec375178"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>10</timeout>

</stage>

<stage stageid="ad3b26eb-8a99-474c-bf5b-adc30549233a" name="FAIL" type="Exception">

<subsheetsid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The sap connections window wasn'

</stage>

<stage stageid="01034086-d480-4f3b-b96c-bac20412ebed" name="Press Back" type="Navigate">

<subsheetsid>5af4050b-25c1-4829-ab09-5ed81a53cebd</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>d1b83a12-1930-469d-a892-dca29615a133</onsuccess>

<step>

<element id="243b2267-e398-46c8-a039-07eef19f67ea"/>

<action>

<id>Press</id>

</action>

</step>

</stage>
```



```
<stage stageid="eddc83be-3a49-4239-8b17-f2b73bc081d1" name="Get SAP Version" type="SubSheetInfo">
<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="d84bfbb6-436c-4437-bab8-dfcf8f156ae5" name="Start" type="Start">
<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>ab778eea-0b6c-4d50-9c85-9cc87cc39c9f</onsuccess>

</stage>

<stage stageid="1628087c-c60c-40e5-9b70-3fe0cc8ab84c" name="End" type="End">
<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<loginhibit/>

<display x="15" y="105"/>

<outputs>

<output type="text" name="SAP Version" stage="SAP Version"/>

</outputs>

</stage>

<stage stageid="2bc003cc-316d-4a15-a953-200c9997f4a8" name="Time Out - Wait for Connection Window" type="Wait for Connection Window">
<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>99b83659-c7d8-4bd6-a491-d4d448b5e62b</onsuccess>

<groupid>9bb35390-ecdb-434c-9338-13bed49cb317</groupid>

</stage>

<stage stageid="ab778eea-0b6c-4d50-9c85-9cc87cc39c9f" name="Wait for Connection Window" type="Wait for Connection Window">
<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>
```

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>9bb35390-ecdb-434c-9338-13bed49cb317</groupid>

<choices>

<choice reply="True">

<name>'Connections' Window (Win32) Check Exists</name>

<distance>45</distance>

<ontrue>bdb52068-625d-4863-8f01-9ed15cfdd722</ontrue>

<element id="aa1db5fc-18c4-4d7e-af12-08fc362a7511"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="99b83659-c7d8-4bd6-a491-d4d448b5e62b" name="FAIL" type="Exception">

<subsheetsid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail=""The sap connections window wasn't found.">

</stage>

<stage stageid="bdb52068-625d-4863-8f01-9ed15cfdd722" name="Read SAP Version" type="Read">

<subsheetsid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>870b1c42-8dde-4949-8897-122231ad6731</onsuccess>

```
<step stage="SAP Version">

<element id="aa1db5fc-18c4-4d7e-af12-08fc362a7511"/>

<action>

<id>GetWindowIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"Window Text"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="ff1efee6-b37c-4a81-9503-f52690c30c66" name="SAP Version" type="Data">

<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="24e704dc-136b-4109-a77a-c6f85e610ff5" name="Output Variable" type="Block">

<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>
```

```
<stage stageid="870b1c42-8dde-4949-8897-122231ad6731" name="Get SAP Version" type="Calculation">
<subsheetid>7e8adccc-b857-470f-84b0-d6e1847fedfd</subsheetid>

<loginhibit/>

<display x="15" y="60" w="90" h="30"/>

<onsuccess>1628087c-c60c-40e5-9b70-3fe0cc8ab84c</onsuccess>

<calculation expression="Right([SAP Version], 3)" stage="SAP Version"/>

</stage>

<stage stageid="7c43ea4d-fc50-484a-87b2-df7f1d54575f" name="Search Transaction" type="SubSheetInfo">
<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="68b73052-4848-4d6e-a4f6-31d607805e42" name="Start" type="Start">
<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="text" name="Transaction" narrative="The transaction code you want to search." stage="Transaction">

</inputs>

<onsuccess>df9f4bb2-22db-40b4-9ff5-cfa9df96d09f</onsuccess>

</stage>

<stage stageid="e7ba81dc-b19b-4e50-9f50-b23f7d4e503c" name="End" type="End">
<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>

<loginhibit/>

<display x="15" y="105"/>

</stage>

<stage stageid="9281c570-2108-4a1c-9073-fca500ff35cf" name="Time Out - Wait for Easy Access Window">
<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>
```

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>6647a60a-94de-442c-ae6a-e016af95cee8</onsuccess>

<groupid>f32a8ab4-fce0-4024-bc7e-e2ca80a8a015</groupid>

</stage>

<stage stageid="df9f4bb2-22db-40b4-9ff5-cfa9df96d09f" name="Wait for Easy Access Window" type="Wait">

<subsheetsubid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetsubid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>f32a8ab4-fce0-4024-bc7e-e2ca80a8a015</groupid>

<choices>

<choice reply="True">

<name>'SAP Easy Access' Window (Win32) Check Exists</name>

<distance>45</distance>

<ontrue>f1a8f7c2-b95c-4706-b0ab-48408f26b1e4</ontrue>

<element id="89aa4bf8-7e52-441f-8e75-fd6cec375178"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>10</timeout>

</stage>

<stage stageid="6647a60a-94de-442c-ae6a-e016af95cee8" name="FAIL " type="Exception">

<subsheetsubid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetsubid>

<display x="105" y="-45"/>

```
<exception localized="yes" type="Missing Element" detail="&quot;The sap connections window wasn'
</stage>

<stage stageid="82a5cbf5-a1f7-4deb-9e61-6991b43b859a" name="Transaction" type="Data">

<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c000aa36-b623-490a-b65a-d383e7670efe" name="Input Variable" type="Block">

<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f1a8f7c2-b95c-4706-b0ab-48408f26b1e4" name="Write Transaction" type="Write">

<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>8b1b6404-d5a1-474e-910a-025ebe4971e2</onsuccess>

<step expr="[Transaction]">

<element id="592d386b-b75e-412f-a675-4bde874b7a4c"/>

</step>

</stage>

<stage stageid="8b1b6404-d5a1-474e-910a-025ebe4971e2" name="Press Enter" type="Navigate">

<subsheetid>8944c4a1-fd66-4819-9ce5-3db537664441</subsheetid>
```

<loginhibit/>

<display x="15" y="60" w="90" h="30"/>

<onsuccess>e7ba81dc-b19b-4e50-9f50-b23f7d4e503c</onsuccess>

<step>

<element id="598a5028-4c6e-4e7a-b8fa-320671f7e8c9"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="35cab4b3-0ed3-475b-9f91-92d03de4a036" name="Select Control Type (BIBS)" type="Su

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="435f73db-903f-48f7-ae92-fb99d52f6dec" name="Start" type="Start">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="text" name="Control Type" narrative="The name of the control type you want to select (Eg. R

</inputs>

<onsuccess>38170745-aeb9-44f3-8f7f-696bf22bc260</onsuccess>

</stage>

<stage stageid="c1acdc7c-0fe9-4a0c-8f8e-f18f229ab36f" name="End" type="End">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<loginhibit/>

<display x="15" y="240"/>

```
</stage>

<stage stageid="fe37c4c6-1b6d-4cc1-b681-cfca8b772418" name="Time Out - Check for Style Guide Title"

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>227a6e3e-51d2-4cc6-9f47-918dbf618836</onsuccess>

<groupid>8512a5e7-3f1b-4264-b7f4-4e88699fcbb4</groupid>

</stage>

<stage stageid="38170745-aeb9-44f3-8f7f-696bf22bc260" name="Check for Style Guide Title" type="Wait"

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>8512a5e7-3f1b-4264-b7f4-4e88699fcbb4</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>e9b07a94-1cce-4183-a814-2f1ba874227e</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: *"</expression>

<datatype>text</datatype>

<comparisontype>Wildcard</comparisontype>

</elementparameter>

</element>

<condition>
```



```
<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="227a6e3e-51d2-4cc6-9f47-918dbf618836" name="FAIL" type="Exception">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The BIBS style guide title wasn't found" />

</stage>

<stage stageid="a2cd44e0-74fe-47dc-865f-b567ccee053" name="Control Type" type="Data">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0ea7ede4-c9e9-451d-b099-a3caa6317b1f" name="Input Variable" type="Block">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="e9b07a94-1cce-4183-a814-2f1ba874227e" name="Select Control Type" type="Navigate">
```

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>45d6d88c-867c-4331-bb1a-76da4e7c6395</onsuccess>

<step>

<element id="6609e2a0-2852-4b4d-a9bf-584853aa285c">

<elementparameter>

<name>Name</name>

<expression>[Control Type]</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>Default</id>

</action>

</step>

</stage>

<stage stageid="07ca6f78-3fb3-4779-be0c-bd644f048bbe" name="Time Out - Check for Style Guide Title"

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="45" y="180" w="30" h="30"/>

<onsuccess>d24f7a4d-ab14-44c8-89a7-0044e95a7ded</onsuccess>

<groupid>6162b47c-736a-4196-9664-52b787fd8c5b</groupid>

</stage>

<stage stageid="abb7b202-6dca-4e37-a2a4-f09f590641c4" name="Check for Style Guide Title" type="Wait"

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="-30" y="180" w="60" h="60"/>

<groupid>6162b47c-736a-4196-9664-52b787fd8c5b</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>c1acdc7c-0fe9-4a0c-8f8e-f18f229ab36f</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>[Match String]</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="d24f7a4d-ab14-44c8-89a7-0044e95a7ded" name="FAIL" type="Exception">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<display x="105" y="180"/>

```
<exception localized="yes" type="Missing Element" detail="&quot;The &quot;&amp;&amp;[Control
</stage>

<stage stageid="85bde896-6e5d-43ad-a275-c77e689343aa" name="==" type="SubSheetInfo">

<subsheetsid>926eef97-5cb4-4529-96e8-739bf3dd931a</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="57800d24-3a5c-4ad3-8c7d-63b5f0525676" name="Start" type="Start">

<subsheetsid>926eef97-5cb4-4529-96e8-739bf3dd931a</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>9ce5e322-0471-4d99-8002-b7395a562262</onsuccess>

</stage>

<stage stageid="9ce5e322-0471-4d99-8002-b7395a562262" name="End" type="End">

<subsheetsid>926eef97-5cb4-4529-96e8-739bf3dd931a</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="8da33332-89ad-44a0-98f1-41d19e59baf2" name="Set Radio Button" type="SubSheetInfo">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="443747b5-017f-49b0-a901-3618e7f2b485" name="Start" type="Start">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="number" name="Radio Button ID" narrative="The ID of the radio button you want to select, 1 -
```

```
<input type="flag" name="Write Value?" narrative="As default it will use a navigate stage to set the radio button" />
</inputs>

<onsuccess>6844483b-d85e-4496-bad9-35ad5b1ecca6</onsuccess>

</stage>

<stage stageid="798645cf-75bd-4162-ae73-9043299d1554" name="End" type="End">

<subsheetid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetid>

<loginhibit/>

<display x="15" y="105"/>

</stage>

<stage stageid="b3b3634a-6fba-4bad-bda9-4fef55c07e8b" name="Time Out - Check for Style Guide Title" type="Wait">

<subsheetid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>a3ba6e2a-fd63-4032-a475-f668c972b222</onsuccess>

<groupid>fe6cbc6b-7b05-4936-b714-1a7e2e11f2c1</groupid>

</stage>

<stage stageid="6844483b-d85e-4496-bad9-35ad5b1ecca6" name="Check for Style Guide Title" type="Wait">

<subsheetid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>fe6cbc6b-7b05-4936-b714-1a7e2e11f2c1</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>c31cce03-964f-4089-a22d-d99c8372bc34</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">
```

```
<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Radio buttons"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="a3ba6e2a-fd63-4032-a475-f668c972b222" name="FAIL" type="Exception">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The radio button style guide title wa

</stage>

<stage stageid="7de49b02-0ac5-4bc3-936d-7e68e640f701" name="Select Radio Button (Write)" type="Wr

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<loginhibit/>

<display x="120" y="60" w="90" h="30"/>

<onsuccess>205617c1-681a-4e11-a90a-1216792538aa</onsuccess>

<step expr="True">

<element id="b4dc68be-4b5d-4832-8eeb-38e684163fdf">
```

```
<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/sub

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="48066184-9429-4dc7-9926-e980f3deceef" name="Select Radio Button (Navigate)" type="

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<loginhibit/>

<display x="15" y="60" w="90" h="30"/>

<onsuccess>798645cf-75bd-4162-ae73-9043299d1554</onsuccess>

<step>

<element id="b4dc68be-4b5d-4832-8eeb-38e684163fdf">

<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/sub

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>Select</id>

</action>

</step>
```

</stage>

<stage stageid="cff45929-317e-43e1-ba05-d7cf22965b32" name="Radio Button ID" type="Data">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="45fa42b9-4a62-4d12-96a1-7b34de60fdf0" name="Input Variables" type="Block">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="90"/>

</stage>

<stage stageid="d92c7798-4dff-44b6-984a-1427d7f14d63" name="Write Value?" type="Data">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<display x="-150" y="45" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c31cce03-964f-4089-a22d-d99c8372bc34" name="Use Write Stage?" type="Decision">

<subsheetsid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>


```
<decision expression="[Write Value?]" />

<ontrue>81f310a9-0456-4ed9-9f65-cfcec01ace71</ontrue>

<onfalse>48066184-9429-4dc7-9926-e980f3deceef</onfalse>

</stage>

<stage stageid="81f310a9-0456-4ed9-9f65-cfcec01ace71" name="Anchor3" type="Anchor">

<subsheetid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetid>

<loginhibit/>

<display x="120" y="15" w="10" h="10"/>

<onsuccess>7de49b02-0ac5-4bc3-936d-7e68e640f701</onsuccess>

</stage>

<stage stageid="205617c1-681a-4e11-a90a-1216792538aa" name="Anchor4" type="Anchor">

<subsheetid>6ca23102-0efd-4c87-81fb-925feb4da2eb</subsheetid>

<loginhibit/>

<display x="120" y="105" w="10" h="10"/>

<onsuccess>798645cf-75bd-4162-ae73-9043299d1554</onsuccess>

</stage>

<stage stageid="09c1e76a-8c89-46fc-a784-79e6356e05aa" name="Read Radio Button" type="SubSheet">

<subsheetid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="4b44bbc1-90ee-439a-84fe-63e1d14ad638" name="End" type="End">

<subsheetid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

<outputs>

<output type="flag" name="Radio Button State" narrative="The checked state of the radio button." stage="1">

</outputs>
```

```
</stage>

<stage stageid="3e400f83-e0cf-4ff8-8005-638ecd9dadf8" name="Read Radio Button State" type="Read">

<subsheetid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>4b44bbc1-90ee-439a-84fe-63e1d14ad638</onsuccess>

<step stage="Radio Button State">

<element id="b4dc68be-4b5d-4832-8eeb-38e684163fdf">

<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/sub

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="a0108169-0ce2-4a4f-8cd9-4b4d7b9685c5" name="Start" type="Start">

<subsheetid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="number" name="Radio Button ID" narrative="The ID of the radio button you want to read, 1 - 9

</inputs>
```

<onsuccess>82e9899d-579c-4048-902d-c15bc3c0e850</onsuccess>

</stage>

<stage stageid="a4c07180-86e1-4f5e-ad62-336aa2c7a4f7" name="Radio Button ID" type="Data">

<subsheetsid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetsid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="89ec4165-59f7-4a7c-856a-f93ae0a204b8" name="Input Variables" type="Block">

<subsheetsid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetsid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

</stage>

<stage stageid="305b69fa-40c8-4d69-9ab2-61dd6846f9cd" name="Time Out - Check for Style Guide Title">

<subsheetsid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetsid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>85a8c4c2-505e-46bf-97d4-7b7beb38682e</onsuccess>

<groupid>df9fe6c0-36e7-4ef1-9348-525d4e2fcc9d</groupid>

</stage>

<stage stageid="82e9899d-579c-4048-902d-c15bc3c0e850" name="Check for Style Guide Title" type="Wa

<subsheetsid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetsid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

```
<groupid>df9fe6c0-36e7-4ef1-9348-525d4e2fcc9d</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>3e400f83-e0cf-4ff8-8005-638ecd9dadf8</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Radio buttons"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="85a8c4c2-505e-46bf-97d4-7b7beb38682e" name="FAIL" type="Exception">

<subsheetsid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The radio button style guide title wa

</stage>
```

```
<stage stageid="bc77bdf7-609d-4850-ab7b-ad9bdc6037ad" name="Output Variables" type="Block">
<subsheetid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetid>
<loginhibit/>
<display x="-225" y="60" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>

<stage stageid="7702d29e-b1de-48e0-a4fa-2e4d4b55ff4a" name="Radio Button State" type="Data">
<subsheetid>9fd92d65-27b4-43c3-a0dc-9211de6e4e96</subsheetid>
<display x="-150" y="90" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>

<stage stageid="f98a8336-2201-4385-a83b-7d647590051f" name="Select Tab" type="SubSheetInfo">
<subsheetid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetid>
<display x="-150" y="-75" w="150" h="90"/>
</stage>

<stage stageid="4c574281-efb8-4afa-9fa2-43691e22707f" name="Select Tab" type="Navigate">
<subsheetid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetid>
<loginhibit/>
<display x="15" y="15" w="90" h="30"/>
<onsuccess>f965f8bf-e5be-458c-bada-c6bdfd845105</onsuccess>
<step>
<element id="dba79237-b728-49b7-a01f-2d494f1e5948">
<elementparameter>
<name>ID</name>
```

```
<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/sub
<datatype>text</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>Select</id>
</action>
</step>
</stage>
<stage stageid="abbc6cbc-cd75-4d3a-8812-1d481ec2e604" name="Time Out - Check for Style Guide Title
<subsheetsid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetsid>
<loginhibit/>
<display x="45" y="-45" w="30" h="30"/>
<onsuccess>b8b911c9-db29-4589-90a7-54140bfc8b20</onsuccess>
<groupid>b6c6df7a-5ef6-4d5c-bcee-0b2fd9fadb9e</groupid>
</stage>
<stage stageid="eb78953a-7404-4d9d-9b79-6b93481a2d76" name="Check for Style Guide Title" type="W
<subsheetsid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetsid>
<loginhibit/>
<display x="-30" y="-45" w="60" h="60"/>
<groupid>b6c6df7a-5ef6-4d5c-bcee-0b2fd9fadb9e</groupid>
<choices>
<choice reply="True">
<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>
<distance>45</distance>
<ontrue>4c574281-efb8-4afa-9fa2-43691e22707f</ontrue>
```

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Tab strip"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b8b911c9-db29-4589-90a7-54140bfc8b20" name="FAIL" type="Exception">

<subsHEETid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsHEETid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail=""The tab strip style guide title wasn't" />

<stage stageid="aded0b1c-9b30-41e6-ae03-658e1aa57822" name="Start" type="Start">

<subsHEETid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsHEETid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="number" name="Tab ID" narrative="The ID of the tab you want to select, 1 - 5" stage="Tab ID" />

</inputs>

<onsuccess>eb78953a-7404-4d9d-9b79-6b93481a2d76</onsuccess>

</stage>

<stage stageid="39bfd54e-aedb-45da-822e-77ffe6416799" name="Tab ID" type="Data">

<subsheetsid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetsid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="19be75e3-413f-4aaa-843b-db7e657215bb" name="Input Variables" type="Block">

<subsheetsid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetsid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

</stage>

<stage stageid="26901975-3591-4f72-9ed3-7aaf56880439" name="Check Tab Selection" type="SubSheet">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="f4fa35fb-f38b-4ab4-ab69-1e88ae1b5e41" name="End" type="End">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<loginhibit/>

<display x="-315" y="240"/>

</stage>

<stage stageid="f965f8bf-e5be-458c-bada-c6bdfd845105" name="End1" type="End">

<subsheetid>b7831bb9-d0c2-4f82-9bd8-99ea776681d3</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

</stage>

<stage stageid="9dde0139-c5e8-4105-b2f1-5b67e9b99b99" name="Which Tab?" type="ChoiceStart">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<groupid>cb975b3d-ac89-40b6-ae81-9f15aa867697</groupid>

<choices>

<choice expression="[Tab ID]=1">

<name>Tab 1</name>

<distance>75</distance>

<ontrue>8fd3de16-3a70-402e-ae97-8ea1c637ed8a</ontrue>

</choice>

<choice expression="[Tab ID]=2">

<name>Tab 2</name>

<distance>255</distance>

<ontrue>903c2484-baea-4ee5-9066-5415f8f99d75</ontrue>

</choice>

<choice expression="[Tab ID]=3">

<name>Tab 3</name>

<distance>435</distance>

<ontrue>fa2663e3-88d4-4f6a-8ea8-0fd708c16d85</ontrue>

</choice>

<choice expression="[Tab ID]=4">

<name>Tab 4</name>

```
<distance>615</distance>

<ontrue>0e884332-ed1-445d-9658-230942e2ef7d</ontrue>

</choice>

<choice expression="[Tab ID]=5">

<name>Tab 5</name>

<distance>795</distance>

<ontrue>eb8488bc-4250-41e4-9722-0637d80f21c0</ontrue>

</choice>

</choices>

</stage>

<stage stageid="e253bf15-177a-4f94-a63e-ded0880c49c3" name="Otherwise" type="ChoiceEnd">

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<loginhibit/>

<display x="870" y="15" w="90" h="30"/>

<onsuccess>bda83b90-d69a-491c-bd30-7c42b5dfffb39</onsuccess>

<groupid>cb975b3d-ac89-40b6-ae81-9f15aa867697</groupid>

</stage>

<stage stageid="bda83b90-d69a-491c-bd30-7c42b5dfffb39" name="Fail" type="Exception">

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<display x="945" y="15" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;Somehow you've managed

</stage>

<stage stageid="4e8256ff-29ec-4f87-bf2d-058c64f706eb" name="Time Out - Expect Tab 1 Element" type=

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<loginhibit/>

<display x="165" y="75" w="30" h="30"/>

<onsuccess>07e2c04f-6e22-452c-8e3b-4928b18b3ab3</onsuccess>
```

```
<groupid>3d7f44e1-b9d2-4bc1-ab6c-e65b09e7c31a</groupid>

</stage>

<stage stageid="8fd3de16-3a70-402e-ae97-8ea1c637ed8a" name="Expect Tab 1 Element" type="WaitSta

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<loginhibit/>

<display x="90" y="75" w="60" h="60"/>

<groupid>3d7f44e1-b9d2-4bc1-ab6c-e65b09e7c31a</groupid>

<choices>

<choice reply="True">

<name>Tab 1 Element Check Exists</name>

<distance>45</distance>

<ontrue>b5cd9f1a-3c04-4051-8a44-37844157a4ad</ontrue>

<element id="1c9804be-6186-4cc2-8d64-f443215bcf59"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="07e2c04f-6e22-452c-8e3b-4928b18b3ab3" name="FAIL" type="Exception">

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<display x="210" y="75" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You select the first tab how

</stage>

<stage stageid="61c687ef-85a2-4b08-a66f-1cd0cf2ae9af" name="Time Out - Expect Tab 2 Element" type=
```

```
<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>

<loginhibit/>

<display x="345" y="75" w="30" h="30"/>

<onsuccess>c0796949-5072-448f-8bd2-41669e9f1f83</onsuccess>

<groupid>c17b98e6-9dc2-4a98-a130-614a500f18ab</groupid>

</stage>

<stage stageid="903c2484-baea-4ee5-9066-5415f8f99d75" name="Expect Tab 2 Element" type="WaitStar

<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>

<loginhibit/>

<display x="270" y="75" w="60" h="60"/>

<groupid>c17b98e6-9dc2-4a98-a130-614a500f18ab</groupid>

<choices>

<choice reply="True">

<name>Tab 2 Element Check Exists</name>

<distance>45</distance>

<ontrue>269f7b8e-6fff-4844-974e-ddceda4f09a2</ontrue>

<element id="3582e2ea-a047-44cb-b8b1-102cf62f127f"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="c0796949-5072-448f-8bd2-41669e9f1f83" name="FAIL" type="Exception">

<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>
```

```
<display x="390" y="75" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You select the second tab h

</stage>

<stage stageid="59cee9cc-03ad-40ce-b1f8-1b99c237f4c1" name="Time Out - Expect Tab 3 Element" type=

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="525" y="75" w="30" h="30"/>

<onsuccess>0446e232-8775-4af2-8ecf-f354b840fbd2</onsuccess>

<groupid>be2df25c-2802-4136-bfa7-554839ed1359</groupid>

</stage>

<stage stageid="fa2663e3-88d4-4f6a-8ea8-0fd708c16d85" name="Expect Tab 3 Element" type="WaitStar

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="450" y="75" w="60" h="60"/>

<groupid>be2df25c-2802-4136-bfa7-554839ed1359</groupid>

<choices>

<choice reply="True">

<name>Tab 3 Element Check Exists</name>

<distance>45</distance>

<ontrue>13af6a5a-c7a2-40d9-9009-684e2547b94a</ontrue>

<element id="d678e260-212b-48e0-95e2-41357d1436d1"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

```
<timeout>5</timeout>

</stage>

<stage stageid="0446e232-8775-4af2-8ecf-f354b840fbd2" name="FAIL" type="Exception">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<display x="570" y="75" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You select the second tab h

</stage>

<stage stageid="b3038d38-dfc0-49c9-8e92-81fe40bcd717" name="Start" type="Start">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="number" name="Tab ID" narrative="The ID of the tab you want to check is selected, 1 - 5" sta

</inputs>

<onsuccess>dd8b4567-80cf-4cd1-84bc-d5635bb9dd73</onsuccess>

</stage>

<stage stageid="6f032828-a5e7-435c-aaca-12cd1c44c8b6" name="Tab ID" type="Data">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8a598c2c-fefd-417a-ae03-e3e1cface642" name="Input Variables" type="Block">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>
```

```
<display x="-225" y="-15" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="9b6468d9-36b3-4711-8d7d-c0d7bec1cc71" name="Time Out - Check for Style Guide Title" type="Wa

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>2466bc49-e3a0-4ab7-b93e-322e4519b54f</onsuccess>

<groupid>63e00528-06a8-42e5-9af6-ad5d5e8a5a55</groupid>

</stage>

<stage stageid="dd8b4567-80cf-4cd1-84bc-d5635bb9dd73" name="Check for Style Guide Title" type="Wa

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>63e00528-06a8-42e5-9af6-ad5d5e8a5a55</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>9dde0139-c5e8-4105-b2f1-5b67e9b99b99</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Tab strip"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>
```

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="2466bc49-e3a0-4ab7-b93e-322e4519b54f" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail=""The tab strip style guide title wasn't

</stage>

<stage stageid="17668635-883e-4029-bc32-b1552dfef0c4" name="Time Out - Expect Tab 4 Element" type

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<loginhibit/>

<display x="705" y="75" w="30" h="30"/>

<onsuccess>bc5ab582-1bbb-4101-8380-6bc31b65adef</onsuccess>

<groupid>00e25670-4469-4289-ac04-cf5895415059</groupid>

</stage>

<stage stageid="0e884332-ede1-445d-9658-230942e2ef7d" name="Expect Tab 4 Element" type="WaitSta

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<loginhibit/>

<display x="630" y="75" w="60" h="60"/>

<groupid>00e25670-4469-4289-ac04-cf5895415059</groupid>

<choices>


```
<choice reply="True">
<name>Tab 4 Element Check Exists</name>
<distance>45</distance>
<ontrue>cd2e0013-ed19-4c09-8eff-b37ed7deae55</ontrue>
<element id="fc3c082e-6ab2-49d0-8c35-8c02bb6ae0a7"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>5</timeout>
</stage>
<stage stageid="bc5ab582-1bbb-4101-8380-6bc31b65adef" name="FAIL" type="Exception">
<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>
<display x="750" y="75" w="30" h="30"/>
<exception localized="yes" type="Tab Selection Exception" detail="&quot;You select the fourth tab ho
</stage>
<stage stageid="2be6f9fd-290c-4c08-8e7d-1fc1fe1e0e5c" name="Time Out - Expect Tab 5 Element" type=
<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>
<loginhibit/>
<display x="885" y="75" w="30" h="30"/>
<onsuccess>2fee6766-b765-47a0-805b-87e9929f3cab</onsuccess>
<groupid>1e3a085a-f626-462f-b768-dbd3c6d34ed6</groupid>
</stage>
<stage stageid="eb8488bc-4250-41e4-9722-0637d80f21c0" name="Expect Tab 5 Element" type="WaitSta
<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>
```

```
<loginhibit/>

<display x="810" y="75" w="60" h="60"/>

<groupid>1e3a085a-f626-462f-b768-dbd3c6d34ed6</groupid>

<choices>

<choice reply="True">

<name>Tab 5 Element Check Exists</name>

<distance>45</distance>

<ontrue>26c5536a-77a5-4eb8-b01f-f86a8182a25e</ontrue>

<element id="8a799ffb-053f-4ad5-b085-27d476da9edb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="2fee6766-b765-47a0-805b-87e9929f3cab" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<display x="930" y="75" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You select the fifth tab howe

</stage>

<stage stageid="ff6ed6dd-8a8d-4ead-b084-8ffb76d1167f" name="Time Out - Don't Expect Tab 2 Element"

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<loginhibit/>

<display x="165" y="135" w="30" h="30"/>

<onsuccess>f9817ace-cf96-4903-86d0-a70559fe1405</onsuccess>
```

```
<groupid>a3dcfaea-6980-479a-9670-383f641617f0</groupid>

</stage>

<stage stageid="b5cd9f1a-3c04-4051-8a44-37844157a4ad" name="Don't Expect Tab 2 Element" type="W

<subsheetid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetid>

<loginhibit/>

<display x="90" y="135" w="60" h="60"/>

<groupid>a3dcfaea-6980-479a-9670-383f641617f0</groupid>

<choices>

<choice reply="False">

<name>Tab 2 Element Check Exists</name>

<distance>45</distance>

<ontrue>e281c633-dcf1-4e48-a54f-58550a99892f</ontrue>

<element id="3582e2ea-a047-44cb-b8b1-102cf62f127f"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="030e493c-0628-427a-970c-6d6468c5bf68" name="Time Out - Don't Expect Tab 3 Eleme

<subsheetid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetid>

<loginhibit/>

<display x="165" y="195" w="30" h="30"/>

<onsuccess>f8acb5b6-3061-46cb-901e-b2f14038fc25</onsuccess>

<groupid>d3d5298c-78be-4be4-a42d-ed11eaa67dc6</groupid>
```

```
</stage>

<stage stageid="e281c633-dcf1-4e48-a54f-58550a99892f" name="Don't Expect Tab 3 Element" type="Wa

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="90" y="195" w="60" h="60"/>

<groupid>d3d5298c-78be-4be4-a42d-ed11eaa67dc6</groupid>

<choices>

<choice reply="False">

<name>Tab 3 Element Check Exists</name>

<distance>45</distance>

<ontrue>adf995a6-9572-4f4a-a1df-4b88914a0cc8</ontrue>

<element id="d678e260-212b-48e0-95e2-41357d1436d1"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="e18c0806-8a09-4e51-b6b2-4f925b6debb8" name="Time Out - Don't Expect Tab 4 Eleme

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="165" y="255" w="30" h="30"/>

<onsuccess>2181b9da-1cb6-4767-82c3-4b7b06f58976</onsuccess>

<groupid>33fcc802-b96b-45bd-b118-e5e1722e89ca</groupid>

</stage>
```

```
<stage stageid="adf995a6-9572-4f4a-a1df-4b88914a0cc8" name="Don't Expect Tab 4 Element" type="Wa
<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="90" y="255" w="60" h="60"/>

<groupid>33fcc802-b96b-45bd-b118-e5e1722e89ca</groupid>

<choices>

<choice reply="False">

<name>Tab 4 Element Check Exists</name>

<distance>45</distance>

<ontrue>b173b9da-5d12-4351-9f54-b0d48d88af81</ontrue>

<element id="fc3c082e-6ab2-49d0-8c35-8c02bb6ae0a7"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="11d6127e-329e-4ec9-9b45-7989e8848951" name="Time Out - Don't Expect Tab 5 Eleme
<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="165" y="315" w="30" h="30"/>

<onsuccess>ea68d9c7-4c7f-4c49-94d8-22d387f33ccd</onsuccess>

<groupid>9f449830-ec5b-4773-a624-f8e53b4ef309</groupid>

</stage>

<stage stageid="b173b9da-5d12-4351-9f54-b0d48d88af81" name="Don't Expect Tab 5 Element" type="W
```

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="90" y="315" w="60" h="60"/>

<groupid>9f449830-ec5b-4773-a624-f8e53b4ef309</groupid>

<choices>

<choice reply="False">

<name>Tab 5 Element Check Exists</name>

<distance>45</distance>

<ontrue>c12471c3-2ed7-4dd1-8004-741fd9bace67</ontrue>

<element id="8a799ffb-053f-4ad5-b085-27d476da9edb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="c12471c3-2ed7-4dd1-8004-741fd9bace67" name="End2" type="End">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="135" y="375"/>

</stage>

<stage stageid="f9817ace-cf96-4903-86d0-a70559fe1405" name="FAIL" type="Exception">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<display x="210" y="135" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail=""You selected the first tab ho

```
</stage>

<stage stageid="f8acb5b6-3061-46cb-901e-b2f14038fc25" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="210" y="195" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the first tab ho

</stage>

<stage stageid="2181b9da-1cb6-4767-82c3-4b7b06f58976" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="210" y="255" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the first tab ho

</stage>

<stage stageid="ea68d9c7-4c7f-4c49-94d8-22d387f33ccd" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="210" y="315" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the first tab ho

</stage>

<stage stageid="5552e49e-35a8-46c7-8664-692436417ca1" name="Time Out - Don't Expect Tab 1 Eleme

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<loginhibit/>

<display x="345" y="135" w="30" h="30"/>

<onsuccess>d108ed62-b0ea-4cda-81d8-ead941f068ea</onsuccess>

<groupid>c17054ad-4a99-4794-9b04-e9dddf466661</groupid>

</stage>

<stage stageid="269f7b8e-6fff-4844-974e-ddceda4f09a2" name="Don't Expect Tab 1 Element" type="Wait

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<loginhibit/>

<display x="270" y="135" w="60" h="60"/>
```

```
<groupid>c17054ad-4a99-4794-9b04-e9dddf466661</groupid>

<choices>

<choice reply="False">

<name>Tab 1 Element Check Exists</name>

<distance>45</distance>

<ontrue>fda8f2a7-77eb-4c12-aab4-6a6127dda759</ontrue>

<element id="1c9804be-6186-4cc2-8d64-f443215bcf59"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="ab75bf0c-4fb8-46b3-9cfb-517f3aac9aae" name="Time Out - Don't Expect Tab 3 Element" type="Warning" />

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="345" y="195" w="30" h="30"/>

<onsuccess>833094b1-eff5-467a-9ec4-0ccd09f3d5fd</onsuccess>

<groupid>510fe994-36a2-47ca-944e-525cf7570c2f</groupid>

</stage>

<stage stageid="fda8f2a7-77eb-4c12-aab4-6a6127dda759" name="Don't Expect Tab 3 Element" type="Warning" />

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="270" y="195" w="60" h="60"/>

<groupid>510fe994-36a2-47ca-944e-525cf7570c2f</groupid>
```


<choices>

<choice reply="False">

<name>Tab 3 Element Check Exists</name>

<distance>45</distance>

<ontrue>540385a4-bcca-4b43-a970-2c0e6f6947c9</ontrue>

<element id="d678e260-212b-48e0-95e2-41357d1436d1"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="428a5a09-3451-41f7-a510-1756ce47e91a" name="Time Out - Don't Expect Tab 4 Element">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<loginhibit/>

<display x="345" y="255" w="30" h="30"/>

<onsuccess>68598361-08de-450f-ba42-b09c965c968c</onsuccess>

<groupid>0383b1b6-9382-4ba9-a052-25bf9580abbc</groupid>

</stage>

<stage stageid="540385a4-bcca-4b43-a970-2c0e6f6947c9" name="Don't Expect Tab 4 Element" type="Warning">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<loginhibit/>

<display x="270" y="255" w="60" h="60"/>

<groupid>0383b1b6-9382-4ba9-a052-25bf9580abbc</groupid>

<choices>

```
<choice reply="False">

<name>Tab 4 Element Check Exists</name>

<distance>45</distance>

<ontrue>ded63fd6-cd6a-47c6-aeaa-8483eece54af</ontrue>

<element id="fc3c082e-6ab2-49d0-8c35-8c02bb6ae0a7"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="69177740-7225-4c7a-94df-4ad5e99e6127" name="Time Out - Don't Expect Tab 5 Element" type="Warning" >

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<loginhibit/>

<display x="345" y="315" w="30" h="30"/>

<onsuccess>86f7f7ed-8e9b-4d99-a0e7-05cdd590bdce</onsuccess>

<groupid>845e552a-cd27-48c2-831d-5e556384005c</groupid>

</stage>

<stage stageid="ded63fd6-cd6a-47c6-aeaa-8483eece54af" name="Don't Expect Tab 5 Element" type="Warning" >

<subsheetid>7f59fc1f-4c6c-467e-8989-ffff453b4bec</subsheetid>

<loginhibit/>

<display x="270" y="315" w="60" h="60"/>

<groupid>845e552a-cd27-48c2-831d-5e556384005c</groupid>

<choices>

<choice reply="False">
```

```
<name>Tab 5 Element Check Exists</name>

<distance>45</distance>

<ontrue>df7992ef-c5a7-41bc-a217-de4b6f90d55f</ontrue>

<element id="8a799ffb-053f-4ad5-b085-27d476da9edb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="d108ed62-b0ea-4cda-81d8-ead941f068ea" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<display x="390" y="135" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the second tab" />

</stage>

<stage stageid="833094b1-eff5-467a-9ec4-0ccd09f3d5fd" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<display x="390" y="195" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the second tab" />

</stage>

<stage stageid="68598361-08de-450f-ba42-b09c965c968c" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>

<display x="390" y="255" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the second tab" />

</stage>
```

```
<stage stageid="86f7f7ed-8e9b-4d99-a0e7-05cdd590bdce" name="FAIL" type="Exception">

<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>

<display x="390" y="315" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the second ta

</stage>

<stage stageid="38bf8c92-160c-4dec-bf72-10020b293449" name="Time Out - Don't Expect Tab 1 Elemen

<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>

<loginhibit/>

<display x="525" y="135" w="30" h="30"/>

<onsuccess>f5904b38-a981-4c44-a95e-1fb921238b74</onsuccess>

<groupid>a4ebccc4-d027-4328-8be4-da826c93717f</groupid>

</stage>

<stage stageid="13af6a5a-c7a2-40d9-9009-684e2547b94a" name="Don't Expect Tab 1 Element" type="W

<subsHEETid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsHEETid>

<loginhibit/>

<display x="450" y="135" w="60" h="60"/>

<groupid>a4ebccc4-d027-4328-8be4-da826c93717f</groupid>

<choices>

<choice reply="False">

<name>Tab 1 Element Check Exists</name>

<distance>45</distance>

<ontrue>e943903a-18a6-4d1f-95f3-482546dec1b5</ontrue>

<element id="1c9804be-6186-4cc2-8d64-f443215bcf59"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>
```

```
</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="716326fb-0b91-44c3-93cb-b7611493911a" name="Time Out - Don't Expect Tab 2 Element" type="Warning" >

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="525" y="195" w="30" h="30"/>

<onsuccess>b0af6684-0f1c-4e69-893a-62dc91b86180</onsuccess>

<groupid>4a8f550f-1080-44d8-b245-f5fea4f0f4ae</groupid>

</stage>

<stage stageid="e943903a-18a6-4d1f-95f3-482546dec1b5" name="Don't Expect Tab 2 Element" type="Warning" >

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="450" y="195" w="60" h="60"/>

<groupid>4a8f550f-1080-44d8-b245-f5fea4f0f4ae</groupid>

<choices>

<choice reply="False">

<name>Tab 2 Element Check Exists</name>

<distance>45</distance>

<ontrue>b6ef9adf-a7a6-4d8e-96f7-bea90c5d0040</ontrue>

<element id="3582e2ea-a047-44cb-b8b1-102cf62f127f"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

```
</choices>

<timeout>5</timeout>

</stage>

<stage stageid="953c8294-ba8d-43bd-b5a7-5cbd8529a98f" name="Time Out - Don't Expect Tab 4 Element" type="Wait" />

<subsheetsubid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsubid>

<loginhibit/>

<display x="525" y="255" w="30" h="30"/>

<onsuccess>4fe88cd9-d20f-4c65-b7a2-80ead148662e</onsuccess>

<groupid>dbcc295e-4bea-4807-9892-80d49152ca7d</groupid>

</stage>

<stage stageid="b6ef9adf-a7a6-4d8e-96f7-bea90c5d0040" name="Don't Expect Tab 4 Element" type="Wait" />

<subsheetsubid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsubid>

<loginhibit/>

<display x="450" y="255" w="60" h="60"/>

<groupid>dbcc295e-4bea-4807-9892-80d49152ca7d</groupid>

<choices>

<choice reply="False">

<name>Tab 4 Element Check Exists</name>

<distance>45</distance>

<ontrue>a8152645-eeff-419d-858a-bdf146f1be4a</ontrue>

<element id="fc3c082e-6ab2-49d0-8c35-8c02bb6ae0a7"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

```
<timeout>5</timeout>

</stage>

<stage stageid="1816a203-2d91-4107-8df1-a25423b02b68" name="Time Out - Don't Expect Tab 5 Element" type="Wait" >

<subsheetid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetid>

<loginhibit/>

<display x="525" y="315" w="30" h="30"/>

<onsuccess>7626b083-c6cf-4178-bbd8-ae25651551fd</onsuccess>

<groupid>ea9331e4-e256-4f77-818c-8e3c5ddfd886</groupid>

</stage>

<stage stageid="a8152645-eeff-419d-858a-bdf146f1be4a" name="Don't Expect Tab 5 Element" type="Wait" >

<subsheetid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetid>

<loginhibit/>

<display x="450" y="315" w="60" h="60"/>

<groupid>ea9331e4-e256-4f77-818c-8e3c5ddfd886</groupid>

<choices>

<choice reply="False">

<name>Tab 5 Element Check Exists</name>

<distance>45</distance>

<ontrue>f584ba2b-ab69-4f4c-9ae6-44ee284ef0af</ontrue>

<element id="8a799ffb-053f-4ad5-b085-27d476da9edb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>
```

```
</stage>

<stage stageid="f5904b38-a981-4c44-a95e-1fb921238b74" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="570" y="135" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the third tab h

</stage>

<stage stageid="b0af6684-0f1c-4e69-893a-62dc91b86180" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="570" y="195" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the third tab h

</stage>

<stage stageid="4fe88cd9-d20f-4c65-b7a2-80ead148662e" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="570" y="255" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the third tab h

</stage>

<stage stageid="7626b083-c6cf-4178-bbd8-ae25651551fd" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="570" y="315" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the third tab h

</stage>

<stage stageid="a49e0c38-d893-455c-bdf3-5d5e086e905a" name="Time Out - Don't Expect Tab 1 Elemer

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<loginhibit/>

<display x="705" y="135" w="30" h="30"/>

<onsuccess>6e11715a-01fe-49a1-9c89-a8ddcce22367</onsuccess>

<groupid>9c510125-4c7c-47b3-af3f-845309e73c1a</groupid>
```



```
</stage>

<stage stageid="cd2e0013-ed19-4c09-8eff-b37ed7deae55" name="Don't Expect Tab 1 Element" type="Wait">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="630" y="135" w="60" h="60"/>

<groupid>9c510125-4c7c-47b3-af3f-845309e73c1a</groupid>

<choices>

<choice reply="False">

<name>Tab 1 Element Check Exists</name>

<distance>45</distance>

<ontrue>d16cecd a-09e6-4b06-81ef-e05201832707</ontrue>

<element id="1c9804be-6186-4cc2-8d64-f443215bcf59"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="8ed3f2b7-7535-4a62-ab72-fbc20f6acda3" name="Time Out - Don't Expect Tab 2 Element" type="Wait">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="705" y="195" w="30" h="30"/>

<onsuccess>c7e9901b-7bcb-4a0c-9e10-de73b42cf773</onsuccess>

<groupid>adc00ec3-2f50-42cc-a116-cdf522817b89</groupid>

</stage>
```

```
<stage stageid="d16cecd4-09e6-4b06-81ef-e05201832707" name="Don't Expect Tab 2 Element" type="W
<subsheetid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetid>

<loginhibit/>

<display x="630" y="195" w="60" h="60"/>

<groupid>adc00ec3-2f50-42cc-a116-cdf522817b89</groupid>

<choices>

<choice reply="False">

<name>Tab 2 Element Check Exists</name>

<distance>45</distance>

<ontrue>2d9752aa-0aff-4171-9c8d-0e44fa6eb33b</ontrue>

<element id="3582e2ea-a047-44cb-b8b1-102cf62f127f"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b7359b4a-18eb-489b-97ec-49f681351db8" name="Time Out - Don't Expect Tab 3 Element
<subsheetid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetid>

<loginhibit/>

<display x="705" y="255" w="30" h="30"/>

<onsuccess>1ff279df-fc60-491c-af9c-513055452bb1</onsuccess>

<groupid>02da316e-a902-489d-90d5-adf6bf887fae</groupid>

</stage>

<stage stageid="2d9752aa-0aff-4171-9c8d-0e44fa6eb33b" name="Don't Expect Tab 3 Element" type="Wa
```

```
<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="630" y="255" w="60" h="60"/>

<groupid>02da316e-a902-489d-90d5-adf6bf887fae</groupid>

<choices>

<choice reply="False">

<name>Tab 3 Element Check Exists</name>

<distance>45</distance>

<ontrue>b2a67229-f918-4f52-87dc-c8d254ab0a68</ontrue>

<element id="d678e260-212b-48e0-95e2-41357d1436d1"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="89fab893-8c14-490d-b371-94f2f25eec1a" name="Time Out - Don't Expect Tab 5 Element

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="705" y="315" w="30" h="30"/>

<onsuccess>269c8b2f-f781-4e78-8780-5900617e6e86</onsuccess>

<groupid>656df766-6a67-4cae-950c-399e002ac6bc</groupid>

</stage>

<stage stageid="b2a67229-f918-4f52-87dc-c8d254ab0a68" name="Don't Expect Tab 5 Element" type="Wa

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>
```

```
<loginhibit/>

<display x="630" y="315" w="60" h="60"/>

<groupid>656df766-6a67-4cae-950c-399e002ac6bc</groupid>

<choices>

<choice reply="False">

<name>Tab 5 Element Check Exists</name>

<distance>45</distance>

<ontrue>3783dd91-5bd3-417f-9b78-77f235223a12</ontrue>

<element id="8a799ffb-053f-4ad5-b085-27d476da9edb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="6e11715a-01fe-49a1-9c89-a8ddcce22367" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="750" y="135" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the forth tab h

</stage>

<stage stageid="c7e9901b-7bcb-4a0c-9e10-de73b42cf773" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="750" y="195" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the forth tab h

</stage>
```

```
<stage stageid="1ff279df-fc60-491c-af9c-513055452bb1" name="FAIL" type="Exception">
<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>
<display x="750" y="255" w="30" h="30"/>
<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the forth tab h
</stage>

<stage stageid="269c8b2f-f781-4e78-8780-5900617e6e86" name="FAIL" type="Exception">
<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>
<display x="750" y="315" w="30" h="30"/>
<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the forth tab h
</stage>

<stage stageid="297a5622-d273-492c-961d-ee0cbd365793" name="Time Out - Don't Expect Tab 1 Eleme
<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>
<loginhibit/>
<display x="885" y="135" w="30" h="30"/>
<onsuccess>9d31c045-39dd-4a9c-bc64-f39ac7d1275d</onsuccess>
<groupid>af7c4b0a-97a4-4b73-be77-6d97c8ec328c</groupid>
</stage>

<stage stageid="26c5536a-77a5-4eb8-b01f-f86a8182a25e" name="Don't Expect Tab 1 Element" type="W
<subsheetsid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsid>
<loginhibit/>
<display x="810" y="135" w="60" h="60"/>
<groupid>af7c4b0a-97a4-4b73-be77-6d97c8ec328c</groupid>
<choices>
<choice reply="False">
<name>Tab 1 Element Check Exists</name>
<distance>45</distance>
<ontrue>d765252e-1ba4-45ca-be55-fb88beaaab41</ontrue>
```

```
<element id="1c9804be-6186-4cc2-8d64-f443215bcf59"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="a636afe0-7b62-4c4b-8678-c23dbffb80c8" name="Time Out - Don't Expect Tab 2 Element" type="Warning" />

<subsheetsubid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsubid>

<loginhibit/>

<display x="885" y="195" w="30" h="30"/>

<onsuccess>8148465b-4b72-498b-873f-a9b7505497d4</onsuccess>

<groupid>5b91bab1-40ed-4143-aed8-487b8bf07349</groupid>

</stage>

<stage stageid="d765252e-1ba4-45ca-be55-fb88beaaab41" name="Don't Expect Tab 2 Element" type="Warning" />

<subsheetsubid>7f59fc1f-4c6c-467e-8989-fee453b4bec</subsheetsubid>

<loginhibit/>

<display x="810" y="195" w="60" h="60"/>

<groupid>5b91bab1-40ed-4143-aed8-487b8bf07349</groupid>

<choices>

<choice reply="False">

<name>Tab 2 Element Check Exists</name>

<distance>45</distance>

<ontrue>b5540d50-a904-46e0-9332-ccef78e51a</ontrue>

<element id="3582e2ea-a047-44cb-b8b1-102cf62f127f"/>
```

```
<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="1beda928-2a4d-4b54-b1db-78da73e37cc3" name="Time Out - Don't Expect Tab 3 Eleme

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="885" y="255" w="30" h="30"/>

<onsuccess>874c3bef-858c-4503-96e7-244474c6f356</onsuccess>

<groupid>f8feca8f-42a8-4a05-b980-f2a4650e7afb</groupid>

</stage>

<stage stageid="b5540d50-a904-46e0-9332-ccefac78e51a" name="Don't Expect Tab 3 Element" type="W

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="810" y="255" w="60" h="60"/>

<groupid>f8feca8f-42a8-4a05-b980-f2a4650e7afb</groupid>

<choices>

<choice reply="False">

<name>Tab 3 Element Check Exists</name>

<distance>45</distance>

<ontrue>aa012376-9789-4d06-9840-3cfadfddd906</ontrue>

<element id="d678e260-212b-48e0-95e2-41357d1436d1"/>

<condition>
```

```
<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="3b3630eb-8a31-487c-ba7e-3c0f3cbac844" name="Time Out - Don't Expect Tab 4 Element" type="Warning" />

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="885" y="315" w="30" h="30"/>

<onsuccess>7c0d164f-c3dd-4a23-b1fe-347955eb4774</onsuccess>

<groupid>047f9f52-3364-44a7-9f8c-00e4f457ef32</groupid>

</stage>

<stage stageid="aa012376-9789-4d06-9840-3cfadfddd906" name="Don't Expect Tab 4 Element" type="Warning" />

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="810" y="315" w="60" h="60"/>

<groupid>047f9f52-3364-44a7-9f8c-00e4f457ef32</groupid>

<choices>

<choice reply="False">

<name>Tab 4 Element Check Exists</name>

<distance>45</distance>

<ontrue>d7dfefa9-3dc4-4f88-9a5f-3d4a4e551e47</ontrue>

<element id="fc3c082e-6ab2-49d0-8c35-8c02bb6ae0a7"/>

<condition>

<id>CheckExists</id>
```



```
</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="9d31c045-39dd-4a9c-bc64-f39ac7d1275d" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="930" y="135" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the fifth tab ho

</stage>

<stage stageid="8148465b-4b72-498b-873f-a9b7505497d4" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="930" y="195" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the fifth tab ho

</stage>

<stage stageid="874c3bef-858c-4503-96e7-244474c6f356" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="930" y="255" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the fifth tab ho

</stage>

<stage stageid="7c0d164f-c3dd-4a23-b1fe-347955eb4774" name="FAIL" type="Exception">

<subsheetsid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetsid>

<display x="930" y="315" w="30" h="30"/>

<exception localized="yes" type="Tab Selection Exception" detail="&quot;You selected the fifth tab ho

</stage>

<stage stageid="df7992ef-c5a7-41bc-a217-de4b6f90d55f" name="End2" type="End">
```

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="315" y="375"/>

</stage>

<stage stageid="f584ba2b-ab69-4f4c-9ae6-44ee284ef0af" name="End2" type="End">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="495" y="375"/>

</stage>

<stage stageid="3783dd91-5bd3-417f-9b78-77f235223a12" name="End2" type="End">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="675" y="375"/>

</stage>

<stage stageid="d7dfefa9-3dc4-4f88-9a5f-3d4a4e551e47" name="End2" type="End">

<subsheetid>7f59fc1f-4c6c-467e-8989-feee453b4bec</subsheetid>

<loginhibit/>

<display x="855" y="375"/>

</stage>

<stage stageid="d47804d6-18d8-4b2b-9043-b64b42b193d9" name="Set Check Box" type="SubSheetInfo">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="a2085c54-0d02-494e-8350-1c4bded8d398" name="End" type="End">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

```
</stage>

<stage stageid="7dc72838-b051-4a6a-834a-ae350c93c43f" name="Read Check Box" type="SubSheetInfo">

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="3602a462-9381-4f1f-b295-3453e58c58c2" name="End" type="End">

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

<outputs>

<output type="flag" name="Check Box State" narrative="The state of the read check box." stage="Check Box State">

</outputs>

</stage>

<stage stageid="38d00765-6c48-41a8-8a48-38421cc8c31d" name="Time Out - Check for Style Guide Title" type="Wait">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>ec8a57d6-f248-4aba-8c10-c7d59eb56ece</onsuccess>

<groupid>2a5ea6f1-fff7-4da7-ae99-a328308515fb</groupid>

</stage>

<stage stageid="e8d6530b-4f5b-4d8b-bdcb-3dd3d062227c" name="Check for Style Guide Title" type="Wait">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>2a5ea6f1-fff7-4da7-ae99-a328308515fb</groupid>

<choices>

<choice reply="True">
```

```
<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>4e4d42bd-e9f0-4fba-a68d-216cbcc40310</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Check boxes"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="ec8a57d6-f248-4aba-8c10-c7d59eb56ece" name="FAIL" type="Exception">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The check boxes style guide title wa

</stage>

<stage stageid="59b6763d-2e65-457f-895b-f989ec9593c5" name="Time Out - Check for Style Guide Title

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<loginhibit/>
```

```
<display x="45" y="-45" w="30" h="30"/>

<onsuccess>00a0c43f-424d-400a-b77e-37fb9b2e650d</onsuccess>

<groupid>1eb748c0-99c2-4a7f-9984-cb31a974cfec</groupid>

</stage>

<stage stageid="99e2daaa-e133-4fdb-a942-20d4ab7408b9" name="Check for Style Guide Title" type="Wa

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>1eb748c0-99c2-4a7f-9984-cb31a974cfec</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>787e56ff-337e-43e0-98d3-e76b288e2b4a</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Check boxes"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

```
</choices>

<timeout>5</timeout>

</stage>

<stage stageid="00a0c43f-424d-400a-b77e-37fb9b2e650d" name="FAIL" type="Exception">

<subsheetsid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The check boxes style guide title wa

</stage>

<stage stageid="4e4d42bd-e9f0-4fba-a68d-216cbcc40310" name="Set Check Box" type="Write">

<subsheetsid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>a2085c54-0d02-494e-8350-1c4bded8d398</onsuccess>

<step expr="[Check Box State]">

<element id="6060388d-6a09-4a32-9cc2-cbd32656b408">

<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/sub

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="b10d5a3b-e504-4a64-a2d3-dd4df63ccae6" name="Start" type="Start">

<subsheetsid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetsid>

<loginhibit/>
```

```
<display x="15" y="-105"/>

<inputs>

<input type="number" name="Check Box ID" narrative="The ID of the check box you want to select, 1 - 5" >

<input type="flag" name="Check Box State" narrative="The state you want to set the check box, True or False" >

</inputs>

<onsuccess>e8d6530b-4f5b-4d8b-bdcb-3dd3d062227c</onsuccess>

</stage>

<stage stageid="88c19bac-2df1-442a-8cbb-8552134d59fd" name="Check Box ID" type="Data">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ca0fd26c-524b-4498-8187-aaa91e51280b" name="Input Variables" type="Block">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="90"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="2d1c7fce-4744-4f7d-a102-5802896fbdfe" name="Check Box State" type="Data">

<subsheetid>cc057ebc-1e99-4804-bfd2-adf66f46b087</subsheetid>

<display x="-150" y="45" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="1e24c3e8-cbde-416d-b382-6ff619b27ae1" name="Start" type="Start">

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="number" name="Check Box ID" narrative="The ID of the check box you want to read, 1 - 5" st

</inputs>

<onsuccess>99e2daaa-e133-4fdb-a942-20d4ab7408b9</onsuccess>

</stage>

<stage stageid="1259e7f4-dd40-4b90-a633-7c9df5ffb8dc" name="Check Box ID" type="Data">

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="52f22499-8f8e-46c9-ae114806cce1" name="Input Variables" type="Block">

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="66806ee9-d8d4-4212-827b-883d17a703ce" name="Check Box State" type="Data">

<subsheetid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetid>
```



```
<display x="-150" y="90" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="787e56ff-337e-43e0-98d3-e76b288e2b4a" name="Read Check Box State" type="Read">

<subsheetsid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>3602a462-9381-4f1f-b295-3453e58c58c2</onsuccess>

<step stage="Check Box State">

<element id="6060388d-6a09-4a32-9cc2-cbd32656b408">

<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/subb

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="d940ea0d-5134-441c-b55b-51063240f175" name="Output Variables" type="Block">

<subsheetsid>5164c568-fd50-4dcc-b0f6-be5f0b60ba96</subsheetsid>
```

<loginhibit/>

<display x="-225" y="60" w="150" h="60"/>

</stage>

<stage stageid="60bc9a8e-7712-43ed-8163-84adc79fc58e" name="Set Field" type="SubSheetInfo">

<subsheetsid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetsid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="70aa5f26-b24a-48c7-9e73-6e2ce51ddb93" name="End" type="End">

<subsheetsid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetsid>

<loginhibit/>

<display x="15" y="60"/>

</stage>

<stage stageid="bae74e49-6554-4941-bd69-61700ad2b329" name="Read Field" type="SubSheetInfo">

<subsheetsid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetsid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="1b7aa3d3-f5de-4730-a00a-e50690b58bab" name="End" type="End">

<subsheetsid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetsid>

<loginhibit/>

<display x="15" y="60"/>

<outputs>

<output type="text" name="Field Value" narrative="The value read from the field." stage="Field Value"/>

</outputs>

</stage>

<stage stageid="be5ea1b6-f013-4ec6-bc98-0f61e046d1b9" name="Time Out - Check for Style Guide Title">

<subsheetsid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetsid>

```
<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>2f8ae436-6142-49e6-8c14-48cbfd94d389</onsuccess>

<groupid>0705e288-e055-43c4-b2b5-e0be03efe8f2</groupid>

</stage>

<stage stageid="1f8e8539-6984-4b04-b1c2-f6f01245b581" name="Check for Style Guide Title" type="Wait">

<subsheetid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>0705e288-e055-43c4-b2b5-e0be03efe8f2</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>cea8c70a-358f-4671-b40e-6533bf940f04</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Fields"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>
```

```
</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="2f8ae436-6142-49e6-8c14-48cbfd94d389" name="FAIL" type="Exception">

<subsheetsid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetsid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The fields style guide title wasn't fo

</stage>

<stage stageid="d8f5cf27-47e8-489c-90e4-3f36ab8d2bd4" name="Output Variables" type="Block">

<subsheetsid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetsid>

<loginhibit/>

<display x="-225" y="60" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="92408102-4bb9-40f7-afa1-c120eae91c3b" name="Input Variables" type="Block">

<subsheetsid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetsid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="90"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="78267508-9f37-4a60-8da1-cccc196fbff" name="Time Out - Check for Style Guide Title" t

<subsheetsid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetsid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>d90107d1-7336-4789-9380-c5e774964b96</onsuccess>

<groupid>5ec99026-6071-4d58-acba-ae64a6416472</groupid>
```

```
</stage>

<stage stageid="6bc665d6-9539-43a7-88c5-9bfca35b4a9a" name="Check for Style Guide Title" type="Wa

<subsheetsid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetsid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>5ec99026-6071-4d58-acba-ae64a6416472</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>7de49be0-e47f-49b6-9eee-135b2fb5752f</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Fields"</expression>

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>
```

```
<stage stageid="d90107d1-7336-4789-9380-c5e774964b96" name="FAIL" type="Exception">
<subsheetid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetid>
<display x="105" y="-45"/>
<exception localized="yes" type="Missing Element" detail="&quot;The fields style guide title wasn't fo
</stage>

<stage stageid="501dfae1-2ddc-4f0a-b5db-378cc3f19685" name="Start" type="Start">
<subsheetid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetid>
<loginhibit/>
<display x="15" y="-105"/>
<inputs>
<input type="number" name="Field ID" narrative="The ID of the field you want to set, 1, 2 &amp; 9" st
<input type="text" name="Field Value" narrative="The value you want to set in the field." stage="Field Valu
</inputs>
<onsuccess>1f8e8539-6984-4b04-b1c2-f6f01245b581</onsuccess>
</stage>

<stage stageid="c6373bb1-a771-4739-b215-4e9d93e4ab82" name="Field Value" type="Data">
<subsheetid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetid>
<display x="-150" y="45" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>

<stage stageid="36d8093a-198c-4bbe-9011-7ef75f9149bd" name="Field ID" type="Data">
<subsheetid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetid>
<display x="-150" y="15" w="120" h="30"/>
<datatype>number</datatype>
```

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cea8c70a-358f-4671-b40e-6533bf940f04" name="Write to Field" type="Write">

<subsheetsid>320cbcd5-8639-49a4-bb31-cca0df084fca</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>70aa5f26-b24a-48c7-9e73-6e2ce51ddb93</onsuccess>

<step expr="[Field Value]">

<element id="2721c027-159e-4d31-ac3b-96146f48199f">

<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/sub

<datatype>text</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="e679c19b-69af-4a1a-9a68-f60f6f5a7ef4" name="Input Variables" type="Block">

<subsheetsid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetsid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

</stage>

<stage stageid="7e1cbdb8-fbeb-4dd9-b187-b04aaa25fba3" name="Start" type="Start">

```
<subsheetid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<inputs>

<input type="number" name="Field ID" narrative="The ID of the field you want to read, 1, 2 &amp; 9" s

</inputs>

<onsuccess>6bc665d6-9539-43a7-88c5-9bfca35b4a9a</onsuccess>

</stage>

<stage stageid="ffb99949-d8c9-4a53-a4ba-de0899459d75" name="Field ID" type="Data">

<subsheetid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7de49be0-e47f-49b6-9eee-135b2fb5752f" name="Read Field" type="Read">

<subsheetid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>1b7aa3d3-f5de-4730-a00a-e50690b58bab</onsuccess>

<step stage="Field Value">

<element id="2721c027-159e-4d31-ac3b-96146f48199f">

<elementparameter>

<name>ID</name>

<expression>"/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_ENTRY_SCREEN:0200/subb

<datatype>text</datatype>
```



```
<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="b38ba30b-3b52-4b2f-9b09-11cae66edb67" name="Field Value" type="Data">

<subsheetid>e2d76cbf-9761-4579-a758-f40edeb9ad16</subsheetid>

<display x="-150" y="90" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f089effc-c6eb-4b95-8fc9-909e773d709f" name="Read Table Control" type="SubSheetInfo">

<subsheetid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsheetid>

<display x="-150" y="-75" w="150" h="90"/>

</stage>

<stage stageid="658c5c9c-8082-4058-aab6-c1209ca84926" name="Start" type="Start">

<subsheetid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>7648a0c5-7132-48cb-a936-7666281c1e63</onsuccess>

</stage>

<stage stageid="19f8ce49-aabe-4e37-97b1-2e21400b9240" name="End" type="End">
```

```
<subsheetid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

<outputs>

<output type="collection" name="Table Content" narrative="The content of the table control." stage="Table

</outputs>

</stage>

<stage stageid="39a8832c-c886-4cdf-9a52-0056b634e8a9" name="Read Table Content" type="Read">

<subsheetid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsheetid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<onsuccess>19f8ce49-aabe-4e37-97b1-2e21400b9240</onsuccess>

<step stage="Table Content">

<element id="51c6280c-8056-437b-aa3a-3ff9fe7f107f"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="243b3a94-a099-47af-9c9f-2839e451f772" name="Table Content" type="Collection">

<subsheetid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsheetid>

<display x="-150" y="15" w="120" h="30"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4d7c72b9-e0b5-4dca-a82b-1591988253dd" name="Output Variable" type="Block">
```

<subsHEETid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsHEETid>

<loginhibit/>

<display x="-225" y="-15" w="150" h="60"/>

</stage>

<stage stageid="930ca0f2-cfd2-4c1b-a338-357c25c8f453" name="Time Out - Check for Style Guide Title"

<subsHEETid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsHEETid>

<loginhibit/>

<display x="45" y="-45" w="30" h="30"/>

<onsuccess>b825f109-5b70-4faf-b2da-2dde2749028a</onsuccess>

<groupid>cfaee6f1-62a4-4f19-913e-8bd09f70fda2</groupid>

</stage>

<stage stageid="7648a0c5-7132-48cb-a936-7666281c1e63" name="Check for Style Guide Title" type="Wa

<subsHEETid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsHEETid>

<loginhibit/>

<display x="-30" y="-45" w="60" h="60"/>

<groupid>cfaee6f1-62a4-4f19-913e-8bd09f70fda2</groupid>

<choices>

<choice reply="True">

<name>'SAP Title' Window (Win32) - Dynamic Window Text Check Exists</name>

<distance>45</distance>

<ontrue>39a8832c-c886-4cdf-9a52-0056b634e8a9</ontrue>

<element id="ed2735c0-bfc6-4d4d-9aa3-347b55598305">

<elementparameter>

<name>pWindowText</name>

<expression>"Style Guide: Table control"</expression>

<datatype>text</datatype>

```
<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b825f109-5b70-4faf-b2da-2dde2749028a" name="FAIL" type="Exception">

<subsheetid>ca21b343-03b5-4eb7-80cd-dfe4f51e186b</subsheetid>

<display x="105" y="-45"/>

<exception localized="yes" type="Missing Element" detail="&quot;The table control style guide title wa

</stage>

<stage stageid="45d6d88c-867c-4331-bb1a-76da4e7c6395" name="Tabstrip" type="Decision">

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="15" y="60" w="90" h="30"/>

<decision expression="[Control Type]=&quot;Tabstrip&quot;"/>

<ontrue>aefdc93d-9b81-4513-93c0-37847333f0bf</ontrue>

<onfalse>16283e82-9d92-4842-a064-062f37993e9e</onfalse>

</stage>

<stage stageid="16283e82-9d92-4842-a064-062f37993e9e" name="Make Match String" type="Calculation

<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>
```

```
<display x="15" y="105" w="90" h="30"/>

<onsuccess>f1ddff7f-f496-471e-8dc9-26ee40921399</onsuccess>

<calculation expression="&quot;Style Guide: &quot;&amp;&amp;Left([Control Type], 1)&amp;&amp;">
</stage>

<stage stageid="cceb632a-dfac-4ec9-98b3-c417de478ec2" name="Match String" type="Data">
<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<display x="-150" y="90" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fde79957-22ae-4300-a6e7-b3157296bfa9" name="Local Variable" type="Block">
<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="-225" y="60" w="150" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="f1ddff7f-f496-471e-8dc9-26ee40921399" name="Anchor5" type="Anchor">
<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>

<display x="15" y="135" w="10" h="10"/>

<onsuccess>abb7b202-6dca-4e37-a2a4-f09f590641c4</onsuccess>

</stage>

<stage stageid="efec875b-5303-4ae9-96b6-4baf536a5a06" name="Anchor6" type="Anchor">
<subsheetid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetid>

<loginhibit/>
```

<display x="120" y="135" w="10" h="10"/>

<onsuccess>f1ddff7f-f496-471e-8dc9-26ee40921399</onsuccess>

</stage>

<stage stageid="aefdc93d-9b81-4513-93c0-37847333f0bf" name="Make Match String" type="Calculation">

<subsheetsid>90a45dc8-dddf-4a19-8a43-3c6890f0ef5d</subsheetsid>

<loginhibit/>

<display x="120" y="60" w="90" h="30"/>

<onsuccess>efec875b-5303-4ae9-96b6-4baf536a5a06</onsuccess>

<calculation expression=""Style Guide: Tab strip"" stage="Match String"/>

</stage>

</process>

<process name="SAPGui" version="1.0" narrative="SAPGui (initial logon) object" type="object" runmode="

<appdef>

<element name="SAPGui">

<id>99d13527-4227-44f4-802d-8db31a39db7d</id>

<group name="Element1">

<id>8798834c-e096-4c65-9850-841c44fd1db2</id>

</group>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

```
<name>Path</name>

<value>C:\Program Files\SAP\FrontEnd\SAPgui\SAPgui.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>localhost</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

<value>

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>
```

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="19390d0e-889c-4a37-8f73-91e00acaf890" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="775464ea-bfd2-4af8-aeaa-4ab33e619743" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="6d17ef7d-289a-459e-a67f-12e81149860e" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="83633480-d421-4a69-87d5-16d9258806a1" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>24692c3f-d330-4800-9af4-157e3e27828e</onsuccess>

</stage>

<stage stageid="24692c3f-d330-4800-9af4-157e3e27828e" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="588d4171-c1f8-407b-bff4-c9386a0fa2e1" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="c4ef97d6-4359-47f8-b3ae-04c2f9fee532" name="Clean Up" type="SubSheetInfo">

<subsheetsid>19390d0e-889c-4a37-8f73-91e00acaf890</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="f0bdba00-898d-457b-95ab-b1f61e2a232c" name="Start" type="Start">

<subsheetsid>19390d0e-889c-4a37-8f73-91e00acaf890</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>4f2dbd24-d52b-4701-9ca9-17cea4f408a2</onsuccess>

</stage>

<stage stageid="4f2dbd24-d52b-4701-9ca9-17cea4f408a2" name="End" type="End">

<subsheetid>19390d0e-889c-4a37-8f73-91e00acaf890</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="ab494a36-518c-4181-a8ec-106c42c181d7" name="Launch" type="SubSheetInfo">

<subsheetid>775464ea-bfd2-4af8-aeaa-4ab33e619743</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3925e4da-f378-4896-a25b-6bb7678c40e7" name="Start" type="Start">

<subsheetid>775464ea-bfd2-4af8-aeaa-4ab33e619743</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>34959933-fa0f-4161-9520-a39b02032617</onsuccess>

</stage>

<stage stageid="d6cb25bd-ecc3-4b38-a977-34fa760cace5" name="End" type="End">

<subsheetid>775464ea-bfd2-4af8-aeaa-4ab33e619743</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

<stage stageid="bb8808be-9df1-4b20-b4ff-c7adeef90672" name="new" type="Note">

<subsHEETid>19390d0e-889c-4a37-8f73-91e00acaf890</subsHEETid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="570bcef0-bd24-4960-bc0f-ca0200f64868" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business of

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="34959933-fa0f-4161-9520-a39b02032617" name="Launch it" type="Navigate">

<subsheetid>775464ea-bfd2-4af8-aeaa-4ab33e619743</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d6cb25bd-ecc3-4b38-a977-34fa760cace5</onsuccess>

<step>

<element id="99d13527-4227-44f4-802d-8db31a39db7d"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>
```

```
</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="58b5fbd1-ed35-4318-80f0-aa7f094c9ac5" name="Terminate" type="SubSheetInfo">

<subsheetsid>6d17ef7d-289a-459e-a67f-12e81149860e</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3ca06212-e115-4735-b771-c0729715ae05" name="Start" type="Start">

<subsheetid>6d17ef7d-289a-459e-a67f-12e81149860e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fe94f004-f54b-4f3a-b6b5-ee547e251342</onsuccess>

</stage>

<stage stageid="3a74d518-fb2e-49dd-8fca-d6e54bc08155" name="End" type="End">

<subsheetid>6d17ef7d-289a-459e-a67f-12e81149860e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fe94f004-f54b-4f3a-b6b5-ee547e251342" name="Terminate It" type="Navigate">
```



```
<subsheetid>6d17ef7d-289a-459e-a67f-12e81149860e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3a74d518-fb2e-49dd-8fca-d6e54bc08155</onsuccess>

<step>

<element id="99d13527-4227-44f4-802d-8db31a39db7d"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

</process>

<process name="SAP" version="1.0" narrative="SAP" type="object" runmode="Exclusive" preferredid="9d

<appdef>

<element name="SAP">

<id>5958fb53-e950-4fb6-901f-5b3e38589d5c</id>

<element name="Tree">

<id>5f100eae-09b0-4984-844b-8b9ba50300d9</id>

<type>SAPCtrlTree</type>

<basetype>SAPCtrlTree</basetype>

<datatype>unknown</datatype>
```

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/ctrlIMAGE_CONTAINER/shellcont/sh

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiShell"/>

</attribute>

<attribute name="SubType">

<ProcessValue datatype="text" value="Tree"/>

</attribute>

</attributes>

</element>

<element name="Back button">

<id>19f027d7-6551-4ff8-985d-c0f7d7b44609</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/btn[3]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<group name="User Maintenance: Initial Screen">

<id>b376cf0d-e82e-4f83-9964-9bcb27342456</id>

<element name="Display Button">

<id>984eb50c-6d7c-43c3-927a-417ad1823894</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[1]/btn[7]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<element name="User Name">

<id>e1392184-5744-4eac-a614-36f1ffbb8a5a</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/ctxtUSR02-BNAME"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiCTextField"/>

</attribute>

</attributes>

</element>

<element name="User label">

<id>9ae495c8-e14e-4e20-b487-2051152ef834</id>

<type>SAPLabel</type>

<basetype>SAPLabel</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/lblUSR02-BNAME"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiLabel"/>

</attribute>

</attributes>

</element>

</group>

<group name="Maintain User">

<id>e5d0e5ea-8bbe-4718-8aef-203c332926e0</id>

<element name="Defaults Tab">

<id>82088709-d43f-4dd4-ae4f-538a0ece4a15</id>

<element name="Output Immediately">

```
<id>0175b69d-a068-4a40-ae19-0f4ff768e8b2</id>

<type>SAPCheckBox</type>

<basetype>SAPCheckBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpDEFA/ssubMAIL

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiCheckBox"/>

</attribute>

</attributes>

</element>

<type>SAPTab</type>

<basetype>SAPTab</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpDEFA"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTab"/>

</attribute>

</attributes>

</element>
```

<element name="Display/Edit Button">

<id>c22d2a22-1db0-48f4-898f-4d73aa9d7af7</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[1]/btn[19]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<element name="Profiles Tab">

<id>b4f7b79b-00a4-48e4-bbee-40e8d334033f</id>

<element name="Profiles Table">

<id>3b560850-7a54-480a-ae3c-c62690839e45</id>

<type>SAPTable</type>

<basetype>SAPTable</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpPROF/ssubMAI

</attribute>

```
<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTableControl"/>

</attribute>

</attributes>

</element>

<type>SAPTab</type>

<basetype>SAPTab</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpPROF"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTab"/>

</attribute>

</attributes>

</element>

<element name="Tab Strip">

<id>be53e7bf-d784-42d2-bf60-d00403fe7575</id>

<type>SAPTabStrip</type>

<basetype>SAPTabStrip</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTabStrip"/>
```

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1"/>

</attribute>

<attribute name="Note">

<ProcessValue datatype="text" value="Height:257"/>

</attribute>

</attributes>

</element>

<element name="Personalization Tab">

<id>f82abec1-7c11-4827-a450-9b087cce2a9e</id>

<element name="Grid">

<id>2bc96422-d994-4500-a33f-8dc9b9f47b43</id>

<type>SAPGridView</type>

<basetype>SAPGridView</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpPERS/ssubMAIL">

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiShell"/>

</attribute>

<attribute name="SubType">

<ProcessValue datatype="text" value="GridView"/>

</attribute>

</attributes>

</element>

<type>SAPTab</type>

<basetype>SAPTab</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpPERS"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTab"/>

</attribute>

</attributes>

</element>

<group name="Logon Data Tab">

<id>a281b625-3c76-4fe6-be99-67be7326c718</id>

<element name="User Type">

<id>d0eac7ad-d383-4de6-bcb4-6368c52980a4</id>

<type>SAPComboBox</type>

<basetype>SAPComboBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/tabsTABSTRIP1/tabpLOGO/ssubMAI

</attribute>

```
<attribute name="ComponentType">
<ProcessValue datatype="text" value="GuiComboBox"/>
</attribute>
</attributes>
</element>
</group>
</group>
<element name="Save First Dialog">
<id>cf90cd0e-eb9b-4a9d-b84f-73580f69f7d7</id>
<element name="No Button">
<id>a6c64c77-493d-4ced-a70a-540b9569bef0</id>
<type>SAPButton</type>
<basetype>SAPButton</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="ID" inuse="True">
<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[1]/usr/btnSPOP-OPTION2"/>
</attribute>
<attribute name="ComponentType">
<ProcessValue datatype="text" value="GuiButton"/>
</attribute>
</attributes>
</element>
<type>SAPComponent</type>
<basetype>SAPComponent</basetype>
<datatype>text</datatype>
```

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[1]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiModalWindow"/>

</attribute>

</attributes>

</element>

<element name="Menu bar">

<id>49664027-af47-48af-91c4-3b6ab8bd1542</id>

<type>SAPMenubar</type>

<basetype>SAPMenubar</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/mbar"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiMenubar"/>

</attribute>

</attributes>

</element>

<group name="Demo Center">

<id>5ac64b7e-47ce-46c8-a260-c3cb41d32aed</id>

```
<element name="Demo Tree">

<id>cc006f04-f366-4126-9131-58844db318f8</id>

<type>SAPCtrlTree</type>

<basetype>SAPCtrlTree</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/shellcont/shell"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiShell"/>

</attribute>

<attribute name="SubType">

<ProcessValue datatype="text" value="Tree"/>

</attribute>

</attributes>

</element>

<element name="HTML Menu">

<id>0b0be48e-990c-48d6-9d7b-2dcb3af53898</id>

<element name="Radio Buttons link">

<id>b67827c0-8560-499f-9979-1a1eb777825a</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>
```

<attribute name="X">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="130"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="82"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Path">

<ProcessValue datatype="text" value="/HTML/BODY(1)/UL(1)/A(7)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="A"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>


```
<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Tab Strip link">

<id>98f116ba-615f-4b95-a42d-c0a11a11e465</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="218"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="46"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="16"/>

</attribute>
```

```
<attribute name="Path">

<ProcessValue datatype="text" value="/HTML/BODY(1)/UL(2)/A(4)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="A"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value="sapevent:TAB_SHORT?TAB"/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier2" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="3"/>

</attribute>
```


<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="Tabstrip"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="saphtmlp://htmlviewer.sap.com/200dKrWg7kE3zkjKgOvld0/HTML0">

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:44,371,387,90"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Icons link">

<id>2fb5039e-2650-4795-bbd9-d9f4e694cd2e</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="98"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="31"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Path">

<ProcessValue datatype="text" value="/HTML/BODY(1)/UL(1)/A(5)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="A"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value="sapevent:ICO_SHORT?RDB"/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier2" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="Icons"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="saphtmlp://htmlviewer.sap.com/200dKrWg7kE3{IFH5MCId0/HTMLC

</attribute>

```
<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:44,251,267,75"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Fields link">

<id>9f7ccdfb-78d9-478d-b9a1-cabb8c650214</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="66"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>
```

<attribute name="Height">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Path">

<ProcessValue datatype="text" value="/HTML/BODY(1)/UL(1)/A(3)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="A"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value="sapevent:FLD_SHORT?FLD"/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier2" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="Fields"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="saphtmlp://htmlviewer.sap.com/200dKrWg7kE3}ez6KCnId0/HTML0

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:44,219,235,79"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<type>SAPComponent</type>

<basetype>SAPComponent</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiShell"/>

</attribute>

<attribute name="SubType">

<ProcessValue datatype="text" value="HTMLViewer"/>

</attribute>

</attributes>

</element>

<element name="Continental Vegetarian">

<id>7317d85b-20e0-4f93-8cfd-43027f01bfc9</id>

<type>SAPRadioButton</type>

<basetype>SAPRadioButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiRadioButton"/>

</attribute>

</attributes>

</element>

<element name="Asian Vegetarian">

<id>f43f589c-f638-4efc-bef7-09a8b674ee5e</id>

<type>SAPRadioButton</type>

<basetype>SAPRadioButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiRadioButton"/>

</attribute>

</attributes>

</element>

<group name="Check Boxes">

<id>e57be1ae-c8a3-4984-a0cd-f8f2d5267907</id>

<element name="GuiCheckBox">

<id>27eae83f-16a8-413c-9b7f-1330de2db04c</id>

<type>SAPCheckBox</type>

<basetype>SAPCheckBox</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>


```
<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiCheckBox"/>

</attribute>

</attributes>

</element>

<element name="Street/House Number">

<id>64c0f656-6b64-43ed-9683-8d4c3bf98558</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTextField"/>

</attribute>

</attributes>

</element>

</group>

<group name="Tab Strip">

<id>1332a430-5534-4519-932b-02b6426a1f21</id>

<element name="GuiTabStrip">
```

```
<id>ea877229-3078-425c-9ee8-aca8c58e34d1</id>

<type>SAPTabStrip</type>

<basetype>SAPTab</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTabStrip"/>

</attribute>

</attributes>

</element>

<element name="Currency">

<id>e904c07c-a24c-452b-a480-84bfd87f6d8</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiCTextField"/>

</attribute>
```

</attributes>

</element>

<element name="Company Code">

<id>42de1be0-1169-48f6-a40a-74e23492a499</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiCTextField"/>

</attribute>

</attributes>

</element>

</group>

<group name="Icons">

<id>20f54ef7-0adf-4a4a-acca-c7c572d44f42</id>

<element name="GuiButton">

<id>6d7c6482-b2ee-4d3e-bc1c-127a0830db27</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

```
<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<element name="Information">

<id>61224c05-7b8a-448c-b783-1739e7ffbf67</id>

<element name="Continue">

<id>59573a99-f933-48e3-8eb7-293453e5d701</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[1]/tbar[0]/btn[0]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

<type>SAPComponent</type>

<basetype>SAPComponent</basetype>
```

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[1]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiModalWindow"/>

</attribute>

</attributes>

</element>

</group>

<group name="Fields">

<id>8f9d6fc1-0691-44cc-aa3d-1ed78011906c</id>

<element name="GuiLabel">

<id>463501c6-e34b-4bd7-829b-37a69499b06d</id>

<type>SAPLabel</type>

<basetype>SAPLabel</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/subSA_0100_1:SAPLEXAMPLE_EN"

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiLabel"/>

</attribute>

</attributes>

</element>

</group>

</group>

<group name="Logon">

<id>235a3443-bd84-4c1f-80df-70447041317a</id>

<element name="Username">

<id>733e91e9-f315-49c8-8e33-90e921c1511c</id>

<type>SAPTextBox</type>

<basetype>SAPTextBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/txtRSYST-BNAME"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTextField"/>

</attribute>

</attributes>

</element>

<element name="Password">

<id>483a29c9-9f91-4195-8a19-f70c0ef17532</id>

<type>SAPPasswordField</type>

<basetype>SAPPasswordField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/pwdRSYST-BCODE"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiPasswordField"/>

</attribute>

</attributes>

</element>

<element name="OK">

<id>cf1a80ba-21ef-4d0b-9043-bed549f9a4a3</id>

<type>SAPButton</type>

<basetype>SAPButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/tbar[0]/btn[0]"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiButton"/>

</attribute>

</attributes>

</element>

</group>

<element name="Main Title Bar">

<id>9cba5cdd-e2ea-436b-9c5a-685cefa29a6c</id>

<type>SAPTitleBar</type>

<basetype>SAPTitleBar</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/titl"/>

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiTitlebar"/>

</attribute>

</attributes>

</element>

<group name="Appointments">

<id>fe5fb2f8-f987-476a-a37c-d411b4d69856</id>

<element name="GuiCalendar">

<id>8bc84ecc-969f-4976-aef6-77291f5d92b1</id>

<type>SAPCalendar</type>

<basetype>SAPCalendar</basetype>

<datatype>date</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="/app/con[0]/ses[0]/wnd[0]/usr/cntlCALE_CONTROL/shellcont/shell/

</attribute>

<attribute name="ComponentType">

<ProcessValue datatype="text" value="GuiShell"/>

</attribute>

<attribute name="SubType">

<ProcessValue datatype="text" value="Calendar"/>

</attribute>

</attributes>

</element>

</group>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Attach</id>

<parameters>

<parameter>

<name>WindowTitle</name>

<value>

</value>

</parameter>

<parameter>

<name>ProcessName</name>

<value>saplogon</value>

</parameter>

<parameter>

<name>Path</name>

<value>

</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="3856dd6b-434b-4446-a3bc-dc3dfb1a3bed" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="896321ef-7b2d-42ec-a751-b05aa897ce84" type="Normal" published="True">

<name>Test tree</name>

<view>

<camerax>0</camerax>

<cameray>-78</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="a63a2dc7-0d23-44e8-8890-d64af9423292" type="Normal" published="True">

<name>Test Users</name>

<view>

<camerax>0</camerax>

<cameray>842</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="c9b2d1ef-1edb-460c-a976-8ab2adf2fe45" type="Normal" published="True">

<name>Test menu, html, radio buttons</name>

<view>

<camerax>50</camerax>

<cameray>174</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="ab191ef2-be0f-48e9-8220-4ea065948802" type="Normal" published="True">

<name>Test check boxes</name>

<view>

<camerax>150</camerax>

<cameray>315</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="b31d917d-b9f0-4529-be31-d61a2bde2ac5" type="Normal" published="True">

<name>Test tabs</name>

<view>

<camerax>0</camerax>

<cameray>-72</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="7f362a08-d824-43b9-aaca-0eaa394c78e9" type="Normal" published="True">

<name>Test textbox</name>

<view>

<camerax>0</camerax>

<cameray>51</cameray>

<zoom>1</zoom>

</view>

</sheet>

<subsheet subsheetid="0a20c9fc-fa4d-4254-bc02-fee65e351220" type="Normal" published="True">

<name>Test buttons, modal dialog</name>

<view>

<camerax>0</camerax>

<cameray>27</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="cba55804-59bd-4df8-8fdf-b5ab2de02023" type="Normal" published="True">

<name>Test titlebar</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="1f8bd973-fe26-4ffa-afc8-0d8c56598560" type="Normal" published="True">

<name>Test calendar</name>

<view>

<camerax>324</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="462e7465-3418-4391-88f7-cd5fbd0f07a4" type="Normal" published="True">

<name>Test combobox</name>

<view>

<camerax>405</camerax>

<cameray>960</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="d43cb4fe-d964-4000-8c19-46bc2d5ef6c8" type="Normal" published="True">

<name>Test label</name>

<view>

<camerax>21</camerax>

<cameray>57</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="b333ecbd-8dee-4a9e-8f28-51de95530037" type="Normal" published="True">

<name>Login</name>

<view>

<camerax>0</camerax>

<cameray>242</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="8a9fd5e7-d2a6-4c04-a472-e5beced558e5" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7f0c706b-b959-4e5b-a30b-f28dee7e19ba</onsuccess>

</stage>

<stage stageid="7f0c706b-b959-4e5b-a30b-f28dee7e19ba" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8600df1c-0c6e-4902-9c1c-7458069e2bcb" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>
```

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="bb148d8f-add2-41a6-a391-e9e9e29bb1a6" name="Clean Up" type="SubSheetInfo">

<subsheetsid>3856dd6b-434b-4446-a3bc-dc3dfb1a3bed</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="75e30217-f35f-4032-bfd2-456b277aa764" name="Start" type="Start">

<subsheetsid>3856dd6b-434b-4446-a3bc-dc3dfb1a3bed</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7d2e8f79-82c8-4cdb-b9dd-92144ed730f5</onsuccess>

</stage>

<stage stageid="7d2e8f79-82c8-4cdb-b9dd-92144ed730f5" name="End" type="End">

<subsheetid>3856dd6b-434b-4446-a3bc-dc3dfb1a3bed</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="d339675e-a476-4722-96d3-ed4c936ef565" name="Test tree" type="SubSheetInfo">

<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>

<narrative>Test some tree stuff on the home ('SAP Easy Access') screen.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="7c33cd10-b1c5-44c9-97e5-e7e87f0c0b52" name="Start" type="Start">

<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c73a30b3-a848-4bcd-9719-4f46ab4d9e7c</onsuccess>

</stage>

<stage stageid="7b06a7bc-bf02-4181-b350-ef2edfa8328f" name="End" type="End">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="2d467418-5e7b-46a5-9b30-b91af2d530ac" name="new" type="Note">

<subsheetsid>3856dd6b-434b-4446-a3bc-dc3dfb1a3bed</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="a4707021-431f-4cff-8f3f-41ee8af1e878" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="3537a909-3a6a-4983-bf07-6e12dc192da2" name="Read selected node text (two step)" ty

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>-30</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a5f7ec7-cf23-49b4-b58c-b4178b172b90</onsuccess>

<step stage="Key">

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>GetSelectedNodeKey</id>

<arguments>

<argument>

<id>key</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

<step stage="Text">

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>GetNodeText</id>

<arguments>

<argument>

<id>key</id>

<value>[Key]</value>
```

```
</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="b39ce62a-6f27-4049-bb66-ee6e87f07294" name="Key" type="Data">

<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-225</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a4655b9a-5dd8-4c30-93c1-6765d90467a9" name="Text" type="Data">

<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-180</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="0a5f7ec7-cf23-49b4-b58c-b4178b172b90" name="Read selected node step (direct)" type=
<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>606c3fd6-96b3-466a-ba08-c39fe91271bc</onsuccess>
<step stage="Text2">
<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>
<action>
<id>GetSelectedItemText</id>
</action>
</step>
</stage>
<stage stageid="a50cf7b0-8010-4a21-809a-6e652a8b4e0c" name="Text2" type="Data">
<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>
<narrative>
```

```
</narrative>

<displayx>165</displayx>

<displayy>-135</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="606c3fd6-96b3-466a-ba08-c39fe91271bc" name="Should be the same" type="Decision">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Text] = [Text2]"/>

<ontrue>8c856ed8-7dcc-4bc1-8e74-357ab3b20666</ontrue>

<onfalse>5c9c3e14-e3b0-42b3-9362-070b7e3d8a98</onfalse>

</stage>

<stage stageid="5c9c3e14-e3b0-42b3-9362-070b7e3d8a98" name="Exception1" type="Exception">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>
```

```
<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;One step and two step selected node reads came out di

</stage>

<stage stageid="0f2249a7-4cac-4950-922e-01dceb0c3bf4" name="Select Node" type="Navigate">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3537a909-3a6a-4983-bf07-6e12dc192da2</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>
```



```
<value>"Accounting"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="c73a30b3-a848-4bcd-9719-4f46ab4d9e7c" name="Count Nodes" type="Read">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0f2249a7-4cac-4950-922e-01dceb0c3bf4</onsuccess>

<step stage="Node Count">

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>GetItemCount</id>

</action>
```

</step>

</stage>

<stage stageid="b8c7ca72-7c85-4935-aa5b-7e1cb5c170f7" name="Node Count" type="Data">

<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8c856ed8-7dcc-4bc1-8e74-357ab3b20666" name="Should be what we selected" type="D

<subsheetid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Text] = "Accounting""/>

```
<ontrue>5154dddf-6779-482f-963b-2a249dd597e6</ontrue>

<onfalse>eb09a2ff-0543-4cf3-8ed5-461529bcc37c</onfalse>

</stage>

<stage stageid="5154dddf-6779-482f-963b-2a249dd597e6" name="Check the count" type="Decision">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Node Count] = 257"/>

<ontrue>7b06a7bc-bf02-4181-b350-ef2edfa8328f</ontrue>

<onfalse>5ea82513-0f30-4962-bace-d9bb7d01328e</onfalse>

</stage>

<stage stageid="eb09a2ff-0543-4cf3-8ed5-461529bcc37c" name="Exception1" type="Exception">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;Selected node was wrong&quot;"/>
```

```
</stage>

<stage stageid="5ea82513-0f30-4962-bace-d9bb7d01328e" name="Exception1" type="Exception">

<subsheetsid>896321ef-7b2d-42ec-a751-b05aa897ce84</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;Node count was wrong&quot;"/>

</stage>

<stage stageid="29fb2cf2-c91f-4aa6-bf06-415f8715e292" name="Test Users" type="SubSheetInfo">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="46c9df3e-3cbf-4b95-a552-35767e3ef0c6" name="Start" type="Start">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>-45</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>27d74e69-7348-4f87-9609-3ecfea951530</onsuccess>

</stage>

<stage stageid="5e9f5257-cad2-44c3-910c-c114088023e8" name="End" type="End">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="27d74e69-7348-4f87-9609-3ecfea951530" name="Go to SU01" type="Navigate">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>fe17ba9f-7251-4d94-9b96-091a0448655f</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>DoubleClickNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"SU01 - Users"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="678ba994-f42a-46d1-af8f-d868e48324a1" name="Time Out - Wait for user label" type="V

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>2a3839e2-9ee6-487c-8006-a771a38fda53</groupid>

</stage>

```
<stage stageid="fe17ba9f-7251-4d94-9b96-091a0448655f" name="Wait for user label" type="WaitStart">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>2a3839e2-9ee6-487c-8006-a771a38fda53</groupid>

<choices>

<choice reply="True">

<name>User label Check Exists</name>

<distance>60</distance>

<ontrue>1b101a7f-9882-4120-bd13-4566362d4ab3</ontrue>

<element id="9ae495c8-e14e-4e20-b487-2051152ef834"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="51e6e402-4c53-4720-8be1-9a2ee66c5b66" name="Go back" type="Navigate">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5e9f5257-cad2-44c3-910c-c114088023e8</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="1b101a7f-9882-4120-bd13-4566362d4ab3" name="Read Label" type="Read">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>84c3a0fe-cd79-4f22-940b-1f41bc7dc6cb</onsuccess>
```



```
<step stage="LabelText">

<element id="9ae495c8-e14e-4e20-b487-2051152ef834"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="f896f816-ed57-4d04-b394-84bb34cf3384" name="LabelText" type="Data">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="84c3a0fe-cd79-4f22-940b-1f41bc7dc6cb" name="Check Text" type="Decision">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>
```

```
<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[LabelText] = &quot;User&quot;" />

<ontrue>89aca32c-c9eb-4999-8173-f94863b5c78d</ontrue>

<onfalse>4b262e15-e35b-4913-8f21-d3a7ac4c4c49</onfalse>

</stage>

<stage stageid="4b262e15-e35b-4913-8f21-d3a7ac4c4c49" name="Exception2" type="Exception">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>270</displayx>

<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;User label read did not match&quot;" />

</stage>

<stage stageid="89aca32c-c9eb-4999-8173-f94863b5c78d" name="Write Name" type="Write">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<display>45</display>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>030bce17-0a81-469d-b1cb-e63388e184d7</onsuccess>

<step expr="&quot;XXXX&quot;">

<element id="e1392184-5744-4eac-a614-36f1ffbb8a5a"/>

</step>

</stage>

<stage stageid="030bce17-0a81-469d-b1cb-e63388e184d7" name="Read Name" type="Read">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7bfa3b6b-7695-458f-9dab-c3469e91a039</onsuccess>

<step stage="Name">

<element id="e1392184-5744-4eac-a614-36f1ffbb8a5a"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="449f8f56-bf2c-4f5b-9b5a-589c0c3745e6" name="Name" type="Data">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
```

```
<narrative>

</narrative>

<displayx>285</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7bfa3b6b-7695-458f-9dab-c3469e91a039" name="Check Name" type="Decision">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Name] = &quot;XXXX&quot;"/>

<ontrue>0cfe6a01-6f00-4c60-9796-d1fc41b90ad9</ontrue>

<onfalse>1a76f95c-3e50-48c4-b0d1-f351a3b52adb</onfalse>

</stage>

<stage stageid="1a76f95c-3e50-48c4-b0d1-f351a3b52adb" name="Exception3" type="Exception">
```

```
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="0cfe6a01-6f00-4c60-9796-d1fc41b90ad9" name="Write Name" type="Write">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e91e26a-2687-4dfc-af3c-b3ae47fd64ae</onsuccess>

<step expr="&quot;BCUSER&quot;">

<element id="e1392184-5744-4eac-a614-36f1ffbb8a5a"/>

</step>

</stage>

<stage stageid="8e91e26a-2687-4dfc-af3c-b3ae47fd64ae" name="Press Display" type="Navigate">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>147b2894-dec2-4223-ba97-2f60cc6f5661</onsuccess>

<step>

<element id="984eb50c-6d7c-43c3-927a-417ad1823894"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="f0a42221-d85c-49ba-a2d8-2352fad18114" name="Time Out - Wait for tab to be present" t

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>240</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>39074dd8-124a-44ac-9735-41c07ce88349</groupid>

```
</stage>

<stage stageid="147b2894-dec2-4223-ba97-2f60cc6f5661" name="Wait for tab to be present" type="WaitS

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>39074dd8-124a-44ac-9735-41c07ce88349</groupid>

<choices>

<choice reply="True">

<name>Defaults Tab Check Exists</name>

<distance>60</distance>

<ontrue>6ed44c7c-57d5-4b55-9fad-101ce8516f60</ontrue>

<element id="82088709-d43f-4dd4-ae4f-538a0ece4a15"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="6ed44c7c-57d5-4b55-9fad-101ce8516f60" name="Select Defaults" type="Navigate">
```

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6b16ad63-8a96-469a-a79e-81811d6f529a</onsuccess>

<step>

<element id="82088709-d43f-4dd4-ae4f-538a0ece4a15"/>

<action>

<id>Select</id>

</action>

</step>

</stage>

<stage stageid="6ad3ce30-7f96-4f2a-97a4-5f4333b82578" name="Time Out - Wait for tab ready" type="W

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>240</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>


```
<groupid>1451721a-1dac-42ac-9af4-d0ab972d9e3d</groupid>

</stage>

<stage stageid="6b16ad63-8a96-469a-a79e-81811d6f529a" name="Wait for tab ready" type="WaitStart">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>1451721a-1dac-42ac-9af4-d0ab972d9e3d</groupid>

<choices>

<choice reply="True">

<name>Output Immediately Check Exists</name>

<distance>45</distance>

<ontrue>84ce8946-9e84-4b87-81ab-44b3d1ce4853</ontrue>

<element id="0175b69d-a068-4a40-ae19-0f4ff768e8b2"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>
```

```
<stage stageid="84ce8946-9e84-4b87-81ab-44b3d1ce4853" name="Press Display/Edit" type="Navigate">
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>64bc3778-ce20-48a8-b147-90515a975da5</onsuccess>
<step>
<element id="c22d2a22-1db0-48f4-898f-4d73aa9d7af7"/>
<action>
<id>Press</id>
</action>
</step>
</stage>
```

```
<stage stageid="64bc3778-ce20-48a8-b147-90515a975da5" name="Read checkbox" type="Read">
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-315</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8ac9c7dd-c787-434c-bac5-b948a6d97d71</onsuccess>

<step stage="TestFlag">

<element id="0175b69d-a068-4a40-ae19-0f4ff768e8b2"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="7cecf9a9-d75b-4808-bd3e-940f1a7ad627" name="TestFlag" type="Data">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>-315</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8ac9c7dd-c787-434c-bac5-b948a6d97d71" name="Check Value" type="Decision">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>-315</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[TestFlag] = False"/>

<ontrue>4d9b3592-25c5-4919-90b5-342a5f770db2</ontrue>

<onfalse>0795cbae-e62d-48b3-a0e2-b8c72508fda6</onfalse>

</stage>

<stage stageid="0795cbae-e62d-48b3-a0e2-b8c72508fda6" name="Exception" type="Exception">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;Checkbox value was wrong&quot;"/>

</stage>

<stage stageid="4d9b3592-25c5-4919-90b5-342a5f770db2" name="Write Checkbox" type="Write">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-315</displayx>
```

```
<display>270</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ed8afeef-225b-47e9-8797-6975eb05d282</onsuccess>

<step expr="True">

<element id="0175b69d-a068-4a40-ae19-0f4ff768e8b2"/>

</step>

</stage>

<stage stageid="ed8afeef-225b-47e9-8797-6975eb05d282" name="Read checkbox" type="Read">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<display>-315</display>

<display>315</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>190dfd46-77a6-4dde-a384-05a55f18f06c</onsuccess>

<step stage="TestFlag">

<element id="0175b69d-a068-4a40-ae19-0f4ff768e8b2"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>
```

<stage stageid="190dfd46-77a6-4dde-a384-05a55f18f06c" name="Check Value" type="Decision">

<subsHEETid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[TestFlag] = True"/>

<ontrue>4ad19a99-be1b-4934-a237-12d5c3516a5d</ontrue>

<onfalse>0795cbae-e62d-48b3-a0e2-b8c72508fda6</onfalse>

</stage>

<stage stageid="468449ac-ec57-4fa2-b564-a808fc54f3c8" name="Press Display/Edit" type="Navigate">

<subsHEETid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>735</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>4471e809-7310-4ef1-9319-3daa23e478c5</onsuccess>

<step>

<element id="c22d2a22-1db0-48f4-898f-4d73aa9d7af7"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="495b99ff-1150-4def-b1a5-d77b6547eac3" name="Time Out1" type="WaitEnd">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>840</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>2cb236c8-87e4-4c34-86d7-bd5d31e04442</groupid>

</stage>

<stage stageid="4471e809-7310-4ef1-9319-3daa23e478c5" name="Wait1" type="WaitStart">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>735</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>2cb236c8-87e4-4c34-86d7-bd5d31e04442</groupid>

<choices>

<choice reply="True">

<name>No Button Check Exists</name>

<distance>60</distance>

<ontrue>8e71cc6a-f3f4-49b9-9797-a9e5d61094dc</ontrue>

<element id="a6c64c77-493d-4ced-a70a-540b9569bef0"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>20</timeout>

</stage>

<stage stageid="8e71cc6a-f3f4-49b9-9797-a9e5d61094dc" name="Discard changes" type="Navigate">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c56fb7f2-8baa-412f-afe5-20689d5360f3</onsuccess>

<step>

<element id="a6c64c77-493d-4ced-a70a-540b9569bef0"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="c56fb7f2-8baa-412f-afe5-20689d5360f3" name="Go back" type="Navigate">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>51e6e402-4c53-4720-8be1-9a2ee66c5b66</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="4ad19a99-be1b-4934-a237-12d5c3516a5d" name="Select Profiles Tab, using tabstrip" ty

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>390</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9a1f0010-79c3-4eb7-97f6-d092e1b917d9</onsuccess>

<step>

<element id="be53e7bf-d784-42d2-bf60-d00403fe7575"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Profiles"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="9a1f0010-79c3-4eb7-97f6-d092e1b917d9" name="Read table" type="Read">
```

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e16bd90b-cc87-44cc-b778-fe21f40f847d</onsuccess>

<step stage="Value from Profiles Table">

<element id="3b560850-7a54-480a-ae3c-c62690839e45"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="3fe4577e-ab72-4080-8efa-7b01ab760d97" name="Value from Profiles Table" type="Collection">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>315</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e16bd90b-cc87-44cc-b778-fe21f40f847d" name="Loop Start1" type="LoopStart">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>67e64470-536c-464b-bf56-fbdf19ca831f</onsuccess>

<groupid>789dcdf9-da65-4b1e-a28d-51dd1f04238d</groupid>

<looptype>ForEach</looptype>

<loopdata>Value from Profiles Table</loopdata>

</stage>

<stage stageid="302c9bc6-84d4-4d33-b773-66720642f214" name="Loop End1" type="LoopEnd">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>66ab0891-0435-4c7c-821c-bd1bbe208537</onsuccess>
<groupid>789dcdf9-da65-4b1e-a28d-51dd1f04238d</groupid>
</stage>
<stage stageid="b62850b7-7c1b-44c6-bfd6-ab0eb8cd74f7" name="Data1" type="Data">
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="67e64470-536c-464b-bf56-fbdf19ca831f" name="Calc1" type="Calculation">
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>302c9bc6-84d4-4d33-b773-66720642f214</onsuccess>

<calculation expression="[Data1] &amp;amp; [Value from Profiles Table.Profile]" stage="Data1"/>

</stage>

<stage stageid="66ab0891-0435-4c7c-821c-bd1bbe208537" name="Check data" type="Decision">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Data1] = &amp;quot;SAP_ALLT_BE112107&amp;quot;" />

<ontrue>8bd1acf3-1f56-4098-bb8a-12f1abb26348</ontrue>

<onfalse>d858d94a-837f-40b5-a576-f4f79ab58049</onfalse>

</stage>

<stage stageid="d858d94a-837f-40b5-a576-f4f79ab58049" name="Exception4" type="Exception">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>-315</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="TestFailure" detail="&quot;Table wasn't right&quot;"/>
</stage>
<stage stageid="8bd1acf3-1f56-4098-bb8a-12f1abb26348" name="Select Personalization Tab" type="Nav
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>585</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>94d3b6a9-64a9-4656-9048-a4ea16f9cb52</onsuccess>
<step>
<element id="f82abec1-7c11-4827-a450-9b087cce2a9e"/>
<action>
<id>Select</id>
</action>
</step>
</stage>
<stage stageid="94d3b6a9-64a9-4656-9048-a4ea16f9cb52" name="Read Grid" type="Read">
<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-105</displayx>
```

```
<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a0e99773-796b-410e-9a26-bbdfef493b9a4</onsuccess>

<step stage="Value from Grid">

<element id="2bc96422-d994-4500-a33f-8dc9b9f47b43"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="048ed892-386c-4ac7-8b5d-1836b7868440" name="Value from Grid" type="Collection">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>

<narrative>

</narrative>

<displayx>-315</displayx>

<displayy>585</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a0e99773-796b-410e-9a26-bbdfef493b9a4" name="Loop Start1" type="LoopStart">

<subsheetsid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetsid>
```



```
<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b4e08896-7319-46ec-9640-861135eb1f44</onsuccess>

<groupid>72e3ebec-a97b-4b04-9c28-0d1668f63a29</groupid>

<looptype>ForEach</looptype>

<loopdata>Value from Grid</loopdata>

</stage>

<stage stageid="9bc29c9a-d5bd-4355-830a-1aaba24245a" name="Loop End1" type="LoopEnd">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>28fba12b-5ef4-456c-a54d-81a03c38fae0</onsuccess>

<groupid>72e3ebec-a97b-4b04-9c28-0d1668f63a29</groupid>

</stage>

<stage stageid="b4e08896-7319-46ec-9640-861135eb1f44" name="Calc1" type="Calculation">
```

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>630</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9bc29c9a-d5bd-4355-830a-1aabae24245a</onsuccess>

<calculation expression="[Data2] &amp; [Value from Grid.TEXT] &amp; &quot; &quot;";

</stage>

<stage stageid="3dbd1db2-c5c5-488a-822d-3b7b2771e3ee" name="Data2" type="Data">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="28fba12b-5ef4-456c-a54d-81a03c38fae0" name="Check data" type="Decision">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Data2] = "Area Menu Editor Settings Area Menu Editor Settings Area M

<ontrue>468449ac-ec57-4fa2-b564-a808fc54f3c8</ontrue>

<onfalse>0efbca62-fde2-4d1f-b084-083b2d3cfb7b</onfalse>

</stage>

<stage stageid="0efbca62-fde2-4d1f-b084-083b2d3cfb7b" name="Exception4" type="Exception">

<subsheetid>a63a2dc7-0d23-44e8-8890-d64af9423292</subsheetid>

<narrative>

</narrative>

<displayx>-315</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="TestFailure" detail=""Table wasn't right""/>

</stage>

<stage stageid="eff1fcf9-b3c3-424b-8398-2ea5d28f42bc" name="Test menu, html, radio buttons" type="Su

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

```
<narrative>

</narrative>

<displayx>150</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e3b14f86-3334-4452-a2f7-2799d0bff746" name="Start" type="Start">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c6434e0-863f-49bf-a9b5-99c0377c2a51</onsuccess>

</stage>

<stage stageid="236fbed9-efa0-453f-b0a6-9b2267755382" name="End" type="End">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>315</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="14b2eae6-0b2b-4af0-af27-b228b5faf3a6" name="Execute via menu" type="Navigate">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>73309e21-eee6-419e-b8e3-b2ec0a512a06</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>
```

```
</stage>

<stage stageid="2c6434e0-863f-49bf-a9b5-99c0377c2a51" name="Select DWDM" type="Navigate">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>14b2eae6-0b2b-4af0-af27-b228b5faf3a6</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>
```

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

```
<id>newtext</id>

<value>"DWDM - Demos"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="73309e21-eee6-419e-b8e3-b2ec0a512a06" name="Select design examples" type="Navigation" >

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bebcf86c-5db5-479a-a904-774927bb3524</onsuccess>

<step>

<element id="cc006f04-f366-4126-9131-58844db318f8"/>

<action>

<id>SelectItem</id>
```


<arguments>

<argument>

<id>newtext</id>

<value>"Examples of User Interface Design"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Goto}{Choose}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="f8bcf863-ec16-4d55-8642-299867f4d87d" name="Time Out2" type="WaitEnd">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>210</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>51bdaf92-fbf2-4eea-bd46-e0b238c206da</groupid>

</stage>

<stage stageid="bebcf86c-5db5-479a-a904-774927bb3524" name="Wait2" type="WaitStart">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>51bdaf92-fbf2-4eea-bd46-e0b238c206da</groupid>

<choices>

<choice reply="True">

<name>Radio Buttons link Check Exists</name>

<distance>60</distance>

<ontrue>0b99ea7e-5340-4a00-8a2d-245d67cc16e5</ontrue>

```
<element id="b67827c0-8560-499f-9979-1a1eb777825a"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="0b99ea7e-5340-4a00-8a2d-245d67cc16e5" name="Click radio buttons" type="Navigate">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1e1b8fa2-1e3a-4af2-87c3-3c008d611fc2</onsuccess>

<step>

<element id="b67827c0-8560-499f-9979-1a1eb777825a"/>

<action>

<id>HTMLClickCentre</id>

<arguments>

<argument>

<id>newtext</id>
```

```
<value>

</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="1e1b8fa2-1e3a-4af2-87c3-3c008d611fc2" name="Select continental" type="Navigate">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>33337379-0f2d-44d4-8ba2-2ee69af8d3ad</onsuccess>

<step>

<element id="7317d85b-20e0-4f93-8cfd-43027f01bfc9"/>

<action>

<id>Select</id>
```

</action>

</step>

</stage>

<stage stageid="33337379-0f2d-44d4-8ba2-2ee69af8d3ad" name="Reader1" type="Read">

<subsheetsid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a74d7691-cfa4-45eb-a56a-692fc44528c7</onsuccess>

<step stage="Value from Continental Vegetarian">

<element id="7317d85b-20e0-4f93-8cfd-43027f01bfc9"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="ab6e04dd-e51e-443a-8f16-cfcddde1aa72" name="Value from Continental Vegetarian" type="Value from Continental Vegetarian">

<subsheetsid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetsid>

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>105</displayy>

```
<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a74d7691-cfa4-45eb-a56a-692fc44528c7" name="Select Asian" type="Navigate">

<subsheetsid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fbaaf577-f3eb-4644-8850-f342f5f5474e</onsuccess>

<step>

<element id="f43f589c-f638-4efc-bef7-09a8b674ee5e"/>

<action>

<id>Select</id>

</action>

</step>

</stage>

<stage stageid="fbaaf577-f3eb-4644-8850-f342f5f5474e" name="Reader2" type="Read">
```

<subsHEETid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c6ab6161-9a75-4eda-9219-ea4ce656ec79</onsuccess>

<step stage="Value from Asian Vegetarian">

<element id="f43f589c-f638-4efc-bef7-09a8b674ee5e"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="ef4a0759-4f89-4b24-9818-f34041c4f7c3" name="Value from Asian Vegetarian" type="Data">

<subsHEETid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsHEETid>

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>165</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

```
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4bfe27df-f55b-40ae-92d5-eb6843ea4dc7" name="Go back" type="Navigate">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>15c22b2d-a7fd-4329-8f7a-f9a3017f6739</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="15c22b2d-a7fd-4329-8f7a-f9a3017f6739" name="Go back" type="Navigate">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>15</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>236fbed9-efa0-453f-b0a6-9b2267755382</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="c6ab6161-9a75-4eda-9219-ea4ce656ec79" name="Check" type="Decision">

<subsheetid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from Asian Vegetarian] AND [Value from Continental Vegetarian]"/>

<ontrue>4bfe27df-f55b-40ae-92d5-eb6843ea4dc7</ontrue>

<onfalse>c1dba8ac-a819-4cf6-8308-04b427c7624d</onfalse>

</stage>
```

```
<stage stageid="c1dba8ac-a819-4cf6-8308-04b427c7624d" name="Exception5" type="Exception">
<subsheetsid>c9b2d1ef-1edb-460c-a976-8ab2adf2fe45</subsheetsid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;The radio buttons didn't read properly&quot;"/>

</stage>

<stage stageid="80de7b24-6795-43f9-9b64-29a32267b33f" name="Login" type="SubSheetInfo">
<subsheetsid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3eb73a82-06e1-46f4-9816-bef34460bc6e" name="Start" type="Start">
<subsheetsid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" stage="Username"/>

<input type="password" name="Password" stage="Password"/>

</inputs>

<onsuccess>adcb9f2e-f00e-4967-9d38-a7fced43c7e0</onsuccess>

</stage>

<stage stageid="8b4fda2c-b29d-45ff-9ea6-a4edd02f729d" name="End" type="End">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bf313f71-b9fd-4f3c-9e87-f9b86304b767" name="Attach" type="Navigate">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7d1cdb9c-6ea9-4470-a7f4-5226029f261c</onsuccess>

<step>

<element id="5958fb53-e950-4fb6-901f-5b3e38589d5c"/>

<action>

<id>AttachApplication</id>

<arguments>

<argument>

<id>WindowTitlesCollection</id>

<value>

</value>

</argument>

<argument>

<id>WindowTitle</id>

<value>

</value>

</argument>

<argument>

<id>ProcessName</id>

<value>

</value>

</argument>

<argument>

<id>ChildIndex</id>
```

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="8124d7f7-85e4-4ebb-b6b5-5c47244f5002" name="Write credentials" type="Write">

<subsheetsid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0b5cee27-f0c5-4045-a440-9dd9d7659bf6</onsuccess>

<step expr="[Username]">

<element id="733e91e9-f315-49c8-8e33-90e921c1511c"/>

</step>

<step expr="[Password]">

<element id="483a29c9-9f91-4195-8a19-f70c0ef17532"/>

</step>

</stage>

<stage stageid="0b5cee27-f0c5-4045-a440-9dd9d7659bf6" name="Press OK" type="Navigate">

<subsheetsid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8b4fda2c-b29d-45ff-9ea6-a4edd02f729d</onsuccess>

<step>

<element id="cf1a80ba-21ef-4d0b-9043-bed549f9a4a3"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="230043fc-fc3c-4e44-9067-a71b86f43fb8" name="Username" type="Data">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">BCUSER</initialvalue>
```

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="d5e7cfc7-5822-493d-abca-b0975e5841c0" name="Password" type="Data">

<subsheetsid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetsid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>password</datatype>

<initialvalueenc>44,28,26,89,30,85,4,84</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e5263cab-fe94-4555-9814-77098bfdabc2" name="Test check boxes" type="SubSheetInfo">

<subsheetsid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="d6de92f0-a1fa-4e2d-8436-8bcf15a3dc14" name="End" type="End">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="511199f7-7553-4fad-a094-2764d927f395" name="Start" type="Start">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c8acd7a-098b-4f07-aa80-f84ec0792a0d</onsuccess>

</stage>
```

```
<stage stageid="e8e75716-e151-44e5-93aa-453ed0fd0890" name="Execute via menu" type="Navigate">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>
```



```
</narrative>

<displayx>210</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e663d2c7-374a-4dec-800d-e85496a852ed</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2c8acd7a-098b-4f07-aa80-f84ec0792a0d" name="Select DWDM" type="Navigate">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-90</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e8e75716-e151-44e5-93aa-453ed0fd0890</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"DWDM - Demos"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

```
</arguments>

</action>

</step>

</stage>

<stage stageid="e663d2c7-374a-4dec-800d-e85496a852ed" name="Select design examples" type="Navigation" >

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4c106a7a-ef7d-4e75-96f7-b62be0cefdb9</onsuccess>

<step>

<element id="cc006f04-f366-4126-9131-58844db318f8"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Examples of User Interface Design"</value>

</argument>

<argument>

<id>position</id>

<value>
```

</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Goto}{Choose}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="59f1ccef-59f1-4c8e-b78a-6396d1b90c4c" name="Write Checked" type="Write">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>97095b42-d9ba-4991-8721-cc89f8f7ac1b</onsuccess>

<step expr="True">

<element id="27eae83f-16a8-413c-9b7f-1330de2db04c"/>

</step>

</stage>

<stage stageid="4c106a7a-ef7d-4e75-96f7-b62be0cefdb9" name="Get Check State" type="Read">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>708d8bb9-2fe5-4771-bc34-9e03a3de87d6</onsuccess>

<step stage="Check State">

<element id="27eae83f-16a8-413c-9b7f-1330de2db04c"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="75b20dc8-fea8-4d18-8288-387c35aa1028" name="Check State" type="Data">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<narrative>
```

```
</narrative>

<displayx>390</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="97095b42-d9ba-4991-8721-cc89f8f7ac1b" name="Get Check State" type="Read">

<subsheetsid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e5dcab7-35bb-4939-9ffa-4ce15933ac34</onsuccess>

<step stage="Check State">

<element id="27eae83f-16a8-413c-9b7f-1330de2db04c"/>

<action>

<id>GetChecked</id>

</action>
```

```
</step>

</stage>

<stage stageid="708d8bb9-2fe5-4771-bc34-9e03a3de87d6" name="Is Checked" type="Decision">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Check State]"/>

<ontrue>008b29f1-7ff7-422e-9020-98c383ebe148</ontrue>

<onfalse>59f1ccef-59f1-4c8e-b78a-6396d1b90c4c</onfalse>

</stage>

<stage stageid="008b29f1-7ff7-422e-9020-98c383ebe148" name="Exception9" type="Exception">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>
```



```
<stage stageid="3e5dcab7-35bb-4939-9ffa-4ce15933ac34" name="Is Checked" type="Decision">
<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Check State]"/>

<ontrue>88ac24f9-f393-4467-969e-4a056bbac565</ontrue>

<onfalse>d3e399ff-650a-4d4c-854e-de19822877a3</onfalse>

</stage>
```

```
<stage stageid="d3e399ff-650a-4d4c-854e-de19822877a3" name="Exception9" type="Exception">
<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>
```

```
<stage stageid="88ac24f9-f393-4467-969e-4a056bbac565" name="Write Un-Checked" type="Write">
<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b86d75c6-5c59-4b66-9baf-3fe7b079ba5e</onsuccess>

<step expr="False">

<element id="27eae83f-16a8-413c-9b7f-1330de2db04c"/>

</step>

</stage>

<stage stageid="b86d75c6-5c59-4b66-9baf-3fe7b079ba5e" name="Get Check State" type="Read">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a359fb50-f913-4a9d-904a-55bfa2830228</onsuccess>

<step stage="Check State">

<element id="27eae83f-16a8-413c-9b7f-1330de2db04c"/>

<action>
```

```
<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="a359fb50-f913-4a9d-904a-55bfa2830228" name="Is Checked" type="Decision">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Check State]"/>

<ontrue>d8744d99-a8a6-4ae2-8493-01fbf4594870</ontrue>

<onfalse>c5d7c220-f5ba-4c3e-b805-d50fba49703d</onfalse>

</stage>

<stage stageid="d8744d99-a8a6-4ae2-8493-01fbf4594870" name="Exception9" type="Exception">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<exception type="" detail=""/>

</stage>

<stage stageid="c5d7c220-f5ba-4c3e-b805-d50fba49703d" name="Go back" type="Navigate">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756536f3-9d8c-456f-9e55-dbde397567c3</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="756536f3-9d8c-456f-9e55-dbde397567c3" name="Go back" type="Navigate">

<subsheetid>ab191ef2-be0f-48e9-8220-4ea065948802</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>360</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d6de92f0-a1fa-4e2d-8436-8bcf15a3dc14</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="c76a83a1-bf35-45b2-ac3f-3762320cd907" name="Test tabs" type="SubSheetInfo">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7f2eee6d-e7a7-4573-943b-0a7a67adaf1b" name="Start" type="Start">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>698d2256-9750-41c0-9776-d7ebd7b0b0ba</onsuccess>

</stage>

<stage stageid="053fc3ce-7802-4900-a0c4-d3c6b9cafc33" name="End" type="End">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5d15285b-7e16-469d-959e-4e491ea90f8d" name="Select Tab" type="Navigate">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>0eb8391d-bc96-4c8b-8725-c2fd1b5140d6</onsuccess>

<step>

<element id="ea877229-3078-425c-9ee8-aca8c58e34d1"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Control"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="93f1cfc3-0956-45b7-9f9b-fdbf404f6e55" name="Execute via menu" type="Navigate">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>79083e71-5ecb-45e6-9f5a-8a39929305db</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="698d2256-9750-41c0-9776-d7ebd7b0b0ba" name="Select DWDM" type="Navigate">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>93f1cfc3-0956-45b7-9f9b-fdbf404f6e55</onsuccess>
```



```
<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>
```

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"DWDM - Demos"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

```
<stage stageid="79083e71-5ecb-45e6-9f5a-8a39929305db" name="Select design examples" type="Navigation"
<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>953737b0-30c0-4fcd-8185-d1d461c4cdd6</onsuccess>
<step>
<element id="cc006f04-f366-4126-9131-58844db318f8"/>
<action>
<id>SelectItem</id>
<arguments>
<argument>
<id>newtext</id>
<value>"Examples of User Interface Design"</value>
</argument>
<argument>
<id>position</id>
<value>
</value>
</argument>
</arguments>
</action>
```

```
</step>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Goto}{Choose}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="953737b0-30c0-4fcd-8185-d1d461c4cdd6" name="Click tab strip link" type="Navigate">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5d15285b-7e16-469d-959e-4e491ea90f8d</onsuccess>

<step>

<element id="98f116ba-615f-4b95-a42d-c0a11a11e465"/>
```

```
<action>

<id>HTMLClickCentre</id>

<arguments>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="081c5435-330e-4ec9-bbb0-df5c941ce0e3" name="Time Out3" type="WaitEnd">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>47cf75e6-c351-4f97-97a3-c169887ea5e5</onsuccess>

<groupid>252e130e-5d07-4b17-a95f-22ec4bdc3c0d</groupid>

</stage>

<stage stageid="0eb8391d-bc96-4c8b-8725-c2fd1b5140d6" name="Wait3" type="WaitStart">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>252e130e-5d07-4b17-a95f-22ec4bdc3c0d</groupid>

<choices>

<choice reply="True">

<name>Currency Check Exists</name>

<distance>30</distance>

<ontrue>d84926bb-6700-4f6f-bcdf-50f08aa5a908</ontrue>

<element id="e904c07c-a24c-452b-a480-84bfdf87f6d8"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>
```

```
</stage>

<stage stageid="d84926bb-6700-4f6f-bcdf-50f08aa5a908" name="Select Tab" type="Navigate">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7259fbc3-fa21-41b1-a23f-c955e6059bf2</onsuccess>

<step>

<element id="ea877229-3078-425c-9ee8-aca8c58e34d1"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

<argument>

<id>position</id>

<value>1</value>

</argument>

</arguments>
```

```
</action>

</step>

</stage>

<stage stageid="f502c5aa-bc1f-4989-ab18-9260bd8a1c7e" name="Time Out3" type="WaitEnd">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2263207b-f011-4aca-ac65-6e87ccd2c109</onsuccess>

<groupid>b8e7be31-b6cf-427e-bbdb-1a67b7323c86</groupid>

</stage>

<stage stageid="7259fbc3-fa21-41b1-a23f-c955e6059bf2" name="Wait3" type="WaitStart">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>b8e7be31-b6cf-427e-bbdb-1a67b7323c86</groupid>
```



```
<choices>

<choice reply="True">

<name>Company Code Check Exists</name>

<distance>30</distance>

<ontrue>ef8ce856-68ef-4e3a-b0b2-96588d48424b</ontrue>

<element id="42de1be0-1169-48f6-a40a-74e23492a499"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="47cf75e6-c351-4f97-97a3-c169887ea5e5" name="Exception9" type="Exception">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="2263207b-f011-4aca-ac65-6e87ccd2c109" name="Exception9" type="Exception">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>
```

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""/>

</stage>

<stage stageid="0402adbc-eadb-42c2-b3a7-327375967577" name="Test textbox" type="SubSheetInfo">

<subsheetsid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="ef8ce856-68ef-4e3a-b0b2-96588d48424b" name="Go back" type="Navigate">

<subsheetsid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>56638391-f806-4f06-bd78-e7ee59836131</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="56638391-f806-4f06-bd78-e7ee59836131" name="Go back" type="Navigate">

<subsheetid>b31d917d-b9f0-4529-be31-d61a2bde2ac5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>053fc3ce-7802-4900-a0c4-d3c6b9cafc33</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>
```

```
</stage>

<stage stageid="5364d78f-3f65-497d-b27a-808fbee2183e" name="Start" type="Start">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2fd94b94-8446-4351-974e-4d9def6536e3</onsuccess>

</stage>

<stage stageid="c272f04a-37aa-4d74-8ece-9841cedfb0e9" name="Execute via menu" type="Navigate">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>555d46ba-5ae2-4278-886c-99a9197838e9</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>
```

```
<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2fd94b94-8446-4351-974e-4d9def6536e3" name="Select DWDM" type="Navigate">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c272f04a-37aa-4d74-8ece-9841cedfb0e9</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>
```

```
<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>
```

```
</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"DWDM - Demos"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="555d46ba-5ae2-4278-886c-99a9197838e9" name="Select design examples" type="Navigation" >

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>
```

```
<display>-60</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9e3a7714-ff49-4b2d-938c-92bd9cd3dbf0</onsuccess>

<step>

<element id="cc006f04-f366-4126-9131-58844db318f8"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Examples of User Interface Design"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>
```



```
<argument>

<id>Value</id>

<value>"{Goto}{Choose}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="9e3a7714-ff49-4b2d-938c-92bd9cd3dbf0" name="Write text" type="Write">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>01590068-6ce5-4884-857a-be7e0b3fb68b</onsuccess>

<step expr="&quot;test&quot;">

<element id="64c0f656-6b64-43ed-9683-8d4c3bf98558"/>

</step>

</stage>

<stage stageid="01590068-6ce5-4884-857a-be7e0b3fb68b" name="Reader3" type="Read">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dcb23501-612d-4bd3-9f62-b78ffce8c3b4</onsuccess>

<step stage="Value from Street/House Number">

<element id="64c0f656-6b64-43ed-9683-8d4c3bf98558"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="5bdb0df9-a022-4f3f-b842-02a2cd0ca432" name="Value from Street/House Number" type

<subsheetsid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetsid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="dcb23501-612d-4bd3-9f62-b78ffce8c3b4" name="Is Correct?" type="Decision">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from Street/House Number]=&quot;test&quot;"/>

<ontrue>2510b3e5-81b0-474b-9fac-15e160ecf30f</ontrue>

<onfalse>17064046-aab0-4645-8ff0-b65a43b9e5f0</onfalse>

</stage>

<stage stageid="17064046-aab0-4645-8ff0-b65a43b9e5f0" name="Exception10" type="Exception">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="469bc5aa-324e-460b-9bf5-fae14b228dbb" name="End" type="End">
```

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="2510b3e5-81b0-474b-9fac-15e160ecf30f" name="Go back" type="Navigate">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>12099be8-27d1-45a1-bdd3-69d86095c0e9</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="12099be8-27d1-45a1-bdd3-69d86095c0e9" name="Go back" type="Navigate">

<subsheetid>7f362a08-d824-43b9-aaca-0eaa394c78e9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>469bc5aa-324e-460b-9bf5-fae14b228dbb</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="f8ae0b41-f7b8-446c-af06-c8ec750c4537" name="Test buttons, modal dialog" type="SubS

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="708dad0c-383e-4518-89fe-0303b11d43b5" name="Start" type="Start">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>58c268ad-de5b-46de-82d3-7f3dd3ccf2bf</onsuccess>

</stage>

<stage stageid="4835f634-06a0-4028-8e7d-c91011af5323" name="End" type="End">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="606f90cb-f8ac-45ee-9bc2-531c0f5c0fc6" name="Execute via menu" type="Navigate">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1d7f0f1c-a874-4239-aeb0-92aad62f843a</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="58c268ad-de5b-46de-82d3-7f3dd3ccf2bf" name="Select DWDM" type="Navigate">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

90

-150

60

30

<onsuccess>606f90cb-f8ac-45ee-9bc2-531c0f5c0fc6</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"DWDM - Demos"</value>

</argument>

<argument>

<id>position</id>

<value>

```
</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="1d7f0f1c-a874-4239-aeb0-92aad62f843a" name="Select design examples" type="Navigation" >
  <subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>
  <loginhibit/>
  <narrative>
    </narrative>
    <displayx>180</displayx>
    <displayy>-105</displayy>
    <displaywidth>90</displaywidth>
    <displayheight>30</displayheight>
    <font family="Tahoma" size="10" style="Regular" color="000000"/>
    <onsuccess>f918138f-7122-4ffd-b4ec-f35b08ff90c9</onsuccess>
    <step>
      <element id="cc006f04-f366-4126-9131-58844db318f8"/>
      <action>
        <id>SelectItem</id>
        <arguments>
          <argument>
            <id>newtext</id>
            <value>"Examples of User Interface Design"</value>
          </argument>
          <argument>
```

```
<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Goto}{Choose}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="f918138f-7122-4ffd-b4ec-f35b08ff90c9" name="Click Icons link" type="Navigate">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-60</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>593ac141-9123-4a4e-ab9b-f202ae2a6de3</onsuccess>

<step>

<element id="2fb5039e-2650-4795-bbd9-d9f4e694cd2e"/>

<action>

<id>HTMLClickCentre</id>

<arguments>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="b22bb0b3-310d-4fa1-93b5-f8009b17e153" name="Click Button" type="Navigate">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3bbf2d1e-b1ca-42c5-b663-3394973d391b</onsuccess>

<step>

<element id="6d7c6482-b2ee-4d3e-bc1c-127a0830db27"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="582a90bb-3a06-4114-bd64-96f44dcbcf73" name="Time Out4" type="WaitEnd">

<subsheetsid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>325e3e8f-9f88-45a9-9cf6-b5feb7ea8309</groupid>

</stage>

<stage stageid="3bbf2d1e-b1ca-42c5-b663-3394973d391b" name="Wait4" type="WaitStart">
```

```
<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>325e3e8f-9f88-45a9-9cf6-b5feb7ea8309</groupid>

<choices>

<choice reply="True">

<name>Information Check Exists</name>

<distance>60</distance>

<ontrue>d2607bd3-209f-4c66-b6b2-36be3f8c3182</ontrue>

<element id="61224c05-7b8a-448c-b783-1739e7ffbf67"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="d2607bd3-209f-4c66-b6b2-36be3f8c3182" name="Click Button" type="Navigate">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>240</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>14fdca07-325b-4ed1-a38a-85c2e94a5217</onsuccess>

<step>

<element id="59573a99-f933-48e3-8eb7-293453e5d701"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="14fdca07-325b-4ed1-a38a-85c2e94a5217" name="Go back" type="Navigate">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>484be83f-a0e5-407e-98dc-569cdebf209a</onsuccess>

<step>
```

```
<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="484be83f-a0e5-407e-98dc-569cdebf209a" name="Go back" type="Navigate">

<subsheetsid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4835f634-06a0-4028-8e7d-c91011af5323</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="ad9696be-378e-4590-9137-5ba9aca229c0" name="Test titlebar" type="SubSheetInfo">

<subsheetsid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetsid>

<narrative>
```



```
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="12ae4b7e-979f-43e1-bfd4-db8cd595409c" name="Start" type="Start">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4dfcddf9-0c25-411c-a09d-52d518571281</onsuccess>

</stage>

<stage stageid="6b70145a-d417-47b9-a25a-e04bafab03b8" name="End" type="End">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c66675b3-a2fe-4cf9-ab81-ddfe935eac31" name="Select DWDM" type="Navigate">

<subsheetsid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>146a903b-d9f7-43a9-9d4a-b538037612a6</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>
```

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"DWDM - Demos"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="4dfcddf9-0c25-411c-a09d-52d518571281" name="Read Title" type="Read">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>067d80ae-6daa-4232-b0fa-159ad560d20d</onsuccess>

<step stage="Value from Main Title Bar">

<element id="9cba5cdd-e2ea-436b-9c5a-685cefa29a6c"/>

```
<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="38138182-82e7-420d-97f7-418e8aacd74d" name="Value from Main Title Bar" type="Data">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="067d80ae-6daa-4232-b0fa-159ad560d20d" name="Expected Title?" type="Decision">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from Main Title Bar]=&quot;SAP Easy Access&quot;"/>

<ontrue>c66675b3-a2fe-4cf9-ab81-ddfe935eac31</ontrue>

<onfalse>a2fac1a2-5259-43eb-8e6c-ea0e5a6a916e</onfalse>

</stage>

<stage stageid="a2fac1a2-5259-43eb-8e6c-ea0e5a6a916e" name="Exception11" type="Exception">

<subsheetsid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetsid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="6de80a8e-7639-4bd8-8beb-ccd7fee865d9" name="Read Title" type="Read">

<subsheetsid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>6229ea37-1363-49b7-bf75-357bb955ec8e</onsuccess>

<step stage="Value from Main Title Bar">

<element id="9cba5cdd-e2ea-436b-9c5a-685cefa29a6c"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="6229ea37-1363-49b7-bf75-357bb955ec8e" name="Expected Title?" type="Decision">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from Main Title Bar]=&quot;Enjoy Demo Center: Display&quot;"/>

<ontrue>1b4db7a9-85de-40b5-91b3-be6abe1592a7</ontrue>

<onfalse>3e8e7d5a-ddf2-4270-82d7-29b9bca2eed6</onfalse>

</stage>

<stage stageid="3e8e7d5a-ddf2-4270-82d7-29b9bca2eed6" name="Exception11" type="Exception">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>
```

```
<display>120</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="1b4db7a9-85de-40b5-91b3-be6abe1592a7" name="Go back" type="Navigate">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<display>105</display>

<display>165</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6b70145a-d417-47b9-a25a-e04bafab03b8</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="146a903b-d9f7-43a9-9d4a-b538037612a6" name="Execute via menu" type="Navigate">

<subsheetid>cba55804-59bd-4df8-8fdf-b5ab2de02023</subsheetid>

<loginhibit/>
```


<narrative>

</narrative>

<displayx>105</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6de80a8e-7639-4bd8-8beb-ccd7fee865d9</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="015e4aad-6234-479b-bf17-abc7b3565a75" name="Test calendar" type="SubSheetInfo">

<subsheetsid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="da238c10-a191-4b0c-bcb2-313f98ee7bdc" name="Start" type="Start">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8fc6f7a0-9c1c-449e-94d7-dd4f951a65cf</onsuccess>

</stage>

<stage stageid="de089a3e-a705-4193-9b5a-cff790f2aac3" name="End" type="End">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

```
<stage stageid="8fc6f7a0-9c1c-449e-94d7-dd4f951a65cf" name="Select SSC1" type="Navigate">

<subsheetsid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0709442d-0cce-4438-a5f7-c9929154a701</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Office"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>
```

<arguments>

<argument>

<id>newtext</id>

<value>"Appointment Calendar"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"SSC1 - Owner"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="0709442d-0cce-4438-a5f7-c9929154a701" name="Execute via menu" type="Navigate">

```
<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>441dee09-1fda-48b2-8060-8a1a09962800</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="ca45f865-03cd-409e-9403-aecd2ec6f9ec" name="Read Date" type="Read">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>195</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cda7a340-9388-484d-b63f-1beb15d64a47</onsuccess>

<step stage="Value from GuiCalendar">

<element id="8bc84ecc-969f-4976-aef6-77291f5d92b1"/>

<action>

<id>GetDateRange</id>

</action>

</step>

</stage>

<stage stageid="86b05d75-6d0d-4606-9102-740a41af006f" name="Value from GuiCalendar" type="Collection">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>
```

```
<stage stageid="441dee09-1fda-48b2-8060-8a1a09962800" name="Set Date" type="Navigate">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ca45f865-03cd-409e-9403-aecd2ec6f9ec</onsuccess>

<step>

<element id="8bc84ecc-969f-4976-aef6-77291f5d92b1"/>

<action>

<id>SelectDateRange</id>

<arguments>

<argument>

<id>StartDate</id>

<value>Today()</value>

</argument>

<argument>

<id>EndDate</id>

<value>Today() + MakeTimeSpan(1, 0, 0, 0)</value>

</argument>

</arguments>

</action>

</step>
```

```
</stage>

<stage stageid="cda7a340-9388-484d-b63f-1beb15d64a47" name="Date Correct?" type="Decision">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from GuiCalendar.StartDate] = Today() AND [Value from GuiCalendar.EndDate] = Today()" type="Decision">

<ontrue>1fd48f97-d82a-4ed8-a69c-ce45ee107fd2</ontrue>

<onfalse>4f0566ac-c754-4a18-9d7e-ef452a54b8ce</onfalse>

</stage>

<stage stageid="4f0566ac-c754-4a18-9d7e-ef452a54b8ce" name="Exception12" type="Exception">

<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="1fd48f97-d82a-4ed8-a69c-ce45ee107fd2" name="Go back" type="Navigate">
```


<subsheetid>1f8bd973-fe26-4ffa-afc8-0d8c56598560</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>de089a3e-a705-4193-9b5a-cff790f2aac3</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="b8205ba3-f5de-4a80-95db-d3dcf2c190cb" name="Test combobox" type="SubSheetInfo">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="5b48c865-6f6e-428b-b5ea-fe0550e2c1f0" name="Start" type="Start">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ab8256b8-f276-457b-8804-9b745629859e</onsuccess>

</stage>

<stage stageid="54d6d5b8-9642-4a36-96e6-4d123930c573" name="End" type="End">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>960</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="68142073-0c61-4091-9d61-412f052b0b63" name="Select Logon data Tab" type="Navigation">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>225</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>02f710d8-c2cd-4de9-a2cf-a18a01136f93</onsuccess>

<step>

<element id="be53e7bf-d784-42d2-bf60-d00403fe7575"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Logon data"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="02f710d8-c2cd-4de9-a2cf-a18a01136f93" name="Get Combobox count" type="Read">

<subsheetsid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6a735ea7-194b-4811-bdbe-86eb50310f1c</onsuccess>

<step stage="Value from User Type">

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>GetItemCount</id>

</action>

</step>

</stage>

<stage stageid="de406dfc-3bdc-4c28-a4c6-95443a251d2a" name="Value from User Type" type="Data">

<subsheetsid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetsid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>
```

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="6a735ea7-194b-4811-bdbe-86eb50310f1c" name="5 Combo Box items?" type="Decision">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from User Type]=5"/>

<ontrue>8409e3a0-3936-4a19-bba6-240e151fd6e3</ontrue>

<onfalse>535bcf91-ce6b-4016-8534-bb999a49dd50</onfalse>

</stage>

<stage stageid="535bcf91-ce6b-4016-8534-bb999a49dd50" name="Exception6" type="Exception">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>
```

```
</stage>

<stage stageid="8409e3a0-3936-4a19-bba6-240e151fd6e3" name="Select Combo Box top item" type="Na

<subsheetsid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4ebc1ed7-b8f4-4f2f-a18c-5176933dbe98</onsuccess>

<step>

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

<argument>

<id>position</id>

<value>1</value>

</argument>

</arguments>
```

```
</action>

</step>

</stage>

<stage stageid="4ebc1ed7-b8f4-4f2f-a18c-5176933dbe98" name="Get ComboBox text" type="Read">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b9717ade-a7ab-42dc-bdf9-b76142ab0ec7</onsuccess>

<step stage="Dropdown Text">

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>GetSelectedItemText</id>

</action>

</step>

</stage>

<stage stageid="5dfaaa25-96de-4ca0-8d61-95a10cbd3fac" name="Dropdown Text" type="Data">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>135</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b9717ade-a7ab-42dc-bdf9-b76142ab0ec7" name="Text is Dialog?" type="Decision">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Dropdown Text]=&quot;Dialog&quot;"/>

<ontrue>5099efe6-c189-4600-826d-26b441f824ae</ontrue>

<onfalse>5fdc14b0-65d6-412e-adb2-71c2cfc50975</onfalse>

</stage>

<stage stageid="5fdc14b0-65d6-412e-adb2-71c2cfc50975" name="Exception7" type="Exception">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>
```



```
<display>180</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="5099efe6-c189-4600-826d-26b441f824ae" name="Select System" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<display>225</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>85585ab2-5b5c-4b13-b13d-27e716e20812</onsuccess>

<step>

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"System"</value>

</argument>

<argument>
```

```
<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="85585ab2-5b5c-4b13-b13d-27e716e20812" name="Get Combobox Text" type="Read">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae66d3e3-dedd-4578-94a4-2883c589c550</onsuccess>

<step stage="Dropdown Text">

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>GetSelectedItemText</id>

</action>

</step>

</stage>

<stage stageid="ae66d3e3-dedd-4578-94a4-2883c589c550" name="Text is System?" type="Decision">
```

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Dropdown Text]="System""/>

<ontrue>b3b55d07-bc66-4ec0-ab1c-9899d80c0cae</ontrue>

<onfalse>8ff169fd-37a6-4616-a1c4-dd1d783528a9</onfalse>

</stage>

<stage stageid="8ff169fd-37a6-4616-a1c4-dd1d783528a9" name="Exception7" type="Exception">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""/>

</stage>

<stage stageid="b3b55d07-bc66-4ec0-ab1c-9899d80c0cae" name="Get All Items" type="Read">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>225</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>acee6709-9f7e-4678-a3b6-6f3aaf8f45d8</onsuccess>

<step stage="ComboBox Items">

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="47c07a23-d217-4606-9e57-f48ff5644b51" name="ComboBox Items" type="Collection">

<subsheetsid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetsid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="acee6709-9f7e-4678-a3b6-6f3aaf8f45d8" name="Loop Start2" type="LoopStart">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>046e5f77-6013-4816-8404-45fc4a9cdc7d</onsuccess>

<groupid>3a7aa2df-0572-4365-8a7f-b6a3165683be</groupid>

<looptype>ForEach</looptype>

<loopdata>ComboBox Items</loopdata>

</stage>

<stage stageid="50aca097-8a53-4b5c-8114-fc15f3f95f9f" name="Loop End2" type="LoopEnd">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>495</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>1b4fe955-ea77-46d3-847a-2e8d5fdf3e30</onsuccess>

<groupid>3a7aa2df-0572-4365-8a7f-b6a3165683be</groupid>

</stage>

<stage stageid="046e5f77-6013-4816-8404-45fc4a9cdc7d" name="Calc2" type="Calculation">

<subsHEETid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>50aca097-8a53-4b5c-8114-fc15f3f95f9f</onsuccess>

<calculation expression="[Data3] & [ComboBox Items.Item]" stage="Data3"/>

</stage>

<stage stageid="75198e04-2545-4928-8a07-2150f4a56c35" name="Data3" type="Data">

<subsHEETid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsHEETid>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

```
<alwaysinit/>

</stage>

<stage stageid="1b4fe955-ea77-46d3-847a-2e8d5fdf3e30" name="Check Combobox Items" type="Decision">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Data3]=&quot;DialogSystemCommunications DataReference (Logon not possible)&quot;">

<ontrue>96ccb494-4f5c-4b89-89cd-7b473c1d149e</ontrue>

<onfalse>281a009f-a3c9-47d3-ab75-0a585e51d9d8</onfalse>

</stage>

<stage stageid="281a009f-a3c9-47d3-ab75-0a585e51d9d8" name="Exception8" type="Exception">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>
```

```
<stage stageid="96ccb494-4f5c-4b89-89cd-7b473c1d149e" name="Writer1" type="Write">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>79bfe14a-d507-4694-8a95-289467941f94</onsuccess>

<step expr="&quot;Communications Data&quot;">

<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

</step>

</stage>

<stage stageid="79bfe14a-d507-4694-8a95-289467941f94" name="Get Combobox Text" type="Read">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>630</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>87bb3676-26d8-4348-b611-ad0eded05ad9</onsuccess>

<step stage="Dropdown Text">
```


<element id="d0eac7ad-d383-4de6-bcb4-6368c52980a4"/>

<action>

<id>GetSelectedItemText</id>

</action>

</step>

</stage>

<stage stageid="87bb3676-26d8-4348-b611-ad0eded05ad9" name="Text is Communications Data?" type="Text">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Dropdown Text]="Communications Data""/>

<ontrue>6ec3280f-224d-43b5-83be-9918e9923b54</ontrue>

<onfalse>ac7c18f9-14ad-46d8-8acd-b569d8b451c3</onfalse>

</stage>

<stage stageid="ac7c18f9-14ad-46d8-8acd-b569d8b451c3" name="Exception7" type="Exception">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>

<stage stageid="ab8256b8-f276-457b-8804-9b745629859e" name="Go to SU01" type="Navigate">

<subsheetsid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c8d3bd99-88c8-4ada-b7af-bbdcc19dcd31</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Administration"</value>

</argument>

</arguments>

</action>

</step>
```

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"User Maintenance"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>DoubleClickNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"SU01 - Users"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="c8d3bd99-88c8-4ada-b7af-bbdcc19dcd31" name="Write Name" type="Write">

<subsheetsid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d81239c6-aed4-4b1d-a39c-0e7d50229b5f</onsuccess>

<step expr="&amp;quot;BCUSER&amp;quot;">

<element id="e1392184-5744-4eac-a614-36f1ffbb8a5a"/>

</step>

</stage>

<stage stageid="d81239c6-aed4-4b1d-a39c-0e7d50229b5f" name="Press Display" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9c07a002-b076-4ff8-85fd-e505cd40c19b</onsuccess>

<step>

<element id="984eb50c-6d7c-43c3-927a-417ad1823894"/>

<action>
```

```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="9c07a002-b076-4ff8-85fd-e505cd40c19b" name="Press Display/Edit" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>68142073-0c61-4091-9d61-412f052b0b63</onsuccess>

<step>

<element id="c22d2a22-1db0-48f4-898f-4d73aa9d7af7"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="248bee69-5890-4db9-bc2b-f2a4655b1146" name="Go back" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>405</displayx>

<displayy>855</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3a018177-742b-4ac8-8af4-2762b8c0581b</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="3a018177-742b-4ac8-8af4-2762b8c0581b" name="Go back" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>900</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>54d6d5b8-9642-4a36-96e6-4d123930c573</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>
```

```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="6ec3280f-224d-43b5-83be-9918e9923b54" name="Press Display/Edit" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>735</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e77d66ce-de80-4cc9-aa8e-b40877c004ed</onsuccess>

<step>

<element id="c22d2a22-1db0-48f4-898f-4d73aa9d7af7"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="1a2053a3-6ce9-4c5f-9154-97c7cb3eae22" name="Time Out1" type="WaitEnd">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>300</displayx>

<displayy>855</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>1078d7fb-a312-4e82-b044-629e87af53e1</groupid>

</stage>

<stage stageid="e77d66ce-de80-4cc9-aa8e-b40877c004ed" name="Wait1" type="WaitStart">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>735</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>1078d7fb-a312-4e82-b044-629e87af53e1</groupid>

<choices>

<choice reply="True">

<name>No Button Check Exists</name>

<distance>60</distance>

<ontrue>018558a3-28be-457f-a248-d3c84130b9d5</ontrue>

<element id="a6c64c77-493d-4ced-a70a-540b9569bef0"/>

<condition>

<id>CheckExists</id>

</condition>


```
<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>20</timeout>

</stage>

<stage stageid="018558a3-28be-457f-a248-d3c84130b9d5" name="Discard changes" type="Navigate">

<subsheetid>462e7465-3418-4391-88f7-cd5fbd0f07a4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>248bee69-5890-4db9-bc2b-f2a4655b1146</onsuccess>

<step>

<element id="a6c64c77-493d-4ced-a70a-540b9569bef0"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="1d343d35-e057-47c4-ba56-4c09cc154b29" name="Test label" type="SubSheetInfo">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<narrative>

</narrative>
```

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9fe331e5-945a-46e7-865a-434bcf294b23" name="Start" type="Start">

<subsheetsid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9ffb5bca-5ef7-4874-ac72-0181c1fc4ef1</onsuccess>

</stage>

<stage stageid="4aa234e5-3b1a-4c2d-ae00-5cde22bb0e4e" name="End" type="End">

<subsheetsid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8afb516f-be26-403d-859d-dba46681c56d" name="Execute via menu" type="Navigate">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9e0cecac-a7fd-46c4-ad1b-3eb1d0bfc06a</onsuccess>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Edit}{Execute}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="9ffb5bca-5ef7-4874-ac72-0181c1fc4ef1" name="Select DWDM" type="Navigate">
```

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8afb516f-be26-403d-859d-dba46681c56d</onsuccess>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tools"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

```
<argument>

<id>newtext</id>

<value>"ABAP Workbench"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>ExpandTreeNode</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Utilities"</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5f100eae-09b0-4984-844b-8b9ba50300d9"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"DWDM - Demos"</value>
```

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="9e0cecac-a7fd-46c4-ad1b-3eb1d0bfc06a" name="Select design examples" type="Navigation" >

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>36f4bcf0-214e-4847-b0a6-4b504962c426</onsuccess>

<step>

<element id="cc006f04-f366-4126-9131-58844db318f8"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Examples of User Interface Design"</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="49664027-af47-48af-91c4-3b6ab8bd1542"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{Goto}{Choose}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="d8a92c46-3353-436a-9cee-a29f6c3943cf" name="Read Label" type="Read">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4b824927-219b-4a09-9961-12cfc8dc1165</onsuccess>

<step stage="Value from GuiLabel">

<element id="463501c6-e34b-4bd7-829b-37a69499b06d"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="03426aea-05df-4c90-980d-7e5c4e9a7af3" name="Value from GuiLabel" type="Data">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>
```



```
<alwaysinit/>

</stage>

<stage stageid="4b824927-219b-4a09-9961-12cfc8dc1165" name="Is Correct?" type="Decision">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Value from GuiLabel]=&quot;Normal&quot;"/>

<ontrue>c3f16ee8-9d92-4f96-89e1-9905217ad7e1</ontrue>

<onfalse>21d04b88-2f9b-449f-b8ba-366a56e6d90d</onfalse>

</stage>

<stage stageid="21d04b88-2f9b-449f-b8ba-366a56e6d90d" name="Exception13" type="Exception">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail=""/>

</stage>
```

```
<stage stageid="36f4bcf0-214e-4847-b0a6-4b504962c426" name="Click fields link" type="Navigate">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fe00531a-7c94-4052-8136-8ef6892640a2</onsuccess>

<step>

<element id="9f7ccdfb-78d9-478d-b9a1-cabb8c650214"/>

<action>

<id>HTMLClickCentre</id>

</action>

</step>

</stage>

<stage stageid="c3f16ee8-9d92-4f96-89e1-9905217ad7e1" name="Go back" type="Navigate">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7b44a865-83cc-4b78-848e-1346a65981e0</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="7b44a865-83cc-4b78-848e-1346a65981e0" name="Go back" type="Navigate">

<subsheetsid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4aa234e5-3b1a-4c2d-ae00-5cde22bb0e4e</onsuccess>

<step>

<element id="19f027d7-6551-4ff8-985d-c0f7d7b44609"/>

<action>

<id>Press</id>

</action>

</step>

</stage>
```

```
<stage stageid="37d043af-fca8-4bb1-b0b4-3a99d36fa08e" name="Time Out5" type="WaitEnd">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>df1df156-d035-4028-aa2e-99b7d6eacfea</groupid>

</stage>

<stage stageid="fe00531a-7c94-4052-8136-8ef6892640a2" name="Wait5" type="WaitStart">

<subsheetid>d43cb4fe-d964-4000-8c19-46bc2d5ef6c8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>df1df156-d035-4028-aa2e-99b7d6eacfea</groupid>

<choices>

<choice reply="True">

<name>GuiLabel Check Exists</name>

<distance>45</distance>
```

```
<ontrue>d8a92c46-3353-436a-9cee-a29f6c3943cf</ontrue>

<element id="463501c6-e34b-4bd7-829b-37a69499b06d"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="194908e7-bde3-4d3b-8918-6d2fd23aa812" name="Time Out6" type="WaitEnd">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>1dba36d2-7cd5-4689-898f-8ff8f8d4c988</groupid>

</stage>

<stage stageid="593ac141-9123-4a4e-ab9b-f202ae2a6de3" name="Wait6" type="WaitStart">

<subsheetid>0a20c9fc-fa4d-4254-bc02-fee65e351220</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>180</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>1dba36d2-7cd5-4689-898f-8ff8f8d4c988</groupid>

<choices>

<choice reply="True">

<name>GuiButton Check Exists</name>

<distance>45</distance>

<ontrue>b22bb0b3-310d-4fa1-93b5-f8009b17e153</ontrue>

<element id="6d7c6482-b2ee-4d3e-bc1c-127a0830db27"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="8eaa1ed4-1e88-40a5-99a2-c645c1e2cd46" name="Block1" type="Block">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>-45</displayy>
```

```
<displaywidth>405</displaywidth>

<displayheight>135</displayheight>

<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="adcb9f2e-f00e-4967-9d38-a7fced43c7e0" name="anchor1" type="Anchor">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bf313f71-b9fd-4f3c-9e87-f9b86304b767</onsuccess>

</stage>

<stage stageid="e2be087a-e4b2-4eec-a084-447c1b818706" name="Recover1" type="Recover">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>616bf6aa-0023-468e-937f-84ba4d4b6aa9</onsuccess>
```

</stage>

<stage stageid="616bf6aa-0023-468e-937f-84ba4d4b6aa9" name="Resume1" type="Resume">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>640574cf-5e68-4048-89b2-6031738d8624</onsuccess>

</stage>

<stage stageid="e867a22e-c393-4e94-a5f2-de696a691e4b" name="Time Out7" type="WaitEnd">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>adcb9f2e-f00e-4967-9d38-a7fced43c7e0</onsuccess>

<groupid>4f1ef99b-7d64-4eb1-9333-a4fee99e1392</groupid>

</stage>

<stage stageid="640574cf-5e68-4048-89b2-6031738d8624" name="Wait7" type="WaitStart">


```
<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>4f1ef99b-7d64-4eb1-9333-a4fee99e1392</groupid>

<choices/>

<timeout>5</timeout>

</stage>

<stage stageid="ccd9130c-0c9a-4439-b884-735270eca372" name="Time Out8" type="WaitEnd">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>571b9810-1ce1-49cd-ab7f-d4ecaac976ab</groupid>

</stage>

<stage stageid="7d1cdb9c-6ea9-4470-a7f4-5226029f261c" name="Wait8" type="WaitStart">

<subsheetid>b333ecbd-8dee-4a9e-8f28-51de95530037</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>571b9810-1ce1-49cd-ab7f-d4ecaac976ab</groupid>

<choices>

<choice reply="True">

<name>Username Check Exists</name>

<distance>60</distance>

<ontrue>8124d7f7-85e4-4ebb-b6b5-5c47244f5002</ontrue>

<element id="733e91e9-f315-49c8-8e33-90e921c1511c"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

</process>

<process name="Secure Browser Hooked" version="1.0" bpversion="6.7.0.16843" narrative="Secure Brow

<appdef>

<element name="Secure Browser">
```

<id>c87c3077-5a0f-4362-8701-4bab8ba71dd6</id>

<element name="Main Window">

<id>83495300-77b0-4f11-aa98-70c9d53307e7</id>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="MDIParent1"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="88"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="88"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="721"/>

</attribute>

<attribute name="Height">

```
<ProcessValue datatype="number" value="624"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="4"/>

</attribute>

</attributes>

</element>

<element name="Toolbar New Button">

<id>b475f9b8-5afb-4d94-9dcd-5bd5b615ecda</id>

<type>AAButton</type>

<basetype>AAButton</basetype>

<datatype>text</datatype>
```

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="ToolStrip"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="713"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="New"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="Role" inuse="True">
<ProcessValue datatype="text" value="PushButton"/>
</attribute>
<attribute name="ID" inuse="True">
<ProcessValue datatype="text" value="Self"/>
</attribute>
<attribute name="State">
<ProcessValue datatype="text" value="focusable"/>
</attribute>
<attribute name="Value" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="KeyboardShortcut" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="DefaultAction" inuse="True">
<ProcessValue datatype="text" value="Press"/>
</attribute>
<attribute name="ElementCount" inuse="True">
<ProcessValue datatype="text" value="0"/>
</attribute>
<attribute name="Unavailable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Focusable">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Selectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Linked">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Traversed">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Multiselectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Extselectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Alert_low">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Alert_medium">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value="MDIParent1"/>
</attribute>
<attribute name="pCtrlID" inuse="True">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="paX">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="paY">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="paWidth">
<ProcessValue datatype="number" value="712"/>
</attribute>
<attribute name="paHeight">

<ProcessValue datatype="number" value="25"/>
</attribute>
<attribute name="pName" inuse="True">
<ProcessValue datatype="text" value="ToolStrip"/>
</attribute>
<attribute name="pDescription" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pRole" inuse="True">
<ProcessValue datatype="text" value="ToolBar"/>
</attribute>
<attribute name="pID" inuse="True">
<ProcessValue datatype="text" value="Self"/>
</attribute>
<attribute name="pState">
<ProcessValue datatype="text" value="focusable"/>
</attribute>
<attribute name="pValue" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pKeyboardShortcut" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pDefaultAction" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pElementCount">

<ProcessValue datatype="text" value="9"/>
</attribute>
<attribute name="pUnavailable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pSelected">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pFocused">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pPressed">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pChecked">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pMixed">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pReadOnly">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pHottracked">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pDefault">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">
```

<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pMoveable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pSelfVoicing">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pFocusable">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pSelectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pLinked">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pTraversed">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pMultiselectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pExtselectable">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pAlert_low">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Window 1">

<id>32981455-c037-4da9-8d80-11771568fa93</id>

<element name="Toolbar Go Button">

<id>3b12e8c6-a7c6-43cf-8178-b66c9e9db27f</id>

<type>AAButton</type>

<basetype>AAButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="ToolStrip1"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>
```


</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="536"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="383"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="Go"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="PushButton"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Press"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Window 1"/>

</attribute>

<attribute name="pCtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="535"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value="ToolStrip1"/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="ToolBar"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="4"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Window 1"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="544"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="422"/>

</attribute>

<attribute name="Visible" inuse="True">

```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">
```

```
<ProcessValue datatype="number" value="49"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="713"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="526"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

</attributes>

</element>

<group name="Google In Browser">

<id>c6b73de2-7a0f-4533-896d-22ed3ef52166</id>

<element name="Search Box">

<id>cf121cf2-2675-49f1-bcb8-9ee89d702e5e</id>

<type>HTMLEdit</type>

<basetype>HTMLEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="365"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/CENTER(1)/FORM(1)/TABLE(1)/TBODY(1)/TR(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value="Google Search"/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="text"/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://www.google.co.uk"/>

</attribute>

</attributes>

</element>

<element name="Search Button">

<id>c04743b9-b83d-450b-8ac1-55b6ed66cb96</id>

<type>HTMLButton</type>

<basetype>HTMLButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="42"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="129"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/CENTER(1)/FORM(1)/TABLE(1)/TBODY(1)/TR(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="submit"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value="Google Search"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Google Search"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://www.google.co.uk"/>

</attribute>

</attributes>

</element>
```

</group>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\BluePrism\QA\Code\SecureBrowser\bin\Debug\SecureBrowser.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

<value>

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="78bffb3-0c4a-42db-a1da-7ebf678fd9b8" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b725882c-4103-4694-aca4-cd239e72fa4c" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="1cdb440c-c765-422c-a5b6-2c85311cb20c" type="Normal" published="True">

<name>Exit</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1" type="Normal" published="True">

<name>New Window</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6f32fd44-4e18-487c-9352-3fee2c1b25a6" type="Normal" published="True">

<name>Go</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c89a9c37-8f42-42fc-ab61-f88a0c4f049b" type="Normal" published="True">

<name>Enter Search Text</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="6c60bd72-0a04-468b-b42e-3ce9c7b23ea2" type="Normal" published="True">

<name>Start Search</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="89c13f55-f97a-4d1e-95e8-230bcab0c272" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>f4224c6f-ef19-4f90-a548-2825d261f538</onsuccess>

</stage>

<stage stageid="f4224c6f-ef19-4f90-a548-2825d261f538" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="38213ecc-f898-4859-abba-6916b7e9a9c3" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="b67b49ce-3556-40d1-87a4-df9d6e68fe1f" name="Clean Up" type="SubSheetInfo">

<subsheetsid>78bffb3-0c4a-42db-a1da-7ebf678fd9b8</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="804994c2-bb47-43d6-8282-7555a62960ce" name="Start" type="Start">

<subsheetid>78bffbf3-0c4a-42db-a1da-7ebf678fd9b8</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>cf66d831-d4b3-4583-b88a-a9207c2f5ba7</onsuccess>

</stage>

<stage stageid="cf66d831-d4b3-4583-b88a-a9207c2f5ba7" name="End" type="End">

<subsheetid>78bffbf3-0c4a-42db-a1da-7ebf678fd9b8</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="40ca8912-206e-42b2-86e8-c21c4700ef95" name="Launch" type="SubSheetInfo">

<subsheetid>b725882c-4103-4694-aca4-cd239e72fa4c</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="b729e187-1b0f-4b00-addf-c1aee56b098f" name="Start" type="Start">

<subsheetid>b725882c-4103-4694-aca4-cd239e72fa4c</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>bd122133-f8cb-4e57-ba4b-eacb84a1ff33</onsuccess>

</stage>

<stage stageid="5653654d-84ef-4007-a0d8-70c70a72734b" name="End" type="End">

<subsheetid>b725882c-4103-4694-aca4-cd239e72fa4c</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="48ac6397-80ca-480e-b505-69a3c6a1d196" name="new" type="Note">

<subsheetid>78bffb3-0c4a-42db-a1da-7ebf678fd9b8</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="3eb99cde-4d61-4a42-99d4-58d3e6863019" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="bd122133-f8cb-4e57-ba4b-eacb84a1ff33" name="Launch" type="Navigate">

<subsheetid>b725882c-4103-4694-aca4-cd239e72fa4c</subsheetid>

<loginhibit/>

<display x="15" y="-15"/>

<onsuccess>5653654d-84ef-4007-a0d8-70c70a72734b</onsuccess>

<step>

<element id="c87c3077-5a0f-4362-8701-4bab8ba71dd6"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root]&amp;"\Code\SecureBrowser\bin\Debug\SecureBrowser.exe"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

```
</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="54de719a-63c7-483f-8730-149182a33b00" name="Exit" type="SubSheetInfo">

<subsheetsid>1cdb440c-c765-422c-a5b6-2c85311cb20c</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0868cb9e-23ba-426f-b478-8177a719d32b" name="Start" type="Start">

<subsheetsid>1cdb440c-c765-422c-a5b6-2c85311cb20c</subsheetsid>
```

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>0da59a4e-63c6-4d0f-952f-f325d8695c0b</onsuccess>

</stage>

<stage stageid="47720183-264a-44ef-947a-444108cefedf" name="End" type="End">

<subsheetid>1cdb440c-c765-422c-a5b6-2c85311cb20c</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="0da59a4e-63c6-4d0f-952f-f325d8695c0b" name="Close Window" type="Navigate">

<subsheetid>1cdb440c-c765-422c-a5b6-2c85311cb20c</subsheetid>

<loginhibit/>

<display x="15" y="-30"/>

<onsuccess>47720183-264a-44ef-947a-444108cefedf</onsuccess>

<step>

<element id="83495300-77b0-4f11-aa98-70c9d53307e7"/>

<action>

<id>CloseWindow</id>

</action>

</step>

</stage>

<stage stageid="2602e910-0a3e-4c07-8b62-ee9ce35dced4" name="New Window" type="SubSheetInfo">

<subsheetid>44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="52223d2d-e6e2-42ea-98b9-0a174f32b8ca" name="Start" type="Start">

<subsheetid>44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a69406a0-3176-4ec6-b866-12be9736d7c2</onsuccess>

</stage>

<stage stageid="3c05b18d-3343-4597-8856-0008661ca824" name="End" type="End">

<subsheetid>44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0361858c-54e0-4693-bb50-1d13363e01e8" name="Navigate2" type="Navigate">

<subsheetid>44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1</subsheetid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3c05b18d-3343-4597-8856-0008661ca824</onsuccess>

<step>

<element id="b475f9b8-5afb-4d94-9dcd-5bd5b615ecda"/>

<action>

<id>Press</id>

<arguments>

<argument>
```

<id>position</id>

<value>1</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="631f72eb-9166-4453-8b83-b952ba17ec1f" name="Go" type="SubSheetInfo">

<subsheetsid>6f32fd44-4e18-487c-9352-3fee2c1b25a6</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="560ad5a6-09c5-4840-af78-7211838ca540" name="Start" type="Start">

<subsheetsid>6f32fd44-4e18-487c-9352-3fee2c1b25a6</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>6f5eaed2-7b2b-474b-afdb-aae07dc3077e</onsuccess>

</stage>

<stage stageid="fb7404e4-0521-471a-9b47-8459fc695372" name="End" type="End">

<subsheetsid>6f32fd44-4e18-487c-9352-3fee2c1b25a6</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="9d5293c8-02a3-4137-bd61-7a64e1be206e" name="Click Go" type="Navigate">

<subsheetsid>6f32fd44-4e18-487c-9352-3fee2c1b25a6</subsheetsid>

<loginhibit/>

<display x="15" y="-15"/>

<onsuccess>fb7404e4-0521-471a-9b47-8459fc695372</onsuccess>

<step>

<element id="3b12e8c6-a7c6-43cf-8178-b66c9e9db27f"/>

<action>

<id>Press</id>

<arguments>

<argument>

<id>position</id>

<value>2</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="ab02182e-ec6f-4fe2-b7e2-78d59ecf4c02" name="Time Out1" type="WaitEnd">

<subsheetid>6f32fd44-4e18-487c-9352-3fee2c1b25a6</subsheetid>

<loginhibit/>

<display x="-60" y="60" w="30" h="30"/>

<groupid>c56d3588-b1df-4227-8fa4-d432e0468416</groupid>

</stage>

<stage stageid="6f5eaed2-7b2b-474b-afdb-aae07dc3077e" name="Check window exists" type="WaitStart">

<subsheetid>6f32fd44-4e18-487c-9352-3fee2c1b25a6</subsheetid>

<loginhibit/>

<display x="-60" y="-60" w="30" h="30"/>

<onsuccess>9d5293c8-02a3-4137-bd61-7a64e1be206e</onsuccess>

<groupid>c56d3588-b1df-4227-8fa4-d432e0468416</groupid>

<choices>

<choice reply="True">

<name>Window 1 Check Exists</name>

<distance>60</distance>

<ontrue>9d5293c8-02a3-4137-bd61-7a64e1be206e</ontrue>

<element id="32981455-c037-4da9-8d80-11771568fa93"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>10</timeout>

</stage>

<stage stageid="ddf82fe7-aa83-421b-a8df-409cc3a21eba" name="Time Out2" type="WaitEnd">

<subsheetid>44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1</subsheetid>

<loginhibit/>

<display x="120" y="45" w="30" h="30"/>

<groupid>f8f0e716-518d-47e1-9967-f356a2ed56b5</groupid>

</stage>

<stage stageid="a69406a0-3176-4ec6-b866-12be9736d7c2" name="Wait1" type="WaitStart">

<subsheetid>44db1ca4-e9e8-4d97-a03e-de94b7f5f6e1</subsheetid>


```
<loginhibit/>

<display x="90" y="-75" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>f8f0e716-518d-47e1-9967-f356a2ed56b5</groupid>

<choices>

<choice reply="True">

<name>Toolbar Check Exists</name>

<distance>60</distance>

<ontrue>0361858c-54e0-4693-bb50-1d13363e01e8</ontrue>

<element id="b475f9b8-5afb-4d94-9dcd-5bd5b615ecda"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="68eaac9d-2441-4caf-a41b-5d9c1d360e7b" name="Enter Search Text" type="SubSheetIn

<subsheetsid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="aa868422-d31e-49ad-9395-ca85bf847931" name="Start" type="Start">

<subsheetsid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Search Text" stage="Search Text"/>

</inputs>

<onsuccess>36e16a13-5e7b-41a3-ad12-fa2f47d8e23e</onsuccess>

</stage>

<stage stageid="bfb3501a-2d9d-428b-af84-4278e391d151" name="End" type="End">

<subsheetsid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ceff06d8-0eba-4c64-8ed1-2f816f30a79c" name="Search Text" type="Data">

<subsheetsid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetsid>

<display x="90" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="15d7a226-0b7c-4c3b-9e36-d123c8871854" name="Enter Text" type="Write">

<subsheetsid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetsid>

<loginhibit/>

<display x="0" y="-30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bfb3501a-2d9d-428b-af84-4278e391d151</onsuccess>
```

<step expr="[Search Text]">

<element id="cf121cf2-2675-49f1-bcb8-9ee89d702e5e"/>

</step>

</stage>

<stage stageid="2f09dea4-b92d-47af-8938-4779083adb5b" name="Time Out3" type="WaitEnd">

<subsheetid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetid>

<loginhibit/>

<display x="-60" y="45" w="30" h="30"/>

<groupid>483d89f2-2301-4d2c-ab78-811f5472cbd5</groupid>

</stage>

<stage stageid="36e16a13-5e7b-41a3-ad12-fa2f47d8e23e" name="Wait2" type="WaitStart">

<subsheetid>c89a9c37-8f42-42fc-ab61-f88a0c4f049b</subsheetid>

<loginhibit/>

<display x="-60" y="-75" w="30" h="30"/>

<groupid>483d89f2-2301-4d2c-ab78-811f5472cbd5</groupid>

<choices>

<choice reply="True">

<name>Search Box Check Exists</name>

<distance>60</distance>

<ontrue>15d7a226-0b7c-4c3b-9e36-d123c8871854</ontrue>

<element id="cf121cf2-2675-49f1-bcb8-9ee89d702e5e"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

```
</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="c74598c2-202e-4afb-9e25-49e13763082c" name="Start Search" type="SubSheetInfo">

<subsheetsid>6c60bd72-0a04-468b-b42e-3ce9c7b23ea2</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="44785e8f-02af-4347-8393-98ddaf007ffe" name="Start" type="Start">

<subsheetsid>6c60bd72-0a04-468b-b42e-3ce9c7b23ea2</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>efbf3f1e-f767-4f5e-b076-19d869132745</onsuccess>

</stage>

<stage stageid="c5c882e5-1926-4880-a164-d7c1fee14755" name="End" type="End">

<subsheetsid>6c60bd72-0a04-468b-b42e-3ce9c7b23ea2</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="efbf3f1e-f767-4f5e-b076-19d869132745" name="Click Button" type="Navigate">

<subsheetsid>6c60bd72-0a04-468b-b42e-3ce9c7b23ea2</subsheetsid>

<loginhibit/>

<display x="15" y="-30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>c5c882e5-1926-4880-a164-d7c1fee14755</onsuccess>

<step>

<element id="c04743b9-b83d-450b-8ac1-55b6ed66cb96"/>

<action>

<id>HTMLClickCentre</id>

</action>

</step>

</stage>

<stage stageid="3ce322b6-e262-4b1e-a3d7-62392246f164" name="QA Root" type="Data">

<subsheetid>b725882c-4103-4694-aca4-cd239e72fa4c</subsheetid>

<loginhibit/>

<display x="-195" y="-15" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Secure Password Tester" version="1.0" bpversion="5.0.999.999" narrative="" type="object">

<appdef>

<element name="Secure Password Tester">

<id>a56f4a72-975c-4f52-a792-d608f8ad4817</id>

<element name="Main Window">

<id>d1349c42-ee38-4fe8-8e95-729826abda6a</id>

<group name="Firsts">

<id>819c7099-0826-48cd-b71c-b50c7397f94c</id>
```

```
<element name="First Password">
<id>60afc629-fd63-4696-a572-3ce9ad5d1371</id>
<type>Password</type>
<basetype>Password</basetype>
<datatype>password</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="WindowsForms10.EDIT"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="Y" inuse="True">
<ProcessValue datatype="number" value="26"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="162"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="21"/>
```

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Password Tester <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.TextBox"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:264,170,186,421"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="171"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="158"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="First Label">

<id>1397370b-2a0b-425e-a727-c2c54a10766e</id>

<type>Label</type>

<basetype>Label</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Set Password Text"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.STATIC"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="41"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="97"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="Password Tester <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.Label"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:115,171,184,211"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442840589"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Password Tester"/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="100"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="100"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="531"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="233"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1442840589"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

</group>

<element name="Label [Name]">

<id>dae586f6-2bce-4b27-8c05-75041ed8da2a</id>

<type>Label</type>

<basetype>Label</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="Set Password Text"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.STATIC"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="41"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="97"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="Password Tester <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.Label"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:115,171,184,211"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442840589"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Password Tester"/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="100"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="100"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="531"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="233"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="pStyle">

```
<ProcessValue datatype="number" value="1442840589"/>

</attribute>

<attribute name="MatchIndex">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Password [Y]">

<id>da8680c1-b49c-4b5d-addf-9e2563092360</id>

<type>Password</type>

<basetype>Password</basetype>

<datatype>password</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.EDIT"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">
```

<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="Y" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="26"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="162"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="21"/>
</attribute>
<attribute name="Visible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="5"/>
</attribute>
<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Password Tester <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.TextBox"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:264,170,186,421"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="171"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="158"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

```
<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Plaintext [Y]">

<id>213da2dd-72bd-45c7-afb6-508bc8da2326</id>

<type>Edit</type>

<basetype>Password</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.EDIT"/>

</attribute>

<attribute name="CtrlID">
```

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="Y" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="162"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Password Tester <UNKNOWN> "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.TextBox"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:264,170,186,421"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="171"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="158"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

```
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="pStyle">
<ProcessValue datatype="number" value="1442906336"/>
</attribute>
<attribute name="MatchIndex" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="MatchReverse">
<ProcessValue datatype="flag" value="True"/>
</attribute>
</attributes>
</element>
<element name="Password (as Text) [Y]">
<id>3ada8b53-3c36-438f-bed2-be4851dd2196</id>
<type>Edit</type>
<basetype>Password</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="WindowsForms10.EDIT"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="Y" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="162"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Password Tester &lt;UNKNOWN&gt; "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="System.Windows.Forms.TextBox"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:264,170,186,421"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">
```

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="171"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="158"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="pStyle">

<ProcessValue datatype="number" value="1442906336"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Secure Password Textbox Tester"/>

</attribute>
```

```
<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="WindowsForms10.Window"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="150"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="150"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="531"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="233"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>
```

<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="8"/>
</attribute>
<attribute name="AncestorsText">
<ProcessValue datatype="text" value="<UNKNOWN> "/>
</attribute>
<attribute name="AncestorCount">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="TypeName">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ScreenBounds">
<ProcessValue datatype="text" value="RECT:158,180,374,672"/>
</attribute>
<attribute name="Style">
<ProcessValue datatype="number" value="382664704"/>
</attribute>
<attribute name="MatchIndex">
<ProcessValue datatype="number" value="1"/>
</attribute>


```
<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\BluePrism\qacontrol\qa\Code\secure-password-tester\secure-password-tester.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

<value>C:\BluePrism\automate\bin</value>

</parameter>

<parameter>
```

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="0bc035e9-3ead-4558-a7dc-d750e2a23eda" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0a2e76c9-1041-4895-a0f1-0726b029ed9b" type="Normal" published="False">

<name>Get Directory Name</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="4610c612-8f0d-4f44-95d3-ba6598031e94" type="Normal" published="False">

<name>Set Clipboard</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0f9d5823-d17f-4d97-acd2-b10e7bfa835c" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a1b4a6f0-2d15-44e8-ae6-189799d935fa" type="Normal" published="True">

<name>Close</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0e672732-aaf9-46e5-91c5-38ee8f073ce2" type="Normal" published="False">

<name>Get Box Y Coord</name>

<view>

<camerax>0</camerax>

<cameray>63</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="91606ac7-e7ae-4046-a1d7-505c8f06b2ff" type="Normal" published="True">

<name>Set Password Text</name>

<view>

<camerax>-58</camerax>

<cameray>-6</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="76656ce8-348a-4d78-bf12-473227cc940b" type="Normal" published="True">

<name>Set Text</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="736e69b2-f795-40ef-8c4d-b128bae22ad7" type="Normal" published="True">

<name>Paste Password</name>

<view>

<camerax>0</camerax>

<cameray>25</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8c671706-c251-48db-97dd-1253afc33cf2" type="Normal" published="True">

<name>Get Plain Text</name>

<view>

<camerax>-58</camerax>

<cameray>-3</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="1581447b-9656-44b2-b2f7-5f2fcc2d0bab" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7e7ff23e-7e7f-4b51-9517-2145597f8454</onsuccess>

</stage>

<stage stageid="7e7ff23e-7e7f-4b51-9517-2145597f8454" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="fc9da094-801c-4d14-b103-03df9e0dfd8d" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

<reference>System.Windows.Forms.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

<import>System.Windows.Forms</import>

</imports>

<language>csharp</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="8ce1e502-09ce-4f32-bec1-a5996ef48ab1" name="Clean Up" type="SubSheetInfo">

<subsheetsid>0bc035e9-3ead-4558-a7dc-d750e2a23eda</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="80874f14-edcd-4abc-8b3a-4bbd7ceb2efe" name="Start" type="Start">

<subsheetsid>0bc035e9-3ead-4558-a7dc-d750e2a23eda</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>5cf4ae38-54c7-41cf-8c4c-403f8d6f6fe8</onsuccess>

</stage>

<stage stageid="5cf4ae38-54c7-41cf-8c4c-403f8d6f6fe8" name="End" type="End">

<subsheetid>0bc035e9-3ead-4558-a7dc-d750e2a23eda</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="96057087-e827-48cb-97a2-bbbfa40828f5" name="Note1" type="Note">

<subsheetid>0bc035e9-3ead-4558-a7dc-d750e2a23eda</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="6cd12c65-f416-4962-b57b-e51f22bedccd" name="Note2" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than after the business object is loaded.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="e7f4078c-1a6c-4b63-9ff7-5023b3b0eff6" name="Launch" type="SubSheetInfo">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c95227fc-0ad0-4082-bd5c-109fb6ee6f9e" name="Start" type="Start">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0f90e8e9-4ebb-4e36-be9a-a530592fff8e</onsuccess>

</stage>

<stage stageid="2e27ebc6-8603-4b07-9191-782356a95c45" name="End" type="End">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c4d97535-848a-4cae-964c-0063d8cd6490" name="Close" type="SubSheetInfo">
```

<subsheetid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9543af87-2251-478f-96d2-820952a6ca02" name="Start" type="Start">

<subsheetid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>94b1d0cb-4671-453f-8314-b20f2ebf4a7a</onsuccess>

</stage>

<stage stageid="f0dce540-0f4f-40a1-a123-36ffb1d35813" name="QA Root" type="Data">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

```
<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0f90e8e9-4ebb-4e36-be9a-a530592fff8e" name="Test Connected" type="Read">

<subsheetsid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>331c9fee-06c9-4424-90d6-9759e4dc9e65</onsuccess>

<step stage="Connected">

<element id="a56f4a72-975c-4f52-a792-d608f8ad4817"/>

<action>

<id>IsConnected</id>

</action>

</step>
```

```
</stage>

<stage stageid="e9dfe925-7fe5-4ecd-b38e-efc5c92d5b91" name="Connected" type="Data">

<subsheetsid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="331c9fee-06c9-4424-90d6-9759e4dc9e65" name="Is Connected?" type="Decision">

<subsheetsid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Connected]"/>

<ontrue>2e27ebc6-8603-4b07-9191-782356a95c45</ontrue>
```

```
<onfalse>5e420de0-0e71-4c3c-ad77-ed97cbe60328</onfalse>

</stage>

<stage stageid="7745f4b2-2981-45ce-b366-3322708a8c28" name="LAUNCH" type="Navigate">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>40f113f4-0454-4f79-86fb-1562d979b55d</onsuccess>

<step>

<element id="a56f4a72-975c-4f52-a792-d608f8ad4817"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] &amp; "Code\secure-password-tester\secure-password-tester.exe"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>
```

<argument>

<id>WorkingDirectory</id>

<value>[Automate Dir]</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="180e3ee9-c226-4c22-913a-ecc16be4d493" name="o" type="WaitEnd">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>105</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>824c1ae6-6f68-4d9a-bbdf-5f5384a488e8</onsuccess>
<groupid>8893d342-800d-49b2-b8c7-4d4274139f36</groupid>
</stage>
<stage stageid="40f113f4-0454-4f79-86fb-1562d979b55d" name="Wait For Main Window" type="WaitStart">
<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>8893d342-800d-49b2-b8c7-4d4274139f36</groupid>
<choices>
<choice reply="True">
<name>Main Window Check Exists</name>
<distance>30</distance>
<ontrue>2e27ebc6-8603-4b07-9191-782356a95c45</ontrue>
<element id="d1349c42-ee38-4fe8-8e95-729826abda6a"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
```



```
<timeout>[Timeout]</timeout>

</stage>

<stage stageid="824c1ae6-6f68-4d9a-bbdf-5f5384a488e8" name="FAIL" type="Exception">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="MissingElementException" detail="&quot;Main window didn't appear within &quot;q

</stage>

<stage stageid="157e529d-ff8a-4d19-9d41-347a723e9211" name="Timeout" type="Data">

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>timespan</datatype>

<initialvalue>0.00:00:05</initialvalue>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="67972dc2-ead2-4d70-8dd2-48316d9202f0" name="End" type="End">

<subsheetid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="94b1d0cb-4671-453f-8314-b20f2ebf4a7a" name="Test Connected" type="Read">

<subsheetid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>1a8f4d25-7555-4213-862f-4471ba8d0506</onsuccess>

<step stage="Connected">

<element id="a56f4a72-975c-4f52-a792-d608f8ad4817"/>

<action>

<id>IsConnected</id>
```

```
</action>

</step>

</stage>

<stage stageid="1a8f4d25-7555-4213-862f-4471ba8d0506" name="Is Connected?" type="Decision">

<subsheetid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Connected]"/>

<ontrue>e8372109-d0c6-40b5-b4b6-4cbe07087ad8</ontrue>

<onfalse>67972dc2-ead2-4d70-8dd2-48316d9202f0</onfalse>

</stage>

<stage stageid="e8372109-d0c6-40b5-b4b6-4cbe07087ad8" name="EXIT" type="Navigate">

<subsheetid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<onsuccess>67972dc2-ead2-4d70-8dd2-48316d9202f0</onsuccess>

<step>

<element id="a56f4a72-975c-4f52-a792-d608f8ad4817"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="c08c756f-106a-418a-922b-08b6e6f9914b" name="Set Password Text" type="SubSheetIn

<subsheetsid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="f5729e40-a5df-466e-afc4-f5ab6b93a841" name="Start" type="Start">

<subsheetsid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; w

<input type="password" name="Password" narrative="The password to set" stage="Password"/>

</inputs>

<onsuccess>e91cd243-b1bd-49f9-959f-9cb92474b591</onsuccess>

</stage>

<stage stageid="f17ac768-a912-4374-997c-17a55a691c81" name="End" type="End">

<subsheetid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a4d6551b-37ae-4ebe-80dd-1c8536625192" name="Write Password" type="Write">

<subsheetid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f17ac768-a912-4374-997c-17a55a691c81</onsuccess>

<step expr="[Password]">

<element id="da8680c1-b49c-4b5d-addf-9e2563092360">

<elementparameter>

<name>Y</name>

<expression>[Password Y]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="1ebb2b76-a26d-4190-b7fd-f5dfa0bbd261" name="Password Y" type="Data">

<subsheetsid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

<stage stageid="e961b1bf-21b9-4ddd-97b0-0cc04074da81" name="Password" type="Data">

<subsheetsid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>password</datatype>

<initialvalueenc>

</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="36445da5-4891-4bb2-b47f-6a8ea7541a9e" name="Connected" type="Data">

<subsheetsid>a1b4a6f0-2d15-44e8-ae6-189799d935fa</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8121fde9-5604-4abf-872c-aaed9f98407d" name="Get Plain Text" type="SubSheetInfo">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="8331dcca-3a15-4bcc-9839-ad7ae76bd272" name="Get Box Y Coord" type="SubSheetInfo">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9401f9b9-4a64-4a2f-b22f-2ac51dc0927d" name="Start" type="Start">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>


```
<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The label name for the row to get the Y coord for. Wildcards a

</inputs>

<onsuccess>4abfc03a-a818-4629-89ff-3aad224d9c2a</onsuccess>

</stage>

<stage stageid="0483df40-403f-49c3-97d8-cd9fd2edd51b" name="End" type="End">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="Y" narrative="The y co-ordinate to use for the textboxes corresponding to th

</outputs>

</stage>

<stage stageid="d618a867-1e4e-4f24-a34d-08914db0e70d" name="Name" type="Data">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<narrative>
```

```
</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a9e79118-9836-4f4e-b003-2d4889841007" name="Y" type="Data">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5ca1d9b0-f26c-4074-9a0c-40d1cfb6fefb" name="o" type="WaitEnd">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>d7e41eb9-1ac4-4ae0-90af-30f0260d400b</onsuccess>

<groupid>90e5ddf5-1344-4ffd-8fc8-eb4106a31b8c</groupid>

</stage>

<stage stageid="4abfc03a-a818-4629-89ff-3aad224d9c2a" name="Check For Label" type="WaitStart">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<groupid>90e5ddf5-1344-4ffd-8fc8-eb4106a31b8c</groupid>

<choices>

<choice reply="True">

<name>Label [Name] Check Exists</name>

<distance>45</distance>

<ontrue>0ebc178b-f9db-4084-968b-5f18a2516742</ontrue>

```
<element id="dae586f6-2bce-4b27-8c05-75041ed8da2a">
  <elementparameter>
    <name>WindowText</name>
    <expression>[Name]</expression>
    <datatype>text</datatype>
    <comparisontype>Wildcard</comparisontype>
  </elementparameter>
</element>

<condition>
  <id>CheckExists</id>
</condition>

<comparetype>Equal</comparetype>
</choice>
</choices>

<timeout>1</timeout>
</stage>

<stage stageid="d7e41eb9-1ac4-4ae0-90af-30f0260d400b" name="FAIL" type="Exception">
  <subsheetid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetid>
  <narrative>
    </narrative>
    <displayx>195</displayx>
    <displayy>-90</displayy>
    <displaywidth>30</displaywidth>
    <displayheight>30</displayheight>
    <font family="Segoe UI" size="10" style="Regular" color="000000"/>
    <exception type="InvalidNameException" detail="&quot;No label or more than one label with the name" />
  </stage>
```

```
<stage stageid="0ebc178b-f9db-4084-968b-5f18a2516742" name="Read Bounds Of First Label" type="Re
<subsheetid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>de3dbf3d-5841-4024-8fc5-5af3cfc38d4a</onsuccess>

<step stage="First Label Bounds">

<element id="1397370b-2a0b-425e-a727-c2c54a10766e"/>

<action>

<id>GetElementScreenBounds</id>

</action>

</step>

</stage>

<stage stageid="de3dbf3d-5841-4024-8fc5-5af3cfc38d4a" name="Read Y Of First Password" type="Read"
<subsheetid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d6f15f17-5c94-43cb-a4d1-f3eda2d55e2a</onsuccess>

<step stage="First Password Y">

<element id="60afc629-fd63-4696-a572-3ce9ad5d1371"/>

<action>

<id>GetWindowIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"Y"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="d6f15f17-5c94-43cb-a4d1-f3eda2d55e2a" name="Read Bounds Of Required Label" type=

<subsheetid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>60e52ed3-7c51-4e90-be1b-a89fac0747d0</onsuccess>

<step stage="Label Bounds">
```

<element id="dae586f6-2bce-4b27-8c05-75041ed8da2a">

<elementparameter>

<name>WindowText</name>

<expression>[Name]</expression>

<datatype>text</datatype>

<comparisontype>Wildcard</comparisontype>

</elementparameter>

</element>

<action>

<id>GetElementScreenBounds</id>

</action>

</step>

</stage>

<stage stageid="60e52ed3-7c51-4e90-be1b-a89fac0747d0" name="Get Y Difference" type="Calculation">

<subsheetid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>de486787-1707-4af7-866e-668b302cfb4e</onsuccess>

<calculation expression="[Label Bounds.Top] - [First Label Bounds.Top]" stage="Y Diff"/>

</stage>

<stage stageid="de486787-1707-4af7-866e-668b302cfb4e" name="Calc Textbox Y Coord" type="Calculation">

<subsHEETid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0483df40-403f-49c3-97d8-cd9fd2edd51b</onsuccess>

<calculation expression="[First Password Y] + [Y Diff]" stage="Y"/>

</stage>

<stage stageid="69e5e22e-19a1-448a-9c3b-c48fa90bc933" name="Label Bounds" type="Collection">

<subsHEETid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0c964e44-bdd2-4499-bf0c-323acde604ba" name="Y Diff" type="Data">

<subsHEETid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b55c064d-b387-446a-9090-b2ef480315ae" name="First Label Bounds" type="Collection">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="713114a8-9fa9-460e-89ac-c0e700670179" name="First Password Y" type="Data">

<subsheetsid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e91cd243-b1bd-49f9-959f-9cb92474b591" name="Get Box Y Coord" type="SubSheet">

<subsheetsid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Name" narrative="The label name for the row to get the Y coord for. Wildcards a

</inputs>

<outputs>

<output type="number" name="Y" narrative="The y co-ordinate to use for the textboxes corresponding to th

</outputs>

<onsuccess>a4d6551b-37ae-4ebe-80dd-1c8536625192</onsuccess>

<processid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</processid>

</stage>

<stage stageid="c31e96ee-cda0-49f6-8935-1a78c32e88ed" name="End" type="End">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Plain Text" narrative="The plaintext in the textbox associated with the specified

</outputs>

</stage>

<stage stageid="203fd9e2-e853-4896-b585-3245dfc3f7fd" name="Read Plaintext" type="Read">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c31e96ee-cda0-49f6-8935-1a78c32e88ed</onsuccess>
<step stage="Plain Text">
<element id="213da2dd-72bd-45c7-afb6-508bc8da2326">
<elementparameter>
<name>Y</name>
<expression>[Password Y]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>GetWindowText</id>
</action>
</step>
</stage>
<stage stageid="e25a799a-eadf-4c2d-b497-378e1dc49f27" name="Name" type="Data">
<subsheetid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

<private/>

<alwaysinit/>

</stage>

<stage stageid="65d831bd-8cac-4f22-8903-6174bd81800c" name="Password Y" type="Data">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f952349b-5967-48b8-8ca1-562f9b69f202" name="Get Box Y Coord" type="SubSheet">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<inputs>

<input type="text" name="Name" narrative="The label name for the row to get the Y coord for. Wildcards a

</inputs>

<outputs>

<output type="number" name="Y" narrative="The y co-ordinate to use for the textboxes corresponding to th

</outputs>

<onsuccess>203fd9e2-e853-4896-b585-3245dfc3f7fd</onsuccess>

<processid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</processid>

</stage>

<stage stageid="d945e9e2-647b-4d4a-9301-ddd8e1cb1851" name="Start" type="Start">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; w

</inputs>

<onsuccess>f952349b-5967-48b8-8ca1-562f9b69f202</onsuccess>

</stage>

<stage stageid="fa48557e-0185-498e-a4a4-cb5a5f50937d" name="Plain Text" type="Data">

<subsheetsid>8c671706-c251-48db-97dd-1253afc33cf2</subsheetsid>

<narrative>
```

```
</narrative>

<displayx>-195</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2bc98381-138b-46a0-a0a8-fcd677cbdc7c" name="Name" type="Data">

<subsheetsid>91606ac7-e7ae-4046-a1d7-505c8f06b2ff</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a89ebc76-32d0-438b-82ad-30c9e3c0a803" name="Automate EXE" type="Data">
```

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cf6f9133-5a8e-4768-a2cb-ab9a85288f3d" name="Get Directory Name" type="SubSheetIn">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="d951d692-1dd4-4344-9d7c-556ebcfaedda" name="Start" type="Start">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>


```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the file or directory for which the owning directory"

</inputs>

<onsuccess>2c44e1b9-315d-4d4c-87f1-8f42fb2d532a</onsuccess>

</stage>

<stage stageid="08cdb9a1-2329-42c3-b655-cca05b97e73c" name="End" type="End">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Dir" narrative="The owning directory of the given path" stage="Name"/>

</outputs>

</stage>
```

<stage stageid="825ac2bd-90f8-43cf-a57e-93a59556ee2e" name="Name" type="Data">

<subsHEETid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">C:\Hello\World</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5f41350b-aa5c-4a24-bb7f-cf53c3c435b3" name="Empty?" type="Decision">

<subsHEETid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="Len([Name]) = 0"/>

<ontrue>12ffac82-7e80-445c-b80b-49052e299b60</ontrue>

<onfalse>32817596-abdb-4621-8d6d-4b8a24a22a22</onfalse>

```
</stage>

<stage stageid="12ffac82-7e80-445c-b80b-49052e299b60" name="Anchor1" type="Anchor">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6c56e6cf-0156-4158-a8b3-52d0577c597c</onsuccess>

</stage>

<stage stageid="7b38fbc9-9926-4556-a2e0-a6d7bc132425" name="Strip Last Char" type="Calculation">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9c3acfcc-4695-4472-8b85-d68063d54535</onsuccess>

<calculation expression="Left([Name], Len([Name])-1)" stage="Name"/>

</stage>

<stage stageid="32817596-abdb-4621-8d6d-4b8a24a22a22" name="Get Last Char" type="Calculation">
```

```
<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7b38fbc9-9926-4556-a2e0-a6d7bc132425</onsuccess>

<calculation expression="Right([Name], 1)" stage="Char"/>

</stage>

<stage stageid="3b7b6e32-183d-4ff2-8d74-dafc1af65bcf" name="Char" type="Data">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9c3acfcc-4695-4472-8b85-d68063d54535" name="Backslash?" type="Decision">
```

```
<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Char] = &quot;\&quot;" />

<ontrue>6c56e6cf-0156-4158-a8b3-52d0577c597c</ontrue>

<onfalse>ba63189b-3a25-4ded-82c6-fc2dabb124d1</onfalse>

</stage>

<stage stageid="6c56e6cf-0156-4158-a8b3-52d0577c597c" name="Anchor1" type="Anchor">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>b43159ac-35c2-45c6-a713-7dc3716708cc</onsuccess>

</stage>

<stage stageid="ba63189b-3a25-4ded-82c6-fc2dabb124d1" name="Anchor1" type="Anchor">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>627b096b-1b18-47d2-927a-2bc87f84b91d</onsuccess>

</stage>

<stage stageid="627b096b-1b18-47d2-927a-2bc87f84b91d" name="Anchor1" type="Anchor">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5f41350b-aa5c-4a24-bb7f-cf53c3c435b3</onsuccess>

</stage>

<stage stageid="b43159ac-35c2-45c6-a713-7dc3716708cc" name="Anchor1" type="Anchor">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>-60</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>8d49bc2e-b08c-4f61-bac7-5a5a2dd3b3d7</onsuccess>

</stage>

<stage stageid="8d49bc2e-b08c-4f61-bac7-5a5a2dd3b3d7" name="Anchor1" type="Anchor">

<subsheetsid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>08cdb9a1-2329-42c3-b655-cca05b97e73c</onsuccess>

</stage>

<stage stageid="2c44e1b9-315d-4d4c-87f1-8f42fb2d532a" name="Get Last Char" type="Calculation">

<subsheetsid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a2af5e5b-3d45-444b-ae31-ec0abf8666c3</onsuccess>

<calculation expression="Right([Name], 1)" stage="Char"/>

</stage>

<stage stageid="a2af5e5b-3d45-444b-ae31-ec0abf8666c3" name="Backslash?" type="Decision">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Char] = &quot;\&quot;"/>

<ontrue>6fc09d1f-6468-47bb-8163-b832e7abc7a0</ontrue>

<onfalse>627b096b-1b18-47d2-927a-2bc87f84b91d</onfalse>

</stage>

<stage stageid="6fc09d1f-6468-47bb-8163-b832e7abc7a0" name="Strip Last Char" type="Calculation">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>
```


<displayheight>30</displayheight>

<onsuccess>4e1dc4f8-6726-4b99-99f5-4510c5e869d5</onsuccess>

<calculation expression="Left([Name], Len([Name])-1)" stage="Name"/>

</stage>

<stage stageid="25a4691e-b2d4-4569-ab64-bebeaf536f9f" name="Strip Trailing Backslash" type="Block">

<subsheetsid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>-165</displayy>

<displaywidth>300</displaywidth>

<displayheight>60</displayheight>

</stage>

<stage stageid="31e0c742-0a01-423c-8788-1a65eb71fffd" name="Automate Dir" type="Data">

<subsheetsid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

```
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5e420de0-0e71-4c3c-ad77-ed97cbe60328" name="Get Automate Directory" type="SubS

<subsheetid>0f9d5823-d17f-4d97-acd2-b10e7bfa835c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the file or directory for which the owning directory

</inputs>

<outputs>

<output type="text" name="Dir" narrative="The owning directory of the given path" stage="Automate Dir"/>

</outputs>

<onsuccess>7745f4b2-2981-45ce-b366-3322708a8c28</onsuccess>

<processid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</processid>

</stage>

<stage stageid="4e1dc4f8-6726-4b99-99f5-4510c5e869d5" name="Anchor1" type="Anchor">

<subsheetid>0a2e76c9-1041-4895-a0f1-0726b029ed9b</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>165</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>627b096b-1b18-47d2-927a-2bc87f84b91d</onsuccess>

</stage>

<stage stageid="7b386116-2963-4a00-a76d-63a042d89180" name="Set Text" type="SubSheetInfo">

<subsheetsid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2a991d97-6a50-4ad6-8b16-ec802f194d04" name="Start" type="Start">

<subsheetsid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; w

<input type="password" name="Password" narrative="The password to set" stage="Password"/>

</inputs>

<onsuccess>77594579-e84a-4042-b4ae-7ca98b825f17</onsuccess>

</stage>

<stage stageid="7bd4ff79-2d05-479d-8876-4485941f5481" name="End" type="End">

<subsheetid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2f654852-3a84-4eb0-8548-e14c2b8f7816" name="Write Password" type="Write">

<subsheetid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<onsuccess>7bd4ff79-2d05-479d-8876-4485941f5481</onsuccess>

<step expr="[Password]">

<element id="3ada8b53-3c36-438f-bed2-be4851dd2196">

<elementparameter>

<name>Y</name>

<expression>[Password Y]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="4928c290-1803-4ec6-b2e1-c9025663f321" name="Password Y" type="Data">

<subsheetsid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

```
<stage stageid="2087ad46-614b-4b58-a275-d72e270d27e5" name="Password" type="Data">

<subsheetsid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>password</datatype>

<initialvalueenc>

</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="77594579-e84a-4042-b4ae-7ca98b825f17" name="Get Box Y Coord" type="SubSheet">

<subsheetsid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The label name for the row to get the Y coord for. Wildcards a
```

```
</inputs>

<outputs>

<output type="number" name="Y" narrative="The y co-ordinate to use for the textboxes corresponding to th

</outputs>

<onsuccess>2f654852-3a84-4eb0-8548-e14c2b8f7816</onsuccess>

<processid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</processid>

</stage>

<stage stageid="3b58d6ee-8018-4f90-821c-d683d31cf2aa" name="Name" type="Data">

<subsheetid>76656ce8-348a-4d78-bf12-473227cc940b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="33e50258-e13e-4b79-b8a2-c6b7aa1e632c" name="Paste Password" type="SubSheetInfo

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>
```

```
<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a80dd1ee-73e5-456e-9ea7-16766aed5f3d" name="End" type="End">

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<display>135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3874816d-42ac-484e-9ef9-f5b762e493e7" name="Start" type="Start">

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<display>-135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```



```
<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; w
<input type="password" name="Password" narrative="The password to set" stage="Password"/>

</inputs>

<onsuccess>12592c27-880e-4c3b-9de9-07349fadd1db</onsuccess>

</stage>

<stage stageid="6ea869fd-5d7f-4162-81a7-97e602c4f89a" name="Password" type="Data">

<subsheetsid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>password</datatype>

<initialvalueenc>

</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="12592c27-880e-4c3b-9de9-07349fadd1db" name="Get Box Y Coord" type="SubSheet">

<subsheetsid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-90</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Name" narrative="The label name for the row to get the Y coord for. Wildcards a

</inputs>

<outputs>

<output type="number" name="Y" narrative="The y co-ordinate to use for the textboxes corresponding to th

</outputs>

<onsuccess>a9072c24-3fbd-47f5-8405-84a7919cef62</onsuccess>

<processid>0e672732-aaf9-46e5-91c5-38ee8f073ce2</processid>

</stage>

<stage stageid="8a3a8c31-2bbe-4565-b20a-91075972183c" name="Name" type="Data">

<subsheetsid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

```
<stage stageid="a9072c24-3fbd-47f5-8405-84a7919cef62" name="ACTIVATE" type="Navigate">

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e9b4cb66-7938-45b2-ab61-c8ea9b90fa23</onsuccess>

<step>

<element id="d1349c42-ee38-4fe8-8e95-729826abda6a"/>

<action>

<id>ActivateApp</id>

</action>

</step>

</stage>
```

```
<stage stageid="e9b4cb66-7938-45b2-ab61-c8ea9b90fa23" name="Click Into Password Box" type="Navig

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>54118897-bac2-4f07-b0d6-2c64c9da0f0d</onsuccess>

<step>

<element id="3ada8b53-3c36-438f-bed2-be4851dd2196">

<elementparameter>

<name>Y</name>

<expression>[Password Y]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>MouseClickedCentre</id>

<arguments>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="16b171dc-f68a-452b-a741-dd6301193462" name="Paste Password" type="Navigate">

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>-60</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a80dd1ee-73e5-456e-9ea7-16766aed5f3d</onsuccess>

<step>

<element id="a56f4a72-975c-4f52-a792-d608f8ad4817"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"^v"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="5f7f41e6-3598-4e7a-a59c-290e0989ac09" name="Password Y" type="Data">

<subsheetsid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="66fd13d5-b4c0-429f-ae39-7900511b63c5" name="Set Clipboard" type="SubSheetInfo">

<subsheetsid>4610c612-8f0d-4f44-95d3-ba6598031e94</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d0b5d7ea-765a-4393-af8d-a339981e85f6" name="Start" type="Start">

<subsheetsid>4610c612-8f0d-4f44-95d3-ba6598031e94</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>

<input type="text" name="Value" narrative="The value to set in the clipboard" stage="value"/>

</inputs>

<onsuccess>62c4bd09-0dd5-491b-bf75-2c832b57b365</onsuccess>

</stage>

<stage stageid="14fa622b-230f-4573-a286-c67402fb3152" name="End" type="End">

<subsheetid>4610c612-8f0d-4f44-95d3-ba6598031e94</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="62c4bd09-0dd5-491b-bf75-2c832b57b365" name="Clipboard.SetText" type="Code">

<subsheetid>4610c612-8f0d-4f44-95d3-ba6598031e94</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

```
<input type="text" name="value" expr="[value]"/>

</inputs>

<onsuccess>14fa622b-230f-4573-a286-c67402fb3152</onsuccess>

<code>Clipboard.SetText(value);</code>

</stage>

<stage stageid="f2023eb8-572d-4b44-ae3-9efca1eb7558" name="value" type="Data">

<subsheetid>4610c612-8f0d-4f44-95d3-ba6598031e94</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="54118897-bac2-4f07-b0d6-2c64c9da0f0d" name="Set Clipboard" type="SubSheet">

<subsheetid>736e69b2-f795-40ef-8c4d-b128bae22ad7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>
```



```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Value" narrative="The value to set in the clipboard" expr="[Password]"/>

</inputs>

<onsuccess>16b171dc-f68a-452b-a741-dd6301193462</onsuccess>

<processid>4610c612-8f0d-4f44-95d3-ba6598031e94</processid>

</stage>

</process>

<process name="SSTab" version="1.0" narrative="SSTabControl Test" type="object" runmode="Exclusive"

<appdef>

<element name="SSTab">

<type>Application</type>

<basetype>Application</basetype>

<id>bbd7e38f-09cb-4478-be8d-497e1ace70cd</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="SSTabControl">

<type>TabControl</type>

<basetype>TabControl</basetype>

<id>ea98298e-f374-42b0-92e7-9dd80efce5e3</id>

<datatype>number</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>
```

<value>

</value>

</ProcessValue>

</attribute>

<attribute name="ClassName" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>SSTabCtlWndClass</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>408</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>112</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>274</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="ScreenVisible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="True">

<ProcessValue>

```
<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>2</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="pWindowText" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>VB6 Automated Test App</value>

</ProcessValue>
```

</attribute>

<attribute name="pCtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>19</value>

</ProcessValue>

</attribute>

<attribute name="pY" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>132</value>

</ProcessValue>

</attribute>

<attribute name="pWidth" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>701</value>

</ProcessValue>

</attribute>

<attribute name="pHeight" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>531</value>

</ProcessValue>

</attribute>

<attribute name="pActive" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="pOrdinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>2</value>

</ProcessValue>

</attribute>

<attribute name="pChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>18</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="TabStrip">

<type>Window</type>

<basetype>Window</basetype>

<id>db012500-0cdb-4e32-8d40-31add9c7560f</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>

</value>

</ProcessValue>

</attribute>

<attribute name="ClassName" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>TabStripWndClass</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>408</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>8</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>274</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>98</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="ScreenVisible" dynamic="False" datatype="" inuse="True">


```
<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>5</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>
```

</ProcessValue>

</attribute>

<attribute name="pWindowText" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>VB6 Automated Test App</value>

</ProcessValue>

</attribute>

<attribute name="pCtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pY" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>48</value>

</ProcessValue>

</attribute>

<attribute name="pWidth" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>701</value>

</ProcessValue>

</attribute>

<attribute name="pHeight" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>531</value>

</ProcessValue>

</attribute>

<attribute name="pActive" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="pOrdinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>2</value>

</ProcessValue>

</attribute>

<attribute name="pChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>18</value>

```
</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Button on SSTab 1">

<type>Button</type>

<basetype>Button</basetype>

<id>6d46dbdf-2cbb-4428-a345-a1034a757164</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>Show SSTab 2</value>

</ProcessValue>

</attribute>

<attribute name="ClassName" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>ThunderRT6CommandButton</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>
```

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>8</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>32</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>258</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>42</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="True">

```
<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="ScreenVisible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>2</value>
```

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pWindowText" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>

</value>

</ProcessValue>

</attribute>

<attribute name="pCtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>408</value>

</ProcessValue>

</attribute>

<attribute name="pY" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>112</value>

</ProcessValue>

</attribute>

<attribute name="pWidth" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>274</value>

</ProcessValue>

</attribute>

<attribute name="pHeight" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

<attribute name="pActive" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="pOrdinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="pChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Button on SSTab 2">

<type>Button</type>

<basetype>Button</basetype>

<id>30877435-6217-41e0-b0ef-5f9e386925f9</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>Show SSTab 0</value>

</ProcessValue>

</attribute>

<attribute name="ClassName" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>ThunderRT6CommandButton</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>8</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>32</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>258</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>42</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="ScreenVisible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>1</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pWindowText" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>

</value>

</ProcessValue>

</attribute>

<attribute name="pCtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>408</value>

</ProcessValue>

</attribute>

<attribute name="pY" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>112</value>

</ProcessValue>

</attribute>

<attribute name="pWidth" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>274</value>

</ProcessValue>

</attribute>

<attribute name="pHeight" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

<attribute name="pActive" dynamic="False" datatype="" inuse="False">

<ProcessValue>

```
<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="pOrdinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="pChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Button on SSTab 0">

<type>Button</type>

<basetype>Button</basetype>

<id>bc3168b9-261e-48ab-8352-266cdd2c4141</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" dynamic="False" datatype="" inuse="True">

<ProcessValue>
```

<datatype>text</datatype>

<value>Show SSTab 1</value>

</ProcessValue>

</attribute>

<attribute name="ClassName" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>ThunderRT6CommandButton</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>16</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>32</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>242</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>42</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="ScreenVisible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pWindowText" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>

</value>

</ProcessValue>

</attribute>

<attribute name="pCtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>408</value>

</ProcessValue>

</attribute>

<attribute name="pY" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>112</value>

</ProcessValue>

</attribute>

<attribute name="pWidth" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>274</value>

</ProcessValue>

</attribute>

<attribute name="pHeight" dynamic="False" datatype="" inuse="False">

```
<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

<attribute name="pActive" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="pOrdinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="pChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

</attributes>

</element>

</element>

<apptypeinfo>
```

<id>Win32Launch</id>

<name>My application is launched from an executable file</name>

<parameters>

<parameter>

<name>Path</name>

<type>File</type>

<values/>

<value>C:\BluePrism\QA\Code\VB6 App 2\VB6AutomatedTestApp.exe</value>

<acceptsnull>False</acceptsnull>

<filefilter>Executable Files (*.exe)|*.exe</filefilter>

<helptext>Enter the path to the application executable, or use the Browse button</helptext>

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the command line parameters (if any) to be passed to the target application</helptext>

</parameter>

<parameter>

<name>NonInvasive</name>

<type>Boolean</type>

<values/>

<value>False</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>Restrict to non-invasive automation techniques</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="92422395-06e7-48fc-b163-d4a52fc27d65" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="95a7b560-8a15-42eb-b8a2-6ee10b843dee" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="f3ca4a0b-9482-4503-8e82-fb6945a8ccf3" type="Normal" published="True">

<name>Tab Checker</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="f373264c-feee-4f14-92bc-6d9dffbf7806" type="Normal" published="True">

<name>Exit</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="c0f184a9-b185-4169-aae2-bd98a292e98d" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>354284b0-b9ef-4b20-bbd9-1d8bdf2620ca</onsuccess>

</stage>

<stage stageid="354284b0-b9ef-4b20-bbd9-1d8bdf2620ca" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="52e56ddf-5ff5-4031-99ce-9913a9d4d411" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>
```

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="766c5544-aa83-4b21-86db-0f673ea260b1" name="Clean Up" type="SubSheetInfo">

<subsheetsid>92422395-06e7-48fc-b163-d4a52fc27d65</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="040f7de5-80df-4c70-8021-6d4773a0c5c5" name="Start" type="Start">

<subsheetsid>92422395-06e7-48fc-b163-d4a52fc27d65</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>5d0c30c3-5197-4486-a99b-48ebafae7dbe</onsuccess>

</stage>

<stage stageid="5d0c30c3-5197-4486-a99b-48ebafae7dbe" name="End" type="End">

<subsheetid>92422395-06e7-48fc-b163-d4a52fc27d65</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

</stage>

```
<stage stageid="880756dd-36dc-47a7-b0a6-daf1e45a9d84" name="Tab Checker" type="SubSheetInfo">

<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bad51ee9-9ef5-4e5a-896f-fbc4d5901399" name="Start" type="Start">

<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>bd082b09-5949-47f6-ac08-3c0174301a4f</onsuccess>

</stage>

<stage stageid="77239e5d-c938-4cab-8173-f05069c8a79b" name="End" type="End">

<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="b405bd3f-6a67-4854-8344-89039c262291" name="new" type="Note">

<subsheetsid>92422395-06e7-48fc-b163-d4a52fc27d65</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="92e32070-0013-456b-9d7a-ae159162890a" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="1381e8e0-063d-49e1-8c5c-5831d78160a3" name="Select SSTab 0" type="Navigate">

<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<onsuccess>fb1c87af-c90b-4e8e-b13c-064275c68650</onsuccess>

<step>

<element id="ea98298e-f374-42b0-92e7-9dd80efce5e3"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>""</value>

</argument>

<argument>

<id>position</id>

<value>1</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="f7fe6081-7eea-46b3-90e3-206589580b25" name="Select SSTab 1" type="Navigate">

<subsheetid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e2929cd8-bea9-475d-ad72-4c5aff0fe34f</onsuccess>

<step>

```
<element id="ea98298e-f374-42b0-92e7-9dd80efce5e3"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>""</value>

</argument>

<argument>

<id>position</id>

<value>2</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="bd082b09-5949-47f6-ac08-3c0174301a4f" name="Select SSTab 2" type="Navigate">

<subsheetid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1a0a93f3-37bd-4807-8336-bbff92bf757a</onsuccess>
```

<step>

<element id="ea98298e-f374-42b0-92e7-9dd80efce5e3"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Tab 2"</value>

</argument>

<argument>

<id>position</id>

<value>-1</value>

</argument>

<argument>

<id>targx</id>

<value>40</value>

</argument>

<argument>

<id>targy</id>

<value>10</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="24b0333c-8607-4714-bda6-18cf68ab0021" name="Time Out1" type="WaitEnd">

<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-105</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>3cf355a1-5b26-4fba-87e9-9db9548f878b</groupid>

</stage>

<stage stageid="1a0a93f3-37bd-4807-8336-bbff92bf757a" name="Wait1" type="WaitStart">

<subsheetid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-105</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>3cf355a1-5b26-4fba-87e9-9db9548f878b</groupid>

<choices>

<choice reply="True">

<name>Button on SSTab 2 Check Exists</name>

<distance>120</distance>

<ontrue>f7fe6081-7eea-46b3-90e3-206589580b25</ontrue>

<element id="30877435-6217-41e0-b0ef-5f9e386925f9"/>
```



```
<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="259bbae0-e8cd-4124-8637-e0415a2158c5" name="Time Out2" type="WaitEnd">

<subsheetid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>2d56d2cf-8095-46d3-bf0c-3448e0f74f84</groupid>

</stage>

<stage stageid="e2929cd8-bea9-475d-ad72-4c5aff0fe34f" name="Wait2" type="WaitStart">

<subsheetid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>
```

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>2d56d2cf-8095-46d3-bf0c-3448e0f74f84</groupid>

<choices>

<choice reply="True">

<name>Button on SSTab 1 Check Exists</name>

<distance>45</distance>

<ontrue>1381e8e0-063d-49e1-8c5c-5831d78160a3</ontrue>

<element id="6d46dbdf-2cbb-4428-a345-a1034a757164"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="1f058446-6c8a-4ae4-9dd4-4f928e3cbeee" name="Time Out3" type="WaitEnd">

<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>180</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>701a9d04-d8ce-41e5-8012-6e3245f92732</groupid>
</stage>
<stage stageid="fb1c87af-c90b-4e8e-b13c-064275c68650" name="Wait3" type="WaitStart">
<subsheetsid>f3ca4a0b-9482-4503-8e82-fb6945a8ccf3</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>120</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>

<groupid>701a9d04-d8ce-41e5-8012-6e3245f92732</groupid>
<choices>
<choice reply="True">
<name>Button on SStab 0 Check Exists</name>
<distance>30</distance>
<ontrue>77239e5d-c938-4cab-8173-f05069c8a79b</ontrue>
<element id="bc3168b9-261e-48ab-8352-266cdd2c4141"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>5</timeout>

```
</stage>

<stage stageid="d707ef7d-7bdd-40f6-9857-cb3ade4a1b99" name="Launch" type="SubSheetInfo">

<subsheetsid>95a7b560-8a15-42eb-b8a2-6ee10b843dee</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4762be8b-d46d-4190-82b1-84f28e1c8678" name="Start" type="Start">

<subsheetsid>95a7b560-8a15-42eb-b8a2-6ee10b843dee</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>9e085087-42ec-414a-8025-0a9ccce04085</onsuccess>

</stage>

<stage stageid="21d994e7-9291-4ffe-a18a-4fd99d962046" name="End" type="End">
```

```
<subsheetid>95a7b560-8a15-42eb-b8a2-6ee10b843dee</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="9e085087-42ec-414a-8025-0a9ccce04085" name="Navigate1" type="Navigate">

<subsheetid>95a7b560-8a15-42eb-b8a2-6ee10b843dee</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>85401a36-64f3-460c-a384-75a07cfb8279</onsuccess>

<step>

<element id="bbd7e38f-09cb-4478-be8d-497e1ace70cd"/>

<action>
```

```
<id>Launch</id>

</action>

</step>

</stage>

<stage stageid="3ecbd308-15a5-4173-9513-a4aca4c98c41" name="Time Out4" type="WaitEnd">

<subsheetid>95a7b560-8a15-42eb-b8a2-6ee10b843dee</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>b0d4f29f-7ff4-4521-8f63-c06ef13183f2</groupid>

</stage>

<stage stageid="85401a36-64f3-460c-a384-75a07cfb8279" name="Wait4" type="WaitStart">

<subsheetid>95a7b560-8a15-42eb-b8a2-6ee10b843dee</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>b0d4f29f-7ff4-4521-8f63-c06ef13183f2</groupid>
```

```
<choices>

<choice reply="True">

<name>SSTabControl Check Exists</name>

<distance>60</distance>

<ontrue>21d994e7-9291-4ffe-a18a-4fd99d962046</ontrue>

<element id="ea98298e-f374-42b0-92e7-9dd80efce5e3"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="4ed7270d-b6b5-40cf-87a9-8650415c3cdd" name="Exit" type="SubSheetInfo">

<subsheetsid>f373264c-feee-4f14-92bc-6d9dffbf7806</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="06e861ae-41c5-4b0d-ab75-d5701b520056" name="Start" type="Start">

<subsheetsid>f373264c-feee-4f14-92bc-6d9dffbf7806</subsheetsid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>987acaf7-a1d0-4550-a281-002e7c395666</onsuccess>

</stage>

<stage stageid="f9eac57b-25d1-453b-94db-1c2d248aee42" name="End" type="End">

<subsheetsid>f373264c-fee-4f14-92bc-6d9dffbf7806</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="987acaf7-a1d0-4550-a281-002e7c395666" name="Navigate2" type="Navigate">
```



```
<subsheetid>f373264c-fee4f14-92bc-6d9dffbf7806</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9eac57b-25d1-453b-94db-1c2d248aee42</onsuccess>

<step>

<element id="bbd7e38f-09cb-4478-be8d-497e1ace70cd"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

</process>

<process name="StatusBar20" version="1.0" bpversion="7.2.0.1727" narrative="VB6 App with MS StatusB

<appdef>

<element name="StatusBar20">

<id>b069df77-a89f-46f2-84bf-fb1c7389a4d7</id>

<element name="Status Bar">

<id>2b6d64d2-ed2b-4215-84ba-c40969244373</id>

<type>StatusBarAx</type>

<basetype>StatusBarAx</basetype>

<datatype>collection</datatype>
```

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="<StatusBar20>"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="StatusBar20WndClass"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="525"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="703"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="VB6 Automated Test App <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="154"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="203"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="711"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="585"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="15"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\BluePrism\QA\Code\VB6 App 3\VB6AutomatedTestApp.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

<value>

</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Ext32bit</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

```
<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="51247391-bf67-48f7-b299-3118f53dd55e" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b2929924-9441-420b-889f-254511421a4f" type="Normal" published="True">

<name>Get Status Bar Contents</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>
```

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="fdf26376-ae8a-4bb6-8e63-3236f92a409a" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c7c7859e-8ac2-47d3-9a0c-d41cb7854a5a" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="01a9a70e-a04e-4e57-8bf9-431a3ad4ee1e" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>144de118-aa4e-4cb1-b863-1c96f460585d</onsuccess>

</stage>

<stage stageid="144de118-aa4e-4cb1-b863-1c96f460585d" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="2060a27f-7003-43b6-8c30-8acd08abd124" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="f859e65e-445f-482a-bc45-ed72593f57d3" name="Clean Up" type="SubSheetInfo">

<subsheetid>51247391-bf67-48f7-b299-3118f53dd55e</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="0591e146-ffb4-4a21-b4d7-f1699e6ac86a" name="Start" type="Start">

<subsheetid>51247391-bf67-48f7-b299-3118f53dd55e</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>b7c5b6a7-778a-4c80-a34e-54750169857f</onsuccess>

</stage>

<stage stageid="b7c5b6a7-778a-4c80-a34e-54750169857f" name="End" type="End">

<subsheetsid>51247391-bf67-48f7-b299-3118f53dd55e</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="ffddcc28-2ef9-4fab-884c-403be354b19c" name="Get Status Bar Contents" type="SubSheets">

<subsheetsid>b2929924-9441-420b-889f-254511421a4f</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="5577ca05-9d91-49d7-9b69-671dfa030dfc" name="Start" type="Start">

<subsheetsid>b2929924-9441-420b-889f-254511421a4f</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>e6daa6e1-fd79-4993-9cf8-4713c9d4f711</onsuccess>

</stage>

<stage stageid="284ee1ef-30b5-418c-8c09-a70bace59f00" name="End" type="End">

<subsheetsid>b2929924-9441-420b-889f-254511421a4f</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<outputs>

<output type="collection" name="Contents" stage="Contents"/>

</outputs>

</stage>

<stage stageid="7800dc1f-8e8b-4e7a-82ae-34ebb3fce2eb" name="new" type="Note">

<subsheetid>51247391-bf67-48f7-b299-3118f53dd55e</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="a5d1fac2-2aa1-481e-8c3e-2cb2690a1088" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="9db52940-f4f0-4fb6-845d-86946449fb26" name="Contents" type="Collection">

<subsheetsid>b2929924-9441-420b-889f-254511421a4f</subsheetsid>

<display x="90" y="90"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e6daa6e1-fd79-4993-9cf8-4713c9d4f711" name="Reader1" type="Read">

<subsheetsid>b2929924-9441-420b-889f-254511421a4f</subsheetsid>

<loginhibit/>

<display x="15" y="-15"/>

<onsuccess>284ee1ef-30b5-418c-8c09-a70bace59f00</onsuccess>

<step stage="Contents">

<element id="2b6d64d2-ed2b-4215-84ba-c40969244373"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="7caf352d-3c84-496b-a1d7-374a59bde57a" name="Launch" type="SubSheetInfo">

<subsheetsid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="e4cde665-e8aa-4c78-8f3f-e38eecbd97ad" name="Start" type="Start">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>ea54fd92-b3a1-4c33-aab0-5b33e883b037</onsuccess>

</stage>

<stage stageid="3bcd406a-5456-40ef-902f-993555c73c2d" name="End" type="End">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="ea54fd92-b3a1-4c33-aab0-5b33e883b037" name="Navigate1" type="Navigate">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

<display x="15" y="-15"/>

<onsuccess>0a76d0f1-da41-40f5-8767-af57126f4881</onsuccess>

<step>

<element id="b069df77-a89f-46f2-84bf-fb1c7389a4d7"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] & "\Code\VB6 App 3\VB6AutomatedTestApp.exe"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3b58ccf6-79e6-47da-af85-1f009ca0dfa9" name="Time Out1" type="WaitEnd">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

<display x="75" y="30" w="30" h="30"/>

<groupid>875c1c4e-fb4f-4319-9564-a928027c1437</groupid>

</stage>

<stage stageid="420ca643-5662-4678-a561-e08662dd3c4f" name="Wait1" type="WaitStart">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

<display x="-45" y="30" w="30" h="30"/>

<groupid>875c1c4e-fb4f-4319-9564-a928027c1437</groupid>

<choices>

<choice reply=""&lt;StatusBar20&gt;&quot;">

<name>Status Bar Get Window Text</name>

<distance>60</distance>

<ontrue>3bcd406a-5456-40ef-902f-993555c73c2d</ontrue>

<element id="2b6d64d2-ed2b-4215-84ba-c40969244373"/>

<condition>

<id>GetWindowText</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>10</timeout>

</stage>

<stage stageid="0a76d0f1-da41-40f5-8767-af57126f4881" name="anchor1" type="Anchor">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

```
<display x="-45" y="-15" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>420ca643-5662-4678-a561-e08662dd3c4f</onsuccess>

</stage>

<stage stageid="d8f54adb-3db9-4d58-a8b1-0af57adf565f" name="Terminate" type="SubSheetInfo">

<subsheetsid>c7c7859e-8ac2-47d3-9a0c-d41cb7854a5a</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="48496ec6-5646-4b97-a327-c0a681e98749" name="Start" type="Start">

<subsheetsid>c7c7859e-8ac2-47d3-9a0c-d41cb7854a5a</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1aac60e8-23ed-41a1-a2b1-d69f50cb5283</onsuccess>

</stage>

<stage stageid="ce99764a-16de-478b-9431-ba155a2df864" name="End" type="End">

<subsheetsid>c7c7859e-8ac2-47d3-9a0c-d41cb7854a5a</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1aac60e8-23ed-41a1-a2b1-d69f50cb5283" name="Navigate2" type="Navigate">

<subsheetsid>c7c7859e-8ac2-47d3-9a0c-d41cb7854a5a</subsheetsid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>ce99764a-16de-478b-9431-ba155a2df864</onsuccess>

<step>

<element id="b069df77-a89f-46f2-84bf-fb1c7389a4d7"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="74c6e94e-8c3a-4a26-8993-bfd67f38a981" name="QA Root" type="Data">

<subsheetid>fdf26376-ae8a-4bb6-8e63-3236f92a409a</subsheetid>

<loginhibit/>

<display x="-210" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">h:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="System - Active Directory" version="6.7.0.0" narrative="Business Object for interacting with Active Directory">

<appdef>

<element name="Application Root">

<id>62fcff22-a9ac-458a-abdc-8969921fba86</id>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>
```


<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="662c09a1-3bc2-4fa2-8868-a0d9ea7c75c9" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="dda5203f-ccbc-4ec2-869c-b52f72cd7f6d" type="Normal" published="True">

<name>Create User</name>

<view>

<camerax>-93</camerax>

<cameray>-42</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="bd42e76e-2cb9-4894-afa9-96a8f2d1d05a" type="Normal" published="False">

<name>User Exists</name>

<view>

<camerax>0</camerax>

<cameray>-12</cameray>

<zoom>1</zoom>

</view>

</subsheel>

<subsheel subsheetid="4a031129-3c2d-49a0-8703-809adfa0b82c" type="Normal" published="True">

<name>User Exists (Displayname)</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheel>

<subsheel subsheetid="2e4227d1-af71-42a9-a089-232d8b59e297" type="Normal" published="True">

<name>User Exists (UserPrincipalName)</name>

<view>

<camerax>3</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheel>

<subsheel subsheetid="e997a51f-4c28-4d11-bf3c-350c46bd9c3e" type="Normal" published="True">

<name>Object Exists (Dynamic)</name>

<view>

<camerax>-5</camerax>

<cameray>-95</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="acccb6d8-eddc-4391-ad41-4d0a045c4c6e" type="Normal" published="True">

<name>Add User to Group</name>

<view>

<camerax>-589</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="cfd577d-f4d8-48d9-bc9f-e814b0b39762" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>67e0d395-9543-4e1e-923b-214dbad8cdda</onsuccess>

</stage>

<stage stageid="67e0d395-9543-4e1e-923b-214dbad8cdda" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="43066ee8-c2bf-4df5-bd95-9ab9b4e91430" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

<reference>System.DirectoryServices.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.DirectoryServices</import>

<import>System.Data</import>

<import>System.Collections.Generic</import>

</imports>

```
<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="523110d9-eeda-40f1-bb67-3c4143031df7" name="Clean Up" type="SubSheetInfo">

<subsheetsid>662c09a1-3bc2-4fa2-8868-a0d9ea7c75c9</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="cf17e694-be17-407a-9cd5-be475347d465" name="Start" type="Start">

<subsheetsid>662c09a1-3bc2-4fa2-8868-a0d9ea7c75c9</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0780d70-879e-4ea6-8ad8-3a359172437a</onsuccess>

</stage>

<stage stageid="e0780d70-879e-4ea6-8ad8-3a359172437a" name="End" type="End">
```

<subsheetid>662c09a1-3bc2-4fa2-8868-a0d9ea7c75c9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="71d89eb4-0c92-43ca-befb-af1496574a49" name="new" type="Note">

<subsheetid>662c09a1-3bc2-4fa2-8868-a0d9ea7c75c9</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="d72279b1-7dc0-444e-8039-2c0457eccf8b" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="5fd6d3fd-ca63-4d3b-9506-c1025cd8700a" name="User Exists (UserPrincipalName)" type="User Exists (UserPrincipalName)">

<subsheets><subsheetid>2e4227d1-af71-42a9-a089-232d8b59e297</subsheetid></subsheets>

<narrative>Returns true if the provided username matches a userPrincipalName found within the directory.</narrative>

<displayx>-195</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="5a387adf-b102-451c-9b3c-fc700126fd2f" name="Start" type="Start">

<subsheets><subsheetid>2e4227d1-af71-42a9-a089-232d8b59e297</subsheetid></subsheets>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

```
<display>-60</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Username" narrative="The username to be matched against the userPrincipalName" />

</inputs>

<onsuccess>b3984a1a-dbe0-4ae7-9b39-8d99d2b1c094</onsuccess>

</stage>

<stage stageid="09db9ff3-2580-490d-953f-4da05197e9c0" name="End" type="End">

<subsheetid>2e4227d1-af71-42a9-a089-232d8b59e297</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>30</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Exists" narrative="Indicates whether one or more items matching the criteria were found" />

</outputs>

</stage>

<stage stageid="bf04c136-0f85-4657-b188-d41975100ec8" name="Exists" type="Data">

<subsheetid>2e4227d1-af71-42a9-a089-232d8b59e297</subsheetid>

<narrative>

</narrative>
```



```
<displayx>105</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b3984a1a-dbe0-4ae7-9b39-8d99d2b1c094" name="Check Exists (Username)" type="Code" />

<subsheetid>2e4227d1-af71-42a9-a089-232d8b59e297</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="SearchString" expr="[Username]"/>

</inputs>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

</outputs>

<onsuccess>09db9ff3-2580-490d-953f-4da05197e9c0</onsuccess>
```

```
<code>Dim ds As New DirectoryServices.DirectorySearcher("(userPrincipalName=" &amp;amp; SearchStr
Exists = ds.FindOne() IsNot Nothing</code>

</stage>

<stage stageid="a0fc2c0b-a181-4abb-bb36-2f0873076bcc" name="Username" type="Data">

<subsheetid>2e4227d1-af71-42a9-a089-232d8b59e297</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cf00ffe9-fbb9-4411-8b99-7843633c35d7" name="Add User to Group" type="SubSheetInfo">

<subsheetid>acccb6d8-eddc-4391-ad41-4d0a045c4c6e</subsheetid>

<narrative>Adds the specified user as a member of the target group.</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6d6bfe10-ffcc-428d-84f4-a1e48d7912aa" name="Start" type="Start">
```

<subsheetid>acccb6d8-eddc-4391-ad41-4d0a045c4c6e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="UserDn" narrative="The distinguished name (DN) of the User within the directory">

<input type="text" name="GroupDn" narrative="The distinguished name (DN) of the Group within the directory">

</inputs>

<onsuccess>40530e11-5cb7-45f0-b8a6-dc0914d6dad5</onsuccess>

</stage>

<stage stageid="3bd35a40-d272-4bd2-8a93-b6d6b1670fa3" name="End" type="End">

<subsheetid>acccb6d8-eddc-4391-ad41-4d0a045c4c6e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="40530e11-5cb7-45f0-b8a6-dc0914d6dad5" name="Add User to Group" type="Code">

<subsheetid>acccb6d8-eddc-4391-ad41-4d0a045c4c6e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="UserDn" expr="[UserDn]"/>

<input type="text" name="GroupDn" expr="[GroupDn]"/>

</inputs>

<onsuccess>3bd35a40-d272-4bd2-8a93-b6d6b1670fa3</onsuccess>

<code>Dim dirEntry As New DirectoryEntry("LDAP://" & GroupDn)

dirEntry.Properties("member").Add(UserDn)

dirEntry.CommitChanges()

dirEntry.Close()</code>

</stage>

<stage stageid="da692491-49dd-4796-bec6-0d58ffd1c171" name="UserDn" type="Data">

<subsheetid>acccb6d8-eddc-4391-ad41-4d0a045c4c6e</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>

<stage stageid="dbce93a2-1be1-4a89-ab50-a907a2dca418" name="GroupDn" type="Data">
<subsheetid>acccb6d8-eddc-4391-ad41-4d0a045c4c6e</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>

<stage stageid="3ad94b04-e258-44f7-8989-2043f6c1260d" name="Create User" type="SubSheetInfo">
<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>
<narrative>Creates a new active user within the specified path location.</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```


</stage>

<stage stageid="9319e554-7561-4725-8ddf-1c445b3019f0" name="Start" type="Start">

<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Path" narrative="The distinguished name of the path where the new user will be

<input type="password" name="Password" narrative="Password for the new account." stage="Password"/>

<input type="text" name="Username" narrative="The user logon name. Populates the sAMAccountName a

<input type="text" name="First Name" narrative="The first name of the user. Populates the givenName attr

<input type="text" name="Last Name" narrative="The last name of the user. Populates the sn attribute." sta

<input type="text" name="Display Name" narrative="The display name for the user. Must be unique within

<input type="text" name="User Principal Name" narrative="The user principle name. Typically the email ad

</inputs>

<onsuccess>ba33d129-b524-47cb-8404-172a6b38e51a</onsuccess>

</stage>

<stage stageid="fbfec37b-4050-41ec-90c0-562030a810a5" name="End" type="End">

<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ba33d129-b524-47cb-8404-172a6b38e51a" name="Create User" type="Code">

<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Path" expr="[Path]"/>

<input type="text" name="Password" expr="[Password]"/>

<input type="text" name="Username" expr="[Username]"/>

<input type="text" name="FirstName" expr="[First Name]"/>

<input type="text" name="Surname" expr="[Surname]"/>

<input type="text" name="DisplayName" expr="[Display Name]"/>

<input type="text" name="UserPrincipalName" expr="[User Principal Name]"/>

</inputs>

<onsuccess>fbfec37b-4050-41ec-90c0-562030a810a5</onsuccess>
```

```

<code>Dim oGUID As String = String.Empty

Dim connectionPrefix As String = "LDAP://" && Path

Dim dirEntry As New DirectoryEntry(connectionPrefix)

Dim newUser As DirectoryEntry = dirEntry.Children.Add("CN=" && DisplayName, "user")

newUser.Properties("givenName").Value = FirstName

newUser.Properties("sn").Value = Surname

newUser.Properties("displayName").Value = DisplayName

newUser.Properties("samAccountName").Value = Username

newUser.Properties("userPrincipalName").Value = UserPrincipalName

newUser.CommitChanges()

oGUID = newUser.Guid.ToString()


newUser.Invoke("SetPassword", New Object() {Password})

newUser.CommitChanges()


Dim val As Integer = CInt(newUser.Properties("userAccountControl").Value)

val = val And Not &&H2 'ADS_UF_NORMAL_ACCOUNT;

newUser.Properties("userAccountControl").Value = val

newUser.CommitChanges()


dirEntry.Close()

newUser.Close()</code>

</stage>

<stage stageid="733f63fd-82d2-4150-bc58-c5f59f5f81c4" name="Path" type="Data">

<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>

<narrative>

</narrative>

```


<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="87dbe88a-bf30-466d-be0a-5812814eb6a2" name="Password" type="Data">

<subsheetsid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetsid>

<narrative>

</narrative>

<displayx>450</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>password</datatype>

<initialvalueenc>

</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="09b1d011-5f86-4092-b61a-9aa27b7876f3" name="Username" type="Data">

<subsheetsid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetsid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a5a9f2f0-f09e-470c-9bce-e2ebe72d2f66" name="First Name" type="Data">

<subsheetsid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetsid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fb338aac-30f2-4155-89ca-41f8813617f1" name="Surname" type="Data">

<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4ef1882f-4087-4abc-b911-16b8e8870563" name="Display Name" type="Data">

<subsheetid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetid>

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

```
<stage stageid="339f3665-0acc-4077-b89e-27731144e950" name="User Principal Name" type="Data">
<subsheetsid>dda5203f-ccbc-4ec2-869c-b52f72cd7f6d</subsheetsid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6bcb7031-4d73-422d-88a0-e1a1b2e8e24d" name="User Exists (Displayname)" type="Su
<subsheetsid>4a031129-3c2d-49a0-8703-809adfa0b82c</subsheetsid>

<narrative>Returns true if the provided display name is found within the directory. This search uses Comm
<displayx>-195</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eab480ab-a6f1-455c-bd90-bad3610f2edc" name="Start" type="Start">

<subsheetsid>4a031129-3c2d-49a0-8703-809adfa0b82c</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>0</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Displayname" narrative="The display name that will be matched against the Com

</inputs>

<onsuccess>ee9b42a7-6913-42ea-80fd-793b8f29bb6e</onsuccess>

</stage>

<stage stageid="a7c43476-5451-49a9-b84b-54322fcc1f11" name="End" type="End">

<subsheetsid>4a031129-3c2d-49a0-8703-809adfa0b82c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Exists" narrative="Indicates whether one or more items matching the criteria wa

</outputs>

</stage>

<stage stageid="41809b06-b958-46df-acb7-d3472e29ac80" name="Exists" type="Data">

<subsheetsid>4a031129-3c2d-49a0-8703-809adfa0b82c</subsheetsid>
```

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ee9b42a7-6913-42ea-80fd-793b8f29bb6e" name="Check Exists (DisplayName)" type="C

<subsheetid>4a031129-3c2d-49a0-8703-809adfa0b82c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="SearchString" expr="[Displayname]"/>

</inputs>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

</outputs>

<onsuccess>a7c43476-5451-49a9-b84b-54322fcc1f11</onsuccess>

<code>Dim ds As New DirectoryServices.DirectorySearcher("(CN=" & SearchString & Exists = ds.FindOne() IsNot Nothing</code>

</stage>

<stage stageid="c6273f8a-a080-46d8-bf08-d4d011b6adaa" name="Displayname" type="Data">

<subsheetid>4a031129-3c2d-49a0-8703-809adfa0b82c</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3d4ea999-e1ff-40d2-8f39-223aa1864a32" name="Object Exists (Dynamic)" type="SubSh

<subsheetid>e997a51f-4c28-4d11-bf3c-350c46bd9c3e</subsheetid>

<narrative>Returns true if the provided search string (attribute and value) is found to match within the direc
Containers: "CN=Users".

Organizational Units: "OU=Blue Prism Users".

Security Groups: "CN=SecGroup_BluePrismUsers".

Users: "sAMAccountName=JoeBloggs"; "CN=Joe Bloggs". </narrative>

<displayx>-180</displayx>

<displayy>-30</displayy>

<displaywidth>150</displaywidth>

<displayheight>210</displayheight>

</stage>

<stage stageid="52898126-4a8a-4c67-8a7b-2d3d8b1c1f4e" name="Start" type="Start">

<subsheetsid>e997a51f-4c28-4d11-bf3c-350c46bd9c3e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="SearchString" narrative="The full search string to be evaluated. (E.g. "

</inputs>

<onsuccess>c4867d2c-bc73-4adc-8986-721ff8c90d95</onsuccess>

</stage>

<stage stageid="03cf471b-043a-4a17-9cb9-241e2c269bdf" name="End" type="End">

<subsheetsid>e997a51f-4c28-4d11-bf3c-350c46bd9c3e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>


```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Exists" narrative="Indicates whether one or more items matching the criteria wa

</outputs>

</stage>

<stage stageid="827af0b5-0b6a-4e44-82f9-ed0e29586e38" name="Exists" type="Data">

<subsheetsid>e997a51f-4c28-4d11-bf3c-350c46bd9c3e</subsheetsid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c4867d2c-bc73-4adc-8986-721ff8c90d95" name="Check Exists (Dynamic)" type="Code">

<subsheetsid>e997a51f-4c28-4d11-bf3c-350c46bd9c3e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="SearchString" expr="[SearchString]"/>

</inputs>

<outputs>

<output type="flag" name="Exists" stage="Exists"/>

</outputs>

<onsuccess>03cf471b-043a-4a17-9cb9-241e2c269bdf</onsuccess>

<code>Dim ds As New DirectoryServices.DirectorySearcher("(" &amp;&amp; SearchString &amp;&amp; ")")

Exists = ds.FindOne() IsNot Nothing</code>

</stage>

<stage stageid="f430f354-bf33-4ed6-b3d3-1c02f25b180b" name="SearchString" type="Data">

<subsheetsid>e997a51f-4c28-4d11-bf3c-350c46bd9c3e</subsheetsid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="0681a85f-245e-4c4d-8bc6-71ecd3740357" name="User Exists" type="SubSheetInfo">

<subsheetsid>bd42e76e-2cb9-4894-afa9-96a8f2d1d05a</subsheetsid>

<narrative>Deprecated action. This action has been replaced by one of three actions:

- 1) Check User Exists (Displayname)
- 2) Check User Exists (UserPrincipalName)
- 3) Check Object Exists (Dynamic)</narrative>

<displayx>-135</displayx>

<displayy>-30</displayy>

<displaywidth>240</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="b6751fbe-2ae6-432f-8330-aac80b642030" name="Start" type="Start">

<subsheetsid>bd42e76e-2cb9-4894-afa9-96a8f2d1d05a</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>733a7174-5ee7-499f-b334-7c47fa5ea34c</onsuccess>

</stage>

<stage stageid="733a7174-5ee7-499f-b334-7c47fa5ea34c" name="End" type="End">

<subsheetsid>bd42e76e-2cb9-4894-afa9-96a8f2d1d05a</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="Test Bug 3827" version="1.0" bpversion="6.4.0.6747" narrative="asdf" byrefcollection="tr

<appdef>

<element name="Test Bug 3827">

<id>521373db-2569-4eff-a6eb-2ff45d93f013</id>

<element name="Document updated">

<id>13cdd5c4-a320-4586-afbe-b45955b95d44</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="778"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/DIV(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="para"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="Document updated"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="file:///C:\BluePrism\QA\Code\HTML2\TestBug3827.html"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>
```

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>c:\blueprism\qa\code\html2\TestBug3827.html</value>

</parameter>

<parameter>

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

<parameter>

<name>ExcludeHTC</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="65d910f8-47e6-41e7-b1f0-dfe1433359f9" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="14823181-03cb-4a6f-8d88-9746e4410ec1" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="13e6b955-3280-4171-8938-7ceafddd37b1" type="Normal" published="True">

<name>Run Test</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="3f4ce823-20e6-47d0-8ded-5b0a3170ec85" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>5cc6bdf8-55d9-4a01-ae2c-c5ffbe9b9648</onsuccess>

</stage>

<stage stageid="5cc6bdf8-55d9-4a01-ae2c-c5ffbe9b9648" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

```
<stage stageid="aa9bf714-b629-4ca4-8d58-b32f756643e5" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>
```

```
<stage stageid="922d654e-f7bd-4b9e-ab60-94925c839a57" name="Clean Up" type="SubSheetInfo">

<subsheetid>65d910f8-47e6-41e7-b1f0-dfe1433359f9</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>
```

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="39dafc3c-897e-4bf8-9012-6e6505ff6a10" name="Start" type="Start">

<subsheetid>65d910f8-47e6-41e7-b1f0-dfe1433359f9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>292c5af6-a2db-4a30-98af-41dc28f833b4</onsuccess>

</stage>

<stage stageid="137f6a84-ad91-4f2a-9589-34273a2cb643" name="End" type="End">

<subsheetid>65d910f8-47e6-41e7-b1f0-dfe1433359f9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

<stage stageid="ddc7e087-f3b1-4012-a90f-266ee0d29eaf" name="Launch" type="SubSheetInfo">

<subsheetsid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="ecbb89aa-6bbd-4abb-a150-1b0d200bd952" name="Start" type="Start">

<subsheetsid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>eed2d185-b06b-4d3b-9605-413715dea851</onsuccess>

</stage>

<stage stageid="23759a46-b9e1-4128-8ffe-67f48b18a6d9" name="End" type="End">

<subsheetsid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="a9220f55-ac62-4120-98ff-d9ea24e4a5a8" name="new" type="Note">

<subsheetid>65d910f8-47e6-41e7-b1f0-dfe1433359f9</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="17594fe1-8be2-48bf-98d5-a008e3bc2dba" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="eed2d185-b06b-4d3b-9605-413715dea851" name="Launch" type="Navigate">

<subsheetsid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e2dca50e-5a3b-4f99-a734-ffe15f991a86</onsuccess>

<step>

<element id="521373db-2569-4eff-a6eb-2ff45d93f013"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>WindowTitlesCollection</id>

<value>

</value>

</argument>

<argument>

<id>WindowTitle</id>

<value>

</value>

</argument>

<argument>

<id>ProcessName</id>

<value>

</value>

</argument>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>[QA Root] & "&code\html2\TestBug3827.html"</value>

</argument>

<argument>

```
<id>UseJavaInBrowser</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="5a0cb4c8-bcf7-4898-8d5a-91f5b84fde9d" name="Time Out1" type="WaitEnd">

<subsheetid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>470ad39c-2a46-4521-9e4f-b22c001c071a</groupid>

</stage>

<stage stageid="e2dca50e-5a3b-4f99-a734-ffe15f991a86" name="Wait for Document" type="WaitStart">

<subsheetid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetid>
```


<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>470ad39c-2a46-4521-9e4f-b22c001c071a</groupid>

<choices>

<choice reply="True">

<name>Test Bug 3827 Document Loaded</name>

<distance>60</distance>

<ontrue>23759a46-b9e1-4128-8ffe-67f48b18a6d9</ontrue>

<element id="521373db-2569-4eff-a6eb-2ff45d93f013"/>

<condition>

<id>DocumentLoaded</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="a5a93450-bbc5-4c60-adf4-081c277316f3" name="Run Test" type="SubSheetInfo">

<subsheetsid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetsid>

<narrative>

</narrative>

```
<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="85a2ea80-4d7f-421d-89c9-b6bd28237f71" name="Start" type="Start">

<subsheetid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>34afc25d-d21c-4227-bf9a-70860ec1cfc0</onsuccess>

</stage>

<stage stageid="b28d9b4e-abf6-431d-beea-a746883c69b5" name="End" type="End">

<subsheetid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


</stage>

<stage stageid="34afc25d-d21c-4227-bf9a-70860ec1cfc0" name="Refresh page" type="Navigate">

<subsheetid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ef37c4e1-a3ae-4bdb-9fc3-8049e0cc7be6</onsuccess>

<step>

<element id="521373db-2569-4eff-a6eb-2ff45d93f013"/>

<action>

<id>HTMLNavigate</id>

<arguments>

<argument>

<id>NewText</id>

<value>[QA Root] & "&code\html2\TestBug3827.html"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3bab04bb-bcc5-498a-8dd7-cb8df0bfa726" name="Time Out2" type="WaitEnd">

<subsheetid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>578dee13-54ae-4b9e-a23c-124c282d2a8d</onsuccess>

<groupid>8250fbf1-d71d-41bf-bc18-a02568932d68</groupid>

</stage>

<stage stageid="ef37c4e1-a3ae-4bdb-9fc3-8049e0cc7be6" name="Wait for Document updated" type="Wait for Document updated">

<subsheetid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>8250fbf1-d71d-41bf-bc18-a02568932d68</groupid>

<choices>

<choice reply="True">

<name>Document updated Check Exists</name>

<distance>60</distance>

```
<ontrue>b28d9b4e-abf6-431d-beea-a746883c69b5</ontrue>

<element id="13cdd5c4-a320-4586-afbe-b45955b95d44"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>10</timeout>

</stage>

<stage stageid="578dee13-54ae-4b9e-a23c-124c282d2a8d" name="Note1" type="Note">

<subsheetid>13e6b955-3280-4171-8938-7ceafddd37b1</subsheetid>

<loginhibit/>

<narrative>FAIL - we should not get to here - a match should be found instantly once page is updated</na

<displayx>285</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="292c5af6-a2db-4a30-98af-41dc28f833b4" name="Terminate" type="Navigate">

<subsheetid>65d910f8-47e6-41e7-b1f0-dfe1433359f9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>137f6a84-ad91-4f2a-9589-34273a2cb643</onsuccess>

<step>

<element id="521373db-2569-4eff-a6eb-2ff45d93f013"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="9d4c1163-3e63-426c-a756-79040fbe60d6" name="QA Root" type="Data">

<subsheetsid>14823181-03cb-4a6f-8d88-9746e4410ec1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<alwaysinit/>

</stage>

</process>
```

<process name="Test Bug4014 Object" version="1.0" bpversion="6.3.0.2933" narrative="." type="object" r

<appdef>

<element name="Test Bug4014">

<id>85299bd1-c025-4714-86ec-6f1e25136328</id>

<element name="Find Me Button">

<id>49a1ac41-40f1-455e-a79f-32344c2a83af</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="72"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BASE(0)/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/E

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BUTTON"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Find Me"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">


```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://localhost:8089/Bug4014/frame2.html"/>

</attribute>

</attributes>

</element>

<element name="Text">

<id>2dcff640-59ac-4755-a92c-d6cfcd6ed6aa</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="619"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="208"/>

</attribute>

<attribute name="Path" inuse="True">
```

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(1)/HTML/BODY(1)">

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BODY"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent al

</attribute>

<attribute name="Enabled" inuse="True">

```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://localhost:8089/Bug4014/frame1.html"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>http://localhost:8089/Bug4014/base.html</value>

</parameter>

<parameter>
```

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

<parameter>

<name>ExcludeHTC</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="20cb1522-b3dd-4ef4-bc47-e45769c76b9c" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="48327d8a-bdea-41e1-8ddb-bb6d93d40fe7" type="Normal" published="True">

<name>Find The Button</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b940cf0e-4bc9-429a-85be-c415adc1c1f3" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="08ab6a19-9cb2-4406-b81b-6e6bc0e42b4a" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="3807e598-fb42-42ee-a5b9-d55fd4c99e83" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>1393b136-88d8-406d-9704-a63d40b5d5b3</onsuccess>

</stage>

<stage stageid="1393b136-88d8-406d-9704-a63d40b5d5b3" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="71912dc9-487b-43de-9435-d21753f8d2c1" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="482682a2-a51d-469b-8769-f9cff84489fd" name="Clean Up" type="SubSheetInfo">

<subsheetid>20cb1522-b3dd-4ef4-bc47-e45769c76b9c</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="579de0aa-c050-426e-a92b-ef98a10b25cb" name="Start" type="Start">

<subsheetid>20cb1522-b3dd-4ef4-bc47-e45769c76b9c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>efa4561c-d3b7-49b1-b083-39f31eaed6ea</onsuccess>

</stage>

<stage stageid="efa4561c-d3b7-49b1-b083-39f31eaed6ea" name="End" type="End">

<subsheetid>20cb1522-b3dd-4ef4-bc47-e45769c76b9c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>90</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="abc02d7a-3f26-4608-9fde-1a703c60068b" name="Find The Button" type="SubSheetInfo"

<subsheetsid>48327d8a-bdea-41e1-8ddb-bb6d93d40fe7</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="73ea8aaa-24b6-4b87-9cf6-163282c89556" name="Start" type="Start">

<subsheetsid>48327d8a-bdea-41e1-8ddb-bb6d93d40fe7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0286d303-3576-49b0-944c-879a01635c49</onsuccess>

</stage>

```
<stage stageid="b2d27a05-8c5d-4e7e-81f9-7e206822f5aa" name="End" type="End">

<subsheetsid>48327d8a-bdea-41e1-8ddb-bb6d93d40fe7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="f656f7fc-3d3e-43bd-a487-7f26492bc623" name="new" type="Note">

<subsheetsid>20cb1522-b3dd-4ef4-bc47-e45769c76b9c</subsheetsid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="bfde1264-ab07-47a9-8994-246b329ebe81" name="new" type="Note">
```

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="57936792-4b81-47bc-a2c6-701c9c9885d9" name="Button Timeout" type="WaitEnd">

<subsheetsid>48327d8a-bdea-41e1-8ddb-bb6d93d40fe7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>d726f4c2-3d0c-4b73-8172-bd675278465f</groupid>

</stage>

<stage stageid="0286d303-3576-49b0-944c-879a01635c49" name="Find The Button" type="WaitStart">

<subsheetsid>48327d8a-bdea-41e1-8ddb-bb6d93d40fe7</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>d726f4c2-3d0c-4b73-8172-bd675278465f</groupid>

<choices>

<choice reply="True">

<name>Find Me Button Check Exists</name>

<distance>45</distance>

<ontrue>b2d27a05-8c5d-4e7e-81f9-7e206822f5aa</ontrue>

<element id="49a1ac41-40f1-455e-a79f-32344c2a83af"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="c3d9f66f-510c-4022-8495-fada28290553" name="Launch" type="SubSheetInfo">

<subsheetsid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetsid>

<narrative>

</narrative>
```

```
<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="13e364cd-73eb-42f2-a91f-45c07f1bdc49" name="Start" type="Start">

<subsheetsid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Port to launch against" narrative="Port from process" stage="Port"/>

</inputs>

<onsuccess>490d3f17-907c-4fa8-b206-e8be32854337</onsuccess>

</stage>

<stage stageid="503b9751-1ca9-4cf3-a11a-a780e8df92c7" name="End" type="End">

<subsheetsid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>
```

```
<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="490d3f17-907c-4fa8-b206-e8be32854337" name="Launch" type="Navigate">

<subsheetid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>79b61b1b-2c92-460b-9036-87dce292f12d</onsuccess>

<step>

<element id="85299bd1-c025-4714-86ec-6f1e25136328"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>
```

<id>CommandLineParams</id>

<value>"http://localhost:" & & [Port] & & "/Bug4014/base.html"</value>

</argument>

<argument>

<id>ActiveTabOnly</id>

<value>

</value>

</argument>

<argument>

<id>UseJavaInBrowser</id>

<value>

</value>

</argument>

<argument>

<id>ExcludeHTC</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

```
<stage stageid="0a6ed40d-bb62-4207-b83c-39cd023583cb" name="Terminate" type="SubSheetInfo">
<subsheetsid>08ab6a19-9cb2-4406-b81b-6e6bc0e42b4a</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="854ab1b0-1057-4120-b7dc-ca7a37fd712a" name="Start" type="Start">
<subsheetsid>08ab6a19-9cb2-4406-b81b-6e6bc0e42b4a</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7210541e-42fc-4e69-b400-8a7090598f22</onsuccess>

</stage>

<stage stageid="b54cede2-fbaa-48e6-8ffc-b2690bbb5a77" name="End" type="End">
<subsheetsid>08ab6a19-9cb2-4406-b81b-6e6bc0e42b4a</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```


<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="7210541e-42fc-4e69-b400-8a7090598f22" name="Terminate" type="Navigate">

<subsheetid>08ab6a19-9cb2-4406-b81b-6e6bc0e42b4a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b54cede2-fbaa-48e6-8ffc-b2690bbb5a77</onsuccess>

<step>

<element id="85299bd1-c025-4714-86ec-6f1e25136328"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="48b85198-d981-46a9-8c81-fbfed24b1e2b" name="Document Time Out" type="WaitEnd">

<subsheetid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>85628902-1dec-4540-9eab-4b340d07210f</groupid>

</stage>

<stage stageid="79b61b1b-2c92-460b-9036-87dce292f12d" name="Wait For Document" type="WaitStart">

<subsheetsid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>85628902-1dec-4540-9eab-4b340d07210f</groupid>

<choices>

<choice reply="True">

<name>Text Check Exists</name>

<distance>60</distance>

<ontrue>503b9751-1ca9-4cf3-a11a-a780e8df92c7</ontrue>

<element id="2dcff640-59ac-4755-a92c-d6cfcd6ed6aa"/>

<condition>

```
<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="d823fcc2-0163-4331-a3cf-2ebd7a8d235f" name="Port" type="Data">

<subsheetid>b940cf0e-4bc9-429a-85be-c415adc1c1f3</subsheetid>

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>8089</initialvalue>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Test C#7.0" version="1.0" bpversion="6.7.0.0" narrative="." byrefcollection="true" type="C#7.0">

<appdef>

<element name="Application Root">

<id>bc193263-620a-4df1-9087-32d6a985d7f3</id>

<type>Application</type>
```

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="69c80063-2136-4f5e-92a1-c26a5750494d" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d5ba8535-4cb9-4e96-a507-636c4dafff50" type="Normal" published="True">

<name>Test C# Code</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="f44d5dfa-e342-4e25-a608-88a64cd2207c" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>9eecbbf8-9ea5-4d58-b6b9-f67999bb74fc</onsuccess>

</stage>

<stage stageid="9eecbbf8-9ea5-4d58-b6b9-f67999bb74fc" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="66e70635-5140-4e51-a495-215256836847" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>csharp</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="595d3210-b33c-48df-b79a-987b6c405925" name="Clean Up" type="SubSheetInfo">
<subsheetsid>69c80063-2136-4f5e-92a1-c26a5750494d</subsheetsid>
<display x="-195" y="-105" w="150" h="90"/>
</stage>

<stage stageid="b14449b2-61b1-43ab-8d39-02036b4e9246" name="Start" type="Start">
<subsheetsid>69c80063-2136-4f5e-92a1-c26a5750494d</subsheetsid>
<loginhibit/>
<display x="15" y="-105"/>
<onsuccess>8b6d9795-2c6e-4259-9c39-b9f8a6b2ae6f</onsuccess>
</stage>

<stage stageid="8b6d9795-2c6e-4259-9c39-b9f8a6b2ae6f" name="End" type="End">
<subsheetsid>69c80063-2136-4f5e-92a1-c26a5750494d</subsheetsid>
<loginhibit/>
<display x="15" y="90"/>
</stage>

<stage stageid="2998ab3d-e809-4c18-9d6b-77127377e2b1" name="Test C# Code" type="SubSheetInfo">
<subsheetsid>d5ba8535-4cb9-4e96-a507-636c4dafff50</subsheetsid>
<display x="-195" y="-105" w="150" h="90"/>
</stage>

<stage stageid="8589b79c-edf4-4b45-9b31-7a1b8a6ed418" name="Start" type="Start">
<subsheetsid>d5ba8535-4cb9-4e96-a507-636c4dafff50</subsheetsid>
<loginhibit/>
<display x="15" y="-105"/>
<onsuccess>79603a07-8661-49cd-8370-0bb7df080f93</onsuccess>
</stage>

<stage stageid="f50e854e-c952-4a33-9c90-d839675b4fd0" name="End" type="End">
<subsheetsid>d5ba8535-4cb9-4e96-a507-636c4dafff50</subsheetsid>

<loginhibit/>

<display x="15" y="105"/>

</stage>

<stage stageid="0a56f243-715e-46f1-aaaf-cad83d62e68b" name="Note1" type="Note">

<subsheetsid>69c80063-2136-4f5e-92a1-c26a5750494d</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="cf2564ce-69b3-4d57-86d3-53a2c7ff3ac5" name="Note2" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="79603a07-8661-49cd-8370-0bb7df080f93" name="Get Value" type="Code">

<subsheetsid>d5ba8535-4cb9-4e96-a507-636c4dafff50</subsheetsid>

<loginhibit/>

<exception localized="yes" type="" detail=""Unexpected Result""/>

</stage>

</process>

<process name="Test Parent Document Loaded (Object)" version="1.0" bpversion="6.7.0.16843" narrative

<appdef>

<element name="Test DocumentLoaded">

<id>4389279e-378b-44b7-872d-48b344e25664</id>

<element name="Button1">

<id>a75f62cc-680c-4e5f-be47-ea9489e61124</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="76"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/BUTTON(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BUTTON"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Click Me"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/DocumentLoadedTests/Main.html"/>

</attribute>

</attributes>

</element>

<element name="Title">

<id>6a8470d6-23fd-4865-a844-7be608087c0b</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="435"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAME(1)/HTML/BODY(1)/H1(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="H1"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

```
<ProcessValue datatype="text" value="Frame 1 Data"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/DocumentLoadedTests/frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Field10">

<id>c1876b8d-37d3-479b-91f9-ed1792c05b73</id>

<type>HTMLEdit</type>

<basetype>HTMLEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="160"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Width">
```

<ProcessValue datatype="number" value="146"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/FORM(1)/INPUT"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="text"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

```
<ProcessValue datatype="text" value="Field10"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Field10"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>
```

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>http://localhost:8089/DocumentLoadedTests/Main.html</value>

</parameter>

<parameter>

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

<parameter>

<name>ExcludeHTC</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="d7be757b-aa07-4052-88de-30fe899b1792" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="1a6fd452-f71a-481e-b4f3-ce0c3bce1635" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>114</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="4fc92601-b223-4838-83a9-ca1966d8b1fa" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="559cd16d-4eff-4e15-97ad-e6b6bb14f3aa" type="Normal" published="True">

<name>Run Test</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="1d95fa96-425b-4f3f-abda-40c7f7692fda" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>134d19be-90cf-455f-86d0-8571bb3e2b53</onsuccess>

</stage>

<stage stageid="134d19be-90cf-455f-86d0-8571bb3e2b53" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="9dfaafc0-6bf0-4f24-9c97-a7eabe9165fe" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>Private mSlowServerProcess as Diagnostics.Process

</code>

</stage>

<stage stageid="36667c87-8f29-43fb-a8fc-c6521253e84f" name="Clean Up" type="SubSheetInfo">

<subsheetsid>d7be757b-aa07-4052-88de-30fe899b1792</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="4b94ef96-a2b3-466e-ac14-99a5f83f255e" name="Start" type="Start">

<subsheetsid>d7be757b-aa07-4052-88de-30fe899b1792</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>


```
<onsuccess>b262a1de-47cc-4aa5-bc99-c1dcd9c3a28f</onsuccess>

</stage>

<stage stageid="b262a1de-47cc-4aa5-bc99-c1dcd9c3a28f" name="End" type="End">

<subsheetid>d7be757b-aa07-4052-88de-30fe899b1792</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="58d49747-8acf-4e81-bc53-736d458b5532" name="Launch" type="SubSheetInfo">

<subsheetid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4d98cb39-351b-47be-bc69-8c90712a86e8" name="Start" type="Start">

<subsheetid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsheetid>

<loginhibit/>

<display x="165" y="-165"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Port" narrative="Port to launch against" stage="Port"/>

</inputs>

<onsuccess>b2e27dc4-bed1-49b6-a81e-d86a41030d71</onsuccess>

</stage>

<stage stageid="964098d0-c301-4a4d-8f95-21b34de9d335" name="End" type="End">

<subsheetid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsheetid>

<loginhibit/>

<display x="300" y="120"/>
```


</stage>

<stage stageid="9146d6f4-e298-46bf-bd22-39290755dc28" name="new" type="Note">

<subsHEETid>d7be757b-aa07-4052-88de-30fe899b1792</subsHEETid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="5a02ce4c-d5a7-4b5c-9577-d5eff643a371" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="61a4e69d-97e8-43e1-9564-a51874e095fa" name="Launch" type="Navigate">

<subsHEETid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsHEETid>

<loginhibit/>

<display x="165" y="-75"/>

<onsuccess>0b8ed3d7-e0c3-4cc9-a3bf-7d6b148896a0</onsuccess>

<step>

<element id="4389279e-378b-44b7-872d-48b344e25664"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>"http://localhost:" && [Port] && "/DocumentLoadedTests/Main.html"</value>

</argument>

<argument>

<id>ActiveTabOnly</id>

<value>

</value>

</argument>

<argument>

<id>UseJavaInBrowser</id>

<value>

</value>

```
</argument>

<argument>

<id>ExcludeHTC</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="03130f31-c5bc-48b1-bfd8-6b1236207cd4" name="Time Out1" type="WaitEnd">

<subsheetid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsheetid>

<loginhibit/>

<display x="165" y="120" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>2322f9b6-1109-40a2-8261-74e64477a214</groupid>

</stage>

<stage stageid="0b8ed3d7-e0c3-4cc9-a3bf-7d6b148896a0" name="Wait1" type="WaitStart">

<subsheetid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsheetid>

<loginhibit/>

<display x="165" y="-15" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<groupid>2322f9b6-1109-40a2-8261-74e64477a214</groupid>

<choices>

<choice reply="True">

<name>Button1 Parent Document Loaded</name>

<distance>60</distance>

<ontrue>964098d0-c301-4a4d-8f95-21b34de9d335</ontrue>

<element id="a75f62cc-680c-4e5f-be47-ea9489e61124"/>

<condition>

<id>HTMLCheckExistsAndDocumentLoaded</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="aca0a05a-917a-4f13-ad1c-a81e8d8a935e" name="Run Test" type="SubSheetInfo">

<subsheetsid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="cac40af3-81b3-4eb5-81a7-79ecbe394b0b" name="Start" type="Start">

<subsheetsid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>b4ad82fa-5965-494d-8103-dcc7a7fa9143</onsuccess>

</stage>


```
<stage stageid="7c2ada35-5477-40a6-a6f1-b848b9413dbb" name="End" type="End">

<subsheetid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetid>

<loginhibit/>

<display x="15" y="120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b4ad82fa-5965-494d-8103-dcc7a7fa9143" name="Click" type="Navigate">

<subsheetid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetid>

<loginhibit/>

<display x="15" y="-30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>08a9ca86-691f-47df-8a9c-97a9e6760cfe</onsuccess>

<step>

<element id="a75f62cc-680c-4e5f-be47-ea9489e61124"/>

<action>

<id>HTMLClickCentre</id>

</action>

</step>

</stage>

<stage stageid="6488bb9f-c522-44b3-ad35-175ec48bc55e" name="Time Out2" type="WaitEnd">

<subsheetid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetid>

<loginhibit/>

<display x="225" y="120" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8176c83b-ae20-4388-b764-9f9ba8b00628</groupid>

</stage>

<stage stageid="08a9ca86-691f-47df-8a9c-97a9e6760cfe" name="Wait2" type="WaitStart">
```

```
<subsheetid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetid>

<loginhibit/>

<display x="225" y="-30" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8176c83b-ae20-4388-b764-9f9ba8b00628</groupid>

<choices>

<choice reply="True">

<name>Title Parent Loaded</name>

<distance>75</distance>

<ontrue>ccb5605a-d203-487b-b85c-5a0bc97c7b49</ontrue>

<element id="6a8470d6-23fd-4865-a844-7be608087c0b"/>

<condition>

<id>HTMLCheckExistsAndDocumentLoaded</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>100</timeout>

</stage>

<stage stageid="b2e27dc4-bed1-49b6-a81e-d86a41030d71" name="Launch Slow Server" type="Code">

<subsheetid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsheetid>

<loginhibit/>

<display x="165" y="-120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="QARoot" expr="[QA Root]"/>

</inputs>
```

```
<onsuccess>61a4e69d-97e8-43e1-9564-a51874e095fa</onsuccess>

<code>mSlowServerProcess = Diagnostics.Process.Start([QARoot]&amp;amp;"\Code\SlowServer\Bin\Deb

</stage>

<stage stageid="df5fe548-31a7-4cb1-acab-1ab60852d729" name="Terminate" type="SubSheetInfo">

<subsheetsid>4fc92601-b223-4838-83a9-ca1966d8b1fa</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="540ce051-5942-4820-ab50-932fec5eb790" name="Start" type="Start">

<subsheetsid>4fc92601-b223-4838-83a9-ca1966d8b1fa</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ca8db797-cad3-437a-be74-6a057cafceb8</onsuccess>

</stage>

<stage stageid="31b0e25a-8dba-409b-a051-8c8702d7a405" name="End" type="End">

<subsheetsid>4fc92601-b223-4838-83a9-ca1966d8b1fa</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6ff4553e-3e77-45a2-9435-1cd8dc189537" name="Terminate" type="Navigate">

<subsheetsid>4fc92601-b223-4838-83a9-ca1966d8b1fa</subsheetsid>

<loginhibit/>

<display x="15" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>31b0e25a-8dba-409b-a051-8c8702d7a405</onsuccess>
```

<step>

<element id="4389279e-378b-44b7-872d-48b344e25664"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="ca8db797-cad3-437a-be74-6a057cafceb8" name="Kill Slow Server" type="Code">

<subsheetsid>4fc92601-b223-4838-83a9-ca1966d8b1fa</subsheetsid>

<loginhibit/>

<display x="15" y="-45"/>

<onsuccess>6ff4553e-3e77-45a2-9435-1cd8dc189537</onsuccess>

<code>If Not mSlowServerProcess.HasExited Then

mSlowServerProcess.Kill()

End If</code>

</stage>

<stage stageid="ccb5605a-d203-487b-b85c-5a0bc97c7b49" name="Reader1" type="Read">

<subsheetsid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsheetsid>

<loginhibit/>

<display x="15" y="45"/>

<onsuccess>7c2ada35-5477-40a6-a6f1-b848b9413dbb</onsuccess>

<step stage="Value from Field10">

<element id="c1876b8d-37d3-479b-91f9-ed1792c05b73"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="5552b370-6df5-4155-80ff-5e70aa9c0a1e" name="Value from Field10" type="Data">

<subsHEETid>559cd16d-4eff-4e15-97ad-e6b6bb14f3aa</subsHEETid>

<display x="-60" y="45"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2fd87c23-ddcb-4194-9016-953b8185c899" name="Port" type="Data">

<subsHEETid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsHEETid>

<loginhibit/>

<display x="-30" y="-150"/>

<datatype>number</datatype>

<initialvalue>8089</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a896c08f-b98b-4632-82e1-7f4b8e8f86a0" name="QA Root" type="Data">

<subsHEETid>1a6fd452-f71a-481e-b4f3-ce0c3bce1635</subsHEETid>

<loginhibit/>

<display x="-30" y="-105"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Test Password Casting Object" version="1.0" narrative="a" type="object" runmode="Excl

<appdef/>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="90bc2f9f-5a18-48fb-b1bc-0b5e7884bc38" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="7428c04b-1d88-4ec9-a812-9ce90bd93d88" type="Normal" published="True">

<name>Action 1</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="14d2582b-06bd-43e4-816e-23592862f0ca" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>403cce5e-d47f-4fe3-a93f-a8215345dbd0</onsuccess>

</stage>

<stage stageid="403cce5e-d47f-4fe3-a93f-a8215345dbd0" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="864195e8-70f0-405b-a6d9-5890639597f0" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

```
<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="a7ab61a3-fefe-4444-95e2-fd25102e31b1" name="Clean Up" type="SubSheetInfo">

<subsheetsid>90bc2f9f-5a18-48fb-b1bc-0b5e7884bc38</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```



```
</stage>

<stage stageid="4bb83cc3-6f00-4330-94fb-02429b814722" name="Start" type="Start">

<subsheetid>90bc2f9f-5a18-48fb-b1bc-0b5e7884bc38</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1672c7c9-9970-43b7-83ea-3db2b511904a</onsuccess>

</stage>

<stage stageid="1672c7c9-9970-43b7-83ea-3db2b511904a" name="End" type="End">

<subsheetid>90bc2f9f-5a18-48fb-b1bc-0b5e7884bc38</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7ae8fac8-924f-4d2a-b179-ab0fc0369480" name="Action 1" type="SubSheetInfo">

<subsheetid>7428c04b-1d88-4ec9-a812-9ce90bd93d88</subsheetid>

<narrative>
```

```
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="00d0bf02-08fa-42e4-96da-6d40cd74491a" name="new" type="Note">

<subsheetsid>90bc2f9f-5a18-48fb-b1bc-0b5e7884bc38</subsheetsid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4302cbe1-cb65-4661-b584-da142e693bd0" name="new" type="Note">

<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="efce0ecb-da5b-408e-a512-048b46a9bad3" name="Start" type="Start">

<subsheetsid>7428c04b-1d88-4ec9-a812-9ce90bd93d88</subsheetsid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="password" name="The Password" stage="The Password"/>

</inputs>

<onsuccess>044c725a-99de-4095-ac48-ac7d33c2c3d7</onsuccess>

</stage>

<stage stageid="668ac07a-ce4b-4387-835d-54cbe493ace5" name="End" type="End">

<subsheetsid>7428c04b-1d88-4ec9-a812-9ce90bd93d88</subsheetsid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Text Output" narrative="A sample text output parameter" stage="Text Output"/>

</outputs>

</stage>

<stage stageid="3ada8fe6-608d-4e69-b98f-eeb78b9b21f8" name="The Password" type="Data">

<subsheetid>7428c04b-1d88-4ec9-a812-9ce90bd93d88</subsheetid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>password</datatype>

<initialvalueenc>

</initialvalueenc>

<private/>

<alwaysinit/>

</stage>

<stage stageid="044c725a-99de-4095-ac48-ac7d33c2c3d7" name="Set Text Output" type="Calculation">

<subsheetid>7428c04b-1d88-4ec9-a812-9ce90bd93d88</subsheetid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>668ac07a-ce4b-4387-835d-54cbe493ace5</onsuccess>

<calculation expression=""Centrix House"" stage="Text Output"/>

</stage>

<stage stageid="8b19945f-5fce-405e-82d8-cb0b38981677" name="Text Output" type="Data">

<subsheetsid>7428c04b-1d88-4ec9-a812-9ce90bd93d88</subsheetsid>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Test VB15.0" version="1.0" bpversion="6.7.0.0" narrative="" byrefcollection="true" type="

<appdef>

<element name="Application Root">

<id>4519dddd-70ea-447c-8473-a7a2e37e2fab</id>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="6ed08ed4-9c09-46b0-9275-f795f2a20af3" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d" type="Normal" published="True">

<name>Test VB Code</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="b9f891de-2ecd-4522-9bc9-40d1317a43c9" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<onsuccess>f7747208-1f8e-4ccf-9bea-4fe7e82498e7</onsuccess>

</stage>

<stage stageid="f7747208-1f8e-4ccf-9bea-4fe7e82498e7" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

</stage>

<stage stageid="39b6c71a-02f1-468a-9de4-966a52d539c4" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references/>

<imports/>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="78476f2b-ac70-4a10-affe-00ed2cd428c4" name="Clean Up" type="SubSheetInfo">

<subsheetid>6ed08ed4-9c09-46b0-9275-f795f2a20af3</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="47916a12-c256-4443-93e2-454f8e2cf711" name="Start" type="Start">

<subsheetid>6ed08ed4-9c09-46b0-9275-f795f2a20af3</subsheetid>

<loginhibit/>

<math display="block" x="15" y="-105">

</math><onsuccess>c933826e-93a4-4dfb-bee4-dcfa6bccd093</onsuccess>

</stage>

<stage stageid="c933826e-93a4-4dfb-bee4-dcfa6bccd093" name="End" type="End">

<subsheetid>6ed08ed4-9c09-46b0-9275-f795f2a20af3</subsheetid>

<loginhibit/>

<math display="block" x="15" y="90">

</math></stage>

<stage stageid="74632172-ad21-4cec-a424-caf82a776e1b" name="Test VB Code" type="SubSheetInfo">

<subsheetid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetid>

<math display="block" x="-195" y="-105" w="150" h="90">

</math></stage>

<stage stageid="f44c8402-360f-44aa-9ae6-7773d4285d51" name="Start" type="Start">

<subsheetid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetid>

<loginhibit/>

<math display="block" x="15" y="-105">

</math><onsuccess>51fa6c2e-548c-4998-8dc2-55994609c005</onsuccess>

</stage>

<stage stageid="ee081a7f-3df9-4af1-9082-e7a6252df68d" name="End" type="End">

<subsheetid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetid>

<loginhibit/>

<math display="block" x="15" y="135">

</math></stage>

<stage stageid="88b01082-eabf-490f-ac43-7c954b43e0cd" name="Note1" type="Note">

<subsheetid>6ed08ed4-9c09-46b0-9275-f795f2a20af3</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<display x="-180" y="60" w="180" h="230"/>
```

```
</stage>
```

```
<stage stageid="af264d59-755d-4760-9e1e-349f54850f64" name="Note2" type="Note">
```

```
<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<display x="-180" y="60" w="180" h="230"/>
```

```
</stage>
```

```
<stage stageid="51fa6c2e-548c-4998-8dc2-55994609c005" name="Get Value" type="Code">
```

```
<subsheetsid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetsid>
```

```
<loginhibit/>
```

```
<display x="15" y="-15"/>
```

```
<outputs>
```

```
<output type="number" name="Result" stage="Result"/>
```

```
</outputs>
```

```
<onsuccess>0594f735-4992-49ae-bf3f-8b3bf612a6d1</onsuccess>
```

```
<code>Dim value As Byte = &amp;B0110_1110
```

```
Result=value</code>
```

```
</stage>

<stage stageid="68b51e91-b4d3-4835-b5d1-3c008a23e927" name="Result" type="Data">

<subsheetid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetid>

<display x="90" y="-15"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0594f735-4992-49ae-bf3f-8b3bf612a6d1" name="Check Result" type="Decision">

<subsheetid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetid>

<loginhibit/>

<display x="15" y="60"/>

<decision expression="[Result]=110"/>

<ontrue>ee081a7f-3df9-4af1-9082-e7a6252df68d</ontrue>

<onfalse>c75e586a-68aa-4852-869a-30af23a8669c</onfalse>

</stage>

<stage stageid="c75e586a-68aa-4852-869a-30af23a8669c" name="Exception" type="Exception">

<subsheetid>99e4bdb0-f45c-4d1c-b4a5-ad19d6221c4d</subsheetid>

<display x="105" y="60"/>

<exception localized="yes" type="" detail="&quot;Unexpected Result&quot;"/>

</stage>

</process>

<process name="testinnervbo" version="1.0" bpversion="6.3.0.2917" narrative="" type="object" runmode="'

<appdef>

<element name="Application Root">

<id>bd03dab3-dfcf-4b0d-9c62-695c6dd9a6cc</id>
```

```
<type>Application</type>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="2567dfdc-d1ec-4f8e-bbd2-5923d3089d59" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="524fa62f-3bce-4500-87ee-ea76314f8971" type="Normal" published="True">

<name>Action 1</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>
```

```
</subsheet>

<stage stageid="9a17d0c2-ee8a-4778-a976-e36577176cae" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>5c048c69-220a-403e-bc0f-0fe305309283</onsuccess>

</stage>

<stage stageid="5c048c69-220a-403e-bc0f-0fe305309283" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="64b5fb3c-76dc-4121-a5da-f0f7511260f5" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>
```

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

<import>System.Data</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="76e3714c-064b-423b-a1db-146629d76534" name="Clean Up" type="SubSheetInfo">

<subsheetsid>2567dfdc-d1ec-4f8e-bbd2-5923d3089d59</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="14715779-e98d-4634-9787-daf383c5f560" name="Start" type="Start">

<subsheetid>2567dfdc-d1ec-4f8e-bbd2-5923d3089d59</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8590ee2b-52e2-4946-820d-aa41e87af20c</onsuccess>

</stage>

<stage stageid="8590ee2b-52e2-4946-820d-aa41e87af20c" name="End" type="End">

<subsheetid>2567dfdc-d1ec-4f8e-bbd2-5923d3089d59</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="26b320d3-e297-42ce-b387-b985ce59181a" name="Action 1" type="SubSheetInfo">

<subsheetid>524fa62f-3bce-4500-87ee-ea76314f8971</subsheetid>

<narrative>

```
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="502117ca-e9be-4483-b20a-e07e0750ab81" name="Start" type="Start">

<subsheetid>524fa62f-3bce-4500-87ee-ea76314f8971</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>79472bf9-38b2-40e8-bdae-272e1aa6ba82</onsuccess>

</stage>

<stage stageid="79472bf9-38b2-40e8-bdae-272e1aa6ba82" name="End" type="End">

<subsheetid>524fa62f-3bce-4500-87ee-ea76314f8971</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="09ef0831-3585-4c8e-917b-939bacddeccf" name="Note1" type="Note">

<subsheetsid>2567dfdc-d1ec-4f8e-bbd2-5923d3089d59</subsheetsid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="858677a9-5918-4c28-8836-08e829354295" name="Note2" type="Note">

<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<displayx>-180</displayx>
```


<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

</process>

</Root>