```
<?xml version='1.0' encoding='UTF-8'?>
<Root>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="91ac33f1-f48c-49ae-8b0c-bd5a5811360f" type="Normal" published="False">
<name>Create</name>
<view>
<camerax>-59</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="4717a5b2-180e-4611-b145-a711e3f525d6" type="Normal" published="False">
<name>Run Queue</name>
<view>
<camerax>-21</camerax>
<cameray>123</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="015f9fb9-3ab5-455d-905a-407b31823f07" type="Normal" published="False">
```

```
<name>Run All Tests</name>
<view>
<camerax>50</camerax>
<cameray>159</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="31c441e5-a950-4cbc-8527-3d935e019f7c" type="Normal" published="False">
<name>Run Single Test</name>
<view>
<camerax>-115</camerax>
<cameray>156</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="9184789c-0988-46ee-b634-bf1e24384345" type="Normal" published="False">
<name>Get All Queues Except</name>
<view>
<camerax>42</camerax>
<cameray>100</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="71a7556d-0c2f-4e82-a9b9-898ce787010a" name="Start" type="Start">
<narrative>
</narrative>
<displayx>0</displayx>
```

```
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>608f016a-6eef-4cf5-8ca6-7e155d34042e</onsuccess>
</stage>
<stage stageid="6776ddbe-4f06-474a-acf0-ee28a4ac988e" name="End" type="End">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>375</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7d134648-51f8-40bb-9a02-b36dd5dc4e03" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-105</displayy>
<displaywidth>180</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a76baea5-694e-4899-9c8c-749abbf99bb5" name="Run Queue" type="SubSheetInfo">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-420</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="97652d95-a84f-41bb-a416-62c480d9af12" name="Start" type="Start">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to run" stage="Queue Name"/>
</inputs>
<onsuccess>f6bb9be0-26c0-4c28-8934-c551562010a7</onsuccess>
</stage>
<stage stageid="f89bbf32-7b7c-405d-88fb-5bcd3c6f457f" name="End" type="End">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9abb352b-1057-429b-9097-0736ea67739f" name="Create" type="SubSheetInfo">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>180</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cd025496-8a4f-4b2e-928a-6cf16618b83d" name="Start" type="Start">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ebf4e7fd-c161-459e-be0f-e5a1f0baa56e</onsuccess>
</stage>
<stage stageid="ce1eff35-ce79-4104-aefe-cd540d809230" name="End" type="End">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ebf4e7fd-c161-459e-be0f-e5a1f0baa56e" name="Create Txn Queue 1" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to be created" expr="[Queue 1
<input type="text" name="Key Field" narrative="The key column to use in the collection which makes up a
<input type="number" name="Max Attempts" narrative="The maximum number of retry attempts for the qu
</inputs>
<outputs>
<output type="flag" name="Success" narrative="Whether the create call was successful or not" stage="Success"</p>
<output type="text" name="Subprocess Output" narrative="The output from the automatec & amp;quot;creations.</p>
</outputs>
<onsuccess>d87b0632-b272-4a03-8dcd-20c0bdad6412</onsuccess>
```

```
<resource object="Queue Utils" action="Create Queue"/>
</stage>
<stage stageid="3192be1c-6a78-42d5-bd89-4c181fe09845" name="Success" type="Data">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d87b0632-b272-4a03-8dcd-20c0bdad6412" name="Create Txn Queue2" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to be created" expr="[Queue 2
```

```
<input type="text" name="Key Field" narrative="The key column to use in the collection which makes up a
<input type="number" name="Max Attempts" narrative="The maximum number of retry attempts for the qu
</inputs>
<outputs>
<output type="flag" name="Success" narrative="Whether the create call was successful or not" stage="Success"</p>
<output type="text" name="Subprocess Output" narrative="The output from the automatec & amp;quot;creations.</p>
</outputs>
<onsuccess>d37d4062-1e60-4936-8d82-30b42678920f</onsuccess>
<resource object="Queue Utils" action="Create Queue"/>
</stage>
<stage stageid="19b0b5eb-862f-416a-a871-ea6bc4c0b211" name="Queue 1 Data" type="Collection">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="id" type="number"/>
</collectioninfo>
<initialvalue>
```

<row>

```
<field name="id" type="number" value="1"/>
</row>
<row>
<field name="id" type="number" value="2"/>
</row>
<row>
<field name="id" type="number" value="3"/>
</row>
<row>
<field name="id" type="number" value="4"/>
</row>
<row>
<field name="id" type="number" value="5"/>
</row>
<row>
<field name="id" type="number" value="6"/>
</row>
<row>
<field name="id" type="number" value="7"/>
</row>
<row>
<field name="id" type="number" value="8"/>
</row>
</initialvalue>
</stage>
<stage stageid="e21ee12a-01e7-406a-86b6-8f267e2c477c" name="Queue 2 Data" type="Collection">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>120</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="id" type="number"/>
</collectioninfo>
<initialvalue>
<row>
<field name="id" type="number" value="100"/>
</row>
<row>
<field name="id" type="number" value="200"/>
</row>
<row>
<field name="id" type="number" value="300"/>
</row>
<row>
<field name="id" type="number" value="400"/>
</row>
<row>
```

```
<field name="id" type="number" value="500"/>
</row>
<row>
<field name="id" type="number" value="600"/>
</row>
<row>
<field name="id" type="number" value="700"/>
</row>
<row>
<field name="id" type="number" value="800"/>
</row>
<row>
<field name="id" type="number" value="900"/>
</row>
<row>
<field name="id" type="number" value="1000"/>
</row>
</initialvalue>
</stage>
<stage stageid="d37d4062-1e60-4936-8d82-30b42678920f" name="Populate Txn Queue 1" type="Action"</p>
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="collection" name="Data" narrative="A collection containing the data, one row for each item to
<input type="datetime" name="Defer Until" narrative="Optionally, the date/time the new item(s) should be
<input type="number" name="Priority" narrative="Optionally, the priority for the new item(s). Lower number
<input type="text" name="Tags" narrative="Optionally, a semi-colon-separated set of tags to apply to the q
<input type="text" name="Status" narrative="Optionally, the initial status required of the work queue item(s
</inputs>
<outputs>
<output type="collection" name="Item IDs" narrative="The IDs of the items which have been added to the
</outputs>
<onsuccess>c9eb5608-467b-4ed9-a0d3-832542aaa2f4</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Add To Queue"/>
</stage>
<stage stageid="fc284107-117b-4081-b3a1-f5b827b780ec" name="Populate Txn Queue 2" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="collection" name="Data" narrative="A collection containing the data, one row for each item to
```

```
<input type="datetime" name="Defer Until" narrative="Optionally, the date/time the new item(s) should be
<input type="number" name="Priority" narrative="Optionally, the priority for the new item(s). Lower number
<input type="text" name="Tags" narrative="Optionally, a semi-colon-separated set of tags to apply to the q
<input type="text" name="Status" narrative="Optionally, the initial status required of the work queue item(s
</inputs>
<outputs>
<output type="collection" name="Item IDs" narrative="The IDs of the items which have been added to the
</outputs>
<onsuccess>dc49f687-a151-4b70-badf-fb91ea9fae57</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Add To Queue"/>
</stage>
<stage stageid="2f549ef2-a239-4f3d-adfd-bf3e4eca93b0" name="Create & amp; amp; Populate" type="Sub
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2dde5ae5-b232-4743-b228-5c8fcc839a76</onsuccess>
</stage>
<stage stageid="e996f79a-b7a7-453e-bc25-aab84d35e815" name="Work the Queue" type="SubSheet">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>60</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to run" expr="[Local Actual Da
</inputs>
<onsuccess>79bc951c-d435-430c-a1eb-b5bef06695bb</onsuccess>
</stage>
<stage stageid="b3ef7ce3-fa52-46b8-982a-55bcf826d4ab" name="Get Next" type="Action">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
```

```
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite</p>
</outputs>
<onsuccess>a7db69b0-b418-4fe4-a7c2-331449d3391d
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="eb3d0a5a-27d0-4172-95ca-0bbf299c13c7" name="Queue Name" type="Data">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-420</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="27b63d73-7142-41d3-9792-5d103f521639" name="Item ID" type="Data">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-420</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a7db69b0-b418-4fe4-a7c2-331449d3391d" name="Is there anybody out there?" type="De
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] & amp; It; & amp; quot; & amp; quot; & amp; quot; "/>
<ontrue>8d68de27-e949-4edb-beb4-a9ba005876ad</ontrue>
<onfalse>b9af1c22-4971-41f9-824f-816469b7b6f3</onfalse>
</stage>
<stage stageid="6533f1f6-0799-4fd9-80bb-0d41dad88997" name="Rand = Random.Next(1,1000)" type="A
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Min Value" expr="1"/>
<input type="number" name="Max Value" expr="1000"/>
</inputs>
<outputs>
<output type="number" name="Output" stage="Rand"/>
</outputs>
<onsuccess>edacf0dc-623b-4f31-9ccd-7fc171354880</onsuccess>
<resource object="Queue Utils" action="Get Random Number"/>
</stage>
<stage stageid="449b84a8-4022-4cfd-9abd-499b19088cbc" name="Rand" type="Data">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-420</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="701a3d2d-3acc-45dc-8309-fbcdcc067acb" name="How to work item?" type="ChoiceStart
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>2e1a4da0-b083-441b-98ee-275e5c509392</groupid>
<choices>
<choice expression="[Rand] & amp;lt; 100">
<name>Defer For 1s</name>
<distance>60</distance>
<ontrue>8e23d7a4-fb4e-4c3b-bcd6-54ba3326370f/ontrue>
</choice>
<choice expression="[Rand] & amp;lt; 300">
<name>Complete</name>
<distance>165</distance>
<ontrue>cb684de3-d4e4-4452-a250-6e6f38ea66dd</ontrue>
</choice>
<choice expression="[Rand] & amp;lt; 700">
<name>Exception with retry</name>
<distance>270</distance>
<ontrue>a009dc58-261e-4506-8e4a-1f83c3fbb804</ontrue>
</choice>
</choices>
</stage>
<stage stageid="9ecd7726-188b-49be-9eb0-034930697d08" name="Exception without retry" type="Choice
```

```
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>105</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0be6e3ec-ff86-4fbb-ba62-d15c94f81e79</onsuccess>
<groupid>2e1a4da0-b083-441b-98ee-275e5c509392</groupid>
</stage>
<stage stageid="250127d3-5ee8-4f57-bea6-3ce6855c8528" name="Actual Created" type="Data">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="9c11b480-d18f-4161-a8b9-ad5be55f3cdb" name="Actual Deferred" type="Data">
<narrative>
</narrative>
<displayx>210</displayx>
```

```
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="6814938d-507f-4f49-b52e-a139e36fbb41" name="Actual Completed" type="Data">
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="4426c7c3-d20c-466e-a9be-71b56431d5b3" name="Actual Exceptioned with retry" type="
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>-90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="2603ceb8-8a57-4aff-9c20-501215e91eb1" name="Actual Exceptioned without retry" type:
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="2f6e836c-5966-4bb3-8d6e-9a14c0640606" name="Actual Locked" type="Data">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="2807e1ba-cd5a-4fc1-9d59-9e53664c1692" name="Actual Deleted" type="Data">
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="02f0b42f-f271-43a9-b0f3-88e50a1a89da" name="Queue 1 Count" type="Data">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="cd3134b5-c649-4bb3-bc51-754041e167b3" name="Queue 2 Count" type="Data">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c9eb5608-467b-4ed9-a0d3-832542aaa2f4" name="Count Queue 1 Items" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection whose rows are to be co
</inputs>
```

```
<outputs>
<output type="number" name="Count" narrative="The number of rows counted in the collection" stage="Qu
</outputs>
<onsuccess>0942b0db-9028-4de9-af72-400fa4b7c88e</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>
</stage>
<stage stageid="dc49f687-a151-4b70-badf-fb91ea9fae57" name="Count Queue 2 Items" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection whose rows are to be co
</inputs>
<outputs>
<output type="number" name="Count" narrative="The number of rows counted in the collection" stage="Qu
</outputs>
<onsuccess>1d5ecdb4-0ef4-4c7e-9f97-272937508ff4</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>
</stage>
<stage stageid="8e23d7a4-fb4e-4c3b-bcd6-54ba3326370f" name="Deferred ++" type="Calculation">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-45</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bf050b71-a064-44c2-aceb-b2bed6e0ce3d</onsuccess>
<calculation expression="[Actual Data.Deferred] + 1" stage="Actual Data.Deferred"/>
</stage>
<stage stageid="cb684de3-d4e4-4452-a250-6e6f38ea66dd" name="Completed ++" type="Calculation">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7b3a248a-a6b9-4611-8efd-d6624697b435</onsuccess>
<calculation expression="[Actual Data.Completed] + 1" stage="Actual Data.Completed"/>
</stage>
<stage stageid="33eaba69-e284-4a9d-86bf-ea1b5e43f97c" name="Exception With Retry ++" type="Calcul
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>240</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a19a060a-a9cd-4316-9fca-a51598c58534</onsuccess>
<calculation expression="[Actual Data.Exceptioned with retry] + 1" stage="Actual Data.Exceptioned with retry]</p>
</stage>
<stage stageid="9e1b77d3-6500-4c30-b14c-b4fe7944f52b" name="Exception Without Retry ++" type="Ca
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>195</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>41c1644e-066f-405e-a03e-a613c4dda212</onsuccess>
<calculation expression="1 + [Actual Data.Exceptioned without retry]" stage="Actual Data.Exceptioned with</p>
</stage>
<stage stageid="bf050b71-a064-44c2-aceb-b2bed6e0ce3d" name="Defer Item" type="Action">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Item ID" narrative="The ID of the item to defer" expr="[Item ID]"/>
<input type="datetime" name="Until" narrative="When to resume processing the case" expr="Now() + Mak
</inputs>
<onsuccess>52161736-c5a0-4653-bf81-991fb9571150</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Defer"/>
</stage>
<stage stageid="a009dc58-261e-4506-8e4a-1f83c3fbb804" name="Except - try retry" type="Action">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the item to mark" expr="[Item ID]"/>
<input type="text" name="Exception Reason" narrative="A description of the reason for the exception" exp
<input type="flag" name="Retry" narrative="Whether or not to retry the item, up to the maximum number of
<input type="flag" name="Keep Locked" narrative="Whether or not the clone of the item should remain locked"
</inputs>
<outputs>
<output type="text" name="New Item ID" narrative="The Item ID of the newly cloned item. This item will be</p>
</outputs>
<onsuccess>82e9a09b-826e-46ea-b52b-fb86302773a4</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Mark Exception"/>
```

```
</stage>
<stage stageid="b2c0a6e5-4d26-4f69-9d46-423e323713bb" name="New Item ID" type="Data">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-420</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="82e9a09b-826e-46ea-b52b-fb86302773a4" name="Did it retry?" type="Decision">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[New Item ID] & amp;It;& amp;gt; & amp;quot;& amp;quot;"/>
<ontrue>33eaba69-e284-4a9d-86bf-ea1b5e43f97c</ontrue>
<onfalse>9e1b77d3-6500-4c30-b14c-b4fe7944f52b</onfalse>
```

```
</stage>
<stage stageid="0be6e3ec-ff86-4fbb-ba62-d15c94f81e79" name="Except - no retry" type="Action">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the item to mark" expr="[Item ID]"/>
<input type="text" name="Exception Reason" narrative="A description of the reason for the exception" exp
<input type="flag" name="Retry" narrative="Whether or not to retry the item, up to the maximum number of
<input type="flag" name="Keep Locked" narrative="Whether or not the clone of the item should remain locked"
</inputs>
<outputs>
<output type="text" name="New Item ID" narrative="The Item ID of the newly cloned item. This item will be</p>
</outputs>
<onsuccess>9e1b77d3-6500-4c30-b14c-b4fe7944f52b</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Mark Exception"/>
</stage>
<stage stageid="41c1644e-066f-405e-a03e-a613c4dda212" name="anchor1" type="Anchor">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
```

```
<displayy>285</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a19a060a-a9cd-4316-9fca-a51598c58534</onsuccess>
</stage>
<stage stageid="a19a060a-a9cd-4316-9fca-a51598c58534" name="anchor1" type="Anchor">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>285</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7bde906a-aefd-42d0-b74c-19f5fc38c202</onsuccess>
</stage>
<stage stageid="7bde906a-aefd-42d0-b74c-19f5fc38c202" name="anchor1" type="Anchor">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>285</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>52161736-c5a0-4653-bf81-991fb9571150</onsuccess>
```

```
</stage>
<stage stageid="52161736-c5a0-4653-bf81-991fb9571150" name="anchor1" type="Anchor">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>285</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b728d826-8298-43b6-a126-397f49a1bcc3</onsuccess>
</stage>
<stage stageid="7b3a248a-a6b9-4611-8efd-d6624697b435" name="Complete Item" type="Action">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the item to mark" expr="[Item ID]"/>
</inputs>
<onsuccess>7bde906a-aefd-42d0-b74c-19f5fc38c202</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Mark Completed"/>
</stage>
```

```
<stage stageid="8d68de27-e949-4edb-beb4-a9ba005876ad" name="Locked ++" type="Calculation">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6533f1f6-0799-4fd9-80bb-0d41dad88997</onsuccess>
<calculation expression="[Actual Data.Locked] + 1" stage="Actual Data.Locked"/>
</stage>
<stage stageid="eeb80f61-f0e2-40d8-9f58-4bc7948dd974" name="Run All Tests" type="SubSheetInfo">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-120</displayy>
<displaywidth>210</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1f97712f-a510-4870-b755-6d4a60195003" name="Start" type="Start">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
```

```
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to get the counts for" stage="Queues"/>
<input type="datetime" name="Start Date" narrative="The start date for the report" stage="Start Date"/>
</inputs>
<onsuccess>c327762c-bcb0-4afb-a5b0-616c97ccf897</onsuccess>
</stage>
<stage stageid="73c38197-961d-445b-bb79-121ea486178a" name="End" type="End">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="951193ea-8e1f-499d-b2c3-77c19611fb72" name="Start Date" type="Data">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="608f016a-6eef-4cf5-8ca6-7e155d34042e" name="Save Start Date (UTC)" type="Calculating stage in the content of t
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-120</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2f549ef2-a239-4f3d-adfd-bf3e4eca93b0</onsuccess>
<calculation expression="Now()" stage="Start Date/Time"/>
</stage>
<stage stageid="516d6b18-5139-49d6-981e-03f5b2be6984" name="Start Date/Time" type="Data">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5e69a2ce-6c23-4d7c-a414-5b059cbdf2f2" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>-180</displayy>
<displaywidth>285</displaywidth>
<displayheight>210</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="73a7dc45-1571-4a78-9371-c2fdc7e64c12" name="Queue 1 Name" type="Data">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Txn Queue 1</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="16c96d60-00db-476b-95d5-149a2e3872bb" name="Queue 2 Name" type="Data">
<narrative>
```

```
</narrative>
<displayx>345</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Txn Queue 2</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="e4231d42-1b4c-48a2-a18f-f9adc9f01ee1" name="Constants" type="Block">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>45</displayy>
<displaywidth>285</displaywidth>
<displayheight>75</displayheight>
<font family="Tahoma" size="10" style="Regular" color="FF0000"/>
</stage>
<stage stageid="ad72c6cc-8c54-4ca8-8473-be7b73d992a4" name="Actual Data" type="Collection">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
<field name="Created" type="number"/>
<field name="Locked" type="number"/>
<field name="Deferred" type="number"/>
<field name="Completed" type="number"/>
<field name="Exceptioned with retry" type="number"/>
<field name="Exceptioned without retry" type="number"/>
<field name="Force retried" type="number"/>
<field name="Deleted" type="number"/>
</collectioninfo>
</stage>
<stage stageid="0942b0db-9028-4de9-af72-400fa4b7c88e" name="Create Queue 1 Row" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>195e5a97-71e5-409a-a117-edb3e2beed52</onsuccess>
```

```
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="1d5ecdb4-0ef4-4c7e-9f97-272937508ff4" name="Create Queue 2 Row" type="Action">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>4f54716a-2210-4426-8d47-bacf027b9b35</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="195e5a97-71e5-409a-a117-edb3e2beed52" name=" Set Name & Samp; amp; Created Cour
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fc284107-117b-4081-b3a1-f5b827b780ec</onsuccess>
```

```
<steps>
<calculation expression="[Queue 1 Name]" stage="Actual Data.Queue Name"/>
<calculation expression="[Queue 1 Count]" stage="Actual Data.Created"/>
<calculation expression="0" stage="Actual Data.Locked"/>
<calculation expression="0" stage="Actual Data.Deferred"/>
<calculation expression="0" stage="Actual Data.Completed"/>
<calculation expression="0" stage="Actual Data.Exceptioned with retry"/>
<calculation expression="0" stage="Actual Data.Exceptioned without retry"/>
<calculation expression="0" stage="Actual Data.Force retried"/>
<calculation expression="0" stage="Actual Data.Deleted"/>
</steps>
</stage>
<stage stageid="44d8b6fb-09c4-46d8-ac19-9efb73ccdee0" name="Run Single Test" type="SubSheetInfo":
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ba4a78b9-5d88-435a-8a24-e9f1a05fb558" name="End" type="End">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
```

```
<displayy>420</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bb8a8db0-07d6-4440-9167-d6142a1663d9" name="Start" type="Start">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to get the counts for" stage="Input Queue
<input type="datetime" name="Start Date" narrative="The start date for the report" stage="Start Date"/>
</inputs>
<onsuccess>43236afe-b3e9-438c-be25-381fa8956073</onsuccess>
</stage>
<stage stageid="46ea8c0c-976d-4129-b421-d6d41d970004" name="Expected Created" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-285</displayx>
<displayy>165</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="95ed1de3-dc1a-498b-8504-ba1236b1942d" name="Expected Locked" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-285</displayx>
<displayy>210</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="a6423708-f491-4624-b5e3-0de5131954a3" name="Expected Deferred" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-285</displayx>
<displayy>255</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="ecf74cb4-e4eb-4658-bb6a-207b9af98f3d" name="Expected Completed" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>120</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="48b1ead2-758a-4ffe-a2b2-f4b9c8ec632e" name="Expected Exceptioned with retry" type=
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
```

<displayx>-165</displayx>

```
<displayy>165</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="7549b87f-6cc5-469c-a99d-6889dc36b954" name="Expected Exceptioned without retry" ty
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>210</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="91e7920a-5a64-4699-8568-036d443e4abf" name="Get Transactional Data" type="Action
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
```

```
<displayx>30</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="datetime" name="Start Date/Time" narrative="The UTC date/time from which activity counts so input type="datetime" name="End Date/Time" narrative="The UTC date/time up to and including which activity type="flag" name="Count item creations" narrative="True to count the work queue items being created input type="flag" name="Count item locks" narrative="True to count the work queue items being locked input type="flag" name="Count item deferrals" narrative="True to count the work queue items being deferrance items items items items being deferrance items i
```

<input type="flag" name="Count item creations" narrative="True to count the work queue items being created input type="flag" name="Count item locks" narrative="True to count the work queue items being locked - county type="flag" name="County item deferrals" narrative="True to county the work queue items being defer county type="flag" name="County item completions" narrative="True to county the work queue items being county type="flag" name="County item exceptions with automatic retry" narrative="True to county the work queue items deleted county type="flag" name="County item exceptions without automatic retry" narrative="True to county the work queue items being deleted county type="flag" name="County item deletions" narrative="True to county the work queue items which we county type="flag" name="County item forced retries" narrative="True to county the work queue items which we county type="collection" name="Excluded Queue Names" narrative="The names of the queues to retrieve to the county items."</p>

<outputs>

</inputs>

<output type="number" name="Created" narrative="The number of item creations counted, zero if they were not coutput type="number" name="Locked" narrative="The number of item locks counted, zero if they were not coutput type="number" name="Deferred" narrative="The number of defferals counted, zero if they were not coutput type="number" name="Completed" narrative="The number of item completions counted, zero if the coutput type="number" name="Exceptions with retry" narrative="The number of item exceptions with auton coutput type="number" name="Exceptions with no retry" narrative="The number of item exceptions without coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we coutput type="number" name="Deletions" name="Deletions" name="Deletions" name="Deletions" name="Deletions" name="Deletions" name="Deletions" name="Deletions" name="Deletion

<output type="number" name="Force Retries" narrative="The number of item forced retries counted, zero i</p>

```
<output type="number" name="Total Count" narrative="The total number queue item operations counted" s</p>
<output type="collection" name="Included Queues" narrative="The queues that were included in the report
</outputs>
<onsuccess>6291c9da-172a-410b-bb84-f2ac2413c294</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Transaction Data"/>
</stage>
<stage stageid="ee171d72-f8a6-45a8-bb37-7f0faaf837f5" name="Created" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-300</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ec7abbd2-7d30-4da6-9e1d-b20fe0a45969" name="Locked" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-300</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="990c9199-6f4a-451c-81d3-3bf5545c4d4b" name="Deferred" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-300</displayx>
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a0963f72-9095-4e78-8d14-6cdfc7e36b6b" name="Completed" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>390</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="363bf4c6-f24c-4164-ab65-adb2b99555ac" name="Exceptions with retry" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="195d06ae-b7f6-4fed-b5fe-e9fa1a5c2e6c" name="Exceptions with no retry" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
```

```
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="feb59ec2-2212-4056-b53c-7fcdfc447ac9" name="Deletions" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>435</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="09423c57-05d7-4f59-9d5d-94972cbf45a2" name="Force Retries" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-150</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="12e405e6-5021-41e6-9722-92a5090cab6d" name="Total Count" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="023b4077-62b4-4c99-87bb-510dc786da64" name="Expected Total" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-165</displayx>
<displayy>255</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="466d69b9-633a-4518-aafc-fb0f80f3f080" name="Start Date" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="bdd2bc9e-9df5-48ee-90b3-07f19a432b47" name="Return values from Get Transaction D
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>300</displayy>
<displaywidth>240</displaywidth>
<displayheight>210</displayheight>
<font family="Tahoma" size="10" style="Regular" color="33CCCC"/>
</stage>
<stage stageid="43236afe-b3e9-438c-be25-381fa8956073" name="For Each Input Queue" type="LoopSta
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>895ad40c-702d-4ad7-8981-f99897db497d</onsuccess>
<groupid>aec8b82f-3d43-4fa5-ba8a-d3021fadf946</groupid>
<looptype>ForEach</looptype>
<loopdata>Input Queues</loopdata>
</stage>
<stage stageid="47fcba6d-6825-4256-ae6a-f291af6d24be" name="Next Input Queue" type="LoopEnd">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
```

```
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>06ed110f-f34f-41b1-a293-0cf90027bdc4</onsuccess>
<groupid>aec8b82f-3d43-4fa5-ba8a-d3021fadf946</groupid>
</stage>
<stage stageid="895ad40c-702d-4ad7-8981-f99897db497d" name="Expected Values += Actual Values" ty
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-90</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>47fcba6d-6825-4256-ae6a-f291af6d24be</onsuccess>
<steps>
<calculation expression="[Expected Created] + [Input Queues.Created]" stage="Expected Created"/>
<calculation expression="[Expected Locked] + [Input Queues.Locked]" stage="Expected Locked"/>
<calculation expression="[Expected Deferred] + [Input Queues.Deferred]" stage="Expected Deferred"/>
<calculation expression="[Expected Completed] + [Input Queues.Completed]" stage="Expected Completed"</p>
<calculation expression="[Expected Exceptioned with retry] + [Input Queues.Exceptioned with retry]" stage</p>
<calculation expression="[Expected Exceptioned without retry] + [Input Queues.Exceptioned without retry]</p>
<calculation expression="[Expected Total] + [Input Queues.Locked] + [Input Queues.Force retried] + [Input Queues.Force re
<calculation expression="[Queue Names Text] & amp; amp; [Input Queues.Queue Name] & amp; amp; & amp</p>
</steps>
```

```
</stage>
<stage stageid="6291c9da-172a-410b-bb84-f2ac2413c294" name="Is Created Correct?" type="Decision">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Created] = [Created]"/>
<ontrue>6a1a9746-b9df-41b4-8948-d154545c21a8</ontrue>
<onfalse>b3fbbd77-e8fd-4de0-850d-b73bb7fcce75</onfalse>
</stage>
<stage stageid="6a1a9746-b9df-41b4-8948-d154545c21a8" name="Is Locked Correct?" type="Decision">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Locked] = [Locked]"/>
<ontrue>81ccfe9e-d17e-4823-bc09-cb6d97731183</ontrue>
<onfalse>8a6053fe-a96e-42af-8dcc-f15eca2a366a</onfalse>
</stage>
```

```
<stage stageid="81ccfe9e-d17e-4823-bc09-cb6d97731183" name="Is Deferred Correct?" type="Decision";</p>
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Deferred] = [Deferred]"/>
<ontrue>e45a16c1-e2a1-470d-8995-1e31243c1f22</ontrue>
<onfalse>580fedbd-d1e9-4706-ba4d-084c82c4ef4c</onfalse>
</stage>
<stage stageid="e45a16c1-e2a1-470d-8995-1e31243c1f22" name="Is Completed Correct?" type="Decisio"
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>225</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Completed] = [Completed]"/>
<ontrue>c7f7054e-00a9-4d41-bb29-92a94f50ff8d</ontrue>
<onfalse>1836b003-1e3b-4c68-afdf-b773d62883bb</onfalse>
</stage>
<stage stageid="c7f7054e-00a9-4d41-bb29-92a94f50ff8d" name="Is Retried Exceptions Correct?" type="E
```

```
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>270</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Exceptioned with retry] = [Exceptions with retry]"/>
<ontrue>98c5ba4f-5cc3-408c-a743-f9c300c7e6cb</ontrue>
<onfalse>da9b09f5-9a6f-4387-b670-c374ceefdf80</onfalse>
</stage>
<stage stageid="98c5ba4f-5cc3-408c-a743-f9c300c7e6cb" name="Is Final Exceptions Correct?" type="De
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>315</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Exceptioned without retry] = [Exceptions with no retry]"/>
<ontrue>feecfec8-3f5b-4427-9800-cca6ff3e7807</ontrue>
<onfalse>8d4b3574-d378-4087-827d-47756c82e74f</onfalse>
</stage>
<stage stageid="b3fbbd77-e8fd-4de0-850d-b73bb7fcce75" name="Bad Created Count" type="Exception">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
```

```
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Created count differs for queues: &amp</p>
</stage>
<stage stageid="45850130-048f-41ee-9a45-85159682828a" name="Queue Names Text" type="Data">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-285</displayx>
<displayy>120</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="8a6053fe-a96e-42af-8dcc-f15eca2a366a" name="Bad Locked Count" type="Exception">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
```

```
<displayx>210</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Locked count differs for queues : &amp;</p>
</stage>
<stage stageid="580fedbd-d1e9-4706-ba4d-084c82c4ef4c" name="Bad Deferred Count" type="Exception"
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Deferred count differs for queues : &am</p>
</stage>
<stage stageid="1836b003-1e3b-4c68-afdf-b773d62883bb" name="Bad Completed Count" type="Exception of the count of the count
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>225</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<exception type="Incorrect Transaction Count" detail="&amp;quot;Completed count differs for queues : &a</p>
</stage>
<stage stageid="da9b09f5-9a6f-4387-b670-c374ceefdf80" name="Bad Retried Exception Count" type="Ex
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>270</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Retried Exception count differs for queu
</stage>
<stage stageid="8d4b3574-d378-4087-827d-47756c82e74f" name="Bad Final Exception Count" type="Exc
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>315</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Final Exception count differs for queues
</stage>
<stage stageid="feecfec8-3f5b-4427-9800-cca6ff3e7807" name="Is Total Correct?" type="Decision">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
```

```
</narrative>
<displayx>30</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Total] = [Total Count]"/>
<ontrue>bc55c446-863e-4bf1-9eb6-d6acca877ec6</ontrue>
<onfalse>7cd16536-5052-4284-bb5d-194b4438b08b</onfalse>
</stage>
<stage stageid="7cd16536-5052-4284-bb5d-194b4438b08b" name="Bad Total Count" type="Exception">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Total count differs for queues: &amp;qu
</stage>
<stage stageid="9454ccce-1cab-4808-8dfb-08cd98009b47" name="Input Variables" type="Block">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-360</displayx>
<displayy>-75</displayy>
```

```
<displaywidth>270</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="99CCFF"/>
</stage>
<stage stageid="5d74257f-b84b-43ac-8658-3db29c76a4a0" name="Local Variables" type="Block">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-360</displayx>
<displayy>30</displayy>
<displaywidth>270</displaywidth>
<displayheight>255</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f4426f6a-0ba1-467a-91e2-4ed000a37da5" name="Queues" type="Collection">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
```

```
<field name="Queue Name" type="text"/>
<field name="Created" type="number"/>
<field name="Locked" type="number"/>
<field name="Deferred" type="number"/>
<field name="Completed" type="number"/>
<field name="Exceptioned with retry" type="number"/>
<field name="Exceptioned without retry" type="number"/>
<field name="Force retried" type="number"/>
<field name="Deleted" type="number"/>
</collectioninfo>
</stage>
<stage stageid="bb419ce5-0b73-4822-a158-80d4a3c17ec2" name="Input Queues" type="Collection">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
<field name="Created" type="number"/>
<field name="Locked" type="number"/>
```

```
<field name="Deferred" type="number"/>
<field name="Completed" type="number"/>
<field name="Exceptioned with retry" type="number"/>
<field name="Exceptioned without retry" type="number"/>
<field name="Force retried" type="number"/>
<field name="Deleted" type="number"/>
</collectioninfo>
</stage>
<stage stageid="6fe05889-507c-4f61-ad13-40c53ea70034" name="Note1" type="Note">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>First run each queue independently, deleting the generated input queue row each time through
<displayx>270</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>360</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c327762c-bcb0-4afb-a5b0-616c97ccf897" name="For Each Queue" type="LoopStart">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-90</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>9e9d8efd-dec0-4b99-a56e-912889eba944</onsuccess>
```

```
<groupid>d35731a9-04c0-48e9-96a1-a6e91c2ad706</groupid>
<looptype>ForEach</looptype>
<loopdata>Queues</loopdata>
</stage>
<stage stageid="b484629d-c264-4105-84c8-72631fba5eed" name="Next Queue" type="LoopEnd">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>225</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>73dfe484-25e9-4c83-91b3-3d17f8ede777</onsuccess>
<groupid>d35731a9-04c0-48e9-96a1-a6e91c2ad706</groupid>
</stage>
<stage stageid="9e9d8efd-dec0-4b99-a56e-912889eba944" name="Create an Input Queue Row" type="A
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
```

```
</inputs>
<onsuccess>b1216795-52a3-465d-9c07-d18e2652f0e3</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="b1216795-52a3-465d-9c07-d18e2652f0e3" name="Input Queue := Queue" type="Multiple
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>0</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e318bd8e-052b-44d5-85fc-07df805e451e</onsuccess>
<steps>
<calculation expression="[Queues.Completed]" stage="Input Queues.Completed"/>
<calculation expression="[Queues.Created]" stage="Input Queues.Created"/>
<calculation expression="[Queues.Deferred]" stage="Input Queues.Deferred"/>
<calculation expression="[Queues.Deleted]" stage="Input Queues.Deleted"/>
<calculation expression="[Queues.Exceptioned with retry]" stage="Input Queues.Exceptioned with retry"/>
<calculation expression="[Queues.Exceptioned without retry]" stage="Input Queues.Exceptioned without retry]</p>
<calculation expression="[Queues.Force retried]" stage="Input Queues.Force retried"/>
<calculation expression="[Queues.Locked]" stage="Input Queues.Locked"/>
<calculation expression="[Queues.Queue Name]" stage="Input Queues.Queue Name"/>
</steps>
</stage>
<stage stageid="e318bd8e-052b-44d5-85fc-07df805e451e" name="Run Test on Single Queue" type="Sub
```

```
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to get the counts for" expr="[Input Queues
<input type="datetime" name="Start Date" narrative="The start date for the report" expr="[Start Date]"/>
</inputs>
<onsuccess>1befd1d0-5c08-496d-afec-44cf895dcdba</onsuccess>
</stage>
<stage stageid="1befd1d0-5c08-496d-afec-44cf895dcdba" name="For Each Input Queue" type="LoopStar
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="339966"/>
<onsuccess>6564b2b7-b482-49bb-9032-55215da52fd6</onsuccess>
<groupid>a68f62c0-63d2-4675-9440-b7620769071d</groupid>
<looptype>ForEach</looptype>
```

```
<loopdata>Input Queues</loopdata>
</stage>
<stage stageid="c504717a-08e1-4631-8ba3-f7ac62326664" name="Next Input Queue" type="LoopEnd">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="339966"/>
<onsuccess>b484629d-c264-4105-84c8-72631fba5eed</onsuccess>
<groupid>a68f62c0-63d2-4675-9440-b7620769071d</groupid>
</stage>
<stage stageid="6564b2b7-b482-49bb-9032-55215da52fd6" name="Delete Input Queue Row" type="Action
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>c504717a-08e1-4631-8ba3-f7ac62326664</onsuccess>
```

```
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove Row"/>
</stage>
<stage stageid="8a60a31e-c24e-4411-88dc-fa035617aa92" name="Note2" type="Note">
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>Then run on all at once
</narrative>
<displayx>270</displayx>
<displayy>285</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="73dfe484-25e9-4c83-91b3-3d17f8ede777" name="Run Test on All Queues" type="SubSh
<subsheetid>015f9fb9-3ab5-455d-905a-407b31823f07</subsheetid>
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>285</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to get the counts for" expr="[Queues]"/>
<input type="datetime" name="Start Date" narrative="The start date for the report" expr="[Start Date]"/>
</inputs>
<onsuccess>73c38197-961d-445b-bb79-121ea486178a</onsuccess>
```

```
</stage>
<stage stageid="88f304fd-3323-4b90-9031-4961d3b644e5" name="Run Tests" type="SubSheet">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>150</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to get the counts for" expr="[Actual Data]"
<input type="datetime" name="Start Date" narrative="The start date for the report" expr="[Start Date/Time]
</inputs>
<onsuccess>6765b5e3-c67c-45d0-980a-41b59d6d8956</onsuccess>
cessid>015f9fb9-3ab5-455d-905a-407b31823f07/processid>
</stage>
<stage stageid="f6bb9be0-26c0-4c28-8934-c551562010a7" name="For Each Actual Datum" type="LoopS
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1995ce36-adec-4548-bba7-f1b20e2619aa</onsuccess>
<groupid>ce517692-3807-4ebf-9601-4ae90b8c1330</groupid>
```

```
<looptype>ForEach</looptype>
<loopdata>Actual Data</loopdata>
</stage>
<stage stageid="9718f7d7-f660-4629-819c-bb5492522cbb" name="Next Actual Datum" type="LoopEnd">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f89bbf32-7b7c-405d-88fb-5bcd3c6f457f</onsuccess>
<groupid>ce517692-3807-4ebf-9601-4ae90b8c1330</groupid>
</stage>
<stage stageid="1995ce36-adec-4548-bba7-f1b20e2619aa" name="Is this it?" type="Decision">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>-90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Actual Data.Queue Name] = [Queue Name]"/>
<ontrue>cb29592d-3214-47e2-827b-e2c4ac96b64a</ontrue>
<onfalse>9718f7d7-f660-4629-819c-bb5492522cbb</onfalse>
```

```
</stage>
<stage stageid="cb29592d-3214-47e2-827b-e2c4ac96b64a" name="Note3" type="Note">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>Leave as current row</narrative>
<displayx>-210</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b3ef7ce3-fa52-46b8-982a-55bcf826d4ab</onsuccess>
</stage>
<stage stageid="edacf0dc-623b-4f31-9ccd-7fc171354880" name="anchor1" type="Anchor">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>75</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>02c72e01-f607-4cbe-b0d8-2c0414eea539
</stage>
<stage stageid="02c72e01-f607-4cbe-b0d8-2c0414eea539" name="anchor1" type="Anchor">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-105</displayx>
```

```
<displayy>75</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>701a3d2d-3acc-45dc-8309-fbcdcc067acb</onsuccess>
</stage>
<stage stageid="b9af1c22-4971-41f9-824f-816469b7b6f3" name="Note3" type="Note">
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>Clear up the loop</narrative>
<displayx>-105</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9718f7d7-f660-4629-819c-bb5492522cbb</onsuccess>
</stage>
<stage stageid="5ac66a66-ca36-40e1-a79e-b4973bb59756" name="For Each Local Datum" type="LoopSi
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>44c33f09-d1e2-474f-88c1-4a17240fa7f3
<groupid>4af51373-a445-4f40-9fc5-aa40580d7d20</groupid>
<looptype>ForEach</looptype>
```

```
<loopdata>Local Actual Data
</stage>
<stage stageid="46fcbe49-8ecd-4b05-aa44-946b61a3d157" name="Next Local Datum" type="LoopEnd">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>330</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>6776ddbe-4f06-474a-acf0-ee28a4ac988e</onsuccess>
<groupid>4af51373-a445-4f40-9fc5-aa40580d7d20</groupid>
</stage>
<stage stageid="9f958c5e-5a70-4580-90f6-dfb424e04a79" name="For Each Local Datum" type="LoopSta
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>e996f79a-b7a7-453e-bc25-aab84d35e815</onsuccess>
<groupid>76954a24-431f-45f9-b559-397a1c319636</groupid>
<looptype>ForEach</looptype>
<loopdata>Local Actual Data
</stage>
<stage stageid="79bc951c-d435-430c-a1eb-b5bef06695bb" name="Next Local Datum" type="LoopEnd">
```

```
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>88f304fd-3323-4b90-9031-4961d3b644e5</onsuccess>
<groupid>76954a24-431f-45f9-b559-397a1c319636</groupid>
</stage>
<stage stageid="55d7ae70-24e0-45ab-b5c0-d28523aa8c6b" name="Subprocess Output" type="Data">
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4f54716a-2210-4426-8d47-bacf027b9b35" name=" Set Name & Samp; amp; Created Count
<subsheetid>91ac33f1-f48c-49ae-8b0c-bd5a5811360f</subsheetid>
<narrative>
```

```
</narrative>
<displayx>330</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ce1eff35-ce79-4104-aefe-cd540d809230</onsuccess>
<steps>
<calculation expression="[Queue 2 Name]" stage="Actual Data.Queue Name"/>
<calculation expression="[Queue 2 Count]" stage="Actual Data.Created"/>
<calculation expression="0" stage="Actual Data.Locked"/>
<calculation expression="0" stage="Actual Data.Deferred"/>
<calculation expression="0" stage="Actual Data.Completed"/>
<calculation expression="0" stage="Actual Data.Exceptioned with retry"/>
<calculation expression="0" stage="Actual Data.Exceptioned without retry"/>
<calculation expression="0" stage="Actual Data.Force retried"/>
<calculation expression="0" stage="Actual Data.Deleted"/>
</steps>
</stage>
<stage stageid="22aa103b-46df-49a4-99c4-a9d48a591e5a" name="Local Actual Data" type="Collection">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
<field name="Created" type="number"/>
<field name="Locked" type="number"/>
<field name="Deferred" type="number"/>
<field name="Completed" type="number"/>
<field name="Exceptioned with retry" type="number"/>
<field name="Exceptioned without retry" type="number"/>
<field name="Force retried" type="number"/>
<field name="Deleted" type="number"/>
</collectioninfo>
</stage>
<stage stageid="2dde5ae5-b232-4743-b228-5c8fcc839a76" name="Local Actual := Actual" type="Calculat
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-30</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9f958c5e-5a70-4580-90f6-dfb424e04a79</onsuccess>
<calculation expression="[Actual Data]" stage="Local Actual Data"/>
</stage>
<stage stageid="6765b5e3-c67c-45d0-980a-41b59d6d8956" name="Local Actual := Actual" type="Calcula
```

```
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>195</displayy>
<displaywidth>180</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5ac66a66-ca36-40e1-a79e-b4973bb59756</onsuccess>
<calculation expression="[Actual Data]" stage="Local Actual Data"/>
</stage>
<stage stageid="3679cb53-2f19-4a03-9013-c0c143e395cf" name="Input Queues" type="Collection">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-285</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
<field name="Created" type="number"/>
<field name="Locked" type="number"/>
<field name="Deferred" type="number"/>
```

```
<field name="Completed" type="number"/>
<field name="Exceptioned with retry" type="number"/>
<field name="Exceptioned without retry" type="number"/>
<field name="Force retried" type="number"/>
<field name="Deleted" type="number"/>
</collectioninfo>
</stage>
<stage stageid="37817cd3-49a5-41d7-9243-b5c101dbf066" name="Get Transactional Data" type="Action"
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="datetime" name="Start Date/Time" narrative="The UTC date/time from which activity counts s
<input type="datetime" name="End Date/Time" narrative="The UTC date/time up to and including which ad
<input type="flag" name="Count item creations" narrative="True to count the work queue items being creat
<input type="flag" name="Count item locks" narrative="True to count the work queue items being locked -</p>
<input type="flag" name="Count item deferrals" narrative="True to count the work queue items being defer
<input type="flag" name="Count item completions" narrative="True to count the work queue items being co
<input type="flag" name="Count item exceptions with automatic retry" narrative="True to count the work qu
<input type="flag" name="Count item exceptions without automatic retry" narrative="True to count the work
<input type="flag" name="Count item deletions" narrative="True to count the work queue items being delet
```

<input type="flag" name="Count item forced retries" narrative="True to count the work queue items which variations are not as a second retries of the count item forced retries of the count the work queue items which variations are not as a second retries of the count items which variations are not as a second retries of the count items are not a second retries of the count items are not a second re

```
<input type="collection" name="Excluded Queue Names" narrative="The names of the queues to retrieve to
</inputs>
<outputs>
<output type="number" name="Created" narrative="The number of item creations counted, zero if they were</p>
<output type="number" name="Locked" narrative="The number of item locks counted, zero if they were no</p>
<output type="number" name="Deferred" narrative="The number of defferals counted, zero if they were no</p>
<output type="number" name="Completed" narrative="The number of item completions counted, zero if the
<output type="number" name="Exceptions with retry" narrative="The number of item exceptions with autor</p>
<output type="number" name="Exceptions with no retry" narrative="The number of item exceptions withou</p>
<output type="number" name="Deletions" narrative="The number of item deletions counted, zero if they we</p>
<output type="number" name="Force Retries" narrative="The number of item forced retries counted, zero i</p>
<output type="number" name="Total Count" narrative="The total number queue item operations counted" s</p>
<output type="collection" name="Included Queues" narrative="The queues that were included in the report</p>
</outputs>
<onsuccess>81f84aad-df18-4179-b388-49470ee0d832</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Transaction Data"/>
</stage>
<stage stageid="81f84aad-df18-4179-b388-49470ee0d832" name="Is Created Correct?" type="Decision">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Created]"/>
```

```
<ontrue>318c7a05-59d7-42ea-b073-1dd65d52c95d</ontrue>
<onfalse>d258fca7-c2af-4e7f-ac93-5b24ff88d610</onfalse>
</stage>
<stage stageid="318c7a05-59d7-42ea-b073-1dd65d52c95d" name="Is Locked Correct?" type="Decision">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Locked]"/>
<ontrue>d02d2d94-a9b7-4ab6-820f-689c7e6c510e</ontrue>
<onfalse>6bc15cc5-8872-4dba-b62b-7f7073aa5f4c</onfalse>
</stage>
<stage stageid="d02d2d94-a9b7-4ab6-820f-689c7e6c510e" name="Is Deferred Correct?" type="Decision"
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Deferred]"/>
<ontrue>5122c0d1-0e5d-4c86-8b87-3f9b0316c100</ontrue>
```

```
<onfalse>4a5d7005-524f-4117-afe4-8fda384741e9</onfalse>
</stage>
<stage stageid="5122c0d1-0e5d-4c86-8b87-3f9b0316c100" name="Is Completed Correct?" type="Decisio
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>225</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Completed]"/>
<ontrue>85e9e76b-c1f5-48ed-b55e-857a3f8385d1</ontrue>
<onfalse>2c2e3361-8244-44fb-85ae-291c5e0177c1</onfalse>
</stage>
<stage stageid="85e9e76b-c1f5-48ed-b55e-857a3f8385d1" name="Is Retried Exceptions Correct?" type="</p>
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>270</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Exceptions with retry]"/>
<ontrue>52a97585-fd96-4487-9137-e22ae5c55e44</ontrue>
<onfalse>abd86f47-0e46-40c9-84f3-5aeae5e940da</onfalse>
```

```
</stage>
<stage stageid="52a97585-fd96-4487-9137-e22ae5c55e44" name="Is Final Exceptions Correct?" type="D
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>315</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Exceptions with no retry]"/>
<ontrue>9c7da324-e3da-42b6-adf9-35e2397be273</ontrue>
<onfalse>e26ba107-22fc-493f-9908-5153da83ce8d</onfalse>
</stage>
<stage stageid="d258fca7-c2af-4e7f-ac93-5b24ff88d610" name="Bad Created Count" type="Exception">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero created transactions for content type="Incorrect Transaction Count" detail="&amp;quot;Expected zero created transactions for content type="Incorrect Transaction Count" detail="&amp;quot;Expected zero created transactions for count" detail="&amp;quot;Expected zero created zero c
</stage>
<stage stageid="6bc15cc5-8872-4dba-b62b-7f7073aa5f4c" name="Bad Locked Count" type="Exception">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
```

```
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero locked transactions for c
</stage>
<stage stageid="4a5d7005-524f-4117-afe4-8fda384741e9" name="Bad Deferred Count" type="Exception"
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero deferred transactions count detail="&amp;quot;Expected zero deferred transactions count detail="&amp;quot;Expected zero deferred transactions count detail="&amp;quot;Expected zero deferred z
</stage>
<stage stageid="2c2e3361-8244-44fb-85ae-291c5e0177c1" name="Bad Completed Count" type="Exception of the count" in the count of the coun
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>225</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero completed transactions of
</stage>
<stage stageid="abd86f47-0e46-40c9-84f3-5aeae5e940da" name="Bad Retried Exception Count" type="E
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>270</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero retried exception count" detail="&amp;quot;Expected zero retried zero retried exception count" detail="&amp;quot;Expected zero retried zero retried exception count" detail="&amp;quot;Expected zero retried zero retried exception count;Expected zero retried zero retried exception count;Expected zer
</stage>
<stage stageid="e26ba107-22fc-493f-9908-5153da83ce8d" name="Bad Final Exception Count" type="Exc
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>315</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero final exception transaction
</stage>
```

<stage stageid="9c7da324-e3da-42b6-adf9-35e2397be273" name="Is Total Correct?" type="Decision">

```
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="0 = [Total Count]"/>
<ontrue>ba4a78b9-5d88-435a-8a24-e9f1a05fb558</ontrue>
<onfalse>11a34f70-22ec-4039-8c15-82e4bd80f3f2</onfalse>
</stage>
<stage stageid="11a34f70-22ec-4039-8c15-82e4bd80f3f2" name="Bad Total Count" type="Exception">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>570</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Incorrect Transaction Count" detail="&amp;quot;Expected zero total transactions count f
</stage>
<stage stageid="bc55c446-863e-4bf1-9eb6-d6acca877ec6" name="anchor2" type="Anchor">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
```

```
<displayx>30</displayx>
<displayy>405</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d13fcb24-60fc-44cc-bd27-cec714ee0c2e</onsuccess>
</stage>
<stage stageid="d13fcb24-60fc-44cc-bd27-cec714ee0c2e" name="anchor3" type="Anchor">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>405</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9ea3a547-7c65-4d4e-b0ec-ab872a222222</onsuccess>
</stage>
<stage stageid="9ea3a547-7c65-4d4e-b0ec-ab872a222222" name="anchor4" type="Anchor">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>45</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>37817cd3-49a5-41d7-9243-b5c101dbf066</onsuccess>
</stage>
<stage stageid="6d257511-fdda-40a2-9659-5868df1330c4" name="Note5" type="Note">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>Test that *not* including counts correctly returns zero. Have some as blank, and some as "Fals
<displayx>390</displayx>
<displayy>0</displayy>
<displaywidth>270</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="008000"/>
</stage>
<stage stageid="871765f0-a449-425a-827b-e2a7428e811c" name="Get All Queues Except" type="SubSh
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="484331b6-c767-49b6-a007-fd7fcebe5e15" name="Start" type="Start">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to exclude from the list of queues in the sy
</inputs>
<onsuccess>85b48b0f-12d6-4f06-995f-b0a8c29de55b</onsuccess>
</stage>
<stage stageid="69c9ca50-0d67-49dd-a35d-f4c3f812f48c" name="End" type="End">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Queue Names" narrative="The names of all the queues in the system exc
</outputs>
</stage>
<stage stageid="85b48b0f-12d6-4f06-995f-b0a8c29de55b" name="Get All Queue Names" type="Action">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="collection" name="Queue Names" narrative="The names of the queues found within the cur
</outputs>
<onsuccess>b9182ad1-8936-4c12-9c98-7a49b6d19f34</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Queue Names"/>
</stage>
<stage stageid="06ed110f-f34f-41b1-a293-0cf90027bdc4" name="Get All Queues Except" type="SubShee
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Queues" narrative="The queues to exclude from the list of queues in the sy
</inputs>
<outputs>
<output type="collection" name="Queue Names" narrative="The names of all the queues in the system exc
</outputs>
<onsuccess>91e7920a-5a64-4699-8568-036d443e4abf
</stage>
```

```
<stage stageid="3701ab66-fade-4998-a2d1-ca610da65b4e" name="Queues To Exclude" type="Collection
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
<field name="Created" type="number"/>
<field name="Locked" type="number"/>
<field name="Deferred" type="number"/>
<field name="Completed" type="number"/>
<field name="Exceptioned with retry" type="number"/>
<field name="Exceptioned without retry" type="number"/>
<field name="Force retried" type="number"/>
<field name="Deleted" type="number"/>
</collectioninfo>
</stage>
<stage stageid="ff4ad64a-cfcd-47cc-ae78-f27aa1bffa6c" name="Queue Names" type="Collection">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
</collectioninfo>
</stage>
<stage stageid="b9182ad1-8936-4c12-9c98-7a49b6d19f34" name="Note6" type="Note">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>Remove any queues which were specified in the inputs
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b31f3b1c-909b-40e0-a819-bde515bcb625</onsuccess>
</stage>
<stage stageid="9b0eeb55-ef41-48b0-a265-555c8650b2db" name="Excluded Queues" type="Collection">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-225</displayx>
<displayy>75</displayy>
<displaywidth>240</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
</collectioninfo>
</stage>
<stage stageid="172da3d6-5a5e-42f7-9da9-9506f93bbc4f" name="Included Queues" type="Collection">
<subsheetid>31c441e5-a950-4cbc-8527-3d935e019f7c</subsheetid>
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>345</displayy>
<displaywidth>210</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Queue Name" type="text"/>
</collectioninfo>
```

```
</stage>
<stage stageid="b31f3b1c-909b-40e0-a819-bde515bcb625" name="For Each Queue Name" type="LoopS
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a332631d-b9b2-4c26-be17-f3f93fac193c</onsuccess>
<groupid>80e1a1b5-abad-4183-af2f-c4a807e06237</groupid>
<looptype>ForEach</looptype>
<loopdata>Queue Names</loopdata>
</stage>
<stage stageid="fdabd568-96ea-44a5-b67c-9325d09f14a3" name="Next Queue Name" type="LoopEnd">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>69c9ca50-0d67-49dd-a35d-f4c3f812f48c</onsuccess>
<groupid>80e1a1b5-abad-4183-af2f-c4a807e06237/groupid>
</stage>
```

```
<stage stageid="a332631d-b9b2-4c26-be17-f3f93fac193c" name="For Each Queue to Exclude" type="Loc
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>402aaf42-5eda-4fc0-8f98-f40b8edf0345</onsuccess>
<groupid>70d3d91f-223e-4c48-9772-975e7d9ff92a</groupid>
<looptype>ForEach</looptype>
<loopdata>Queues To Exclude</loopdata>
</stage>
<stage stageid="66f2ca16-0d3f-4f30-abed-ac638c3d4e91" name="Next Queue to Exclude" type="LoopEndig Stage Sta
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fdabd568-96ea-44a5-b67c-9325d09f14a3</onsuccess>
<groupid>70d3d91f-223e-4c48-9772-975e7d9ff92a</groupid>
</stage>
<stage stageid="402aaf42-5eda-4fc0-8f98-f40b8edf0345" name="One to exclude?" type="Decision">
```

```
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Queue Names.Queue Name] = [Queues To Exclude.Queue Name]"/>
<ontrue>f750e284-6337-4d4f-9557-aba0d6bb0fc0</ontrue>
<onfalse>66f2ca16-0d3f-4f30-abed-ac638c3d4e91</onfalse>
</stage>
<stage stageid="f750e284-6337-4d4f-9557-aba0d6bb0fc0" name="Exclude it, then" type="Action">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>f2c8f39d-76e3-466f-9c87-f788ebdd530f</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove Row"/>
```

```
</stage>
<stage stageid="f2c8f39d-76e3-466f-9c87-f788ebdd530f" name="anchor5" type="Anchor">
<subsheetid>9184789c-0988-46ee-b634-bf1e24384345</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>180</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fdabd568-96ea-44a5-b67c-9325d09f14a3</onsuccess>
</stage>
<stage stageid="44c33f09-d1e2-474f-88c1-4a17240fa7f3" name="No Loose Ends" type="Action">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to delete" expr="[Local Actual
</inputs>
<onsuccess>46fcbe49-8ecd-4b05-aa44-946b61a3d157</onsuccess>
<resource object="Queue Utils" action="Destroy Queue"/>
</stage>
<stage stageid="b728d826-8298-43b6-a126-397f49a1bcc3" name="Wait 2s" type="Action">
```

```
<subsheetid>4717a5b2-180e-4611-b145-a711e3f525d6</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Seconds" narrative="The number of seconds to wait (can be fractional)" exp
</inputs>
<onsuccess>b3ef7ce3-fa52-46b8-982a-55bcf826d4ab/onsuccess>
<resource object="Queue Utils" action="Wait n seconds"/>
</stage>
o="Test Recovery Limits" version="1.0" bpversion="6.5.0.9709" narrative="" byrefcollection=
<view>
<camerax>19</camerax>
<cameray>-63</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="87429445-35e9-4b1b-a305-ef4735ee89bf" type="Normal" published="False">
<name>Test Recovery Unlimited</name>
<view>
<camerax>0</camerax>
```

```
<cameray>63</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="83422800-7cae-4bb2-b9bd-5880d9ab8936" type="Normal" published="False">
<name>Test Recovery Limit (5)</name>
<view>
<camerax>0</camerax>
<cameray>126</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="0075d34c-c32c-4d44-af70-6c6edd05139b" type="Normal" published="False">
<name>Test Recovery Reset</name>
<view>
<camerax>0</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="e6af13df-3291-4c7d-8d38-51fab6745940" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-165</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="921c6bec-5013-4744-b3d8-0d90a41b1290" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d5bc54a0-5d07-4a68-918a-47c7c9373e7d</onsuccess>
</stage>
<stage stageid="033a973f-a1ca-4f62-af6c-d3e3159a07af" name="End" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2116755e-d3f0-4f38-9720-6ead23f68237" name="Count" type="Data">
<narrative>
</narrative>
<displayx>-120</displayx>
```

```
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="8734179b-bfed-4c7b-836e-ed19cd575933" name="Test Recovery Unlimited" type="SubS
<subsheetid>87429445-35e9-4b1b-a305-ef4735ee89bf</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c4d26f9e-1ccf-41f0-8e7d-603db13ba7d9" name="Start" type="Start">
<subsheetid>87429445-35e9-4b1b-a305-ef4735ee89bf</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>10f92bc7-46a2-40bd-be1a-237a1b0b79d7</onsuccess>
</stage>
<stage stageid="83cc6ae0-4dc5-401d-b9b0-8b9c018a2002" name="End" type="End">
<subsheetid>87429445-35e9-4b1b-a305-ef4735ee89bf</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5d9c5e6a-6e69-42f5-b3d1-d6de4c492baa" name="Test Recovery Limit (5)" type="SubSh
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ce54be46-d381-401e-8383-010928ea4abd" name="Start" type="Start">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3e68e2c9-55da-4c8f-9d3d-dacef3fb6420</onsuccess>
</stage>
<stage stageid="bfa96754-81e5-46bf-9973-8540141978dd" name="End" type="End">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="25222fe9-414f-4248-90b4-8b16c1bec377" name="Test Recovery Reset" type="SubShee"
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bed7f7ca-67c9-43b1-bee0-c81400fe813f" name="Start" type="Start">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>39ba07cf-7b10-4c54-9430-a87dd8bf4183</onsuccess>
</stage>
<stage stageid="183d8239-e800-4f38-a6a3-9f818011b62b" name="End" type="End">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="10f92bc7-46a2-40bd-be1a-237a1b0b79d7" name="No Reocery Limit" type="Action">
```

```
<subsheetid>87429445-35e9-4b1b-a305-ef4735ee89bf</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>83cc6ae0-4dc5-401d-b9b0-8b9c018a2002</onsuccess>
<resource object="Recovery Limit Object" action="Recovery with no limit"/>
</stage>
<stage stageid="32d17b14-33ae-4244-9459-ae375f35bfcf" name="Note1" type="Note">
<subsheetid>87429445-35e9-4b1b-a305-ef4735ee89bf</subsheetid>
<narrative>Testing a recovery with no limit can keep on recovering, I've set it to recover 10000 times, for n
<displayx>150</displayx>
<displayy>-60</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3e68e2c9-55da-4c8f-9d3d-dacef3fb6420" name="Recovery Limit (5)" type="Action">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4ca3b514-0060-4d88-9cb4-8cc3ec8a764</onsuccess>
<resource object="Recovery Limit Object" action="Recovery with limit (5)"/>
</stage>
<stage stageid="5227c998-dc53-47ea-9593-e66b6e3de720" name="Testing a limit of 5" type="Block">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="889b84ec-4dfa-4e57-ac43-4ee9c8f63d3c" name="Recover" type="Recover">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bdebdbc3-df56-4f8e-bc83-6d747602d252</onsuccess>
</stage>
<stage stageid="e72df6a3-c11d-4ff4-b4bf-02b14e36fb22" name="Resume" type="Resume">
```

```
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>002381f2-2443-4a51-b100-80b27b9d5a1e</onsuccess>
</stage>
<stage stageid="7a8366d0-224d-4884-85c8-67bb81e4ed2e" name="Count Correct?" type="Action">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="Count" friendlyname="Count" stage="Count"/>
</outputs>
<onsuccess>4657a83d-d5cd-40f8-a318-a37565c6c12b</onsuccess>
<resource object="Recovery Limit Object" action="Get Count"/>
</stage>
<stage stageid="4657a83d-d5cd-40f8-a318-a37565c6c12b" name="Did the recovery loop only 5 times?" ty
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Count]=5"/>
<ontrue>bfa96754-81e5-46bf-9973-8540141978dd/
<onfalse>6f975067-0fd0-4ce0-923e-106b85b5856f</onfalse>
</stage>
<stage stageid="4b0eee3e-17f7-4fe8-8009-eee5d2775dde" name="Note1" type="Note">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>Testing a recovery limit of 5 stops the recovery from working.
The count should be 5, meaning the recovery has looped 5 times.</narrative>
<displayx>195</displayx>
<displayy>150</displayy>
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4ca3b514-0060-4d88-9cb4-8ccc3ec8a764" name="FAIL" type="Exception">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
```

```
<displayy>-45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The limit on the recovery stage isn't working, it seems to have re
</stage>
<stage stageid="6f975067-0fd0-4ce0-923e-106b85b5856f" name="FAIL" type="Exception">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The limit on the recovery stage isn't working, it seems to have re
</stage>
<stage stageid="bdebdbc3-df56-4f8e-bc83-6d747602d252" name="Get Exception" type="Calculation">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e72df6a3-c11d-4ff4-b4bf-02b14e36fb22</onsuccess>
```

```
<calculation expression="ExceptionDetail()" stage="Exception"/>
</stage>
<stage stageid="002381f2-2443-4a51-b100-80b27b9d5a1e" name="Failure Correct?" type="Decision">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Exception]=&amp;quot;Failed to find stage linked from stage 'Anchor1' on page 'Re</p>
<ontrue>7a8366d0-224d-4884-85c8-67bb81e4ed2e</ontrue>
<onfalse>98093ff3-d591-48c3-992e-03e120285983</onfalse>
</stage>
<stage stageid="98093ff3-d591-48c3-992e-03e120285983" name="FAIL" type="Exception">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>150</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The expected error was wrong: &amp;quot;&amp;amp;[Exception of the content of the cont
</stage>
<stage stageid="8b0e4d76-29b5-49f7-bf14-188f4ecb2f4c" name="Note1" type="Note">
```

```
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>Testing the recovery limit resets when the page is called.
The count should be 10, meaning the recovery has looped 5 more times.</narrative>
<displayx>195</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="39ba07cf-7b10-4c54-9430-a87dd8bf4183" name="Recovery Limit (5)" type="Action">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1762d45b-4150-4451-ba7c-9c9a81721d9f</onsuccess>
<resource object="Recovery Limit Object" action="Recovery with limit (5)"/>
</stage>
<stage stageid="1762d45b-4150-4451-ba7c-9c9a81721d9f" name="FAIL" type="Exception">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
```

<displayx>105</displayx>

```
<displayy>-45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The limit on the recovery stage isn't working, it seems to have re
</stage>
<stage stageid="5edd7c36-e9ca-440a-ac0f-9eef77acfcee" name="Testing the limit resets" type="Block">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d0ecaca3-c2d3-4ffd-bbc7-01252733c660" name="Recover" type="Recover">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c2ab49f9-abdc-424c-aa88-e860ec0c2ecf</onsuccess>
</stage>
```

```
<stage stageid="dcfc542b-13f5-436f-a4b9-c0f9c063253a" name="Resume" type="Resume">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8eb9be0b-8562-41ea-a705-425a049c0a23</onsuccess>
</stage>
<stage stageid="9fb92bf5-5179-45f4-818d-6c819a679866" name="Count Correct?" type="Action">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="Count" friendlyname="Count" stage="Count"/>
</outputs>
<onsuccess>29e73165-083b-4235-9a7d-cdd1cd57ad33</onsuccess>
<resource object="Recovery Limit Object" action="Get Count"/>
</stage>
<stage stageid="29e73165-083b-4235-9a7d-cdd1cd57ad33" name="Did the recovery loop only 5 more time"
```

```
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Count]=10"/>
<ontrue>183d8239-e800-4f38-a6a3-9f818011b62b</ontrue>
<onfalse>f9407015-8ae8-4fa8-b063-10c81c0c7d2b</onfalse>
</stage>
<stage stageid="f9407015-8ae8-4fa8-b063-10c81c0c7d2b" name="FAIL" type="Exception">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The reset on the recovery stage doesn't seem to be working, its
</stage>
<stage stageid="92e0cfbb-0507-44a4-ae35-f0ec17740620" name="Global Variable" type="Block">
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d5bc54a0-5d07-4a68-918a-47c7c9373e7d" name="Test Recovery Unlimited" type="Sub$
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f6127e8c-0d23-4457-ac3e-f4db3961c23f</onsuccess>
</stage>
<stage stageid="f6127e8c-0d23-4457-ac3e-f4db3961c23f" name="Test Recovery Limit (5)" type="SubShe
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7fb4be33-a4a0-4a2a-a5f0-bd9d722e8ce4</onsuccess>
</stage>
```

```
<stage stageid="7fb4be33-a4a0-4a2a-a5f0-bd9d722e8ce4" name="Test Recovery Reset" type="SubShee
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>033a973f-a1ca-4f62-af6c-d3e3159a07af</onsuccess>
</stage>
<stage stageid="4821c682-200f-4c44-bb6b-8a67043a19ba" name="Exception" type="Data">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="bfe2bcb8-83cc-4e7e-87d6-36288f79beee" name="Local Variable" type="Block">
<subsheetid>83422800-7cae-4bb2-b9bd-5880d9ab8936</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c2ab49f9-abdc-424c-aa88-e860ec0c2ecf" name="Get Exception" type="Calculation">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dcfc542b-13f5-436f-a4b9-c0f9c063253a</onsuccess>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</stage>
<stage stageid="a961dda9-2fb8-40a4-bf20-2e55041aaa1b" name="Exception" type="Data">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a6b74f70-6a64-4e01-bf0f-75a9deaa98e5" name="Local Variable" type="Block">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="8eb9be0b-8562-41ea-a705-425a049c0a23" name="Failure Correct?" type="Decision">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Exception]=&amp;quot;Failed to find stage linked from stage 'Anchor1' on page 'Re</p>
```

```
<ontrue>9fb92bf5-5179-45f4-818d-6c819a679866</ontrue>
<onfalse>d611d64c-fb32-456b-9f58-f9e647b755af</onfalse>
</stage>
<stage stageid="d611d64c-fb32-456b-9f58-f9e647b755af" name="FAIL" type="Exception">
<subsheetid>0075d34c-c32c-4d44-af70-6c6edd05139b</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>150</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="da049220-d111-4819-b99c-143467b51eec" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e08eb2cd-00a9-4427-8e46-4d42c786d56c</onsuccess>
</stage>
<stage stageid="aec390bd-e94b-478b-bd61-1aacfaf290bc" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c61a8f84-1107-4176-9594-aee2ffd66555" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e08eb2cd-00a9-4427-8e46-4d42c786d56c" name="Component Layer" type="Action">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>aec390bd-e94b-478b-bd61-1aacfaf290bc</onsuccess>
<resource object="Component" action="Submit"/>
</stage>
</process>
<view>
<camerax>0</camerax>
<cameray>30</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>136</camerax>
<cameray>231</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="b81f8953-0865-4ad6-b914-2f345787ba43" type="Normal" published="False">
<name>First Import</name>
```

```
<view>
<camerax>0</camerax>
<cameray>90</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="2b90ba22-05d6-466e-ab4b-73d5b8584e56" type="Normal" published="False">
<name>Second Import (Same Release)</name>
<view>
<camerax>-113</camerax>
<cameray>180</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="223209cf-259c-4d19-a0bf-55406918d6c0" type="Normal" published="False">
<name>Third Import (Different Release)</name>
<view>
<camerax>0</camerax>
<cameray>465</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="962afbde-88d2-4d57-9c8d-3f1dd4cadd89" type="Normal" published="False">
<name>Fourth Import (Checking Errors)</name>
<view>
<camerax>0</camerax>
<cameray>357</cameray>
```

```
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="9d1984f8-9f01-460f-b187-faaf2be11d52" type="Normal" published="False">
<name>Compare Conflicts</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="6333c6cd-0336-4e25-bf4f-6ac493f280e8" type="Normal" published="False">
<name>Compare Resolutions</name>
<view>
<camerax>0</camerax>
<cameray>255</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a47eb7b2-96d2-4344-b5ae-186330dd516c" type="Normal" published="False">
<name>Compare Errors</name>
<view>
<camerax>0</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
```

```
<subsheet subsheetid="184a3799-53ce-44ea-b232-0d8018bfba38" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="17036160-60a2-4947-860f-fef30218bf6f" name="Start" type="Start">
<display x="15" y="-105"/>
<onsuccess>468ddef6-5fb5-4303-a965-5c1321b37146</onsuccess>
</stage>
<stage stageid="6c587756-4d39-4554-95ba-b26e98060ff0" name="Stage1" type="ProcessInfo">
<display x="-135" y="-75" w="150" h="90"/>
</stage>
<stage stageid="9281042d-d3c5-4ecf-941d-b8a4a63f7f00" name="End" type="End">
<display x="15" y="285"/>
</stage>
<stage stageid="b7548c96-50cb-40b2-b478-4cee60731492" name="Failed?" type="Decision">
<display x="15" y="240" w="90" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>1dd44144-b9c6-432f-8bdf-e2fa02a431d4</ontrue>
<onfalse>9281042d-d3c5-4ecf-941d-b8a4a63f7f00</onfalse>
</stage>
<stage stageid="1dd44144-b9c6-432f-8bdf-e2fa02a431d4" name="RETHROW" type="Exception">
<display x="105" y="240"/>
<exception type="RETHROW" detail="[Exception]"/>
```

```
</stage>
<stage stageid="2e1eaa81-2de0-4df6-81ac-963fa9035e08" name="Anchor17" type="Anchor">
<display x="120" y="195" w="10" h="10"/>
<onsuccess>fc692faf-7f8e-4639-b0c1-d2987846d75f</onsuccess>
</stage>
<stage stageid="b9bc17cb-bfe7-4cf7-9fc2-43d8896568b3" name="Cleanup Block" type="Block">
<display x="-45" y="-30" w="225" h="195"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="4992dbed-3736-49ec-9319-4cbee0ed1fa4" name="Setup" type="SubSheetInfo">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<display x="0" y="15" w="150" h="90"/>
</stage>
<stage stageid="649361d7-d42c-44b7-9b55-f7d88e9ea829" name="Start" type="Start">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<display x="135" y="-15"/>
<onsuccess>1410859d-8a1b-42da-98b6-e8071ee78178</onsuccess>
</stage>
<stage stageid="5aa8b47e-a589-46a4-8ce8-df45bf96ad92" name="End" type="End">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<display x="135" y="390"/>
</stage>
<stage stageid="37367f5b-1068-44f0-b9f2-c85cf4f7b490" name="Sign In" type="Action">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<display x="135" y="165" w="90" h="30"/>
<inputs>
<input type="text" name="Username" expr=""/>
```

```
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
</inputs>
<onsuccess>9abaf852-1ff4-4eda-93a9-4785ab0f3aa0</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="1410859d-8a1b-42da-98b6-e8071ee78178" name="Launch Blue Prism" type="Action">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<display x="135" y="30" w="90" h="30"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>d1feae9b-6f22-4758-8b84-e7b6e3b74af9</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="468ddef6-5fb5-4303-a965-5c1321b37146" name="Setup" type="SubSheet">
<display x="15" y="-60" w="90" h="30"/>
<onsuccess>e2eb6adc-4587-4e6a-a688-1b69698b69a3</onsuccess>
</stage>
<stage stageid="d1535653-e40a-4bd6-8369-8ecdcaca90af" name="Local Variables" type="Block">
<display x="-210" y="135" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d8a854f8-5362-4c7d-bb5c-d318cea56305" name="Failed?" type="Data">
<display x="-135" y="165" w="120" h="30"/>
<datatype>flag</datatype>
```

```
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="79d579a7-3afc-4768-bf28-6461d903102b" name="Exception" type="Data">
<display x="-135" y="195" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="6a45fdd0-8697-453a-96f7-d2d0fcc2a027" name="pid" type="Data">
<display x="-135" y="90" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="15f633fe-bcf2-4ce5-bb1f-6f46e20f76a8" name="Global Variables" type="Block">
<display x="-210" y="60" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6e6e4fed-fed0-4e9a-a69e-2269ba5030d9" name="First Import" type="SubSheetInfo">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-135" y="-195" w="150" h="90"/>
</stage>
<stage stageid="1250af73-b3c7-4fd1-9849-6bc69ebd7e7b" name="Start" type="Start">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="-225"/>
<onsuccess>12440a05-a295-486c-ae0f-c1c08d5369d7</onsuccess>
```

```
</stage>
<stage stageid="159447a4-5719-4dcc-9606-86f26bbdf500" name="End" type="End">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="390"/>
</stage>
<stage stageid="3b58622f-be06-46a5-aea1-f18215f4dc68" name="Second Import (Same Release)" type=
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-135" y="-105" w="150" h="90"/>
</stage>
<stage stageid="e2eb6adc-4587-4e6a-a688-1b69698b69a3" name="First Import" type="SubSheet">
<display x="15" y="0" w="90" h="30"/>
<onsuccess>a7dbb5bd-953d-4282-8182-7a8511214ae6</onsuccess>
</stage>
<stage stageid="a7dbb5bd-953d-4282-8182-7a8511214ae6" name="Second Import (Same Release)" type
<display x="15" y="45" w="90" h="30"/>
<onsuccess>6efdea47-7ac4-401b-9b47-0c8534680fbb</onsuccess>
</stage>
<stage stageid="d1feae9b-6f22-4758-8b84-e7b6e3b74af9" name="Attach to Releases" type="Action">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<display x="135" y="75" w="90" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>eb6a0b83-c362-474f-b152-917a57890f5d</onsuccess>
<resource object="Blue Prism - Releases (Parent)" action="Attach to Pid"/>
```

```
</stage>
<stage stageid="12440a05-a295-486c-ae0f-c1c08d5369d7" name="Press Import (1)" type="Action">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="-180" w="90" h="30"/>
<inputs>
<input type="flag" name="Release?" friendlyname="Release?" narrative="Do you want to import a release
</inputs>
<onsuccess>41ca42d0-3f9b-4986-b346-45b809b53619
<resource object="Blue Prism - Releases" action="Press Import"/>
</stage>
<stage stageid="65e4348f-a3f8-4b26-8039-a923fc4b4d07" name="Enter File Location (1)" type="Action">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="-90" w="90" h="30"/>
<inputs>
<input type="text" name="File Path" friendlyname="File Path" narrative="The file path to the bprelease file
</inputs>
<onsuccess>9d6eef20-1cc0-4c27-8c01-54fb68d1c68c</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Write File Location"/>
</stage>
<stage stageid="9d6eef20-1cc0-4c27-8c01-54fb68d1c68c" name="Press Next (1)" type="Action">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="-45" w="90" h="30"/>
<onsuccess>50baf169-8567-4106-b48d-4a7c395852be</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="50baf169-8567-4106-b48d-4a7c395852be" name="Wait for Progress Bar (1)" type="Action
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
```

```
<display x="15" y="0" w="90" h="30"/>
<onsuccess>af30d8c0-1e1e-44e7-a465-390305010e0b</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
<stage stageid="af30d8c0-1e1e-44e7-a465-390305010e0b" name="Read Release Conflicts (1)" type="Ac
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="60" w="90" h="30"/>
<outputs>
<output type="collection" name="Conflicts" friendlyname="Conflicts" narrative="A collection which contains</p>
<output type="collection" name="All Resolutions" friendlyname="All Resolutions" narrative="A collection wl</p>
</outputs>
<onsuccess>b9c4b410-c4c7-41a4-a799-f195bf8847c6</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Read Release Conflicts"/>
</stage>
<stage stageid="2b74e0ac-79c9-4513-a179-9b30600fec62" name="Expected Conflicts (1)" type="Collection of the conflict of the co
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-135" y="-105" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Issue" type="text"/>
<field name="Resolution" type="text"/>
</collectioninfo>
<initialvalue>
<row>
```

```
<field name="Component" type="text" value="Credential (US-3632)"/>
<field name="Issue" type="text" value="The properties on a credential cannot be transferred. Credential Ty
<field name="Resolution" type="text" value="Create the credential with the supplied details"/>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Issue" type="text" value="The incoming process has been published. Do you want to publish
<field name="Resolution" type="text" value="Keep this status"/>
</row>
</initialvalue>
</stage>
<stage stageid="2b410b98-b8f2-47b6-aeff-6fb53574e1a8" name="Expected Resolutions" type="Collection
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-135" y="-75" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolutions" type="collection">
<field name="Item Text" type="text"/>
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Credential (US-3632)"/>
<field name="Resolutions" type="collection">
```

```
<row>
<field name="Item Text" type="text" value="Create the credential with the supplied details"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this credential"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Keep this status"/>
</row>
<row>
<field name="Item Text" type="text" value="Clear this status"/>
</row>
</field>
</row>
</initialvalue>
</stage>
<stage stageid="1db921c3-6bf5-4c01-a340-2cb7d7f7c5a2" name="Input Variables" type="Block">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-210" y="-135" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a3a5e071-afe3-4d8b-a4de-9c74916b8d8b" name="Local Variables" type="Block">
```

```
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-210" y="-30" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e5ab6d24-f114-4a80-87a3-bf95ec1b3577" name="Global Variables" type="Block">
<display x="-210" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ed54ef0c-c3ef-4380-8006-f83dc1b7b81c" name="QA Root" type="Data">
<display x="-135" y="15" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="2466ffbf-4ec0-47a6-9a3b-51db4e27a732" name="File Path" type="Data">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-135" y="0" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">\Processes\ReleaseManager\Everything Release (US-3632).bprelease
<private/>
<alwaysinit/>
</stage>
<stage stageid="41ca42d0-3f9b-4986-b346-45b809b53619" name="Make File Path (1)" type="Calculation"
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="-135" w="90" h="30"/>
<onsuccess>65e4348f-a3f8-4b26-8039-a923fc4b4d07</onsuccess>
```

```
<calculation expression="[QA Root]&amp;amp;[File Path]" stage="File Path"/>
</stage>
<stage stageid="44e817e8-5534-4cba-a1bb-1cf4edea3b11" name="Conflicts" type="Collection">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-135" y="30" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1c5fc463-604c-4d6f-bcd0-ef33bd40c36e" name="All Resolutions" type="Collection">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-135" y="60" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="9d91a900-39d5-4892-853b-df11595858bd" name="Compare Conflicts" type="SubSheetIr
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="d8fb7f31-3f42-4ebe-b354-c591d7ba2643" name="Start" type="Start">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="-105"/>
<inputs>
<input type="collection" name="Conflicts" stage="Conflicts"/>
<input type="collection" name="Expcted Conflicts" stage="Expcted Conflicts"/>
</inputs>
```

```
<onsuccess>a891d894-1253-40c0-8251-46ac34e7ee88</onsuccess>
</stage>
<stage stageid="6e7f6d9f-0476-4353-8597-904024f4e888" name="End" type="End">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="165"/>
</stage>
<stage stageid="c0e69039-d8ae-4317-b97c-5d0e05145e2e" name="Conflicts" type="LoopStart">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="-15" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="FF0000"/>
<onsuccess>43e2d6bb-3890-4a52-aaa5-744a8793c94e</onsuccess>
<groupid>0d54d230-7b9f-4e46-ba3e-7432c1aacab6</groupid>
<looptype>ForEach</looptype>
<loopdata>Conflicts</loopdata>
</stage>
<stage stageid="4e9bf656-43da-4ef6-8bbb-1d17bf611ca9" name="Conflicts" type="LoopEnd">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="FF0000"/>
<onsuccess>4060ccc4-ae27-41ce-8e37-fe9444f0486a</onsuccess>
<groupid>0d54d230-7b9f-4e46-ba3e-7432c1aacab6/groupid>
</stage>
<stage stageid="a891d894-1253-40c0-8251-46ac34e7ee88" name="Expected Conflicts" type="LoopStart"
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="-60" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="3366FF"/>
<onsuccess>c0e69039-d8ae-4317-b97c-5d0e05145e2e</onsuccess>
```

```
<groupid>4339e888-368f-4f56-a684-66125d337ca0</groupid>
<looptype>ForEach</looptype>
<loopdata>Expcted Conflicts</loopdata>
</stage>
<stage stageid="87341a7a-c61a-497d-8818-8c73266ec491" name="Expected Conflicts" type="LoopEnd">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="3366FF"/>
<onsuccess>6e7f6d9f-0476-4353-8597-904024f4e888</onsuccess>
<groupid>4339e888-368f-4f56-a684-66125d337ca0</groupid>
</stage>
<stage stageid="43e2d6bb-3890-4a52-aaa5-744a8793c94e" name="Conflict Found?" type="Decision">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<decision expression="[Conflicts.Component]=[Expcted Conflicts.Component]&amp;#xA;AND&amp;#xA;[Conflicts.Component]</pre>
<ontrue>cef9447d-9e0d-4483-9445-50d90cc6308c</ontrue>
<onfalse>4e9bf656-43da-4ef6-8bbb-1d17bf611ca9</onfalse>
</stage>
<stage stageid="cef9447d-9e0d-4483-9445-50d90cc6308c" name="Anchor1" type="Anchor">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="120" y="30" w="10" h="10"/>
<onsuccess>452645c9-1fc6-4e95-8f44-abbb887dd604</onsuccess>
</stage>
<stage stageid="4060ccc4-ae27-41ce-8e37-fe9444f0486a" name="FAIL" type="Exception">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="90" y="75" w="30" h="30"/>
<exception type="Bug" detail="&amp;quot;You expected a certain conflict however it wasn't there, you exp
```

```
</stage>
<stage stageid="452645c9-1fc6-4e95-8f44-abbb887dd604" name="Anchor2" type="Anchor">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="120" y="120" w="10" h="10"/>
<onsuccess>87341a7a-c61a-497d-8818-8c73266ec491
</stage>
<stage stageid="e5ac14d7-df49-4808-85cd-e1321ba4ab7f" name="Conflicts" type="Collection">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="-120" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4806a61a-6eb1-44c4-bb4e-bf8cfe9a19ee" name="Expcted Conflicts" type="Collection">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="-120" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="922d745a-bf8f-4d73-a61f-41632357dc5f" name="Input Variables" type="Block">
<subsheetid>9d1984f8-9f01-460f-b187-faaf2be11d52</subsheetid>
<display x="-195" y="-15" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="b9c4b410-c4c7-41a4-a799-f195bf8847c6" name="Compare Conflicts (1)" type="SubSheet
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
```

```
<display x="15" y="105" w="90" h="30"/>
<inputs>
<input type="collection" name="Conflicts" friendlyname="Conflicts" expr="[Conflicts]"/>
<input type="collection" name="Expcted Conflicts" friendlyname="Expcted Conflicts" expr="[Expected Conflicts] expr=[Expected Conflicts] expr=[Expected Conflicts] expr=[Expected Conflicts] expr=[Expected Conflic
</inputs>
<onsuccess>14e9e849-b435-4b66-a03f-46a1a9c4a7b2
</stage>
<stage stageid="7ae5853a-0631-4361-a469-e2d053e2ddee" name="Compare Resolutions" type="SubShe
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-150" y="-75" w="150" h="90"/>
</stage>
<stage stageid="570560cc-a1fa-4fe8-adf8-40de674913a2" name="Start" type="Start">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="-105"/>
<inputs>
<input type="collection" name="Resolutions" stage="Resolutions"/>
<input type="collection" name="Expected Resolutions" stage="Expected Resolutions"/>
</inputs>
<onsuccess>3bbef45c-6b24-4aa5-bc07-6015c8624b2e</onsuccess>
</stage>
<stage stageid="f88d01f0-a4a7-47ed-84ac-0cd3282f835f" name="End" type="End">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="390"/>
</stage>
<stage stageid="7f98c93d-3f46-41d6-86c5-a70bc13ac486" name="Resolutions" type="Collection">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
```

```
<display x="-150" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolutions" type="collection">
<field name="Item Text" type="text"/>
</field>
</collectioninfo>
</stage>
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-150" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolutions" type="collection">
<field name="Item Text" type="text"/>
</field>
</collectioninfo>
</stage>
<stage stageid="d0e7ba14-8c73-4bd8-baf4-19d856f7d851" name="Input Variables" type="Block">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-225" y="-15" w="150" h="90"/>
```

```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="14e9e849-b435-4b66-a03f-46a1a9c4a7b2" name="Compare Resolutions (1)" type="Sub$
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="150" w="90" h="30"/>
<inputs>
<input type="collection" name="Resolutions" friendlyname="Resolutions" expr="[All Resolutions]"/>
<input type="collection" name="Expected Resolutions" friendlyname="Expected Resolutions" expr="[Expected Resolutions] expr="[Expected Resolutions]] expr="[Expected Resolutions] expr="[Expected Resolutions] expr="[Expected Resolutions]] expr="[Expected Resolutions] expr="[Expected Resolutions]] expr=[Expected Resolutions]] expr=[Expec
</inputs>
<onsuccess>168d92f5-d1a3-427b-834e-391d5987a59a</onsuccess>
</stage>
<stage stageid="3bbef45c-6b24-4aa5-bc07-6015c8624b2e" name="Expected Components" type="LoopSt
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="-60" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="FF0000"/>
<onsuccess>f3c20318-1dcf-454a-87a4-d92b51ee842d</onsuccess>
<groupid>cb28c182-c8d6-4410-b1d6-d2e77d2430a3</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Resolutions/loopdata>
</stage>
<stage stageid="d5359c9d-20b9-40aa-a2ac-d8171bb9fb7c" name="Expected Components" type="LoopEr
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="345" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="FF0000"/>
<onsuccess>f88d01f0-a4a7-47ed-84ac-0cd3282f835f</onsuccess>
<groupid>cb28c182-c8d6-4410-b1d6-d2e77d2430a3</groupid>
```

```
</stage>
<stage stageid="f3c20318-1dcf-454a-87a4-d92b51ee842d" name="Components" type="LoopStart">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="-15" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="3366FF"/>
<onsuccess>4f78fd07-24da-4397-aaa6-fb192596d12b</onsuccess>
<groupid>f46ecd51-6e18-48d6-a20d-e125a05262ea</groupid>
<looptype>ForEach</looptype>
<loopdata>Resolutions</loopdata>
</stage>
<stage stageid="1d99f419-6b40-4d5d-9967-fa16a4245db0" name="Components" type="LoopEnd">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="300" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="3366FF"/>
<onsuccess>79213c87-5e7a-4155-9196-aefc1f0f5403</onsuccess>
<groupid>f46ecd51-6e18-48d6-a20d-e125a05262ea</groupid>
</stage>
<stage stageid="4f78fd07-24da-4397-aaa6-fb192596d12b" name="Component Found?" type="Decision">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<decision expression="[Resolutions.Component]=[Expected Resolutions.Component]"/>
<ontrue>0ce23e7d-c23f-4735-9f2d-b14a7e773c7a</ontrue>
<onfalse>49d5e241-c42c-44b5-ace6-e8d8a8450960</onfalse>
</stage>
<stage stageid="0ce23e7d-c23f-4735-9f2d-b14a7e773c7a" name="Expected Resolutions" type="LoopStage: compared by the compared by
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="75" w="90" h="30"/>
```

```
<font family="Segoe UI" size="10" style="Bold" color="339966"/>
<onsuccess>97287d62-ac8a-4cbc-8d2a-a061b228075f</onsuccess>
<groupid>663ed872-6b63-4c22-b4ea-fb97b48ac369</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Resolutions.Resolutions/loopdata>
</stage>
<stage stageid="d0e2dbb6-9684-4c48-91a5-989f135c91a5" name="Expected Resolutions" type="LoopEngleton"
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="255" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="339966"/>
<onsuccess>b03f6638-f1c0-4525-b5be-8afad05ef6b6</onsuccess>
<groupid>663ed872-6b63-4c22-b4ea-fb97b48ac369</groupid>
</stage>
<stage stageid="97287d62-ac8a-4cbc-8d2a-a061b228075f" name="Resolutions" type="LoopStart">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="800080"/>
<onsuccess>5f4346ba-d3fc-4c3e-be53-3a5efbfa9f9d</onsuccess>
<groupid>562bfd78-2757-418c-b5b3-2e755c16576d</groupid>
<looptype>ForEach</looptype>
<loopdata>Resolutions.Resolutions
</stage>
<stage stageid="9425db73-4c9d-4f85-ae1c-fdecabb50973" name="Resolutions" type="LoopEnd">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="210" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="800080"/>
<onsuccess>26de0c63-e68a-42b6-a21f-111c563529a8
```

```
<groupid>562bfd78-2757-418c-b5b3-2e755c16576d</groupid>
</stage>
<stage stageid="79213c87-5e7a-4155-9196-aefc1f0f5403" name="FAIL" type="Exception">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="90" y="300" w="30" h="30"/>
<exception type="" detail="&amp;quot;The component you expected wasn't there.&amp;quot;"/>
</stage>
<stage stageid="5f4346ba-d3fc-4c3e-be53-3a5efbfa9f9d" name="Resolution Found?" type="Decision">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="15" y="165" w="90" h="30"/>
<decision expression="[Expected Resolutions.Resolutions.Item Text]=[Resolutions.Resolutions.Item Text]</p>
<ontrue>f3ead7c2-b821-4412-b03b-145043588ebb</ontrue>
<onfalse>9425db73-4c9d-4f85-ae1c-fdecabb50973</onfalse>
</stage>
<stage stageid="f3ead7c2-b821-4412-b03b-145043588ebb" name="Anchor3" type="Anchor">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-45" y="165" w="10" h="10"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
<onsuccess>79980ad6-92aa-4cd1-afb9-d4a4baba88f9</onsuccess>
</stage>
<stage stageid="26de0c63-e68a-42b6-a21f-111c563529a8" name="FAIL" type="Exception">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="90" y="210" w="30" h="30"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
<exception type="" detail="&amp;quot;The resolution for you expected wasn't there.&amp;quot;"/>
</stage>
<stage stageid="b03f6638-f1c0-4525-b5be-8afad05ef6b6" name="Anchor4" type="Anchor">
```

```
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="120" y="255" w="10" h="10"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
<onsuccess>47cafba0-a3e8-483b-8f71-172ddef2376e</onsuccess>
</stage>
<stage stageid="79980ad6-92aa-4cd1-afb9-d4a4baba88f9" name="Anchor5" type="Anchor">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-45" y="255" w="10" h="10"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
<onsuccess>d0e2dbb6-9684-4c48-91a5-989f135c91a5</onsuccess>
</stage>
<stage stageid="49d5e241-c42c-44b5-ace6-e8d8a8450960" name="Anchor6" type="Anchor">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-60" y="30" w="10" h="10"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
<onsuccess>f1a50d4c-b235-41aa-ae0c-5372b45eb362</onsuccess>
</stage>
<stage stageid="f1a50d4c-b235-41aa-ae0c-5372b45eb362" name="Anchor7" type="Anchor">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="-60" y="300" w="10" h="10"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
<onsuccess>1d99f419-6b40-4d5d-9967-fa16a4245db0</onsuccess>
</stage>
<stage stageid="47cafba0-a3e8-483b-8f71-172ddef2376e" name="Anchor8" type="Anchor">
<subsheetid>6333c6cd-0336-4e25-bf4f-6ac493f280e8</subsheetid>
<display x="120" y="345" w="10" h="10"/>
<font family="Segoe UI" size="10" style="Regular" color="800080"/>
```

```
<onsuccess>d5359c9d-20b9-40aa-a2ac-d8171bb9fb7c</onsuccess>
</stage>
<stage stageid="168d92f5-d1a3-427b-834e-391d5987a59a" name="Press Next (1)" type="Action">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="210" w="90" h="30"/>
<onsuccess>bd043649-482e-41db-b60b-19f9b54e4476</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="e2205c8e-d804-462f-8011-d6cc1d1563c3" name="Wait for Progress Bar (1)" type="Actio
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="300" w="90" h="30"/>
<onsuccess>becd4c3f-9ca6-40d8-ab20-fe26b956d79c</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
<stage stageid="becd4c3f-9ca6-40d8-ab20-fe26b956d79c" name="Press Finish (1)" type="Action">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="345" w="90" h="30"/>
<onsuccess>159447a4-5719-4dcc-9606-86f26bbdf500</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Finish"/>
</stage>
<stage stageid="68f3db67-45b2-4c7c-aad4-53deb7955fa3" name="Start" type="Start">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="-135"/>
<onsuccess>f85ac934-1d6f-4561-a3aa-a7b276eb31f0</onsuccess>
</stage>
<stage stageid="fab59fc7-1b2c-4474-8ea8-5f10df9b7da8" name="End" type="End">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
```

```
<display x="15" y="480"/>
</stage>
<stage stageid="f85ac934-1d6f-4561-a3aa-a7b276eb31f0" name="Press Import (2)" type="Action">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="-90" w="90" h="30"/>
<inputs>
<input type="flag" name="Release?" friendlyname="Release?" narrative="Do you want to import a release
</inputs>
<onsuccess>219435f2-1f61-42c7-997a-3e5a996f961a</onsuccess>
<resource object="Blue Prism - Releases" action="Press Import"/>
</stage>
<stage stageid="ba32df3b-e04a-4d7d-89a9-40f6b5607952" name="Enter File Location (2)" type="Action">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="0" w="90" h="30"/>
<inputs>
<input type="text" name="File Path" friendlyname="File Path" narrative="The file path to the bprelease file
</inputs>
<onsuccess>017406b1-8e0b-41a9-9681-460de1e237fe</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Write File Location"/>
</stage>
<stage stageid="017406b1-8e0b-41a9-9681-460de1e237fe" name="Press Next (2)" type="Action">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="45" w="90" h="30"/>
<onsuccess>41223bde-0dd4-4683-8ce7-abb055807c3e</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="41223bde-0dd4-4683-8ce7-abb055807c3e" name="Wait for Progress Bar (2)" type="Action
```

```
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="90" w="90" h="30"/>
<onsuccess>f6105372-bb1a-40f5-b1df-fc261030aaa3</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
<stage stageid="f6105372-bb1a-40f5-b1df-fc261030aaa3" name="Read Release Conflicts (2)" type="Action
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="150" w="90" h="30"/>
<outputs>
<output type="collection" name="Conflicts" friendlyname="Conflicts" narrative="A collection which contains</p>
<output type="collection" name="All Resolutions" friendlyname="All Resolutions" narrative="A collection wl</p>
</outputs>
<onsuccess>6e4978b0-658a-4af4-a7c6-35a0514771e6</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Read Release Conflicts"/>
</stage>
<stage stageid="56bbd0a4-e65e-4b3a-bf84-0d49c83c3275" name="Expected Conflicts (1)" type="Collection of the conflict of the co
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-135" y="-15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Issue" type="text"/>
<field name="Resolution" type="text"/>
</collectioninfo>
<initialvalue>
```

```
<row>
<field name="Component" type="text" value="Agency FB 10 (US-3632)"/>
<field name="Issue" type="text" value="A font already exists with this name. Please choose one of the following
<field name="Resolution" type="text" value="Overwrite the existing font with the incoming font"/>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Issue" type="text" value="A process with the same internal ID and name already exists in the
<field name="Resolution" type="text" value="Overwrite the existing process with the incoming process"/>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Issue" type="text" value="A business object with the same internal ID and name already exis
<field name="Resolution" type="text" value="Overwrite the existing business object with the incoming business
</row>
<row>
<field name="Component" type="text" value="Calendar (US-3632)"/>
<field name="Issue" type="text" value="A calendar already exists with this name. Please choose one of the
<field name="Resolution" type="text" value="Overwrite the existing calendar with the incoming calendar"/>
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Issue" type="text" value="A web service with the same name already exists in the database.
<field name="Resolution" type="text" value="Overwrite the existing web service with the incoming web service.
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
```

```
<field name="Issue" type="text" value="A web api with the same Id already exists in the database. Please
<field name="Resolution" type="text" value="Overwrite the existing web api with the incoming web api"/>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Issue" type="text" value="A tile with the same ID already exists in the database. Please choo
<field name="Resolution" type="text" value="Overwrite the existing tile with the incoming tile"/>
</row>
<row>
<field name="Component" type="text" value="Dashboard (US-3632)"/>
<field name="Issue" type="text" value="A dashboard with the same ID already exists in the database. Plea
<field name="Resolution" type="text" value="Overwrite the existing tile with the incoming dashboard"/>
</row>
</initialvalue>
</stage>
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-135" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolutions" type="collection">
<field name="Item Text" type="text"/>
</field>
</collectioninfo>
```

```
<initialvalue>
<row>
<field name="Component" type="text" value="Agency FB 10 (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing font with the incoming font"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this font"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing process with the incoming process"/>
</row>
<row>
<field name="Item Text" type="text" value="Assign a new ID and rename the incoming process"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this process"/>
</row>
</field>
</row>
<row>
```

```
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing business object with the incoming business
</row>
<row>
<field name="Item Text" type="text" value="Assign a new ID and rename the incoming business object"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this business object"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Calendar (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing calendar with the incoming calendar"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this calendar"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Resolutions" type="collection">
```

```
<row>
<field name="Item Text" type="text" value="Overwrite the existing web service with the incoming web servi
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming web service"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the existing web service"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing web api with the incoming web api"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming web api"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this web api"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
```

```
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing tile with the incoming tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new ID for the incoming tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this tile - leave the existing one in place"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Dashboard (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing tile with the incoming dashboard"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new ID for the incoming dashboard"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this dashboard - leave the existing one in place"/>
</row>
</field>
</row>
</initialvalue>
```

```
</stage>
<stage stageid="6a1ed56f-3f0d-45a2-8cde-e81937ac3033" name="Input Variables" type="Block">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-210" y="-45" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="672e7eda-648e-4ca8-9253-6073624dad91" name="Local Variables" type="Block">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-210" y="60" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d3913636-1159-40c2-9704-086b3d8ce868" name="File Path" type="Data">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-135" y="90" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">\Processes\ReleaseManager\Everything Release (US-3632).bprelease
<private/>
<alwaysinit/>
</stage>
<stage stageid="219435f2-1f61-42c7-997a-3e5a996f961a" name="Make File Path (2)" type="Calculation";
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="-45" w="90" h="30"/>
<onsuccess>ba32df3b-e04a-4d7d-89a9-40f6b5607952</onsuccess>
<calculation expression="[QA Root]&amp;amp;[File Path]" stage="File Path"/>
</stage>
<stage stageid="1eab9a42-186d-4cdf-81da-c03a91072533" name="Conflicts" type="Collection">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
```

```
<display x="-135" y="120" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="833dee19-13fc-4cd6-ad42-5de66a9b145c" name="All Resolutions" type="Collection">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-135" y="150" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6e4978b0-658a-4af4-a7c6-35a0514771e6" name="Compare Conflicts (2)" type="SubShe
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="195" w="90" h="30"/>
<inputs>
<input type="collection" name="Conflicts" friendlyname="Conflicts" expr="[Conflicts]"/>
<input type="collection" name="Expcted Conflicts" friendlyname="Expcted Conflicts" expr="[Expected Conflicts] expr="[Expected Con
</inputs>
<onsuccess>3999cbe0-99b7-45a4-a142-5fc8a0390915</onsuccess>
</stage>
<stage stageid="3999cbe0-99b7-45a4-a142-5fc8a0390915" name="Compare Resolutions (2)" type="Sub$
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="240" w="90" h="30"/>
<inputs>
<input type="collection" name="Resolutions" friendlyname="Resolutions" expr="[All Resolutions]"/>
```

```
<input type="collection" name="Expected Resolutions" friendlyname="Expected Resolutions" expr="[Expected Resolutions]]]]]
</inputs>
<onsuccess>79615d56-b15f-4ea4-b5ab-ae69fe281622</onsuccess>
</stage>
<stage stageid="79615d56-b15f-4ea4-b5ab-ae69fe281622" name="Press Next (2)" type="Action">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="300" w="90" h="30"/>
<onsuccess>d0f32548-096f-4525-9602-795f5a17ba88</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="025da852-2b90-4195-a532-492c41edc761" name="Wait for Progress Bar (2)" type="Action of the company of the comp
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="390" w="90" h="30"/>
<onsuccess>ad759b06-b89c-4a45-8984-a1d48a28be9f</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
<stage stageid="ad759b06-b89c-4a45-8984-a1d48a28be9f" name="Press Finish (2)" type="Action">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="435" w="90" h="30"/>
<onsuccess>fab59fc7-1b2c-4474-8ea8-5f10df9b7da8</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Finish"/>
</stage>
<stage stageid="11e6dfef-4e1b-4776-b514-385528b37ea8" name="Second Import (Same Release)" type=
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-135" y="-75" w="150" h="90"/>
</stage>
```

```
<stage stageid="4d91c859-7c20-4960-a780-0448cf7a8f6f" name="Start" type="Start">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="-105"/>
<onsuccess>48b358d2-ad04-4a2c-8f97-ca635635ae39
</stage>
<stage stageid="1c7ea2f6-8eb9-4ad0-aae8-39a9745d692e" name="End" type="End">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="510"/>
</stage>
<stage stageid="48b358d2-ad04-4a2c-8f97-ca635635ae39" name="Press Import (3)" type="Action">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="flag" name="Release?" friendlyname="Release?" narrative="Do you want to import a release
</inputs>
<onsuccess>b282da56-4dc9-4f74-a106-63e7618285d1
<resource object="Blue Prism - Releases" action="Press Import"/>
</stage>
<stage stageid="129977ae-377e-4dc5-ae11-36474435578d" name="Enter File Location (3)" type="Action"
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="File Path" friendlyname="File Path" narrative="The file path to the bprelease file
</inputs>
<onsuccess>26847f5b-6882-4c32-b47e-2f65041ecdc7</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Write File Location"/>
</stage>
```

```
<stage stageid="26847f5b-6882-4c32-b47e-2f65041ecdc7" name="Press Next (3)" type="Action">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<onsuccess>48d1d5d4-3714-4b2f-8a13-9e2053c1fff9</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="48d1d5d4-3714-4b2f-8a13-9e2053c1fff9" name="Wait for Progress Bar (3)" type="Action"
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<onsuccess>cb36b4c4-7fbd-4451-969c-fc82419fe454</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
<stage stageid="cb36b4c4-7fbd-4451-969c-fc82419fe454" name="Read Release Conflicts (3)" type="Action
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="180" w="90" h="30"/>
<outputs>
<output type="collection" name="Conflicts" friendlyname="Conflicts" narrative="A collection which contains</p>
<output type="collection" name="All Resolutions" friendlyname="All Resolutions" narrative="A collection wl</p>
</outputs>
<onsuccess>ab614c57-758d-4370-9a01-5fd891a52184</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Read Release Conflicts"/>
</stage>
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-135" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
```

```
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Issue" type="text"/>
<field name="Resolution" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Agency FB 10 (US-3632)"/>
<field name="Issue" type="text" value="A font already exists with this name. Please choose one of the following the following process.
<field name="Resolution" type="text" value="Overwrite the existing font with the incoming font"/>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Issue" type="text" value="A process with the same name already exists in the database. Plea
<field name="Resolution" type="text" value="Overwrite the existing process with the incoming process"/>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Issue" type="text" value="A business object with the same name already exists in the databa
<field name="Resolution" type="text" value="Overwrite the existing business object with the incoming business
</row>
<row>
<field name="Component" type="text" value="Calendar (US-3632)"/>
<field name="Issue" type="text" value="A calendar already exists with this name. Please choose one of the
<field name="Resolution" type="text" value="Overwrite the existing calendar with the incoming calendar"/>
</row>
```

```
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Issue" type="text" value="A web service with the same name already exists in the database.</pre>
<field name="Resolution" type="text" value="Overwrite the existing web service with the incoming web service.
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
<field name="Issue" type="text" value="A web api with the same name already exists in the database. Plea
<field name="Resolution" type="text" value="Overwrite the existing web api with the incoming web api"/>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Issue" type="text" value="A tile with the same name already exists in the database. Please c
<field name="Resolution" type="text" value="Overwrite the existing tile with the incoming tile"/>
</row>
</initialvalue>
</stage>
<stage stageid="ea4f6623-6024-4b50-a08d-a4f429c58a00" name="Expected Resolutions" type="Collection"
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-135" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolutions" type="collection">
<field name="Item Text" type="text"/>
```

```
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Agency FB 10 (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing font with the incoming font"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this font"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing process with the incoming process"/>
</row>
<row>
<field name="Item Text" type="text" value="Rename the incoming process"/>
</row>
<row>
<field name="Item Text" type="text" value="Rename the existing process"/>
</row>
<row>
```

```
<field name="Item Text" type="text" value="Don't import this process"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing business object with the incoming business
</row>
<row>
<field name="Item Text" type="text" value="Rename the incoming business object"/>
</row>
<row>
<field name="Item Text" type="text" value="Rename the existing business object"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this business object"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Calendar (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing calendar with the incoming calendar"/>
</row>
```

```
<row>
<field name="Item Text" type="text" value="Don't import this calendar"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing web service with the incoming web servi
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming web service"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the existing web service"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing web api with the incoming web api"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming web api"/>
```

```
</row>
<row>
<field name="Item Text" type="text" value="Don't import this web api"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing tile with the incoming tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the existing tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this tile - leave the existing one in place"/>
</row>
</field>
</row>
</initialvalue>
</stage>
<stage stageid="6acd1621-6ac0-4a37-a4dd-942876af17d8" name="Input Variables" type="Block">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
```

```
<display x="-210" y="-15" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7411eb07-adc6-4a14-9765-feb4a65e793f" name="Local Variables" type="Block">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-210" y="90" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="85054783-5515-49b9-8aea-b16854f493d2" name="File Path" type="Data">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-135" y="120" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">\Processes\ReleaseManager\Everything Release 2 (US-3632).bprelea
<alwaysinit/>
</stage>
<stage stageid="b282da56-4dc9-4f74-a106-63e7618285d1" name="Make File Path (3)" type="Calculation"
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>129977ae-377e-4dc5-ae11-36474435578d</onsuccess>
<calculation expression="[QA Root]&amp;amp;[File Path]" stage="File Path"/>
</stage>
<stage stageid="e9be411c-334a-42dd-9655-3f7f950b9fb8" name="Conflicts" type="Collection">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-135" y="150" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="a784e127-ab6b-40e4-a343-f3d830a7cad6" name="All Resolutions" type="Collection">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-135" y="180" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="ab614c57-758d-4370-9a01-5fd891a52184" name="Compare Conflicts (3)" type="SubShe
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="225" w="90" h="30"/>
<inputs>
<input type="collection" name="Conflicts" friendlyname="Conflicts" expr="[Conflicts]"/>
<input type="collection" name="Expcted Conflicts" friendlyname="Expcted Conflicts" expr="[Expected Conflicts" |
</inputs>
<onsuccess>995d5a9f-911e-43cf-bbb7-12512097bb89</onsuccess>
cessid>9d1984f8-9f01-460f-b187-faaf2be11d52/processid>
</stage>
<stage stageid="995d5a9f-911e-43cf-bbb7-12512097bb89" name="Compare Resolutions (3)" type="SubS
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="270" w="90" h="30"/>
<inputs>
<input type="collection" name="Resolutions" friendlyname="Resolutions" expr="[All Resolutions]"/>
<input type="collection" name="Expected Resolutions" friendlyname="Expected Resolutions" expr="[Expected Resolutions]]]]]
</inputs>
<onsuccess>f3bec7eb-b78f-453c-8791-d536014209ab</onsuccess>
```

```
</stage>
<stage stageid="f3bec7eb-b78f-453c-8791-d536014209ab" name="Press Next (3)" type="Action">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="330" w="90" h="30"/>
<onsuccess>6074ac22-2a5b-422b-83d5-c5196ceabe5b</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="efd8ae22-eb43-4abe-a9c4-d36b815c388b" name="Wait for Progress Bar (3)" type="Actio
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="420" w="90" h="30"/>
<onsuccess>bcad5139-eeaa-4b61-93f8-3596c156cda5</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
<stage stageid="bcad5139-eeaa-4b61-93f8-3596c156cda5" name="Press Finish (3)" type="Action">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="465" w="90" h="30"/>
<onsuccess>1c7ea2f6-8eb9-4ad0-aae8-39a9745d692e</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Finish"/>
</stage>
<stage stageid="6efdea47-7ac4-401b-9b47-0c8534680fbb" name="Third Import (Different Release)" type=
<display x="15" y="90" w="90" h="30"/>
<onsuccess>6fc03827-5fcd-4da5-a105-1bab3b3a9436
</stage>
<stage stageid="0c4b467d-97bc-4f29-ad8c-ae7d70ef3c18" name="Compare Errors" type="SubSheetInfo";
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
```

```
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="9be31e75-e143-4919-96e2-042676e2dde7" name="Start" type="Start">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="-105"/>
<inputs>
<input type="collection" name="Expected Errors" stage="Expected Errors"/>
<input type="collection" name="Errors" stage="Errors"/>
</inputs>
<onsuccess>bcd9b1f9-ebb4-443f-acf8-af77b34eca58</onsuccess>
</stage>
<stage stageid="a31cc672-ceb0-46f9-9695-9cefed212d4b" name="Check Conflicts" type="Block">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="-45" y="30" w="120" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="1cbe58dc-b899-4afa-8f6a-e66bb8cd8683" name="Expected Errors" type="Collection">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="-120" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b0829701-0f1c-4082-be67-974064f3134b" name="Errors" type="Collection">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="-120" y="45" w="120" h="30"/>
<datatype>collection</datatype>
```

```
<private/>
<alwaysinit/>
</stage>
<stage stageid="8b7f7b57-7a36-4443-82e3-32cf8cfbbb7d" name="Input Variables" type="Block">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="-195" y="-15" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e59d3648-1466-40f5-82f0-442a5f11466c" name="End" type="End">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="165"/>
</stage>
<stage stageid="318111aa-8551-4cc8-94de-26c19bfd4f0c" name="Errors" type="LoopStart">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="-15" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="FF0000"/>
<onsuccess>281c69c6-7582-438f-aae1-b0aac6c070bd</onsuccess>
<groupid>94f0587d-8e7e-4a88-a7e8-567dad4e34f5</groupid>
<looptype>ForEach</looptype>
<loopdata>Errors</loopdata>
</stage>
<stage stageid="ea26fde3-eee7-4d94-a8b1-777eb2a2bca6" name="Errors" type="LoopEnd">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="FF0000"/>
<onsuccess>fee10d7c-46ce-4a4b-937e-4ad9454d9f24</onsuccess>
<groupid>94f0587d-8e7e-4a88-a7e8-567dad4e34f5</groupid>
```

```
</stage>
<stage stageid="bcd9b1f9-ebb4-443f-acf8-af77b34eca58" name="Expected Errors" type="LoopStart">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="-60" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="3366FF"/>
<onsuccess>318111aa-8551-4cc8-94de-26c19bfd4f0c</onsuccess>
<groupid>8de7e284-613b-4226-a422-030e63b8f5a2</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Errors/loopdata>
</stage>
<stage stageid="8e7d27fd-976c-45b3-98f0-667bf21277a1" name="Expected Errors" type="LoopEnd">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<font family="Segoe UI" size="10" style="Bold" color="3366FF"/>
<onsuccess>e59d3648-1466-40f5-82f0-442a5f11466c</onsuccess>
<groupid>8de7e284-613b-4226-a422-030e63b8f5a2</groupid>
</stage>
<stage stageid="281c69c6-7582-438f-aae1-b0aac6c070bd" name="Error Found?" type="Decision">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<decision expression="[Errors.Error]=[Expected Errors.Error]"/>
<ontrue>30412567-5a0b-49cf-9d37-3130a60c68c0</ontrue>
<onfalse>ea26fde3-eee7-4d94-a8b1-777eb2a2bca6</onfalse>
</stage>
<stage stageid="30412567-5a0b-49cf-9d37-3130a60c68c0" name="Anchor1" type="Anchor">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="120" y="30" w="10" h="10"/>
```

```
<onsuccess>85ed3f0e-ee30-4251-9b5b-89e717868bcf</onsuccess>
</stage>
<stage stageid="fee10d7c-46ce-4a4b-937e-4ad9454d9f24" name="FAIL" type="Exception">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="90" y="75" w="30" h="30"/>
<exception type="Bug" detail="&amp;quot;You expected a certain error to appear, however it didnt. You ex
</stage>
<stage stageid="85ed3f0e-ee30-4251-9b5b-89e717868bcf" name="Anchor2" type="Anchor">
<subsheetid>a47eb7b2-96d2-4344-b5ae-186330dd516c</subsheetid>
<display x="120" y="120" w="10" h="10"/>
<onsuccess>8e7d27fd-976c-45b3-98f0-667bf21277a1
</stage>
<stage stageid="4311e844-a4e2-481d-a7f7-081033ff78e0" name="Second Import (Same Release)" type=
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="-75" w="150" h="90"/>
</stage>
<stage stageid="fbc3e9f5-a080-4c9d-a2b1-cb7b4054f0a3" name="Start" type="Start">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="-105"/>
<onsuccess>cabd73a0-03ce-4f2a-9e7f-195eea00aca9</onsuccess>
</stage>
<stage stageid="5b2dc8d6-8398-4b51-bd1c-17db278d0bbc" name="End" type="End">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="600"/>
</stage>
<stage stageid="cabd73a0-03ce-4f2a-9e7f-195eea00aca9" name="Press Import (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
```

```
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="flag" name="Release?" friendlyname="Release?" narrative="Do you want to import a release
</inputs>
<onsuccess>22b7e433-5127-4f0e-a2d6-7ac4d0ad3825</onsuccess>
<resource object="Blue Prism - Releases" action="Press Import"/>
</stage>
<stage stageid="fa774fc4-3e36-4c51-abc0-5c4f21ca01b9" name="Enter File Location (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="File Path" friendlyname="File Path" narrative="The file path to the bprelease file
</inputs>
<onsuccess>88bd1709-d471-4250-81c6-1d98ed6f99af</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Write File Location"/>
</stage>
<stage stageid="88bd1709-d471-4250-81c6-1d98ed6f99af" name="Press Next (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<onsuccess>cb6b6977-3d48-4abe-a415-8fcda11f99ed</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="cb6b6977-3d48-4abe-a415-8fcda11f99ed" name="Wait for Progress Bar (4)" type="Action
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<onsuccess>38eea8b3-56b1-4e12-8d29-39c699e7439d</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
```

```
</stage>
<stage stageid="3a659892-2bc5-4c68-8d16-7ec2153caa22" name="Expected Conflicts (1)" type="Collecti
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Issue" type="text"/>
<field name="Resolution" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Agency FB 10 (US-3632)"/>
<field name="Issue" type="text" value="A font already exists with this name&amp;#xD;&amp;#xA;Please c
<field name="Resolution" type="text" value="Overwrite the existing font with the incoming font"/>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Issue" type="text" value="A process with the same name already exists in the database&am
<field name="Resolution" type="text" value="Overwrite the existing process with the incoming process"/>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Issue" type="text" value="A business object with the same name already exists in the databa
<field name="Resolution" type="text" value="Overwrite the existing business object with the incoming business
```

```
</row>
<row>
<field name="Component" type="text" value="Calendar (US-3632)"/>
<field name="Issue" type="text" value="A calendar already exists with this name&amp; #xD; &amp; #xA; Plea
<field name="Resolution" type="text" value="Overwrite the existing calendar with the incoming calendar"/>
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Issue" type="text" value="A web service with the same name already exists in the database&
<field name="Resolution" type="text" value="Overwrite the existing web service with the incoming web service.
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
<field name="Issue" type="text" value="A web api with the same name already exists in the database&amp
<field name="Resolution" type="text" value="Overwrite the existing web api with the incoming web api"/>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Issue" type="text" value="A tile with the same name already exists in the database&amp;#xD
<field name="Resolution" type="text" value="Overwrite the existing tile with the incoming tile"/>
</row>
</initialvalue>
</stage>
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="45" w="120" h="30"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolutions" type="collection">
<field name="Item Text" type="text"/>
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Agency FB 10 (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing font with the incoming font"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this font"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing process with the incoming process"/>
</row>
<row>
```

```
<field name="Item Text" type="text" value="Rename the incoming process"/>
</row>
<row>
<field name="Item Text" type="text" value="Rename the existing process"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this process"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing business object with the incoming business
</row>
<row>
<field name="Item Text" type="text" value="Rename the incoming business object"/>
</row>
<row>
<field name="Item Text" type="text" value="Rename the existing business object"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this business object"/>
</row>
</field>
</row>
```

```
<row>
<field name="Component" type="text" value="Calendar (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing calendar with the incoming calendar"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this calendar"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing web service with the incoming web servi
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming web service"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the existing web service"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
```

```
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing web api with the incoming web api"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming web api"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this web api"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Resolutions" type="collection">
<row>
<field name="Item Text" type="text" value="Overwrite the existing tile with the incoming tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the incoming tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Choose a new name for the existing tile"/>
</row>
<row>
<field name="Item Text" type="text" value="Don't import this tile - leave the existing one in place"/>
</row>
```

```
</field>
</row>
</initialvalue>
</stage>
<stage stageid="d5e3d056-6a25-4a52-87f9-15e89ead275c" name="Input Variables" type="Block">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-210" y="-15" w="150" h="180"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f3e0b5d3-ffda-4b6b-9251-40d15402f6f2" name="Local Variables" type="Block">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-210" y="180" w="150" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="0f1324b5-df4f-4a87-ac15-7b6d62255016" name="File Path" type="Data">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="210" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">\Processes\ReleaseManager\Everything Release 2 (US-3632).bprelea
<private/>
<alwaysinit/>
</stage>
<stage stageid="22b7e433-5127-4f0e-a2d6-7ac4d0ad3825" name="Make File Path (4)" type="Calculation
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>fa774fc4-3e36-4c51-abc0-5c4f21ca01b9</onsuccess>
<calculation expression="[QA Root]&amp;amp;[File Path]" stage="File Path"/>
```

```
</stage>
<stage stageid="fb7fe4b5-5595-4e0f-a9a7-93c9d209a5e6" name="Conflicts" type="Collection">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="240" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f21a71bd-c1c3-45f5-9647-49f41151d62b" name="All Resolutions" type="Collection">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="270" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e2fb28e5-bfc9-43de-84de-317933edfa2e" name="Press Next (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="420" w="90" h="30"/>
<onsuccess>96e90c7e-ba05-4c2a-8ad7-ce4d54cd824d</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="f644ebde-1d8e-4d5b-92c1-50c840d374b1" name="Wait for Progress Bar (4)" type="Actio
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="510" w="90" h="30"/>
<onsuccess>ef91b7b8-1f37-4ef9-ba25-2ac0b7971fad</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Wait for Progress Bar"/>
</stage>
```

```
<stage stageid="ef91b7b8-1f37-4ef9-ba25-2ac0b7971fad" name="Press Finish (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="555" w="90" h="30"/>
<onsuccess>5b2dc8d6-8398-4b51-bd1c-17db278d0bbc</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Finish"/>
</stage>
<stage stageid="38eea8b3-56b1-4e12-8d29-39c699e7439d" name="Set Conflict Resolutions (4)" type="A
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="180" w="90" h="30"/>
<inputs>
<input type="collection" name="Resolutions" friendlyname="Resolutions" narrative="A collection with all of
</inputs>
<onsuccess>73a9e759-2a00-483e-aa8e-959d077587a5</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Set Conflict Resolutions"/>
</stage>
<stage stageid="73a9e759-2a00-483e-aa8e-959d077587a5" name="Press Next (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="225" w="90" h="30"/>
<onsuccess>ecbdad26-243f-460d-8d59-bd632b9e88b2</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="ecbdad26-243f-460d-8d59-bd632b9e88b2" name="Read Errors (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="270" w="90" h="30"/>
<outputs>
<output type="collection" name="Errors" friendlyname="Errors" stage="Errors"/>
</outputs>
```

```
<onsuccess>08cdf457-061d-453a-a34d-689525405f36</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Read Error Descriptions"/>
</stage>
<stage stageid="a1664971-fb82-4413-996e-95a8ae69523c" name="Errors" type="Collection">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="300" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Error" type="text"/>
</collectioninfo>
</stage>
<stage stageid="62e1b35b-0c3e-465c-8675-29032caf71ca" name="Expected Errors" type="Collection">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="75" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Error" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Error" type="text" value="You must provide an alternative name for incoming process: Proce
</row>
<row>
```

```
<field name="Error" type="text" value="You must provide an alternative name for incoming business object
</row>
<row>
<field name="Error" type="text" value="You must provide an alternative name for the web api 'Web API (Us
</row>
<row>
<field name="Error" type="text" value="You must provide an alternative name for the incoming tile: Tile (US
</row>
</initialvalue>
</stage>
<stage stageid="08cdf457-061d-453a-a34d-689525405f36" name="Compare Errors (4)" type="SubSheet":
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="315" w="90" h="30"/>
<inputs>
<input type="collection" name="Expected Errors" friendlyname="Expected Errors" expr="[Expected Errors]
<input type="collection" name="Errors" friendlyname="Errors" expr="[Errors]"/>
</inputs>
<onsuccess>9f882cbb-f33e-41bb-b199-c808c11d2887</onsuccess>
</stage>
<stage stageid="07380c4d-42b7-45fc-b982-a9304421ac35" name="Resolutions" type="Collection">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="105" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
```

```
<field name="Component" type="text"/>
<field name="Resolution" type="text"/>
<field name="Expect Popup?" type="flag"/>
<field name="Argument(s)" type="collection">
<field name="Argument" type="text"/>
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Resolution" type="text" value="Rename the incoming process"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value=""/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Resolution" type="text" value="Rename the incoming business object"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value=""/>
</row>
</field>
```

```
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Resolution" type="text" value="Choose a new name for the incoming web service"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value=""/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
<field name="Resolution" type="text" value="Choose a new name for the incoming web api"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value=""/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Resolution" type="text" value="Choose a new name for the incoming tile"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
```

```
<field name="Argument" type="text" value=""/>
</row>
</field>
</row>
</initialvalue>
</stage>
<stage stageid="3a64f817-6fe4-4702-bfec-ae144622d305" name="Check Errors Appear" type="Block">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-45" y="150" w="120" h="195"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6fc03827-5fcd-4da5-a105-1bab3b3a9436" name="Fourth Import (Checking Errors)" type=
<display x="15" y="135" w="90" h="30"/>
<onsuccess>fc692faf-7f8e-4639-b0c1-d2987846d75f</onsuccess>
</stage>
<stage stageid="9f882cbb-f33e-41bb-b199-c808c11d2887" name="Set Conflict Resolutions (4)" type="Act
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="375" w="90" h="30"/>
<inputs>
<input type="collection" name="Resolutions" friendlyname="Resolutions" narrative="A collection with all of
</inputs>
<onsuccess>e2fb28e5-bfc9-43de-84de-317933edfa2e</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Set Conflict Resolutions"/>
</stage>
<stage stageid="5766bede-2214-4461-997b-f4f282ef1809" name="Recover" type="Recover">
<display x="120" y="0" w="90" h="30"/>
```

```
<onsuccess>acdc099f-a47a-4b91-b4fe-dfed3acd5c2d</onsuccess>
</stage>
<stage stageid="be0bed1d-145f-4f43-8ddc-2ade93d3ced1" name="Resume" type="Resume">
<display x="120" y="90" w="90" h="30"/>
<onsuccess>2e1eaa81-2de0-4df6-81ac-963fa9035e08</onsuccess>
</stage>
<stage stageid="acdc099f-a47a-4b91-b4fe-dfed3acd5c2d" name="Exception Calc" type="MultipleCalculati
<display x="120" y="45" w="90" h="30"/>
<onsuccess>be0bed1d-145f-4f43-8ddc-2ade93d3ced1</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="8b1ebb16-7329-476e-b421-095f40a14c06" name="Resolutions (2)" type="Collection">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="-135" y="135" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Component" type="text"/>
<field name="Resolution" type="text"/>
<field name="Expect Popup?" type="flag"/>
<field name="Argument(s)" type="collection">
<field name="Argument" type="text"/>
</field>
```

```
</collectioninfo>
<initialvalue>
<row>
<field name="Component" type="text" value="Process (US-3632)"/>
<field name="Resolution" type="text" value="Rename the incoming process"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value="Process (US-3632 (2))"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Object (US-3632)"/>
<field name="Resolution" type="text" value="Rename the incoming business object"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value="Object (US-3632 (2))"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Hello_Service (US-3632)"/>
<field name="Resolution" type="text" value="Choose a new name for the incoming web service"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
```

```
<row>
<field name="Argument" type="text" value="Hello_Service (US-3632 (2))"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Web API (US-3632)"/>
<field name="Resolution" type="text" value="Choose a new name for the incoming web api"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value="Web API (US-3632 (2))"/>
</row>
</field>
</row>
<row>
<field name="Component" type="text" value="Tile (US-3632)"/>
<field name="Resolution" type="text" value="Choose a new name for the incoming tile"/>
<field name="Expect Popup?" type="flag" value="True"/>
<field name="Argument(s)" type="collection">
<row>
<field name="Argument" type="text" value="Tile (US-3632 (2))"/>
</row>
</field>
</row>
</initialvalue>
</stage>
```

```
<stage stageid="555427a0-a982-4703-8285-267eaac4e341" name="Check Conflicts" type="Block">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="-45" y="120" w="120" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3c75f21d-9370-4936-bf02-efb274c7a712" name="Note2" type="Note">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<narrative>This page is testing that importing the same release again brings up the correct conflicts, with the same release again brings up the correct conflicts.
<display x="135" y="-90" w="120" h="120"/>
</stage>
<stage stageid="2c29f7cd-595e-4f9a-a424-c91efb3a1a44" name="Note2" type="Note">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<narrative>This page is testing that importing a release brings up the correct conflicts, with the correct resorder.
<display x="135" y="-180" w="120" h="120"/>
</stage>
<stage stageid="883ebbbc-c772-4bb9-bc91-9abc66cb7cb4" name="Note2" type="Note">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<narrative>This page is testing that importing a different release which contains componenents with the sa
<display x="135" y="-60" w="120" h="120"/>
</stage>
<stage stageid="5ea4684f-5d01-4bba-b5b3-f24d6c93d549" name="Check Conflicts" type="Block">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="-45" y="150" w="120" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="2bfc4f20-2c93-4833-abe7-9a1273a60ca9" name="Note2" type="Note">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
```

```
<narrative>This page is testing that if you don't resolve a resolution correctly you get the expected errors.
<display x="135" y="-60" w="120" h="120"/>
</stage>
<stage stageid="9abaf852-1ff4-4eda-93a9-4785ab0f3aa0" name="Browse to System" type="Action">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<loginhibit onsuccess="true"/>
<display x="135" y="210" w="90" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>7b6b379e-08ba-4819-b86d-a3ecaa14df4b</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="7b6b379e-08ba-4819-b86d-a3ecaa14df4b" name="Browse to Encryption Schemes" type=
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
<loginhibit onsuccess="true"/>
<display x="135" y="255" w="90" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub item"
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>f559c69b-35ed-4830-a1ce-8532d51eeb33</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
```

```
</stage>
<stage stageid="f559c69b-35ed-4830-a1ce-8532d51eeb33" name="Create Encryption Scheme" type="Action of the content of the conte
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
loginhibit onsuccess="true"/>
<display x="135" y="300" w="90" h="30"/>
<inputs>
<input type="text" name="Scheme Name" friendlyname="Scheme Name" narrative="The name in which yo
<input type="flag" name="Available?" friendlyname="Available?" narrative="This will tick a box that allows
<input type="flag" name="Database?" friendlyname="Database?" narrative="Mark as true if you want to sto
<input type="text" name="Method" friendlyname="Method" narrative="The encryption method used with the
</inputs>
<onsuccess>df60909c-53b7-42a7-bf49-46473da4d75a</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption - Cre
</stage>
<stage stageid="df60909c-53b7-42a7-bf49-46473da4d75a" name="Select Encryption Scheme" type="Acti
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
loginhibit onsuccess="true"/>
<display x="135" y="345" w="90" h="30"/>
<inputs>
<input type="text" name="Scheme Name" friendlyname="Scheme Name" narrative="The name of the sche
</inputs>
<onsuccess>5aa8b47e-a589-46a4-8ce8-df45bf96ad92</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen
</stage>
<stage stageid="eadc24d7-3c94-4f55-9beb-9e797698a21f" name="Cleanup" type="SubSheetInfo">
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
<display x="-120" y="-120" w="150" h="90"/>
```

```
</stage>
<stage stageid="cfad58b6-3d31-43e3-a42b-7124d5910b96" name="Start" type="Start">
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
<display x="15" y="-150"/>
<onsuccess>ab7f4892-0a16-4ba6-9dcf-8c6ba3d57954</onsuccess>
</stage>
<stage stageid="ba864603-0e60-4dfa-9974-03e4636b8c33" name="End" type="End">
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
<display x="15" y="165"/>
</stage>
<stage stageid="d8ac66f4-2d2d-4a66-ad13-edf1e9e99720" name="Delete Encryption Scheme" type="Acti
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
<input type="text" name="Scheme Name" friendlyname="Scheme Name" narrative="This is the name of the
</inputs>
<onsuccess>9a6ebfc5-9ccc-4f87-b7eb-cc0bc570a918</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Schere
</stage>
<stage stageid="25c7577d-c06d-40c8-b341-d37f80429898" name="Select Encryption Scheme" type="Action of the company of the compa
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="Scheme Name" friendlyname="Scheme Name" narrative="The name of the scheme of the scheme of the scheme of the scheme Name of the scheme of the scheme of the scheme of the scheme of 
</inputs>
```

```
<onsuccess>d8ac66f4-2d2d-4a66-ad13-edf1e9e99720</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen
</stage>
<stage stageid="af06f57c-56f7-49d3-9818-0a3ee8f62068" name="Delete Credential" type="Action">
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="text" name="Credential Name" friendlyname="Credential Name" narrative="The name of the
</inputs>
<onsuccess>fb377070-19d3-425a-ac87-ce14a3d0207d</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="9a6ebfc5-9ccc-4f87-b7eb-cc0bc570a918" name="Terminate" type="Action">
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<onsuccess>ba864603-0e60-4dfa-9974-03e4636b8c33</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="fb377070-19d3-425a-ac87-ce14a3d0207d" name="Browse to Encryption Schemes" type=
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
```

<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub ite

```
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>25c7577d-c06d-40c8-b341-d37f80429898</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="ab7f4892-0a16-4ba6-9dcf-8c6ba3d57954" name="Browse to Credentials" type="Action">
<subsheetid>184a3799-53ce-44ea-b232-0d8018bfba38</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-105" w="90" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub ite
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>af06f57c-56f7-49d3-9818-0a3ee8f62068</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="fc692faf-7f8e-4639-b0c1-d2987846d75f" name="Cleanup" type="SubSheet">
<display x="15" y="195" w="90" h="30"/>
<onsuccess>b7548c96-50cb-40b2-b478-4cee60731492</onsuccess>
</stage>
```

```
<stage stageid="eb6a0b83-c362-474f-b152-917a57890f5d" name="Attach to System" type="Action">
<subsheetid>cca8f5a5-ad0e-474d-94cf-f3a8d4aac77f</subsheetid>
loginhibit onsuccess="true"/>
<display x="135" y="120" w="90" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>37367f5b-1068-44f0-b9f2-c85cf4f7b490</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="bd043649-482e-41db-b60b-19f9b54e4476" name="Press Next (1)" type="Action">
<subsheetid>b81f8953-0865-4ad6-b914-2f345787ba43</subsheetid>
<display x="15" y="255" w="90" h="30"/>
<onsuccess>e2205c8e-d804-462f-8011-d6cc1d1563c3</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="d0f32548-096f-4525-9602-795f5a17ba88" name="Press Next (2)" type="Action">
<subsheetid>2b90ba22-05d6-466e-ab4b-73d5b8584e56</subsheetid>
<display x="15" y="345" w="90" h="30"/>
<onsuccess>025da852-2b90-4195-a532-492c41edc761</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<stage stageid="6074ac22-2a5b-422b-83d5-c5196ceabe5b" name="Press Next (3)" type="Action">
<subsheetid>223209cf-259c-4d19-a0bf-55406918d6c0</subsheetid>
<display x="15" y="375" w="90" h="30"/>
<onsuccess>efd8ae22-eb43-4abe-a9c4-d36b815c388b</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
```

```
</stage>
<stage stageid="96e90c7e-ba05-4c2a-8ad7-ce4d54cd824d" name="Press Next (4)" type="Action">
<subsheetid>962afbde-88d2-4d57-9c8d-3f1dd4cadd89</subsheetid>
<display x="15" y="465" w="90" h="30"/>
<onsuccess>f644ebde-1d8e-4d5b-92c1-50c840d374b1</onsuccess>
<resource object="Blue Prism - Releases" action="Release Wizard - Press Next"/>
</stage>
<view>
<camerax>0</camerax>
<cameray>39</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="03a11884-278c-4cd6-87a7-92d7aafee130" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="991f66f7-b220-4507-8c1e-95de88c8fee1" type="Normal" published="False">
<name>Remove via Tree Control</name>
<view>
```

```
<camerax>0</camerax>
<cameray>189</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="98dae2a7-2150-496b-b3ef-c1809814cc3a" type="Normal" published="False">
<name>Remove via List Control</name>
<view>
<camerax>0</camerax>
<cameray>168</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e5f33460-15b7-4f6e-a440-94a55daa5fff" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>-42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="85644bae-3fd1-4511-8214-1b60902dd7a5" name="Start" type="Start">
<display x="15" y="-105"/>
<onsuccess>d5fbcc14-09b6-4d8b-b32f-8eb3f411c5ca</onsuccess>
</stage>
<stage stageid="05240150-089d-43eb-b5ad-a5647e7a1767" name="Stage1" type="ProcessInfo">
<display x="-225" y="-75" w="150" h="90"/>
```

```
</stage>
<stage stageid="c06b8881-d5a9-4821-8471-f477dc7e733c" name="Setup" type="SubSheetInfo">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="e02dcbe6-2c21-424f-a9a0-8fb4732a48ba" name="Start" type="Start">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="15" y="-105"/>
<onsuccess>296a61b0-38d9-4fb9-b8a2-bc52b3f8ac30</onsuccess>
</stage>
<stage stageid="9b04b24e-e845-4695-bad4-13e0d4342ca1" name="End" type="End">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="15" y="165"/>
</stage>
<stage stageid="0b19749f-4aa1-4e5f-a257-b87d77643dd1" name="Remove via Tree Control" type="SubS
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="983cc1f7-614e-4540-8fe3-719c6e9364a2" name="Start" type="Start">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="-105"/>
<onsuccess>55a0567f-dbb3-443c-8776-6b45f8ca743d</onsuccess>
</stage>
<stage stageid="f12c5a62-3894-4843-b012-8476b0c16cd3" name="End" type="End">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="390"/>
</stage>
```

```
<stage stageid="01bf6aa1-5d62-4792-a88d-53c107befed3" name="Remove via List Control" type="SubSh
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="bb28df08-2cc2-430c-9ff6-9612ddb05202" name="Start" type="Start">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="-105"/>
<onsuccess>fce041eb-0952-4ccd-9e5b-d784641d7222</onsuccess>
</stage>
<stage stageid="aeeaa34e-d7ca-457b-a5be-5ca50bfafdb2" name="End" type="End">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="390"/>
</stage>
<stage stageid="efdd67b8-abb2-4be0-be1d-edc01f450a7c" name="Cleanup" type="SubSheetInfo">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
<display x="-120" y="-165" w="150" h="90"/>
</stage>
<stage stageid="330c4a54-f1fd-41a1-afae-9790f04db928" name="Start" type="Start">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
<display x="15" y="-195"/>
<onsuccess>2b398add-cd37-408e-b878-d6f51a76a797</onsuccess>
</stage>
<stage stageid="67fa2dfb-f6a5-4c04-8457-de83d88d4aeb" name="End" type="End">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
<display x="15" y="-15"/>
</stage>
<stage stageid="296a61b0-38d9-4fb9-b8a2-bc52b3f8ac30" name="Launch" type="Action">
```

```
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<outputs>
<output type="number" name="pid" friendlyname="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>7b1d6b67-c138-4de3-826b-db8ceeadf3f8</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="7b1d6b67-c138-4de3-826b-db8ceeadf3f8" name="Attach to Studio" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>816c0d1c-02a4-4dbb-8747-ef3754e98258</onsuccess>
<resource object="Blue Prism - Studio (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="816c0d1c-02a4-4dbb-8747-ef3754e98258" name="Sign In" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" expr=""/>
<input type="password" name="Password" friendlyname="Password" expr=""/>
<input type="password" name="New Password" friendlyname="New Password" narrative="If this is your fir
```

```
<input type="flag" name="Expect Password Reset" friendlyname="Expect Password Reset" expr=""/>
</inputs>
<outputs>
<output type="text" name="Locale" friendlyname="Locale" narrative="Blue Prism Locale setting" stage=""/2</p>
</outputs>
<onsuccess>8b2664fb-65e5-4f75-93d2-e8f61bd5b1b5</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="8b2664fb-65e5-4f75-93d2-e8f61bd5b1b5" name="Browse to Studio" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>0a73d13a-bca5-447e-9749-b285fe1dd723</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="ddf5ac4f-5c30-4a14-af9b-7260268289e5" name="Recover" type="Recover">
<display x="210" y="75" w="90" h="30"/>
<onsuccess>7649b6ec-46a0-4de7-8b0e-7732b898cf1e</onsuccess>
</stage>
<stage stageid="15eecf95-3d06-4ae8-863a-2f5f5557796e" name="Resume" type="Resume">
<display x="210" y="165" w="90" h="30"/>
<onsuccess>b364b6fd-57e7-4a99-bf6c-ffdc9ed33a88</onsuccess>
</stage>
<stage stageid="7649b6ec-46a0-4de7-8b0e-7732b898cf1e" name="Get Exception" type="MultipleCalculate"
```

```
<display x="210" y="120" w="90" h="30"/>
<onsuccess>15eecf95-3d06-4ae8-863a-2f5f5557796e</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="c5759910-a003-4fc5-b423-88005185d360" name="Cleanup Block" type="Block">
<display x="-135" y="45" w="405" h="315"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f9ee7ba1-366d-4c26-b43e-d304d1ade42b" name="pid" type="Data">
<display x="-225" y="15" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="63cd8f78-9bae-4770-ad94-4bde6f5853e5" name="Global Variables" type="Block">
<display x="-300" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="50f7f219-eac8-4153-a855-84ad3d731614" name="Failed?" type="Data">
<display x="-225" y="90" w="150" h="30"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
```

```
</stage>
<stage stageid="11d13c8a-3875-4a89-b14e-a2672c2b05b6" name="Exception" type="Data">
<display x="-225" y="120" w="150" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c380f4ee-2791-42eb-a685-86dba6ee250e" name="Local Variables" type="Block">
<display x="-300" y="60" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e63d943b-0720-4b8f-b0ae-a107eb3fa67a" name="End" type="End">
<display x="15" y="480"/>
</stage>
<stage stageid="d7eca470-0484-41ca-85da-ab8526967f35" name="Failed?" type="Decision">
<display x="15" y="435" w="90" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>c2d2a411-bc92-4f19-8989-82061a92b84f</ontrue>
<onfalse>e63d943b-0720-4b8f-b0ae-a107eb3fa67a</onfalse>
</stage>
<stage stageid="c2d2a411-bc92-4f19-8989-82061a92b84f" name="RETHROW" type="Exception">
<display x="105" y="435"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="590144f9-9e30-4399-a470-2c9a9290e630" name="Cleanup" type="SubSheet">
<display x="15" y="390" w="90" h="30"/>
```

```
<onsuccess>d7eca470-0484-41ca-85da-ab8526967f35</onsuccess>
</stage>
<stage stageid="b364b6fd-57e7-4a99-bf6c-ffdc9ed33a88" name="Anchor1" type="Anchor">
loginhibit onsuccess="true"/>
<display x="210" y="390" w="10" h="10"/>
<onsuccess>590144f9-9e30-4399-a470-2c9a9290e630/onsuccess>
</stage>
<stage stageid="89f08586-c985-436a-ace0-37cb58fd11f1" name="Recover1" type="Recover">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
<loginhibit/>
<display x="105" y="-60"/>
<onsuccess>f6d498ba-57bc-4d2c-a737-85356d0d8266</onsuccess>
</stage>
<stage stageid="f6d498ba-57bc-4d2c-a737-85356d0d8266" name="Resume1" type="Resume">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
<loginhibit/>
<display x="105" y="-15"/>
<onsuccess>67fa2dfb-f6a5-4c04-8457-de83d88d4aeb</onsuccess>
</stage>
<stage stageid="9beb3a3f-c058-4e5b-a305-f67517860edb" name="Setup" type="SubSheet">
<display x="15" y="15" w="270" h="30"/>
<onsuccess>d621979a-f90e-4ab3-9309-1574c641ff5a</onsuccess>
</stage>
<stage stageid="d5fbcc14-09b6-4d8b-b32f-8eb3f411c5ca" name="Note1" type="Note">
<narrative>GIVEN I have a valid Process and Object group structure (Created on import)
```

```
<display x="15" y="-45" w="270" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>9beb3a3f-c058-4e5b-a305-f67517860edb</onsuccess>
</stage>
<stage stageid="d621979a-f90e-4ab3-9309-1574c641ff5a" name="Note1" type="Note">
<narrative>WHEN I remove a process via the tree control menu item
OR I remove an object via the tree control menu item
THEN the process / object will return to the correct default group</narrative>
<display x="15" y="105" w="270" h="90"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>5e1576f3-ae52-4e57-b973-5c8431fd5014</onsuccess>
</stage>
<stage stageid="5e1576f3-ae52-4e57-b973-5c8431fd5014" name="Remove via Tree Control" type="SubS
<display x="15" y="180" w="270" h="30"/>
<onsuccess>613492c8-f24f-4f80-92cc-be07baf9b534</onsuccess>
</stage>
<stage stageid="7d6c9a3b-4ad1-432d-bd6c-d201ed76f529" name="Remove via List Control" type="SubSl
<display x="15" y="330" w="270" h="30"/>
<onsuccess>590144f9-9e30-4399-a470-2c9a9290e630/onsuccess>
</stage>
<stage stageid="613492c8-f24f-4f80-92cc-be07baf9b534" name="Note1" type="Note">
<narrative>WHEN I remove a process via the list control menu item
OR I remove an object via the list control menu item
```

```
THEN the process / object will return to the correct default group</narrative>
<display x="15" y="255" w="270" h="90"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>7d6c9a3b-4ad1-432d-bd6c-d201ed76f529</onsuccess>
</stage>
<stage stageid="55a0567f-dbb3-443c-8776-6b45f8ca743d" name="Remove Process via Tree" type="Action
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="text" name="Group Name" friendlyname="Group Name" narrative="The name of the group yo
<input type="text" name="Process / Object Name" friendlyname="Process / Object Name" narrative="The
<input type="number" name="Match Index" friendlyname="Match Index" narrative="Default to 1. This is us
</inputs>
<onsuccess>66c45cfe-dfcb-4970-b157-533c4ad1ea2b
<resource object="Blue Prism - Studio" action="Remove Process/Object from Group (Tree)"/>
</stage>
<stage stageid="5067cca6-1b61-4b2a-85ae-8df26f69f4ce" name="Remove Object via Tree" type="Action"
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="165" w="90" h="30"/>
<inputs>
<input type="text" name="Group Name" friendlyname="Group Name" narrative="The name of the group yo
<input type="text" name="Process / Object Name" friendlyname="Process / Object Name" narrative="The
<input type="number" name="Match Index" friendlyname="Match Index" narrative="Default to 1. This is use
</inputs>
<onsuccess>98c6bdec-f5ea-467f-91c5-0546a2f3056a</onsuccess>
```

```
<resource object="Blue Prism - Studio" action="Remove Process/Object from Group (Tree)"/>
</stage>
<stage stageid="9b8ea4be-9ca5-46ff-bdc1-42ecf160e1e1" name="Returned to Default Group?" type="Dec
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>44529d0f-b7e8-4dce-b2c2-111adadff02c</ontrue>
<onfalse>0c624f05-1fdc-4141-84ed-2b879b9b80c8</onfalse>
</stage>
<stage stageid="0c624f05-1fdc-4141-84ed-2b879b9b80c8" name="FAIL" type="Exception">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="105" y="30"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The process was meant to be removed fror
</stage>
<stage stageid="4ce7c27d-5712-4e69-880a-4d2672d13a71" name="Returned to Default Group?" type="D
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="255" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>2848b65a-20ff-4d74-bc08-e3f4f1956b72</ontrue>
<onfalse>7a6a07a3-39c5-4913-ba58-46d6e49388ec</onfalse>
</stage>
<stage stageid="66c45cfe-dfcb-4970-b157-533c4ad1ea2b" name="Check Process in Default" type="Action
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
```

```
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>9b8ea4be-9ca5-46ff-bdc1-42ecf160e1e1</onsuccess>
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="98c6bdec-f5ea-467f-91c5-0546a2f3056a" name="Check Object in Default" type="Action":
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</pre>
</outputs>
<onsuccess>4ce7c27d-5712-4e69-880a-4d2672d13a71
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="f865f4a2-66b1-4c9e-9f9f-41bbbc8d459c" name="Element in Tree?" type="Data">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="-120" y="15" w="120" h="30"/>
```

```
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="32264a69-aef5-4beb-964a-0696d45c382a" name="Local Variables" type="Block">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="fce041eb-0952-4ccd-9e5b-d784641d7222" name="Remove Process via List" type="Actio
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="text" name="Member Type" friendlyname="Member Type" narrative="Process or Object" exp
<input type="text" name="Group Name" friendlyname="Group Name" narrative="The name of the group yo
<input type="text" name="Process / Object Name" friendlyname="Process / Object Name" narrative="The
<input type="number" name="Match Index" friendlyname="Match Index" narrative="Default to 1. This is us
</inputs>
<onsuccess>db394094-9c8b-41bf-b741-d06a1cf3d4e3</onsuccess>
<resource object="Blue Prism - Studio" action="Remove Process/Object from Group (List)"/>
</stage>
<stage stageid="d213d3a2-41b2-41bb-addf-855d4ec573c5" name="Remove Object via List" type="Action"
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="15" y="165" w="90" h="30"/>
<inputs>
<input type="text" name="Member Type" friendlyname="Member Type" narrative="Process or Object" exp
<input type="text" name="Group Name" friendlyname="Group Name" narrative="The name of the group yo
<input type="text" name="Process / Object Name" friendlyname="Process / Object Name" narrative="The
<input type="number" name="Match Index" friendlyname="Match Index" narrative="Default to 1. This is us
</inputs>
<onsuccess>4a74d069-2a50-4c39-b24b-25b9207e95fd</onsuccess>
<resource object="Blue Prism - Studio" action="Remove Process/Object from Group (List)"/>
</stage>
<stage stageid="679a9ee2-b622-4ac6-a3af-ad90423ee0b8" name="Returned to Default Group?" type="Default Group?" compared to Default Group?" type="Default Gr
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="30" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>2f331d02-9b75-403a-863d-294294ce9ae5</ontrue>
<onfalse>3d79e2fa-bacd-4f81-99b6-18f3e201f5e2</onfalse>
</stage>
<stage stageid="c712744c-26ac-4179-ab2e-6e822b6e0c81" name="Returned to Default Group?" type="D
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="255" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>f6084d64-18ba-4332-9fe5-4c05712852af</ontrue>
<onfalse>e90142b3-8960-42ff-8809-9ebcae33f119</onfalse>
</stage>
<stage stageid="db394094-9c8b-41bf-b741-d06a1cf3d4e3" name="Check Process in Default" type="Actio
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>679a9ee2-b622-4ac6-a3af-ad90423ee0b8</onsuccess>
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="4a74d069-2a50-4c39-b24b-25b9207e95fd" name="Check Object in Default" type="Action
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>c712744c-26ac-4179-ab2e-6e822b6e0c81
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
```

```
<stage stageid="d79019c8-258a-4769-89f2-2d1973fd389a" name="Element in Tree?" type="Data">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="-120" y="15" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="08bd410c-4404-4d14-a544-25eac60a7581" name="Local Variables" type="Block">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f532d0b7-957a-46e8-96a9-b1c37755ce3c" name="Exit Application" type="Action">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<onsuccess>67fa2dfb-f6a5-4c04-8457-de83d88d4aeb</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="7a6a07a3-39c5-4913-ba58-46d6e49388ec" name="FAIL" type="Exception">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="105" y="255"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The object was meant to be removed from
</stage>
<stage stageid="3d79e2fa-bacd-4f81-99b6-18f3e201f5e2" name="FAIL" type="Exception">
```

```
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="105" y="30"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The process was meant to be removed fror
</stage>
<stage stageid="e90142b3-8960-42ff-8809-9ebcae33f119" name="FAIL" type="Exception">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="105" y="255"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The object was meant to be removed from</p>
</stage>
<stage stageid="0a73d13a-bca5-447e-9749-b285fe1dd723" name="Rename Object Default Group" type="
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="90" h="30"/>
<inputs>
<input type="text" name="Existing Group Name" friendlyname="Existing Group Name" expr="&amp;quot; E
<input type="number" name="Match Index" friendlyname="Match Index" expr="2"/>
<input type="text" name="New Group Name" friendlyname="New Group Name" expr="&amp;quot;Default
</inputs>
<onsuccess>9b04b24e-e845-4695-bad4-13e0d4342ca1
<resource object="Blue Prism - Studio" action="Rename Process/object group"/>
</stage>
<stage stageid="f6a99822-f69b-4fd6-8498-72bca8ff9c2d" name="Persisted in orginal group?" type="Decis
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>ab66636e-1502-40d1-b91d-511e4b283768</ontrue>
<onfalse>5067cca6-1b61-4b2a-85ae-8df26f69f4ce</onfalse>
```

```
</stage>
<stage stageid="ab66636e-1502-40d1-b91d-511e4b283768" name="FAIL" type="Exception">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="105" y="120"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The process was meant to be removed fror
</stage>
<stage stageid="44529d0f-b7e8-4dce-b2c2-111adadff02c" name="Check Process isn't in orginal group" ty
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>f6a99822-f69b-4fd6-8498-72bca8ff9c2d</onsuccess>
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="42d93671-1bb6-4441-a875-bc93b79f4bc4" name="Persisted in orginal group?" type="De
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="345" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>065b2c80-ebc5-47ef-9d31-3645c48d6866</ontrue>
<onfalse>f12c5a62-3894-4843-b012-8476b0c16cd3</onfalse>
```

```
</stage>
<stage stageid="065b2c80-ebc5-47ef-9d31-3645c48d6866" name="FAIL" type="Exception">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="105" y="345"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The object was meant to be removed from</p>
</stage>
<stage stageid="2848b65a-20ff-4d74-bc08-e3f4f1956b72" name="Check object isn't in orginal group" type
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="300" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>42d93671-1bb6-4441-a875-bc93b79f4bc4</onsuccess>
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="1436b74d-be9d-4d75-9ae5-63c0149c665b" name="Persisted in orginal group?" type="De
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="120" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>ec081233-003d-45ac-ac8d-276235780628</ontrue>
<onfalse>d213d3a2-41b2-41bb-addf-855d4ec573c5</onfalse>
```

```
</stage>
<stage stageid="ec081233-003d-45ac-ac8d-276235780628" name="FAIL" type="Exception">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="105" y="120"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The process was meant to be removed fror
</stage>
<stage stageid="2f331d02-9b75-403a-863d-294294ce9ae5" name="Check Process isn't in orginal group" -
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>1436b74d-be9d-4d75-9ae5-63c0149c665b</onsuccess>
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="5af74d2f-4c4b-4cc2-a69c-f066be1a0c6e" name="Persisted in orginal group?" type="Deci
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="345" w="90" h="30"/>
<decision expression="[Element in Tree?]"/>
<ontrue>9b688473-9cd8-4013-bb7d-2fd1e7e64d4f</ontrue>
<onfalse>aeeaa34e-d7ca-457b-a5be-5ca50bfafdb2</onfalse>
```

```
</stage>
<stage stageid="9b688473-9cd8-4013-bb7d-2fd1e7e64d4f" name="FAIL" type="Exception">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="105" y="345"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The object was meant to be removed from</p>
</stage>
<stage stageid="f6084d64-18ba-4332-9fe5-4c05712852af" name="Check object isn't in orginal group" type
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="300" w="90" h="30"/>
<inputs>
<input type="text" name="Group to check" friendlyname="Group to check" narrative="Group containing ex
<input type="text" name="Element to check" friendlyname="Element to check" narrative="Group/Process/C
<input type="number" name="Index Value" friendlyname="Index Value" narrative="(for default groups, 1 fo
</inputs>
<outputs>
<output type="flag" name="Element in Tree?" friendlyname="Element in Tree?" stage="Element in Tree?"/</p>
</outputs>
<onsuccess>5af74d2f-4c4b-4cc2-a69c-f066be1a0c6e</onsuccess>
<resource object="Blue Prism - Studio" action="Confirm Process/Object Location"/>
</stage>
<stage stageid="a1af4173-a4c5-48c4-b505-ce31b9f0ffd1" name="Rename Object Default Group" type="A
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-105" w="90" h="30"/>
<inputs>
<input type="text" name="Existing Group Name" friendlyname="Existing Group Name" expr="&amp;quot; E
```

```
<input type="number" name="Match Index" friendlyname="Match Index" expr="1"/>
<input type="text" name="New Group Name" friendlyname="New Group Name" expr="&amp;quot;Default&
</inputs>
<onsuccess>f532d0b7-957a-46e8-96a9-b1c37755ce3c</onsuccess>
<resource object="Blue Prism - Studio" action="Rename Process/object group"/>
</stage>
<stage stageid="2b398add-cd37-408e-b878-d6f51a76a797" name="Browse to Studio" type="Action">
<subsheetid>e5f33460-15b7-4f6e-a440-94a55daa5fff</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-150" w="90" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>a1af4173-a4c5-48c4-b505-ce31b9f0ffd1</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
</process>
cprocess name="Test Remove from Group (Users)" version="1.0" bpversion="7.1.0.52329" narrative="" by
<view>
<camerax>0</camerax>
<cameray>186</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="03a11884-278c-4cd6-87a7-92d7aafee130" type="Normal" published="False">
<name>Setup</name>
```

```
<view>
<camerax>0</camerax>
<cameray>192</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="991f66f7-b220-4507-8c1e-95de88c8fee1" type="Normal" published="False">
<name>Remove User from Group</name>
<view>
<camerax>0</camerax>
<cameray>148</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="98dae2a7-2150-496b-b3ef-c1809814cc3a" type="Normal" published="False">
<name>Remove User from Sub Group</name>
<view>
<camerax>0</camerax>
<cameray>147</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="85644bae-3fd1-4511-8214-1b60902dd7a5" name="Start" type="Start">
<display x="15" y="-75"/>
<onsuccess>d5fbcc14-09b6-4d8b-b32f-8eb3f411c5ca</onsuccess>
</stage>
<stage stageid="05240150-089d-43eb-b5ad-a5647e7a1767" name="Stage1" type="ProcessInfo">
```

```
<display x="-255" y="-45" w="150" h="90"/>
</stage>
<stage stageid="c06b8881-d5a9-4821-8471-f477dc7e733c" name="Setup" type="SubSheetInfo">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="-150" y="-30" w="150" h="90"/>
</stage>
<stage stageid="e02dcbe6-2c21-424f-a9a0-8fb4732a48ba" name="Start" type="Start">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="15" y="-60"/>
<onsuccess>296a61b0-38d9-4fb9-b8a2-bc52b3f8ac30</onsuccess>
</stage>
<stage stageid="9b04b24e-e845-4695-bad4-13e0d4342ca1" name="End" type="End">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="15" y="480"/>
</stage>
<stage stageid="0b19749f-4aa1-4e5f-a257-b87d77643dd1" name="Remove User from Group" type="Subs
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="-150" y="-75" w="150" h="90"/>
</stage>
<stage stageid="983cc1f7-614e-4540-8fe3-719c6e9364a2" name="Start" type="Start">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="-105"/>
<onsuccess>55a0567f-dbb3-443c-8776-6b45f8ca743d</onsuccess>
</stage>
<stage stageid="f12c5a62-3894-4843-b012-8476b0c16cd3" name="End" type="End">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="345"/>
```

```
</stage>
<stage stageid="01bf6aa1-5d62-4792-a88d-53c107befed3" name="Remove User from Sub Group" type="
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="-150" y="-75" w="150" h="90"/>
</stage>
<stage stageid="296a61b0-38d9-4fb9-b8a2-bc52b3f8ac30" name="Launch" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="150" h="30"/>
<outputs>
<output type="number" name="pid" friendlyname="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>7b1d6b67-c138-4de3-826b-db8ceeadf3f8</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="7b1d6b67-c138-4de3-826b-db8ceeadf3f8" name="Attach to System" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="150" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>816c0d1c-02a4-4dbb-8747-ef3754e98258</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="816c0d1c-02a4-4dbb-8747-ef3754e98258" name="Sign In" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
```

```
loginhibit onsuccess="true"/>
<display x="15" y="75" w="150" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" expr=""/>
<input type="password" name="Password" friendlyname="Password" expr=""/>
<input type="password" name="New Password" friendlyname="New Password" narrative="If this is your fir
<input type="flag" name="Expect Password Reset" friendlyname="Expect Password Reset" expr=""/>
</inputs>
<outputs>
<output type="text" name="Locale" friendlyname="Locale" narrative="Blue Prism Locale setting" stage=""/>
</outputs>
<onsuccess>8b2664fb-65e5-4f75-93d2-e8f61bd5b1b5</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="8b2664fb-65e5-4f75-93d2-e8f61bd5b1b5" name="Browse to System" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="150" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>89297d03-64bb-4e57-b5c9-b1ede30d339a</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="ddf5ac4f-5c30-4a14-af9b-7260268289e5" name="Recover" type="Recover">
<display x="240" y="75" w="90" h="30"/>
<onsuccess>7649b6ec-46a0-4de7-8b0e-7732b898cf1e</onsuccess>
```

```
</stage>
<stage stageid="15eecf95-3d06-4ae8-863a-2f5f5557796e" name="Resume" type="Resume">
<display x="240" y="165" w="90" h="30"/>
<onsuccess>b364b6fd-57e7-4a99-bf6c-ffdc9ed33a88</onsuccess>
</stage>
<stage stageid="7649b6ec-46a0-4de7-8b0e-7732b898cf1e" name="Get Exception" type="MultipleCalculate"
<display x="240" y="120" w="90" h="30"/>
<onsuccess>15eecf95-3d06-4ae8-863a-2f5f5557796e</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="c5759910-a003-4fc5-b423-88005185d360" name="Cleanup Block" type="Block">
<display x="-165" y="45" w="465" h="255"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f9ee7ba1-366d-4c26-b43e-d304d1ade42b" name="pid" type="Data">
<display x="-255" y="45" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="63cd8f78-9bae-4770-ad94-4bde6f5853e5" name="Global Variables" type="Block">
<display x="-330" y="15" w="150" h="180"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="50f7f219-eac8-4153-a855-84ad3d731614" name="Failed?" type="Data">
<display x="-255" y="240" w="150" h="30"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="11d13c8a-3875-4a89-b14e-a2672c2b05b6" name="Exception" type="Data">
<display x="-255" y="270" w="150" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c380f4ee-2791-42eb-a685-86dba6ee250e" name="Local Variables" type="Block">
<display x="-330" y="210" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e63d943b-0720-4b8f-b0ae-a107eb3fa67a" name="End" type="End">
<display x="15" y="420"/>
</stage>
<stage stageid="d7eca470-0484-41ca-85da-ab8526967f35" name="Failed?" type="Decision">
<display x="15" y="375" w="150" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>c2d2a411-bc92-4f19-8989-82061a92b84f</ontrue>
<onfalse>e63d943b-0720-4b8f-b0ae-a107eb3fa67a</onfalse>
</stage>
```

```
<stage stageid="c2d2a411-bc92-4f19-8989-82061a92b84f" name="RETHROW" type="Exception">
<display x="135" y="375"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="b364b6fd-57e7-4a99-bf6c-ffdc9ed33a88" name="Anchor1" type="Anchor">
loginhibit onsuccess="true"/>
<display x="240" y="330" w="10" h="10"/>
<onsuccess>f532d0b7-957a-46e8-96a9-b1c37755ce3c</onsuccess>
</stage>
<stage stageid="9beb3a3f-c058-4e5b-a305-f67517860edb" name="Setup" type="SubSheet">
<display x="15" y="15" w="330" h="30"/>
<onsuccess>d621979a-f90e-4ab3-9309-1574c641ff5a</onsuccess>
</stage>
<stage stageid="d5fbcc14-09b6-4d8b-b32f-8eb3f411c5ca" name="Note1" type="Note">
<narrative>GIVEN I have a valid user group structure
<display x="15" y="-30" w="330" h="30"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>9beb3a3f-c058-4e5b-a305-f67517860edb</onsuccess>
</stage>
<stage stageid="d621979a-f90e-4ab3-9309-1574c641ff5a" name="Note1" type="Note">
<narrative>WHEN I remove a user from its group via the tree control menu item
THEN the user will return to the users group.</narrative>
<display x="15" y="90" w="330" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>5e1576f3-ae52-4e57-b973-5c8431fd5014</onsuccess>
```

```
</stage>
<stage stageid="5e1576f3-ae52-4e57-b973-5c8431fd5014" name="Remove User from Group" type="Subs
<display x="15" y="150" w="330" h="30"/>
<onsuccess>e8a3e8eb-3ef0-4106-b525-3abeccaa7879</onsuccess>
</stage>
<stage stageid="55a0567f-dbb3-443c-8776-6b45f8ca743d" name="Remove User from Group" type="Action of the company of the company
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Item Name" friendlyname="Tree Item Name" narrative="The name of the tr
<input type="number" name="Match Index" friendlyname="Match Index" narrative="Default to 1, If the tree
<input type="text" name="Menu Item" friendlyname="Menu Item" narrative="The name of the menu item yo
</inputs>
<onsuccess>66c45cfe-dfcb-4970-b157-533c4ad1ea2b
<resource object="Blue Prism - Basic Actions" action="Press Tree Item Menu Item"/>
</stage>
<stage stageid="9b8ea4be-9ca5-46ff-bdc1-42ecf160e1e1" name="Returned to Default Group?" type="Dec
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="75" w="150" h="30"/>
<decision expression="[Child Tree Item.Node Text]=[User Name]"/>
<ontrue>b80cfba3-a14e-4ace-82bc-822ac36a301e</ontrue>
<onfalse>fd700a78-ee79-4147-9d46-1b222a13db62</onfalse>
</stage>
<stage stageid="0c624f05-1fdc-4141-84ed-2b879b9b80c8" name="FAIL" type="Exception">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
```

```
<display x="135" y="120"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The user was meant to be removed from its
</stage>
<stage stageid="66c45cfe-dfcb-4970-b157-533c4ad1ea2b" name="Check User in Default" type="Action">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Item" friendlyname="Tree Item" narrative="The name of the tree item you we
</inputs>
<outputs>
<output type="collection" name="Child Tree Item" friendlyname="Child Tree Item" narrative="A collection of the collec
</outputs>
<onsuccess>d96478b6-1d53-45f0-a11c-81770554f939</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Read Child Tree Items"/>
</stage>
<stage stageid="32264a69-aef5-4beb-964a-0696d45c382a" name="Local Variables" type="Block">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="-225" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f6a99822-f69b-4fd6-8498-72bca8ff9c2d" name="Persisted in orginal group?" type="Decis
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="15" y="255" w="150" h="30"/>
<decision expression="[Child Tree Item.Node Text]=[User Name]"/>
<ontrue>ab66636e-1502-40d1-b91d-511e4b283768</ontrue>
```

```
<onfalse>a1ef4ed1-ee6f-4647-996d-12272da811aa</onfalse>
</stage>
<stage stageid="ab66636e-1502-40d1-b91d-511e4b283768" name="FAIL" type="Exception">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="135" y="255"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The user was meant to be removed from its
</stage>
<stage stageid="44529d0f-b7e8-4dce-b2c2-111adadff02c" name="Check Resource isn't in orginal group" |
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="165" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Item" friendlyname="Tree Item" narrative="The name of the tree item you were approximately approxi
</inputs>
<outputs>
<output type="collection" name="Child Tree Item" friendlyname="Child Tree Item" narrative="A collection of the collec
</outputs>
<onsuccess>6804318e-db37-42d3-9d99-4a5e49882b68</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Read Child Tree Items"/>
</stage>
<stage stageid="e8a3e8eb-3ef0-4106-b525-3abeccaa7879" name="Note1" type="Note">
<narrative>WHEN I remove a user from its sub group via the tree control menu item
THEN the user will return to the users group.</narrative>
<display x="15" y="210" w="330" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>293f61c1-3499-440e-a34c-c64e07841e6d</onsuccess>
```

```
</stage>
<stage stageid="293f61c1-3499-440e-a34c-c64e07841e6d" name="Remove User from Sub Group" type="</p>
<display x="15" y="270" w="330" h="30"/>
<onsuccess>f532d0b7-957a-46e8-96a9-b1c37755ce3c</onsuccess>
</stage>
<stage stageid="89297d03-64bb-4e57-b5c9-b1ede30d339a" name="Browse to Security -&amp;gt; Users"
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub ite
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>76eeacbb-2141-4a31-9c12-52e9d81445e5</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="7a14e45f-d17a-4415-9a22-3b8fbbe40ffe" name="User Name" type="Data">
<display x="-255" y="75" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">User (BG-4257)</initialvalue>
<alwaysinit/>
</stage>
```

```
<stage stageid="76eeacbb-2141-4a31-9c12-52e9d81445e5" name="Create User Group" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="150" h="30"/>
<inputs>
<input type="text" name="User Group Name" friendlyname="User Group Name" narrative="The name you
<input type="text" name="Target Group" friendlyname="Target Group" narrative="The group you want to c
<input type="number" name="Target Group Match Index" friendlyname="Target Group Match Index" narra
</inputs>
<onsuccess>381d31c9-2089-4cc1-b8fd-f23ab36c6134</onsuccess>
<resource object="Blue Prism - System - Security" action="User Group - Create"/>
</stage>
<stage stageid="f7ac135c-18f2-4d04-9f5b-951d9476cfa5" name="User Name (2)" type="Data">
<display x="-255" y="105" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">User 2 (BG-4257)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="f3bd8e50-9657-44fd-a4f4-ab0a9b00f0ed" name="User Group (1)" type="Data">
loginhibit onsuccess="true"/>
<display x="-255" y="135" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">User Group (BG-4257)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="ae4b95a1-43db-48ea-a751-99535063e3a4" name="User Group (2)" type="Data">
loginhibit onsuccess="true"/>
```

```
<display x="-255" y="165" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">User Sub Group (BG-4257)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="63ccaf75-8c74-419f-94ba-1a47acf35a48" name="Child Tree Item" type="Collection">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
<display x="-150" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d96478b6-1d53-45f0-a11c-81770554f939" name="Child Items Loop" type="LoopStart">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="150" h="30"/>
<onsuccess>9b8ea4be-9ca5-46ff-bdc1-42ecf160e1e1</onsuccess>
<groupid>46a7114f-3dba-4f29-9388-6685f12c86f8</groupid>
<looptype>ForEach</looptype>
<loopdata>Child Tree Item</loopdata>
</stage>
<stage stageid="fd700a78-ee79-4147-9d46-1b222a13db62" name="Child Items Loop" type="LoopEnd">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="150" h="30"/>
<onsuccess>0c624f05-1fdc-4141-84ed-2b879b9b80c8</onsuccess>
<groupid>46a7114f-3dba-4f29-9388-6685f12c86f8</groupid>
```

```
</stage>
<stage stageid="b80cfba3-a14e-4ace-82bc-822ac36a301e" name="Anchor2" type="Anchor">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="-75" y="75" w="10" h="10"/>
<onsuccess>c826eaaa-86a9-425a-a0ed-7bd94f1b0c66</onsuccess>
</stage>
<stage stageid="c826eaaa-86a9-425a-a0ed-7bd94f1b0c66" name="Anchor3" type="Anchor">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="-75" y="165" w="10" h="10"/>
<onsuccess>44529d0f-b7e8-4dce-b2c2-111adadff02c</onsuccess>
</stage>
<stage stageid="6804318e-db37-42d3-9d99-4a5e49882b68" name="Child Items Loop" type="LoopStart">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="150" h="30"/>
<onsuccess>f6a99822-f69b-4fd6-8498-72bca8ff9c2d</onsuccess>
<groupid>281f847e-e620-42c5-8706-57d7ac74ae5c</groupid>
<looptype>ForEach</looptype>
<loopdata>Child Tree Item</loopdata>
</stage>
<stage stageid="a1ef4ed1-ee6f-4647-996d-12272da811aa" name="Child Items Loop" type="LoopEnd">
<subsheetid>991f66f7-b220-4507-8c1e-95de88c8fee1</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="300" w="150" h="30"/>
<onsuccess>f12c5a62-3894-4843-b012-8476b0c16cd3</onsuccess>
```

```
<groupid>281f847e-e620-42c5-8706-57d7ac74ae5c</groupid>
</stage>
<stage stageid="fe98f042-2543-4a09-998b-995e107cf30f" name="Start" type="Start">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="-105"/>
<onsuccess>11246f42-2115-41d8-83eb-5167ef18abf2</onsuccess>
</stage>
<stage stageid="f269df0c-9141-4532-8a6a-e722dd09c526" name="End" type="End">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="345"/>
</stage>
<stage stageid="11246f42-2115-41d8-83eb-5167ef18abf2" name="Remove User from Sub Group" type="/
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="-60" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Item Name" friendlyname="Tree Item Name" narrative="The name of the tr
<input type="number" name="Match Index" friendlyname="Match Index" narrative="Default to 1, If the tree
<input type="text" name="Menu Item" friendlyname="Menu Item" narrative="The name of the menu item yo
</inputs>
<onsuccess>2c87371c-d7a3-4ed1-98c5-1369eebd3278</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Press Tree Item Menu Item"/>
</stage>
<stage stageid="0dec21f8-1276-424d-9d94-e2a131bca3b0" name="Returned to Default Group?" type="Default Group?" contact the stage id="0dec21f8-1276-424d-9d94-e2a131bca3b0" name="Returned to Default Group?" type="Default Gr
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="75" w="150" h="30"/>
<decision expression="[Child Tree Item.Node Text]=[User Name (2)]"/>
```

```
<ontrue>2d4c677f-31ff-4d9c-ab4b-fa811aa3afe5/ontrue>
<onfalse>ddf4db05-2dc1-4427-b7c5-b3bc0f2e50af</onfalse>
</stage>
<stage stageid="66502569-deb4-429b-adb8-036cabfd25a6" name="FAIL" type="Exception">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="135" y="120"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The user was meant to be removed from its
</stage>
<stage stageid="2c87371c-d7a3-4ed1-98c5-1369eebd3278" name="Check User (2) in Default" type="Actions are not below the compared to the compare
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Item" friendlyname="Tree Item" narrative="The name of the tree item you we
</inputs>
<outputs>
<output type="collection" name="Child Tree Item" friendlyname="Child Tree Item" narrative="A collection of the collec
</outputs>
<onsuccess>a2fe85ca-b091-4be2-a34a-fcc20b775d04</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Read Child Tree Items"/>
</stage>
<stage stageid="81df03c4-c4b6-4c77-9228-948405c647f5" name="Local Variables" type="Block">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="-225" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="f4b61dd1-b6a2-4cfb-a57b-d444b242c050" name="Persisted in orginal group?" type="Dec
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="15" y="255" w="150" h="30"/>
<decision expression="[Child Tree Item.Node Text]=[User Group (2)]"/>
<ontrue>acd56226-7c7c-4429-8049-95a328e7cfe0</ontrue>
<onfalse>eed52724-c8a8-4fc3-af3c-26ede7859805</onfalse>
</stage>
<stage stageid="acd56226-7c7c-4429-8049-95a328e7cfe0" name="FAIL" type="Exception">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<display x="135" y="255"/>
<exception localized="yes" type="Test Fail" detail="&amp;quot;The user was meant to be removed from its
</stage>
<stage stageid="562945cb-32d8-4f3c-a246-285e30e0b7da" name="Check User isn't in orginal group" type
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="150" h="30"/>
<inputs>
<input type="text" name="Tree Item" friendlyname="Tree Item" narrative="The name of the tree item you we
</inputs>
<outputs>
<output type="collection" name="Child Tree Item" friendlyname="Child Tree Item" narrative="A collection c</pre>
</outputs>
<onsuccess>1af9c97a-2ad8-4030-b806-241556acdd66</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Read Child Tree Items"/>
</stage>
<stage stageid="465a1c1f-c0a1-43dc-a88d-3179a4e394de" name="Child Tree Item" type="Collection">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
```

```
<display x="-150" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a2fe85ca-b091-4be2-a34a-fcc20b775d04" name="Child Items Loop" type="LoopStart">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="150" h="30"/>
<onsuccess>0dec21f8-1276-424d-9d94-e2a131bca3b0</onsuccess>
<groupid>709f636a-5a93-4e5e-945f-96535602fc8d</groupid>
<looptype>ForEach</looptype>
<loopdata>Child Tree Item</loopdata>
</stage>
<stage stageid="ddf4db05-2dc1-4427-b7c5-b3bc0f2e50af" name="Child Items Loop" type="LoopEnd">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="150" h="30"/>
<onsuccess>66502569-deb4-429b-adb8-036cabfd25a6</onsuccess>
<groupid>709f636a-5a93-4e5e-945f-96535602fc8d</groupid>
</stage>
<stage stageid="2d4c677f-31ff-4d9c-ab4b-fa811aa3afe5" name="Anchor2" type="Anchor">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="-75" y="75" w="10" h="10"/>
<onsuccess>f55e9eca-e03a-466a-8c04-8f7583706818</onsuccess>
</stage>
```

```
<stage stageid="f55e9eca-e03a-466a-8c04-8f7583706818" name="Anchor3" type="Anchor">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="-75" y="165" w="10" h="10"/>
<onsuccess>562945cb-32d8-4f3c-a246-285e30e0b7da</onsuccess>
</stage>
<stage stageid="1af9c97a-2ad8-4030-b806-241556acdd66" name="Child Items Loop" type="LoopStart">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="210" w="150" h="30"/>
<onsuccess>f4b61dd1-b6a2-4cfb-a57b-d444b242c050</onsuccess>
<groupid>3ad7aea9-be9f-4221-aa07-894136eeceaa</groupid>
<looptype>ForEach</looptype>
<loopdata>Child Tree Item</loopdata>
</stage>
<stage stageid="eed52724-c8a8-4fc3-af3c-26ede7859805" name="Child Items Loop" type="LoopEnd">
<subsheetid>98dae2a7-2150-496b-b3ef-c1809814cc3a</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="300" w="150" h="30"/>
<onsuccess>f269df0c-9141-4532-8a6a-e722dd09c526</onsuccess>
<groupid>3ad7aea9-be9f-4221-aa07-894136eeceaa</groupid>
</stage>
<stage stageid="381d31c9-2089-4cc1-b8fd-f23ab36c6134" name="Create User Group (2)" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="255" w="150" h="30"/>
<inputs>
```

```
<input type="text" name="User Group Name" friendlyname="User Group Name" narrative="The name you
<input type="text" name="Target Group" friendlyname="Target Group" narrative="The group you want to c
<input type="number" name="Target Group Match Index" friendlyname="Target Group Match Index" narra
</inputs>
<onsuccess>755a58b9-0ff6-4afb-8692-e6eb2cb991c8</onsuccess>
<resource object="Blue Prism - System - Security" action="User Group - Create"/>
</stage>
<stage stageid="755a58b9-0ff6-4afb-8692-e6eb2cb991c8" name="Create User (1)" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="300" w="150" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username of the user you
<input type="password" name="Password" friendlyname="Password" narrative="The password in which yo
<input type="date" name="User Expiry Date" friendlyname="User Expiry Date" narrative="The date in whice
<input type="date" name="Password Expiry Date" friendlyname="Password Expiry Date" narrative="The date"
<input type="collection" name="Roles" friendlyname="Roles" narrative="The roles you wish to give to your
<input type="text" name="Password Duration" friendlyname="Password Duration" narrative="The duration,
<input type="flag" name="Close Wizard" friendlyname="Close Wizard" expr=""/>
<input type="flag" name="Close Wizard After Error" friendlyname="Close Wizard After Error" expr=""/>
</inputs>
<outputs>
<output type="text" name="Full Error Message" friendlyname="Full Error Message" narrative="Full Error M</p>
<output type="text" name="Right trimmed error message" friendlyname="Right trimmed error message" na</p>
</outputs>
<onsuccess>e464e894-a920-4884-9ab1-c360f77932b2</onsuccess>
<resource object="Blue Prism - System - Security" action="Create New Username"/>
```

```
</stage>
<stage stageid="e464e894-a920-4884-9ab1-c360f77932b2" name="Create User (2)" type="Action">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="345" w="150" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username of the user you
<input type="password" name="Password" friendlyname="Password" narrative="The password in which yo
<input type="date" name="User Expiry Date" friendlyname="User Expiry Date" narrative="The date in whice
<input type="date" name="Password Expiry Date" friendlyname="Password Expiry Date" narrative="The date"
<input type="collection" name="Roles" friendlyname="Roles" narrative="The roles you wish to give to your
<input type="text" name="Password Duration" friendlyname="Password Duration" narrative="The duration.</p>
<input type="flag" name="Close Wizard" friendlyname="Close Wizard" expr=""/>
<input type="flag" name="Close Wizard After Error" friendlyname="Close Wizard After Error" expr=""/>
</inputs>
<outputs>
<output type="text" name="Full Error Message" friendlyname="Full Error Message" narrative="Full Error M</p>
<output type="text" name="Right trimmed error message" friendlyname="Right trimmed error message" na</p>
</outputs>
<onsuccess>c10bac6f-092f-46d9-a16f-a154ab28bf7a</onsuccess>
<resource object="Blue Prism - System - Security" action="Create New Username"/>
</stage>
<stage stageid="5abedaea-085e-4609-8ed4-348a88e0bd6f" name="Password" type="Data">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="-150" y="60" w="120" h="30"/>
<datatype>password</datatype>
```

```
<initialvalueenc>49,20,7,67,26,91,6,1</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="c10bac6f-092f-46d9-a16f-a154ab28bf7a" name="Drag User into Group (1)" type="Action"
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="390" w="150" h="30"/>
<inputs>
<input type="text" name="User" friendlyname="User" narrative="User to drag into User Group" expr="[Use
<input type="text" name="User Group Name" friendlyname="User Group Name" narrative="Name of User
</inputs>
<onsuccess>b7cace50-f57b-485c-b26e-985badc8ef40</onsuccess>
<resource object="Blue Prism - System - Security" action="User Group - Drag User Into Group"/>
</stage>
<stage stageid="b7cace50-f57b-485c-b26e-985badc8ef40" name="Drag User into Group (2)" type="Action
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="435" w="150" h="30"/>
<inputs>
<input type="text" name="User" friendlyname="User" narrative="User to drag into User Group" expr="[Use
<input type="text" name="User Group Name" friendlyname="User Group Name" narrative="Name of User
</inputs>
<onsuccess>9b04b24e-e845-4695-bad4-13e0d4342ca1
<resource object="Blue Prism - System - Security" action="User Group - Drag User Into Group"/>
</stage>
<stage stageid="f532d0b7-957a-46e8-96a9-b1c37755ce3c" name="Exit Application" type="Action">
```

```
loginhibit onsuccess="true"/>
<display x="15" y="330" w="150" h="30"/>
<onsuccess>d7eca470-0484-41ca-85da-ab8526967f35</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="5a47bbcc-afff-4e4c-9205-5d8e650f079a" name="Input Variables" type="Block">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
loginhibit onsuccess="true"/>
<display x="-225" y="30" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="b4620e1e-2f20-483f-be00-2df0ea87e443" name="Roles" type="Collection">
<subsheetid>03a11884-278c-4cd6-87a7-92d7aafee130</subsheetid>
<display x="-150" y="90" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Role" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Role" type="text" value="Developers"/>
</row>
</initialvalue>
</stage>
</process>
```

```
code Stages" version="1.0" bpversion="6.7.0.0" narrative="" byrefcollection=
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="77e316a8-4c8c-4b8f-984b-cb82f107e74e" name="Start" type="Start">
<display x="15" y="-105"/>
<onsuccess>22ebafc7-123b-4ed4-93d3-d537eaa03df7</onsuccess>
</stage>
<stage stageid="d1fc26f3-e6ca-40a8-a8be-1b29fa964ec9" name="End" type="End">
<display x="15" y="75"/>
</stage>
<stage stageid="01567521-27f8-4484-8bfd-e1da00d79ccf" name="Stage1" type="ProcessInfo">
<display x="-195" y="-105" w="150" h="90"/>
</stage>
<stage stageid="22ebafc7-123b-4ed4-93d3-d537eaa03df7" name="Test C#7.0::Test C# Code" type="Actional content of the content of
loginhibit onsuccess="true"/>
<display x="15" y="-45"/>
<onsuccess>fb6f13bc-5bcb-4f79-aad4-a323af1ac3bc</onsuccess>
<resource object="Test C#7.0" action="Test C# Code"/>
</stage>
<stage stageid="fb6f13bc-5bcb-4f79-aad4-a323af1ac3bc" name="Test VB15.0::Test VB Code" type="Action
loginhibit onsuccess="true"/>
<display x="15" y="15"/>
```

```
<onsuccess>d1fc26f3-e6ca-40a8-a8be-1b29fa964ec9</onsuccess>
<resource object="Test VB15.0" action="Test VB Code"/>
</stage>
</process>
on="1.0" bpversion="6.8.0.20397" narrative="" byrefcollecti
<view>
<camerax>0</camerax>
<cameray>-126</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="352e077d-4417-40d3-9e9c-f8e6d81fbb01" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>285</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="bc1d1e82-a683-448a-b1c7-934da5fab458" type="Normal" published="False">
<name>Check Boxes</name>
<view>
<camerax>0</camerax>
<cameray>-105</cameray>
<zoom version="2">1.25</zoom>
</view>
```

```
</subsheet>
<stage stageid="2e3d2c32-afd0-43d5-a816-05d4512cb539" name="Start" type="Start">
<display x="15" y="-240"/>
<onsuccess>9df162aa-6851-4ef3-bdd2-21fb0f7a8e11
</stage>
<stage stageid="f71168dd-bf5e-4b1c-bd41-57bb66a1b155" name="End" type="End">
<display x="30" y="585"/>
</stage>
<stage stageid="2ed223a0-cdce-4f27-8d1b-03d58a7e1c7c" name="Stage1" type="ProcessInfo">
<display x="-210" y="-210" w="150" h="90"/>
</stage>
<stage stageid="d670d8d0-8d5b-47a2-a696-a68d8c085023" name="Terminate" type="Action">
loginhibit onsuccess="true"/>
<display x="30" y="540" w="90" h="30"/>
<onsuccess>f71168dd-bf5e-4b1c-bd41-57bb66a1b155</onsuccess>
<resource object="SAP" action="Terminate"/>
</stage>
<stage stageid="cf86e6a3-1b7a-4d91-bf67-ab3d91998ef0" name="Setup" type="SubSheetInfo">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="-120" y="-30" w="150" h="90"/>
</stage>
<stage stageid="57e916ba-5b34-46d1-8d8d-adbcfada0ee4" name="Start" type="Start">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="-60"/>
<onsuccess>f149e43b-4b63-4913-b5f0-0c023cc3236d</onsuccess>
</stage>
<stage stageid="087e49f9-b4e2-4493-96cf-3786e669e216" name="End" type="End">
```

```
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="330"/>
</stage>
<stage stageid="f149e43b-4b63-4913-b5f0-0c023cc3236d" name="Launch" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>a777fb1e-8c51-4eca-bb51-9436ad607421
<resource object="SAP" action="Launch"/>
</stage>
<stage stageid="8b256fbd-ddfe-4b9a-acd7-a2c11dc2af12" name="Log On (740)" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="120" y="105" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username for the account
<input type="text" name="Password" friendlyname="Password" narrative="The password for the user you</p>
</inputs>
<onsuccess>8de2edc4-24ad-457e-b3bc-1bae3d3cfcc5</onsuccess>
<resource object="SAP" action="Log On"/>
</stage>
<stage stageid="a777fb1e-8c51-4eca-bb51-9436ad607421" name="Get SAP Version" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<outputs>
<output type="text" name="SAP Version" friendlyname="SAP Version" stage="SAP Version"/>
```

```
</outputs>
<onsuccess>4ebca774-e797-4bff-b31b-6b4118eb4ab5</onsuccess>
<resource object="SAP" action="Get SAP Version"/>
</stage>
<stage stageid="4ebca774-e797-4bff-b31b-6b4118eb4ab5" name="SAP Version?" type="ChoiceStart">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<groupid>d2b6df8a-a63d-4e7b-a35e-e02131de0cfc</groupid>
<choices>
<choice expression="[SAP Version]=&amp;quot;740&amp;quot;">
<name>740</name>
<distance>30</distance>
<ontrue>8b256fbd-ddfe-4b9a-acd7-a2c11dc2af12
</choice>
<choice expression="[SAP Version]=&amp;quot;760&amp;quot;">
<name>760</name>
<distance>75</distance>
<ontrue>9b57921f-d70d-4395-8161-290136880e9d</ontrue>
</choice>
</choices>
</stage>
<stage stageid="5d8e1687-288a-4cf8-8da2-225b220cb422" name="Otherwise" type="ChoiceEnd">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="195" w="90" h="30"/>
<onsuccess>17f32e1c-4456-4f86-800a-5399351a4e75
<groupid>d2b6df8a-a63d-4e7b-a35e-e02131de0cfc</groupid>
</stage>
```

```
<stage stageid="3ffcf1c7-df4b-44be-98ef-01798fb6b08b" name="SAP Version" type="Data">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="-120" y="60" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="17f32e1c-4456-4f86-800a-5399351a4e75" name="SAP Version FAIL" type="Exception">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="120" y="195" w="90" h="30"/>
<exception localized="yes" type="SAP Version" detail="&amp;quot;You are using a SAP client with an unre
</stage>
<stage stageid="9b57921f-d70d-4395-8161-290136880e9d" name="Log On (760)" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="120" y="150" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username for the account
<input type="text" name="Password" friendlyname="Password" narrative="The password for the user you</p>
</inputs>
<onsuccess>f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9</onsuccess>
<resource object="SAP" action="Log On"/>
</stage>
<stage stageid="8de2edc4-24ad-457e-b3bc-1bae3d3cfcc5" name="Anchor1" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="180" y="105" w="10" h="10"/>
<onsuccess>f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9</onsuccess>
</stage>
<stage stageid="f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9" name="Anchor2" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="150" w="10" h="10"/>
<onsuccess>eb77cf2e-c353-4ea3-9d92-ef6a86ea7deb</onsuccess>
</stage>
<stage stageid="eb77cf2e-c353-4ea3-9d92-ef6a86ea7deb" name="Anchor3" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="240" w="10" h="10"/>
<onsuccess>a9471d63-3707-4760-aae6-04ac225e9625</onsuccess>
</stage>
<stage stageid="948bcdd1-3e62-4ab2-ab45-0e61cf9af658" name="Local Variable" type="Block">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="30" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7ae9fb2c-c678-49ff-bfe8-cf9ab3b9e471" name="Setup" type="SubSheet">
loginhibit onsuccess="true"/>
<display x="15" y="-120" w="240" h="30"/>
<onsuccess>e3e04a07-4819-4323-b27f-2d93865c4c1c</onsuccess>
</stage>
```

```
<stage stageid="69a11b95-fd07-4aff-b4e6-02f2dec92573" name="Check Boxes" type="SubSheetInfo">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="6916aebc-1ca9-4861-ab60-d1800b988abd" name="Start" type="Start">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="-105"/>
<onsuccess>d677bad3-f980-4552-8b7b-e7864b7c15c1</onsuccess>
</stage>
<stage stageid="a22f0d38-28e7-44ce-8aca-ec13d3c4b6bb" name="End" type="End">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="615"/>
</stage>
<stage stageid="d8305e98-e6e3-4fa2-9905-9d2c7de3bc3b" name="Check Boxes" type="SubSheet">
loginhibit onsuccess="true"/>
<display x="15" y="15" w="240" h="30"/>
<onsuccess>ae65b51a-89fc-431e-b5b4-c92969babb92</onsuccess>
</stage>
<stage stageid="a9471d63-3707-4760-aae6-04ac225e9625" name="Search BIBS" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="240" w="90" h="30"/>
<inputs>
<input type="text" name="Transaction" friendlyname="Transaction" narrative="The transaction code you w
</inputs>
<onsuccess>99b83a6e-4670-4b00-983b-609511efc508</onsuccess>
```

```
<resource object="SAP" action="Search Transaction"/>
</stage>
<stage stageid="99b83a6e-4670-4b00-983b-609511efc508" name="Select Check Boxes" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="285" w="90" h="30"/>
<inputs>
<input type="text" name="Control Type" friendlyname="Control Type" narrative="The name of the control type"
</inputs>
<onsuccess>087e49f9-b4e2-4493-96cf-3786e669e216</onsuccess>
<resource object="SAP" action="Select Control Type (BIBS)"/>
</stage>
<stage stageid="12eb7baa-99bd-4199-9be0-cf74b23bd4d4" name="Read Check Box (1)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="number" name="Check Box ID" friendlyname="Check Box ID" narrative="The ID of the check
</inputs>
<outputs>
<output type="flag" name="Check Box State" friendlyname="Check Box State" narrative="The state of the</pre>
</outputs>
<onsuccess>468f77c5-343f-4d89-92e9-b023c613efa0</onsuccess>
<resource object="SAP" action="Read Check Box"/>
</stage>
<stage stageid="1009c1d2-13bc-49b4-94eb-542ebf94329d" name="Expected Check Boxes Values (1)" ty
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
```

```
<display x="-120" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="False"/>
</row>
</initialvalue>
</stage>
```

```
<stage stageid="b9f6126c-482a-4374-aeaa-1c66c639b613" name="Loop Expceted Values (1)" type="Loop Expceted Values (1)" type="Lo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>12eb7baa-99bd-4199-9be0-cf74b23bd4d4</onsuccess>
<groupid>787ad2cd-1565-4aed-bbcb-0d4739208893</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Check Boxes Values (1)
</stage>
<stage stageid="952ec771-7c46-4d5b-b1b8-bab23ebfafac" name="Loop Expceted Values (1)" type="Loop
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="90" h="30"/>
<onsuccess>209313e7-b5a1-41ef-b7d7-2b1017237cdd</onsuccess>
<groupid>787ad2cd-1565-4aed-bbcb-0d4739208893</groupid>
</stage>
<stage stageid="468f77c5-343f-4d89-92e9-b023c613efa0" name="Check Box State Correct?" type="Decisions"
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<decision expression="[Check Box State]=[Expected Check Boxes Values (1).State]"/>
<ontrue>952ec771-7c46-4d5b-b1b8-bab23ebfafac</ontrue>
<onfalse>03a62cfd-1c27-4cbb-ad5c-5102b0df5b51</onfalse>
</stage>
<stage stageid="03a62cfd-1c27-4cbb-ad5c-5102b0df5b51" name="FAIL" type="Exception">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="105" y="75"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio |
```

```
</stage>
<stage stageid="173467e6-2bf4-4315-b9fe-f3b248ee8246" name="Check Box State" type="Data">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="150" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="32515eac-ac87-44a8-8abd-bacaa409f440" name="Input Variables" type="Block">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="-15" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3ea06827-113d-4ee0-8f28-98f1e10ca566" name="Local Variables" type="Block">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<loginhibit onsuccess="true"/>
<display x="-195" y="120" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="8a70e0ef-0dc2-4206-9936-04967cb3ec9c" name="Failed?" type="Decision">
<display x="15" y="135" w="240" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>8d212e94-45de-4df4-b8a7-4b70f276ab37</ontrue>
<onfalse>bff4cf5c-a0cf-4b35-902d-dd1a1a347d5c</onfalse>
</stage>
```

```
<stage stageid="ae65b51a-89fc-431e-b5b4-c92969babb92" name="Terminate" type="Action">
loginhibit onsuccess="true"/>
<display x="15" y="90" w="240" h="30"/>
<onsuccess>8a70e0ef-0dc2-4206-9936-04967cb3ec9c</onsuccess>
<resource object="SAP" action="Terminate"/>
</stage>
<stage stageid="9df162aa-6851-4ef3-bdd2-21fb0f7a8e11" name="Note1" type="Note">
<narrative>GIVEN SAP is launched
AND the style guide is open</narrative>
<display x="15" y="-180" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>7ae9fb2c-c678-49ff-bfe8-cf9ab3b9e471</onsuccess>
</stage>
<stage stageid="e3e04a07-4819-4323-b27f-2d93865c4c1c" name="Note1" type="Note">
<narrative>WHEN setting check boxes via a write stage
THEN the check box is successfully set</narrative>
<display x="15" y="-45" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>d8305e98-e6e3-4fa2-9905-9d2c7de3bc3b</onsuccess>
</stage>
<stage stageid="6acfa0a3-eb3c-462b-9542-48fd36fa2efd" name="Cleanup Block" type="Block">
loginhibit onsuccess="true"/>
<display x="-120" y="-90" w="345" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="93c6a6a7-575f-418d-a2a2-ae08fe006ec9" name="Resume" type="Resume">
<loginhibit/>
```

```
<display x="180" y="30"/>
<onsuccess>a3bf0060-15d9-41fc-a154-139287c6dafc</onsuccess>
</stage>
<stage stageid="c3f4fd17-3634-4080-b807-4b410add3a56" name="Mark Failure" type="MultipleCalculatio
loginhibit onsuccess="true"/>
<display x="180" y="-15"/>
<onsuccess>93c6a6a7-575f-418d-a2a2-ae08fe006ec9</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="a3bf0060-15d9-41fc-a154-139287c6dafc" name="Anchor4" type="Anchor">
loginhibit onsuccess="true"/>
<display x="180" y="90" w="10" h="10"/>
<onsuccess>ae65b51a-89fc-431e-b5b4-c92969babb92</onsuccess>
</stage>
<stage stageid="8d212e94-45de-4df4-b8a7-4b70f276ab37" name="Rethrow" type="Exception">
<display x="180" y="135"/>
<exception localized="yes" type="" detail="[Exception]"/>
</stage>
<stage stageid="375a218a-2bab-4130-ba0e-740e25d69867" name="Failed?" type="Data">
<display x="-210" y="-120" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
```

```
</stage>
<stage stageid="abdf7776-b16c-466f-a10f-60398a0f3368" name="Exception" type="Data">
<display x="-210" y="-90" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d10a56fd-81f0-4092-8810-e8bdc3b3fcd2" name="Local Variables" type="Block">
loginhibit onsuccess="true"/>
<display x="-285" y="-150" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="bff4cf5c-a0cf-4b35-902d-dd1a1a347d5c" name="End1" type="End">
loginhibit onsuccess="true"/>
<display x="15" y="180"/>
</stage>
<stage stageid="d677bad3-f980-4552-8b7b-e7864b7c15c1" name="Set Check Box (1)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="number" name="Check Box ID" friendlyname="Check Box ID" narrative="The ID of the check
<input type="flag" name="Check Box State" friendlyname="Check Box State" narrative="The state you wanted by the companies of 
</inputs>
<onsuccess>b9f6126c-482a-4374-aeaa-1c66c639b613</onsuccess>
<resource object="SAP" action="Set Check Box"/>
```

```
</stage>
<stage stageid="17821175-92f8-42cc-aedd-86ebaec01ee5" name="Read Check Box (1)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="255" w="90" h="30"/>
<inputs>
<input type="number" name="Check Box ID" friendlyname="Check Box ID" narrative="The ID of the check
</inputs>
<outputs>
<output type="flag" name="Check Box State" friendlyname="Check Box State" narrative="The state of the</p>
</outputs>
<onsuccess>13d1bbc0-ef86-4709-bd4a-f10a6eeebd84</onsuccess>
<resource object="SAP" action="Read Check Box"/>
</stage>
<stage stageid="24ad3d81-2d95-4b0d-9dc3-15104f494086" name="Loop Expceted Values (1)" type="Loo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="90" h="30"/>
<onsuccess>17821175-92f8-42cc-aedd-86ebaec01ee5</onsuccess>
<groupid>734ec554-aa93-4577-8346-6de1b447879d</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Check Boxes Values (2)
</stage>
<stage stageid="202d77f0-fbd4-4c97-8c80-515e88509acb" name="Loop Expceted Values (1)" type="Loop
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="345" w="90" h="30"/>
```

```
<onsuccess>2739a725-8945-46b6-a796-d46ae99441c6</onsuccess>
<groupid>734ec554-aa93-4577-8346-6de1b447879d</groupid>
</stage>
<stage stageid="13d1bbc0-ef86-4709-bd4a-f10a6eeebd84" name="Check Box State Correct?" type="Deci
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="300" w="90" h="30"/>
<decision expression="[Check Box State]=[Expected Check Boxes Values (2).State]"/>
<ontrue>202d77f0-fbd4-4c97-8c80-515e88509acb</ontrue>
<onfalse>7862b3f0-328f-4171-9be5-33650bac1d79</onfalse>
</stage>
<stage stageid="7862b3f0-328f-4171-9be5-33650bac1d79" name="FAIL" type="Exception">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="105" y="300"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio
</stage>
<stage stageid="209313e7-b5a1-41ef-b7d7-2b1017237cdd" name="Set Check Box (3)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="90" h="30"/>
<inputs>
<input type="number" name="Check Box ID" friendlyname="Check Box ID" narrative="The ID of the check
<input type="flag" name="Check Box State" friendlyname="Check Box State" narrative="The state you wanted by the companies of 
</inputs>
<onsuccess>24ad3d81-2d95-4b0d-9dc3-15104f494086</onsuccess>
<resource object="SAP" action="Set Check Box"/>
</stage>
<stage stageid="92513dec-8621-40de-ae7f-61838c845f4f" name="Expected Check Boxes Values (2)" type
```

```
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="False"/>
</row>
</initialvalue>
```

```
</stage>
<stage stageid="73da7fcc-8bd0-478e-8b6e-ca6209d0531e" name="Read Check Box (1)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="480" w="90" h="30"/>
<inputs>
<input type="number" name="Check Box ID" friendlyname="Check Box ID" narrative="The ID of the check
</inputs>
<outputs>
<output type="flag" name="Check Box State" friendlyname="Check Box State" narrative="The state of the</p>
</outputs>
<onsuccess>51a23da1-79e7-4775-b5cd-e9a540bf6221</onsuccess>
<resource object="SAP" action="Read Check Box"/>
</stage>
<stage stageid="e6d78317-4bbd-48ce-b106-950befb4b9b5" name="Loop Expceted Values (3)" type="Loo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="435" w="90" h="30"/>
<onsuccess>73da7fcc-8bd0-478e-8b6e-ca6209d0531e</onsuccess>
<groupid>9b098027-f00f-4bbe-9e47-a58cd53f3e9f</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Check Boxes Values (3)
</stage>
<stage stageid="a7ac2d11-eef0-4a7d-a79b-43872a048889" name="Loop Expceted Values (3)" type="Loo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="570" w="90" h="30"/>
```

```
<onsuccess>a22f0d38-28e7-44ce-8aca-ec13d3c4b6bb</onsuccess>
<groupid>9b098027-f00f-4bbe-9e47-a58cd53f3e9f</groupid>
</stage>
<stage stageid="51a23da1-79e7-4775-b5cd-e9a540bf6221" name="Check Box State Correct?" type="Dec
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="525" w="90" h="30"/>
<decision expression="[Check Box State]=[Expected Check Boxes Values (3).State]"/>
<ontrue>a7ac2d11-eef0-4a7d-a79b-43872a048889</ontrue>
<onfalse>f57bcd87-135a-40de-a970-61c2efb92c52</onfalse>
</stage>
<stage stageid="f57bcd87-135a-40de-a970-61c2efb92c52" name="FAIL" type="Exception">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="105" y="525"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio
</stage>
<stage stageid="2739a725-8945-46b6-a796-d46ae99441c6" name="Set Check Box (1)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="390" w="90" h="30"/>
<inputs>
<input type="number" name="Check Box ID" friendlyname="Check Box ID" narrative="The ID of the check
<input type="flag" name="Check Box State" friendlyname="Check Box State" narrative="The state you wanted by the companies of 
</inputs>
<onsuccess>e6d78317-4bbd-48ce-b106-950befb4b9b5</onsuccess>
<resource object="SAP" action="Set Check Box"/>
</stage>
<stage stageid="08e57d98-3910-4322-b5d1-6dc938c0ac92" name="Expected Check Boxes Values (3)" ty
```

```
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="75" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="False"/>
</row>
</initialvalue>
```

```
</stage>
<stage stageid="854ce9bb-2dd0-4c3e-a074-b734f3e4894f" name="Recover" type="Recover">
<loginhibit/>
<display x="180" y="-60"/>
<onsuccess>c3f4fd17-3634-4080-b807-4b410add3a56/onsuccess>
</stage>
</process>
<view>
<camerax>0</camerax>
<cameray>21</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="352e077d-4417-40d3-9e9c-f8e6d81fbb01" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="bc1d1e82-a683-448a-b1c7-934da5fab458" type="Normal" published="False">
<name>Radio Buttons (Navigate)</name>
<view>
<camerax>0</camerax>
```

```
<cameray>168</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="bebdcbe9-351b-4a4a-a0bf-ac63090c91a2" type="Normal" published="False">
<name>Radio Buttons (Write)</name>
<view>
<camerax>0</camerax>
<cameray>294</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="2e3d2c32-afd0-43d5-a816-05d4512cb539" name="Start" type="Start">
<display x="15" y="-240"/>
<onsuccess>9df162aa-6851-4ef3-bdd2-21fb0f7a8e11
</stage>
<stage stageid="f71168dd-bf5e-4b1c-bd41-57bb66a1b155" name="End" type="End">
<display x="30" y="585"/>
</stage>
<stage stageid="2ed223a0-cdce-4f27-8d1b-03d58a7e1c7c" name="Stage1" type="ProcessInfo">
<display x="-210" y="-210" w="150" h="90"/>
</stage>
<stage stageid="d670d8d0-8d5b-47a2-a696-a68d8c085023" name="Terminate" type="Action">
loginhibit onsuccess="true"/>
<display x="30" y="540" w="90" h="30"/>
<onsuccess>f71168dd-bf5e-4b1c-bd41-57bb66a1b155</onsuccess>
<resource object="SAP" action="Terminate"/>
```

```
</stage>
<stage stageid="cf86e6a3-1b7a-4d91-bf67-ab3d91998ef0" name="Setup" type="SubSheetInfo">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="-120" y="-30" w="150" h="90"/>
</stage>
<stage stageid="57e916ba-5b34-46d1-8d8d-adbcfada0ee4" name="Start" type="Start">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="-60"/>
<onsuccess>f149e43b-4b63-4913-b5f0-0c023cc3236d</onsuccess>
</stage>
<stage stageid="087e49f9-b4e2-4493-96cf-3786e669e216" name="End" type="End">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="330"/>
</stage>
<stage stageid="f149e43b-4b63-4913-b5f0-0c023cc3236d" name="Launch" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>a777fb1e-8c51-4eca-bb51-9436ad607421
<resource object="SAP" action="Launch"/>
</stage>
<stage stageid="8b256fbd-ddfe-4b9a-acd7-a2c11dc2af12" name="Log On (740)" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<loginhibit onsuccess="true"/>
<display x="120" y="105" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username for the account
```

```
<input type="text" name="Password" friendlyname="Password" narrative="The password for the user you
</inputs>
<onsuccess>8de2edc4-24ad-457e-b3bc-1bae3d3cfcc5</onsuccess>
<resource object="SAP" action="Log On"/>
</stage>
<stage stageid="a777fb1e-8c51-4eca-bb51-9436ad607421" name="Get SAP Version" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<outputs>
<output type="text" name="SAP Version" friendlyname="SAP Version" stage="SAP Version"/>
</outputs>
<onsuccess>4ebca774-e797-4bff-b31b-6b4118eb4ab5</onsuccess>
<resource object="SAP" action="Get SAP Version"/>
</stage>
<stage stageid="4ebca774-e797-4bff-b31b-6b4118eb4ab5" name="SAP Version?" type="ChoiceStart">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<groupid>d2b6df8a-a63d-4e7b-a35e-e02131de0cfc</groupid>
<choices>
<choice expression="[SAP Version]=&amp;quot;740&amp;quot;">
<name>740</name>
<distance>30</distance>
<ontrue>8b256fbd-ddfe-4b9a-acd7-a2c11dc2af12</ontrue>
</choice>
<choice expression="[SAP Version]=&amp;quot;760&amp;quot;">
<name>760</name>
```

```
<distance>75</distance>
<ontrue>9b57921f-d70d-4395-8161-290136880e9d</ontrue>
</choice>
</choices>
</stage>
<stage stageid="5d8e1687-288a-4cf8-8da2-225b220cb422" name="Otherwise" type="ChoiceEnd">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="195" w="90" h="30"/>
<onsuccess>17f32e1c-4456-4f86-800a-5399351a4e75
<groupid>d2b6df8a-a63d-4e7b-a35e-e02131de0cfc</groupid>
</stage>
<stage stageid="3ffcf1c7-df4b-44be-98ef-01798fb6b08b" name="SAP Version" type="Data">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="-120" y="60" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="17f32e1c-4456-4f86-800a-5399351a4e75" name="SAP Version FAIL" type="Exception">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="120" y="195" w="90" h="30"/>
<exception localized="yes" type="SAP Version" detail="&amp;quot;You are using a SAP client with an unre
</stage>
<stage stageid="9b57921f-d70d-4395-8161-290136880e9d" name="Log On (760)" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="120" y="150" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username for the account
<input type="text" name="Password" friendlyname="Password" narrative="The password for the user you</p>
</inputs>
<onsuccess>f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9</onsuccess>
<resource object="SAP" action="Log On"/>
</stage>
<stage stageid="8de2edc4-24ad-457e-b3bc-1bae3d3cfcc5" name="Anchor1" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="105" w="10" h="10"/>
<onsuccess>f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9</onsuccess>
</stage>
<stage stageid="f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9" name="Anchor2" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="150" w="10" h="10"/>
<onsuccess>eb77cf2e-c353-4ea3-9d92-ef6a86ea7deb</onsuccess>
</stage>
<stage stageid="eb77cf2e-c353-4ea3-9d92-ef6a86ea7deb" name="Anchor3" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="240" w="10" h="10"/>
<onsuccess>a9471d63-3707-4760-aae6-04ac225e9625</onsuccess>
</stage>
<stage stageid="948bcdd1-3e62-4ab2-ab45-0e61cf9af658" name="Local Variable" type="Block">
```

```
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="30" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7ae9fb2c-c678-49ff-bfe8-cf9ab3b9e471" name="Setup" type="SubSheet">
loginhibit onsuccess="true"/>
<display x="15" y="-120" w="240" h="30"/>
<onsuccess>e3e04a07-4819-4323-b27f-2d93865c4c1c</onsuccess>
cessid>352e077d-4417-40d3-9e9c-f8e6d81fbb01/processid>
</stage>
<stage stageid="69a11b95-fd07-4aff-b4e6-02f2dec92573" name="Radio Buttons (Navigate)" type="SubSh
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="6916aebc-1ca9-4861-ab60-d1800b988abd" name="Start" type="Start">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="-105"/>
<onsuccess>bec77e7b-7314-46cb-8bde-a33084a46a4a</onsuccess>
</stage>
<stage stageid="a22f0d38-28e7-44ce-8aca-ec13d3c4b6bb" name="End" type="End">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="615"/>
</stage>
<stage stageid="d8305e98-e6e3-4fa2-9905-9d2c7de3bc3b" name="Radio Buttons (Navigate)" type="Sub$
loginhibit onsuccess="true"/>
<display x="15" y="15" w="240" h="30"/>
```

```
<onsuccess>58ff5c04-8f09-428c-830a-ce487cdd6e11
</stage>
<stage stageid="a9471d63-3707-4760-aae6-04ac225e9625" name="Search BIBS" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="240" w="90" h="30"/>
<inputs>
<input type="text" name="Transaction" friendlyname="Transaction" narrative="The transaction code you w
</inputs>
<onsuccess>99b83a6e-4670-4b00-983b-609511efc508</onsuccess>
<resource object="SAP" action="Search Transaction"/>
</stage>
<stage stageid="99b83a6e-4670-4b00-983b-609511efc508" name="Select Radio Buttons" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="285" w="90" h="30"/>
<inputs>
<input type="text" name="Control Type" friendlyname="Control Type" narrative="The name of the control type"
</inputs>
<onsuccess>087e49f9-b4e2-4493-96cf-3786e669e216</onsuccess>
<resource object="SAP" action="Select Control Type (BIBS)"/>
</stage>
<stage stageid="bec77e7b-7314-46cb-8bde-a33084a46a4a" name="Set Radio Button 2" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
```

```
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
<input type="flag" name="Write Value?" friendlyname="Write Value?" narrative="As default it will use a nav
</inputs>
<onsuccess>b9f6126c-482a-4374-aeaa-1c66c639b613</onsuccess>
<resource object="SAP" action="Set Radio Button"/>
</stage>
<stage stageid="12eb7baa-99bd-4199-9be0-cf74b23bd4d4" name="Read Radio Button" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
</inputs>
<outputs>
<output type="flag" name="Radio Button State" friendlyname="Radio Button State" narrative="The checked state in the control of the control
</outputs>
<onsuccess>468f77c5-343f-4d89-92e9-b023c613efa0</onsuccess>
<resource object="SAP" action="Read Radio Button"/>
</stage>
<stage stageid="1009c1d2-13bc-49b4-94eb-542ebf94329d" name="Expected Radio Button Values (1)" type
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
```

```
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="5"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="6"/>
<field name="State" type="flag" value="False"/>
```

```
</row>
<row>
<field name="Radio Button ID" type="number" value="7"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="8"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="9"/>
<field name="State" type="flag" value="False"/>
</row>
</initialvalue>
</stage>
<stage stageid="b9f6126c-482a-4374-aeaa-1c66c639b613" name="Loop Expceted Values (1)" type="Loop Expceted Values (1)" type="Lo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>12eb7baa-99bd-4199-9be0-cf74b23bd4d4</onsuccess>
<groupid>787ad2cd-1565-4aed-bbcb-0d4739208893</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Radio Button Values (1)
</stage>
<stage stageid="952ec771-7c46-4d5b-b1b8-bab23ebfafac" name="Loop Expceted Values (1)" type="Loop
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="15" y="120" w="90" h="30"/>
<onsuccess>ce921305-302b-4e6f-bb2f-834cf5435583</onsuccess>
<groupid>787ad2cd-1565-4aed-bbcb-0d4739208893</groupid>
</stage>
<stage stageid="468f77c5-343f-4d89-92e9-b023c613efa0" name="Radio Button State Correct?" type="De
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<decision expression="[Radio Button State]=[Expected Radio Button Values (1).State]"/>
<ontrue>952ec771-7c46-4d5b-b1b8-bab23ebfafac</ontrue>
<onfalse>03a62cfd-1c27-4cbb-ad5c-5102b0df5b51</onfalse>
</stage>
<stage stageid="03a62cfd-1c27-4cbb-ad5c-5102b0df5b51" name="FAIL" type="Exception">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="105" y="75"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio |
</stage>
<stage stageid="173467e6-2bf4-4315-b9fe-f3b248ee8246" name="Radio Button State" type="Data">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="165" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="32515eac-ac87-44a8-8abd-bacaa409f440" name="Input Variables" type="Block">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="-195" y="-15" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3ea06827-113d-4ee0-8f28-98f1e10ca566" name="Local Variables" type="Block">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="135" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ce921305-302b-4e6f-bb2f-834cf5435583" name="Set Radio Button 7" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
<input type="flag" name="Write Value?" friendlyname="Write Value?" narrative="As default it will use a nav
</inputs>
<onsuccess>d69183cd-825c-4215-be64-3a79bf4fca51
<resource object="SAP" action="Set Radio Button"/>
</stage>
<stage stageid="7e718615-84ae-4826-b9dc-d81e7b429b86" name="Expected Radio Button Values (2)" ty
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
```

```
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="5"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="6"/>
<field name="State" type="flag" value="False"/>
```

```
</row>
<row>
<field name="Radio Button ID" type="number" value="7"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="8"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="9"/>
<field name="State" type="flag" value="False"/>
</row>
</initialvalue>
</stage>
<stage stageid="2dfe68d2-9f6a-489b-80ee-f34a5c921b5b" name="Read Radio Button" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="255" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
</inputs>
<outputs>
<output type="flag" name="Radio Button State" friendlyname="Radio Button State" narrative="The checked state in the control of the checked state in the c
</outputs>
<onsuccess>3f32b965-6b63-42a2-95c4-eef7b138ee9e</onsuccess>
<resource object="SAP" action="Read Radio Button"/>
```

```
</stage>
<stage stageid="d69183cd-825c-4215-be64-3a79bf4fca51" name="Loop Expceted Values (2)" type="Loop
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="90" h="30"/>
<onsuccess>2dfe68d2-9f6a-489b-80ee-f34a5c921b5b</onsuccess>
<groupid>e5ced6af-e8b1-4bbd-9c91-0c4ac89662e6</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Radio Button Values (2)
</stage>
<stage stageid="5fc4411d-6b24-4f59-8b12-8ee2ec682ef1" name="Loop Expceted Values (2)" type="Loop
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="345" w="90" h="30"/>
<onsuccess>ae1e30d7-ece9-4061-8c2d-d92734f44945</onsuccess>
<groupid>e5ced6af-e8b1-4bbd-9c91-0c4ac89662e6</groupid>
</stage>
<stage stageid="3f32b965-6b63-42a2-95c4-eef7b138ee9e" name="Radio Button State Correct?" type="De
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="300" w="90" h="30"/>
<decision expression="[Radio Button State]=[Expected Radio Button Values (2).State]"/>
<ontrue>5fc4411d-6b24-4f59-8b12-8ee2ec682ef1</ontrue>
<onfalse>aefc41e6-177c-4411-8cd0-fb8d73d24c9c</onfalse>
</stage>
<stage stageid="aefc41e6-177c-4411-8cd0-fb8d73d24c9c" name="FAIL" type="Exception">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="105" y="300"/>
```

```
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio
</stage>
<stage stageid="775ee488-8953-49ce-b8d8-f44aafdd9412" name="Expected Radio Button Values (3)" typ
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="75" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
```

```
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="5"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="6"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="7"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="8"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="9"/>
<field name="State" type="flag" value="True"/>
</row>
</initialvalue>
</stage>
<stage stageid="ae1e30d7-ece9-4061-8c2d-d92734f44945" name="Set Radio Button 9" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="15" y="390" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
<input type="flag" name="Write Value?" friendlyname="Write Value?" narrative="As default it will use a nav
</inputs>
<onsuccess>523c703e-731d-410d-8745-38e9b055279a</onsuccess>
<resource object="SAP" action="Set Radio Button"/>
</stage>
<stage stageid="e1ff3a8e-0df5-4f98-b9ed-0036c36f3fe8" name="Read Radio Button" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="480" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
</inputs>
<outputs>
<output type="flag" name="Radio Button State" friendlyname="Radio Button State" narrative="The checked state".</p>
</outputs>
<onsuccess>b3da2830-1788-4716-aac7-7665d7632a44
<resource object="SAP" action="Read Radio Button"/>
</stage>
<stage stageid="523c703e-731d-410d-8745-38e9b055279a" name="Loop Expceted Values (3)" type="Loo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="435" w="90" h="30"/>
<onsuccess>e1ff3a8e-0df5-4f98-b9ed-0036c36f3fe8</onsuccess>
<groupid>77db2176-1917-4b93-9410-715ca84ea68f</groupid>
```

```
<looptype>ForEach</looptype>
<loopdata>Expected Radio Button Values (3)
</stage>
<stage stageid="c6ac6eeb-e51e-4c47-a049-731887eb91e6" name="Loop Expceted Values (3)" type="Loop expected Values (4)" type="Lo
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="570" w="90" h="30"/>
<onsuccess>a22f0d38-28e7-44ce-8aca-ec13d3c4b6bb</onsuccess>
<groupid>77db2176-1917-4b93-9410-715ca84ea68f</groupid>
</stage>
<stage stageid="b3da2830-1788-4716-aac7-7665d7632a44" name="Radio Button State Correct?" type="[
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="525" w="90" h="30"/>
<decision expression="[Radio Button State]=[Expected Radio Button Values (3).State]"/>
<ontrue>c6ac6eeb-e51e-4c47-a049-731887eb91e6</ontrue>
<onfalse>892c6840-4182-474a-a575-9df1127b077b</onfalse>
</stage>
<stage stageid="892c6840-4182-474a-a575-9df1127b077b" name="FAIL" type="Exception">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="105" y="525"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio l
</stage>
<stage stageid="d6506b16-2cb1-4502-9b84-7f1c9bc0416a" name="Radio Buttons (Write)" type="SubSheets)
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
```

<stage stageid="dfe8bdc6-d33f-4407-8034-705e9dac61ca" name="Start" type="Start">

```
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="15" y="-105"/>
<onsuccess>f40c36e3-8cd9-4fc5-ae1e-6ffea9292fcc</onsuccess>
</stage>
<stage stageid="84e114cc-ce6f-4d78-9f9b-aa6a674d2b6a" name="End" type="End">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="15" y="615"/>
</stage>
<stage stageid="f40c36e3-8cd9-4fc5-ae1e-6ffea9292fcc" name="Set Radio Button 4" type="Action">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
<input type="flag" name="Write Value?" friendlyname="Write Value?" narrative="As default it will use a nav
</inputs>
<onsuccess>331f1ad0-6683-4d9b-a96a-12f16c317b18</onsuccess>
<resource object="SAP" action="Set Radio Button"/>
</stage>
<stage stageid="78b21760-8c5a-4a8e-b561-5dfc79f53d42" name="Read Radio Button" type="Action">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
</inputs>
<outputs>
```

```
<output type="flag" name="Radio Button State" friendlyname="Radio Button State" narrative="The checked state".</p>
</outputs>
<onsuccess>2a4f4e48-e83d-4250-b448-96353dd12dad</onsuccess>
<resource object="SAP" action="Read Radio Button"/>
</stage>
<stage stageid="331f1ad0-6683-4d9b-a96a-12f16c317b18" name="Loop Expceted Values (1)" type="Loop
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<onsuccess>78b21760-8c5a-4a8e-b561-5dfc79f53d42</onsuccess>
<groupid>740f8775-8032-4631-9e00-6dbcafa15764</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Radio Button Values (1)
</stage>
<stage stageid="e631819f-059a-424e-b108-f5d7c7059e91" name="Loop Expceted Values (1)" type="Loop
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="90" h="30"/>
<onsuccess>9aafe798-5262-4d9a-b7a8-0d28511920b9</onsuccess>
<groupid>740f8775-8032-4631-9e00-6dbcafa15764</groupid>
</stage>
<stage stageid="2a4f4e48-e83d-4250-b448-96353dd12dad" name="Radio Button State Correct?" type="D
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="15" y="75" w="90" h="30"/>
<decision expression="[Radio Button State]=[Expected Radio Button Values (1).State]"/>
<ontrue>e631819f-059a-424e-b108-f5d7c7059e91</ontrue>
<onfalse>5aa041d6-029d-4fe7-aa6a-e21ec4cdff65</onfalse>
```

```
</stage>
<stage stageid="5aa041d6-029d-4fe7-aa6a-e21ec4cdff65" name="FAIL" type="Exception">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="105" y="75"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio |
</stage>
<stage stageid="681d5569-cb91-4198-87b8-dd4227b96efb" name="Radio Button State" type="Data">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="-120" y="165" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="97fe69ac-525b-47f1-9218-833ad61179c4" name="Input Variables" type="Block">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="-15" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="4a1f1851-9c8f-4ce6-95ac-d646311b005f" name="Local Variables" type="Block">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="-195" y="135" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9aafe798-5262-4d9a-b7a8-0d28511920b9" name="Set Radio Button 6" type="Action">
```

```
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
<input type="flag" name="Write Value?" friendlyname="Write Value?" narrative="As default it will use a nav
</inputs>
<onsuccess>1ede21e9-f6fa-4461-a5da-45a5770a5a56</onsuccess>
<resource object="SAP" action="Set Radio Button"/>
</stage>
<stage stageid="f1dbd5ac-8b67-4d70-8459-2dc65083d1fb" name="Read Radio Button" type="Action">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="255" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
</inputs>
<outputs>
<output type="flag" name="Radio Button State" friendlyname="Radio Button State" narrative="The checked</p>
</outputs>
<onsuccess>938cab26-8613-4f45-b515-a69304f2aa60</onsuccess>
<resource object="SAP" action="Read Radio Button"/>
</stage>
<stage stageid="1ede21e9-f6fa-4461-a5da-45a5770a5a56" name="Loop Expceted Values (2)" type="Loop
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="90" h="30"/>
```

```
<onsuccess>f1dbd5ac-8b67-4d70-8459-2dc65083d1fb</onsuccess>
<groupid>b2308402-dd8a-4bbb-bef0-71299511ccf2</groupid>
<looptype>ForEach</looptype>
<loopdata>Expected Radio Button Values (2)
</stage>
<stage stageid="58098cf6-0f21-4ea6-8e79-2d7e3dbd5bdb" name="Loop Expceted Values (2)" type="Loop
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="345" w="90" h="30"/>
<onsuccess>6ff558a4-cd00-4a05-ac08-3ee2a4f3ec6e</onsuccess>
<groupid>b2308402-dd8a-4bbb-bef0-71299511ccf2</groupid>
</stage>
<stage stageid="938cab26-8613-4f45-b515-a69304f2aa60" name="Radio Button State Correct?" type="De
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="15" y="300" w="90" h="30"/>
<decision expression="[Radio Button State]=[Expected Radio Button Values (2).State]"/>
<ontrue>58098cf6-0f21-4ea6-8e79-2d7e3dbd5bdb</ontrue>
<onfalse>9539228b-1622-478c-8949-188daabd4d22</onfalse>
</stage>
<stage stageid="9539228b-1622-478c-8949-188daabd4d22" name="FAIL" type="Exception">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="105" y="300"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio |
</stage>
<stage stageid="6ff558a4-cd00-4a05-ac08-3ee2a4f3ec6e" name="Set Radio Button 8" type="Action">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="15" y="390" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
<input type="flag" name="Write Value?" friendlyname="Write Value?" narrative="As default it will use a nav
</inputs>
<onsuccess>1acc13a8-7551-4f25-8ffe-1d6c78f0f93a</onsuccess>
<resource object="SAP" action="Set Radio Button"/>
</stage>
<stage stageid="abd3f3e6-3403-4fe2-9ed8-30bc21249197" name="Read Radio Button" type="Action">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="480" w="90" h="30"/>
<inputs>
<input type="number" name="Radio Button ID" friendlyname="Radio Button ID" narrative="The ID of the ra
</inputs>
<outputs>
<output type="flag" name="Radio Button State" friendlyname="Radio Button State" narrative="The checked state".</p>
</outputs>
<onsuccess>83b94e9a-e9b4-4ed2-8ac1-c537bbfbb2a4</onsuccess>
<resource object="SAP" action="Read Radio Button"/>
</stage>
<stage stageid="1acc13a8-7551-4f25-8ffe-1d6c78f0f93a" name="Loop Expceted Values (3)" type="LoopS
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="435" w="90" h="30"/>
<onsuccess>abd3f3e6-3403-4fe2-9ed8-30bc21249197</onsuccess>
<groupid>dc2a6295-1ad5-4192-993d-46125fd24444</groupid>
```

```
<looptype>ForEach</looptype>
<loopdata>Expected Radio Button Values (3)
</stage>
<stage stageid="e702562d-0efa-4e47-ba71-56942d871478" name="Loop Expceted Values (3)" type="Loo
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="570" w="90" h="30"/>
<onsuccess>84e114cc-ce6f-4d78-9f9b-aa6a674d2b6a</onsuccess>
<groupid>dc2a6295-1ad5-4192-993d-46125fd24444</groupid>
</stage>
<stage stageid="83b94e9a-e9b4-4ed2-8ac1-c537bbfbb2a4" name="Radio Button State Correct?" type="D
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="15" y="525" w="90" h="30"/>
<decision expression="[Radio Button State]=[Expected Radio Button Values (3).State]"/>
<ontrue>e702562d-0efa-4e47-ba71-56942d871478</ontrue>
<onfalse>ef2a612c-eacc-4166-9699-044de3dc4a24</onfalse>
</stage>
<stage stageid="ef2a612c-eacc-4166-9699-044de3dc4a24" name="FAIL" type="Exception">
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="105" y="525"/>
<exception localized="yes" type="Radio Button State Exception" detail="&amp;quot;The state of the radio |
</stage>
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="-120" y="15" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
```

```
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="5"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
```

```
<field name="Radio Button ID" type="number" value="6"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="7"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="8"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="9"/>
<field name="State" type="flag" value="True"/>
</row>
</initialvalue>
</stage>
<stage stageid="4a0f1cbf-a444-4a31-a125-4d38a2acf436" name="Expected Radio Button Values (2)" type
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="-120" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
```

```
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="5"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="6"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="7"/>
```

```
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="8"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="9"/>
<field name="State" type="flag" value="True"/>
</row>
</initialvalue>
</stage>
<stage stageid="b6ceaa57-8931-4d6c-9e73-9d50c0746021" name="Expected Radio Button Values (3)" ty
<subsheetid>bebdcbe9-351b-4a4a-a0bf-ac63090c91a2</subsheetid>
<display x="-120" y="75" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Radio Button ID" type="number"/>
<field name="State" type="flag"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Radio Button ID" type="number" value="1"/>
<field name="State" type="flag" value="False"/>
</row>
```

```
<row>
<field name="Radio Button ID" type="number" value="2"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="3"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="4"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="5"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="6"/>
<field name="State" type="flag" value="True"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="7"/>
<field name="State" type="flag" value="False"/>
</row>
<row>
<field name="Radio Button ID" type="number" value="8"/>
<field name="State" type="flag" value="True"/>
```

```
</row>
<row>
<field name="Radio Button ID" type="number" value="9"/>
<field name="State" type="flag" value="False"/>
</row>
</initialvalue>
</stage>
<stage stageid="6387dc92-e56c-4297-b976-b2adaec5a121" name="Radio Buttons (Write)" type="SubShe
loginhibit onsuccess="true"/>
<display x="15" y="135" w="240" h="30"/>
<onsuccess>ae65b51a-89fc-431e-b5b4-c92969babb92</onsuccess>
</stage>
<stage stageid="8a70e0ef-0dc2-4206-9936-04967cb3ec9c" name="Failed?" type="Decision">
<display x="15" y="240" w="240" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>8d212e94-45de-4df4-b8a7-4b70f276ab37</ontrue>
<onfalse>bff4cf5c-a0cf-4b35-902d-dd1a1a347d5c</onfalse>
</stage>
<stage stageid="ae65b51a-89fc-431e-b5b4-c92969babb92" name="Terminate" type="Action">
loginhibit onsuccess="true"/>
<display x="15" y="195" w="240" h="30"/>
<onsuccess>8a70e0ef-0dc2-4206-9936-04967cb3ec9c</onsuccess>
<resource object="SAP" action="Terminate"/>
</stage>
<stage stageid="9df162aa-6851-4ef3-bdd2-21fb0f7a8e11" name="Note1" type="Note">
<narrative>GIVEN SAP is launched
```

```
AND the style guide is open</narrative>
<display x="15" y="-180" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>7ae9fb2c-c678-49ff-bfe8-cf9ab3b9e471</onsuccess>
</stage>
<stage stageid="e3e04a07-4819-4323-b27f-2d93865c4c1c" name="Note1" type="Note">
<narrative>WHEN setting radio buttons via a navigation stage
THEN the radio button is successfully set
AND other radio buttons respond correctly</narrative>
<display x="15" y="-45" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>d8305e98-e6e3-4fa2-9905-9d2c7de3bc3b</onsuccess>
</stage>
<stage stageid="58ff5c04-8f09-428c-830a-ce487cdd6e11" name="Note1" type="Note">
<narrative>WHEN setting radio buttons via a write stage
THEN the radio button is successfully set
AND other radio buttons respond correctly</narrative>
<display x="15" y="75" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>6387dc92-e56c-4297-b976-b2adaec5a121</onsuccess>
</stage>
<stage stageid="6acfa0a3-eb3c-462b-9542-48fd36fa2efd" name="Cleanup Block" type="Block">
loginhibit onsuccess="true"/>
<display x="-120" y="-90" w="345" h="255"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="93c6a6a7-575f-418d-a2a2-ae08fe006ec9" name="Resume" type="Resume">
```

```
<loginhibit/>
<display x="180" y="30"/>
<onsuccess>a3bf0060-15d9-41fc-a154-139287c6dafc</onsuccess>
</stage>
<stage stageid="c3f4fd17-3634-4080-b807-4b410add3a56" name="Mark Failure" type="MultipleCalculatio
loginhibit onsuccess="true"/>
<display x="180" y="-15"/>
<onsuccess>93c6a6a7-575f-418d-a2a2-ae08fe006ec9</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="a3bf0060-15d9-41fc-a154-139287c6dafc" name="Anchor4" type="Anchor">
loginhibit onsuccess="true"/>
<display x="180" y="195" w="10" h="10"/>
<onsuccess>ae65b51a-89fc-431e-b5b4-c92969babb92</onsuccess>
</stage>
<stage stageid="8d212e94-45de-4df4-b8a7-4b70f276ab37" name="Rethrow" type="Exception">
<display x="180" y="240"/>
<exception localized="yes" type="" detail="[Exception]"/>
</stage>
<stage stageid="375a218a-2bab-4130-ba0e-740e25d69867" name="Failed?" type="Data">
<display x="-210" y="-120" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="abdf7776-b16c-466f-a10f-60398a0f3368" name="Exception" type="Data">
<display x="-210" y="-90" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d10a56fd-81f0-4092-8810-e8bdc3b3fcd2" name="Local Variables" type="Block">
loginhibit onsuccess="true"/>
<display x="-285" y="-150" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="bff4cf5c-a0cf-4b35-902d-dd1a1a347d5c" name="End1" type="End">
loginhibit onsuccess="true"/>
<display x="15" y="285"/>
</stage>
<stage stageid="884be815-5ec6-4296-a499-c81147b9f5ab" name="Recover" type="Recover">
<loginhibit/>
<display x="180" y="-60"/>
<onsuccess>c3f4fd17-3634-4080-b807-4b410add3a56/onsuccess>
</stage>
</process>
color="1.0" bpversion="6.8.0.20441" narrative="" byrefcollection="t
<view>
<camerax>0</camerax>
```

```
<cameray>-63</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="352e077d-4417-40d3-9e9c-f8e6d81fbb01" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>159</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="bc1d1e82-a683-448a-b1c7-934da5fab458" type="Normal" published="False">
<name>Tabs</name>
<view>
<camerax>0</camerax>
<cameray>390</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="2e3d2c32-afd0-43d5-a816-05d4512cb539" name="Start" type="Start">
<display x="15" y="-240"/>
<onsuccess>9df162aa-6851-4ef3-bdd2-21fb0f7a8e11/onsuccess>
</stage>
<stage stageid="f71168dd-bf5e-4b1c-bd41-57bb66a1b155" name="End" type="End">
<display x="30" y="585"/>
```

```
</stage>
<stage stageid="2ed223a0-cdce-4f27-8d1b-03d58a7e1c7c" name="Stage1" type="ProcessInfo">
<display x="-210" y="-210" w="150" h="90"/>
</stage>
<stage stageid="d670d8d0-8d5b-47a2-a696-a68d8c085023" name="Terminate" type="Action">
loginhibit onsuccess="true"/>
<display x="30" y="540" w="90" h="30"/>
<onsuccess>f71168dd-bf5e-4b1c-bd41-57bb66a1b155</onsuccess>
<resource object="SAP" action="Terminate"/>
</stage>
<stage stageid="cf86e6a3-1b7a-4d91-bf67-ab3d91998ef0" name="Setup" type="SubSheetInfo">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="-120" y="-30" w="150" h="90"/>
</stage>
<stage stageid="57e916ba-5b34-46d1-8d8d-adbcfada0ee4" name="Start" type="Start">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="-60"/>
<onsuccess>f149e43b-4b63-4913-b5f0-0c023cc3236d</onsuccess>
</stage>
<stage stageid="087e49f9-b4e2-4493-96cf-3786e669e216" name="End" type="End">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="330"/>
</stage>
<stage stageid="f149e43b-4b63-4913-b5f0-0c023cc3236d" name="Launch" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
```

```
<onsuccess>a777fb1e-8c51-4eca-bb51-9436ad607421
<resource object="SAP" action="Launch"/>
</stage>
<stage stageid="8b256fbd-ddfe-4b9a-acd7-a2c11dc2af12" name="Log On (740)" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="120" y="105" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username for the account
<input type="text" name="Password" friendlyname="Password" narrative="The password for the user you</p>
</inputs>
<onsuccess>8de2edc4-24ad-457e-b3bc-1bae3d3cfcc5</onsuccess>
<resource object="SAP" action="Log On"/>
</stage>
<stage stageid="a777fb1e-8c51-4eca-bb51-9436ad607421" name="Get SAP Version" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<outputs>
<output type="text" name="SAP Version" friendlyname="SAP Version" stage="SAP Version"/>
</outputs>
<onsuccess>4ebca774-e797-4bff-b31b-6b4118eb4ab5</onsuccess>
<resource object="SAP" action="Get SAP Version"/>
</stage>
<stage stageid="4ebca774-e797-4bff-b31b-6b4118eb4ab5" name="SAP Version?" type="ChoiceStart">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="75" w="90" h="30"/>
```

```
<groupid>d2b6df8a-a63d-4e7b-a35e-e02131de0cfc</groupid>
<choices>
<choice expression="[SAP Version]=&amp;quot;740&amp;quot;">
<name>740</name>
<distance>30</distance>
<ontrue>8b256fbd-ddfe-4b9a-acd7-a2c11dc2af12</ontrue>
</choice>
<choice expression="[SAP Version]=&amp;quot;760&amp;quot;">
<name>760</name>
<distance>75</distance>
<ontrue>9b57921f-d70d-4395-8161-290136880e9d</ontrue>
</choice>
</choices>
</stage>
<stage stageid="5d8e1687-288a-4cf8-8da2-225b220cb422" name="Otherwise" type="ChoiceEnd">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="15" y="195" w="90" h="30"/>
<onsuccess>17f32e1c-4456-4f86-800a-5399351a4e75
<groupid>d2b6df8a-a63d-4e7b-a35e-e02131de0cfc</groupid>
</stage>
<stage stageid="3ffcf1c7-df4b-44be-98ef-01798fb6b08b" name="SAP Version" type="Data">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="-120" y="60" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="17f32e1c-4456-4f86-800a-5399351a4e75" name="SAP Version FAIL" type="Exception">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<display x="120" y="195" w="90" h="30"/>
<exception localized="yes" type="SAP Version" detail="&amp;quot;You are using a SAP client with an unre
</stage>
<stage stageid="9b57921f-d70d-4395-8161-290136880e9d" name="Log On (760)" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="120" y="150" w="90" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" narrative="The username for the account
<input type="text" name="Password" friendlyname="Password" narrative="The password for the user you</p>
</inputs>
<onsuccess>f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9</onsuccess>
<resource object="SAP" action="Log On"/>
</stage>
<stage stageid="8de2edc4-24ad-457e-b3bc-1bae3d3cfcc5" name="Anchor1" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<loginhibit onsuccess="true"/>
<display x="180" y="105" w="10" h="10"/>
<onsuccess>f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9</onsuccess>
</stage>
<stage stageid="f3d0d6c2-ecbe-49b0-bedb-f38d4919e4f9" name="Anchor2" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="150" w="10" h="10"/>
```

```
<onsuccess>eb77cf2e-c353-4ea3-9d92-ef6a86ea7deb</onsuccess>
</stage>
<stage stageid="eb77cf2e-c353-4ea3-9d92-ef6a86ea7deb" name="Anchor3" type="Anchor">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="180" y="240" w="10" h="10"/>
<onsuccess>a9471d63-3707-4760-aae6-04ac225e9625</onsuccess>
</stage>
<stage stageid="948bcdd1-3e62-4ab2-ab45-0e61cf9af658" name="Local Variable" type="Block">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<loginhibit onsuccess="true"/>
<display x="-195" y="30" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7ae9fb2c-c678-49ff-bfe8-cf9ab3b9e471" name="Setup" type="SubSheet">
<loginhibit onsuccess="true"/>
<display x="15" y="-120" w="240" h="30"/>
<onsuccess>e3e04a07-4819-4323-b27f-2d93865c4c1c</onsuccess>
</stage>
<stage stageid="69a11b95-fd07-4aff-b4e6-02f2dec92573" name="Tabs" type="SubSheetInfo">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="6916aebc-1ca9-4861-ab60-d1800b988abd" name="Start" type="Start">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
<display x="15" y="-105"/>
```

```
<onsuccess>d677bad3-f980-4552-8b7b-e7864b7c15c1</onsuccess>
</stage>
<stage stageid="d8305e98-e6e3-4fa2-9905-9d2c7de3bc3b" name="Tabs" type="SubSheet">
loginhibit onsuccess="true"/>
<display x="15" y="15" w="240" h="30"/>
<onsuccess>ae65b51a-89fc-431e-b5b4-c92969babb92</onsuccess>
</stage>
<stage stageid="a9471d63-3707-4760-aae6-04ac225e9625" name="Search BIBS" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="240" w="90" h="30"/>
<inputs>
<input type="text" name="Transaction" friendlyname="Transaction" narrative="The transaction code you w
</inputs>
<onsuccess>99b83a6e-4670-4b00-983b-609511efc508</onsuccess>
<resource object="SAP" action="Search Transaction"/>
</stage>
<stage stageid="99b83a6e-4670-4b00-983b-609511efc508" name="Select Tabstrip" type="Action">
<subsheetid>352e077d-4417-40d3-9e9c-f8e6d81fbb01</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="285" w="90" h="30"/>
<inputs>
<input type="text" name="Control Type" friendlyname="Control Type" narrative="The name of the control type"
</inputs>
<onsuccess>087e49f9-b4e2-4493-96cf-3786e669e216</onsuccess>
<resource object="SAP" action="Select Control Type (BIBS)"/>
```

```
</stage>
<stage stageid="8a70e0ef-0dc2-4206-9936-04967cb3ec9c" name="Failed?" type="Decision">
<display x="15" y="135" w="240" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>8d212e94-45de-4df4-b8a7-4b70f276ab37</ontrue>
<onfalse>bff4cf5c-a0cf-4b35-902d-dd1a1a347d5c</onfalse>
</stage>
<stage stageid="ae65b51a-89fc-431e-b5b4-c92969babb92" name="Terminate" type="Action">
<loginhibit onsuccess="true"/>
<display x="15" y="90" w="240" h="30"/>
<onsuccess>8a70e0ef-0dc2-4206-9936-04967cb3ec9c</onsuccess>
<resource object="SAP" action="Terminate"/>
</stage>
<stage stageid="9df162aa-6851-4ef3-bdd2-21fb0f7a8e11" name="Note1" type="Note">
<narrative>GIVEN SAP is launched
AND the tabs style guide is open</narrative>
<display x="15" y="-180" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>7ae9fb2c-c678-49ff-bfe8-cf9ab3b9e471
</stage>
<stage stageid="e3e04a07-4819-4323-b27f-2d93865c4c1c" name="Note1" type="Note">
<narrative>WHEN selecting a tab
THEN that tab should be selected</narrative>
<display x="15" y="-45" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="339966"/>
<onsuccess>d8305e98-e6e3-4fa2-9905-9d2c7de3bc3b</onsuccess>
</stage>
```

```
<stage stageid="6acfa0a3-eb3c-462b-9542-48fd36fa2efd" name="Cleanup Block" type="Block">
loginhibit onsuccess="true"/>
<display x="-120" y="-90" w="345" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="93c6a6a7-575f-418d-a2a2-ae08fe006ec9" name="Resume" type="Resume">
<loginhibit/>
<display x="180" y="30"/>
<onsuccess>a3bf0060-15d9-41fc-a154-139287c6dafc</onsuccess>
</stage>
<stage stageid="c3f4fd17-3634-4080-b807-4b410add3a56" name="Mark Failure" type="MultipleCalculatio
loginhibit onsuccess="true"/>
<display x="180" y="-15"/>
<onsuccess>93c6a6a7-575f-418d-a2a2-ae08fe006ec9</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="a3bf0060-15d9-41fc-a154-139287c6dafc" name="Anchor4" type="Anchor">
loginhibit onsuccess="true"/>
<display x="180" y="90" w="10" h="10"/>
<onsuccess>ae65b51a-89fc-431e-b5b4-c92969babb92</onsuccess>
</stage>
<stage stageid="8d212e94-45de-4df4-b8a7-4b70f276ab37" name="Rethrow" type="Exception">
<display x="180" y="135"/>
<exception localized="yes" type="" detail="[Exception]"/>
```

```
</stage>
<stage stageid="375a218a-2bab-4130-ba0e-740e25d69867" name="Failed?" type="Data">
<display x="-210" y="-120" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="abdf7776-b16c-466f-a10f-60398a0f3368" name="Exception" type="Data">
<display x="-210" y="-90" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d10a56fd-81f0-4092-8810-e8bdc3b3fcd2" name="Local Variables" type="Block">
loginhibit onsuccess="true"/>
<display x="-285" y="-150" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="bff4cf5c-a0cf-4b35-902d-dd1a1a347d5c" name="End1" type="End">
loginhibit onsuccess="true"/>
<display x="15" y="180"/>
</stage>
<stage stageid="d677bad3-f980-4552-8b7b-e7864b7c15c1" name="Select Tab (2)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
```

```
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to sele
</inputs>
<onsuccess>62391501-fc80-4933-a628-6a1f62e93c68</onsuccess>
<resource object="SAP" action="Select Tab"/>
</stage>
<stage stageid="854ce9bb-2dd0-4c3e-a074-b734f3e4894f" name="Recover" type="Recover">
<loginhibit/>
<display x="180" y="-60"/>
<onsuccess>c3f4fd17-3634-4080-b807-4b410add3a56
</stage>
<stage stageid="62391501-fc80-4933-a628-6a1f62e93c68" name="Check Tab Selection (2)" type="Action</p>
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to che
</inputs>
<onsuccess>64ef73cb-ff8c-405e-8638-f570761ac4a2</onsuccess>
<resource object="SAP" action="Check Tab Selection"/>
</stage>
<stage stageid="b677cf60-0fd8-4d2c-af39-e187d4e8ff32" name="Select Tab (4)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="90" h="30"/>
<inputs>
```

```
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to sele
</inputs>
<onsuccess>e97221b2-af9d-414c-bcd3-b7fd77f1a483</onsuccess>
<resource object="SAP" action="Select Tab"/>
</stage>
<stage stageid="e97221b2-af9d-414c-bcd3-b7fd77f1a483" name="Check Tab Selection (4)" type="Action"
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to che
</inputs>
<onsuccess>b3010114-d10c-4b3a-9a11-c8be89d441e2</onsuccess>
<resource object="SAP" action="Check Tab Selection"/>
</stage>
<stage stageid="64ef73cb-ff8c-405e-8638-f570761ac4a2" name="Select Tab (3)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to sele
</inputs>
<onsuccess>dc7eb3ba-fd11-49c2-a3fb-aab430324667</onsuccess>
<resource object="SAP" action="Select Tab"/>
</stage>
<stage stageid="dc7eb3ba-fd11-49c2-a3fb-aab430324667" name="Check Tab Selection (3)" type="Action
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
```

```
<loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to che
</inputs>
<onsuccess>b677cf60-0fd8-4d2c-af39-e187d4e8ff32</onsuccess>
<resource object="SAP" action="Check Tab Selection"/>
</stage>
<stage stageid="b3010114-d10c-4b3a-9a11-c8be89d441e2" name="Select Tab (5)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="210" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to sele
</inputs>
<onsuccess>ebd61a0f-a2c4-4610-875c-86424e1b2c8a</onsuccess>
<resource object="SAP" action="Select Tab"/>
</stage>
<stage stageid="ebd61a0f-a2c4-4610-875c-86424e1b2c8a" name="Check Tab Selection (5)" type="Action"
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="255" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to che
</inputs>
<onsuccess>85769499-3d18-4b6a-8771-ea779c87239c</onsuccess>
<resource object="SAP" action="Check Tab Selection"/>
```

```
</stage>
<stage stageid="85769499-3d18-4b6a-8771-ea779c87239c" name="Select Tab (1)" type="Action">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="300" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to sele
</inputs>
<onsuccess>e5fd7637-38ab-4e35-8135-cbb899056d4d</onsuccess>
<resource object="SAP" action="Select Tab"/>
</stage>
<stage stageid="e5fd7637-38ab-4e35-8135-cbb899056d4d" name="Check Tab Selection (1)" type="Action"
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="345" w="90" h="30"/>
<inputs>
<input type="number" name="Tab ID" friendlyname="Tab ID" narrative="The ID of the tab you want to che
</inputs>
<onsuccess>e547a18c-3366-4ddf-aca9-afcc9f1f0357</onsuccess>
<resource object="SAP" action="Check Tab Selection"/>
</stage>
<stage stageid="e547a18c-3366-4ddf-aca9-afcc9f1f0357" name="End2" type="End">
<subsheetid>bc1d1e82-a683-448a-b1c7-934da5fab458</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="390"/>
</stage>
</process>
```

```
<view>
<camerax>0</camerax>
<cameray>-170</cameray>
<zoom>1</zoom>
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="07d55d70-b240-4a50-b67e-ce31bb8b9817" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9907f430-e13f-4f70-af5b-e6eacd752254</onsuccess>
</stage>
<stage stageid="94c2a6d2-0662-48aa-83c0-50b6ff510c12" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="eb0f9095-6088-4b6b-8a8d-bb46d8662a04" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="9907f430-e13f-4f70-af5b-e6eacd752254" name="Login" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr="&amp;quot;BCUSER&amp;quot;"/>
<input type="password" name="Password" expr="&amp;quot;minisap1&amp;quot;"/>
</inputs>
<onsuccess>af98b526-f8ec-4b13-9cf7-08b223400c78</onsuccess>
<resource object="SAP" action="Login"/>
</stage>
<stage stageid="ab968814-c656-463f-a84b-949d226a1f97" name="Test check boxes" type="Action">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b1416e5c-ac34-4f13-92ff-951328f95706</onsuccess>
<resource object="SAP" action="Test check boxes"/>
</stage>
<stage stageid="e5814f37-35b4-488c-928b-a109e971a99b" name="Test buttons" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>674fbc42-f641-42b2-b192-a872206db698</onsuccess>
<resource object="SAP" action="Test buttons, modal dialog"/>
</stage>
<stage stageid="674fbc42-f641-42b2-b192-a872206db698" name="Test calendar" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>ab968814-c656-463f-a84b-949d226a1f97</onsuccess>
<resource object="SAP" action="Test calendar"/>
</stage>
<stage stageid="b1416e5c-ac34-4f13-92ff-951328f95706" name="Test combobox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1628513a-fbe2-46bc-907e-3a659f5c46c3</onsuccess>
<resource object="SAP" action="Test combobox"/>
</stage>
<stage stageid="1628513a-fbe2-46bc-907e-3a659f5c46c3" name="Test label" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e1c5cf9d-8fb1-460c-92b5-dfa8efc75a25</onsuccess>
<resource object="SAP" action="Test label"/>
</stage>
<stage stageid="e1c5cf9d-8fb1-460c-92b5-dfa8efc75a25" name="Test menu, html, radio buttons" type="A
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f1d3979c-6669-425d-99d2-954edd36d331
<resource object="SAP" action="Test menu, html, radio buttons"/>
</stage>
<stage stageid="f1d3979c-6669-425d-99d2-954edd36d331" name="Test tabs" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6b29c37a-1cbe-4ad6-a550-e99efedb3abc</onsuccess>
<resource object="SAP" action="Test tabs"/>
</stage>
<stage stageid="6b29c37a-1cbe-4ad6-a550-e99efedb3abc" name="Test textbox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1a79c5b0-4cdb-45c3-9d12-a0afab2be30f</onsuccess>
<resource object="SAP" action="Test textbox"/>
</stage>
<stage stageid="1a79c5b0-4cdb-45c3-9d12-a0afab2be30f" name="Test titlebar" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>94c2a6d2-0662-48aa-83c0-50b6ff510c12</onsuccess>
<resource object="SAP" action="Test titlebar"/>
</stage>
<stage stageid="af98b526-f8ec-4b13-9cf7-08b223400c78" name="Test tree" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e5814f37-35b4-488c-928b-a109e971a99b</onsuccess>
<resource object="SAP" action="Test tree"/>
</stage>
```

```
<view>
<camerax>0</camerax>
<cameray>300</cameray>
<zoom version="2">1.25</zoom>
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="8120e2a7-72e9-48bc-9119-b776f29e5671" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4f0aa0d1-faf0-498f-a81a-50d985213d0d</onsuccess>
</stage>
<stage stageid="cafcc4fa-8f02-4879-8ecf-7ecdaa0525f7" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="a55ce0f1-6db3-49b8-8ffe-66fe2222b08d" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>180</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4f0aa0d1-faf0-498f-a81a-50d985213d0d" name="LAUNCH" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9356538f-560d-4c90-9a20-e118afc0e226</onsuccess>
<resource object="Secure Password Tester" action="Launch"/>
</stage>
<stage stageid="7339aa55-6274-49b1-9ad7-e570d8146751" name="CLOSE" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cafcc4fa-8f02-4879-8ecf-7ecdaa0525f7</onsuccess>
<resource object="Secure Password Tester" action="Close"/>
</stage>
<stage stageid="9fd62e27-e552-45fe-85bf-d72fcae6f60b" name="Set Password Text" type="Action">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; v
<input type="password" name="Password" narrative="The password to set" expr="[Password]"/>
</inputs>
<onsuccess>97a8ca86-cefd-4d65-8576-cbb5ddc0e168</onsuccess>
<resource object="Secure Password Tester" action="Set Password Text"/>
</stage>
<stage stageid="c3977011-4def-499d-b82a-258180f0e1eb" name="Password" type="Data">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>password</datatype>
<initialvalueenc>49,20,7,67,26,91,6,1,30,68,70,3</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="699e873f-fba7-4396-973d-75c43e552c8e" name="Get Plain Text" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; v
</inputs>
<outputs>
<output type="text" name="Plain Text" narrative="The plaintext in the textbox associated with the specified</p>
</outputs>
<onsuccess>89eddba1-6e5b-4fce-9e84-cd443cf79243</onsuccess>
<resource object="Secure Password Tester" action="Get Plain Text"/>
</stage>
<stage stageid="7e5447c4-4431-46f4-bf2c-8304f0fcf6b7" name="Plain Text" type="Data">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="89eddba1-6e5b-4fce-9e84-cd443cf79243" name="Do They Match?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Plain Text] = [Passwords.Password]"/>
<ontrue>f77306e2-3d9f-4821-b873-59332f286b02</ontrue>
<onfalse>c5f9dbeb-8f54-4e42-9d74-510be366a8e0</onfalse>
</stage>
<stage stageid="c5f9dbeb-8f54-4e42-9d74-510be366a8e0" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>165</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="TestFailedException" detail="&amp;quot;Expected '&amp;quot; &amp;amp; [Passwords.</p>
</stage>
<stage stageid="bf7e6aa2-0a92-4208-8fad-c67279707500" name="Passwords" type="Collection">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Label" type="text" description="The label to set"/>
<field name="Password" type="text" description="The password. As text. I know, right?"/>
<field name="Method" type="number" description="1 = Set Password Text; 2 = Set Window Text; 3 = Past
</collectioninfo>
<initialvalue>
<row>
<field name="Label" type="text" value="Set Password Text"/>
<field name="Password" type="text" value="I'll never tell"/>
<field name="Method" type="number" value="1"/>
</row>
<row>
<field name="Label" type="text" value="Set Window Text"/>
```

```
<field name="Password" type="text" value="Call this security?"/>
<field name="Method" type="number" value="2"/>
</row>
<row>
<field name="Label" type="text" value="???"/>
<field name="Password" type="text" value="Paste is waste"/>
<field name="Method" type="number" value="3"/>
</row>
<row>
<field name="Label" type="text" value="Set Password Text"/>
<field name="Password" type="text" value="Try this instead"/>
<field name="Method" type="number" value="1"/>
</row>
<row>
<field name="Label" type="text" value="Set Window Text"/>
<field name="Password" type="text" value="It's not that bad"/>
<field name="Method" type="number" value="2"/>
</row>
<row>
<field name="Label" type="text" value="???"/>
<field name="Password" type="text" value="Eat my goal"/>
<field name="Method" type="number" value="3"/>
</row>
</initialvalue>
</stage>
<stage stageid="9356538f-560d-4c90-9a20-e118afc0e226" name="For Each Password" type="LoopStart";
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8ccbf9b7-9818-444f-9ec6-712735d3a169</onsuccess>
<groupid>efee9674-f6c2-4c30-96bd-d5f8d1cec27d</groupid>
<looptype>ForEach</looptype>
<loopdata>Passwords</loopdata>
</stage>
<stage stageid="f77306e2-3d9f-4821-b873-59332f286b02" name="Next Password" type="LoopEnd">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7339aa55-6274-49b1-9ad7-e570d8146751
<groupid>efee9674-f6c2-4c30-96bd-d5f8d1cec27d</groupid>
</stage>
<stage stageid="d042f0ab-a7de-4fe9-83bc-842e42d5e565" name="Method" type="ChoiceStart">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>0157fd75-1692-4358-ba9e-f78139be847f</groupid>
<choices>
<choice expression="[Passwords.Method] = 1">
<name>Set Password Text</name>
<distance>45</distance>
<ontrue>9fd62e27-e552-45fe-85bf-d72fcae6f60b</ontrue>
</choice>
<choice expression="[Passwords.Method] = 2">
<name>Set Window Text</name>
<distance>120</distance>
<ontrue>7fc78949-7c61-4802-a3e9-aeaf5bf93310
</choice>
<choice expression="[Passwords.Method] = 3">
<name>Paste</name>
<distance>195</distance>
<ontrue>2404947a-da56-43b0-a6d9-3d00f0e20c5b</ontrue>
</choice>
</choices>
</stage>
<stage stageid="69384583-86d6-44ed-ab45-ff6c3ac2bbf3" name="x" type="ChoiceEnd">
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>0</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>137b937e-b2d2-4dbf-9e25-0edfd9e002d4</onsuccess>
<groupid>0157fd75-1692-4358-ba9e-f78139be847f</groupid>
</stage>
<stage stageid="7fc78949-7c61-4802-a3e9-aeaf5bf93310" name="Set Text" type="Action">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; v
<input type="password" name="Password" narrative="The password to set" expr="[Password]"/>
</inputs>
<onsuccess>e3aec33d-b2e0-4bbf-90f4-85cb2afa7392</onsuccess>
<resource object="Secure Password Tester" action="Set Text"/>
</stage>
<stage stageid="414794c2-17a9-45e2-9e11-882da5e0ba8a" name="Paste Password" type="Action">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; v
<input type="password" name="Password" narrative="The password to set" expr="[Password]"/>
</inputs>
<onsuccess>e3aec33d-b2e0-4bbf-90f4-85cb2afa7392</onsuccess>
<resource object="Secure Password Tester" action="Paste Password"/>
</stage>
<stage stageid="137b937e-b2d2-4dbf-9e25-0edfd9e002d4" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>75</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="InvalidValueException" detail="&amp;quot;Method should be 1-3, inclusive - found: &am
</stage>
<stage stageid="97a8ca86-cefd-4d65-8576-cbb5ddc0e168" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>120</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>699e873f-fba7-4396-973d-75c43e552c8e</onsuccess>
</stage>
<stage stageid="e3aec33d-b2e0-4bbf-90f4-85cb2afa7392" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>120</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>97a8ca86-cefd-4d65-8576-cbb5ddc0e168</onsuccess>
</stage>
<stage stageid="2404947a-da56-43b0-a6d9-3d00f0e20c5b" name="Clear Text" type="Action">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" narrative="The name of the label corresponding to the password to set; v
<input type="password" name="Password" narrative="The password to set" expr="&amp;quot;&amp;quot;
</inputs>
<onsuccess>414794c2-17a9-45e2-9e11-882da5e0ba8a</onsuccess>
<resource object="Secure Password Tester" action="Set Text"/>
</stage>
```

```
<stage stageid="8ccbf9b7-9818-444f-9ec6-712735d3a169" name="Get Password" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d042f0ab-a7de-4fe9-83bc-842e42d5e565</onsuccess>
<calculation expression="[Passwords.Password]" stage="Password"/>
</stage>
</process>
color="1.0" bpversion="5.0.999.999" narrative="" preferredid="
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="4842f8e7-c069-43f0-8f54-506b9d616d96" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cf9d9dfb-348e-4c70-ae81-c54a33d441d1</onsuccess>
</stage>
<stage stageid="5731abc2-bf4c-4acc-8893-ce915a8fdedb" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6126a275-cc5d-4176-bbef-df46ee987ff9" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cf9d9dfb-348e-4c70-ae81-c54a33d441d1" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>56abf9be-7f5d-4bc5-a77f-331df38a0983</onsuccess>
<resource object="Notepad Key Event Sender" action="Launch"/>
</stage>
<stage stageid="56abf9be-7f5d-4bc5-a77f-331df38a0983" name="Lorem Ipsum" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>65f95ac2-d6a7-47e7-ad4a-c565ecb89a45</onsuccess>
<resource object="Notepad Key Event Sender" action="Populate Notepad with Lorem Ipsum"/>
</stage>
<stage stageid="65f95ac2-d6a7-47e7-ad4a-c565ecb89a45" name="Select & mp; amp; Copy (500, 100, & and the stage id="65f95ac2-d6a7-47e7-ad4a-c565ecb89a45" name="Select & mp; amp; Copy (500, 100, & and the stage id="65f95ac2-d6a7-47e7-ad4a-c565ecb89a45" name="Select & mp; amp; amp; Copy (500, 100, & and the stage id="65f95ac2-d6a7-47e7").
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="X" narrative="X co-ord to start the selection from" expr="500"/>
<input type="number" name="Y" narrative="Y co-ord to start the selection from expr="100"/>
```

```
<input type="text" name="Key" narrative="The key to use - this must make sense to use with 'Shift' - eg. &
</inputs>
<outputs>
<output type="text" name="Selected Text" narrative="The text that was selected after sending the given ke</p>
</outputs>
<onsuccess>77024e0e-e57b-49fc-ab1e-0927ffd6c4f1</onsuccess>
<resource object="Notepad Key Event Sender" action="Select And Copy"/>
</stage>
<stage stageid="63b25350-4f55-4025-b301-bf8bec2f0b54" name="Selected Text" type="Data">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="b3ac6ac4-a75c-42f7-884e-5f48a97cc876" name="Check Something Selected" type="Dec
<narrative>We actually don't care what it is - it's dependent on O/S, font, window size; as long as *somethi
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Selected Text] & amp; lt; & amp; gt; & amp; quot; & amp; quot; "/>
<ontrue>5731abc2-bf4c-4acc-8893-ce915a8fdedb</ontrue>
<onfalse>aa8c1670-5688-4610-a22c-755be94d8c68</onfalse>
</stage>
<stage stageid="aa8c1670-5688-4610-a22c-755be94d8c68" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="TestFailedException" detail="&amp;quot;Expected some text to be selected and copied;</p>
</stage>
<stage stageid="77024e0e-e57b-49fc-ab1e-0927ffd6c4f1" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b3ac6ac4-a75c-42f7-884e-5f48a97cc876</onsuccess>
<resource object="Notepad Key Event Sender" action="Terminate"/>
</stage>
</process>
```

```
cprocess name="Test Send Keys with Interval" version="1.0" bpversion="5.0.999.999" narrative="Tests Send Keys with Interval" version="5.0.999.999" narrative="Tests Send Keys with Interval" version="5.0.999.999" narrative="5.0.999" narra
<view>
<camerax>0</camerax>
<cameray>1</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="edcffed0-5f3e-4741-9592-3f4537e95db8" type="Normal" published="False">
<name>Check Text</name>
<view>
<camerax>171</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4222e15e-b6a6-4d99-afd7-7a611452372a" type="Normal" published="False">
<name>Global Send Keys</name>
<view>
<camerax>100</camerax>
<cameray>81</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="5545feba-c67a-44d5-ad79-eaf7e0eeb76d" type="Normal" published="False">
<name>Global Send Key Events</name>
<view>
```

```
<camerax>207</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3" type="Normal" published="False">
<name>Window Press Keys</name>
<view>
<camerax>135</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4ab9b219-92af-4efb-bac6-3a31139560e2" type="Normal" published="False">
<name>Window Press Keys with Alt</name>
<view>
<camerax>0</camerax>
<cameray>72</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="4b353141-4091-4bf7-abc2-c210ef86bb16" name="Start" type="Start">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f66e406e-9e67-4639-8680-72fec5386591</onsuccess>
</stage>
<stage stageid="756add91-4cc2-4299-8176-22329b122b18" name="End" type="End">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e4232170-0286-4298-9b96-6740938f94b5" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-135</displayy>
<displaywidth>180</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f66e406e-9e67-4639-8680-72fec5386591" name="LAUNCH" type="Action">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-135</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dd1951a8-a1b0-4e52-a474-510aaa8b3c4a</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Launch"/>
</stage>
<stage stageid="f07046b0-8398-46c9-9ac0-88b6053b7263" name="TERMINATE" type="Action">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>756add91-4cc2-4299-8176-22329b122b18</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Terminate"/>
</stage>
<stage stageid="befe739e-5bb9-4c7a-be55-0bcdd03d9e21" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>96d22be0-07ed-4837-8203-25cdf21a3338
</stage>
```

```
<stage stageid="96d22be0-07ed-4837-8203-25cdf21a3338" name="TERMINATE" type="Action">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ae75c1ee-aca7-4aff-a69e-6ccaca63372e</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Terminate"/>
</stage>
<stage stageid="ae75c1ee-aca7-4aff-a69e-6ccaca63372e" name="REFAIL" type="Exception">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="" detail="" usecurrent="yes"/>
</stage>
<stage stageid="cd7b24bc-f307-49dc-ae95-f28fdc3a7b7c" name="Check Text" type="SubSheetInfo">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="92391beb-5817-41db-a124-172adb2f64a1" name="Start" type="Start">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>Reads the text from Notepad, checking that it either matches the Expected Text or contains the
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" stage="Expected Text"
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" stage="Clear?"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" stage="
<input type="text" name="Test" narrative="The name of the test" stage="Test"/>
</inputs>
<onsuccess>fdb4cad1-8232-4a4a-af57-4c2cfeec444c</onsuccess>
</stage>
<stage stageid="16ac2cdd-081c-424c-85b8-6a0b255c3918" name="End" type="End">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fdb4cad1-8232-4a4a-af57-4c2cfeec444c" name="Read Text" type="Action">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Text" narrative="The text in the application" stage="Text"/>
</outputs>
<onsuccess>4bb3c88f-7540-4a83-b020-196c6553e1a2</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Get Text"/>
</stage>
<stage stageid="89ee2fd3-c7cc-4f06-a112-e5b7daa58bf4" name="Text" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="4bb3c88f-7540-4a83-b020-196c6553e1a2" name="Match?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="([Expected Text] & amp; lt; & amp; quot; & amp; quot; & amp; quot; & AND [Text] = [Expected]</pre>
<ontrue>6e88f8cb-88de-4eb4-8ede-a1ae3b3fdd34</ontrue>
<onfalse>7d2e42e4-2b67-470b-892f-10312cc662b0</onfalse>
</stage>
<stage stageid="e1a38b3a-906d-45f9-892c-40dc9f703a2b" name="Expected Text" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a857c525-0623-40cb-9bfa-e72fe0ed49e5" name="Expected SubText" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a6fb3cbb-8739-4680-9e47-51cf7f7eb970" name="Clear?" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f15c8749-0dc1-46ae-9a59-6082cd9fd15c" name="Clear?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Clear?]"/>
<ontrue>3793e44e-e4f2-4e14-b537-67c8ab4dbca0</ontrue>
<onfalse>16ac2cdd-081c-424c-85b8-6a0b255c3918</onfalse>
</stage>
<stage stageid="3793e44e-e4f2-4e14-b537-67c8ab4dbca0" name="Clear" type="Action">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b9cdb543-1e5f-4441-bc2d-0106f5d8f9a3</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Clear Text"/>
</stage>
<stage stageid="b9cdb543-1e5f-4441-bc2d-0106f5d8f9a3" name="Anchor1" type="Anchor">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>16ac2cdd-081c-424c-85b8-6a0b255c3918
</stage>
<stage stageid="cce3b7ea-4f1c-4eda-8aec-96a78307933e" name="Inputs" type="Block">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="416f4852-36ce-4cec-957c-d004bd0156ca" name="FAIL" type="Exception">
```

```
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="TestFailedException" detail="&amp;quot;Test: &amp;quot; &amp;amp; [Page Name] &ar</p>
</stage>
<stage stageid="7d2e42e4-2b67-470b-892f-10312cc662b0" name="Full Text Match?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Text] & amp; lt; & amp; gt; & amp; quot; & amp; quot; "/>
<ontrue>416f4852-36ce-4cec-957c-d004bd0156ca</ontrue>
<onfalse>0a185f18-099a-4063-85eb-f171301f0884</onfalse>
</stage>
<stage stageid="0a185f18-099a-4063-85eb-f171301f0884" name="Sub Text Match?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
```

```
<displayx>135</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected SubText] & amp;lt; & amp;quot; & amp;quot; & amp;quot; & amp;quot; **/>
<ontrue>7cd11c5a-b948-4c75-84e8-ef4b5d410b38</ontrue>
<onfalse>2def7005-51ac-4de7-831e-c90737f08b85</onfalse>
</stage>
<stage stageid="7cd11c5a-b948-4c75-84e8-ef4b5d410b38" name="FAIL" type="Exception">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="TestFailedException" detail="&amp;quot;Expected the subtext: '&amp;quot; &amp;amp;</p>
</stage>
<stage stageid="2def7005-51ac-4de7-831e-c90737f08b85" name="Note1" type="Note">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>Neither a full nor a subtext be.
Well, *anything* contains an empty string, so we treat that as a success, odd test though it may be. The ca
<displayx>135</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
```

```
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6e88f8cb-88de-4eb4-8ede-a1ae3b3fdd34</onsuccess>
</stage>
<stage stageid="6e88f8cb-88de-4eb4-8ede-a1ae3b3fdd34" name="Anchor1" type="Anchor">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f15c8749-0dc1-46ae-9a59-6082cd9fd15c</onsuccess>
</stage>
<stage stageid="fd09eadf-2f8f-4bd7-a430-c9a7be00537f" name="Global Send Keys" type="SubSheetInfo"
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="997f4ab1-1fc7-4572-9fcf-564bc6ae4557" name="Start" type="Start">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c0b056c4-41ab-4a41-8f7e-16d1107c1350</onsuccess>
</stage>
<stage stageid="5520a337-7626-404d-822a-f3eb07930679" name="End" type="End">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>465</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4a848dbe-85ec-4f82-81fa-3f57b9f51de3" name="Global Send Key Events" type="SubSh
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c3a4ef27-cae3-4ff2-912b-ccc5ed4a0be5" name="Start" type="Start">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>09199126-af52-4fe0-a24c-436a66c2b91a
</stage>
<stage stageid="fdb0f5a8-4afb-4595-b303-459a4cf8a225" name="End" type="End">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4d309f2e-3f38-4f93-b133-beb583bdd456" name="Window Press Keys" type="SubSheetle
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b62601e2-dc2d-4f22-9867-3f13b525b2ca" name="Start" type="Start">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f1aefb14-55eb-496d-bb69-760a36b44c35</onsuccess>
</stage>
<stage stageid="4e32562d-3352-4e06-b561-41e50552d1ed" name="End" type="End">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="acbfd1fd-3ec5-49c2-9bb7-f7d3ac112d99" name="Window Press Keys with Alt" type="Sub-
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4a7c12ee-a0ea-4ffa-a8cb-ab2f55cb4ce4" name="Start" type="Start">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4a1ab391-8ace-490b-a91c-453342b4d333</onsuccess>
</stage>
<stage stageid="e4e7cfbc-88ef-4422-b1f2-9e3a4ceef337" name="End" type="End">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c0b056c4-41ab-4a41-8f7e-16d1107c1350" name="Test without interval" type="Action">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>31b7b5dc-a1aa-4178-957c-c66ff84f6ec9</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="31b7b5dc-a1aa-4178-957c-c66ff84f6ec9" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval&a
</inputs>
<onsuccess>6fb2945c-eea0-4e53-9883-c0d11bb6524e</onsuccess>
</stage>
<stage stageid="6fb2945c-eea0-4e53-9883-c0d11bb6524e" name="Test with zero interval" type="Action">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>2b15cdb0-96ae-4dca-90cd-cd912a690970</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
```

```
</stage>
<stage stageid="2b15cdb0-96ae-4dca-90cd-cd912a690970" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with zero interval&
</inputs>
<onsuccess>1b259d47-0d22-49ee-a8c6-520222779a01/onsuccess>
</stage>
<stage stageid="1b259d47-0d22-49ee-a8c6-520222779a01" name="Test with -ve interval" type="Action">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>941d1569-97eb-4384-b7ab-b3fdf844ccc0</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="941d1569-97eb-4384-b7ab-b3fdf844ccc0" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with -ve interval&a
</inputs>
<onsuccess>9d3012bd-fa30-49b7-9806-0a1591a7c1c4</onsuccess>
```

```
</stage>
<stage stageid="9d3012bd-fa30-49b7-9806-0a1591a7c1c4" name="Test without interval + ctl chars" type=
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;+test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>00bb905e-debf-4f90-80dc-938f8f864265</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="00bb905e-debf-4f90-80dc-938f8f864265" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval + of the test of the tes
</inputs>
<onsuccess>55cc8d43-1d01-4658-89e5-552f427732ff</onsuccess>
</stage>
<stage stageid="55cc8d43-1d01-4658-89e5-552f427732ff" name="Test with zero interval + ctl chars" type:
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;+test +wit
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>9ca45bd5-6e6a-4bb5-adc6-6d92a4c022fc</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="9ca45bd5-6e6a-4bb5-adc6-6d92a4c022fc" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with zero interval -</p>
</inputs>
<onsuccess>b745d980-4484-4308-82d9-3a1f3525f730</onsuccess>
</stage>
<stage stageid="b745d980-4484-4308-82d9-3a1f3525f730" name="Test with -ve interval + ctl chars" type=
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;+Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>c02dff5a-5928-4ddc-b36e-ebec1b070ec8</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="c02dff5a-5928-4ddc-b36e-ebec1b070ec8" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with -ve interval +
</inputs>
<onsuccess>8d1e241c-29ce-468b-8798-29a721b5af50</onsuccess>
</stage>
<stage stageid="dd1951a8-a1b0-4e52-a474-510aaa8b3c4a" name="Global Send Keys" type="SubSheet":
<narrative>
```

```
</narrative>
<displayx>-45</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3c195de2-c452-4f68-99fb-56109a873ae0</onsuccess>
cessid>4222e15e-b6a6-4d99-afd7-7a611452372a/processid>
</stage>
<stage stageid="3c195de2-c452-4f68-99fb-56109a873ae0" name="Global Send Key Events" type="SubSl
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e322e949-2699-45b1-b156-f6646fee32df</onsuccess>
</stage>
<stage stageid="e322e949-2699-45b1-b156-f6646fee32df" name="Window Press Keys" type="SubSheet"
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>df4c1040-5479-47c3-a064-586d94110de0</onsuccess>
</stage>
<stage stageid="df4c1040-5479-47c3-a064-586d94110de0" name="Window Press Keys with Alt" type="Si
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f07046b0-8398-46c9-9ac0-88b6053b7263
</stage>
<stage stageid="0ed2a2b7-b088-4ee5-b178-c855a89adb40" name="Test with 0.5s interval" type="Action";
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;test with (
```

<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr

```
</inputs>
<onsuccess>56325940-3940-428d-8827-4c82b5ffc70e</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="11dc0182-e901-4a9f-ab3a-689d9177554f" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with 0.5s interval&
</inputs>
<onsuccess>1f7cd2a5-9b2d-4311-9607-591f6d556eef</onsuccess>
</stage>
<stage stageid="a42fb607-e567-499c-b37a-901dae618393" name="Started" type="Data">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-195</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8d1e241c-29ce-468b-8798-29a721b5af50" name="Now()" type="Calculation">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0ed2a2b7-b088-4ee5-b178-c855a89adb40</onsuccess>
<calculation expression="Now()" stage="Started"/>
</stage>
<stage stageid="a6e906b7-430e-4f82-a055-452cec99402b" name="At least 10s?" type="Decision">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
```

```
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Time Taken] & amp;gt;= MakeTimeSpan(0, 0, 0, 10)"/>
<ontrue>e5a8beec-c52f-4a3f-9031-ec9f3e35d8cf</ontrue>
<onfalse>535b4538-4601-4ff1-aa73-fa58ea249ae5</onfalse>
</stage>
<stage stageid="ca61bf8e-54dd-49e5-bc2a-30238e5cfdb0" name="Test with 1s interval + ctl chars" type="
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;test with -
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>631b7f83-c3a3-4702-84b4-2ef90e3a216a</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="4b78f611-303b-41b6-b679-67c4bd351827" name="Block1" type="Block">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-45</displayx>
<displayy>285</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="fd5ebe90-7d13-47b9-8b16-2a360dce1695" name="Recover1" type="Recover">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>360</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>17222f8a-3196-44fc-9e29-9b5f161b8c75</onsuccess>
</stage>
<stage stageid="17222f8a-3196-44fc-9e29-9b5f161b8c75" name="Resume1" type="Resume">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>420</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>5520a337-7626-404d-822a-f3eb07930679</onsuccess>
</stage>
<stage stageid="631b7f83-c3a3-4702-84b4-2ef90e3a216a" name="FAIL" type="Exception">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>315</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="InvalidInputAcceptedException" detail="&amp;quot;Send Keys with interval *and* control</p>
</stage>
<stage stageid="e5a8beec-c52f-4a3f-9031-ec9f3e35d8cf" name="Less than 20s?" type="Decision">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Time Taken] & amp;lt; MakeTimeSpan(0, 0, 0, 20)"/>
<ontrue>11dc0182-e901-4a9f-ab3a-689d9177554f</ontrue>
<onfalse>b600acc5-8eae-4f3f-98c7-1b52e762ab67</onfalse>
</stage>
<stage stageid="535b4538-4601-4ff1-aa73-fa58ea249ae5" name="FAIL" type="Exception">
```

```
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BadTimingException" detail="&amp;quot;Send Keys with 0.5s interval should have taker
</stage>
<stage stageid="d230135c-d760-46ea-afaf-20cb238b5597" name="Time Taken" type="Data">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="56325940-3940-428d-8827-4c82b5ffc70e" name="Time Taken" type="Calculation">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
```

```
</narrative>
<displayx>165</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a6e906b7-430e-4f82-a055-452cec99402b</onsuccess>
<calculation expression="Now() - [Started]" stage="Time Taken"/>
</stage>
<stage stageid="b600acc5-8eae-4f3f-98c7-1b52e762ab67" name="FAIL" type="Exception">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>225</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BadTimingException" detail="&amp;quot;Send Keys with 0.5s interval should have taker
</stage>
<stage stageid="1f7cd2a5-9b2d-4311-9607-591f6d556eef" name="Anchor2" type="Anchor">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ca61bf8e-54dd-49e5-bc2a-30238e5cfdb0</onsuccess>
</stage>
<stage stageid="09199126-af52-4fe0-a24c-436a66c2b91a" name="Test without interval" type="Action">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>ddfad8fd-b2d9-4b76-a9c6-8eb64b23ffb9</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
</stage>
<stage stageid="ddfad8fd-b2d9-4b76-a9c6-8eb64b23ffb9" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;test without interval&an
</inputs>
<onsuccess>4b050d2e-e9cc-4ce0-863b-9f1987fc7df9</onsuccess>
</stage>
<stage stageid="4b050d2e-e9cc-4ce0-863b-9f1987fc7df9" name="Test with zero interval" type="Action">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>53d583a1-b3c4-4ebb-a51e-bcf26f87825e</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
```

```
</stage>
<stage stageid="53d583a1-b3c4-4ebb-a51e-bcf26f87825e" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;test with zero interval&a
</inputs>
<onsuccess>7f687c46-8a42-426e-83ea-f61c92eab9a5</onsuccess>
</stage>
<stage stageid="7f687c46-8a42-426e-83ea-f61c92eab9a5" name="Test with -ve interval" type="Action">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>242bf15a-c524-4540-80dd-bda976b0e4cf</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
</stage>
<stage stageid="242bf15a-c524-4540-80dd-bda976b0e4cf" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;test with -ve interval&ar
</inputs>
<onsuccess>d8527ee7-7aef-4428-83e8-845d46705fed</onsuccess>
```

```
</stage>
<stage stageid="d8527ee7-7aef-4428-83e8-845d46705fed" name="Test without interval + ctl chars" type=
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;&amp;lt;{
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>11193f4a-336b-42f9-8f98-ca668d721576</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
</stage>
<stage stageid="11193f4a-336b-42f9-8f98-ca668d721576" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval + of the test of the tes
</inputs>
<onsuccess>08649ce0-4d69-4474-af0e-42323f71bc43</onsuccess>
</stage>
<stage stageid="08649ce0-4d69-4474-af0e-42323f71bc43" name="Test with zero interval + ctl chars" type
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;&amp;lt;{
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>521168ab-65d7-4ff6-9f07-4f26beed4250</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
</stage>
<stage stageid="521168ab-65d7-4ff6-9f07-4f26beed4250" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;New
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with zero interval -</p>
</inputs>
<onsuccess>a266f51b-391d-45ee-90fd-b7bcbc2c51ad</onsuccess>
</stage>
<stage stageid="a266f51b-391d-45ee-90fd-b7bcbc2c51ad" name="Test with -ve interval + ctl chars" type=
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>095695ab-c087-49e2-9aaf-92ebdcddc662</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
</stage>
<stage stageid="095695ab-c087-49e2-9aaf-92ebdcddc662" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with -ve interval +
</inputs>
<onsuccess>1e96758b-02de-4f1a-927d-6dfe5a682ff8</onsuccess>
</stage>
<stage stageid="f1aefb14-55eb-496d-bb69-760a36b44c35" name="Test without interval" type="Action">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text" narrative="text" narrative="The text" narrative="The text" narrative="text" narrative="text
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>9e88508c-e724-449c-987c-9ca1aab12680</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys"/>
</stage>
<stage stageid="9e88508c-e724-449c-987c-9ca1aab12680" name="Check Text" type="SubSheet">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
```

```
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval&a
</inputs>
<onsuccess>195f9388-dbe1-4dfe-b26e-1504ad4c8056</onsuccess>
</stage>
<stage stageid="195f9388-dbe1-4dfe-b26e-1504ad4c8056" name="Test with zero interval" type="Action">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>46535914-d96d-4e11-bce6-498e34be71b2</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys"/>
</stage>
<stage stageid="46535914-d96d-4e11-bce6-498e34be71b2" name="Check Text" type="SubSheet">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
```

```
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with zero interval&
</inputs>
<onsuccess>f7319315-11ff-4533-8a5b-fdf57c04cd3d</onsuccess>
</stage>
<stage stageid="f7319315-11ff-4533-8a5b-fdf57c04cd3d" name="Test with -ve interval" type="Action">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
```

```
<onsuccess>959f0e23-124d-4b27-8ed1-c1023824583f</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys"/>
</stage>
<stage stageid="959f0e23-124d-4b27-8ed1-c1023824583f" name="Check Text" type="SubSheet">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with -ve interval&a
</inputs>
<onsuccess>f359803e-8678-4645-8de7-6545157e9cff</onsuccess>
</stage>
<stage stageid="4a1ab391-8ace-490b-a91c-453342b4d333" name="Test" type="Action">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test&amp
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>3b8d41c3-2129-4a1c-aeef-aa20a6c2dbb0</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys"/>
</stage>
<stage stageid="44ae5003-8fed-46aa-90a6-e476c3316f1a" name="Check Text" type="SubSheet">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="8
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Alt-EditPaste&amp;quot
</inputs>
```

```
<onsuccess>e4e7cfbc-88ef-4422-b1f2-9e3a4ceef337</onsuccess>
</stage>
<stage stageid="8e11c5f8-f593-480b-af82-bef076361fee" name="Test with 0.5s interval" type="Action">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;test with (
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>b401e645-fa02-4302-8d23-d7b8c43878b6</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Key Events"/>
</stage>
<stage stageid="7189551b-91fb-458d-8b44-b7c1e48cc282" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with 0.5s interval&
</inputs>
<onsuccess>fdb0f5a8-4afb-4595-b303-459a4cf8a225</onsuccess>
</stage>
<stage stageid="1e96758b-02de-4f1a-927d-6dfe5a682ff8" name="Now()" type="Calculation">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8e11c5f8-f593-480b-af82-bef076361fee</onsuccess>
<calculation expression="Now()" stage="Started"/>
</stage>
<stage stageid="5d3cae83-6826-4888-a0fe-d535dc0ea565" name="At least 10s?" type="Decision">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
```

```
<displayx>240</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Time Taken] & amp;gt;= MakeTimeSpan(0, 0, 0, 10)"/>
<ontrue>f58c7b19-0777-4c67-8290-ca3b0c034b1b</ontrue>
<onfalse>c28617bc-48f5-4b07-88e0-e467f2f35aa7</onfalse>
</stage>
<stage stageid="f58c7b19-0777-4c67-8290-ca3b0c034b1b" name="Less than 20s?" type="Decision">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Time Taken] & amp;lt; MakeTimeSpan(0, 0, 0, 20)"/>
<ontrue>7189551b-91fb-458d-8b44-b7c1e48cc282</ontrue>
<onfalse>d2cf0549-d041-4f64-9b3d-9a85b365830f</onfalse>
</stage>
<stage stageid="c28617bc-48f5-4b07-88e0-e467f2f35aa7" name="FAIL" type="Exception">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
```

```
<displayy>225</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BadTimingException" detail="&amp;quot;Send Key Events with 0.5s interval should have
</stage>
<stage stageid="b401e645-fa02-4302-8d23-d7b8c43878b6" name="Time Taken" type="Calculation">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5d3cae83-6826-4888-a0fe-d535dc0ea565</onsuccess>
<calculation expression="Now() - [Started]" stage="Time Taken"/>
</stage>
<stage stageid="d2cf0549-d041-4f64-9b3d-9a85b365830f" name="FAIL" type="Exception">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>270</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<exception type="BadTimingException" detail="&amp;quot;Send Key Events with 0.5s interval should have
</stage>
<stage stageid="111d2b3d-3f03-4d1e-8f05-1ed44b3ac139" name="Started" type="Data">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="76ca5594-ed45-487e-a797-0fb601ffb07e" name="Time Taken" type="Data">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="12feedaf-4b39-4c02-829a-557f78b2d8cb" name="Alt-EP (Edit -&amp;gt; Paste) (no-intervalue)
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;EP&amp;
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>c3f5e16e-63e1-43d6-8fbe-2b055e5fd221</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys (With Alt)"/>
</stage>
<stage stageid="07ed52d1-80a6-43db-afbc-f12e59e42311" name="Test with 0.5s interval" type="Action">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;test with (
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>133a1816-62f6-4305-b474-36a52b6b0bfc</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys"/>
</stage>
<stage stageid="d4b02c5e-8beb-4292-8b34-93e3ff25ed2c" name="Check Text" type="SubSheet">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test with 0.5s interval&
</inputs>
<onsuccess>4e32562d-3352-4e06-b561-41e50552d1ed</onsuccess>
</stage>
```

```
<stage stageid="f359803e-8678-4645-8de7-6545157e9cff" name="Now()" type="Calculation">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>07ed52d1-80a6-43db-afbc-f12e59e42311
<calculation expression="Now()" stage="Started"/>
</stage>
<stage stageid="2a88669f-5efd-40d0-bab7-873669e0ac36" name="At least 10s?" type="Decision">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Time Taken] & amp;gt;= MakeTimeSpan(0, 0, 0, 10)"/>
<ontrue>5f632488-8c87-4df5-8184-b928801df398</ontrue>
<onfalse>60a3d9df-08a6-41a9-aa5e-9317e57011c4</onfalse>
</stage>
<stage stageid="5f632488-8c87-4df5-8184-b928801df398" name="Less than 20s?" type="Decision">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
```

```
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Time Taken] & amp;lt; MakeTimeSpan(0, 0, 0, 20)"/>
<ontrue>d4b02c5e-8beb-4292-8b34-93e3ff25ed2c</ontrue>
<onfalse>a5e63ccf-53c4-4eec-a1db-73656209d907</onfalse>
</stage>
<stage stageid="60a3d9df-08a6-41a9-aa5e-9317e57011c4" name="FAIL" type="Exception">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>75</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BadTimingException" detail="&amp;quot;Window Press Keys with 0.5s interval should he
</stage>
<stage stageid="133a1816-62f6-4305-b474-36a52b6b0bfc" name="Time Taken" type="Calculation">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
```

```
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2a88669f-5efd-40d0-bab7-873669e0ac36</onsuccess>
<calculation expression="Now() - [Started]" stage="Time Taken"/>
</stage>
<stage stageid="a5e63ccf-53c4-4eec-a1db-73656209d907" name="FAIL" type="Exception">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>120</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BadTimingException" detail="&amp;quot;Window Press Keys with 0.5s interval should he
</stage>
<stage stageid="3b8d41c3-2129-4a1c-aeef-aa20a6c2dbb0" name="Ctrl-A" type="Action">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;^a&amp;quot; of the content of 
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>009ed4d1-bfc4-46dd-864d-d8924e062aef</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="009ed4d1-bfc4-46dd-864d-d8924e062aef" name="Ctrl-C" type="Action">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;^c&amp;c
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>12feedaf-4b39-4c02-829a-557f78b2d8cb</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Global Send Keys"/>
</stage>
<stage stageid="c3f5e16e-63e1-43d6-8fbe-2b055e5fd221" name="Alt-EP (Edit -&amp;gt; Paste) (0.5s)" ty
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;EP&amp;
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>44ae5003-8fed-46aa-90a6-e476c3316f1a</onsuccess>
<resource object="Notepad (Send Keys with Interval)" action="Window Press Keys (With Alt)"/>
</stage>
<stage stageid="a8516c91-b6f3-49b1-aecf-c1b9484c0149" name="Page Name" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
```

<stage stageid="2a7c5208-5a77-485d-ab6e-f180b557ab48" name="Test" type="Data">

```
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="3b768b24-f619-4dee-a5d1-f72d1761586b" name="Page Name" type="Data">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Global Send Keys</initialvalue>
<alwaysinit/>
</stage>
```

```
<stage stageid="829bde6c-c033-4891-8c8d-c155cd209dec" name="Page Name" type="Data">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Global Send Keys</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="5ae2909f-8c9b-47ec-b8d7-8ee7fe65630e" name="Started" type="Data">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="f83f3ad6-396d-4089-b4f7-657aafd75fbf" name="Time Taken" type="Data">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="a7d4cc15-356a-4ff9-824e-c4a236fc09cd" name="Page Name" type="Data">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Global Send Keys</initialvalue>
```

```
<alwaysinit/>
</stage>
</process>
color="Test Send Keys" version="1.0" bpversion="5.0.999.999" narrative="Tests SendKeys and
<view>
<camerax>0</camerax>
<cameray>1</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="edcffed0-5f3e-4741-9592-3f4537e95db8" type="Normal" published="False">
<name>Check Text</name>
<view>
<camerax>171</camerax>
<cameray>42</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4222e15e-b6a6-4d99-afd7-7a611452372a" type="Normal" published="False">
<name>Global Send Keys</name>
<view>
<camerax>9</camerax>
<cameray>-9</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
```

```
<subsheet subsheetid="5545feba-c67a-44d5-ad79-eaf7e0eeb76d" type="Normal" published="False">
<name>Global Send Key Events</name>
<view>
<camerax>207</camerax>
<cameray>126</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3" type="Normal" published="False">
<name>Window Press Keys</name>
<view>
<camerax>135</camerax>
<cameray>21</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4ab9b219-92af-4efb-bac6-3a31139560e2" type="Normal" published="False">
<name>Window Press Keys with Alt</name>
<view>
<camerax>0</camerax>
<cameray>72</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="4b353141-4091-4bf7-abc2-c210ef86bb16" name="Start" type="Start">
<narrative>
</narrative>
```

```
<displayx>-45</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f66e406e-9e67-4639-8680-72fec5386591
</stage>
<stage stageid="756add91-4cc2-4299-8176-22329b122b18" name="End" type="End">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e4232170-0286-4298-9b96-6740938f94b5" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-135</displayy>
<displaywidth>180</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f66e406e-9e67-4639-8680-72fec5386591" name="LAUNCH" type="Action">
<narrative>
```

```
</narrative>
<displayx>-45</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dd1951a8-a1b0-4e52-a474-510aaa8b3c4a</onsuccess>
<resource object="Notepad (Send Keys)" action="Launch"/>
</stage>
<stage stageid="f07046b0-8398-46c9-9ac0-88b6053b7263" name="TERMINATE" type="Action">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>756add91-4cc2-4299-8176-22329b122b18</onsuccess>
<resource object="Notepad (Send Keys)" action="Terminate"/>
</stage>
<stage stageid="befe739e-5bb9-4c7a-be55-0bcdd03d9e21" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>96d22be0-07ed-4837-8203-25cdf21a3338
</stage>
<stage stageid="96d22be0-07ed-4837-8203-25cdf21a3338" name="TERMINATE" type="Action">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ae75c1ee-aca7-4aff-a69e-6ccaca63372e</onsuccess>
<resource object="Notepad (Send Keys)" action="Terminate"/>
</stage>
<stage stageid="ae75c1ee-aca7-4aff-a69e-6ccaca63372e" name="REFAIL" type="Exception">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="" detail="" usecurrent="yes"/>
</stage>
<stage stageid="cd7b24bc-f307-49dc-ae95-f28fdc3a7b7c" name="Check Text" type="SubSheetInfo">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="92391beb-5817-41db-a124-172adb2f64a1" name="Start" type="Start">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>Reads the text from Notepad, checking that it either matches the Expected Text or contains the
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" stage="Expected Text"
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" stage="Clear?"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" stage="
<input type="text" name="Test" narrative="The name of the test" stage="Test"/>
</inputs>
<onsuccess>fdb4cad1-8232-4a4a-af57-4c2cfeec444c</onsuccess>
</stage>
<stage stageid="16ac2cdd-081c-424c-85b8-6a0b255c3918" name="End" type="End">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fdb4cad1-8232-4a4a-af57-4c2cfeec444c" name="Read Text" type="Action">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Text" narrative="The text in the application" stage="Text"/>
</outputs>
<onsuccess>4bb3c88f-7540-4a83-b020-196c6553e1a2</onsuccess>
<resource object="Notepad (Send Keys)" action="Get Text"/>
</stage>
<stage stageid="89ee2fd3-c7cc-4f06-a112-e5b7daa58bf4" name="Text" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="4bb3c88f-7540-4a83-b020-196c6553e1a2" name="Match?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="([Expected Text] & amp; | t; & amp; quot; & amp; quot; & amp; quot; AND [Text] = [Expected]</pre>
<ontrue>6e88f8cb-88de-4eb4-8ede-a1ae3b3fdd34</ontrue>
<onfalse>7d2e42e4-2b67-470b-892f-10312cc662b0</onfalse>
</stage>
<stage stageid="e1a38b3a-906d-45f9-892c-40dc9f703a2b" name="Expected Text" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="a857c525-0623-40cb-9bfa-e72fe0ed49e5" name="Expected SubText" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a6fb3cbb-8739-4680-9e47-51cf7f7eb970" name="Clear?" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-195</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f15c8749-0dc1-46ae-9a59-6082cd9fd15c" name="Clear?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Clear?]"/>
<ontrue>3793e44e-e4f2-4e14-b537-67c8ab4dbca0</ontrue>
<onfalse>16ac2cdd-081c-424c-85b8-6a0b255c3918</onfalse>
</stage>
<stage stageid="3793e44e-e4f2-4e14-b537-67c8ab4dbca0" name="Clear" type="Action">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
```

```
<displayx>135</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b9cdb543-1e5f-4441-bc2d-0106f5d8f9a3</onsuccess>
<resource object="Notepad (Send Keys)" action="Clear Text"/>
</stage>
<stage stageid="b9cdb543-1e5f-4441-bc2d-0106f5d8f9a3" name="Anchor1" type="Anchor">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>16ac2cdd-081c-424c-85b8-6a0b255c3918</onsuccess>
</stage>
<stage stageid="cce3b7ea-4f1c-4eda-8aec-96a78307933e" name="Inputs" type="Block">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>180</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="416f4852-36ce-4cec-957c-d004bd0156ca" name="FAIL" type="Exception">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="TestFailedException" detail="&amp;quot;Test: &amp;quot; &amp;amp; [Page Name] &ar</p>
</stage>
<stage stageid="7d2e42e4-2b67-470b-892f-10312cc662b0" name="Full Text Match?" type="Decision">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Text] & amp; lt; & amp; quot; & amp; quot; & amp; quot; "/>
<ontrue>416f4852-36ce-4cec-957c-d004bd0156ca</ontrue>
<onfalse>0a185f18-099a-4063-85eb-f171301f0884</onfalse>
</stage>
<stage stageid="0a185f18-099a-4063-85eb-f171301f0884" name="Sub Text Match?" type="Decision">
```

```
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected SubText] & amp;lt; & amp;quot; & amp;quot; & amp;quot; & amp;quot; **/>
<ontrue>7cd11c5a-b948-4c75-84e8-ef4b5d410b38</ontrue>
<onfalse>2def7005-51ac-4de7-831e-c90737f08b85</onfalse>
</stage>
<stage stageid="7cd11c5a-b948-4c75-84e8-ef4b5d410b38" name="FAIL" type="Exception">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="TestFailedException" detail="&amp;quot;Expected the subtext: '&amp;quot; &amp;amp;</pre>
</stage>
<stage stageid="2def7005-51ac-4de7-831e-c90737f08b85" name="Note1" type="Note">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>Neither a full nor a subtext be.
Well, *anything* contains an empty string, so we treat that as a success, odd test though it may be. The ca
```

```
<displayx>135</displayx>
<displayy>60</displayy>
<displaywidth>180</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6e88f8cb-88de-4eb4-8ede-a1ae3b3fdd34</onsuccess>
</stage>
<stage stageid="6e88f8cb-88de-4eb4-8ede-a1ae3b3fdd34" name="Anchor1" type="Anchor">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f15c8749-0dc1-46ae-9a59-6082cd9fd15c</onsuccess>
</stage>
<stage stageid="fd09eadf-2f8f-4bd7-a430-c9a7be00537f" name="Global Send Keys" type="SubSheetInfo"
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="997f4ab1-1fc7-4572-9fcf-564bc6ae4557" name="Start" type="Start">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c0b056c4-41ab-4a41-8f7e-16d1107c1350</onsuccess>
</stage>
<stage stageid="5520a337-7626-404d-822a-f3eb07930679" name="End" type="End">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4a848dbe-85ec-4f82-81fa-3f57b9f51de3" name="Global Send Key Events" type="SubSh
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c3a4ef27-cae3-4ff2-912b-ccc5ed4a0be5" name="Start" type="Start">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>09199126-af52-4fe0-a24c-436a66c2b91a</onsuccess>
</stage>
<stage stageid="fdb0f5a8-4afb-4595-b303-459a4cf8a225" name="End" type="End">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4d309f2e-3f38-4f93-b133-beb583bdd456" name="Window Press Keys" type="SubSheetle
```

```
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b62601e2-dc2d-4f22-9867-3f13b525b2ca" name="Start" type="Start">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f1aefb14-55eb-496d-bb69-760a36b44c35</onsuccess>
</stage>
<stage stageid="4e32562d-3352-4e06-b561-41e50552d1ed" name="End" type="End">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="acbfd1fd-3ec5-49c2-9bb7-f7d3ac112d99" name="Window Press Keys with Alt" type="Sub-
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4a7c12ee-a0ea-4ffa-a8cb-ab2f55cb4ce4" name="Start" type="Start">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4a1ab391-8ace-490b-a91c-453342b4d333</onsuccess>
</stage>
<stage stageid="e4e7cfbc-88ef-4422-b1f2-9e3a4ceef337" name="End" type="End">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c0b056c4-41ab-4a41-8f7e-16d1107c1350" name="Test without interval" type="Action">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>31b7b5dc-a1aa-4178-957c-c66ff84f6ec9</onsuccess>
<resource object="Notepad (Send Keys)" action="Global Send Keys"/>
</stage>
<stage stageid="31b7b5dc-a1aa-4178-957c-c66ff84f6ec9" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
```

```
<displayx>90</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval&a
</inputs>
<onsuccess>9d3012bd-fa30-49b7-9806-0a1591a7c1c4</onsuccess>
</stage>
<stage stageid="9d3012bd-fa30-49b7-9806-0a1591a7c1c4" name="Test without interval + ctl chars" type=
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;+test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
```

```
</inputs>
<onsuccess>00bb905e-debf-4f90-80dc-938f8f864265</onsuccess>
<resource object="Notepad (Send Keys)" action="Global Send Keys"/>
</stage>
<stage stageid="00bb905e-debf-4f90-80dc-938f8f864265" name="Check Text" type="SubSheet">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval + of the test of the tes
</inputs>
<onsuccess>5520a337-7626-404d-822a-f3eb07930679</onsuccess>
</stage>
<stage stageid="dd1951a8-a1b0-4e52-a474-510aaa8b3c4a" name="Global Send Keys" type="SubSheet":
<narrative>
</narrative>
<displayx>-45</displayx>
```

```
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3c195de2-c452-4f68-99fb-56109a873ae0</onsuccess>
</stage>
<stage stageid="3c195de2-c452-4f68-99fb-56109a873ae0" name="Global Send Key Events" type="SubSt
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e322e949-2699-45b1-b156-f6646fee32df</onsuccess>
</stage>
<stage stageid="e322e949-2699-45b1-b156-f6646fee32df" name="Window Press Keys" type="SubSheet"
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>df4c1040-5479-47c3-a064-586d94110de0</onsuccess>
```

```
</stage>
<stage stageid="df4c1040-5479-47c3-a064-586d94110de0" name="Window Press Keys with Alt" type="Si
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f07046b0-8398-46c9-9ac0-88b6053b7263</onsuccess>
</stage>
<stage stageid="09199126-af52-4fe0-a24c-436a66c2b91a" name="Test without interval" type="Action">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text detailing the keys to send" expr="&amp;quot;Test without type="text" narrative="The text" narrative="text" narrative="The text" narrative="The text" narrative="text" narrative="text
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>ddfad8fd-b2d9-4b76-a9c6-8eb64b23ffb9</onsuccess>
```

```
<resource object="Notepad (Send Keys)" action="Global Send Key Events"/>
</stage>
<stage stageid="ddfad8fd-b2d9-4b76-a9c6-8eb64b23ffb9" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;test without interval&an
</inputs>
<onsuccess>d8527ee7-7aef-4428-83e8-845d46705fed</onsuccess>
cessid>edcffed0-5f3e-4741-9592-3f4537e95db8
</stage>
<stage stageid="d8527ee7-7aef-4428-83e8-845d46705fed" name="Test without interval + ctl chars" type=
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;&amp;lt;{
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>11193f4a-336b-42f9-8f98-ca668d721576</onsuccess>
<resource object="Notepad (Send Keys)" action="Global Send Key Events"/>
</stage>
<stage stageid="11193f4a-336b-42f9-8f98-ca668d721576" name="Check Text" type="SubSheet">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the factors.</p>
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval + of the test of the tes
</inputs>
<onsuccess>fdb0f5a8-4afb-4595-b303-459a4cf8a225</onsuccess>
```

```
</stage>
<stage stageid="f1aefb14-55eb-496d-bb69-760a36b44c35" name="Test without interval" type="Action">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test with
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>9e88508c-e724-449c-987c-9ca1aab12680</onsuccess>
<resource object="Notepad (Send Keys)" action="Window Press Keys"/>
</stage>
<stage stageid="9e88508c-e724-449c-987c-9ca1aab12680" name="Check Text" type="SubSheet">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="[
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Test without interval&a
</inputs>
<onsuccess>4e32562d-3352-4e06-b561-41e50552d1ed</onsuccess>
</stage>
<stage stageid="4a1ab391-8ace-490b-a91c-453342b4d333" name="Test" type="Action">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;Test&amp
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>3b8d41c3-2129-4a1c-aeef-aa20a6c2dbb0</onsuccess>
<resource object="Notepad (Send Keys)" action="Window Press Keys"/>
</stage>
<stage stageid="44ae5003-8fed-46aa-90a6-e476c3316f1a" name="Check Text" type="SubSheet">
```

```
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Text" narrative="The expected text in Notepad" expr="&amp;quot;Test
<input type="text" name="Expected SubText" narrative="The text expected to be found somewhere in the
<input type="flag" name="Clear?" narrative="Clear the text after a successful test" expr="True"/>
<input type="text" name="Page Name" narrative="The name of the page which is running the test" expr="8
<input type="text" name="Test" narrative="The name of the test" expr="&amp;quot;Alt-EditPaste&amp;quot
</inputs>
<onsuccess>e4e7cfbc-88ef-4422-b1f2-9e3a4ceef337</onsuccess>
</stage>
<stage stageid="111d2b3d-3f03-4d1e-8f05-1ed44b3ac139" name="Started" type="Data">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="76ca5594-ed45-487e-a797-0fb601ffb07e" name="Time Taken" type="Data">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="12feedaf-4b39-4c02-829a-557f78b2d8cb" name="Alt-EP (Edit -&amp;gt; Paste) (no-interv
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;EP&amp;
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>c3f5e16e-63e1-43d6-8fbe-2b055e5fd221</onsuccess>
<resource object="Notepad (Send Keys)" action="Window Press Keys (With Alt)"/>
</stage>
<stage stageid="3b8d41c3-2129-4a1c-aeef-aa20a6c2dbb0" name="Ctrl-A" type="Action">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;^a&amp;quot; of the least detailing the keys to send of the least detailing the least detailing the least detail details detail detail details details
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>009ed4d1-bfc4-46dd-864d-d8924e062aef</onsuccess>
<resource object="Notepad (Send Keys)" action="Global Send Keys"/>
</stage>
<stage stageid="009ed4d1-bfc4-46dd-864d-d8924e062aef" name="Ctrl-C" type="Action">
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;^c&amp;c
<input type="number" name="Interval" narrative="The number of seconds to wait between each key." expr
</inputs>
<onsuccess>12feedaf-4b39-4c02-829a-557f78b2d8cb</onsuccess>
<resource object="Notepad (Send Keys)" action="Global Send Keys"/>
</stage>
<stage stageid="c3f5e16e-63e1-43d6-8fbe-2b055e5fd221" name="Alt-EP (Edit -&amp;gt; Paste) (0.5s)" ty
<subsheetid>4ab9b219-92af-4efb-bac6-3a31139560e2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" narrative="The text detailing the keys to send" expr="&amp;quot;EP&amp;
</inputs>
<onsuccess>44ae5003-8fed-46aa-90a6-e476c3316f1a</onsuccess>
<resource object="Notepad (Send Keys)" action="Window Press Keys (With Alt)"/>
```

```
</stage>
<stage stageid="a8516c91-b6f3-49b1-aecf-c1b9484c0149" name="Page Name" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2a7c5208-5a77-485d-ab6e-f180b557ab48" name="Test" type="Data">
<subsheetid>edcffed0-5f3e-4741-9592-3f4537e95db8</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="3b768b24-f619-4dee-a5d1-f72d1761586b" name="Page Name" type="Data">
<subsheetid>4222e15e-b6a6-4d99-afd7-7a611452372a</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Global Send Keys</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="829bde6c-c033-4891-8c8d-c155cd209dec" name="Page Name" type="Data">
<subsheetid>5545feba-c67a-44d5-ad79-eaf7e0eeb76d</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Global Send Keys</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="5ae2909f-8c9b-47ec-b8d7-8ee7fe65630e" name="Started" type="Data">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f83f3ad6-396d-4089-b4f7-657aafd75fbf" name="Time Taken" type="Data">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
```

```
<initialvalue>0.00:00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="a7d4cc15-356a-4ff9-824e-c4a236fc09cd" name="Page Name" type="Data">
<subsheetid>f0883cb3-3b80-4c89-bb09-e45f3fe1b5a3</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Global Send Keys</initialvalue>
<alwaysinit/>
</stage>
</process>
cprocess name="Test Server Service Configuration" version="1.0" bpversion="6.7.0.18757" narrative="" by
<view>
<camerax>7</camerax>
<cameray>169</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
```

```
<subsheet subsheetid="4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79" type="Normal" published="False">
<name>Create DB Configuration</name>
<view>
<camerax>0</camerax>
<cameray>59</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="ce42f503-3277-462e-9bac-5ed70af902d7" type="Normal" published="False">
<name>Create Server Configuration</name>
<view>
<camerax>0</camerax>
<cameray>456</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="a0be92cd-70f4-4058-984f-2b1f7477b492" type="Normal" published="False">
<name>Start Server Service</name>
<view>
<camerax>0</camerax>
<cameray>21</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="4342b2b3-abf0-448e-9326-6086e9c592a6" type="Normal" published="False">
<name>Establish Connection</name>
<view>
```

```
<camerax>0</camerax>
<cameray>-147</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="c98744d9-d18e-44e4-8445-7b6dcdb71e27" type="Normal" published="False">
<name>Add to Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>-3</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="afeadc7e-5b31-4dd7-8ae1-0425070bbf14" type="Normal" published="False">
<name>Remove from Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="3d6aacbd-42a5-408c-8f63-319168e7a981" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>109</camerax>
<cameray>126</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
</subsheet>
<stage stageid="019596aa-b6fe-4976-a091-6f93489fca28" name="Start" type="Start">
<display x="15" y="-120"/>
<onsuccess>ad985012-352f-4b7a-b980-abb82cad1499</onsuccess>
</stage>
<stage stageid="c874815a-6ec3-4820-b325-66814be9e116" name="Stage1" type="ProcessInfo">
<display x="-210" y="-90" w="150" h="90"/>
</stage>
<stage stageid="5ff04149-94d7-4a69-9009-d15922336ad9" name="Create DB Configuration" type="SubS</p>
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="-150" y="-120" w="150" h="90"/>
</stage>
<stage stageid="220e6123-eb1d-4ac3-9b0b-dbbdec06fdac" name="Start" type="Start">
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="-150"/>
<onsuccess>eee7fd53-fb02-4b92-ab55-d5dc571c045d</onsuccess>
</stage>
<stage stageid="530f3ef8-16d4-40bd-a370-78ce4c1ea3db" name="End" type="End">
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="255"/>
</stage>
<stage stageid="819caacd-22b4-4b8d-b882-62d2fc52dda8" name="Create Server Configuration" type="Selection of the content of the
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-150" y="-255" w="150" h="90"/>
</stage>
<stage stageid="f9a2fc24-4406-4f09-9cfc-b89243ff8fd0" name="Start" type="Start">
```

```
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-285"/>
<onsuccess>c4b93106-a57e-4bc6-a121-b1265bce3077</onsuccess>
</stage>
<stage stageid="9d7f72f3-620b-4b0d-b1f6-c0fd04d6524e" name="End" type="End">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="750"/>
</stage>
<stage stageid="1b4aba33-87c5-42a4-9f1b-91253db452bf" name="Establish Connection" type="SubShee
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="-150" y="-345" w="150" h="90"/>
</stage>
<stage stageid="9bda8972-e056-4f41-965b-0619b1b020b3" name="End" type="End">
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="120"/>
</stage>
<stage stageid="ad985012-352f-4b7a-b980-abb82cad1499" name="Note1" type="Note">
<narrative>GIVEN I have created a valid server configuration
AND server service configuration</narrative>
<display x="15" y="-45" w="240" h="60"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>0fd5f130-1855-4e23-ae1c-21688e07f2d7</onsuccess>
</stage>
<stage stageid="4afd449f-b0bb-41c7-9546-6d714529a05a" name="Note1" type="Note">
<narrative>WHEN I start the service</narrative>
<display x="15" y="105" w="240" h="30"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
```

```
<onsuccess>41ecfc98-6ae7-449e-b0b6-b0ef9235c96a</onsuccess>
</stage>
<stage stageid="0fd5f130-1855-4e23-ae1c-21688e07f2d7" name="Create DB Configuration" type="SubSh
<display x="15" y="15" w="240" h="30"/>
<onsuccess>d1d48588-b303-4701-a6f2-edcf2f7cac53</onsuccess>
</stage>
<stage stageid="d1d48588-b303-4701-a6f2-edcf2f7cac53" name="Create Server Configuration" type="Sul
<display x="15" y="60" w="240" h="30"/>
<onsuccess>4afd449f-b0bb-41c7-9546-6d714529a05a</onsuccess>
</stage>
<stage stageid="142e381d-7141-4650-9c8d-e459140a107a" name="Establish Connection" type="SubShe
<display x="15" y="240" w="240" h="30"/>
<onsuccess>01023ead-6f12-4c54-93b5-d4d4cc01bf09</onsuccess>
</stage>
<stage stageid="184125d6-d840-46cc-ac36-13e62d0d547a" name="pid" type="Data">
<display x="-210" y="195" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1e0c14fb-4bab-47c3-b9dc-dbdb6de91828" name="Global Variables" type="Block">
<display x="-285" y="165" w="150" h="120"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="01023ead-6f12-4c54-93b5-d4d4cc01bf09" name="End" type="End">
<display x="15" y="390"/>
</stage>
<stage stageid="9d296fd5-164e-4e7e-b519-cf42042056a9" name="Cleanup" type="SubSheet">
<display x="195" y="300" w="150" h="30"/>
<onsuccess>e20953af-1fda-42a6-9534-c5ce173e78b1</onsuccess>
</stage>
<stage stageid="e20953af-1fda-42a6-9534-c5ce173e78b1" name="Failed?" type="Decision">
<display x="195" y="345" w="150" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>5947b700-fdf0-4996-a167-bb48dafb78bb</ontrue>
<onfalse>01023ead-6f12-4c54-93b5-d4d4cc01bf09</onfalse>
</stage>
<stage stageid="cece9d1b-9128-41f5-9514-64fc5d713c7c" name="Failed?" type="Data">
<display x="-210" y="330" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="fff98c39-5446-40c8-87b3-50aad9362706" name="Exception" type="Data">
<display x="-210" y="360" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
```

```
</stage>
<stage stageid="0f908a08-8e53-41a5-bc93-4632c69b20ca" name="Local Variables" type="Block">
<display x="-285" y="300" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="5947b700-fdf0-4996-a167-bb48dafb78bb" name="RETHROW" type="Exception">
<display x="315" y="345"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="489a5e89-e99b-4f84-87a2-59e7de003777" name="Anchor1" type="Anchor">
<display x="195" y="300" w="10" h="10"/>
<onsuccess>9d296fd5-164e-4e7e-b519-cf42042056a9</onsuccess>
</stage>
<stage stageid="dc77ee9c-2180-4287-86da-d3609b652f72" name="Recover" type="Recover">
<display x="480" y="-60" w="90" h="30"/>
<onsuccess>5638f3bf-4c12-4db6-87dc-32a782054c04</onsuccess>
</stage>
<stage stageid="e1aed675-9fb9-4a45-b9e6-fbe7f3be0dc5" name="Resume" type="Resume">
<display x="195" y="30" w="90" h="30"/>
<onsuccess>489a5e89-e99b-4f84-87a2-59e7de003777</onsuccess>
</stage>
<stage stageid="5638f3bf-4c12-4db6-87dc-32a782054c04" name="Get Exception" type="MultipleCalculati
<display x="195" y="-15" w="90" h="30"/>
<onsuccess>e1aed675-9fb9-4a45-b9e6-fbe7f3be0dc5</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
```

```
</steps>
</stage>
<stage stageid="4dd39931-9f11-4912-831a-3ead445f1997" name="Cleanup Block" type="Block">
<display x="-120" y="-90" w="375" h="360"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="2e8e3335-9a12-4f82-ada1-7b62ab0860c3" name="Add to Cleanup" type="SubSheetInfo"
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="-150" y="-75" w="150" h="90"/>
</stage>
<stage stageid="c18eb0ed-58f2-4463-8382-1d613456e666" name="Start" type="Start">
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="15" y="-105"/>
<inputs>
<input type="text" name="Item Name" narrative="The name of the item you want to clean up." stage="Item
</inputs>
<onsuccess>81021763-f338-4953-8b4d-109de0d57f08</onsuccess>
</stage>
<stage stageid="f6979f25-39b1-40a5-8a29-51fa932995e4" name="End" type="End">
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="15" y="30"/>
</stage>
<stage stageid="c80590f7-964d-471a-a52a-908559026391" name="Item Name" type="Data">
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="-150" y="15" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<private/>
<alwaysinit/>
</stage>
<stage stageid="39a09a9a-9b8e-4c0e-9ccc-6c0e39ae5847" name="Input Variables" type="Block">
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="-225" y="-15" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="81021763-f338-4953-8b4d-109de0d57f08" name="Add Row" type="Action">
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="15" y="-60" w="150" h="30"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
</inputs>
<onsuccess>c7202d12-8842-44dc-b032-22d779666fe9</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="944c1159-f539-42b7-a671-77f7678e4141" name="CleanUp Collection" type="Collection";</p>
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="-150" y="90" w="120" h="30"/>
<datatype>collection</datatype>
<collectioninfo>
<field name="Item Name" type="text" description="The name of the item that needs cleaning up."/>
</collectioninfo>
<noalwaysinit/>
</stage>
<stage stageid="db8f2f05-e5d5-4351-b8a9-f2d8b5339c4c" name="Local Variables" type="Block">
```

```
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="-225" y="60" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c7202d12-8842-44dc-b032-22d779666fe9" name="Add To Row" type="Calculation">
<subsheetid>c98744d9-d18e-44e4-8445-7b6dcdb71e27</subsheetid>
<display x="15" y="-15" w="150" h="30"/>
<onsuccess>f6979f25-39b1-40a5-8a29-51fa932995e4</onsuccess>
<calculation expression="[Item Name]" stage="CleanUp Collection.Item Name"/>
</stage>
<stage stageid="6b7a85bc-473a-42ce-886a-6636d75a8b99" name="Cleanup" type="SubSheetInfo">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="-150" y="-75" w="150" h="90"/>
</stage>
<stage stageid="8a5e4ac7-3413-4b81-9b2e-9db4c674be91" name="Start" type="Start">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="-105"/>
<onsuccess>1fd33785-fcba-48d4-a228-042c460a976c</onsuccess>
</stage>
<stage stageid="0bf368f1-7780-4aaa-9df2-a19a441c3f1b" name="To Clean" type="LoopStart">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="-15" w="150" h="30"/>
<onsuccess>28c5f38b-be97-4c41-8930-adf0ee46ec13</onsuccess>
<groupid>1a536139-d9fd-49f2-a25f-42c78d75ef64</groupid>
<looptype>ForEach</looptype>
<loopdata>Reversed CleanUp</loopdata>
</stage>
```

```
<stage stageid="6a5995a5-a98f-4341-8571-6abfd3d7a8b3" name="To Clean" type="LoopEnd">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="315" w="150" h="30"/>
<onsuccess>393bcb9d-5fc9-4ab0-8ea2-bf60da2bd636</onsuccess>
<groupid>1a536139-d9fd-49f2-a25f-42c78d75ef64</groupid>
</stage>
<stage stageid="28c5f38b-be97-4c41-8930-adf0ee46ec13" name="Which Clean Up" type="ChoiceStart">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="30" w="150" h="30"/>
<groupid>b089e54a-2816-4358-9a53-e2c82ac022c5</groupid>
<choices>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Blue Prism&amp;quot;">
<name>Blue Prism</name>
<distance>30</distance>
<ontrue>d5e869d4-145a-41b1-bb53-57401feb3606</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Stop Service&amp;quot;">
<name>Stop Service</name>
<distance>60</distance>
<ontrue>f0a8e9fb-f06f-4f97-838c-1c57fc059986</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;DB Con&amp;quot;">
<name>DB Connection</name>
<distance>90</distance>
<ontrue>b4fadfea-ef60-4a8a-baf9-39a6d9785984</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Server Con&amp;quot;">
```

```
<name>Server Connection</name>
<distance>120</distance>
<ontrue>845cc349-473e-4c2b-9b12-e74bc7c866fe</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Sign Out&amp;quot;">
<name>Sign Out</name>
<distance>150</distance>
<ontrue>f09770b1-a799-43da-a954-14626dad8396</ontrue>
</choice>
<choice expression="[Reversed CleanUp.Item Name]=&amp;quot;Server&amp;quot;">
<name>Server</name>
<distance>180</distance>
<ontrue>8fd2a24b-85c8-4604-a648-dd4eeb2d170a/ontrue>
</choice>
<choice expression="[Reversed CleanUp.ltem Name]=&amp;quot;Server Conf&amp;quot;">
<name>Server Configuration</name>
<distance>210</distance>
<ontrue>8807ae32-fda6-472e-b329-429d1aaa4411
</choice>
</choices>
</stage>
<stage stageid="c50512a1-694b-415a-9f52-2530d12b73ab" name="Otherwise" type="ChoiceEnd">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="270" w="150" h="30"/>
<onsuccess>b53564dd-23f6-4107-9374-c3de61fdb9d5</onsuccess>
<groupid>b089e54a-2816-4358-9a53-e2c82ac022c5</groupid>
</stage>
```

```
<stage stageid="b53564dd-23f6-4107-9374-c3de61fdb9d5" name="FAIL" type="Exception">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="120" y="270" w="30" h="30"/>
<exception type="" detail="&amp;quot;You have entered a clean up item the choice doesn't recognise.&an
</stage>
<stage stageid="1fd33785-fcba-48d4-a228-042c460a976c" name="Reverse Collection" type="Action">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="-60" w="150" h="30"/>
<inputs>
<input type="collection" name="Collection" narrative="The collection to be reversed." expr="[CleanUp Collection"]</p>
</inputs>
<outputs>
<output type="collection" name="Reversed Collection" narrative="The reversed collection." stage="Reversed"</p>
</outputs>
<onsuccess>0bf368f1-7780-4aaa-9df2-a19a441c3f1b</onsuccess>
<resource object="Utility - Collection Manipulation" action="Reverse Collection"/>
</stage>
<stage stageid="16411678-5152-4369-a2d2-782ec8ff672a" name="Reversed CleanUp" type="Collection";
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="-150" y="15" w="150" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6ccf1a0c-caf2-4559-8737-ab04c5609152" name="Local Variables" type="Block">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="-225" y="-15" w="150" h="60"/>
```

```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3437576d-16b0-4a30-b8a1-4fade6eedf74" name="Anchor4" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="180" w="10" h="10"/>
<onsuccess>663e3887-e719-4620-af3b-2027e3cb45b8</onsuccess>
</stage>
<stage stageid="ce6ef14d-8ec0-4f8e-8faf-f2d1b0e4a146" name="Anchor5" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="315" w="10" h="10"/>
<onsuccess>6a5995a5-a98f-4341-8571-6abfd3d7a8b3</onsuccess>
</stage>
<stage stageid="b5a94fc4-b66d-4c02-b099-c387699761cb" name="Anchor4" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="90" w="10" h="10"/>
<onsuccess>7b10a626-e358-42f6-9e2a-e7851da3ddc9</onsuccess>
</stage>
<stage stageid="7b10a626-e358-42f6-9e2a-e7851da3ddc9" name="Anchor4" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="120" w="10" h="10"/>
<onsuccess>fc66a187-6366-41b7-bae2-6406909709ee</onsuccess>
</stage>
<stage stageid="fc66a187-6366-41b7-bae2-6406909709ee" name="Anchor4" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="150" w="10" h="10"/>
<onsuccess>3437576d-16b0-4a30-b8a1-4fade6eedf74</onsuccess>
</stage>
```

```
<stage stageid="663e3887-e719-4620-af3b-2027e3cb45b8" name="Anchor6" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="210" w="10" h="10"/>
<onsuccess>96424d3e-573e-4767-b9a1-dfb2e2d076ad</onsuccess>
</stage>
<stage stageid="96424d3e-573e-4767-b9a1-dfb2e2d076ad" name="Anchor7" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="240" w="10" h="10"/>
<onsuccess>ce6ef14d-8ec0-4f8e-8faf-f2d1b0e4a146</onsuccess>
</stage>
<stage stageid="c176cacb-81c7-4e97-891d-dfb9ffcd4fc5" name="Terminate" type="Action">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="60" w="150" h="30"/>
<onsuccess>0ef2c50f-7328-4122-a7c3-b45a63a6d582</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="d5e869d4-145a-41b1-bb53-57401feb3606" name="Close all child windows" type="Action
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="225" y="60" w="180" h="30"/>
<onsuccess>c176cacb-81c7-4e97-891d-dfb9ffcd4fc5</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Close All Child Windows"/>
</stage>
<stage stageid="0ef2c50f-7328-4122-a7c3-b45a63a6d582" name="Anchor9" type="Anchor">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="495" y="60" w="10" h="10"/>
<onsuccess>b5a94fc4-b66d-4c02-b099-c387699761cb</onsuccess>
</stage>
```

```
<stage stageid="393bcb9d-5fc9-4ab0-8ea2-bf60da2bd636" name="End1" type="End">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="15" y="360"/>
</stage>
<stage stageid="eee7fd53-fb02-4b92-ab55-d5dc571c045d" name="Launch" type="Action">
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="-105" w="150" h="30"/>
<outputs>
<output type="number" name="pid" friendlyname="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>d9544298-783d-44e2-89dc-efafc90fd4f3</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="de872cdc-4710-4178-9b2f-8adfc93ed448" name="Create DB Connection" type="Action">
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="75" w="150" h="30"/>
<inputs>
<input type="text" name="Connection Name" friendlyname="Connection Name" narrative="The name you
<input type="text" name="Connection Type" friendlyname="Connection Type" narrative="A combobox in w
<input type="text" name="Database Server" friendlyname="Database Server" narrative="Where you will st
<input type="text" name="Database Name" friendlyname="Database Name" narrative="The actual name or
<input type="text" name="User ID" friendlyname="User ID" narrative="If you select SQL Auth this is the use
<input type="text" name="Password" friendlyname="Password" narrative="If you select SQL Auth this is th
<input type="text" name="Blue Prism Server" friendlyname="Blue Prism Server" narrative="If you select a
<input type="text" name="Connection Mode" friendlyname="Connection Mode" narrative="If you selected a
<input type="text" name="Server Port" friendlyname="Server Port" narrative="If you selected a server conr
```

</inputs>

```
<onsuccess>0c624fe9-b65e-475a-93a1-6b5b69e8901d</onsuccess>
<resource object="Blue Prism - General - Configuration" action="Create Connection"/>
</stage>
<stage stageid="3c7b6a88-379f-4196-b682-100f99e1c0e2" name="Attach General" type="Action">
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="-15" w="150" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>6fb60b99-15bb-4c1d-ad22-9d71e6f1eb9d</onsuccess>
<resource object="Blue Prism - General (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="2d9456f2-86cf-4191-bdc9-40e31a64c883" name="DB Server" type="Data">
<display x="-210" y="0" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="a82d756d-61c2-4e19-9801-ccff65c8681c" name="DB Name" type="Data">
<display x="-210" y="30" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="7a0d6f51-6507-4078-93af-a6523535d8ef" name="DB User" type="Data">
```

```
<display x="-210" y="60" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="edff9d55-5916-4b37-a65e-1d04e097932d" name="DB Password" type="Data">
<display x="-210" y="90" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="d2157c20-3f58-4954-bd2b-81a428cb3804" name="Environment Variables" type="Block">
<display x="-285" y="-30" w="150" h="180"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c4b93106-a57e-4bc6-a121-b1265bce3077" name="Launch Server" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-240" w="150" h="30"/>
<onsuccess>5ee4141e-684e-4bee-b65a-16f69a570a93</onsuccess>
<resource object="Blue Prism Server (Parent)" action="Launch"/>
</stage>
<stage stageid="b9a8f69e-9c8c-42ed-93a6-f9cf386b9f8d" name="Press New" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-150" w="150" h="30"/>
<onsuccess>39a9a906-841e-489c-8433-44099db995d9</onsuccess>
```

```
<resource object="Blue Prism Server" action="Press New"/>
</stage>
<stage stageid="39a9a906-841e-489c-8433-44099db995d9" name="Set Configuration Details" type="Action of the configuration of the configu
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-105" w="150" h="30"/>
<inputs>
<input type="text" name="Configuration Name" friendlyname="Configuration Name" narrative="The name"
<input type="text" name="Database Connection" friendlyname="Database Connection" narrative="The dat
<input type="text" name="Connection Mode" friendlyname="Connection Mode" narrative="The connetion r
</inputs>
<onsuccess>7775eee2-4748-4e14-b664-0507bf2777fc</onsuccess>
<resource object="Blue Prism Server - Details" action="Set Configuration Details"/>
</stage>
<stage stageid="222430e4-ad27-48c4-837e-9859f2f3174e" name="DB Connection Name" type="Data">
<display x="-210" y="225" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">DB Connection (US-1709)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="7775eee2-4748-4e14-b664-0507bf2777fc" name="Read Configuration Details" type="Act
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-60" w="150" h="30"/>
<outputs>
<output type="text" name="Name" friendlyname="Name" narrative="The name of the connection." stage="</p>
<output type="text" name="Database Connection" friendlyname="Database Connection" narrative="The cu
<output type="text" name="Connection Mode" friendlyname="Connection Mode" narrative="The currently statements."</p>
</outputs>
```

```
<onsuccess>241fc49b-79be-4243-925f-5023b42b86a9</onsuccess>
<resource object="Blue Prism Server - Details" action="Read Configuration Details"/>
</stage>
<stage stageid="460d915e-14b2-482e-9613-84befcd2f716" name="Name" type="Data">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-150" y="-165" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5e22063f-8b93-4cc9-97dd-bd478bfb1b4d" name="Database Connection" type="Data">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-150" y="-135" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="aef79a18-948f-4cfa-86df-425bb6640238" name="Connection Mode" type="Data">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-150" y="-105" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="241fc49b-79be-4243-925f-5023b42b86a9" name="Server Details Correct?" type="Decision"
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-15" w="150" h="30"/>
<decision expression="[Name]=[Server Configuration Name]&amp;#xA;AND&amp;#xA;[Database Connec</p>
<ontrue>62988f68-4267-488a-93c0-7c3cdcef75b6</ontrue>
<onfalse>317a761b-7eaa-41e3-90ad-47c73f483d75</onfalse>
</stage>
<stage stageid="317a761b-7eaa-41e3-90ad-47c73f483d75" name="FAIL" type="Exception">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="120" y="-15" w="30" h="30"/>
<exception localized="yes" type="&amp;quot;SystemException&amp;quot;" detail="&amp;quot;The server
</stage>
<stage stageid="9a1d30a8-4c36-4176-bf49-cb903e1697a0" name="Select Tab (Server Services)" type="A
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="165" w="150" h="30"/>
<inputs>
<input type="text" name="Tab" friendlyname="Tab" narrative="The name of the tab you want to select." ex
</inputs>
<onsuccess>d7525a62-f585-499c-a5d1-fe147ef3a495</onsuccess>
<resource object="Blue Prism Server - Basic Actions" action="Select Tab"/>
</stage>
<stage stageid="d7525a62-f585-499c-a5d1-fe147ef3a495" name="Click Create Service" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="210" w="150" h="30"/>
<onsuccess>04b7b868-fa7d-4395-b00b-46cb79f8b4be</onsuccess>
<resource object="Blue Prism Server - Server Services" action="Press Create Service"/>
</stage>
```

```
<stage stageid="04b7b868-fa7d-4395-b00b-46cb79f8b4be" name="Read Service List" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="255" w="150" h="30"/>
<inputs>
<input type="unknown" name="Name" friendlyname="Name" expr=""/>
<input type="unknown" name="Service Path" friendlyname="Service Path" expr=""/>
<input type="unknown" name="Log" friendlyname="Log" expr=""/>
</inputs>
<outputs>
<output type="collection" name="Services" friendlyname="Services" narrative="A collection containing all collection.</p>
</outputs>
<onsuccess>b5c12c75-7325-4370-9c8d-7e6e74828f4b</onsuccess>
<resource object="Blue Prism Server - Server Services" action="Read Services"/>
</stage>
<stage stageid="d34ddec7-a87d-4313-85aa-59ad15fd7949" name="Services" type="Collection">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-150" y="-45" w="120" h="30"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text"/>
<field name="Service Path" type="text"/>
<field name="Log On As" type="text"/>
<field name="Startup Type" type="text"/>
<field name="Status" type="text"/>
</collectioninfo>
```

```
</stage>
<stage stageid="07ab0c20-7c94-4dba-8e19-841887105ec5" name="Service Exist?" type="Decision">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="345" w="150" h="30"/>
<decision expression="[Services.Name]=&amp;quot;Blue Prism Server:&amp;quot;&amp;amp;[Server Cor</p>
<ontrue>7ff2713f-fb25-4831-84d3-aee7c1219571
<onfalse>d15c39b7-d709-4afd-82a0-b1bb7e2b7676</onfalse>
</stage>
<stage stageid="b5c12c75-7325-4370-9c8d-7e6e74828f4b" name="Loop Services" type="LoopStart">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="300" w="150" h="30"/>
<onsuccess>07ab0c20-7c94-4dba-8e19-841887105ec5</onsuccess>
<groupid>6cf0d9d1-28b0-48cd-a1f8-de35c0c614c8</groupid>
<looptype>ForEach</looptype>
<loopdata>Services</loopdata>
</stage>
<stage stageid="d15c39b7-d709-4afd-82a0-b1bb7e2b7676" name="Loop Services" type="LoopEnd">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="390" w="150" h="30"/>
<onsuccess>2b2c01b3-e4b2-469e-abc1-92e0768dcda1</onsuccess>
<groupid>6cf0d9d1-28b0-48cd-a1f8-de35c0c614c8</groupid>
</stage>
<stage stageid="7ff2713f-fb25-4831-84d3-aee7c1219571" name="Anchor2" type="Anchor">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="150" y="345" w="10" h="10"/>
<onsuccess>f9ba79ba-b1d2-4fae-8409-1a3d67404ec6</onsuccess>
</stage>
```

```
<stage stageid="2b2c01b3-e4b2-469e-abc1-92e0768dcda1" name="FAIL" type="Exception">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="120" y="390" w="30" h="30"/>
<exception localized="yes" type="SystemExecption" detail="&amp;quot;The server service wasn't found, w
</stage>
<stage stageid="f9ba79ba-b1d2-4fae-8409-1a3d67404ec6" name="Anchor3" type="Anchor">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="150" y="435" w="10" h="10"/>
<onsuccess>5709105a-633c-4d41-afd5-44bfc6727977</onsuccess>
</stage>
<stage stageid="8880d836-42bf-44a6-9780-0122636a2b33" name="Press Save" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="615" w="150" h="30"/>
<onsuccess>ad78be88-9204-40fb-a271-a6e69d1b17b1</onsuccess>
<resource object="Blue Prism Server - Basic Actions" action="Press Save"/>
</stage>
<stage stageid="8edddf06-9cfb-4f4d-a6b2-53849e6e275b" name="Local Variables" type="Block">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-225" y="-195" w="150" h="180"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d1431132-0663-42bd-8f24-170fac9b46c5" name="BPServerService EXE" type="Data">
<display x="-210" y="120" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
```

```
</stage>
<stage stageid="c2af66f7-ac01-4bfc-b594-019937ce671c" name="Server Configuration Name" type="Data
<display x="-210" y="255" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Server (US-1709)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="2f35adde-edaf-4efa-9490-20fc905bdc19" name="Create Server Connection on client" typ
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-150" w="150" h="30"/>
<inputs>
<input type="text" name="Connection Name" friendlyname="Connection Name" narrative="The name you
<input type="text" name="Connection Type" friendlyname="Connection Type" narrative="A combobox in w
<input type="text" name="Database Server" friendlyname="Database Server" narrative="Where you will st
<input type="text" name="Database Name" friendlyname="Database Name" narrative="The actual name or
<input type="text" name="User ID" friendlyname="User ID" narrative="If you select SQL Auth this is the user.
<input type="text" name="Password" friendlyname="Password" narrative="If you select SQL Auth this is th
<input type="text" name="Blue Prism Server" friendlyname="Blue Prism Server" narrative="If you select a
<input type="text" name="Connection Mode" friendlyname="Connection Mode" narrative="If you selected a
<input type="text" name="Server Port" friendlyname="Server Port" narrative="If you selected a server conr
</inputs>
<onsuccess>71729f27-c5a4-4d72-b45a-2f33eee79b35</onsuccess>
<resource object="Blue Prism - General - Configuration" action="Create Connection"/>
</stage>
<stage stageid="62988f68-4267-488a-93c0-7c3cdcef75b6" name="Set Server Port" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="30" w="150" h="30"/>
```

```
<inputs>
<input type="text" name="Host Name / IP Address" friendlyname="Host Name / IP Address" narrative="Th
<input type="number" name="Port" friendlyname="Port" narrative="The port you want to set for the binding
</inputs>
<onsuccess>718a4678-bf31-46da-9c50-a8d966a9ef39</onsuccess>
<resource object="Blue Prism Server - Details" action="Set Binding"/>
</stage>
<stage stageid="718a4678-bf31-46da-9c50-a8d966a9ef39" name="Read Server Port" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="75" w="150" h="30"/>
<outputs>
<output type="text" name="Host Name / IP Address" friendlyname="Host Name / IP Address" narrative="T
<output type="number" name="Port" friendlyname="Port" narrative="The current port set for binding." stage</pre>
</outputs>
<onsuccess>ab1fb1e2-9cda-4e81-8db9-0495a066fd32</onsuccess>
<resource object="Blue Prism Server - Details" action="Read Binding"/>
</stage>
<stage stageid="ab1fb1e2-9cda-4e81-8db9-0495a066fd32" name="Server Port Correct?" type="Decision":
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="120" w="150" h="30"/>
<decision expression="[Port]=1709"/>
<ontrue>9a1d30a8-4c36-4176-bf49-cb903e1697a0</ontrue>
<onfalse>4fb0ed37-f076-4c43-a662-90575d685a56</onfalse>
</stage>
<stage stageid="4fb0ed37-f076-4c43-a662-90575d685a56" name="FAIL" type="Exception">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="120" y="120" w="30" h="30"/>
```

```
<exception localized="yes" type="SystemException" detail="&amp;quot;The server port wasn't set correctly</p>
</stage>
<stage stageid="dc700b14-a2bd-41de-9303-a6c53293ffa8" name="Port" type="Data">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="-150" y="-75" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5272a89e-2743-4fd3-8aca-d3554b91674b" name="Sign In" type="Action">
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-15" w="150" h="30"/>
<inputs>
<input type="text" name="Username" friendlyname="Username" expr=""/>
<input type="password" name="Password" friendlyname="Password" expr=""/>
<input type="password" name="New Password" friendlyname="New Password" narrative="If this is your fir
<input type="flag" name="Expect Password Reset" friendlyname="Expect Password Reset" expr=""/>
<input type="flag" name="Expected License Wizard" friendlyname="Expected License Wizard" expr=""/>
</inputs>
<outputs>
<output type="text" name="Locale" friendlyname="Locale" narrative="Blue Prism Locale setting" stage=""/>
</outputs>
<onsuccess>8c3fe14b-8008-461b-817b-b9584fad1cc3</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="f0a8e9fb-f06f-4f97-838c-1c57fc059986" name="Stop Server Service" type="Action">
```

```
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="90" w="150" h="30"/>
<inputs>
<input type="text" name="Arguments" friendlyname="Arguments" expr="&amp;quot;stop &amp;quot;&amp
<input type="flag" name="CreateWindow" friendlyname="CreateWindow" expr="True"/>
<input type="text" name="Filename" friendlyname="Filename" expr="&amp;quot;C:\Windows\System32\ne
<input type="flag" name="WaitForExit" friendlyname="WaitForExit" expr="True"/>
</inputs>
<onsuccess>b5a94fc4-b66d-4c02-b099-c387699761cb</onsuccess>
<resource object="Blue Prism Server - Server Services" action="Start Service"/>
</stage>
<stage stageid="d9544298-783d-44e2-89dc-efafc90fd4f3" name="Add to Cleanup (Blue Prism)" type="Sul
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="-60" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>3c7b6a88-379f-4196-b682-100f99e1c0e2</onsuccess>
</stage>
<stage stageid="9e9ed56e-67f0-4642-8215-1e28f278264c" name="Add to Cleanup (DB Con)" type="Sub$
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="165" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>e9e67477-25ea-42f0-a249-4f9717d8af54</onsuccess>
```

```
</stage>
<stage stageid="71729f27-c5a4-4d72-b45a-2f33eee79b35" name="Add to Cleanup (Server Con)" type="S
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-105" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>e1b7baa6-f469-4caf-b98d-8515f8242f51</onsuccess>
</stage>
<stage stageid="b4fadfea-ef60-4a8a-baf9-39a6d9785984" name="Delete Connection (DB Connection)" tyl
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="120" w="150" h="30"/>
<inputs>
<input type="text" name="Connection Name" friendlyname="Connection Name" narrative="The name of the
</inputs>
<onsuccess>7b10a626-e358-42f6-9e2a-e7851da3ddc9</onsuccess>
<resource object="Blue Prism - General - Configuration" action="Delete Connection"/>
</stage>
<stage stageid="845cc349-473e-4c2b-9b12-e74bc7c866fe" name="Delete Connection (Server Connection
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="150" w="150" h="30"/>
<inputs>
<input type="text" name="Connection Name" friendlyname="Connection Name" narrative="The name of the
</inputs>
<onsuccess>fc66a187-6366-41b7-bae2-6406909709ee</onsuccess>
```

```
<resource object="Blue Prism - General - Configuration" action="Delete Connection"/>
</stage>
<stage stageid="8c3fe14b-8008-461b-817b-b9584fad1cc3" name="Add to Cleanup (Sign Out)" type="Sub
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="30" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>7da26edb-f7ba-46a3-a6c4-3b8b8f77cac0</onsuccess>
</stage>
<stage stageid="f09770b1-a799-43da-a954-14626dad8396" name="Sign Out" type="Action">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="180" w="150" h="30"/>
<onsuccess>3437576d-16b0-4a30-b8a1-4fade6eedf74</onsuccess>
<resource object="Blue Prism" action="Sign Out"/>
</stage>
<stage stageid="5ee4141e-684e-4bee-b65a-16f69a570a93" name="Add to Cleanup (Server)" type="SubS
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="-195" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>b9a8f69e-9c8c-42ed-93a6-f9cf386b9f8d</onsuccess>
</stage>
<stage stageid="ad78be88-9204-40fb-a271-a6e69d1b17b1" name="Add to Cleanup (Server Conf)" type="
```

```
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="660" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>6a26dd6f-00e4-46a3-b837-5cfc11d286ce</onsuccess>
</stage>
<stage stageid="8fd2a24b-85c8-4604-a648-dd4eeb2d170a" name="Terminate Server" type="Action">
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="210" w="150" h="30"/>
<onsuccess>663e3887-e719-4620-af3b-2027e3cb45b8</onsuccess>
<resource object="Blue Prism Server (Parent)" action="Terminate"/>
</stage>
<stage stageid="8807ae32-fda6-472e-b329-429d1aaa4411" name="Select Server Configuration" type="Ad
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="225" y="240" w="180" h="30"/>
<inputs>
<input type="text" name="Configuration Name" friendlyname="Configuration Name" narrative="The name
</inputs>
<onsuccess>74a5eb0c-4874-40ea-b1da-276bb37e2031
<resource object="Blue Prism Server" action="Select Configuration"/>
</stage>
<stage stageid="74a5eb0c-4874-40ea-b1da-276bb37e2031" name="Delete Server Configuration" type="A
<subsheetid>3d6aacbd-42a5-408c-8f63-319168e7a981</subsheetid>
<display x="405" y="240" w="150" h="30"/>
<onsuccess>96424d3e-573e-4767-b9a1-dfb2e2d076ad</onsuccess>
```

```
<resource object="Blue Prism Server" action="Press Delete"/>
</stage>
<stage stageid="29f62269-9314-4c06-91fe-14cd382cfcc1" name="Note1" type="Note">
<narrative>THEN I should be able to connect via Blue Prism</narrative>
<display x="15" y="195" w="240" h="30"/>
<font family="Segoe UI" size="11" style="Bold" color="3DB87A"/>
<onsuccess>142e381d-7141-4650-9c8d-e459140a107a</onsuccess>
</stage>
<stage stageid="10dd351b-3070-4057-98a7-e348f33c7d89" name="Block1" type="Block">
<display x="420" y="-90" w="120" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="5709105a-633c-4d41-afd5-44bfc6727977" name="Select Tab (Key Store)" type="Action";
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="435" w="150" h="30"/>
<inputs>
<input type="text" name="Tab" friendlyname="Tab" narrative="The name of the tab you want to select." ex
</inputs>
<onsuccess>a4e66707-5f93-4b76-833c-2f12f995798b</onsuccess>
<resource object="Blue Prism Server - Basic Actions" action="Select Tab"/>
</stage>
<stage stageid="a4e66707-5f93-4b76-833c-2f12f995798b" name="Press New Encryption Scheme" type="</p>
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="480" w="150" h="30"/>
<onsuccess>51b224d1-8b79-48de-bd12-1261ae6d6039</onsuccess>
<resource object="Blue Prism Server - Key Store" action="Press New"/>
</stage>
```

```
<stage stageid="51b224d1-8b79-48de-bd12-1261ae6d6039" name="Set Encryption Scheme" type="Action
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="525" w="150" h="30"/>
<inputs>
<input type="text" name="Name" friendlyname="Name" narrative="The name you want to give your encrypt
<input type="text" name="Method" friendlyname="Method" narrative="TThe method you want to give your
</inputs>
<onsuccess>39a5d355-f76f-4f30-9bac-c078cc0d16cb</onsuccess>
<resource object="Blue Prism Server - Key Store" action="Set Encryption Scheme"/>
</stage>
<stage stageid="39a5d355-f76f-4f30-9bac-c078cc0d16cb" name="Press OK" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="570" w="150" h="30"/>
<onsuccess>8880d836-42bf-44a6-9780-0122636a2b33
<resource object="Blue Prism Server - Key Store" action="Press OK"/>
</stage>
<stage stageid="7ac94daa-8891-45ad-a390-96cf100db811" name="Start Server Service" type="SubSheef
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="-195" y="-75" w="150" h="90"/>
</stage>
<stage stageid="1ad21b47-ce4f-425e-9e35-50721b2347cd" name="Start" type="Start">
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="15" y="-105"/>
<onsuccess>2eb5d5a5-65ec-4e9e-aac3-e4e7ecba85da</onsuccess>
</stage>
<stage stageid="f5ec729b-d778-4923-aa97-b65e1cfeb44e" name="End" type="End">
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
```

```
<display x="15" y="75"/>
</stage>
<stage stageid="41ecfc98-6ae7-449e-b0b6-b0ef9235c96a" name="Start Server Service" type="SubSheet"
<display x="15" y="150" w="240" h="30"/>
<onsuccess>29f62269-9314-4c06-91fe-14cd382cfcc1</onsuccess>
cessid>a0be92cd-70f4-4058-984f-2b1f7477b492/processid>
</stage>
<stage stageid="2eb5d5a5-65ec-4e9e-aac3-e4e7ecba85da" name="Start Server Service" type="Action">
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="15" y="-60" w="150" h="30"/>
<inputs>
<input type="text" name="Arguments" friendlyname="Arguments" expr="&amp;quot;start &amp;quot;&amp
<input type="flag" name="CreateWindow" friendlyname="CreateWindow" expr="True"/>
<input type="text" name="Filename" friendlyname="Filename" expr="&amp;quot;C:\Windows\System32\ne
<input type="flag" name="WaitForExit" friendlyname="WaitForExit" expr="True"/>
</inputs>
<outputs>
<output type="flag" name="Success" friendlyname="Success" stage="Success"/>
<output type="text" name="Output" friendlyname="Output" stage="Output"/>
</outputs>
<onsuccess>e132ccee-b0b6-487e-91e0-de61bbed07f2</onsuccess>
<resource object="Blue Prism Server - Server Services" action="Start Service"/>
</stage>
<stage stageid="d49e053c-1744-44ed-b1b7-76cfe4faa6b3" name="Add to Cleanup (Stop Service)" type="
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="15" y="30" w="150" h="30"/>
<inputs>
```

```
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>f5ec729b-d778-4923-aa97-b65e1cfeb44e</onsuccess>
</stage>
<stage stageid="e978b4b4-1e31-4202-8cea-c554a62c3c94" name="Success" type="Data">
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="-195" y="15" w="120" h="30"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="28686007-8c75-439b-8136-08320610a846" name="Output" type="Data">
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="-195" y="45" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="0c1fdbfb-6cd6-46a5-a8dc-a3f0139b6d2e" name="Local Variables" type="Block">
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="-270" y="-15" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e132ccee-b0b6-487e-91e0-de61bbed07f2" name="Service Started?" type="Decision">
```

```
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="15" y="-15" w="150" h="30"/>
<decision expression="[Success]"/>
<ontrue>d49e053c-1744-44ed-b1b7-76cfe4faa6b3</ontrue>
<onfalse>822ffcbf-2625-4f17-8d9c-751b2bb4e75c</onfalse>
</stage>
<stage stageid="822ffcbf-2625-4f17-8d9c-751b2bb4e75c" name="Service didn't start Exception" type="Ex
<subsheetid>a0be92cd-70f4-4058-984f-2b1f7477b492</subsheetid>
<display x="135" y="-15"/>
<exception localized="yes" type="" detail="&amp;quot;The service didn't start: &amp;quot;&amp;amp;[Outpercontinuity]
</stage>
<stage stageid="472ca360-b827-407d-bd54-88822862d299" name="Remove from Cleanup" type="SubSh
<subsheetid>afeadc7e-5b31-4dd7-8ae1-0425070bbf14</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
</stage>
<stage stageid="0463b1ba-f055-4ad7-b2b6-f8d389499e70" name="Start" type="Start">
<subsheetid>afeadc7e-5b31-4dd7-8ae1-0425070bbf14</subsheetid>
<display x="15" y="-105"/>
<inputs>
<input type="text" name="Item to remove" stage="Item to remove"/>
</inputs>
</stage>
<stage stageid="2408610d-5f6a-4af9-9370-b247e75ac2e6" name="End" type="End">
<subsheetid>afeadc7e-5b31-4dd7-8ae1-0425070bbf14</subsheetid>
<display x="15" y="90"/>
</stage>
<stage stageid="e9e67477-25ea-42f0-a249-4f9717d8af54" name="Terminate" type="Action">
```

```
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<display x="15" y="210" w="150" h="30"/>
<onsuccess>530f3ef8-16d4-40bd-a370-78ce4c1ea3db</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="df934f59-9ceb-4f46-9b86-f2a89eff4c45" name="Item to remove" type="Data">
<subsheetid>afeadc7e-5b31-4dd7-8ae1-0425070bbf14</subsheetid>
<display x="-195" y="-15" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="911012bd-79be-49e5-96a9-3bbfa16857a3" name="Input Variable" type="Block">
<subsheetid>afeadc7e-5b31-4dd7-8ae1-0425070bbf14</subsheetid>
<display x="-270" y="-45" w="150" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="cf278e0c-f1ea-482a-92dc-b66c2695dc70" name="Start" type="Start">
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-375"/>
<onsuccess>0de2369b-4159-4c96-86d3-91c751461dad</onsuccess>
</stage>
<stage stageid="0de2369b-4159-4c96-86d3-91c751461dad" name="Launch" type="Action">
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-330" w="150" h="30"/>
<outputs>
```

```
<output type="number" name="pid" friendlyname="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>23dc2082-794d-4992-a58b-18366d2b0290</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="6f32067e-af02-4738-a0fc-e792753c3a0d" name="Attach General" type="Action">
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-240" w="150" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>fdc79d31-2f85-4b91-a087-31c250c45ce7</onsuccess>
<resource object="Blue Prism - General (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="23dc2082-794d-4992-a58b-18366d2b0290" name="Add to Cleanup (Blue Prism)" type="$
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="-285" w="150" h="30"/>
<inputs>
<input type="text" name="Item Name" friendlyname="Item Name" narrative="The name of the item you wa
</inputs>
<onsuccess>6f32067e-af02-4738-a0fc-e792753c3a0d</onsuccess>
</stage>
<stage stageid="7da26edb-f7ba-46a3-a6c4-3b8b8f77cac0" name="Terminate" type="Action">
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
<display x="15" y="75" w="150" h="30"/>
<onsuccess>9bda8972-e056-4f41-965b-0619b1b020b3</onsuccess>
```

```
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="6a26dd6f-00e4-46a3-b837-5cfc11d286ce" name="Terminate Server" type="Action">
<subsheetid>ce42f503-3277-462e-9bac-5ed70af902d7</subsheetid>
<display x="15" y="705" w="150" h="30"/>
<onsuccess>9d7f72f3-620b-4b0d-b1f6-c0fd04d6524e</onsuccess>
<resource object="Blue Prism Server (Parent)" action="Terminate"/>
</stage>
<stage stageid="6fb60b99-15bb-4c1d-ad22-9d71e6f1eb9d" name="Wait for Establish Connection to finish
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="150" h="30"/>
<onsuccess>de872cdc-4710-4178-9b2f-8adfc93ed448</onsuccess>
<resource object="Blue Prism - General - Configuration" action="Wait for Establish Connection to Finish"/>
</stage>
<stage stageid="0c624fe9-b65e-475a-93a1-6b5b69e8901d" name="Wait for Establish Connection to finish
<subsheetid>4fe81f0f-88ea-4cf0-9b62-bfe4efcbcd79</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="120" w="150" h="30"/>
<onsuccess>9e9ed56e-67f0-4642-8215-1e28f278264c</onsuccess>
<resource object="Blue Prism - General - Configuration" action="Wait for Establish Connection to Finish"/>
</stage>
<stage stageid="fdc79d31-2f85-4b91-a087-31c250c45ce7" name="Wait for Establish Connection to finish"
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-195" w="150" h="30"/>
<onsuccess>2f35adde-edaf-4efa-9490-20fc905bdc19</onsuccess>
```

```
<resource object="Blue Prism - General - Configuration" action="Wait for Establish Connection to Finish"/>
</stage>
<stage stageid="e1b7baa6-f469-4caf-b98d-8515f8242f51" name="Wait for Establish Connection to finish"
<subsheetid>4342b2b3-abf0-448e-9326-6086e9c592a6</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="150" h="30"/>
<onsuccess>5272a89e-2743-4fd3-8aca-d3554b91674b</onsuccess>
<resource object="Blue Prism - General - Configuration" action="Wait for Establish Connection to Finish"/>
</stage>
<view>
<camerax>0</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="bc5aa525-871a-4c86-a900-2803adf4972e" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8c84d20e-2726-491d-8991-a78351d85ab0</onsuccess>
```

```
</stage>
<stage stageid="2655ddc7-415c-4e31-a1d8-b524f4682e01" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1ae7dddf-e7d3-46f6-80a2-195e494623a5" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8c84d20e-2726-491d-8991-a78351d85ab0" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>8606a619-7cfe-4532-ba2d-df04b1a93a28</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="8606a619-7cfe-4532-ba2d-df04b1a93a28" name="Attach to Control" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>87e4f2fb-950f-4594-98b0-39938db1e19e</onsuccess>
<resource object="Blue Prism - Control Room (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="87e4f2fb-950f-4594-98b0-39938db1e19e" name="Sign In" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
</inputs>
<onsuccess>9d720e97-3ab2-44ae-b0d0-24d3fd720d9a</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="461bb428-f68f-488c-ad71-0f08ac3f6acc" name="pid" type="Data">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="87a3cfba-4428-40f2-90a6-e4ffb6b87518" name="Local Variable" type="Block">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9d720e97-3ab2-44ae-b0d0-24d3fd720d9a" name="Go To Control" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;Control&amp;quot
</inputs>
<onsuccess>1062fc95-e431-4bd2-a341-6ed423918e10
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="1062fc95-e431-4bd2-a341-6ed423918e10" name="Headers" type="LoopStart">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e6edaab5-8674-4f82-bada-1479c70e55cb</onsuccess>
```

```
<groupid>deea2098-b4d8-492d-9383-11fa4cff2c94</groupid>
<looptype>ForEach</looptype>
<loopdata>Session Headers
</stage>
<stage stageid="8fe95092-8f54-4ee0-a145-e4bcbf2ecec4" name="Headers" type="LoopEnd">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6aa59f10-0090-4914-9c3d-5d03497f50ca</onsuccess>
<groupid>deea2098-b4d8-492d-9383-11fa4cff2c94</groupid>
</stage>
<stage stageid="e6edaab5-8674-4f82-bada-1479c70e55cb" name="Sort by Header" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Header" narrative="The name of the header that you want to sort by." expr="[Se
</inputs>
<onsuccess>8fe95092-8f54-4ee0-a145-e4bcbf2ecec4</onsuccess>
```

```
<resource object="Blue Prism - Control - Session Management" action="Sort Sessions (Dynamic)"/>
</stage>
<stage stageid="b3157f28-f3ed-44b4-b82c-2a96c0dd40ba" name="Session Headers" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Header" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Header" type="text" value="ID"/>
</row>
<row>
<field name="Header" type="text" value="Process"/>
</row>
<row>
<field name="Header" type="text" value="Resource"/>
</row>
```

<row>

```
<field name="Header" type="text" value="User"/>
</row>
<row>
<field name="Header" type="text" value="Status"/>
</row>
<row>
<field name="Header" type="text" value="Start Time"/>
</row>
<row>
<field name="Header" type="text" value="End Time"/>
</row>
<row>
<field name="Header" type="text" value="Latest Stage"/>
</row>
</initialvalue>
</stage>
<stage stageid="feca3493-a45f-4378-8383-b8336c64179f" name="Input Variable" type="Block">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6aa59f10-0090-4914-9c3d-5d03497f50ca" name="Terminate" type="Action">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2655ddc7-415c-4e31-a1d8-b524f4682e01
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="66136f47-7032-4d69-b0d2-a258b39f7243" type="Normal" published="False">
<name>Clear Queue</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="d7e19c24-23f7-470a-8619-dd2b3857e9ca" name="Start" type="Start">
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c88755be-931c-4fc3-8104-6eb3baee9d60</onsuccess>
</stage>
<stage stageid="b29b7569-23c7-44be-a2ce-c654d6fcdbf3" name="Stage1" type="ProcessInfo">
<loginhibit/>
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="72e1aea1-6b47-4eac-b60e-969446c253b7" name="Initial Data" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Loan Number" type="text" description="The loan number - the key field"/>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
</collectioninfo>
<initialvalue>
<row>
<field name="Loan Number" type="text" value="12345678"/>
<field name="Name" type="text" value="Stuart Wood"/>
<field name="Count" type="number" value="1"/>
</row>
<row>
<field name="Loan Number" type="text" value="87654321"/>
<field name="Name" type="text" value="Andrew Marr"/>
<field name="Count" type="number" value="99"/>
</row>
<row>
<field name="Loan Number" type="text" value="45671234"/>
<field name="Name" type="text" value="Natasha Keplinksy"/>
<field name="Count" type="number" value="10"/>
</row>
</initialvalue>
```

```
</stage>
<stage stageid="9be6d905-43fe-4be2-9833-0fd089a7fcba" name="Add Initial Data" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="collection" name="Data" narrative="A collection containing the data, one row for each item to
<input type="datetime" name="Defer Until" narrative="Optionally, the date/time the new item(s) should be
<input type="number" name="Priority" narrative="Optionally, the priority for the new item(s). Lower number
<input type="text" name="Tags" narrative="Optionally, a semi-colon-separated set of tags to apply to the q
<input type="text" name="Status" narrative="Optionally, the initial status required of the work queue item(s
</inputs>
<outputs>
<output type="collection" name="Item IDs" narrative="The IDs of the items which have been added to the
</outputs>
<onsuccess>ef87304e-b572-4f09-b0df-69ad1c5388b3</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Add To Queue"/>
</stage>
<stage stageid="68f5a920-ea76-4342-a010-d502ff53a53b" name="Item IDs" type="Collection">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>-75</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Item ID" type="text" description="The Item ID of the work queue item"/>
</collectioninfo>
</stage>
<stage stageid="ef87304e-b572-4f09-b0df-69ad1c5388b3" name="For Each Item ID" type="LoopStart">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="800000"/>
<onsuccess>6387cb6b-3cbf-4cf1-ba14-64308f668cee</onsuccess>
<groupid>f3104b1d-ac3f-4617-a1b5-e2bb3f2914cd</groupid>
<looptype>ForEach</looptype>
<loopdata>Item IDs</loopdata>
</stage>
```

```
<stage stageid="ef619602-e468-46a6-8491-093705209fe5" name="Next Item ID" type="LoopEnd">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="800000"/>
<onsuccess>51185f16-19c9-43f8-91d5-33df232adadc</onsuccess>
<groupid>f3104b1d-ac3f-4617-a1b5-e2bb3f2914cd</groupid>
</stage>
<stage stageid="6387cb6b-3cbf-4cf1-ba14-64308f668cee" name="Note1" type="Note">
<narrative>Needs to be locked.
This should fail</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>6c9f2104-15b9-45b3-aa1b-4e68d12ca8aa</onsuccess>
</stage>
<stage stageid="6c9f2104-15b9-45b3-aa1b-4e68d12ca8aa" name="Set Data" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>1421b45e-ef94-4c57-a404-2e7af3d184d9</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="bc7514f3-16e5-4d71-a0b2-ad984127b74c" name="Single Data" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Loan Number" type="text" description="The loan number - the key field"/>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
```

```
</collectioninfo>
<initialvalue>
<row>
<field name="Loan Number" type="text" value="12345678"/>
<field name="Name" type="text" value="Collaterly Sisters"/>
<field name="Count" type="number" value="5"/>
</row>
</initialvalue>
</stage>
<stage stageid="1421b45e-ef94-4c57-a404-2e7af3d184d9" name="Fail" type="Exception">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Set Exception" detail="&amp;quot;Item not locked, but it allowed SetData: &amp;q
</stage>
<stage stageid="19fca0a2-fcb1-4214-9014-797af31102e4" name="." type="Block">
<loginhibit/>
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>-15</displayy>
<displaywidth>195</displaywidth>
<displayheight>150</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="504f9666-5e0d-465c-a92a-6bd4b8de4eab" name="Recover" type="Recover">
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d02146dc-d512-4669-94f4-39a6aae2f776</onsuccess>
</stage>
<stage stageid="d02146dc-d512-4669-94f4-39a6aae2f776" name="Resume" type="Resume">
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d4556a39-33a7-44aa-aa17-ffbf136f8e10</onsuccess>
</stage>
<stage stageid="d4556a39-33a7-44aa-aa17-ffbf136f8e10" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ef619602-e468-46a6-8491-093705209fe5</onsuccess>
</stage>
<stage stageid="6a91f76b-990b-45f8-8d74-ac7cface6004" name="Get Next" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite
```

```
</outputs>
<onsuccess>70221154-4294-4c0a-b808-fe2fd2cf0113</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="fc73fac1-6e7b-4305-b930-38d7a49d1a49" name="Queue Name" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Loans</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="086d1bda-fa26-4b4b-bb56-97278e08e557" name="Item ID" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="380a4dba-a563-4c0d-961b-14cab115081a" name="Output Data" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-270</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="7016776b-8771-486d-8ec6-41515010907f" name="SetData(Secondary)" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>45cc904f-db2b-41c5-8dc7-ceb0cad62840</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="5feb9581-81a3-40b4-ba8a-f72d29dd4357" name="anchor2" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>-45</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>df2aa1a6-07ee-4a78-a52b-289acda992ee</onsuccess>
</stage>
<stage stageid="2f5985eb-31cc-4d22-9a16-5ef28fd19c3d" name="Keyless Data" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
<field name="Date of Birth" type="date" description="The date of birth"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Name" type="text" value="Collaterly Sisters"/>
<field name="Count" type="number" value="5"/>
<field name="Date of Birth" type="date" value="1903/04/05"/>
</row>
</initialvalue>
</stage>
<stage stageid="9cfb7241-06a4-4c9c-a00a-8cf58d5f37e4" name="Clear Queue" type="SubSheetInfo">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ae1b1f26-2009-42cc-b88e-4360017b3b2c" name="Start" type="Start">
```

```
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue" stage="Queue Name"/>
</inputs>
<onsuccess>68f11d06-5439-4eec-8d22-2367d8ab29d3/onsuccess>
</stage>
<stage stageid="874dda20-4611-471e-aa89-f711edc1d68c" name="End" type="End">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3290e10a-fe26-4dc6-ab75-ba66485c17a2" name="Queue Name" type="Data">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="68f11d06-5439-4eec-8d22-2367d8ab29d3" name="Get Next" type="Action">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
```

```
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite
</outputs>
<onsuccess>2ea9606c-023a-4aa9-8094-21a4a6e3ddcd</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="28ee238c-3848-4012-bca1-2a55951ff0a4" name="Item ID" type="Data">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2ea9606c-023a-4aa9-8094-21a4a6e3ddcd" name="One There?" type="Decision">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] &amp;It;&amp;gt; &amp;quot;&amp;quot;"/>
<ontrue>45867f6f-334f-4b74-ac5c-593fff068f25</ontrue>
<onfalse>e6c6db3a-e348-4d0a-9586-fafe22ac206d</onfalse>
</stage>
<stage stageid="45867f6f-334f-4b74-ac5c-593fff068f25" name="Mark Exception" type="Action">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the item to mark" expr="[Item ID]"/>
<input type="text" name="Exception Reason" narrative="A description of the reason for the exception" exp
<input type="flag" name="Retry" narrative="Whether or not to retry the item, up to the maximum number of
<input type="flag" name="Keep Locked" narrative="Whether or not the clone of the item should remain locked"
</inputs>
<outputs>
```

```
<output type="text" name="New Item ID" narrative="The Item ID of the newly cloned item. This item will be</p>
</outputs>
<onsuccess>7acca463-f201-4aca-b2b3-faba2a338e5d</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Mark Exception"/>
</stage>
<stage stageid="7acca463-f201-4aca-b2b3-faba2a338e5d" name="anchor3" type="Anchor">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-90</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>68f11d06-5439-4eec-8d22-2367d8ab29d3</onsuccess>
</stage>
<stage stageid="e6c6db3a-e348-4d0a-9586-fafe22ac206d" name="Delete Items" type="Action">
<subsheetid>66136f47-7032-4d69-b0d2-a258b39f7243</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to delete items from" expr="[Q
<input type="datetime" name="Date Threshold" narrative="The threshold date. Items completed or marked
</inputs>
<outputs>
<output type="number" name="Deletion Count" narrative="Indicates the number of items which were deleted.</p>
</outputs>
<onsuccess>874dda20-4611-471e-aa89-f711edc1d68c</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Delete Processed Items"/>
</stage>
<stage stageid="4256275e-fbae-4bfa-9e09-8a47f296099b" name="Clear Queue" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue" expr="[Queue Name]"/>
</inputs>
<onsuccess>9be6d905-43fe-4be2-9833-0fd089a7fcba</onsuccess>
</stage>
<stage stageid="096aa8d4-3fdd-441d-b852-efa3e6a6aa3d" name="Secondary Data" type="Collection">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>270</displayx>
<displayy>-225</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Loan Number" type="text" description="The loan number - the key field"/>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
<field name="Date Of Birth" type="date" description="The date of birth."/>
</collectioninfo>
</stage>
<stage stageid="93592db7-0163-48cc-a77a-1d8edafceabc" name="Tag: Has Date Of Birth" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Has Date Of Birth</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="c887b75b-c6f1-4159-9914-157b07004843" name="Note2" type="Note">
<narrative>Add Date of Birth/narrative>
<displayx>270</displayx>
<displayy>-180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>e077f40d-00bb-420d-82c4-7a390adb14ce</onsuccess>
</stage>
<stage stageid="70221154-4294-4c0a-b808-fe2fd2cf0113" name="Finished?" type="Decision">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] = &amp;quot;&amp;quot;"/>
<ontrue>5feb9581-81a3-40b4-ba8a-f72d29dd4357</ontrue>
<onfalse>51a730a3-1e18-4eae-abac-54c203d59bda</onfalse>
</stage>
<stage stageid="51185f16-19c9-43f8-91d5-33df232adadc" name="anchor1" type="Anchor">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>04d5d4b0-c026-4b01-93c4-d2fd51d019a9</onsuccess>
</stage>
<stage stageid="04d5d4b0-c026-4b01-93c4-d2fd51d019a9" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-180</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c887b75b-c6f1-4159-9914-157b07004843</onsuccess>
</stage>
<stage stageid="51a730a3-1e18-4eae-abac-54c203d59bda" name="Secondary.AddRow()" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>0</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
<onsuccess>8de43071-5095-4027-bf33-d4edbd95df46</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="8de43071-5095-4027-bf33-d4edbd95df46" name="Secondary := Output" type="MultipleC
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7016776b-8771-486d-8ec6-41515010907f</onsuccess>
<steps>
<calculation expression="[Output Data.Loan Number]" stage="Secondary Data.Loan Number"/>
<calculation expression="[Output Data.Name]" stage="Secondary Data.Name"/>
<calculation expression="[Output Data.Count]" stage="Secondary Data.Count"/>
<calculation expression="[Dates Of Birth.Value]" stage="Secondary Data.Date Of Birth"/>
</steps>
</stage>
<stage stageid="97fa6d9f-0592-4e95-8723-c1e85d4e89cf" name="Dates Of Birth" type="Collection">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>105</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Value" type="date" description="The date of birth"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Value" type="date" value="1986/05/12"/>
</row>
<row>
<field name="Value" type="date" value="1972/11/01"/>
</row>
<row>
<field name="Value" type="date" value="1991/01/31"/>
</row>
</initialvalue>
</stage>
<stage stageid="e077f40d-00bb-420d-82c4-7a390adb14ce" name="For Each Date Of Birth" type="LoopSt
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>6a91f76b-990b-45f8-8d74-ac7cface6004</onsuccess>
<groupid>d8f57ecc-8979-4537-9741-a5c7d01cebaa</groupid>
<looptype>ForEach</looptype>
<loopdata>Dates Of Birth</loopdata>
</stage>
<stage stageid="0a7d5534-439d-4d39-b2cc-d257fcc238cd" name="Next Date Of Birth" type="LoopEnd">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>270</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>05d7db80-c364-4bd7-97eb-37acbc942655</onsuccess>
<groupid>d8f57ecc-8979-4537-9741-a5c7d01cebaa</groupid>
</stage>
<stage stageid="a13f31f8-d78c-46ad-b1ab-812437de281a" name="Note3" type="Note">
<loginhibit/>
<narrative>Constants</narrative>
```

```
<displayx>-345</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="000000"/>
</stage>
<stage stageid="833705f2-c828-4bdc-858c-a709dbe544ef" name="Unlock Item" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex
</inputs>
<outputs>
<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action of the context of t
</outputs>
<onsuccess>3e3c957d-ed13-4027-8e8b-91078673bc54</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>
</stage>
<stage stageid="45cc904f-db2b-41c5-8dc7-ceb0cad62840" name="Tag with DOB Set" type="Action">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>270</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the queue item to add the tag to" expr="[Item ID]"/>
<input type="text" name="Tag" narrative="The tag to add to the item. Note that this cannot start with a '+' (
</inputs>
<onsuccess>833705f2-c828-4bdc-858c-a709dbe544ef</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Tag Item"/>
</stage>
<stage stageid="df2aa1a6-07ee-4a78-a52b-289acda992ee" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>270</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0a7d5534-439d-4d39-b2cc-d257fcc238cd</onsuccess>
</stage>
<stage stageid="05d7db80-c364-4bd7-97eb-37acbc942655" name="Note2" type="Note">
<narrative>Check DOB is present/narrative>
<displayx>270</displayx>
```

```
<displayy>315</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>22578eb3-5d2d-4e42-b065-4f8c96981c20</onsuccess>
</stage>
<stage stageid="92d35930-718b-4e99-9b99-22678f0d6efc" name="Get Next" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>405</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite</p>
</outputs>
<onsuccess>994f60d9-2c19-49eb-bc2b-59b6d07e22b9</onsuccess>
```

```
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="d0d5f994-69d3-4531-9558-667b0dd6a2dd" name="anchor2" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>450</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c74f23d3-b89d-4481-829e-f500e72debf2</onsuccess>
</stage>
<stage stageid="994f60d9-2c19-49eb-bc2b-59b6d07e22b9" name="Finished?" type="Decision">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>450</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Item ID] = &amp;quot;&amp;quot;"/>
<ontrue>d0d5f994-69d3-4531-9558-667b0dd6a2dd/
<onfalse>2d5ade15-cb98-4e6d-8063-dcef97933083</onfalse>
</stage>
<stage stageid="22578eb3-5d2d-4e42-b065-4f8c96981c20" name="For Each Date Of Birth" type="LoopSt
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>92d35930-718b-4e99-9b99-22678f0d6efc</onsuccess>
<groupid>578a5d1b-955c-46b5-85a2-416bd2ecdf7e</groupid>
<looptype>ForEach</looptype>
<loopdata>Dates Of Birth</loopdata>
</stage>
<stage stageid="5b1b6025-e038-4811-a888-c136d087d2b0" name="Next Date Of Birth" type="LoopEnd">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>720</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="0000FF"/>
<onsuccess>10b2c20a-3b92-47fc-87ab-ba8fb3e75e87</onsuccess>
<groupid>578a5d1b-955c-46b5-85a2-416bd2ecdf7e</groupid>
</stage>
<stage stageid="eaf493cd-15fa-46c1-ac45-7a597832c39b" name="Unlock Item" type="Action">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>675</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex
</inputs>
<outputs>
<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action of the context of t
</outputs>
<onsuccess>5b1b6025-e038-4811-a888-c136d087d2b0</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>
</stage>
<stage stageid="19472509-35c1-40ba-b540-467818c050a9" name="Tag with DOB Verif" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>630</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the queue item to add the tag to" expr="[Item ID]"/>
```

```
<input type="text" name="Tag" narrative="The tag to add to the item. Note that this cannot start with a '+' (
</inputs>
<onsuccess>eaf493cd-15fa-46c1-ac45-7a597832c39b</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Tag Item"/>
</stage>
<stage stageid="c74f23d3-b89d-4481-829e-f500e72debf2" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>720</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5b1b6025-e038-4811-a888-c136d087d2b0</onsuccess>
</stage>
<stage stageid="2d5ade15-cb98-4e6d-8063-dcef97933083" name="DOB Match?" type="Decision">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>495</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Dates Of Birth.Value] = [Output Data.Date Of Birth]"/>
<ontrue>4b28ce3b-ba0b-413c-b795-8213345c1c17</ontrue>
```

```
<onfalse>d623009f-b9b8-4b28-81cc-5cb23908d195</onfalse>
</stage>
<stage stageid="865dfb0c-7080-4398-818b-5157d3f141a8" name="Tag: Verified Date Of Birth" type="Data
<loginhibit/>
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>195</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">DOB Verified</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="d623009f-b9b8-4b28-81cc-5cb23908d195" name="Fail" type="Exception">
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>540</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Not Set Exception" detail="&amp;quot;Expected date of birth: &amp;quot; &amp;aid</p>
</stage>
<stage stageid="4b28ce3b-ba0b-413c-b795-8213345c1c17" name="anchor2" type="Anchor">
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>495</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b7712a86-44b9-44d9-9c10-78520a512b54</onsuccess>
</stage>
<stage stageid="b7712a86-44b9-44d9-9c10-78520a512b54" name="anchor2" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>630</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>19472509-35c1-40ba-b540-467818c050a9
</stage>
<stage stageid="d68a748b-43db-4e4d-bab8-c62bad7072d2" name="Data With Bad Key Value" type="Coll
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>105</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Loan Number" type="text" description="The loan number - the key field"/>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
<field name="Date Of Birth" type="date" description="The date of birth."/>
</collectioninfo>
<initialvalue>
<row>
<field name="Loan Number" type="text" value="11111111"/>
<field name="Name" type="text" value="Seamus O'Malley"/>
<field name="Count" type="number" value="-1"/>
<field name="Date Of Birth" type="date" value="1903/02/01"/>
</row>
</initialvalue>
</stage>
<stage stageid="208b4de2-59a4-48a7-95c9-09819ea1c639" name="Single Row Data" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>150</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<singlerow/>
<field name="Loan Number" type="text" description="The loan number - the key field"/>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
<field name="Date Of Birth" type="date" description="The date of birth."/>
</collectioninfo>
<initialvalue>
<singlerow/>
<row>
<field name="Loan Number" type="text" value="12345678"/>
<field name="Name" type="text" value="Single Rowed"/>
<field name="Count" type="number" value="101"/>
<field name="Date Of Birth" type="date" value="1901/02/03"/>
</row>
</initialvalue>
</stage>
<stage stageid="aa973cbc-d89b-4c71-ac59-6d792bdb612a" name="Note4" type="Note">
<narrative>Bad Key Value should fail
<displayx>435</displayx>
<displayy>-180</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>431b1405-01dc-4140-bcc7-c768cf7b084e</onsuccess>
</stage>
<stage stageid="10b2c20a-3b92-47fc-87ab-ba8fb3e75e87" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>720</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>df474992-81ce-4d1d-a595-40458ce2747d</onsuccess>
</stage>
<stage stageid="df474992-81ce-4d1d-a595-40458ce2747d" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>-180</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>aa973cbc-d89b-4c71-ac59-6d792bdb612a</onsuccess>
</stage>
```

```
<stage stageid="431b1405-01dc-4140-bcc7-c768cf7b084e" name="Get Next" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite</p>
</outputs>
<onsuccess>69a52a3f-523d-4ade-a5a6-45e41a069387</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="69a52a3f-523d-4ade-a5a6-45e41a069387" name="SetData(BadKeyValue)" type="Action
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>435</displayx>
<displayy>-75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>aa003c80-311e-4938-9d1d-38d93fd69543</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="aa003c80-311e-4938-9d1d-38d93fd69543" name="Fail" type="Exception">
<narrative>
</narrative>
<displayx>525</displayx>
<displayy>-75</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Set Exception" detail="&amp;quot;Allowed setting of the wrong key value; Current v
</stage>
<stage stageid="60508670-7ae0-45d3-962a-99d5f5ce28aa" name="." type="Block">
<loginhibit/>
<narrative>
</narrative>
<displayx>375</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9caaa770-50f6-49cf-b318-709dfb23d31e" name="Recover" type="Recover">
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>02ce72d8-19e4-4ab6-b179-51e66200511a</onsuccess>
</stage>
<stage stageid="02ce72d8-19e4-4ab6-b179-51e66200511a" name="Resume" type="Resume">
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c1202601-7fed-4d95-b091-1aa1162084f0</onsuccess>
</stage>
```

```
<stage stageid="c1202601-7fed-4d95-b091-1aa1162084f0" name="Note4" type="Note">
<narrative>No Key Value should work
<displayx>435</displayx>
<displayy>75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>ee2ffc4b-1fe0-4c64-bb8f-2de9b9106da0</onsuccess>
</stage>
<stage stageid="ee2ffc4b-1fe0-4c64-bb8f-2de9b9106da0" name="SetData(Keyless)" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>9165636d-205b-423a-a652-63f3eac49bc7</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="9165636d-205b-423a-a652-63f3eac49bc7" name="Unlock Item" type="Action">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex
</inputs>
<outputs>
<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action of the context of t
</outputs>
<onsuccess>1090783f-74c8-422f-ab2d-cd9e204c3ecb</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>
</stage>
<stage stageid="1ff1d8c1-f0ec-4ccb-81d8-9a46c3edb774" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>555</displayx>
<displayy>-180</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3f79bea6-9dc1-4d52-aa31-86536251a016
</stage>
```

```
<stage stageid="9145aa89-21a7-4151-a383-a7025e1e92cf" name="Key Value" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="eb92a058-1b2d-494e-9e1b-141934fa051c" name="Get Next(Key:=Current)" type="Action
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
```

<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the

```
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite
</outputs>
<onsuccess>7e27a73e-5bde-4db1-9454-20594ddc4b17</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="7e27a73e-5bde-4db1-9454-20594ddc4b17" name="Correct Name?" type="Decision">
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Keyless Data.Name] = [Output Data.Name]"/>
<ontrue>33209b70-c4e0-4826-ac33-404ffa88d4d5</ontrue>
<onfalse>b72957ba-08a8-4a8d-a244-e0908c61c1bb</onfalse>
</stage>
<stage stageid="33209b70-c4e0-4826-ac33-404ffa88d4d5" name="Unlock Item" type="Action">
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>435</displayx>
<displayy>345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex
</inputs>
<outputs>
<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action of the control of t
</outputs>
<onsuccess>ba613ab8-fbad-4635-b9df-4682bb631ffd</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>
</stage>
<stage stageid="b72957ba-08a8-4a8d-a244-e0908c61c1bb" name="Fail" type="Exception">
<narrative>
</narrative>
<displayx>525</displayx>
<displayy>300</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Not Set Exception" detail="&amp;quot;Name not saved correctly. Expected name :</p>
</stage>
<stage stageid="3f79bea6-9dc1-4d52-aa31-86536251a016" name="Note4" type="Note">
<narrative>Single Row Collection should work
<displayx>645</displayx>
```

```
<displayy>-180</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>7a838e50-7d5c-4cb6-b762-a312b351d873</onsuccess>
</stage>
<stage stageid="65e39f67-9934-42fb-b951-2174dc6c89b7" name="SetData(SingleRow)" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>db16be9a-4e4a-4fe1-a05e-75a335059712</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="db16be9a-4e4a-4fe1-a05e-75a335059712" name="Unlock Item" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
```

```
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex
</inputs>
<outputs>
<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action of the control of t
</outputs>
<onsuccess>6f2c1871-8a79-4e6a-84cd-d1072f661886</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>
</stage>
<stage stageid="6f2c1871-8a79-4e6a-84cd-d1072f661886" name="Get Next(Key:=Current)" type="Action"
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
```

```
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite</p>
</outputs>
<onsuccess>31b76ee7-0b5b-4dd1-9310-6f7f631dcb6a</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="31b76ee7-0b5b-4dd1-9310-6f7f631dcb6a" name="Correct Name?" type="Decision">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Single Row Data.Name] = [Output Data.Name]"/>
<ontrue>cb5e5969-c81c-4361-a830-99e5b3ca56ec</ontrue>
<onfalse>277b1c92-d228-4fdc-bc8a-0a9142816534</onfalse>
</stage>
<stage stageid="277b1c92-d228-4fdc-bc8a-0a9142816534" name="Fail" type="Exception">
<narrative>
</narrative>
<displayx>750</displayx>
<displayy>45</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Not Set Exception" detail="&amp;quot;Name not saved correctly. Expected name :</p>
</stage>
<stage stageid="3d457647-f2b3-4e63-9031-0d53d22a41c0" name="End1" type="End">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>600</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3e3c957d-ed13-4027-8e8b-91078673bc54" name="Secondary.DelRow()" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>270</displayx>
<displayy>225</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to be modified" expr="&
</inputs>
```

```
<onsuccess>0a7d5534-439d-4d39-b2cc-d257fcc238cd</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove Row"/>
</stage>
<stage stageid="1090783f-74c8-422f-ab2d-cd9e204c3ecb" name="Save Key Value" type="Calculation">
<loginhibit/>
<narrative>
</narrative>
<displayx>435</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>eb92a058-1b2d-494e-9e1b-141934fa051c</onsuccess>
<calculation expression="[Output Data.Loan Number]" stage="Key Value"/>
</stage>
<stage stageid="7a838e50-7d5c-4cb6-b762-a312b351d873" name="Get Next(Key:=Current)" type="Action
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to add items to" expr="[Queue
<input type="text" name="Key Filter" narrative="Optionally, a key value to filter by. Only items with this key
```

```
<input type="text" name="Tag Filter" narrative="Optionally, a tag mask to filter by. The tag should be in the
</inputs>
<outputs>
<output type="text" name="Item ID" narrative="The ID of the item retrieved - empty if there are none availa</p>
<output type="collection" name="Data" narrative="The data associated with the item - a single collection re</p>
<output type="text" name="Status" narrative="The status of the item." stage=""/>
<output type="number" name="Attempts" narrative="The number of attempts already made to work this ite
</outputs>
<onsuccess>65e39f67-9934-42fb-b951-2174dc6c89b7</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>
</stage>
<stage stageid="c88755be-931c-4fc3-8104-6eb3baee9d60" name="Create Queue (If Not Exists)" type="A
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to be created" expr="[Queue N
<input type="text" name="Key Field" narrative="The key column to use in the collection which makes up a
<input type="number" name="Max Attempts" narrative="The maximum number of retry attempts for the qu
</inputs>
<outputs>
<output type="flag" name="Success" narrative="Whether the create call was successful or not" stage=""/>
<output type="text" name="Subprocess Output" narrative="The output from the automatec &amp;quot;crea
```

```
</outputs>
<onsuccess>4256275e-fbae-4bfa-9e09-8a47f296099b</onsuccess>
<resource object="Queue Utils" action="Create Queue"/>
</stage>
<stage stageid="dba4060e-57b5-4358-acf2-5e1646b7e776" name="Queue Name (Keyless)" type="Data">
<loginhibit/>
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>60</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Loans - Keyless</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="c1deb27a-46ec-4098-be18-637ce675f52d" name="Empty Data" type="Collection">
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>195</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Loan Number" type="text" description="The loan number - the key field"/>
<field name="Name" type="text" description="The name for the loan"/>
<field name="Count" type="number" description="A count."/>
<field name="Date Of Birth" type="date" description="The date of birth."/>
</collectioninfo>
</stage>
<stage stageid="cb5e5969-c81c-4361-a830-99e5b3ca56ec" name="Note4" type="Note">
<narrative>Empty Collection should fail
<displayx>645</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>99b1ffa3-b3a2-4c85-997c-508f4893cb18</onsuccess>
</stage>
<stage stageid="99b1ffa3-b3a2-4c85-997c-508f4893cb18" name="SetData(Empty)" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>261d90f2-8bc0-48dc-b0a8-a3e68a1c1eab/onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="d62775d6-da11-48cd-82dd-8401008c7557" name="." type="Block">
<loginhibit/>
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>120</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="261d90f2-8bc0-48dc-b0a8-a3e68a1c1eab" name="Fail" type="Exception">
<narrative>
</narrative>
<displayx>750</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Set Exception" detail="&amp;quot;Allowed setting with an empty collection&amp;qu
```

```
</stage>
<stage stageid="cd98d3e3-9de3-4fbd-854b-3a7ab3364101" name="Recover" type="Recover">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e4e6bcf8-095c-4469-b8c7-135c9dd3fde2</onsuccess>
</stage>
<stage stageid="e4e6bcf8-095c-4469-b8c7-135c9dd3fde2" name="Resume" type="Resume">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a3482be0-23e7-4bb5-bf8b-94326b28265d</onsuccess>
</stage>
<stage stageid="a3482be0-23e7-4bb5-bf8b-94326b28265d" name="Note4" type="Note">
<narrative>Multirow Collection should fail
<displayx>645</displayx>
<displayy>300</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Bold" color="008000"/>
<onsuccess>006abb7d-e03d-477a-a4ba-1a57ef931eb5</onsuccess>
</stage>
<stage stageid="006abb7d-e03d-477a-a4ba-1a57ef931eb5" name="SetData(InitialData)" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work item to set the data on. This item should be
<input type="collection" name="Data" narrative="A collection with one row containing the data to be set on
</inputs>
<onsuccess>a5ef8c93-ef61-43d1-be39-b32dbf072dd7</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Set Data"/>
</stage>
<stage stageid="2f508a90-e105-4a16-b873-ed7e38f804e0" name="." type="Block">
<loginhibit/>
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>330</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="93ea8de5-6e47-4056-abd2-df3c414bd81e" name="Recover" type="Recover">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>405</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>544a406b-8881-4b47-b52c-68db05e7e7bc</onsuccess>
</stage>
<stage stageid="544a406b-8881-4b47-b52c-68db05e7e7bc" name="Resume" type="Resume">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>450</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>18d21dec-4d7a-4e39-b850-f173f8da3f8e</onsuccess>
</stage>
<stage stageid="a5ef8c93-ef61-43d1-be39-b32dbf072dd7" name="Fail" type="Exception">
```

```
<narrative>
</narrative>
<displayx>750</displayx>
<displayy>360</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="Data Set Exception" detail="&amp;quot;Allowed setting with a multiple row collection&an
</stage>
<stage stageid="18d21dec-4d7a-4e39-b850-f173f8da3f8e" name="Unlock Item" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item ID" narrative="The ID of the work queue item which should be unlocked" ex
</inputs>
<outputs>
<output type="flag" name="Unlocked" narrative="Whether the item was unlocked as a result of this action of the control of t
</outputs>
<onsuccess>433d8103-49a6-46c8-914e-fcf5c4291e68</onsuccess>
<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Unlock Item"/>
</stage>
```

```
<stage stageid="ba613ab8-fbad-4635-b9df-4682bb631ffd" name="anchor1" type="Anchor">
<loginhibit/>
<narrative>
</narrative>
<displayx>555</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1ff1d8c1-f0ec-4ccb-81d8-9a46c3edb774</onsuccess>
</stage>
<stage stageid="433d8103-49a6-46c8-914e-fcf5c4291e68" name="Scorched Earth Policy" type="Action">
<narrative>
</narrative>
<displayx>645</displayx>
<displayy>555</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Queue Name" narrative="The name of the queue to delete" expr="[Queue Name
</inputs>
<onsuccess>3d457647-f2b3-4e63-9031-0d53d22a41c0</onsuccess>
<resource object="Queue Utils" action="Destroy Queue"/>
</stage>
process name="Test Setting Data Items on Sub Pages" version="1.0" bpversion="6.0.0.0" narrative="Test"
```

```
<view>
<camerax>0</camerax>
<cameray>-69</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="a6644391-7dfe-43f8-a330-51fbee7963ce" name="Start" type="Start">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ba3c63a0-0155-472a-b510-064b84e147c4</onsuccess>
</stage>
<stage stageid="d2c90b79-db88-4c43-9cbf-54ee4d2c106d" name="End" type="End">
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cc14a60a-f4b6-4e3e-9c4b-da1326a10a17" name="Stage1" type="ProcessInfo">
```

```
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-105</displayy>
<displaywidth>240</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ba3c63a0-0155-472a-b510-064b84e147c4" name="Test Setting Sub Page Data Items (P
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-135</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7ff5410f-a273-4a4e-b482-73a11b89eb9f</onsuccess>
cessid>371b2bb4-fa9c-44bd-bd6c-b4279a6c7beb
</stage>
<stage stageid="7ff5410f-a273-4a4e-b482-73a11b89eb9f" name="Test Setting Sub Page Data Items (Page Control of the Control of t
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>2a8485e9-577b-40b7-8903-656350aa669c</onsuccess>
</stage>
<stage stageid="2a8485e9-577b-40b7-8903-656350aa669c" name="Test Setting Sub Page Data Items (P
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>667f65b8-8f2c-44fc-bf53-c78baf312605</onsuccess>
</stage>
<stage stageid="667f65b8-8f2c-44fc-bf53-c78baf312605" name="Test Setting Sub Page Data Items (Page
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d2c90b79-db88-4c43-9cbf-54ee4d2c106d</onsuccess>
</stage>
</process>
```

```
<view>
<camerax>-23</camerax>
<cameray>-1057</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="288c8c6c-2a47-4c25-b280-d2765d216c6a" type="Normal" published="False">
<name>Clear Response</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="d017174a-e278-4eb3-9a21-9ecdf20bcd41" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-1110</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b361d9db-ccf2-4d79-ab16-31dc87f01833</onsuccess>
</stage>
<stage stageid="66d10b91-7edb-4bf0-9091-244d90df98bb" name="Stage1" type="ProcessInfo">
<narrative>
```

```
</narrative>
<displayx>-135</displayx>
<displayy>-1110</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ded5ce90-a9bb-4944-ac2a-ebfc8cadedd1" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-915</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e33b4e66-8daa-49e6-b192-9ae19c0d888b" name="HTTP Status Code" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-885</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ffbdc5fd-3067-4dcb-b635-0f4926afecef" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-945</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET)]"/>
<ontrue>d39fba60-454d-4266-b5b1-540a91c6a3df</ontrue>
<onfalse>02295c39-539c-4db4-bca3-98b254076b2d</onfalse>
</stage>
<stage stageid="058050f6-5eff-4b0d-a25d-d85543ba77a0" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-945</displayy>
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="02295c39-539c-4db4-bca3-98b254076b2d" name="FAIL" type="Exception">
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>-945</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&a
</stage>
<stage stageid="0f697a4f-38a5-4dd9-94b3-dd2e8631123c" name="End1" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-750</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="87b6d3d7-a899-4179-8c91-ba09131a56d9" name="Response Content (GET)" type="Dat
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-990</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">["Name: Thomas Smith, ID: 1, Date of birth: 01/08/1982.","Name: Rob
```

```
<alwaysinit/>
</stage>
<stage stageid="37f38df2-f8ec-4ef7-af4b-4a2e1b197474" name="Anchor7" type="Anchor">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-840</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>35b8ecd8-c266-4cf6-8756-60324b26fbd0</onsuccess>
</stage>
<stage stageid="487bc24b-4245-4a99-a1af-00bfabc37439" name="Clear Response" type="SubSheetInfo"
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3c83e62d-94c2-4250-8782-d8b96c177257" name="Start" type="Start">
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6b8deb69-a022-4479-ad3b-45745e9d9010</onsuccess>
</stage>
<stage stageid="9020cf00-833f-483e-a9ea-b33de8e2c089" name="End" type="End">
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="23716ce5-a985-437b-a720-611a94ff0e71" name="Clear Response" type="MultipleCalcul
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9020cf00-833f-483e-a9ea-b33de8e2c089</onsuccess>
```

```
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
</steps>
</stage>
<stage stageid="6b8deb69-a022-4479-ad3b-45745e9d9010" name="Remove Rows" type="Action">
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
</inputs>
<onsuccess>23716ce5-a985-437b-a720-611a94ff0e71
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove All Rows"/>
</stage>
<stage stageid="35b8ecd8-c266-4cf6-8756-60324b26fbd0" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-840</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>e9cb1c63-a455-4883-abea-fc137da000cd</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="b361d9db-ccf2-4d79-ab16-31dc87f01833" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-1050</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>e932893c-1d7a-4f52-bda9-098197cb672a</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="cc1a99f4-2d55-45ca-98d2-d3bfb29303eb" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-1050</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="0a33af8b-5b77-4bc9-a95a-00bb1d1862a1" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-855</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d39fba60-454d-4266-b5b1-540a91c6a3df" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-900</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>35b8ecd8-c266-4cf6-8756-60324b26fbd0</ontrue>
<onfalse>fe5d0030-59ed-4e3d-bbca-6ef8f8f7c696</onfalse>
```

```
</stage>
<stage stageid="fe5d0030-59ed-4e3d-bbca-6ef8f8f7c696" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-900</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="ccc76a38-edab-44e5-bea2-3145111813fe" name="Recovery Block" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-1020</displayy>
<displaywidth>285</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e9cb1c63-a455-4883-abea-fc137da000cd" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-795</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>a11571b3-edb2-415f-ba39-cbac2dafce4a/ontrue>
<onfalse>0f697a4f-38a5-4dd9-94b3-dd2e8631123c</onfalse>
</stage>
<stage stageid="a11571b3-edb2-415f-ba39-cbac2dafce4a" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-795</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="5a6f4594-dc89-43d9-be6d-5a203bb57171" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-990</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e16cc20b-63ac-4c91-a914-7a76b05af4ad</onsuccess>
</stage>
<stage stageid="544decd4-c99b-4eea-ae8b-e076a0958656" name="Resume" type="Resume">
<narrative>
```

```
</narrative>
<displayx>180</displayx>
<displayy>-900</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>37f38df2-f8ec-4ef7-af4b-4a2e1b197474</onsuccess>
</stage>
<stage stageid="e16cc20b-63ac-4c91-a914-7a76b05af4ad" name="Exception Calc" type="MultipleCalcula
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-945</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>544decd4-c99b-4eea-ae8b-e076a0958656</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="8b7cf261-de01-4097-a09d-2ec5f33a83b9" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-825</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="b195211d-b547-40ff-8a1a-90b98d5bfca2" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-795</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="342a6f99-8476-47d5-86a5-50c30b2d7a8f" name="QA Root" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-1020</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e932893c-1d7a-4f52-bda9-098197cb672a" name="Skill1" type="Skill">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-990</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>ffbdc5fd-3067-4dcb-b635-0f4926afecef</onsuccess>
<skill id="93db6df9-d02b-4523-bb8e-f2c263c3929f" action="GET (Customers)"/>
</stage>
colon="Test Skill Import" version="1.0" bpversion="6.6.0.14747" narrative="" byrefcollection="tru
<view>
```

```
<camerax>0</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="6bb88df9-6960-43af-9525-dfaa78fcb8ca" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>-21</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="d652b767-4858-4f5b-a92c-0fd88654ae2c" type="Normal" published="False">
<name>Import Skill (Non-FIPS Compliant)</name>
<view>
<camerax>0</camerax>
<cameray>63</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="cbf08d1f-ec18-4d66-a5b2-592832e82ac3" type="Normal" published="False">
<name>Import Skill (FIPS Compliant)</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
```

```
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="21211034-7b12-4ef8-abf5-3edc2d5e2317" name="Start" type="Start">
<display x="15" y="-135"/>
<onsuccess>abe1b08b-e657-485f-97a4-facb5eeca9f3</onsuccess>
</stage>
<stage stageid="fb67bc83-4ac3-4f8b-9bd0-d700db3b0065" name="End" type="End">
<display x="15" y="210"/>
</stage>
<stage stageid="05aa4fa9-a66a-4076-888d-cf94f8645bf8" name="Stage1" type="ProcessInfo">
<display x="-135" y="-105" w="150" h="90"/>
</stage>
<stage stageid="6a27d535-ab3e-4084-a961-23521a1310b3" name="Import Skill (Non-FIPS Compliant)" ty
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="b9f4b5f4-4fb7-4fe0-bd87-5652e04026be" name="Start" type="Start">
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
<display x="15" y="-105"/>
<onsuccess>c317541a-dd94-43e7-87ce-ece824571547</onsuccess>
</stage>
<stage stageid="b7793af9-433a-46c1-a9de-0d2141978bdd" name="End" type="End">
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
<display x="15" y="120"/>
</stage>
<stage stageid="c72dcf94-9cd3-4792-a0ca-9157c240d648" name="Import Skill (FIPS Compliant)" type="S
```

```
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="17d31e89-c765-4523-8cf8-ce85b87330e9" name="Start" type="Start">
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
<display x="15" y="-105"/>
<onsuccess>ca519da7-88fd-46ed-8fbb-09e0f42b6873</onsuccess>
</stage>
<stage stageid="9b0d7ed3-6dea-404d-b061-0ab174bf03eb" name="End" type="End">
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
<display x="15" y="120"/>
</stage>
<stage stageid="c317541a-dd94-43e7-87ce-ece824571547" name="Import Skill (Non-FIPS Compliant)" ty
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="flag" name="Requires Login" friendlyname="Requires Login" narrative="Flag indicating if the
<input type="text" name="Arguments" friendlyname="Arguments" narrative="The arguments to pass to aut
<input type="text" name="Username" friendlyname="Username" narrative="The username that you want to
<input type="text" name="Password" friendlyname="Password" narrative="The password for the username
</inputs>
<outputs>
<output type="text" name="Output" friendlyname="Output" narrative="The output from the command" stage
</outputs>
<onsuccess>970c4cb1-798d-4553-aa65-fa8e144b6607</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
```

```
</stage>
<stage stageid="ca519da7-88fd-46ed-8fbb-09e0f42b6873" name="Import Skill (FIPS Compliant)" type="Ad
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="90" h="30"/>
<inputs>
<input type="flag" name="Requires Login" friendlyname="Requires Login" narrative="Flag indicating if the
<input type="text" name="Arguments" friendlyname="Arguments" narrative="The arguments to pass to aut
<input type="text" name="Username" friendlyname="Username" narrative="The username that you want to
<input type="text" name="Password" friendlyname="Password" narrative="The password for the username
</inputs>
<outputs>
<output type="text" name="Output" friendlyname="Output" narrative="The output from the command" stage
</outputs>
<onsuccess>b6666ed0-3fe6-4772-b2e6-ddb692ee4f7d</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="efdf71b5-5aa9-467e-a1ca-73273ad7643e" name="Setup" type="SubSheetInfo">
<subsheetid>6bb88df9-6960-43af-9525-dfaa78fcb8ca</subsheetid>
<display x="-120" y="-75" w="150" h="90"/>
</stage>
<stage stageid="9ea50ae1-f8a4-4507-b182-be6abf6e6413" name="Start" type="Start">
<subsheetid>6bb88df9-6960-43af-9525-dfaa78fcb8ca</subsheetid>
<display x="15" y="-105"/>
<onsuccess>d02f724b-1a86-456e-8b6f-2c73dd5fd853</onsuccess>
</stage>
<stage stageid="b852ab66-7859-43b7-b16d-23f348dee612" name="End" type="End">
```

```
<subsheetid>6bb88df9-6960-43af-9525-dfaa78fcb8ca</subsheetid>
<display x="15" y="75"/>
</stage>
<stage stageid="abe1b08b-e657-485f-97a4-facb5eeca9f3" name="Setup" type="SubSheet">
loginhibit onsuccess="true"/>
<display x="15" y="-90" w="90" h="30"/>
<onsuccess>f5eb45f6-2f63-4ab0-acfe-776b0e566a26</onsuccess>
</stage>
<stage stageid="f5eb45f6-2f63-4ab0-acfe-776b0e566a26" name="Import Skill (Non-FIPS Compliant)" type
loginhibit onsuccess="true"/>
<display x="15" y="-30" w="90" h="30"/>
<onsuccess>8971a38c-487b-4e41-9fb6-202937ca6d02</onsuccess>
</stage>
<stage stageid="8971a38c-487b-4e41-9fb6-202937ca6d02" name="Import Skill (FIPS Compliant)" type="$
loginhibit onsuccess="true"/>
<display x="15" y="15" w="90" h="30"/>
<onsuccess>df0c974a-ccb6-433b-a2ea-c433e3c3c3ac</onsuccess>
</stage>
<stage stageid="18f54c1d-0517-400d-8806-1b27f12d40c2" name="Cleanup" type="Block">
loginhibit onsuccess="true"/>
<display x="-45" y="-60" w="195" h="150"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="93aae048-4031-433b-93a7-b561ca37ba6b" name="Recover" type="Recover">
```

```
<loginhibit/>
<display x="105" y="-30"/>
<onsuccess>21ddce63-0506-40be-9086-c4e0f53fefad</onsuccess>
</stage>
<stage stageid="f7bc872d-ae41-4e18-bdb5-a842a3ccc643" name="Resume" type="Resume">
<loginhibit/>
<display x="105" y="60"/>
<onsuccess>f59eb91b-2efc-4444-ada0-0f9155e3fe26</onsuccess>
</stage>
<stage stageid="21ddce63-0506-40be-9086-c4e0f53fefad" name="Get Exception" type="MultipleCalculation" content in the content is a stage of the conte
loginhibit onsuccess="true"/>
<display x="105" y="15"/>
<onsuccess>f7bc872d-ae41-4e18-bdb5-a842a3ccc643/onsuccess>
<steps>
<calculation expression="ExceptionDetail()" stage="Exception"/>
<calculation expression="True" stage="Failed?"/>
</steps>
</stage>
<stage stageid="d57b9dee-d084-44fa-b88e-6dbd2cb405f6" name="Exception" type="Data">
<display x="-135" y="120" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="9a5ecdf8-3692-47a6-930a-c0fcaa3f7958" name="Failed?" type="Data">
<display x="-135" y="90" w="120" h="30"/>
```

```
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="3ccf79e2-538e-47a4-bd46-c67a66b43e8d" name="Failed?" type="Decision">
<display x="15" y="165" w="90" h="30"/>
<decision expression="[Failed?]"/>
<ontrue>65bb6911-bb67-4849-ab01-71b5482b06bb</ontrue>
<onfalse>fb67bc83-4ac3-4f8b-9bd0-d700db3b0065</onfalse>
</stage>
<stage stageid="65bb6911-bb67-4849-ab01-71b5482b06bb" name="RETHROW" type="Exception">
<display x="105" y="165"/>
<exception localized="yes" type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="c6c9b0d7-2ffa-47ee-a2b1-e3e53cf2530a" name="Local Variables" type="Block">
<loginhibit onsuccess="true"/>
<display x="-210" y="60" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="b9ad265c-8254-4e59-8cc5-f6bddd988986" name="Global Variables" type="Block">
loginhibit onsuccess="true"/>
<display x="-210" y="-45" w="150" h="90"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7409ea1d-0ef6-4446-89f9-7403f943641b" name="Sign In" type="Action">
<subsheetid>6bb88df9-6960-43af-9525-dfaa78fcb8ca</subsheetid>
```

```
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
<input type="flag" name="Expect Password Reset" friendlyname="Expect Password Reset" expr=""/>
</inputs>
<outputs>
<output type="text" name="Locale" friendlyname="Locale" narrative="Blue Prism Locale setting" stage=""/2</p>
</outputs>
<onsuccess>b852ab66-7859-43b7-b16d-23f348dee612</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="d02f724b-1a86-456e-8b6f-2c73dd5fd853" name="Launch Blue Prism" type="Action">
<subsheetid>6bb88df9-6960-43af-9525-dfaa78fcb8ca</subsheetid>
<display x="15" y="-60" w="90" h="30"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>06dfd098-4431-410d-a84a-30372a69a755
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="06dfd098-4431-410d-a84a-30372a69a755" name="Attach System" type="Action">
<subsheetid>6bb88df9-6960-43af-9525-dfaa78fcb8ca</subsheetid>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
```

```
</inputs>
<onsuccess>7409ea1d-0ef6-4446-89f9-7403f943641b
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="970c4cb1-798d-4553-aa65-fa8e144b6607" name="Browse to System" type="Action">
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>43c1561a-5edc-4073-8c4c-72ab3cf95c51</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="43c1561a-5edc-4073-8c4c-72ab3cf95c51" name="Browse to Skills -&amp;gt; Manageme
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub ite
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>61f8ff83-f2eb-4233-a59e-76691ba0627d</onsuccess>
```

```
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="b6666ed0-3fe6-4772-b2e6-ddb692ee4f7d" name="Browse to System" type="Action">
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="-15" w="90" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>ca50e49f-c9be-4be0-8091-dfbf058c92c7</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="ca50e49f-c9be-4be0-8091-dfbf058c92c7" name="Browse to Skills -&amp;gt; Managemer
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="90" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub item"
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>b3f1a567-0da4-4bdf-a8d1-0188570d388d</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
```

```
<stage stageid="61f8ff83-f2eb-4233-a59e-76691ba0627d" name="Check Skill" type="Action">
<subsheetid>d652b767-4858-4f5b-a92c-0fd88654ae2c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
<input type="text" name="Name" friendlyname="Name" expr="&amp;quot;Skill using Rijndael&amp;quot;"/
<input type="text" name="Category" friendlyname="Category" expr="&amp;quot;Visual Perception&amp;quot;Visual Perception&amp;quot;
<input type="text" name="Provider" friendlyname="Provider" expr="&amp;quot;RGC&amp;quot;"/>
<input type="text" name="Current Version" friendlyname="Current Version" expr="&amp;quot;2&amp;quot
<input type="text" name="Previous Versions" friendlyname="Previous Versions" expr="&amp;quot;0&amp;
<input type="text" name="Web API" friendlyname="Web API" expr="&amp;quot;Old US-5534&amp;quot;"/
<input type="text" name="Is Enabled" friendlyname="Is Enabled" expr="&amp;quot;True&amp;quot;"/>
</inputs>
<onsuccess>b7793af9-433a-46c1-a9de-0d2141978bdd</onsuccess>
<resource object="Blue Prism - System - Skills" action="Check Skill"/>
</stage>
<stage stageid="5b3fa40c-717d-4df7-9033-c7717dee0d59" name="pid" type="Data">
<display x="-135" y="-15" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="b3f1a567-0da4-4bdf-a8d1-0188570d388d" name="Check Skill" type="Action">
<subsheetid>cbf08d1f-ec18-4d66-a5b2-592832e82ac3</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="90" h="30"/>
<inputs>
```

```
<input type="text" name="Name" friendlyname="Name" expr="&amp;quot;Skill using AESCrypto&amp;quot
<input type="text" name="Category" friendlyname="Category" expr="&amp;quot;Visual Perception&amp;quot;Visual Perception&amp;quot;
<input type="text" name="Provider" friendlyname="Provider" expr="&amp;quot;RGC&amp;quot;"/>
<input type="text" name="Current Version" friendlyname="Current Version" expr="&amp;quot;2&amp;quot
<input type="text" name="Previous Versions" friendlyname="Previous Versions" expr="&amp;quot;0&amp;
<input type="text" name="Web API" friendlyname="Web API" expr="&amp;quot;New US-5534&amp;quot;"</p>
<input type="text" name="Is Enabled" friendlyname="Is Enabled" expr="&amp;quot;True&amp;quot;"/>
</inputs>
<onsuccess>9b0d7ed3-6dea-404d-b061-0ab174bf03eb</onsuccess>
<resource object="Blue Prism - System - Skills" action="Check Skill"/>
</stage>
<stage stageid="df0c974a-ccb6-433b-a2ea-c433e3c3c3ac" name="Terminate" type="Action">
loginhibit onsuccess="true"/>
<display x="15" y="120" w="90" h="30"/>
<onsuccess>3ccf79e2-538e-47a4-bd46-c67a66b43e8d</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="f59eb91b-2efc-4444-ada0-0f9155e3fe26" name="Anchor1" type="Anchor">
loginhibit onsuccess="true"/>
<display x="105" y="120" w="10" h="10"/>
<onsuccess>df0c974a-ccb6-433b-a2ea-c433e3c3c3ac
</stage>
<stage stageid="ca744004-cf2c-49f6-a8e2-430ffe8bdae8" name="QA Root" type="Data">
<display x="-135" y="15" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
```

```
<alwaysinit/>
</stage>
</process>
cess name="Test Skill management screen after import" version="1.0" bpversion="6.4.0.7130" narrati
<view>
<camerax>0</camerax>
<cameray>41</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="c174d2e5-4135-4bb0-a913-6b7e28828d72" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>87</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="f0fa0ab5-c307-4661-98f6-61c58938d3b8" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>9728c5fe-f943-4d9c-b869-9a27a1974f57</onsuccess>
</stage>
<stage stageid="95daea46-8f8a-42d4-b206-180954a9b034" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="320e2d8d-7513-4761-89e4-11dd607f3d79" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="246ee08b-5ae8-4cd9-bd7b-53320f5c0ea1" name="Setup" type="SubSheetInfo">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d298ff73-f0e8-47f7-bd98-942f4653b746" name="Start" type="Start">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7b125249-5787-47e3-b426-36f80b1ed206</onsuccess>
</stage>
<stage stageid="72898170-7c67-4e58-8b40-3530d9845655" name="End" type="End">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7b125249-5787-47e3-b426-36f80b1ed206" name="Launch BP" type="Action">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>41764a49-d272-48d7-8bf1-c147401a3fc6</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="ec36c3c5-16ff-46d2-a1ee-f3a0a7a2cbb6" name="pid" type="Data">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="9ce22d34-1cc5-4d26-9985-c9abae846e99" name="Sign In" type="Action">
```

```
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr="&amp;quot;admin&amp;quot;"/>
<input type="password" name="Password" expr="&amp;quot;admin&amp;quot;"/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
</inputs>
<onsuccess>98d6e456-4bf3-4916-9e82-a4e5664ec1d6</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="98d6e456-4bf3-4916-9e82-a4e5664ec1d6" name="GoTo Tab" type="Action">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
```

```
</inputs>
<onsuccess>b0f875cc-6242-4c92-8acc-9eef1eb67d4e</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="9728c5fe-f943-4d9c-b869-9a27a1974f57" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>953f6460-c319-4919-9ccc-bb7e56272cb9</onsuccess>
</stage>
<stage stageid="ded4905a-32ba-48f4-963c-10a49bf44232" name="Select Skill page" type="Action">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Skill
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Ma
```

```
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>72898170-7c67-4e58-8b40-3530d9845655</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="953f6460-c319-4919-9ccc-bb7e56272cb9" name="Check management values" type="Action of the company of the compan
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Name" expr="&amp;quot;Skill 1.2&amp;quot;"/>
<input type="text" name="Category" expr="&amp;quot;Visual Perception&amp;quot;"/>
<input type="text" name="Provider" expr="&amp;quot;Blue Prism&amp;quot;"/>
<input type="text" name="Current Version" expr="&amp;quot;1.2&amp;quot;"/>
<input type="text" name="Previous Versions" expr="&amp;quot;2&amp;quot;"/>
<input type="text" name="Web API" expr="&amp;quot;Web API for Skill&amp;quot;"/>
<input type="text" name="Is Enabled" expr="&amp;quot;True&amp;quot;"/>
</inputs>
<onsuccess>36a4a6ef-c4ef-4439-bcdc-7689ae2d11a2</onsuccess>
<resource object="Blue Prism - System - Skills" action="Check Skill"/>
</stage>
```

```
<stage stageid="41764a49-d272-48d7-8bf1-c147401a3fc6" name="Attach to System" type="Action">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>9ce22d34-1cc5-4d26-9985-c9abae846e99</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="b0f875cc-6242-4c92-8acc-9eef1eb67d4e" name="Collapse All" type="Action">
<subsheetid>c174d2e5-4135-4bb0-a913-6b7e28828d72</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ded4905a-32ba-48f4-963c-10a49bf44232</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
```

```
<stage stageid="991a3241-555c-4235-a6b9-cc5b28faa50a" name="Check Skill Versions" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Rows" expr="[Expected Versions]"/>
<input type="number" name="Skill Row Number" expr="[Row Number]"/>
</inputs>
<onsuccess>09cac09b-6142-45f3-b842-c52a94205a6c</onsuccess>
<resource object="Blue Prism - System - Skills" action="Check Skill Versions"/>
</stage>
<stage stageid="36a4a6ef-c4ef-4439-bcdc-7689ae2d11a2" name="Get skill row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Skill Name" expr="&amp;quot;Skill 1.2&amp;quot;"/>
</inputs>
<outputs>
```

```
<output type="number" name="Row Number" stage="Row Number"/>
</outputs>
<onsuccess>991a3241-555c-4235-a6b9-cc5b28faa50a</onsuccess>
<resource object="Blue Prism - System - Skills" action="Get Skill Row"/>
</stage>
<stage stageid="16736d2b-a91b-4e42-852d-3acc07b76446" name="Row Number" type="Data">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e187517c-f9dc-432a-8762-e52274f5e5e2" name="Expected Versions" type="Collection">
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text"/>
<field name="Category" type="text"/>
<field name="Version" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Name" type="text" value="Skill 1.1"/>
<field name="Category" type="text" value="Visual Perception"/>
<field name="Version" type="text" value="1.1"/>
</row>
<row>
<field name="Name" type="text" value="Skill 1"/>
<field name="Category" type="text" value="Visual Perception"/>
<field name="Version" type="text" value="1.0"/>
</row>
</initialvalue>
</stage>
<stage stageid="09cac09b-6142-45f3-b842-c52a94205a6c" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>95daea46-8f8a-42d4-b206-180954a9b034
<resource object="Blue Prism" action="Exit Application"/>
</stage>
asdf" preferredid="c9b9bfce-5aller
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="5c3627c7-2985-4f4a-a6bb-198cb1eb5d29" type="Normal" published="False">
<name>Page 1</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<stage stageid="eea1a29e-dac7-4dee-b14e-4cff06b45843" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3ed766c0-34c1-4e3a-97d9-5d0a49fca7f2</onsuccess>
</stage>
<stage stageid="8ad7e4c1-6532-4e9f-b60e-8e7d90c25f13" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2bd95511-0192-4453-8192-16a22243627e" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-165</displayx>
<displayy>-270</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6cdde642-8efa-4ccf-9025-6ea116078b1a" name="Page 1" type="SubSheetInfo">
<subsheetid>5c3627c7-2985-4f4a-a6bb-198cb1eb5d29</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ec08f63d-129a-47fc-a2e8-ef3bfe73ef35" name="Cast Text to Password (Page Ref) Both
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="The Password" expr="&amp;quot;hello&amp;quot;"/>
</inputs>
<outputs>
<output type="text" name="Text Output" narrative="A sample text output parameter" stage="My Password</pre>
</outputs>
<onsuccess>59b9178e-66fb-4330-a3dd-ffe7340d7d77</onsuccess>
</stage>
<stage stageid="3ed766c0-34c1-4e3a-97d9-5d0a49fca7f2" name="Cast Text to Password" type="Calculated and the companies of the 
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>03932363-6f26-4aa5-ab1a-173a25695c90</onsuccess>
<calculation expression="&amp;quot;hello&amp;quot;" stage="My Password"/>
</stage>
<stage stageid="39918d26-0bc2-41e5-a6fb-fd2c0970bedf" name="My Password" type="Data">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="03932363-6f26-4aa5-ab1a-173a25695c90" name="Cast Text to Password (Multicalc)" type
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ec08f63d-129a-47fc-a2e8-ef3bfe73ef35</onsuccess>
<steps>
<calculation expression="&amp;quot;goodbye&amp;quot;" stage="My Password 2"/>
</steps>
</stage>
<stage stageid="59b9178e-66fb-4330-a3dd-ffe7340d7d77" name="Test Cast (SubProcess) both Input and
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="The Password" expr="&amp;quot;Peter&amp;quot;"/>
</inputs>
<outputs>
<output type="text" name="Text Output" narrative="A sample text output parameter" stage="My Password</p>
</outputs>
<onsuccess>615bdf49-bf32-47d1-a40f-b6b361bcd51b</onsuccess>
</stage>
<stage stageid="615bdf49-bf32-47d1-a40f-b6b361bcd51b" name="Test Cast (Object) Both Input and Outp
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>135</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="The Password" expr="&amp;quot;Software&amp;quot;"/>
</inputs>
<outputs>
<output type="text" name="Text Output" narrative="A sample text output parameter" stage="My Password"</p>
</outputs>
<onsuccess>8ad7e4c1-6532-4e9f-b60e-8e7d90c25f13</onsuccess>
<resource object="Test Password Casting Object" action="Action 1"/>
</stage>
<stage stageid="9fae2090-a7c5-40cb-a233-82df933f389e" name="Start" type="Start">
<subsheetid>5c3627c7-2985-4f4a-a6bb-198cb1eb5d29</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="password" name="The Password" stage="The Password"/>
</inputs>
<onsuccess>4f48aeb3-184d-4d07-8592-8b487b5ba3bc</onsuccess>
</stage>
```

```
<stage stageid="942962b7-1457-442d-886e-951d5cec2d8c" name="End" type="End">
<subsheetid>5c3627c7-2985-4f4a-a6bb-198cb1eb5d29</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Text Output" narrative="A sample text output parameter" stage="Text Output"/>
</outputs>
</stage>
<stage stageid="98ce8f38-7ec6-47a9-bb59-ba39baac44dc" name="The Password" type="Data">
<subsheetid>5c3627c7-2985-4f4a-a6bb-198cb1eb5d29</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
```

```
</stage>
<stage stageid="4f48aeb3-184d-4d07-8592-8b487b5ba3bc" name="Set Text Output" type="Calculation">
<subsheetid>5c3627c7-2985-4f4a-a6bb-198cb1eb5d29</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>942962b7-1457-442d-886e-951d5cec2d8c</onsuccess>
<calculation expression="&amp;quot;Blue Prism&amp;quot;" stage="Text Output"/>
</stage>
<stage stageid="e4c5b7ca-af2e-41dc-8709-ab1d15834e87" name="Text Output" type="Data">
<subsheetid>5c3627c7-2985-4f4a-a6bb-198cb1eb5d29</subsheetid>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="cb2b0727-839c-4ac5-9d72-1c9c74752414" name="Note1" type="Note">
<narrative>The purpose here is to demonstrate that we can cast text to password using a variety of assign
Bug 4810 prevents the same password data item being assigned with "text" more than once, but this is not
Therefore we use different password data items to receive each assignment.</narrative>
<displayx>-165</displayx>
<displayy>-105</displayy>
<displaywidth>180</displaywidth>
<displayheight>210</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="08b4a81b-a9d4-44a8-b34b-5a1b652bc72a" name="My Password 2" type="Data">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="405b69a3-48fe-41aa-abd1-a2ade7760a4a" name="My Password 3" type="Data">
```

```
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="4aa9bd39-3e3c-496d-8cfe-f0355089e572" name="My Password 4" type="Data">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="5b1991ef-f53c-4980-a124-95497b31557d" name="My Password 5" type="Data">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
</process>
cess name="Test UIA Button Control" version="1.0" bpversion="6.2.0.1453" narrative="" preferredid="
<view>
<camerax>-142</camerax>
<cameray>-72</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>-180</displayx>
```

```
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2b1a2f70-17dc-4206-a626-9bb89949bbfc</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-315</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>450</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="Testing Pressing a Button" type="Block stage id="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="Testing Pressing a Button" type="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="Testing Button" name="Block stage id="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-8422-ccabdc6008c1" name="ac6862b4-735b-4cab-84262-ccabdc6008c1" name="ac6862b4-735b-4cab-84262-ccabdc6008c1" name="ac6862b4-735b-4cab-84262-ccabdc6008c1" name="ac6862b4-735b-4cab-84262-ccabdc6008c1"
<narrative>
</narrative>
```

```
<displayx>-255</displayx>
<displayy>-60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c5dbaacd-c44b-4433-9007-3494654ae912" name="Testing Pressing a Toggle Button" type
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="45e88e15-ce2d-4895-80e5-e48211783fb8" name="Testing Writing to a Toggle Buttton" ty
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="2b1a2f70-17dc-4206-a626-9bb89949bbfc" name="Launch" type="Action">
<narrative>
</narrative>
```

```
<displayx>-180</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1bc0db7c-eaec-4edf-b87f-f6e61453b764</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="1bc0db7c-eaec-4edf-b87f-f6e61453b764" name="Press Button" type="Action">
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>27283085-1755-4bb8-8718-00320142795e</onsuccess>
<resource object="UIA Controls" action="Button - Press (UIA)"/>
</stage>
<stage stageid="27283085-1755-4bb8-8718-00320142795e" name="Press Toggle Button" type="Action">
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>84722413-ce40-42ff-b261-afcffe14680f</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Press (UIA)"/>
</stage>
<stage stageid="84722413-ce40-42ff-b261-afcffe14680f" name="Press Toggle Button" type="Action">
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<onsuccess>dae52845-5dfc-4be0-bcdd-2973b58f8e8c</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Press (UIA)"/>
</stage>
<stage stageid="dae52845-5dfc-4be0-bcdd-2973b58f8e8c" name="Write Toggle Button (True)" type="Acti
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>5541f2b8-4a7b-45c0-894a-2b6077f23d37</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Write (UIA)"/>
</stage>
<stage stageid="5541f2b8-4a7b-45c0-894a-2b6077f23d37" name="Write Toggle Button (False)" type="Ac
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<onsuccess>70ca0b81-b404-4a5b-9155-8854252969b8</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Write (UIA)"/>
</stage>
<stage stageid="70ca0b81-b404-4a5b-9155-8854252969b8" name="Write Toggle Button (False)" type="A
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>255</displayy>
```

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<onsuccess>74999d57-fe21-417c-9cf4-ffd28fcdc016</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Write (UIA)"/>
</stage>
<stage stageid="74999d57-fe21-417c-9cf4-ffd28fcdc016" name="Write Toggle Button (True)" type="Action
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>e8b945d8-efcb-4f09-922c-e88e348e2cc1</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Write (UIA)"/>
</stage>
<stage stageid="e8b945d8-efcb-4f09-922c-e88e348e2cc1" name="Write Toggle Button (True)" type="Action of the company of the com
<narrative>
</narrative>
<displayx>-180</displayx>
```

<displayy>345</displayy>

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>97d4fef8-0e0f-4e42-8823-050875d77a4f</onsuccess>
<resource object="UIA Controls" action="Button Toggle - Write (UIA)"/>
</stage>
<stage stageid="97d4fef8-0e0f-4e42-8823-050875d77a4f" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>405</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
</process>
<view>
<camerax>137</camerax>
<cameray>553</cameray>
<zoom version="2">1.25</zoom>
</view>
```

```
onditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d7f4c3f9-21ff-43f7-947b-dff9397d24b3</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>330</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="09b85e96-636a-487e-a5ff-e95ac4d5e031" name="End1" type="End">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>780</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fcc32bf5-3225-4afc-ae1e-496b4d55e0ac" name="Set Checkbox to True (UIA)" type="Acti
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Checkbox value" expr="True"/>
</inputs>
<onsuccess>1eda46a0-35be-4dfd-81d4-d4e68a9da088</onsuccess>
<resource object="UIA Controls" action="Checkbox - Set (UIA)"/>
</stage>
<stage stageid="1eda46a0-35be-4dfd-81d4-d4e68a9da088" name="Get Checkbox Value (UIA)" type="Act
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
```

```
</inputs>
<outputs>
<output type="flag" name="Checkbox value" stage="Current Checkbox Value"/>
</outputs>
<onsuccess>2e49301c-a2fb-4f96-b17d-43c27226e4f9</onsuccess>
<resource object="UIA Controls" action="Checkbox - Get (UIA)"/>
</stage>
<stage stageid="f1d3a47c-92c3-40d2-9fe3-926ba459b229" name="Set Checkbox value to False (UIA)" type
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Checkbox value" expr="False"/>
</inputs>
<onsuccess>05237e90-cc2b-47d7-943c-966377df4c76</onsuccess>
<resource object="UIA Controls" action="Checkbox - Set (UIA)"/>
</stage>
<stage stageid="05237e90-cc2b-47d7-943c-966377df4c76" name="Get Checkbox Value (UIA)" type="Action of the color of the col
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<outputs>
<output type="flag" name="Checkbox value" stage="Current Checkbox Value"/>
</outputs>
<onsuccess>a5b0024a-7bc1-4e01-a648-c2e375f84071
<resource object="UIA Controls" action="Checkbox - Get (UIA)"/>
</stage>
<stage stageid="aab32874-0fd1-46f3-8fbf-3c5a84ad24c5" name="Set Checkbox to True (UIA)" type="Action of the company of the com
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>600</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Checkbox value" expr="True"/>
</inputs>
<onsuccess>2e23898c-fc22-4615-817b-eae36447c416</onsuccess>
<resource object="UIA Controls" action="Checkbox - Set (UIA)"/>
</stage>
<stage stageid="2e23898c-fc22-4615-817b-eae36447c416" name="Get Checkbox Value (UIA)" type="Act
<narrative>
```

```
</narrative>
<displayx>195</displayx>
<displayy>600</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<outputs>
<output type="flag" name="Checkbox value" stage="Current Checkbox Value"/>
</outputs>
<onsuccess>fae48c4b-c57a-4c23-a3c8-7c3c5ede57e5</onsuccess>
<resource object="UIA Controls" action="Checkbox - Get (UIA)"/>
</stage>
<stage stageid="6b062054-4194-46ef-9263-e97dbee30c53" name="Set Checkbox value to False (UIA)" ty
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>540</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Checkbox value" expr="False"/>
</inputs>
<onsuccess>7b24c778-b826-49bf-8ddd-c894187cc8ed</onsuccess>
```

```
<resource object="UIA Controls" action="Checkbox - Set (UIA)"/>
</stage>
<stage stageid="7b24c778-b826-49bf-8ddd-c894187cc8ed" name="Get Checkbox Value (UIA)" type="Actions of the company of the comp
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>540</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<outputs>
<output type="flag" name="Checkbox value" stage="Current Checkbox Value"/>
</outputs>
<onsuccess>f4f1e846-e9ce-40c7-88ae-dab9edc30d6d</onsuccess>
<resource object="UIA Controls" action="Checkbox - Get (UIA)"/>
</stage>
<stage stageid="e1665cb0-c68d-43d4-a04c-29946499c90e" name="Set Checkbox to True (UIA)" type="A
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="flag" name="Checkbox value" expr="True"/>
</inputs>
<onsuccess>4516bd61-36d7-4fcf-8689-fa1da53cb3cb</onsuccess>
<resource object="UIA Controls" action="Checkbox - Set (UIA)"/>
</stage>
<stage stageid="4516bd61-36d7-4fcf-8689-fa1da53cb3cb" name="Get Checkbox Value (UIA)" type="Action
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<outputs>
<output type="flag" name="Checkbox value" stage="Current Checkbox Value"/>
</outputs>
<onsuccess>aa0e4531-9ca1-4912-88b9-ab15af38fbe3</onsuccess>
<resource object="UIA Controls" action="Checkbox - Get (UIA)"/>
</stage>
<stage stageid="2e49301c-a2fb-4f96-b17d-43c27226e4f9" name="anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>195</displayx>
```

```
<displayy>450</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>86006ab3-fa49-477a-b36c-e03cc99abe06</onsuccess>
</stage>
<stage stageid="86006ab3-fa49-477a-b36c-e03cc99abe06" name="anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>450</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f1d3a47c-92c3-40d2-9fe3-926ba459b229</onsuccess>
</stage>
<stage stageid="a5b0024a-7bc1-4e01-a648-c2e375f84071" name="anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>510</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>79f31e1e-5118-40e9-99ac-5692320345d3</onsuccess>
</stage>
<stage stageid="79f31e1e-5118-40e9-99ac-5692320345d3" name="anchor4" type="Anchor">
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>510</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6b062054-4194-46ef-9263-e97dbee30c53</onsuccess>
</stage>
<stage stageid="f4f1e846-e9ce-40c7-88ae-dab9edc30d6d" name="anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>570</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b832a5ae-0f3c-4066-994e-70fe06d6c643</onsuccess>
</stage>
<stage stageid="b832a5ae-0f3c-4066-994e-70fe06d6c643" name="anchor6" type="Anchor">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>570</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>aab32874-0fd1-46f3-8fbf-3c5a84ad24c5</onsuccess>
</stage>
<stage stageid="fae48c4b-c57a-4c23-a3c8-7c3c5ede57e5" name="anchor7" type="Anchor">
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>630</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fb660d51-6fb6-493a-9a28-e56d433989fc</onsuccess>
</stage>
<stage stageid="fb660d51-6fb6-493a-9a28-e56d433989fc" name="anchor8" type="Anchor">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>630</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e1665cb0-c68d-43d4-a04c-29946499c90e</onsuccess>
</stage>
<stage stageid="cdd5d1ef-c153-4d50-9123-f1cb86a71833" name="Note3" type="Note">
<narrative>Set to true from the default</narrative>
<displayx>-15</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0bc97171-f7f0-4b86-9625-5ea637c33a73" name="Note4" type="Note">
<narrative>Set to false from true/narrative>
<displayx>-15</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="924f3a1a-cf9f-4222-8b3f-f66492d92b2f" name="Note5" type="Note">
<narrative>Set to false from false/narrative>
<displayx>-15</displayx>
<displayy>540</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5f0d320d-1d9d-46e9-bdde-540d7aad6a70" name="Note6" type="Note">
<narrative>Set to true from false</narrative>
<displayx>-15</displayx>
<displayy>600</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="01b1a2c5-e90d-4368-9bb1-083f9e37a737" name="Note7" type="Note">
<narrative>Set to true from true</narrative>
<displayx>-15</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d7f4c3f9-21ff-43f7-947b-dff9397d24b3" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fcc32bf5-3225-4afc-ae1e-496b4d55e0ac</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="48db5db7-e3c7-4cd6-9f9f-b6b3177a2054" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>705</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>291d7944-5849-4d71-98c9-f48c4882f050</onsuccess>
</stage>
<stage stageid="aa0e4531-9ca1-4912-88b9-ab15af38fbe3" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>705</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>48db5db7-e3c7-4cd6-9f9f-b6b3177a2054</onsuccess>
</stage>
<stage stageid="af8714be-71b6-44e8-a068-0b6e42b6ae73" name="Setting CheckBox Via Write Stage" ty
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>390</displayy>
<displaywidth>330</displaywidth>
<displayheight>300</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="291d7944-5849-4d71-98c9-f48c4882f050" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>735</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>09b85e96-636a-487e-a5ff-e95ac4d5e031
<resource object="UIA Controls" action="Terminate"/>
</stage>
</process>
<view>
<camerax>92</camerax>
<cameray>-42</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="a60155c2-23f8-48e3-a413-b3181ec1789b" name="Start" type="Start">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>197426a7-d24b-4ff0-befa-8648b4bcc2f8</onsuccess>
</stage>
<stage stageid="aa31506d-7ddb-4792-840a-128e04ac965c" name="Stage1" type="ProcessInfo">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="197426a7-d24b-4ff0-befa-8648b4bcc2f8" name="Launch" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>446314ab-450c-4484-b1ad-c923eb7b8c2b</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="446314ab-450c-4484-b1ad-c923eb7b8c2b" name="Write" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text" expr="&amp;quot;mungo&amp;quot;"/>
</inputs>
<onsuccess>830206b1-f2c2-414c-b4d7-f3ff67abbce3</onsuccess>
<resource object="UIA Controls" action="ComboBox - Write (UIA)"/>
</stage>
<stage stageid="830206b1-f2c2-414c-b4d7-f3ff67abbce3" name="Read ComboBox" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Expected Item Count" expr="3"/>
<input type="text" name="Expected Selected Item" expr="&amp;quot;mungo&amp;quot;"/>
<input type="collection" name="Expected All Items" expr="[All Items]"/>
</inputs>
<onsuccess>b5b74af8-a36f-4afd-91c6-394f25f8330c</onsuccess>
<resource object="UIA Controls" action="ComboBox - Read (UIA)"/>
</stage>
<stage stageid="3d52f8aa-4dc0-48d0-9e0b-e1f5f8fe0d8e" name="End" type="End">
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>420</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b5b74af8-a36f-4afd-91c6-394f25f8330c" name="Select Item" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Text" expr="&amp;quot;mary&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>2d9a5613-e121-44c7-8ae5-ef8c72e4ae88</onsuccess>
<resource object="UIA Controls" action="ComboBox - Select (UIA)"/>
</stage>
<stage stageid="5865db82-83b6-4019-8ab9-2e475ad2419e" name="Terminate" type="Action">
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>375</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3d52f8aa-4dc0-48d0-9e0b-e1f5f8fe0d8e</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="73ef927f-4340-4b3d-8298-f1d7ab2aeb18" name="Testing Write Stage" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>0</displayy>
<displaywidth>150</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="92a9921f-c103-4a52-87a9-1b4f527c18a7" name="Testing Navigate Stage - Select Item"</p>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>120</displayy>
<displaywidth>150</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="2d9a5613-e121-44c7-8ae5-ef8c72e4ae88" name="Read ComboBox" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Expected Item Count" expr="3"/>
<input type="text" name="Expected Selected Item" expr="&amp;quot;mary&amp;quot;"/>
<input type="collection" name="Expected All Items" expr="[All Items]"/>
</inputs>
<onsuccess>72e700e3-d4e0-4343-ba5b-97d79208ed26</onsuccess>
<resource object="UIA Controls" action="ComboBox - Read (UIA)"/>
</stage>
<stage stageid="5c40f5a4-cdc7-40a6-924c-930c5a056f1a" name="Testing Navigate Stage - Select Position
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="72e700e3-d4e0-4343-ba5b-97d79208ed26" name="Select Item" type="Action">
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Text" expr=""/>
<input type="number" name="Item Position" expr="3"/>
</inputs>
<onsuccess>93c5c6eb-572d-42a3-a9ab-ebb1cc324d4d</onsuccess>
<resource object="UIA Controls" action="ComboBox - Select (UIA)"/>
</stage>
<stage stageid="93c5c6eb-572d-42a3-a9ab-ebb1cc324d4d" name="Read ComboBox" type="Action">
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Expected Item Count" expr="3"/>
<input type="text" name="Expected Selected Item" expr="&amp;quot;midge&amp;quot;"/>
```

```
<input type="collection" name="Expected All Items" expr="[All Items]"/>
</inputs>
<onsuccess>5865db82-83b6-4019-8ab9-2e475ad2419e</onsuccess>
<resource object="UIA Controls" action="ComboBox - Read (UIA)"/>
</stage>
<stage stageid="95b5de2e-f169-4608-b46e-942ba7163902" name="All Items" type="Collection">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="mary"/>
</row>
<row>
<field name="Item Name" type="text" value="mungo"/>
</row>
<row>
```

```
<field name="Item Name" type="text" value="midge"/>
</row>
</initialvalue>
</stage>
</process>
cess name="Test UIA Edit Box Control" version="1.0" bpversion="6.2.0.1851" narrative="" preferredid
<view>
<camerax>265</camerax>
<cameray>-314.999969</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>90</displayx>
```

```
<displayy>-450</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get Edit Box" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Value 1" expr="&amp;quot;This is me setting the edit box.&amp;quot;"</p>
<input type="text" name="Expected Value 2" expr="&amp;quot;TextChanged 1&amp;quot;"/>
```

```
<input type="text" name="Expected Value 3" expr="&amp;quot;Random&amp;quot;"/>
</inputs>
<outputs>
<output type="text" name="Text Value" stage="Edit Value"/>
</outputs>
<onsuccess>8b4e25e2-32bf-4f1a-95da-b1e3529ebbca</onsuccess>
<resource object="UIA Controls" action="Edit Box - Read (UIA)"/>
</stage>
<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Set Edit Box" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Text Box Value" expr="&amp;quot;This is me setting the edit box.&amp;quot;"/>
</inputs>
<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>
<resource object="UIA Controls" action="Edit Box - Write (UIA)"/>
</stage>
<stage stageid="8b4e25e2-32bf-4f1a-95da-b1e3529ebbca" name="Close Application" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-300</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>26b88fc8-33be-4f87-af1d-391d60b1d552</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="26b88fc8-33be-4f87-af1d-391d60b1d552" name="End1" type="End">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
</process>
cprocess name="Test UIA Hyperlink Control" version="1.0" bpversion="6.2.0.1547" narrative="" preferredictions
<view>
<camerax>-34</camerax>
<cameray>-99</cameray>
<zoom version="2">1.25</zoom>
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
```

```
<displayx>-75</displayx>
<displayy>-210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-180</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>62435e1a-97e7-4c8c-bfd0-a3e522c5677a</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
```

```
<stage stageid="62435e1a-97e7-4c8c-bfd0-a3e522c5677a" name="Click Hyperlink" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c459a867-863a-4077-8f3f-510e5b10fb15</onsuccess>
<resource object="UIA Controls" action="Hyperlink - Click (UIA)"/>
</stage>
<stage stageid="27f99307-00f5-4adf-acdf-71eac5afa60e" name="End2" type="End">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c459a867-863a-4077-8f3f-510e5b10fb15" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>27f99307-00f5-4adf-acdf-71eac5afa60e</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
cess name="Test UIA Listbox Control" version="1.0" bpversion="6.2.0.1588" narrative="" preferredid=
<view>
<camerax>0</camerax>
<cameray>-225</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-210</displayx>
```

```
<displayy>-255</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9e8d7ad9-1be4-4e63-9031-174e034cc974</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get Listbox Current Value (UIA)" type="Ac
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Item " expr="&amp;quot;Row 1&amp;quot;"/>
<input type="collection" name="Expected All Items" expr="[All Items]"/>
```

```
<input type="number" name="Expected Item Count" expr="10"/>
</inputs>
<onsuccess>ffe075ea-7251-4063-ae73-2e399914cd24</onsuccess>
<resource object="UIA Controls" action="Listbox - Get (UIA)"/>
</stage>
<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>780</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3704028e-ed1d-47a3-a693-687cfd72822a" name="Listbox Current Value" type="Data">
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="9e8d7ad9-1be4-4e63-9031-174e034cc974" name="Set List Box Item (UIA)" type="Action
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="ListBox Item" expr="&amp;quot;Row 1&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>
<resource object="UIA Controls" action="Listbox - Select (UIA)"/>
</stage>
<stage stageid="2624bc22-9be0-42e9-aa1c-4bc9c4bc6b27" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>735</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="57d01dc6-0309-4875-81d3-3f950fac18c4" name="Single Select" type="Block">
```

```
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-195</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="1f5d2c4b-50f5-4b22-aa7f-a09f0bb312e5" name="List Item Multi (Add / Remove)" type="B
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>450</displayy>
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9049b21a-d557-483e-94d6-114c340cf237" name="Single Select" type="Block">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9f1255d5-01a2-446c-abf1-64635935e2c4" name="Get Listbox Current Value (UIA)" type=
```

```
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Item " expr="&amp;quot;Row 2&amp;quot;"/>
<input type="collection" name="Expected All Items" expr="[All Items]"/>
<input type="number" name="Expected Item Count" expr="10"/>
</inputs>
<onsuccess>c01d1b37-23b7-41fb-95c6-c497cf7c0aa8</onsuccess>
<resource object="UIA Controls" action="Listbox - Get (UIA)"/>
</stage>
<stage stageid="aa20bd03-1ed9-40ca-8874-10846b77e427" name="Set List Box Item (UIA)" type="Action
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="ListBox Item" expr=""/>
<input type="number" name="Item Position" expr="2"/>
</inputs>
```

```
<onsuccess>9f1255d5-01a2-446c-abf1-64635935e2c4
<resource object="UIA Controls" action="Listbox - Select (UIA)"/>
</stage>
<stage stageid="4394d957-4b4a-4a47-aeea-421f6ce64633" name="Items to Add" type="Collection">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
<field name="Position" type="number" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Row 2"/>
<field name="Position" type="number" value="2"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 3"/>
<field name="Position" type="number" value="3"/>
```

</row>

```
<row>
<field name="Item Name" type="text" value="Row 6"/>
<field name="Position" type="number" value="6"/>
</row>
</initialvalue>
</stage>
<stage stageid="300435bd-6e39-46a7-b3c9-1807e2b3da4a" name="Add to Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>9317645d-658d-4099-9bf8-340db317ecea</onsuccess>
<resource object="UIA Controls" action="ListItem - Add (UIA)"/>
</stage>
<stage stageid="52d39894-d7bd-416f-b40a-66f3306ee2e0" name="Remove from Selection" type="Action"
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Remove]"/>
</inputs>
<onsuccess>882ce1bc-85a9-434c-9590-bf4801b10971
<resource object="UIA Controls" action="ListItem - Remove (UIA)"/>
</stage>
<stage stageid="7746eea8-ec52-44ad-ab24-0ef10bbb5669" name="Items to Remove" type="Collection">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
<field name="Position" type="number" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Row 2"/>
<field name="Position" type="number" value="2"/>
```

</row>

```
<row>
<field name="Item Name" type="text" value="Row 3"/>
<field name="Position" type="number" value="3"/>
</row>
</initialvalue>
</stage>
<stage stageid="9317645d-658d-4099-9bf8-340db317ecea" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>52d39894-d7bd-416f-b40a-66f3306ee2e0</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="882ce1bc-85a9-434c-9590-bf4801b10971" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[New Items]"/>
</inputs>
<onsuccess>6013f340-54c5-4d98-90c2-684cf141cfe5</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="134b5261-606d-40a5-8f95-16f24798ed0a" name="New Items" type="Collection">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Row 6"/>
</row>
</initialvalue>
</stage>
```

```
<stage stageid="8801eec5-a297-44b7-a834-08219aa53ff5" name="All Items" type="Collection">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Row 1"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 2"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 3"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 4"/>
</row>
```

```
<row>
<field name="Item Name" type="text" value="Row 5"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 6"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 7"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 8"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 9"/>
</row>
<row>
<field name="Item Name" type="text" value="Row 10"/>
</row>
</initialvalue>
</stage>
<stage stageid="50d3d6f1-7dfb-456c-885e-aac11896cc56" name="Press" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>48452a64-1e2e-4a59-b882-dfcf37f9311f</onsuccess>
<resource object="UIA Controls" action="ListItem - Press (UIA)"/>
</stage>
<stage stageid="76cd29fc-5a55-48c7-9947-053298e5a82f" name="Press" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Remove]"/>
</inputs>
<onsuccess>13ad5c71-7c95-4cff-820b-e9672df0b727</onsuccess>
<resource object="UIA Controls" action="ListItem - Remove (UIA)"/>
</stage>
<stage stageid="48452a64-1e2e-4a59-b882-dfcf37f9311f" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>76cd29fc-5a55-48c7-9947-053298e5a82f</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="13ad5c71-7c95-4cff-820b-e9672df0b727" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[New Items]"/>
</inputs>
<onsuccess>ed989944-8b5e-40b8-a770-465f4fda4a8f</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="328c872d-222b-459c-a895-3eb05c6fd6fc" name="List Item Multi (Press)" type="Block">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>450</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6013f340-54c5-4d98-90c2-684cf141cfe5" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>33ad3518-5bbe-4a9b-8d8b-1eac75aa4b10</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="577bf042-65e0-47dd-862b-26b86d95b697" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>50d3d6f1-7dfb-456c-885e-aac11896cc56</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="ffe075ea-7251-4063-ae73-2e399914cd24" name="Anchor1" type="Anchor">
```

```
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-120</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4172f57e-1533-41af-bad4-079a75366bd2</onsuccess>
</stage>
<stage stageid="4172f57e-1533-41af-bad4-079a75366bd2" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>-165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>aa20bd03-1ed9-40ca-8874-10846b77e427</onsuccess>
</stage>
<stage stageid="33ad3518-5bbe-4a9b-8d8b-1eac75aa4b10" name="Anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>660</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>7d080b8d-d0db-4ef9-95fa-f0742846f8da</onsuccess>
</stage>
<stage stageid="7d080b8d-d0db-4ef9-95fa-f0742846f8da" name="Anchor4" type="Anchor">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>480</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>577bf042-65e0-47dd-862b-26b86d95b697</onsuccess>
</stage>
<stage stageid="c01d1b37-23b7-41fb-95c6-c497cf7c0aa8" name="Anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-75</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7fb298bc-29b7-4ec4-a7d8-72a57607aa6a</onsuccess>
</stage>
<stage stageid="7fb298bc-29b7-4ec4-a7d8-72a57607aa6a" name="Anchor6" type="Anchor">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-75</displayy>
```

```
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>feb02e30-e035-4be3-b64b-12a804f73c0b</onsuccess>
</stage>
<stage stageid="ed989944-8b5e-40b8-a770-465f4fda4a8f" name="Anchor7" type="Anchor">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>705</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f14d51ed-2818-4574-9744-4d9c72cff040</onsuccess>
</stage>
<stage stageid="f14d51ed-2818-4574-9744-4d9c72cff040" name="Anchor8" type="Anchor">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>705</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2624bc22-9be0-42e9-aa1c-4bc9c4bc6b27</onsuccess>
</stage>
<stage stageid="4aed7992-2e04-4a77-acb1-74c21ee9faa9" name="Listbox Mutli (Add / Remove)" type="E
<narrative>
```

```
</narrative>
<displayx>-135</displayx>
<displayy>-60</displayy>
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="194de2f1-675d-40f2-af59-b055f6ebbf20" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b10ce6be-938e-4fe1-ad54-76fb34ca5bda</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="c8a790ab-e46c-41f6-a180-f1b19e20bd97" name="Listbox Mutli (Select)" type="Block">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>240</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="ac88bc53-4b54-4b85-aad0-891ae23b1702" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>052e40ff-2fb5-46ce-b68d-de8cee187f41</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="e72c11bf-7220-408e-a677-83467971e463" name="Listbox Mutli (Add / Remove)" type="E
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ae95219a-e1b2-4d80-8bd0-fe37795a56dd" name="Note1" type="Note">
<narrative>Index</narrative>
<displayx>180</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="6c4ee711-ff2b-4116-b0a3-26901b78890e" name="Note1" type="Note">
<narrative>Name</narrative>
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0eb71511-ebeb-437d-9dbc-79bce3332a78" name="Listbox Mutli (Select)" type="Block">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="feb02e30-e035-4be3-b64b-12a804f73c0b" name="Add to Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="collection" name="Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>84cea701-0fee-4927-95d6-d268b664a4a8</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Add (UIA)"/>
</stage>
<stage stageid="84cea701-0fee-4927-95d6-d268b664a4a8" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>618672a9-4e24-43a8-a8a6-743182925fdb</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="c1f99f6f-0e49-4746-ba12-82fdd09bd65c" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="collection" name="Expected Items" expr="[New Items]"/>
</inputs>
<onsuccess>194de2f1-675d-40f2-af59-b055f6ebbf20</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="618672a9-4e24-43a8-a8a6-743182925fdb" name="Remove from Selection" type="Action"
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Remove]"/>
</inputs>
<onsuccess>c1f99f6f-0e49-4746-ba12-82fdd09bd65c</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Remove (UIA)"/>
</stage>
<stage stageid="09b25d76-9ddf-4809-92fb-f62e917cb9fb" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>00c77fd2-d059-40e1-a469-8dc05de6752e</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="00c77fd2-d059-40e1-a469-8dc05de6752e" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd5ef7e9-fe5f-4e80-b163-9498f97f4858</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="b10ce6be-938e-4fe1-ad54-76fb34ca5bda" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>150</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d816a3ab-c6b1-4060-a2a8-b8d0301d6933</onsuccess>
</stage>
<stage stageid="d816a3ab-c6b1-4060-a2a8-b8d0301d6933" name="Anchor2" type="Anchor">
<narrative>
```

```
</narrative>
<displayx>0</displayx>
<displayy>-30</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ac88bc53-4b54-4b85-aad0-891ae23b1702</onsuccess>
</stage>
<stage stageid="c62d5716-0c5d-4e89-935d-f9b6d4658bce" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9e9401a2-eb9d-4e32-af4f-d257a28b55c3</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="9e9401a2-eb9d-4e32-af4f-d257a28b55c3" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>300435bd-6e39-46a7-b3c9-1807e2b3da4a</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="8e435e7e-e4fa-4d98-9da0-50c05c9a5ce4" name="Note1" type="Note">
<narrative>Index</narrative>
<displayx>180</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e5d45eb2-ee8f-4c5b-9d6e-e14580559ae4" name="Note1" type="Note">
<narrative>Name</narrative>
<displayx>-180</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="99d4087c-9b25-4a4e-8cbe-ecafe035d154" name="Note1" type="Note">
<narrative>Index/narrative>
<displayx>180</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="e1ee027f-4ffc-4284-8f6f-ca5fa3813519" name="Note1" type="Note">
<narrative>Name</narrative>
<displayx>-180</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="03f73461-d4d4-4b94-a90b-f610e485fc4f" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bec77d07-cff1-4b0b-8281-b7539ca02a24</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="b0030e57-1bac-4897-ab35-210705252a53" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>28e577af-f0f5-41cb-959d-00cb5d178de5</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="bd5ef7e9-fe5f-4e80-b163-9498f97f4858" name="Select" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Add]"/>
<input type="flag" name="Via Position?" expr=""/>
</inputs>
<onsuccess>d355234e-aee5-4e37-ba23-eac24a8b3e0e</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Select (UIA)"/>
</stage>
<stage stageid="d355234e-aee5-4e37-ba23-eac24a8b3e0e" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="collection" name="Expected Items" expr="[Single Selection]"/>
</inputs>
<onsuccess>03f73461-d4d4-4b94-a90b-f610e485fc4f</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="bec77d07-cff1-4b0b-8281-b7539ca02a24" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>360</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>184d0990-f534-4b71-88ac-1b6e1f1c59e9</onsuccess>
</stage>
<stage stageid="184d0990-f534-4b71-88ac-1b6e1f1c59e9" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>270</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b0030e57-1bac-4897-ab35-210705252a53
</stage>
<stage stageid="052e40ff-2fb5-46ce-b68d-de8cee187f41" name="Add to Selection" type="Action">
<narrative>
```

```
</narrative>
<displayx>75</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Add]"/>
<input type="flag" name="Via Position?" expr="True"/>
</inputs>
<onsuccess>a4902a04-c706-4a53-9e3d-449577a2ba9a</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Add (UIA)"/>
</stage>
<stage stageid="a4902a04-c706-4a53-9e3d-449577a2ba9a" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[Items to Add]"/>
</inputs>
<onsuccess>62d51ee0-a918-4b9e-9f8d-80b2c6b271b3</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
```

```
<stage stageid="f3d19c06-ca25-408b-bcae-5def7134938e" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[New Items]"/>
</inputs>
<onsuccess>09b25d76-9ddf-4809-92fb-f62e917cb9fb</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="62d51ee0-a918-4b9e-9f8d-80b2c6b271b3" name="Remove from Selection" type="Action
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Remove]"/>
<input type="flag" name="Via Position?" expr="True"/>
</inputs>
<onsuccess>f3d19c06-ca25-408b-bcae-5def7134938e</onsuccess>
```

```
<resource object="UIA Controls" action="Listbox Multi - Remove (UIA)"/>
</stage>
<stage stageid="28e577af-f0f5-41cb-959d-00cb5d178de5" name="Select" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Items" expr="[Items to Add]"/>
<input type="flag" name="Via Position?" expr="True"/>
</inputs>
<onsuccess>aa6f5756-4929-4ed7-ad9a-58d992ff6284</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Select (UIA)"/>
</stage>
<stage stageid="aa6f5756-4929-4ed7-ad9a-58d992ff6284" name="Get Selection" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Items" expr="[Single Selection]"/>
```

```
</inputs>
<onsuccess>c62d5716-0c5d-4e89-935d-f9b6d4658bce</onsuccess>
<resource object="UIA Controls" action="Listbox Multi - Get (UIA)"/>
</stage>
<stage stageid="ad98a62d-ef22-47f7-9193-c84c87ead42e" name="Single Selection" type="Collection">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Row 6"/>
</row>
</initialvalue>
</stage>
</process>
cess name="Test UIA Menus" version="1.0" bpversion="6.2.0.1479" narrative="" preferredid="7ff0557
<view>
```

```
<camerax>0</camerax>
<cameray>-21</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>-210</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Launch" type="Action">
<narrative>
```

```
</narrative>
<displayx>45</displayx>
<displayy>-180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Menu Press" type="Action">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8fba444b-d956-4f15-b6bc-4482f22ed3f5</onsuccess>
```

```
<resource object="UIA Controls" action="Menu - Press (UIA)"/>
</stage>
<stage stageid="8fba444b-d956-4f15-b6bc-4482f22ed3f5" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>3f1cb694-41a8-42b3-a709-d399f32c8d0c</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="1c7a1bed-93df-42be-979d-14662cd2c1bc" name="Pressing Menus" type="Block">
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>-150</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3f1cb694-41a8-42b3-a709-d399f32c8d0c" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-15</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7542a37a-da84-48dd-a9da-a276199bd883</onsuccess>
<resource object="Notepad - WPF Menu Item" action="Launch"/>
</stage>
<stage stageid="031ac153-ce6b-4c5f-b315-c2e8e4c2e505" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>
<resource object="Notepad - WPF Menu Item" action="Terminate"/>
</stage>
<stage stageid="a2bd21e8-f537-4a6e-bfdd-ae4a37ac3775" name="Pressing Menus WPF" type="Block">
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7542a37a-da84-48dd-a9da-a276199bd883" name="Press WPF Menu Item" type="Action
```

```
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cb6d3fbb-4004-48ff-93a4-0e8d4533796d</onsuccess>
<resource object="Notepad - WPF Menu Item" action="Press WPF Menu Item (UIA)"/>
</stage>
<stage stageid="cb6d3fbb-4004-48ff-93a4-0e8d4533796d" name="Check Expanded State" type="Action">
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>031ac153-ce6b-4c5f-b315-c2e8e4c2e505</onsuccess>
<resource object="Notepad - WPF Menu Item" action="Check WPF Expanded State (UIA)"/>
</stage>
cess name="Test UIA Radio Control" version="1.0" bpversion="6.2.0.1900" narrative="" preferredid="feature..."
<view>
<camerax>-196</camerax>
<cameray>177</cameray>
```

<zoom version="2">1.25</zoom>

```
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>38a9a450-5e20-4114-8832-205b92e7902a</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-405</displayx>
<displayy>-60</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="38a9a450-5e20-4114-8832-205b92e7902a" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b43ed47c-fa90-4b54-8860-3b0e05b5e72e</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="9204c2e6-c469-42d7-b43f-3b12d849d3bf" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1250844d-1eb3-4d2a-8ecc-e2b261f95055</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="b43ed47c-fa90-4b54-8860-3b0e05b5e72e" name="Radio 1 (True)" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="1"/>
```

```
<input type="flag" name="State" expr="True"/>
</inputs>
<onsuccess>a250308c-efd7-4d7c-99ec-3429885edeb9</onsuccess>
<resource object="UIA Controls" action="Radio - Press (UIA)"/>
</stage>
<stage stageid="a250308c-efd7-4d7c-99ec-3429885edeb9" name="Get Radio 1" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="1"/>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>519d1ec3-3706-4672-9618-7edc6639d12e</onsuccess>
<resource object="UIA Controls" action="Radio - Get (UIA)"/>
</stage>
<stage stageid="5eaee846-c43e-4df8-b5d9-9cc2245cb3ae" name="Radio 2 (True)" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="2"/>
<input type="flag" name="State" expr="True"/>
</inputs>
<onsuccess>a14b74fd-9719-4d03-84d7-090d2df39737</onsuccess>
<resource object="UIA Controls" action="Radio - Press (UIA)"/>
</stage>
<stage stageid="a14b74fd-9719-4d03-84d7-090d2df39737" name="Get Radio 2" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="2"/>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>ee9e7394-b65f-4e7d-ae07-c326669fc5b2</onsuccess>
<resource object="UIA Controls" action="Radio - Get (UIA)"/>
</stage>
<stage stageid="fbd0a1ef-6c76-465a-bf8a-7f107f7dbee1" name="Get Radio 1" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
```

```
<displayy>375</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="1"/>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<onsuccess>9204c2e6-c469-42d7-b43f-3b12d849d3bf</onsuccess>
<resource object="UIA Controls" action="Radio - Get (UIA)"/>
</stage>
<stage stageid="1250844d-1eb3-4d2a-8ecc-e2b261f95055" name="End1" type="End">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="961ae602-60c9-41fc-aa06-887454cb86bb" name="Testing Pressing Radio Button" type="
<narrative>
</narrative>
<displayx>-315</displayx>
<displayy>-15</displayy>
<displaywidth>120</displaywidth>
<displayheight>420</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="49abcbb3-3d79-40c7-a98b-e2e18e6912ed" name="Note1" type="Note">
<narrative>Setting True on Radio 1
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="519d1ec3-3706-4672-9618-7edc6639d12e" name="Radio 1 (False)" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="1"/>
<input type="flag" name="State" expr="False"/>
</inputs>
<onsuccess>26ab6e05-8769-42be-9c8c-c550f8e3c7b6</onsuccess>
<resource object="UIA Controls" action="Radio - Press (UIA)"/>
</stage>
<stage stageid="26ab6e05-8769-42be-9c8c-c550f8e3c7b6" name="Get Radio 1" type="Action">
<narrative>
```

```
</narrative>
<displayx>-255</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="1"/>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>5eaee846-c43e-4df8-b5d9-9cc2245cb3ae</onsuccess>
<resource object="UIA Controls" action="Radio - Get (UIA)"/>
</stage>
<stage stageid="957b7d99-7c95-458e-b9a2-71446843ac08" name="Note1" type="Note">
<narrative>Setting False on Radio 1 (Shouldn't do anything)
<displayx>-120</displayx>
<displayy>105</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cef53145-6105-4e4e-8155-7e8a1200555d" name="Note1" type="Note">
<narrative>Should be True</narrative>
<displayx>-120</displayx>
<displayy>60</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1848e1ec-3b59-4344-a40b-ef2cdbbc2bf2" name="Note1" type="Note">
<narrative>Should be True</narrative>
<displayx>-120</displayx>
<displayy>150</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ee9e7394-b65f-4e7d-ae07-c326669fc5b2" name="Radio 2 (False)" type="Action">
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="2"/>
<input type="flag" name="State" expr="False"/>
</inputs>
<onsuccess>e6208272-366b-4e28-a0b6-ee9534890dfa</onsuccess>
<resource object="UIA Controls" action="Radio - Press (UIA)"/>
</stage>
<stage stageid="e6208272-366b-4e28-a0b6-ee9534890dfa" name="Get Radio 2" type="Action">
<narrative>
```

```
</narrative>
<displayx>-255</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Radio Number" expr="2"/>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>fbd0a1ef-6c76-465a-bf8a-7f107f7dbee1</onsuccess>
<resource object="UIA Controls" action="Radio - Get (UIA)"/>
</stage>
<stage stageid="6d5bf6e8-faac-465a-86a9-22c37f78bd34" name="Note1" type="Note">
<narrative>Setting True on Radio 2</parrative>
<displayx>-120</displayx>
<displayy>195</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="525cc93a-df78-4da3-bbea-896858683d44" name="Note1" type="Note">
<narrative>Setting False on Radio 2 (Shouldn't do anything)
<displayx>-120</displayx>
<displayy>285</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5b4c880d-58d7-4c4e-9864-b731529a3ed4" name="Note1" type="Note">
<narrative>Should be True</narrative>
<displayx>-120</displayx>
<displayy>240</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="20fff331-6018-4412-91f7-db0cc5af136a" name="Note1" type="Note">
<narrative>Should be True</narrative>
<displayx>-120</displayx>
<displayy>330</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b95fef54-85dd-45a8-b550-35f8ffde7481" name="Note1" type="Note">
<narrative>Should be False</narrative>
<displayx>-120</displayx>
<displayy>375</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
</process>
```

```
process name="Test UIA Standard Actions" version="1.0" bpversion="6.3.0.2912" narrative="" preferredictions
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="c73f5c37-b2b7-499f-939e-99da1d946c59" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e3049b6f-0928-496e-a116-e89bae89098b</onsuccess>
</stage>
<stage stageid="bf76b06b-0c94-4681-8572-b25eea925ea8" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="13083945-ad7f-4227-a711-e399bffd8418" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e3049b6f-0928-496e-a116-e89bae89098b" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ab3d7b75-a732-4205-a8bc-870c8c810480</onsuccess>
<resource object="UIA Standard Actions" action="Launch"/>
</stage>
<stage stageid="b88174a2-12f3-49cf-a0c7-2df967293b6a" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bf76b06b-0c94-4681-8572-b25eea925ea8</onsuccess>
<resource object="UIA Standard Actions" action="Terminate"/>
</stage>
<stage stageid="ab3d7b75-a732-4205-a8bc-870c8c810480" name="Read Actions" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>784a47f7-b7e0-4ec8-bba7-cac5189e5dfb</onsuccess>
<resource object="UIA Standard Actions" action="Read Actions"/>
</stage>
<stage stageid="784a47f7-b7e0-4ec8-bba7-cac5189e5dfb" name="Navigate Actions" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b88174a2-12f3-49cf-a0c7-2df967293b6a</onsuccess>
<resource object="UIA Standard Actions" action="Navigate Actions"/>
</stage>
</process>
```

```
cess name="Test UIA Tab Control" version="1.0" bpversion="6.2.0.1568" narrative="" preferredid="b0"
<view>
<camerax>0</camerax>
<cameray>-165</cameray>
<zoom version="2">1.25</zoom>
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="224569b5-60fc-4da6-b90b-c2d0af1cc16d" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>518ae254-36ab-438c-ad5b-81199885b7b2</onsuccess>
</stage>
<stage stageid="e0b4d1e5-3f64-49e9-b3e2-caa94ba0c4dd" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>465</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="f83862de-8c4a-44a7-bcfa-a5737b89a3ff" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-135</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="518ae254-36ab-438c-ad5b-81199885b7b2" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>80d6435e-dd87-4ed5-81cc-fff87beb6a8c</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="80591967-c613-4155-ba7d-24199680e4f0" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e0b4d1e5-3f64-49e9-b3e2-caa94ba0c4dd</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="ea8d2f91-629a-40c8-b6b0-1cccb47042c8" name="Select Tab Item 2" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Text" expr="&amp;quot;TabPage2&amp;quot;"/>
<input type="text" name="Expected Index" expr="&amp;quot;New tab index: 1&amp;quot;"/>
</inputs>
<onsuccess>9b0a8b15-0805-4bd6-867a-7c50fb07274a</onsuccess>
<resource object="UIA Controls" action="Tab Item - Select (UIA)"/>
</stage>
<stage stageid="959055b6-0d9f-4bc2-b5cf-275f5006ebdb" name="Get Tab" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Expected Tab" expr="&amp;quot;TabPage2&amp;quot;"/>
<input type="collection" name="All Tabs" expr=""/>
</inputs>
<onsuccess>fa2569ca-e0dd-4cdd-831f-38645520dd01</onsuccess>
<resource object="UIA Controls" action="Tab - Get (UIA)"/>
</stage>
<stage stageid="a4393809-91ce-47ab-ad18-1b6d9cec29dd" name="Get Tab" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Tab" expr="&amp;quot;TabPage1&amp;quot;"/>
</inputs>
<onsuccess>2b12d8b4-1226-43db-bfac-5a9bd19c5f3d</onsuccess>
<resource object="UIA Controls" action="Tab - Get (UIA)"/>
</stage>
<stage stageid="9b0a8b15-0805-4bd6-867a-7c50fb07274a" name="Get Tab" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="text" name="Tab Name" expr="&amp;quot;TabPage2&amp;quot;"/>
</inputs>
<onsuccess>b9b4d41f-41b1-49ba-882d-8308ee574a33
<resource object="UIA Controls" action="Tab Item - Get (UIA)"/>
</stage>
<stage stageid="4352e26c-361b-492c-a9e1-8fc386763fb2" name="Select Tab via Name" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-90</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="53608db4-e442-472e-bf9e-b5a0c58ae68d" name="Select Tab via Position" type="Block";
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>75</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="80d6435e-dd87-4ed5-81cc-fff87beb6a8c" name="Select Tab 2" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Text" expr="&amp;quot;TabPage2&amp;quot;"/>
<input type="number" name="Tab Number" expr=""/>
<input type="text" name="Expected Index" expr="&amp;quot;New tab index: 1&amp;quot;"/>
</inputs>
<onsuccess>959055b6-0d9f-4bc2-b5cf-275f5006ebdb</onsuccess>
<resource object="UIA Controls" action="Tab - Select (UIA)"/>
</stage>
<stage stageid="b6dafee1-347e-4716-9b59-e26d4bb06ed9" name="Select Tab 1" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Text" expr=""/>
<input type="number" name="Tab Number" expr="1"/>
```

```
<input type="text" name="Expected Index" expr="&amp;quot;New tab index: 0&amp;quot;"/>
</inputs>
<onsuccess>a4393809-91ce-47ab-ad18-1b6d9cec29dd</onsuccess>
<resource object="UIA Controls" action="Tab - Select (UIA)"/>
</stage>
<stage stageid="83f2acbf-5af5-47a1-9fb2-e2efae7b78fb" name="Select Tab Item" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>240</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="fa2569ca-e0dd-4cdd-831f-38645520dd01" name="Select Tab 2" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Text" expr="&amp;quot;TabPage2&amp;quot;"/>
<input type="number" name="Tab Number" expr=""/>
<input type="text" name="Expected Index" expr="&amp;quot;New tab index: 1&amp;quot;"/>
</inputs>
```

```
<onsuccess>b6dafee1-347e-4716-9b59-e26d4bb06ed9</onsuccess>
<resource object="UIA Controls" action="Tab - Select (UIA)"/>
</stage>
<stage stageid="2b12d8b4-1226-43db-bfac-5a9bd19c5f3d" name="Select Tab 1" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Text" expr=""/>
<input type="number" name="Tab Number" expr="1"/>
<input type="text" name="Expected Index" expr="&amp;quot;New tab index: 0&amp;quot;"/>
</inputs>
<onsuccess>ea8d2f91-629a-40c8-b6b0-1cccb47042c8</onsuccess>
<resource object="UIA Controls" action="Tab - Select (UIA)"/>
</stage>
<stage stageid="b9b4d41f-41b1-49ba-882d-8308ee574a33" name="Select Tab Item 2" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Tab Text" expr="&amp;quot;TabPage2&amp;quot;"/>
<input type="text" name="Expected Index" expr="&amp;quot;New tab index: 1&amp;quot;"/>
</inputs>
<onsuccess>80591967-c613-4155-ba7d-24199680e4f0</onsuccess>
<resource object="UIA Controls" action="Tab Item - Select (UIA)"/>
</stage>
<view>
<camerax>104</camerax>
<cameray>2431.6</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="dfbf95bf-e181-4f5e-b5c7-f78f8383d6dc" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-840</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2e2bf09f-fae1-4574-ac06-80fad9419def</onsuccess>
</stage>
<stage stageid="73ac6bd8-49cc-4e6b-87a2-d1e4158b5e84" name="End" type="End">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2490</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ef7509fb-cac8-4842-be45-c876bebc79a1" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-810</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ebeed0d4-bef7-4033-bfc6-4bbec85d4bd2" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-705</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8734929f-1a05-4461-a3bb-b565673b4298</onsuccess>
<resource object="UIA HTML Page" action="Launch"/>
```

```
</stage>
<stage stageid="297c57e4-6aaf-4e8d-8f26-a4ae38d293f8" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cb3d7ea9-c144-4cad-8231-c860d3f2efee</onsuccess>
<resource object="UIA HTML Page" action="Terminate"/>
</stage>
<stage stageid="11da10ae-c84a-48a7-8eda-1e4bdbc6d9a4" name="HTML Tables" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-675</displayy>
<displaywidth>120</displaywidth>
<displayheight>285</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="8734929f-1a05-4461-a3bb-b565673b4298" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-645</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>51842d18-f3b0-48c0-a1b8-08a9e66dee69</onsuccess>
<resource object="UIA HTML Page" action="Table - Read Cell"/>
</stage>
<stage stageid="51842d18-f3b0-48c0-a1b8-08a9e66dee69" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-600</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
<input type="collection" name="Expected Rows" expr="[Expected Row(s) 1]"/>
</inputs>
<onsuccess>fedecd3f-2834-4768-8f7e-ff8217e90c34</onsuccess>
<resource object="UIA HTML Page" action="Table - Read Row(s)"/>
</stage>
<stage stageid="9b3473bb-7c1f-41db-84b2-659912062757" name="Read Row Count" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-465</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2ec223af-9f3b-4d11-9965-256881af5b39</onsuccess>
<resource object="UIA HTML Page" action="Table - Row Count"/>
</stage>
<stage stageid="2ec223af-9f3b-4d11-9965-256881af5b39" name="Read Column Count" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>297c57e4-6aaf-4e8d-8f26-a4ae38d293f8</onsuccess>
<resource object="UIA HTML Page" action="Table - Column Count"/>
</stage>
<stage stageid="f70e8eac-165e-4292-be83-40a550d8e72f" name="Data Grid - Set Cell" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>420</displayy>
<displaywidth>120</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="cb3d7ea9-c144-4cad-8231-c860d3f2efee" name="Launch" type="Action">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>-315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2f82e3f6-03c2-46db-ab63-11e77dc65dd1</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="54ceee74-ce45-44d8-9429-e9590931da40" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2445</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>73ac6bd8-49cc-4e6b-87a2-d1e4158b5e84</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="afdbecf5-1f2c-4505-9ad0-1386f4b27590" name="Set Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>450</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Cell Text" expr="&amp;quot;Matt Barr&amp;quot;"/>
<input type="number" name="Column Number" expr="1"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>bb982c11-887c-4ce1-9111-c6894e861757</onsuccess>
<resource object="UIA Controls" action="Table - Set Cell Text"/>
</stage>
<stage stageid="52fa4206-6e94-4a8c-8073-2c07fb4d73e2" name="Set Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="3"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>dfd58810-9539-4d6a-8f43-76a69ecf7211</onsuccess>
<resource object="UIA Controls" action="Table - Toggle"/>
</stage>
<stage stageid="dfd58810-9539-4d6a-8f43-76a69ecf7211" name="Get Toggle" type="Action">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
<input type="number" name="Column Number" expr="3"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>03f3d3f8-78ee-4cca-ac81-836698dbc491</onsuccess>
<resource object="UIA Controls" action="Table - Get Toggle"/>
</stage>
<stage stageid="388f4f14-70ec-4e21-8628-da53915d242a" name="Set Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>795</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="3"/>
<input type="number" name="Row Number" expr="1"/>
```

```
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>f263b35c-9219-4d15-a86c-0f4916251847/onsuccess>
<resource object="UIA Controls" action="Table - Toggle"/>
</stage>
<stage stageid="f263b35c-9219-4d15-a86c-0f4916251847" name="Get Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>840</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="number" name="Column Number" expr="3"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>d05b757d-1bc7-4da2-9ef9-91081befb77f</onsuccess>
<resource object="UIA Controls" action="Table - Get Toggle"/>
</stage>
<stage stageid="fedecd3f-2834-4768-8f7e-ff8217e90c34" name="Read Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-555</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="2"/>
<input type="collection" name="Expected Rows" expr="[Expected Row(s) 2]"/>
</inputs>
<onsuccess>45fc7a7f-3550-408e-a852-d36d80815d55</onsuccess>
<resource object="UIA HTML Page" action="Table - Read Row(s)"/>
</stage>
<stage stageid="45fc7a7f-3550-408e-a852-d36d80815d55" name="Read all Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="First Row" expr=""/>
<input type="number" name="Last Row" expr=""/>
<input type="collection" name="Expected Rows" expr="[Expected Row(s) 3]"/>
</inputs>
<onsuccess>9b3473bb-7c1f-41db-84b2-659912062757</onsuccess>
<resource object="UIA HTML Page" action="Table - Read Row(s)"/>
</stage>
```

```
<stage stageid="bb982c11-887c-4ce1-9111-c6894e861757" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>495</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Matt Barr&amp;quot;"/>
<input type="number" name="Column Number" expr="1"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>e9a66196-425c-4a85-9fa5-07bc1815b24d</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="fb99b351-2022-4f85-b4ac-f5ad6301e628" name="Expected Row(s) 1" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-600</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
```

```
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
<field name="Column6" type="text" namespace=""/>
<field name="Column7" type="text" namespace=""/>
<field name="Column8" type="text" namespace=""/>
<field name="Column9" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="A"/>
<field name="Column2" type="text" value="B"/>
<field name="Column3" type="text" value="C"/>
<field name="Column4" type="text" value="D"/>
<field name="Column5" type="text" value="E"/>
<field name="Column6" type="text" value="F"/>
<field name="Column7" type="text" value="G"/>
<field name="Column8" type="text" value="H"/>
<field name="Column9" type="text" value="I"/>
</row>
</initialvalue>
</stage>
<stage stageid="4a2c0fee-3893-44aa-8269-538c2a48efc0" name="Expected Row(s) 4" type="Collection">
```

<alwaysinit/>

<collectioninfo>

<field name="Column1" type="text" namespace=""/>

```
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-210</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Neal Callaghan"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level unimaginative Happy True"/>
</row>
</initialvalue>
</stage>
```

```
<stage stageid="f2317b42-c2eb-4c8b-92f7-dd0231d56dcc" name="Expected Row(s) 2" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-555</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
<field name="Column6" type="text" namespace=""/>
<field name="Column7" type="text" namespace=""/>
<field name="Column8" type="text" namespace=""/>
<field name="Column9" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="A"/>
<field name="Column2" type="text" value="B"/>
<field name="Column3" type="text" value="C"/>
```

```
<field name="Column4" type="text" value="D"/>
<field name="Column5" type="text" value="E"/>
<field name="Column6" type="text" value="F"/>
<field name="Column7" type="text" value="G"/>
<field name="Column8" type="text" value="H"/>
<field name="Column9" type="text" value="I"/>
</row>
<row>
<field name="Column1" type="text" value="1"/>
<field name="Column2" type="text" value="2"/>
<field name="Column3" type="text" value="3"/>
<field name="Column4" type="text" value="4"/>
<field name="Column5" type="text" value="5"/>
<field name="Column6" type="text" value="6"/>
<field name="Column7" type="text" value="7"/>
<field name="Column8" type="text" value="8"/>
<field name="Column9" type="text" value="9"/>
</row>
</initialvalue>
</stage>
<stage stageid="140d21e2-8dc5-46e2-8f31-e78984472f94" name="Expected Row(s) 3" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-510</displayy>
<displaywidth>120</displaywidth>
```

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
<field name="Column6" type="text" namespace=""/>
<field name="Column7" type="text" namespace=""/>
<field name="Column8" type="text" namespace=""/>
<field name="Column9" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="A"/>
<field name="Column2" type="text" value="B"/>
<field name="Column3" type="text" value="C"/>
<field name="Column4" type="text" value="D"/>
<field name="Column5" type="text" value="E"/>
<field name="Column6" type="text" value="F"/>
<field name="Column7" type="text" value="G"/>
<field name="Column8" type="text" value="H"/>
<field name="Column9" type="text" value="I"/>
</row>
```

```
<row>
<field name="Column1" type="text" value="1"/>
<field name="Column2" type="text" value="2"/>
<field name="Column3" type="text" value="3"/>
<field name="Column4" type="text" value="4"/>
<field name="Column5" type="text" value="5"/>
<field name="Column6" type="text" value="6"/>
<field name="Column7" type="text" value="7"/>
<field name="Column8" type="text" value="8"/>
<field name="Column9" type="text" value="9"/>
</row>
<row>
<field name="Column1" type="text" value="1"/>
<field name="Column2" type="text" value="2"/>
<field name="Column3" type="text" value="3"/>
<field name="Column4" type="text" value="4"/>
<field name="Column5" type="text" value="5"/>
<field name="Column6" type="text" value="6"/>
<field name="Column7" type="text" value="7"/>
<field name="Column8" type="text" value="8"/>
<field name="Column9" type="text" value="9"/>
</row>
<row>
```

<field name="Column1" type="text" value="1"/>
<field name="Column2" type="text" value="2"/>
<field name="Column3" type="text" value="3"/>
<field name="Column4" type="text" value="4"/>

```
<field name="Column5" type="text" value="5"/>
<field name="Column6" type="text" value="6"/>
<field name="Column7" type="text" value="7"/>
<field name="Column8" type="text" value="8"/>
<field name="Column9" type="text" value="9"/>
</row>
<row>
<field name="Column1" type="text" value="1"/>
<field name="Column2" type="text" value="2"/>
<field name="Column3" type="text" value="3"/>
<field name="Column4" type="text" value="4"/>
<field name="Column5" type="text" value="5"/>
<field name="Column6" type="text" value="6"/>
<field name="Column7" type="text" value="7"/>
<field name="Column8" type="text" value="8"/>
<field name="Column9" type="text" value="9"/>
</row>
</initialvalue>
</stage>
<stage stageid="7a0ca140-e7ba-479d-b0cb-454c3ec532f7" name="Expected Row(s) 5" type="Collection":
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-165</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Neal Callaghan"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level unimaginative Happy True"/>
</row>
<row>
<field name="Column1" type="text" value="Andrew Upton"/>
<field name="Column2" type="text" value="54"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Customer services"/>
<field name="Column5" type="text" value=" Happiness Level text Not Happy True"/>
</row>
</initialvalue>
</stage>
```

```
<stage stageid="630e7204-7ae1-4b3d-9a27-2f9950e2bf4d" name="Data Grid - CheckBox" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>585</displayy>
<displaywidth>120</displaywidth>
<displayheight>375</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="00d4f3b5-c1ab-4bca-b1f5-b6f7eafbec62" name="Data Grid - ComboBox" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>975</displayy>
<displaywidth>120</displaywidth>
<displayheight>555</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9f09dbbe-7f91-4cbb-9d7e-d83b5254b2b6" name="Read Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 5]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="2"/>
</inputs>
<onsuccess>3008443e-7dec-4bfb-8429-6139ecda1f9f</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="3008443e-7dec-4bfb-8429-6139ecda1f9f" name="Read All Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 6]"/>
<input type="number" name="First Row" expr=""/>
<input type="number" name="Last Row" expr=""/>
</inputs>
<onsuccess>a750dcfc-5857-4e6d-9d6f-344ae6e3ea06/onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="ea47072c-cbd8-44af-8a2b-70dcdb2e9aac" name="Set ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>1005</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
<input type="flag" name="Use Position?" expr="False"/>
<input type="text" name="Item Text" expr="&amp;quot;Unemployed&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>5c37e073-820a-40fc-b12c-52850fc0d3e7</onsuccess>
<resource object="UIA Controls" action="Table - Select ComboBox (UIA)"/>
</stage>
<stage stageid="5c37e073-820a-40fc-b12c-52850fc0d3e7" name="Get ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1050</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
```

```
<input type="text" name="Expected Text" expr="&amp;quot;Unemployed&amp;quot;"/>
<input type="number" name="Expected Item Count" expr="4"/>
<input type="collection" name="Expected All Items" expr="[Expected All Items]"/>
</inputs>
<onsuccess>4f625244-395c-4519-8ff2-e70a2465c02c</onsuccess>
<resource object="UIA Controls" action="Table - Read ComboBox (UIA)"/>
</stage>
<stage stageid="373aacfd-038e-435c-ac62-620d26b42ca3" name="Expected All Items" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>1005</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Information technology"/>
</row>
<row>
```

<field name="Item Name" type="text" value="Customer services"/>

```
</row>
<row>
<field name="Item Name" type="text" value="Historical by nature"/>
</row>
<row>
<field name="Item Name" type="text" value="Unemployed"/>
</row>
</initialvalue>
</stage>
<stage stageid="2713b3b4-5afb-43d2-b390-7becc3bb4d6c" name="Set ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1185</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
<input type="flag" name="Use Position?" expr="True"/>
<input type="text" name="Item Text" expr=""/>
<input type="number" name="Item Position" expr="1"/>
</inputs>
<onsuccess>22e07830-d6b1-4f5f-bc2b-fac8dc61a96e/onsuccess>
<resource object="UIA Controls" action="Table - Select ComboBox (UIA)"/>
```

```
</stage>
<stage stageid="22e07830-d6b1-4f5f-bc2b-fac8dc61a96e" name="Get ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1230</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
<input type="text" name="Expected Text" expr="&amp;quot;Information technology&amp;quot;"/>
<input type="number" name="Expected Item Count" expr="4"/>
<input type="collection" name="Expected All Items" expr="[Expected All Items]"/>
</inputs>
<onsuccess>53059768-5498-4086-986a-73a70665d736
<resource object="UIA Controls" action="Table - Read ComboBox (UIA)"/>
</stage>
<stage stageid="4960d24e-abed-4fa1-8eaa-89bbba7b2abd" name="Expected Row(s) 7" type="Collection"
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>750</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Matt Barr"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" False"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level unimaginative Happy True"/>
</row>
</initialvalue>
</stage>
<stage stageid="224c0439-94ba-4367-8840-2b282bdf5042" name="Expected Row(s) 8" type="Collection"
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>1140</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Matt Barr"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Unemployed"/>
<field name="Column5" type="text" value=" Happiness Level unimaginative Happy True"/>
</row>
</initialvalue>
</stage>
<stage stageid="ac3a1433-1bb4-491a-aa2e-cec0a677ed99" name="Data Grid - Sub Elements" type="Blockets"
<narrative>
</narrative>
<displayx>-45</displayx>
```

<displayy>1545</displayy>

```
<displaywidth>120</displaywidth>
<displayheight>870</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="688f25ae-6a36-457c-8c0e-fdbfda0aae15" name="Set Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1575</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Cell Text" expr="&amp;quot;Hello&amp;quot;"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="2"/>
</inputs>
<onsuccess>5f82f1a1-1644-4fea-9fb7-67bbb4df125b</onsuccess>
<resource object="UIA Controls" action="Table - Set Cell Text"/>
</stage>
<stage stageid="3d9174b0-b76b-41aa-aecf-be585dbbf62d" name="Set ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1710</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
<input type="flag" name="Use Position?" expr="False"/>
<input type="text" name="Item Text" expr="&amp;quot;Not Happy&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>dd563ae9-d127-42aa-a81b-87d1e0e51370</onsuccess>
<resource object="UIA Controls" action="Table - Select ComboBox (UIA)"/>
</stage>
<stage stageid="83635afe-4e79-4588-befa-7d295e8f44d4" name="Set ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1890</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="3"/>
<input type="flag" name="Use Position?" expr="True"/>
<input type="text" name="Item Text" expr=""/>
```

```
<input type="number" name="Item Position" expr="1"/>
</inputs>
<onsuccess>f8c4c64b-c6aa-4de4-803f-bc76f4a2c7fc</onsuccess>
<resource object="UIA Controls" action="Table - Select ComboBox (UIA)"/>
</stage>
<stage stageid="dd563ae9-d127-42aa-a81b-87d1e0e51370" name="Get ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1755</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="3"/>
<input type="text" name="Expected Text" expr="&amp;quot;Not Happy&amp;quot;"/>
<input type="number" name="Expected Item Count" expr="4"/>
<input type="collection" name="Expected All Items" expr="[Expected All Items 2]"/>
</inputs>
<onsuccess>e670dfa7-d03d-41f8-91ee-2827f74b088b</onsuccess>
<resource object="UIA Controls" action="Table - Read ComboBox (UIA)"/>
</stage>
<stage stageid="f8c4c64b-c6aa-4de4-803f-bc76f4a2c7fc" name="Get ComboBox" type="Action">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>1935</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="3"/>
<input type="text" name="Expected Text" expr="&amp;quot;Happy&amp;quot;"/>
<input type="number" name="Expected Item Count" expr="4"/>
<input type="collection" name="Expected All Items" expr="[Expected All Items 2]"/>
</inputs>
<onsuccess>42719d09-8cdf-4f0b-83f7-49182de8af7b</onsuccess>
<resource object="UIA Controls" action="Table - Read ComboBox (UIA)"/>
</stage>
<stage stageid="b6667dcd-4d08-47e4-90bb-179c9d863349" name="Expand" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1365</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
```

```
<input type="number" name="Element Number" expr="1"/>
</inputs>
<onsuccess>cf8a0bef-aa84-49d9-99b0-719aad03f01b</onsuccess>
<resource object="UIA Controls" action="Table - Expand/Collapse ComboBox (UIA)"/>
</stage>
<stage stageid="cf8a0bef-aa84-49d9-99b0-719aad03f01b" name="Check Expand" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1410</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>237ce539-c83e-4f6a-9bcb-62cf7557542f</onsuccess>
<resource object="UIA Controls" action="Table - Check Expand / Collapse State (UIA)"/>
</stage>
<stage stageid="237ce539-c83e-4f6a-9bcb-62cf7557542f" name="Collapse" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1455</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
</inputs>
<onsuccess>a17ad939-fd39-4ab7-887d-24c8a4bad5a6</onsuccess>
<resource object="UIA Controls" action="Table - Expand/Collapse ComboBox (UIA)"/>
</stage>
<stage stageid="a17ad939-fd39-4ab7-887d-24c8a4bad5a6" name="Check Expand" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1500</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
<input type="flag" name="Expected State" expr="False"/>
</inputs>
<onsuccess>688f25ae-6a36-457c-8c0e-fdbfda0aae15</onsuccess>
<resource object="UIA Controls" action="Table - Check Expand / Collapse State (UIA)"/>
```

```
</stage>
<stage stageid="115bfb5a-0718-47ad-a788-3842e807431f" name="Set Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2070</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>b80c1521-ef2a-4aa2-8bd4-f6cb851f23b4</onsuccess>
<resource object="UIA Controls" action="Table - Toggle"/>
</stage>
<stage stageid="b80c1521-ef2a-4aa2-8bd4-f6cb851f23b4" name="Get Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2115</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
```

```
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="4"/>
</inputs>
<onsuccess>c1c44a3c-7e99-4494-b4bb-9faaa7008190</onsuccess>
<resource object="UIA Controls" action="Table - Get Toggle"/>
</stage>
<stage stageid="cd278dd8-033e-4353-86ef-29003a324e8e" name="Set Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2250</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="4"/>
</inputs>
<onsuccess>9f951554-774b-4ba4-b036-86cedafc1593</onsuccess>
<resource object="UIA Controls" action="Table - Toggle"/>
</stage>
<stage stageid="9f951554-774b-4ba4-b036-86cedafc1593" name="Get Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>2295</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="4"/>
</inputs>
<onsuccess>cd3167b7-19fd-4591-a506-50424d79e4df</onsuccess>
<resource object="UIA Controls" action="Table - Get Toggle"/>
</stage>
<stage stageid="3e025723-f4f7-4e55-86e1-a0f89026fc13" name="Expected Row(s) 9" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>1665</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
```

```
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Matt Barr"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level Hello Happy True"/>
</row>
</initialvalue>
</stage>
<stage stageid="0e11f446-dccf-4ba2-86b9-f188c7cfc4b0" name="Expected All Items 2" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>1755</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Item Name" type="text" namespace=""/>
```

```
</collectioninfo>
<initialvalue>
<row>
<field name="Item Name" type="text" value="Happy"/>
</row>
<row>
<field name="Item Name" type="text" value="Not Happy"/>
</row>
<row>
<field name="Item Name" type="text" value="Miserable"/>
</row>
<row>
<field name="Item Name" type="text" value="Content"/>
</row>
</initialvalue>
</stage>
<stage stageid="f2aa1e9a-a94f-4bdd-a92f-fec20d99785c" name="Expected Row(s) 10" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>1845</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
```

```
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Matt Barr"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level Hello Not Happy True"/>
</row>
</initialvalue>
</stage>
<stage stageid="669e88ca-fec7-485f-9819-a72efc54f21e" name="Expected Row(s) 11" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>2205</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Matt Barr"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level Hello Happy False"/>
</row>
</initialvalue>
</stage>
<stage stageid="cbcbda95-7d55-4bf0-a607-8aef3be73bfa" name="Data Grid - Reading" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-285</displayy>
<displaywidth>120</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="e9a66196-425c-4a85-9fa5-07bc1815b24d" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>540</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 13]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>52fa4206-6e94-4a8c-8073-2c07fb4d73e2</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="2f82e3f6-03c2-46db-ab63-11e77dc65dd1" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Neal Callaghan&amp;quot;"/>
<input type="number" name="Column Number" expr="1"/>
```

```
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>9446aefc-1d7d-4fda-bdc3-554297b67d99</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="9446aefc-1d7d-4fda-bdc3-554297b67d99" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 4]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>9f09dbbe-7f91-4cbb-9d7e-d83b5254b2b6</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="a750dcfc-5857-4e6d-9d6f-344ae6e3ea06" name="Count Rows / Columns " type="Action"
<narrative>
</narrative>
<displayx>15</displayx>
```

<displayy>-75</displayy>

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Expected Column Count" expr="5"/>
<input type="number" name="Expected Row Count" expr="4"/>
</inputs>
<onsuccess>1d67be09-961d-46fa-8a61-69ac0655cf5c</onsuccess>
<resource object="UIA Controls" action="Table - Read Count (UIA)"/>
</stage>
<stage stageid="205e2d88-a512-428b-82c6-41e2afe6ff68" name="Expected Row(s) 13" type="Collection"</p>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>540</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
```

<field name="Column5" type="text" namespace=""/>

```
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Matt Barr"/>
<field name="Column2" type="text" value="34"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Information technology"/>
<field name="Column5" type="text" value=" Happiness Level unimaginative Happy True"/>
</row>
</initialvalue>
</stage>
<stage stageid="03f3d3f8-78ee-4cca-ac81-836698dbc491" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>705</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot; False&amp;quot;"/>
<input type="number" name="Column Number" expr="3"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>9cc94faa-89ab-456f-b365-eb272f1c236e</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
```

```
</stage>
<stage stageid="9cc94faa-89ab-456f-b365-eb272f1c236e" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>750</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 7]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>388f4f14-70ec-4e21-8628-da53915d242a</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="d05b757d-1bc7-4da2-9ef9-91081befb77f" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>885</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot; True&amp;quot;"/>
```

```
<input type="number" name="Column Number" expr="3"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="0"/>
</inputs>
<onsuccess>92ba1362-7c95-4153-a224-63b0eef72b24</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="92ba1362-7c95-4153-a224-63b0eef72b24" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>930</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 13]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>ea47072c-cbd8-44af-8a2b-70dcdb2e9aac</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="4f625244-395c-4519-8ff2-e70a2465c02c" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>1095</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Unemployed&amp;quot;"/>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
</inputs>
<onsuccess>07a12f21-9a96-4f23-a7c4-25a3bc01df75</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="07a12f21-9a96-4f23-a7c4-25a3bc01df75" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1140</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 8]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>2713b3b4-5afb-43d2-b390-7becc3bb4d6c</onsuccess>
```

```
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="53059768-5498-4086-986a-73a70665d736" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1275</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Information technology&amp;quot;"/>
<input type="number" name="Column Number" expr="4"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="1"/>
</inputs>
<onsuccess>13f63ba9-116a-4d45-8710-188151fb43a3
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="13f63ba9-116a-4d45-8710-188151fb43a3" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1320</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 13]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>b6667dcd-4d08-47e4-90bb-179c9d863349</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="5f82f1a1-1644-4fea-9fb7-67bbb4df125b" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1620</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Hello&amp;quot;"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="2"/>
</inputs>
<onsuccess>7a58cde4-f7b7-46c6-852b-8b800c0fead8</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="7a58cde4-f7b7-46c6-852b-8b800c0fead8" name="Read Row" type="Action">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>1665</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 9]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>83635afe-4e79-4588-befa-7d295e8f44d4</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="e670dfa7-d03d-41f8-91ee-2827f74b088b" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1800</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Not Happy&amp;quot;"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="3"/>
```

```
</inputs>
<onsuccess>e33cc67b-79d7-43ea-ad17-76ed7575d253</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="e33cc67b-79d7-43ea-ad17-76ed7575d253" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1845</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 10]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>83635afe-4e79-4588-befa-7d295e8f44d4</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="42719d09-8cdf-4f0b-83f7-49182de8af7b" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1980</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;Happy&amp;quot;"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="3"/>
</inputs>
<onsuccess>e3a918c0-615e-4be9-b143-bdf9cdbdb24c</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="e3a918c0-615e-4be9-b143-bdf9cdbdb24c" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2025</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 9]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>115bfb5a-0718-47ad-a788-3842e807431f</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="c1c44a3c-7e99-4494-b4bb-9faaa7008190" name="Read Cell" type="Action">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2160</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;False&amp;quot;"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="4"/>
</inputs>
<onsuccess>f7b47e94-3dac-4167-925d-95a2ccfbd90e</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="f7b47e94-3dac-4167-925d-95a2ccfbd90e" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2205</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 11]"/>
<input type="number" name="First Row" expr="1"/>
```

```
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>cd278dd8-033e-4353-86ef-29003a324e8e</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="cd3167b7-19fd-4591-a506-50424d79e4df" name="Read Cell" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2340</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Cell Data" expr="&amp;quot;True&amp;quot;"/>
<input type="number" name="Column Number" expr="5"/>
<input type="number" name="Row Number" expr="1"/>
<input type="number" name="Element Number" expr="4"/>
</inputs>
<onsuccess>2ac97bb2-d3ae-44c2-9087-276b710d5e5c</onsuccess>
<resource object="UIA Controls" action="Table - Read Cell (UIA)"/>
</stage>
<stage stageid="2ac97bb2-d3ae-44c2-9087-276b710d5e5c" name="Read Row" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>2385</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Row Data" expr="[Expected Row(s) 9]"/>
<input type="number" name="First Row" expr="1"/>
<input type="number" name="Last Row" expr="1"/>
</inputs>
<onsuccess>54ceee74-ce45-44d8-9429-e9590931da40</onsuccess>
<resource object="UIA Controls" action="Table - Read Row(s) (UIA)"/>
</stage>
<stage stageid="1b6bc337-a110-463c-8650-67d6fdbe807a" name="Note1" type="Note">
<narrative>Reading a cell to make sure the Cell Text has been set.
<displayx>150</displayx>
<displayy>495</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="062cd0cf-62bf-4537-ba3a-2b41cea262f9" name="Note1" type="Note">
<narrative>Reading a row to make sure the Cell Text has been set.
<displayx>150</displayx>
<displayy>540</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="1812c3b7-9096-4da9-8da1-b54e54ae6e50" name="Note1" type="Note">
<narrative>Reading a cell to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>705</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="12c1e4bb-5e5f-40f3-8b18-8f1150e76a5d" name="Note1" type="Note">
<narrative>Reading a row to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>750</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b1e5caa6-a04b-4a83-b730-855901277d0a" name="Note1" type="Note">
<narrative>Reading a cell to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>885</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5bf6f7a4-7bbd-4ac9-8ed8-e11a8779c6fa" name="Note1" type="Note">
<narrative>Reading a row to make sure the CheckBox has been set.
<displayx>150</displayx>
```

```
<displayy>930</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="01e72994-62e7-45b0-a91f-327c3a918052" name="Note1" type="Note">
<narrative>Reading a cell to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1095</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3f61d4eb-a34e-485b-90ca-06a32d201b05" name="Note1" type="Note">
<narrative>Reading a row to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1140</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6ab7978c-ac81-41c5-a078-5b99d1e13f91" name="Note1" type="Note">
<narrative>Reading a cell to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1275</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ad7207dc-8a47-4a5a-8b27-9cd40c184d61" name="Note1" type="Note">
<narrative>Reading a row to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1320</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2822d806-0ec3-4fcb-a927-c30bddc899c3" name="Note1" type="Note">
<narrative>Reading a cell to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1980</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="57307e85-f600-4474-8a84-be368fcfccb0" name="Note1" type="Note">
<narrative>Reading a row to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>2025</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e9f00ab2-cee3-4371-943b-aa59d2f07b5e" name="Note1" type="Note">
```

```
<narrative>Reading a cell to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1800</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f3c5ec13-6fa5-4d88-9624-57926d81f612" name="Note1" type="Note">
<narrative>Reading a row to make sure the ComboBox has been set.
<displayx>150</displayx>
<displayy>1845</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4041eeb4-aa4e-48b2-9eff-fb1b51acc2c4" name="Note1" type="Note">
<narrative>Reading a cell to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>2160</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="73eacf3b-55c6-400c-932f-0db7bd62d9e7" name="Note1" type="Note">
<narrative>Reading a row to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>2205</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bb242773-7f72-45fe-bd2f-4076d0f76386" name="Note1" type="Note">
<narrative>Reading a cell to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>2340</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="424e4ecd-5cf9-4ddd-a888-fbd19275f4eb" name="Note1" type="Note">
<narrative>Reading a row to make sure the CheckBox has been set.
<displayx>150</displayx>
<displayy>2385</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8dd71601-bdb6-4882-a62c-a2e92539bb34" name="Note1" type="Note">
<narrative>Reading a cell to make sure the Cell Text has been set.
<displayx>150</displayx>
<displayy>1620</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="72b94769-9b40-4fea-8068-a264bf7e5afe" name="Note1" type="Note">
<narrative>Reading a row to make sure the Cell Text has been set.
<displayx>150</displayx>
<displayy>1665</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6a0e2372-747f-49a1-a731-5f1508c14920" name="Note1" type="Note">
<narrative>Reading a cell to make sure its what is expected.
<displayx>150</displayx>
<displayy>-255</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8596ba18-5f19-4109-a8b9-8acd08708252" name="Note1" type="Note">
<narrative>Reading a row to make sure its what is expected.
<displayx>150</displayx>
<displayy>-210</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7960373a-17b2-434d-8025-cdfc9ea5f3d7" name="Note1" type="Note">
<narrative>Reading rows to make sure its what is expected.
```

```
<displayx>150</displayx>
<displayy>-165</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="10872fde-9fbb-45fd-a4e2-b456018ac3d7" name="Note1" type="Note">
<narrative>Reading all rows to make sure its what is expected.
<displayx>150</displayx>
<displayy>-120</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5e870f22-1c81-407a-94b8-9acf6b09688f" name="Note1" type="Note">
<narrative>Count rows and columns to make sure its what is expected.
<displayx>150</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5e019d58-585d-4ef5-a671-6b8a31872fc8" name="Note1" type="Note">
<narrative>Testing you can set a cells text.
<displayx>150</displayx>
<displayy>450</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="726013f9-7fc2-4bdf-97cf-c018255d96e9" name="Note1" type="Note">
<narrative>Testing you can toggle a checkbox.
<displayx>150</displayx>
<displayy>615</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e2eb0787-1115-444a-a51e-e6fccb7f23f2" name="Note1" type="Note">
<narrative>Testing you can get a checkbox value.
<displayx>150</displayx>
<displayy>660</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e2684ea2-89ea-4b23-907c-c506d07da528" name="Note1" type="Note">
<narrative>Testing you can toggle a checkbox.
<displayx>150</displayx>
<displayy>795</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="00814749-b515-464d-b456-7cf48e8daf07" name="Note1" type="Note">
<narrative>Testing you can get a checkbox value.
<displayx>150</displayx>
<displayy>840</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ea5f6a1a-e339-4645-9cf6-5d1ca3021655" name="Note1" type="Note">
<narrative>Testing you can set a combobox.
<displayx>150</displayx>
<displayy>1005</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d409403c-4a6b-4efa-9d8d-ec34b928ec1d" name="Note1" type="Note">
<narrative>Testing you can get a combobox value.
<displayx>150</displayx>
<displayy>1050</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7b6c7baf-74ed-49ed-b1e8-11a49d2a848c" name="Note1" type="Note">
<narrative>Testing you can set a combobox.
<displayx>150</displayx>
```

```
<displayy>1185</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5a76e1c4-a5dc-40e2-9cd0-a01d1d22fc54" name="Note1" type="Note">
<narrative>Testing you can get a combobox value.
<displayx>150</displayx>
<displayy>1230</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ba04a8ee-2cfb-47aa-ac29-8785a5aec1d5" name="Note1" type="Note">
<narrative>Testing you can expand a combobox.
<displayx>150</displayx>
<displayy>1365</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="ff11d724-11b7-4361-b189-73d1c185992b" name="Note1" type="Note">
<narrative>Testing you can collapse a combobox.
<displayx>150</displayx>
<displayy>1455</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="84bd9be9-629a-42d9-8568-2040110784b4" name="Note1" type="Note">
<narrative>Checking you can read the state of expand / collapse on a combobox. 
<displayx>150</displayx>
<displayy>1410</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e72c9260-cb10-4fe7-9235-d9e22a0509c1" name="Note1" type="Note">
<narrative>Checking you can read the state of expand / collapse on a combobox. </narrative>
<displayx>150</displayx>
<displayy>1500</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c098b559-70da-4334-bfe6-0be207996a25" name="Note1" type="Note">
<narrative>Reading a cell to make sure its what is expected.
<displayx>150</displayx>
<displayy>1575</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7e320613-7135-47c9-a99e-618447359ba1" name="Note1" type="Note">
```

```
<narrative>Testing you can set a combobox.
<displayx>150</displayx>
<displayy>1710</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2ad8ce78-2d7c-41d2-a50e-9476efac8c1f" name="Note1" type="Note">
<narrative>Testing you can get a combobox value.
<displayx>150</displayx>
<displayy>1755</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6e6da2f5-533e-4001-a018-e810fe843a7e" name="Note1" type="Note">
<narrative>Testing you can set a combobox.
<displayx>150</displayx>
<displayy>1890</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fd2cf8e5-ab52-4d39-ad7b-de0e8a966c38" name="Note1" type="Note">
<narrative>Testing you can get a combobox value.
<displayx>150</displayx>
<displayy>1935</displayy>
```

```
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a09ffe00-09f6-46d8-ac6d-21a2764a5718" name="Note1" type="Note">
<narrative>Testing you can toggle a checkbox.
<displayx>150</displayx>
<displayy>2250</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="1b04a3a1-67e2-419d-aecf-200558ace704" name="Note1" type="Note">
<narrative>Testing you can get a checkbox value.
<displayx>150</displayx>
<displayy>2295</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a3127463-497d-442d-b247-12b8ca40ab18" name="Note1" type="Note">
<narrative>Testing you can toggle a checkbox.
<displayx>150</displayx>
<displayy>2070</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="0f47126f-2690-4a30-a9f2-d3f7b4ba584e" name="Note1" type="Note">
<narrative>Testing you can get a checkbox value.
<displayx>150</displayx>
<displayy>2115</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="43aab224-19fb-4f50-ae2c-54f46ff901c0" name="Note1" type="Note">
<narrative>Reading a cell to make sure its what is expected.
<displayx>150</displayx>
<displayy>-645</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="e6993313-ba99-4560-97b4-544ffd012c5e" name="Note1" type="Note">
<narrative>Reading a row to make sure its what is expected.
<displayx>150</displayx>
<displayy>-600</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7a2dddbb-3247-4a4b-9452-2d093d4e6d78" name="Note1" type="Note">
<narrative>Reading rows to make sure its what is expected.
```

```
<displayx>150</displayx>
<displayy>-555</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="efa94ef3-af6b-4fc0-9811-06b656941a16" name="Note1" type="Note">
<narrative>Reading all rows to make sure its what is expected.
<displayx>150</displayx>
<displayy>-510</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3fab85e2-624f-4bee-9394-cd6955620f2a" name="Note1" type="Note">
<narrative>Count rows to make sure its what is expected.
<displayx>150</displayx>
<displayy>-465</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a1c1d11c-00c1-4141-8fd7-e92f98e496d5" name="Note1" type="Note">
<narrative>Count columns to make sure its what is expected.
<displayx>150</displayx>
<displayy>-420</displayy>
<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b9be72ae-8129-4d36-b8a8-fcf9a0aec38e" name="Expected Row(s) 6" type="Collection">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-120</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column1" type="text" value="Neal Callaghan"/>
```

<field name="Column2" type="text" value="34"/>

<field name="Column3" type="text" value=" True"/>

<field name="Column4" type="text" value=" Information technology"/>

```
<field name="Column5" type="text" value=" Happiness Level unimaginative Happy True"/>
</row>
<row>
<field name="Column1" type="text" value="Andrew Upton"/>
<field name="Column2" type="text" value="54"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Customer services"/>
<field name="Column5" type="text" value=" Happiness Level text Not Happy True"/>
</row>
<row>
<field name="Column1" type="text" value="Kevin Wordsworth"/>
<field name="Column2" type="text" value="24"/>
<field name="Column3" type="text" value=" False"/>
<field name="Column4" type="text" value=" Unemployed"/>
<field name="Column5" type="text" value=" Happiness Level is Miserable False"/>
</row>
<row>
<field name="Column1" type="text" value="Rob Bentley"/>
<field name="Column2" type="text" value="45"/>
<field name="Column3" type="text" value=" True"/>
<field name="Column4" type="text" value=" Historical by nature"/>
<field name="Column5" type="text" value=" Happiness Level strong and stable Content True"/>
</row>
</initialvalue>
</stage>
<stage stageid="ca825b7d-af05-47ee-9d19-139d72e82877" name="Selecting Rows" type="Block">
<narrative>
```

```
</narrative>
<displayx>-45</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>375</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7636f984-9176-4c57-978f-6129fe947e51" name="Add Row to Selection" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Row Number" expr="1"/>
</inputs>
<onsuccess>9bbc3aa7-34d2-42db-896d-bd7b61e76eb1</onsuccess>
<resource object="UIA Controls" action="Table - Add Row to Selection (UIA)"/>
</stage>
<stage stageid="9bbc3aa7-34d2-42db-896d-bd7b61e76eb1" name="Get Selected Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Selected Rows" expr="[Expected Row(s) 4]"/>
</inputs>
<onsuccess>fa12372c-0ba7-4d6d-9872-a3f77de900e8</onsuccess>
<resource object="UIA Controls" action="Table - Get Selected Rows (UIA)"/>
</stage>
<stage stageid="fa12372c-0ba7-4d6d-9872-a3f77de900e8" name="Add Row to Selection" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Row Number" expr="2"/>
</inputs>
<onsuccess>b296b001-61e5-49d7-a3dc-43ba09acb6cf</onsuccess>
<resource object="UIA Controls" action="Table - Add Row to Selection (UIA)"/>
</stage>
<stage stageid="b296b001-61e5-49d7-a3dc-43ba09acb6cf" name="Get Selected Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Selected Rows" expr="[Expected Row(s) 5]"/>
</inputs>
<onsuccess>a218414c-1689-4516-8746-2f4af57d06ea</onsuccess>
<resource object="UIA Controls" action="Table - Get Selected Rows (UIA)"/>
</stage>
<stage stageid="20e0e18e-931b-400f-b324-ab16166c69d8" name="Clear Selection" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3bcd28a0-cb32-4fa9-b01e-9a41e2040b68</onsuccess>
<resource object="UIA Controls" action="Table - Clear Selection (UIA)"/>
</stage>
<stage stageid="3bcd28a0-cb32-4fa9-b01e-9a41e2040b68" name="Get Selected Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>360</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Selected Rows" expr="[Expected Row(s) 12]"/>
</inputs>
<onsuccess>243d6dd7-2da8-49bc-8037-beb5a8c9ade5</onsuccess>
<resource object="UIA Controls" action="Table - Get Selected Rows (UIA)"/>
</stage>
<stage stageid="a3e60a4e-72a3-427c-88d6-29e13af330fc" name="Expected Row(s) 12" type="Collection"
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Column1" type="text" namespace=""/>
<field name="Column2" type="text" namespace=""/>
<field name="Column3" type="text" namespace=""/>
<field name="Column4" type="text" namespace=""/>
<field name="Column5" type="text" namespace=""/>
</collectioninfo>
</stage>
<stage stageid="a218414c-1689-4516-8746-2f4af57d06ea" name="Remove Row from Selection" type="A
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Row Number" expr="2"/>
</inputs>
<onsuccess>fac83db6-a779-4b2f-9957-26d1fd2b1ce4</onsuccess>
<resource object="UIA Controls" action="Table - Remove Row from Selection (UIA)"/>
</stage>
<stage stageid="fac83db6-a779-4b2f-9957-26d1fd2b1ce4" name="Get Selected Rows" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Expected Selected Rows" expr="[Expected Row(s) 4]"/>
</inputs>
<onsuccess>20e0e18e-931b-400f-b324-ab16166c69d8</onsuccess>
<resource object="UIA Controls" action="Table - Get Selected Rows (UIA)"/>
</stage>
```

```
<stage stageid="2e2bf09f-fae1-4574-ac06-80fad9419def" name="Get OS Version" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-795</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>47e9059d-5eee-4144-9797-c9b0b484bc6e</onsuccess>
<calculation expression="GetOSVersionMajor()&amp;amp;&amp;quot;.&amp;quot;&amp;amp;GetOSVersi
</stage>
<stage stageid="968553f8-7815-4c19-b96e-f2c7559c6272" name="OS Version" type="Data">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-795</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="47e9059d-5eee-4144-9797-c9b0b484bc6e" name="Windows 7?" type="Decision">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-750</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[OS Version]&amp;lt;=6.1"/>
<ontrue>3815b9ed-fdbe-4490-8c29-68ddedbf871d</ontrue>
<onfalse>ebeed0d4-bef7-4033-bfc6-4bbec85d4bd2</onfalse>
</stage>
<stage stageid="3815b9ed-fdbe-4490-8c29-68ddedbf871d" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-750</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>672faf2d-45a9-4b24-85a1-70e45f2874bd</onsuccess>
</stage>
<stage stageid="672faf2d-45a9-4b24-85a1-70e45f2874bd" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-315</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>cb3d7ea9-c144-4cad-8231-c860d3f2efee</onsuccess>
</stage>
<stage stageid="1d67be09-961d-46fa-8a61-69ac0655cf5c" name="Windows 7?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[OS Version]&amp;lt;=6.1"/>
<ontrue>9e0c40ac-ab98-4fed-8177-38e1d088438b</ontrue>
<onfalse>7636f984-9176-4c57-978f-6129fe947e51
</stage>
<stage stageid="9e0c40ac-ab98-4fed-8177-38e1d088438b" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-15</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c51ee601-578c-43ca-96f7-0f35eb86e2e3</onsuccess>
</stage>
<stage stageid="c51ee601-578c-43ca-96f7-0f35eb86e2e3" name="Anchor1" type="Anchor">
<narrative>
</narrative>
```

```
<displayx>225</displayx>
<displayy>405</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>243d6dd7-2da8-49bc-8037-beb5a8c9ade5</onsuccess>
</stage>
<stage stageid="243d6dd7-2da8-49bc-8037-beb5a8c9ade5" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>405</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>afdbecf5-1f2c-4505-9ad0-1386f4b27590</onsuccess>
</stage>
</process>
o="Test UIA Text Box Control" version="1.0" bpversion="6.3.0.2912" narrative="" preferredictions
<view>
<camerax>252</camerax>
<cameray>-357</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
```

```
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-450</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>
```

```
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Value 1" expr="&amp;quot;This is me setting the edit box.&amp;quot;"</p>
<input type="text" name="Expected Value 2" expr="&amp;quot;TextChanged 1&amp;quot;"/>
<input type="text" name="Expected Value 3" expr="&amp;quot;This&amp;quot;"/>
</inputs>
<onsuccess>8b4e25e2-32bf-4f1a-95da-b1e3529ebbca</onsuccess>
<resource object="UIA Controls" action="Edit Box - Read (UIA)"/>
</stage>
<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Set" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="Text Box Value" expr="&amp;quot;This is me setting the edit box.&amp;quot;"/>
<input type="text" name="Rich Text Value" expr="&amp;quot;This is some very rich text.&amp;quot;"/>
</inputs>
<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>
<resource object="UIA Controls" action="Edit Box - Write (UIA)"/>
</stage>
<stage stageid="8b4e25e2-32bf-4f1a-95da-b1e3529ebbca" name="Close Application" type="Action">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>26b88fc8-33be-4f87-af1d-391d60b1d552</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="26b88fc8-33be-4f87-af1d-391d60b1d552" name="End1" type="End">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>-255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
</process>
```

```
ontrol version="1.0" bpversion="6.2.0.2059" narrative="" preferredictions
<view>
<camerax>80</camerax>
<cameray>1215</cameray>
<zoom version="2">1.25</zoom>
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="c07b141c-1a48-456c-b1da-301062da446b" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>45197c8c-c0ef-4878-aa01-9fa02f87f643</onsuccess>
</stage>
<stage stageid="64da9579-2f5e-48b0-baf0-7abfee1cc786" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="45197c8c-c0ef-4878-aa01-9fa02f87f643" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>97613192-63b8-4301-849f-ee1cca440afd</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="8a50f64c-6ea4-4566-8f3f-9fad2e501bca" name="Select" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>42f554c6-68a1-41a1-bce7-86d78726af3a</onsuccess>
<resource object="UIA Controls" action="Tree - Select (UIA)"/>
</stage>
<stage stageid="1b0f242d-15a3-479e-9f76-ee896a241587" name="Tree View - Select" type="Block">
```

```
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>360</displayy>
<displaywidth>120</displaywidth>
<displayheight>285</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="42f554c6-68a1-41a1-bce7-86d78726af3a" name="Get Selected Item" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Item" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>176fdc22-32eb-4492-b797-87c6c10433bc</onsuccess>
<resource object="UIA Controls" action="Tree - Get Selected Item Text (UIA)"/>
</stage>
<stage stageid="97613192-63b8-4301-849f-ee1cca440afd" name="Expand" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>a2feb075-f768-4ef4-a9e3-6d57cd731b72</onsuccess>
<resource object="UIA Controls" action="Tree - Expand/Collapse (UIA)"/>
</stage>
<stage stageid="a2feb075-f768-4ef4-a9e3-6d57cd731b72" name="Get Expand State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="number" name="Item Position" expr=""/>
</inputs>
<onsuccess>0a9aa615-f788-47ca-a6db-f1798f29a546</onsuccess>
<resource object="UIA Controls" action="Tree - Get Expand/Collapse State"/>
</stage>
<stage stageid="0a9aa615-f788-47ca-a6db-f1798f29a546" name="Collapse" type="Action">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr=""/>
<input type="number" name="Item Position" expr="1"/>
</inputs>
<onsuccess>4e0bee71-0e10-49a2-b366-523bd20c5a9d</onsuccess>
<resource object="UIA Controls" action="Tree - Expand/Collapse (UIA)"/>
</stage>
<stage stageid="4e0bee71-0e10-49a2-b366-523bd20c5a9d" name="Get Expand State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
<input type="text" name="Item Name" expr=""/>
<input type="number" name="Item Position" expr="1"/>
</inputs>
```

```
<onsuccess>8a50f64c-6ea4-4566-8f3f-9fad2e501bca</onsuccess>
<resource object="UIA Controls" action="Tree - Get Expand/Collapse State"/>
</stage>
<stage stageid="ed0e51de-c42c-4fcf-95bc-cb78faf159b2" name="Note1" type="Note">
<narrative>Selecting by Text</narrative>
<displayx>135</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="dbfc38cf-899d-49f2-b74e-a96b97ad12ea" name="Note1" type="Note">
<narrative>Selecting by Position
<displayx>135</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3cb2a3fc-d52a-4a55-b29a-a72342f1fc5f" name="Tree View - Expand / Collapse" type="B
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>150</displayy>
<displaywidth>120</displaywidth>
<displayheight>195</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>
<stage stageid="f68a0def-c79f-479a-9644-050a2c9550d5" name="Tree Item - Select" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>660</displayy>
<displaywidth>120</displaywidth>
<displayheight>195</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3437479d-7bcc-407e-b627-29264e98d97b" name="Tree Item - Toggle" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>870</displayy>
<displaywidth>120</displaywidth>
<displayheight>375</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="42edc7f6-610d-4a03-893a-9d8af2e3786c" name="Tree Item - Expand / Collapse" type="li
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>1260</displayy>
<displaywidth>120</displaywidth>
<displayheight>195</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>
<stage stageid="9cbb585e-e6f6-4d3f-b5ac-2070032ad16d" name="Select" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>690</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node2&amp;quot;"/>
</inputs>
<onsuccess>8c5efab9-f1fe-48df-9a20-baf4e09bc1fa</onsuccess>
<resource object="UIA Controls" action="Tree Item - Select (UIA)"/>
</stage>
<stage stageid="8c5efab9-f1fe-48df-9a20-baf4e09bc1fa" name="Check Selected" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>735</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item" expr="&amp;quot;Node2&amp;quot;"/>
<input type="flag" name="Expected State" expr="True"/>
</inputs>
```

```
<onsuccess>32076bf2-af2d-4d2d-9b75-4c9c0708d9b3</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get is Selected (UIA)"/>
</stage>
<stage stageid="32076bf2-af2d-4d2d-9b75-4c9c0708d9b3" name="Select" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>780</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node2&amp;quot;"/>
</inputs>
<onsuccess>38a6992d-c7d5-4115-9c32-4bbec91564e4</onsuccess>
<resource object="UIA Controls" action="Tree Item - Select (UIA)"/>
</stage>
<stage stageid="38a6992d-c7d5-4115-9c32-4bbec91564e4" name="Check Selected" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>825</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item" expr="&amp;quot;Node2&amp;quot;"/>
```

```
<input type="flag" name="Expected State" expr="True"/>
</inputs>
<onsuccess>c1abeca9-8311-4e04-bf9a-77c7f22020aa</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get is Selected (UIA)"/>
</stage>
<stage stageid="3ff1e2ef-10dc-4094-bb98-794f568982a4" name="Select" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr=""/>
<input type="number" name="Item Position" expr="2"/>
</inputs>
<onsuccess>2d32a703-0a64-45f3-a9b0-268b81feecb8</onsuccess>
<resource object="UIA Controls" action="Tree - Select (UIA)"/>
</stage>
<stage stageid="2d32a703-0a64-45f3-a9b0-268b81feecb8" name="Get Selected Item" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Expected Item" expr="&amp;quot;Node1&amp;quot;"/>
</inputs>
<onsuccess>9cbb585e-e6f6-4d3f-b5ac-2070032ad16d</onsuccess>
<resource object="UIA Controls" action="Tree - Get Selected Item Text (UIA)"/>
</stage>
<stage stageid="c1abeca9-8311-4e04-bf9a-77c7f22020aa" name="Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>900</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="flag" name="Toggle State" expr="True"/>
</inputs>
<onsuccess>6d256519-43e1-4c8a-9e32-e0e3fc05bb95</onsuccess>
<resource object="UIA Controls" action="Tree Item - Toggle (UIA)"/>
</stage>
<stage stageid="6d256519-43e1-4c8a-9e32-e0e3fc05bb95" name="Get Toggle State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>945</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>827287c3-af98-416c-a9ff-79e158a91ec5</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get Toggle State"/>
</stage>
<stage stageid="827287c3-af98-416c-a9ff-79e158a91ec5" name="Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>990</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="flag" name="Toggle State" expr="True"/>
</inputs>
<onsuccess>12187319-10be-409b-803e-a66d50db06ff</onsuccess>
<resource object="UIA Controls" action="Tree Item - Toggle (UIA)"/>
</stage>
<stage stageid="12187319-10be-409b-803e-a66d50db06ff" name="Get Toggle State" type="Action">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>1035</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>83072edb-37f6-4e57-b493-5e1c4f37ee9d</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get Toggle State"/>
</stage>
<stage stageid="f3ec0aa4-c299-480d-8ec7-6e1c5dc3abdc" name="Expand" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1290</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node2&amp;quot;"/>
</inputs>
<onsuccess>e59aecac-5793-4143-9ab5-76d217c1643e</onsuccess>
<resource object="UIA Controls" action="Tree Item - Expand/Collapse (UIA)"/>
</stage>
```

```
<stage stageid="e59aecac-5793-4143-9ab5-76d217c1643e" name="Get Expand State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1335</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="text" name="Item Name" expr="&amp;quot;Node2&amp;quot;"/>
</inputs>
<onsuccess>4d204661-4582-48c2-bf6f-4b31d1e32131
<resource object="UIA Controls" action="Tree Item - Get Expand Collapse State (UIA)"/>
</stage>
<stage stageid="4d204661-4582-48c2-bf6f-4b31d1e32131" name="Collapse" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1380</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node2&amp;quot;"/>
</inputs>
<onsuccess>009473ff-17fe-4245-a3ae-710a30811fce</onsuccess>
```

```
<resource object="UIA Controls" action="Tree Item - Expand/Collapse (UIA)"/>
</stage>
<stage stageid="009473ff-17fe-4245-a3ae-710a30811fce" name="Get Expand State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1425</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
<input type="text" name="Item Name" expr="&amp;quot;Node2&amp;quot;"/>
</inputs>
<onsuccess>7745c5df-0a5d-481f-823c-95669ee74069</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get Expand Collapse State (UIA)"/>
</stage>
<stage stageid="c0c107c9-478b-446d-9e5c-e75804e84b73" name="End1" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1530</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7745c5df-0a5d-481f-823c-95669ee74069" name="Terminate" type="Action">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1485</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c0c107c9-478b-446d-9e5c-e75804e84b73</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="176fdc22-32eb-4492-b797-87c6c10433bc" name="Expand" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>189600e5-8a3e-4bc5-820e-9de395b54259</onsuccess>
<resource object="UIA Controls" action="Tree - Expand/Collapse (UIA)"/>
</stage>
<stage stageid="189600e5-8a3e-4bc5-820e-9de395b54259" name="Get Expand State" type="Action">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="True"/>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>3ff1e2ef-10dc-4094-bb98-794f568982a4</onsuccess>
<resource object="UIA Controls" action="Tree - Get Expand/Collapse State"/>
</stage>
<stage stageid="9c63d03d-caaf-4d6b-8d04-d29b73138699" name="Note1" type="Note">
<narrative>Setting by Text</narrative>
<displayx>135</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d7c2072f-f3d4-410f-8964-1302aab23a61" name="Note1" type="Note">
<narrative>Setting by Position/narrative>
<displayx>135</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="2d3775c7-307e-45e6-b3fa-38857abb8db4" name="Note1" type="Note">
<narrative>Getting by Text</narrative>
<displayx>135</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fa2f0202-ec16-4b9e-8feb-fcecaa294d8a" name="Note1" type="Note">
<narrative>Getting by Position</narrative>
<displayx>135</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="87f18a8b-1e58-4043-8e90-2b0aed79d670" name="Note1" type="Note">
<narrative>Setting True
<displayx>135</displayx>
<displayy>900</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b1afff74-b164-4268-a406-b3c729d00f90" name="Note1" type="Note">
<narrative>Setting True</narrative>
```

```
<displayx>135</displayx>
<displayy>990</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="734e6ba9-665d-4a59-bbac-cfbaf4609fc3" name="Note1" type="Note">
<narrative>Setting False</narrative>
<displayx>135</displayx>
<displayy>1080</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="90062ec2-a24d-4852-8422-fe9e61d08bb0" name="Note1" type="Note">
<narrative>Setting False</narrative>
<displayx>135</displayx>
<displayy>1170</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="83072edb-37f6-4e57-b493-5e1c4f37ee9d" name="Toggle" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1080</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="flag" name="Toggle State" expr="False"/>
</inputs>
<onsuccess>bde5b549-9222-4d57-9a62-7559150d601b</onsuccess>
<resource object="UIA Controls" action="Tree Item - Toggle (UIA)"/>
</stage>
<stage stageid="bde5b549-9222-4d57-9a62-7559150d601b" name="Get Toggle State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1125</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>aabd1059-68d9-4569-9948-25ff2cffb6f6</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get Toggle State"/>
</stage>
<stage stageid="aabd1059-68d9-4569-9948-25ff2cffb6f6" name="Toggle" type="Action">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>1170</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
<input type="flag" name="Toggle State" expr="False"/>
</inputs>
<onsuccess>18b74ecb-19bd-4178-ae2f-309bd16ff06e</onsuccess>
<resource object="UIA Controls" action="Tree Item - Toggle (UIA)"/>
</stage>
<stage stageid="18b74ecb-19bd-4178-ae2f-309bd16ff06e" name="Get Toggle State" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>1215</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Expected State" expr="False"/>
<input type="text" name="Item Name" expr="&amp;quot;Node0&amp;quot;"/>
</inputs>
<onsuccess>f3ec0aa4-c299-480d-8ec7-6e1c5dc3abdc</onsuccess>
<resource object="UIA Controls" action="Tree Item - Get Toggle State"/>
```

```
</stage>
</process>
cess name="Test UIA Window Control" version="1.0" bpversion="6.2.0.1655" narrative="" preferredid="" preferredid=" preferredid="" preferredid=" preferredid="" preferredid=
<view>
<camerax>0</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="0a8b682f-6ff5-44b0-a868-f7bd77fd1a60" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f6ea4c6e-a168-413b-946c-d440e3b9abeb</onsuccess>
</stage>
<stage stageid="bb041b2c-23aa-4bed-8efa-429d5ebe5373" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="10135c8c-9201-4a03-81ad-41feedc5f770" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f6ea4c6e-a168-413b-946c-d440e3b9abeb" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f8fd32af-a1fa-41d1-913a-ccea1a7af0fa</onsuccess>
<resource object="UIA Controls" action="Launch"/>
</stage>
<stage stageid="4215fb98-78ec-47bc-9f80-6ab8b846acc5" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bb041b2c-23aa-4bed-8efa-429d5ebe5373</onsuccess>
<resource object="UIA Controls" action="Terminate"/>
</stage>
<stage stageid="f8fd32af-a1fa-41d1-913a-ccea1a7af0fa" name="Drag &amp;amp; Drop" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4215fb98-78ec-47bc-9f80-6ab8b846acc5</onsuccess>
<resource object="UIA Controls" action="Window - Drag & Drap; Drop (UIA)"/>
</stage>
</process>
<view>
<camerax>-74</camerax>
<cameray>117</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="cf7d8d1a-d3af-40bd-9683-857c0af60f40" type="Normal" published="False">
```

```
<name>Setup (Native User)</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="6412642a-94ca-43a5-9391-905536609c8c" type="Normal" published="False">
<name>Check External Auth is available</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="1e683e6d-ab99-436a-ba77-ac5fe8af1bf6" type="Normal" published="False">
<name>Setup (AD user)</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="cbd2fab2-e550-4bc0-ab91-bd598359f198" type="Normal" published="False">
<name>Check Active Directory Auth is available</name>
<view>
<camerax>0</camerax>
```

```
<cameray>21</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="815acfe3-325c-4f7b-8e23-a808e06efa25" name="Start" type="Start">
<display x="15" y="-105"/>
<onsuccess>639224e9-b4cc-463c-92f1-d513a05969e3</onsuccess>
</stage>
<stage stageid="c504c35b-e194-4bf3-8f6c-1b4dab805ba8" name="End" type="End">
<display x="15" y="285"/>
</stage>
<stage stageid="e613a896-d8c1-4034-ad31-a5af3016d8b0" name="Stage1" type="ProcessInfo">
<display x="-195" y="-105" w="150" h="90"/>
</stage>
<stage stageid="7a7fccbf-85b7-4769-b1f4-27203cb414fa" name="Setup (Native User)" type="SubSheetInf
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<display x="-135" y="-75" w="150" h="90"/>
</stage>
<stage stageid="59d7933d-6538-4ea7-bba0-fea28a9ae499" name="Start" type="Start">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<display x="15" y="-105"/>
<onsuccess>e658bcb1-4306-4b02-a54c-0f0593db0e34</onsuccess>
</stage>
<stage stageid="1a5a8cd0-193e-4e6b-a0fb-3c8da0c05133" name="End" type="End">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<display x="15" y="210"/>
</stage>
```

```
<stage stageid="e658bcb1-4306-4b02-a54c-0f0593db0e34" name="Launch BP" type="Action">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<display x="15" y="-60" w="120" h="30"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>e616da6a-9f71-4fbd-991a-c5d6f9342ed7</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="e616da6a-9f71-4fbd-991a-c5d6f9342ed7" name="Attach System" type="Action">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<display x="15" y="-15" w="120" h="30"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>214de39f-f7cd-498d-8cdc-3414b1b96da1
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="214de39f-f7cd-498d-8cdc-3414b1b96da1" name="Sign In" type="Action">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<display x="15" y="30" w="120" h="30"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
<input type="flag" name="Expect Password Reset" friendlyname="Expect Password Reset" expr=""/>
<input type="flag" name="Expected License Wizard" friendlyname="Expected License Wizard" expr=""/>
```

```
</inputs>
<outputs>
<output type="text" name="Locale" friendlyname="Locale" narrative="Blue Prism Locale setting" stage=""/2</p>
</outputs>
<onsuccess>3394d54c-95b8-4e5a-8b02-2129fed28c8b</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="3b39632f-9292-4486-830c-d0f0775d1f6a" name="Global Variables" type="Block">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
loginhibit onsuccess="true"/>
<display x="-210" y="0" w="135" h="60"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="cbe373b6-cb5c-46c4-a0cb-194470516130" name="pid" type="Data">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
loginhibit onsuccess="true"/>
<display x="-135" y="30" w="120" h="30"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="ed24f828-461d-4969-b865-d97ec024135f" name="Setup (Native User)" type="SubSheet"</p>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="120" h="30"/>
<onsuccess>a89bc52b-6ef1-41a2-a97d-86fd326fd378</onsuccess>
</stage>
```

```
<stage stageid="639224e9-b4cc-463c-92f1-d513a05969e3" name="Note1" type="Note">
<narrative>GIVEN I sign in as a user who can create users
</narrative>
<display x="15" y="-30" w="210" h="60"/>
<onsuccess>ed24f828-461d-4969-b865-d97ec024135f</onsuccess>
</stage>
<stage stageid="d6717bb5-63ef-473d-9040-5f4e069c8998" name="Terminate" type="Action">
<loginhibit onsuccess="true"/>
<display x="15" y="225" w="150" h="30"/>
<onsuccess>c504c35b-e194-4bf3-8f6c-1b4dab805ba8</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="3a6b13f8-652b-48f7-a264-16d7f517ecf3" name="Setup (AD user)" type="SubSheetInfo">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
</stage>
<stage stageid="9940eaae-16e0-4fbe-983d-3c6491a580b5" name="Start" type="Start">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
<display x="15" y="-105"/>
<onsuccess>0ee00686-34a4-471b-96ab-46d5067dd1d4</onsuccess>
</stage>
<stage stageid="f8124da5-5456-47fa-b151-b4b040b75659" name="End" type="End">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
<display x="15" y="225"/>
</stage>
<stage stageid="1da93a1f-01a9-480d-bb18-020a6120703c" name="Note1" type="Note">
```

```
<narrative>GIVEN that Blue Prism is configurated to work with Active Directory </narrative>
<display x="285" y="-30" w="210" h="60"/>
<onsuccess>92b66a66-9d74-43fd-96f5-bacfefe7905a</onsuccess>
</stage>
<stage stageid="92b66a66-9d74-43fd-96f5-bacfefe7905a" name="Setup (AD user)" type="SubSheet">
loginhibit onsuccess="true"/>
<display x="285" y="30" w="120" h="30"/>
<onsuccess>0aa84ceb-c5bd-4083-b55e-939d34f7e21a</onsuccess>
</stage>
<stage stageid="0aa84ceb-c5bd-4083-b55e-939d34f7e21a" name="When the user selects the Sign - on S
<narrative>WHEN the Active Directory Auth type is Enabled
THEN Offer the choice of Blue Prism Native, Active Directory as available authentication types</narrative>
<display x="285" y="90" w="240" h="60"/>
<onsuccess>185307e7-49f5-41dc-a4b2-6ba48b4456ad
</stage>
<stage stageid="da3d3827-20e6-4ac7-a7ca-7cc7273059f5" name="Anchor1" type="Anchor">
<loginhibit onsuccess="true"/>
<display x="285" y="225" w="10" h="10"/>
<onsuccess>d6717bb5-63ef-473d-9040-5f4e069c8998</onsuccess>
</stage>
<stage stageid="a89bc52b-6ef1-41a2-a97d-86fd326fd378" name="When the user selects the Sign - on Se
<narrative>WHEN the External Auth type is Enabled
THEN Offer the choice of Blue Prism Native, External Authentication as available authentication types</na
<display x="15" y="90" w="240" h="60"/>
<onsuccess>207cc8d7-33fe-4040-a71e-8b50022c1c4b</onsuccess>
</stage>
```

```
<stage stageid="75ca5055-eda5-4f56-a1c2-53c2410c924d" name="Check External Auth is available" type
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
<display x="-135" y="-75" w="150" h="90"/>
</stage>
<stage stageid="352ecafd-31db-4a01-a1ae-09ad8525b248" name="Start" type="Start">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
<display x="15" y="-105"/>
<onsuccess>b8c01a4d-d1dc-405d-baaf-2931aced5c4a</onsuccess>
</stage>
<stage stageid="ee5d118a-c02c-47f4-98b7-c8ed11b6a55a" name="End" type="End">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
<display x="15" y="255"/>
</stage>
<stage stageid="207cc8d7-33fe-4040-a71e-8b50022c1c4b" name="Check External Auth is available" type
loginhibit onsuccess="true"/>
<display x="15" y="150" w="120" h="30"/>
<onsuccess>d6717bb5-63ef-473d-9040-5f4e069c8998</onsuccess>
</stage>
<stage stageid="3394d54c-95b8-4e5a-8b02-2129fed28c8b" name="Go to Tab" type="Action">
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="120" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>3fed707e-172b-49fc-acec-4fe0db48e40a</onsuccess>
```

```
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="ee1623e8-7fba-4c53-827c-169627b24fb5" name="Click Item From System Tree" type="A
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<loginhibit onsuccess="true"/>
<loginhibitparameters/>
<display x="15" y="165" w="120" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub ite
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>1a5a8cd0-193e-4e6b-a0fb-3c8da0c05133</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="3fed707e-172b-49fc-acec-4fe0db48e40a" name="Blue Prism - System (Parent)::Attach to
<subsheetid>cf7d8d1a-d3af-40bd-9683-857c0af60f40</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="120" w="120" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>ee1623e8-7fba-4c53-827c-169627b24fb5</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
```

```
</stage>
<stage stageid="82e4ffa2-b08c-401d-b8e7-ad022904b0b3" name="Check Active Directory Auth is availab
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
<display x="-195" y="-105" w="150" h="90"/>
</stage>
<stage stageid="54dfe3e2-66a6-4f4e-b456-cfbabb896c50" name="Start" type="Start">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
<display x="30" y="-120"/>
<onsuccess>34c64939-1dfe-419e-8326-2dab5af75a5f</onsuccess>
</stage>
<stage stageid="72c9e5b0-d410-473b-a127-f2b11abd933a" name="End" type="End">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
<display x="30" y="225"/>
</stage>
<stage stageid="185307e7-49f5-41dc-a4b2-6ba48b4456ad" name="Check Active Directory Auth is available.
loginhibit onsuccess="true"/>
<display x="285" y="150" w="120" h="30"/>
<onsuccess>da3d3827-20e6-4ac7-a7ca-7cc7273059f5</onsuccess>
</stage>
<stage stageid="b8c01a4d-d1dc-405d-baaf-2931aced5c4a" name="Authentication Type External" type="A
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-60" w="120" h="30"/>
<inputs>
<input type="flag" name="Authentication - External" friendlyname="Authentication - External" narrative="Authentication - External - Externa
</inputs>
```

```
<onsuccess>c4426459-891b-487e-a8dc-46284a575d67</onsuccess>
<resource object="Blue Prism - System - Security" action="Sign-on Settings - Authentication Type Externa
</stage>
<stage stageid="c4426459-891b-487e-a8dc-46284a575d67" name="Write Auth Server URL" type="Action
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="-15" w="120" h="30"/>
<inputs>
<input type="text" name="Host type" friendlyname="Host type" narrative="Valid or Invalid Host Type" expr-
</inputs>
<onsuccess>1578dd2a-2bd2-4146-8f4e-46bdc91d3bd0</onsuccess>
<resource object="Blue Prism - System - Security" action="Sign-on Settings - Write Auth Server URL"/>
</stage>
<stage stageid="1578dd2a-2bd2-4146-8f4e-46bdc91d3bd0" name="Press Apply" type="Action">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="30" w="120" h="30"/>
<onsuccess>b355b065-4b10-49a2-aa81-44f3bb1aee14</onsuccess>
<resource object="Blue Prism - System - Security" action="Sign-on Settings - Press Apply"/>
</stage>
<stage stageid="b355b065-4b10-49a2-aa81-44f3bb1aee14" name="Browse to Users" type="Action">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="120" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
```

```
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub item"
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>33b706c0-5dbd-4a8b-b131-c0d74bddcaa9</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="ca3af840-bb21-427b-9462-c328f6077650" name="Select User Type" type="Action">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="165" w="120" h="30"/>
<inputs>
<input type="text" name="User Type" friendlyname="User Type" narrative="Type of the user want to select
</inputs>
<onsuccess>6d6bce35-e269-46b5-84ec-581347b39279</onsuccess>
<resource object="Blue Prism - System - Security" action="User Wizard - Select User Type"/>
</stage>
<stage stageid="6d6bce35-e269-46b5-84ec-581347b39279" name="Press Cancel" type="Action">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
<loginhibit onsuccess="true"/>
<display x="15" y="210" w="120" h="30"/>
<onsuccess>ee5d118a-c02c-47f4-98b7-c8ed11b6a55a</onsuccess>
<resource object="Blue Prism - System - Security" action="Press Cancel"/>
</stage>
<stage stageid="33b706c0-5dbd-4a8b-b131-c0d74bddcaa9" name="Create User" type="Action">
<subsheetid>6412642a-94ca-43a5-9391-905536609c8c</subsheetid>
```

```
<loginhibit onsuccess="true"/>
<display x="15" y="120" w="120" h="30"/>
<onsuccess>ca3af840-bb21-427b-9462-c328f6077650</onsuccess>
<resource object="Blue Prism - System - Security" action="User Wizard - Create User"/>
</stage>
<stage stageid="34c64939-1dfe-419e-8326-2dab5af75a5f" name="Sign-on Settings - Authentication Type
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
loginhibit onsuccess="true"/>
<display x="30" y="-60" w="120" h="30"/>
<inputs>
<input type="flag" name="Authentication - AD" friendlyname="Authentication - AD" narrative="Authentication"
</inputs>
<onsuccess>16103add-7277-4a60-a192-ab16d01084c4</onsuccess>
<resource object="Blue Prism - System - Security" action="Sign-on Settings - Authentication Type AD"/>
</stage>
<stage stageid="16103add-7277-4a60-a192-ab16d01084c4" name="Press Apply" type="Action">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
loginhibit onsuccess="true"/>
<display x="30" y="0" w="120" h="30"/>
<onsuccess>0970f03a-53e8-425c-9d2f-f1df2150b6d1</onsuccess>
<resource object="Blue Prism - System - Security" action="Sign-on Settings - Press Apply"/>
</stage>
<stage stageid="0970f03a-53e8-425c-9d2f-f1df2150b6d1" name="Browse to Users" type="Action">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
loginhibit onsuccess="true"/>
<display x="30" y="45" w="120" h="30"/>
<inputs>
```

```
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub ite
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>f40d1a08-e590-4bfd-ab77-d4b685ab9cc1</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="3ba4b5d4-64cc-4380-b2ff-729a16e14995" name="Select User Type" type="Action">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
<loginhibit onsuccess="true"/>
<display x="30" y="135" w="120" h="30"/>
<inputs>
<input type="text" name="User Type" friendlyname="User Type" narrative="Type of the user want to select
</inputs>
<onsuccess>a30ba6b0-1b40-47a0-8b38-733e534eff94</onsuccess>
<resource object="Blue Prism - System - Security" action="User Wizard - Select User Type"/>
</stage>
<stage stageid="a30ba6b0-1b40-47a0-8b38-733e534eff94" name="Press Cancel" type="Action">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
loginhibit onsuccess="true"/>
<display x="30" y="180" w="120" h="30"/>
<onsuccess>72c9e5b0-d410-473b-a127-f2b11abd933a
<resource object="Blue Prism - System - Security" action="Press Cancel"/>
</stage>
```

```
<stage stageid="f40d1a08-e590-4bfd-ab77-d4b685ab9cc1" name="Create User" type="Action">
<subsheetid>cbd2fab2-e550-4bc0-ab91-bd598359f198</subsheetid>
loginhibit onsuccess="true"/>
<display x="30" y="90" w="120" h="30"/>
<onsuccess>3ba4b5d4-64cc-4380-b2ff-729a16e14995</onsuccess>
<resource object="Blue Prism - System - Security" action="User Wizard - Create User"/>
</stage>
<stage stageid="0ee00686-34a4-471b-96ab-46d5067dd1d4" name="Launch BP" type="Action">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
<display x="15" y="-60" w="120" h="30"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>f3014237-b484-4a48-9974-50f6c8ab0b5f</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="f3014237-b484-4a48-9974-50f6c8ab0b5f" name="Attach System" type="Action">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
<display x="15" y="-15" w="120" h="30"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>921a8c18-d6e6-429a-9c52-9459f72ff5ef</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="921a8c18-d6e6-429a-9c52-9459f72ff5ef" name="Sign In" type="Action">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
```

```
<display x="15" y="30" w="120" h="30"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
<input type="flag" name="Expect Password Reset" friendlyname="Expect Password Reset" expr=""/>
<input type="flag" name="Expected License Wizard" friendlyname="Expected License Wizard" expr=""/>
<input type="flag" name="Sign in Active Directorry" friendlyname="Sign in Active Directorry" narrative="Do
</inputs>
<outputs>
<output type="text" name="Error Message" friendlyname="Error Message" narrative="Error message recei</p>
</outputs>
<onsuccess>ff218a79-e946-4cd3-9e13-dd61d611fa43</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="ff218a79-e946-4cd3-9e13-dd61d611fa43" name="Go to Tab" type="Action">
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="75" w="120" h="30"/>
<inputs>
<input type="text" name="Tab Name" friendlyname="Tab Name" narrative="Name of Tab to Click" expr="8
</inputs>
<onsuccess>de4125c9-2b23-4f8a-a20d-d5ae79de7fd3</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="d54f774a-238e-44ce-afb3-b9056c554061" name="Click Item From System Tree" type="A
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
```

```
<loginhibit onsuccess="true"/>
loginhibitparameters/>
<display x="15" y="165" w="120" h="30"/>
<inputs>
<input type="text" name="Tree Name" friendlyname="Tree Name" narrative="Name of the tree to be exten
<input type="text" name="Item Name" friendlyname="Item Name" narrative="Name of the item to be clicke
<input type="text" name="Sub Item Name" friendlyname="Sub Item Name" narrative="Name of the sub item
<input type="flag" name="Select Item Method?" friendlyname="Select Item Method?" narrative="True by D
<input type="flag" name="Retry MouseClick?" friendlyname="Retry MouseClick?" narrative="Default to Tru
<input type="flag" name="Clean Up?" friendlyname="Clean Up?" narrative="False by Default. Set True if c
</inputs>
<onsuccess>f8124da5-5456-47fa-b151-b4b040b75659</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="de4125c9-2b23-4f8a-a20d-d5ae79de7fd3" name="Blue Prism - System (Parent)::Attach t
<subsheetid>1e683e6d-ab99-436a-ba77-ac5fe8af1bf6</subsheetid>
loginhibit onsuccess="true"/>
<display x="15" y="120" w="120" h="30"/>
<inputs>
<input type="number" name="pid" friendlyname="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>d54f774a-238e-44ce-afb3-b9056c554061</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
cprocess name="Test Utility - JSON" version="1.0" bpversion="6.0.0.0" narrative="A test to ensure that the
<view>
```

```
<camerax>0</camerax>
<cameray>-22</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="15d1b797-b892-4c50-be66-2043e1d04f9b" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7b01294a-e62a-4b69-b97b-8982a1f9c1ee</onsuccess>
</stage>
<stage stageid="a2dfe828-c794-4714-a9b0-71766cb46d9a" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="73b631c4-508b-4d68-8da6-a6725e3d5cd5" name="Stage1" type="ProcessInfo">
<narrative>
```

```
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a90dd449-a2a9-4d3d-a15f-680f23394412" name="Patients" type="Collection">
<narrative>.Complaint is SingleRow
All other collections are multirow</narrative>
<displayx>-195</displayx>
<displayy>-30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Id" type="number" namespace=""/>
<field name="Name" type="text" namespace=""/>
<field name="Date Of Birth" type="date" namespace=""/>
<field name="Visits" type="collection" namespace="">
<field name="Date/Time" type="datetime" namespace=""/>
<field name="Visitors" type="collection" namespace="">
<field name="Name" type="text" namespace=""/>
<field name="Relationship" type="text" namespace=""/>
```

```
</field>
<field name="Duration" type="timespan" namespace=""/>
</field>
<field name="Operations" type="collection" namespace="">
<field name="Date" type="date" namespace=""/>
<field name="Procedure" type="text" namespace=""/>
<field name="Staff Present" type="collection" namespace="">
<field name="Staff Id" type="number" namespace=""/>
<field name="Name" type="text" namespace=""/>
<field name="Role" type="text" namespace=""/>
</field>
</field>
<field name="Complaint" type="collection" namespace="" singlerow="1">
<field name="Date Presented" type="date" namespace=""/>
<field name="Symptoms" type="collection" namespace="">
<field name="Symptom" type="text" namespace=""/>
</field>
<field name="GP" type="text" namespace=""/>
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Id" type="number" value="1"/>
<field name="Name" type="text" value="Dave Dee"/>
<field name="Date Of Birth" type="date" value="1941/12/17"/>
<field name="Visits" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;field
<field name="Operations" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt
```

```
<field name="Complaint" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;
</row>
<row>
<field name="Id" type="number" value="2"/>
<field name="Name" type="text" value="Dozy"/>
<field name="Date Of Birth" type="date" value="1944/07/14"/>
<field name="Visits" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;field
<field name="Operations" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt
<field name="Complaint" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;
</row>
<row>
<field name="Id" type="number" value="3"/>
<field name="Name" type="text" value="Beaky"/>
<field name="Date Of Birth" type="date" value="1948/06/01"/>
<field name="Visits" type="collection" value="&amp;lt;collection /&amp;gt;"/>
<field name="Operations" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt
<field name="Complaint" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;
</row>
<row>
<field name="Id" type="number" value="4"/>
<field name="Name" type="text" value="Mick"/>
<field name="Date Of Birth" type="date" value="1942/09/25"/>
<field name="Visits" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;field
<field name="Operations" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt
<field name="Complaint" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;
</row>
<row>
```

```
<field name="Id" type="number" value="5"/>
<field name="Name" type="text" value="Tich"/>
<field name="Date Of Birth" type="date" value="1951/07/24"/>
<field name="Visits" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;field
<field name="Operations" type="collection" value="&amp;lt;collection /&amp;gt;"/>
<field name="Complaint" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;lt;
</row>
</initialvalue>
</stage>
<stage stageid="7b01294a-e62a-4b69-b97b-8982a1f9c1ee" name="Patients -&amp;gt; JSON" type="Action of the company of the compan
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Data" expr="[Patients]"/>
</inputs>
<outputs>
<output type="text" name="JSON" stage="JSON"/>
</outputs>
<onsuccess>c18b4302-740d-4aef-80fa-9834f3eca751
<resource object="Utility - JSON" action="Collection to JSON"/>
</stage>
<stage stageid="2e6ae85c-d071-49c4-b2b2-18b6033265ec" name="JSON" type="Data">
```

```
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="de0a05d6-b9b7-426f-89c2-166f50b9b709" name="Expected Full JSON" type="Data">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">[{"Id":1.0,"Name":"Dave Dee","Date Of Birth":"1941-12-17T00:00:00Z",
<alwaysinit/>
</stage>
<stage stageid="c18b4302-740d-4aef-80fa-9834f3eca751" name="Expected?" type="Decision">
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[JSON] = [Expected Full JSON]"/>
<ontrue>016d5953-59d6-487a-99b5-0c161dd9d547</ontrue>
<onfalse>ca95fedb-e456-46b5-9862-61bde5731dbb</onfalse>
</stage>
<stage stageid="ca95fedb-e456-46b5-9862-61bde5731dbb" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Test Failed Exception" detail="&amp;quot;Expected Full JSON not found; Instead the JS
</stage>
<stage stageid="016d5953-59d6-487a-99b5-0c161dd9d547" name="Patients. Visits. Visitors -&amp;gt; JSC
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Data" expr="[Patients.Visits.Visitors]"/>
</inputs>
<outputs>
<output type="text" name="JSON" stage="JSON"/>
</outputs>
<onsuccess>22337dec-f822-4977-839f-52f7d89ae4fa</onsuccess>
<resource object="Utility - JSON" action="Collection to JSON"/>
</stage>
<stage stageid="22337dec-f822-4977-839f-52f7d89ae4fa" name="Expected?" type="Decision">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[JSON] = [Expected Visits JSON]"/>
<ontrue>390e90fb-99bb-49d1-b66f-22ec076042a4</ontrue>
<onfalse>c7e769a4-0d8c-405a-aff2-14feebf6aedf</onfalse>
</stage>
<stage stageid="c7e769a4-0d8c-405a-aff2-14feebf6aedf" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Test Failed Exception" detail="&amp;quot;Expected Visits JSON not found; Instead the Company of the Company o
</stage>
<stage stageid="7266e73c-c2c4-470f-88f5-17b913c6c451" name="Expected Visits JSON" type="Data">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">[{"Name":"Geoffrey Ardfellow","Relationship":"Friend"},{"Name":"Simial
<alwaysinit/>
</stage>
<stage stageid="390e90fb-99bb-49d1-b66f-22ec076042a4" name="Visits JSON -&amp;gt; Visits (Old Sko
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="text" name="json" expr="[JSON]"/>
</inputs>
<outputs>
<output type="collection" name="Result" stage="Visits"/>
</outputs>
<onsuccess>28b18424-a4e6-4c3f-8b3e-ae08feaef465</onsuccess>
<resource object="Utility - JSON" action="JSON to Collection"/>
</stage>
<stage stageid="7221c944-3ec5-4376-b319-c7776d1aedc3" name="Visits" type="Collection">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="28b18424-a4e6-4c3f-8b3e-ae08feaef465" name="Expected?" type="Decision">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Visits] = [Expected Visits (Old Skool)]"/>
<ontrue>766eb0b1-5c5b-4f0e-95ec-6be1a9876e07</ontrue>
<onfalse>46b90014-8d30-499f-a4f9-6887a4987e8e</onfalse>
</stage>
<stage stageid="46b90014-8d30-499f-a4f9-6887a4987e8e" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Test Failed Exception" detail="&amp;quot;Expected Visits JSON not found; Instead the J
</stage>
<stage stageid="628bf214-8c3d-405d-8e53-155f63580370" name="Expected Visits (Old Skool)" type="Co
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>195</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
```

```
<field name="JSON:Array" type="collection" namespace="">
<field name="Name" type="text" namespace=""/>
<field name="Relationship" type="text" namespace=""/>
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="JSON:Array" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;
</row>
<row>
<field name="JSON:Array" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;
</row>
<row>
<field name="JSON:Array" type="collection" value="&amp;lt;collection&amp;gt;&amp;lt;row&amp;gt;&amp;
</row>
</initialvalue>
</stage>
<stage stageid="766eb0b1-5c5b-4f0e-95ec-6be1a9876e07" name="Visits JSON -& amp;gt; Visits (New Sk
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="json" expr="[JSON]"/>
```

```
</inputs>
<outputs>
<output type="collection" name="Result" stage="Visits"/>
</outputs>
<onsuccess>538dd080-e093-4049-8538-e636d7c0ca1a/onsuccess>
<resource object="Utility - JSON" action="JSON to Collection (skipping JArray)"/>
</stage>
<stage stageid="538dd080-e093-4049-8538-e636d7c0ca1a" name="Expected?" type="Decision">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Visits] = [Expected Visits (New Skool)]"/>
<ontrue>a2dfe828-c794-4714-a9b0-71766cb46d9a</ontrue>
<onfalse>68f8decf-d058-4f93-9cf1-44aeba4f6daa</onfalse>
</stage>
<stage stageid="68f8decf-d058-4f93-9cf1-44aeba4f6daa" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<exception type="Test Failed Exception" detail="&amp;quot;Expected Visits JSON not found; Instead the Company of the Company o
</stage>
<stage stageid="e2d4a074-07d5-48ca-972a-6d01e25a373e" name="Expected Visits (New Skool)" type="0">(Skool) | 
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Name" type="text" namespace=""/>
<field name="Relationship" type="text" namespace=""/>
</collectioninfo>
<initialvalue>
<row>
<field name="Name" type="text" value="Geoffrey Ardfellow"/>
<field name="Relationship" type="text" value="Friend"/>
</row>
<row>
<field name="Name" type="text" value="Simian Breech"/>
<field name="Relationship" type="text" value="Drinking Partner"/>
</row>
```

<row>

```
<field name="Name" type="text" value="Presbyteria Beige"/>
<field name="Relationship" type="text" value="Cleaner"/>
</row>
</initialvalue>
</stage>
</process>
o="Test Utility - Strings" version="1.0" bpversion="6.6.0.15260" narrative="Test the CSV par
<view>
<camerax>0</camerax>
<cameray>328</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="2c469e11-2c5f-47ab-9953-4760b27e5bd9" name="Start" type="Start">
<display x="15" y="-90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>eb0bd223-3549-43f8-93a4-242a53917cf3</onsuccess>
</stage>
<stage stageid="84502f27-eb68-4771-8054-a2a46dcd917e" name="End" type="End">
<display x="15" y="1515"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="409234b6-ae6d-4dcf-b9e6-746c0e278764" name="Stage1" type="ProcessInfo">
<display x="-195" y="-105" w="150" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="eb0bd223-3549-43f8-93a4-242a53917cf3" name="Generate CSV" type="Calculation">
<display x="15" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fad8f5e0-7e95-41ed-b086-c66d213006dc</onsuccess>
<calculation expression="&amp;quot;a,b,c,d,e,f,g&amp;quot; &amp;amp; Chr(13) &amp;amp; &amp;quot;1
</stage>
<stage stageid="3bb5b2ce-76f5-4a22-a182-1e2f2d85d33c" name="CSV" type="Data">
<display x="-210" y="-15" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="fad8f5e0-7e95-41ed-b086-c66d213006dc" name="Get CSV as Collection" type="Action">
<display x="15" y="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="[CSV]"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
<onsuccess>8e26777a-81bf-4012-ba4e-faa864e71056</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
```

```
</stage>
<stage stageid="6dd61bff-699f-4311-920a-f4a1ff3084c2" name="Test1" type="Block">
<display x="-45" y="-45" w="255" h="180"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="eacc267b-a360-488f-acc2-8926802dfbf7" name="Generate CSV" type="Calculation">
<display x="15" y="195"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9d939a4f-d043-4762-b365-94fc5dbb5c4d</onsuccess>
<calculation expression="&amp;quot;a,b,c,d,e,f,g&amp;quot; &amp;amp; Chr(13) &amp;amp; &amp;quot;1
</stage>
<stage stageid="9d939a4f-d043-4762-b365-94fc5dbb5c4d" name="Get CSV as Collection" type="Action">
<display x="15" y="240"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="[CSV]"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</pre>
</outputs>
<onsuccess>d29b821e-6d1b-4214-aab5-a4c5841b7a77</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="a29d05b4-265c-44ac-bad9-baef9ad11933" name="Generate CSV" type="Calculation">
<display x="15" y="390"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b00e6ced-fea4-4113-a870-0c6b6d53e818</onsuccess>
<calculation expression="&amp;quot;1,2,3,4,5,6,7&amp;quot;" stage="CSV"/>
</stage>
<stage stageid="b00e6ced-fea4-4113-a870-0c6b6d53e818" name="Get CSV as Collection" type="Action":
<display x="15" y="435"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="[CSV]"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
<onsuccess>187e9aa8-c9e6-44bb-ae24-b33bb5e17cde</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="3973532d-604a-432f-9dd0-e0694dbccc2b" name="Test2" type="Block">
<display x="-45" y="165" w="255" h="165"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3407e39d-282f-4cf3-9f12-473978f005e8" name="Test3" type="Block">
<display x="-45" y="360" w="255" h="165"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="8149dbfe-7c6f-4585-aae6-2ab7eb31acb7" name="Schema" type="Collection">
```

```
<display x="90" y="-15"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Column Name" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column Name" type="text" value="a"/>
</row>
<row>
<field name="Column Name" type="text" value="b"/>
</row>
<row>
<field name="Column Name" type="text" value="c"/>
</row>
<row>
<field name="Column Name" type="text" value="d"/>
</row>
<row>
<field name="Column Name" type="text" value="e"/>
</row>
<row>
<field name="Column Name" type="text" value="f"/>
</row>
```

```
<row>
<field name="Column Name" type="text" value="g"/>
</row>
</initialvalue>
</stage>
<stage stageid="e3e45e2e-1ddf-4bf5-b368-f2a0e6c4d7be" name="Output Collection" type="Collection">
<display x="-210" y="15" w="120" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8e26777a-81bf-4012-ba4e-faa864e71056" name="Check Collection" type="Decision">
<display x="15" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection.a] = &amp;quot;1&amp;quot; AND&amp;#xA;[Output Collection.l]</p>
<ontrue>eacc267b-a360-488f-acc2-8926802dfbf7</ontrue>
<onfalse>d16c693a-3ee7-4beb-841f-6a730ce555fa</onfalse>
</stage>
<stage stageid="d16c693a-3ee7-4beb-841f-6a730ce555fa" name="Exception1" type="Exception">
<display x="270" y="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Test 1 failed - Collection is not as expected&amp;quot; "/>
</stage>
<stage stageid="d29b821e-6d1b-4214-aab5-a4c5841b7a77" name="Check Collection" type="Decision">
<display x="15" y="285"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Output Collection.a] = &amp;quot;1&amp;quot; AND&amp;#xA;[Output Collection.l]</p>
<ontrue>a29d05b4-265c-44ac-bad9-baef9ad11933</ontrue>
<onfalse>cd815e72-ffb5-4d1b-a010-f28f634ef70c</onfalse>
</stage>
<stage stageid="cd815e72-ffb5-4d1b-a010-f28f634ef70c" name="Exception1" type="Exception">
<display x="270" y="285"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Test 2 failed - Collection is not as expected&amp;quot; "/>
</stage>
<stage stageid="187e9aa8-c9e6-44bb-ae24-b33bb5e17cde" name="Check Collection" type="Decision">
<display x="15" y="480"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection.Column 0] = &amp;quot;1&amp;quot; AND&amp;#xA;[Output Collection.Column 0] = &amp;quot; AND&amp;quot; AND&amp;#xA;[Output Collection.Column 0] = &amp;quot; AND&amp;quot; AND&amp;quo
<ontrue>882bb323-8273-4452-8a6b-6e4563ca4a9f
<onfalse>3f20044e-a9db-411d-87cd-1069566af302</onfalse>
</stage>
<stage stageid="3f20044e-a9db-411d-87cd-1069566af302" name="Exception1" type="Exception">
<display x="270" y="480"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Test 3 failed - Collection is not as expected&amp;quot; "/>
</stage>
<stage stageid="882bb323-8273-4452-8a6b-6e4563ca4a9f" name="Generate CSV" type="Calculation">
<display x="15" y="585"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f485466d-addc-45fe-95cd-9c3f23db2e03</onsuccess>
<calculation expression="&amp;quot;2990,THFT,12319999,08252017,THFT,32.00000,0.00000,32.000008</p>
</stage>
```

```
<stage stageid="f485466d-addc-45fe-95cd-9c3f23db2e03" name="Get CSV as Collection" type="Action">
<display x="15" y="630"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="[CSV]"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
<onsuccess>0de927a4-6836-476c-9bcd-4999a318757c</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="1a6cd54d-96c2-41a2-87cd-261d2a0118b3" name="Test4" type="Block">
<display x="-45" y="555" w="255" h="240"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a2b0681f-923b-4555-a844-63218227f734" name="Check Collection" type="Decision">
<display x="15" y="720"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection.PERNR] = &amp;quot;2990&amp;quot; AND&amp;#xA;[Output 0]</p>
<ontrue>9632c016-1e8b-4cb9-9507-b7043738501a</ontrue>
<onfalse>b365f9cc-0999-4f9c-8488-4fd59c7ad0d6</onfalse>
</stage>
<stage stageid="b365f9cc-0999-4f9c-8488-4fd59c7ad0d6" name="Exception1" type="Exception">
<display x="270" y="720"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Test 4 failed - Collection is not as expected&amp;quot; "/>
</stage>
<stage stageid="b0fd8585-50be-426b-b4af-3ac799b0d67a" name="Schema2" type="Collection">
<display x="135" y="615"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Column Name" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Column Name" type="text" value="PERNR"/>
</row>
<row>
<field name="Column Name" type="text" value="SUBTY"/>
</row>
<row>
<field name="Column Name" type="text" value="ENDDA"/>
</row>
<row>
<field name="Column Name" type="text" value="BEGDA"/>
</row>
<row>
<field name="Column Name" type="text" value="BPLAN"/>
```

```
</row>
<row>
<field name="Column Name" type="text" value="EEPCT"/>
</row>
<row>
<field name="Column Name" type="text" value="PTPCT"/>
</row>
<row>
<field name="Column Name" type="text" value="BCPCT"/>
</row>
</initialvalue>
</stage>
<stage stageid="0de927a4-6836-476c-9bcd-4999a318757c" name="Loop Start1" type="LoopStart">
<display x="15" y="675"/>
<onsuccess>a2b0681f-923b-4555-a844-63218227f734</onsuccess>
<groupid>c38a9731-489d-46f6-a555-587b30421868</groupid>
<looptype>ForEach</looptype>
<loopdata>Output Collection</loopdata>
</stage>
<stage stageid="9632c016-1e8b-4cb9-9507-b7043738501a" name="Loop End1" type="LoopEnd">
<display x="15" y="765"/>
<onsuccess>bd0f15d5-958d-4fa4-aeab-de8aed1743b7</onsuccess>
<groupid>c38a9731-489d-46f6-a555-587b30421868</groupid>
</stage>
<stage stageid="bd0f15d5-958d-4fa4-aeab-de8aed1743b7" name="Generate CSV" type="Calculation">
<display x="15" y="855"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>c17b7f50-ae6a-488f-8e9c-13889a8cbb1d</onsuccess>
<calculation expression="&amp;quot;3,This is a test string with double &amp;quot;&amp;quot;double quote</p>
</stage>
<stage stageid="c17b7f50-ae6a-488f-8e9c-13889a8cbb1d" name="Get CSV as Collection" type="Action">
<display x="15" y="900"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="[CSV]"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</pre>
</outputs>
<onsuccess>3cc5b5c3-e488-4055-8521-31fc960ba9dc</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="e196916e-e8e3-486f-af19-2e74fa900d4c" name="Test5" type="Block">
<display x="-45" y="825" w="255" h="165"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="3cc5b5c3-e488-4055-8521-31fc960ba9dc" name="Check Collection" type="Decision">
<display x="15" y="945"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection.Column 0] = &amp;quot;3&amp;quot; AND&amp;#xA;[Output Collection.Column 0] = &amp;quot;3&amp;quot; AND&amp;quot; AND&amp;
<ontrue>8efe0cff-a5c6-4710-8c31-b46fc1442ba8</ontrue>
<onfalse>4c98f599-e289-4081-9ba1-b2e9f3aab397</onfalse>
```

```
</stage>
<stage stageid="4c98f599-e289-4081-9ba1-b2e9f3aab397" name="Exception1" type="Exception">
<display x="270" y="945"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Test 5 failed - Collection is not as expected&amp;quot; "/>
</stage>
<stage stageid="8efe0cff-a5c6-4710-8c31-b46fc1442ba8" name="Generate CSV" type="Calculation">
<display x="15" y="1050"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ec78be99-55cf-49c7-b7d0-f68574b57dba</onsuccess>
<calculation expression="&amp;quot;Column 0, Column 1,,Column 3&amp;quot;" stage="CSV"/>
</stage>
<stage stageid="ec78be99-55cf-49c7-b7d0-f68574b57dba" name="Get CSV as Collection" type="Action">
<display x="15" y="1095"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="[CSV]"/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
<onsuccess>26cb4d7c-5b57-44d0-8f64-af6f319b0406</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="225029bd-8d39-4e66-8d88-109f1407466c" name="Test6" type="Block">
```

```
<display x="-45" y="1020" w="255" h="165"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="26cb4d7c-5b57-44d0-8f64-af6f319b0406" name="Check Collection" type="Decision">
<display x="15" y="1140"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection.Column 0] = &amp;quot;Column 0&amp;quot; AND&amp;#xA;[O</pre>
<ontrue>a166b582-a4d1-4071-b393-9ea86c11f39c</ontrue>
<onfalse>a9d1ed2f-84a3-45e9-b40a-c3b184040bb4</onfalse>
</stage>
<stage stageid="a9d1ed2f-84a3-45e9-b40a-c3b184040bb4" name="Exception1" type="Exception">
<display x="270" y="1140"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<exception type="" detail="&amp;quot;Test 6 failed - Collection is not as expected&amp;quot; "/>
</stage>
<stage stageid="8d025c14-4a03-4a41-87ad-c5cc79ec69de" name="Test7" type="Block">
<narrative>Blank CSV name returns balnk collection
<display x="-45" y="1215" w="255" h="120"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a166b582-a4d1-4071-b393-9ea86c11f39c" name="Get CSV as Collection" type="Action":
<display x="15" y="1245"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr=""/>
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
```

```
</inputs>
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
<onsuccess>94ed44cd-b3bb-44a5-81cc-e2a2e76cecab</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="94ed44cd-b3bb-44a5-81cc-e2a2e76cecab" name="Check Collection" type="Decision">
<display x="15" y="1290"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection] = [Blank Collection]"/>
<ontrue>7a7a5a47-d51f-41b6-8359-993584f681e5</ontrue>
<onfalse>1da3643a-1357-4a3a-9c20-3267a7496914</onfalse>
</stage>
<stage stageid="6539f541-0ccf-459d-991a-da8a33d8db44" name="Test7" type="Block">
<narrative>Blank CSV name returns balnk collection
<display x="-45" y="1350" w="255" h="105"/>
<font family="Tahoma" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="7a7a5a47-d51f-41b6-8359-993584f681e5" name="Get CSV as Collection" type="Action">
<display x="15" y="1380"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="CSV" narrative="The CSV to be converted into a collection" expr="&amp;quot;&a
<input type="flag" name="First Row Is Header" narrative="Indicates whether the first row of the CSV file sh
<input type="collection" name="Schema" narrative="Optional. A collection of column names. If left blank th
</inputs>
```

```
<outputs>
<output type="collection" name="Output Collection" narrative="The collection converted from CSV" stage=</p>
</outputs>
<onsuccess>20be3ecb-b3bd-4ebb-bd9b-1535cb0ab6ba</onsuccess>
<resource object="Utility - Strings" action="Get CSV As Collection"/>
</stage>
<stage stageid="20be3ecb-b3bd-4ebb-bd9b-1535cb0ab6ba" name="Check Collection" type="Decision">
<display x="15" y="1425"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Output Collection] = [Blank Collection]"/>
<ontrue>84502f27-eb68-4771-8054-a2a46dcd917e/ontrue>
<onfalse>e8822ede-802a-410d-b04f-879a9df4f043</onfalse>
</stage>
<stage stageid="cb1da0d1-0176-4f58-83e0-d42d7d098080" name="Data" type="Block">
loginhibit onsuccess="true"/>
<display x="-270" y="-45" w="150" h="135"/>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="1da3643a-1357-4a3a-9c20-3267a7496914" name="Exception2" type="Exception">
<display x="270" y="1290"/>
<exception localized="yes" type="Data Error" detail="&amp;quot;Collection expected to be empty&amp;qu
</stage>
<stage stageid="e8822ede-802a-410d-b04f-879a9df4f043" name="Exception3" type="Exception">
<display x="270" y="1425"/>
<exception localized="yes" type="Data Error" detail="&amp;quot;Collection expected to be empty&amp;qu
</stage>
<stage stageid="ffa14edd-4898-4949-92cf-332dbda73637" name="Blank Collection" type="Collection">
```

```
<display x="-210" y="45" w="120" h="30"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
</process>
control version="1.0" bpversion="5.0.999.999" narrative="" pref
<view>
<camerax>-294</camerax>
<cameray>-195</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>
</stage>
<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
```

```
<displayx>-390</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>62435e1a-97e7-4c8c-bfd0-a3e522c5677a</onsuccess>
<resource object="VS2013 Controls" action="Launch"/>
</stage>
<stage stageid="8de64626-ea9f-462d-ab78-2c26f5c16a9c" name="Label Value" type="Data">
<narrative>
</narrative>
<displayx>-225</displayx>
<displayy>-195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
```

```
<alwaysinit/>
</stage>
<stage stageid="62435e1a-97e7-4c8c-bfd0-a3e522c5677a" name="Click link label - win32" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Link Label Confirmation Present" expr="True"/>
</inputs>
<onsuccess>6aad64e7-ec2a-44c9-b046-0d22fa049e04</onsuccess>
<resource object="VS2013 Controls" action="Click Link Label - Win32"/>
</stage>
<stage stageid="6aad64e7-ec2a-44c9-b046-0d22fa049e04" name="Click link label - win32" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Link Label Confirmation Present" expr="False"/>
```

```
</inputs>
<onsuccess>3c2cb653-5af3-4acc-8bb4-c196f70716ed</onsuccess>
<resource object="VS2013 Controls" action="Click Link Label - Win32"/>
</stage>
<stage stageid="b8fd9c80-d1d9-459f-890e-b8db5d4cfc45" name="Get link label value - win32" type="Action
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-210</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Label value" stage="Label Value"/>
</outputs>
<onsuccess>46abc795-844f-4fed-ad45-394b872c5ee3</onsuccess>
<resource object="VS2013 Controls" action="Get Link Label - Win32"/>
</stage>
<stage stageid="175dce5c-2443-42e2-a9c6-83af8df23eb9" name="Get link label - AA" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-600</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<outputs>
```

```
<output type="text" name="Label value" stage="Label Value"/>
</outputs>
<onsuccess>061d1477-ebe0-4c5c-8910-db975b75c0bf</onsuccess>
<resource object="VS2013 Controls" action="Get Link Label - AA"/>
</stage>
<stage stageid="46abc795-844f-4fed-ad45-394b872c5ee3" name="Read link label text" type="Decision">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Label Value]=&amp;quot;My Link Label&amp;quot;"/>
<ontrue>dfa3c7d6-5a0a-48cd-8a93-96d2b28a8381
<onfalse>a4244f63-6330-4d16-b9ed-e5ec76248fec</onfalse>
</stage>
<stage stageid="a4244f63-6330-4d16-b9ed-e5ec76248fec" name="Note1" type="Note">
<narrative>Expected to read link label text as 'my link label' but this was not the case
<displayx>-225</displayx>
<displayy>-285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="061d1477-ebe0-4c5c-8910-db975b75c0bf" name="Read link label text" type="Decision">
<narrative>
```

```
</narrative>
<displayx>-75</displayx>
<displayy>-675</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Label Value]=&amp;quot;My Link Label&amp;quot;"/>
<ontrue>c459a867-863a-4077-8f3f-510e5b10fb15</ontrue>
<onfalse>9a73e0f0-e492-4bfb-b49b-4cd2e8f395a8</onfalse>
</stage>
<stage stageid="9a73e0f0-e492-4bfb-b49b-4cd2e8f395a8" name="Note1" type="Note">
<narrative>Expected to read link label text as 'my link label' but this was not the case
<displayx>-225</displayx>
<displayy>-675</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="27f99307-00f5-4adf-acdf-71eac5afa60e" name="End2" type="End">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-795</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

```
<stage stageid="c459a867-863a-4077-8f3f-510e5b10fb15" name="Close Application" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-735</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>27f99307-00f5-4adf-acdf-71eac5afa60e</onsuccess>
<resource object="VS2013 Controls" action="Exit"/>
</stage>
<stage stageid="3c2cb653-5af3-4acc-8bb4-c196f70716ed" name="Click link label - .NET" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Link Label Confirmation Present" expr="True"/>
</inputs>
<onsuccess>a023dc09-078b-4b4e-8ac5-2f6ba852e509</onsuccess>
<resource object="VS2013 Controls" action="Click Link Label - .Net"/>
</stage>
<stage stageid="a023dc09-078b-4b4e-8ac5-2f6ba852e509" name="Click link label - .NET" type="Action">
<narrative>
```

```
</narrative>
<displayx>-75</displayx>
<displayy>-150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Link Label Confirmation Present" expr="False"/>
</inputs>
<onsuccess>b8fd9c80-d1d9-459f-890e-b8db5d4cfc45</onsuccess>
<resource object="VS2013 Controls" action="Click Link Label - .Net"/>
</stage>
<stage stageid="5e35e967-119c-45ae-8115-9293469657fa" name="Click link label - AA" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-450</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Label link label confirm" expr="True"/>
</inputs>
<onsuccess>c8e72124-d048-4b7c-8a60-681ba56405b3</onsuccess>
<resource object="VS2013 Controls" action="Click Link Label - AA"/>
</stage>
<stage stageid="f455304d-e4fa-49bf-8c2b-bc32257b64ba" name="Click link label - AA" type="Action">
```

```
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-555</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Label link label confirm" expr="False"/>
</inputs>
<onsuccess>175dce5c-2443-42e2-a9c6-83af8df23eb9</onsuccess>
<resource object="VS2013 Controls" action="Click Link Label - AA"/>
</stage>
<stage stageid="dfa3c7d6-5a0a-48cd-8a93-96d2b28a8381" name="Is Windows 2000?" type="Decision">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="GetOSVersion()=&amp;quot;Windows 2000&amp;quot;"/>
<ontrue>ce10436b-e458-435b-aa50-3ea22b5501b4</ontrue>
<onfalse>5e35e967-119c-45ae-8115-9293469657fa</onfalse>
</stage>
<stage stageid="ce10436b-e458-435b-aa50-3ea22b5501b4" name="Close Application" type="Action">
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>-390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d902383d-dc70-40f4-882e-704559aa1e8b</onsuccess>
<resource object="VS2013 Controls" action="Exit"/>
</stage>
<stage stageid="d902383d-dc70-40f4-882e-704559aa1e8b" name="End1" type="End">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>-390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c8e72124-d048-4b7c-8a60-681ba56405b3" name="Wait 2 bits" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>-510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="number" name="Milliseconds" narrative="The number of milliseconds to wait - default is 1 sec
</inputs>
<onsuccess>f455304d-e4fa-49bf-8c2b-bc32257b64ba</onsuccess>
<resource object="VS2013 Controls" action="Wait A Bit"/>
</stage>
</process>
o="1.0" bpversion="6.4.0.7114" narrative="A
<view>
<camerax>72</camerax>
<cameray>-68</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="62f68287-a894-4702-a962-fbd4d68d1d77" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>126</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="1d64f714-5c24-4c38-a837-084cb1ff1db0" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>147</cameray>
```

```
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="70d65c68-7091-4767-bb98-a49a9b02489e" type="Normal" published="False">
<name>Clear Response</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="9357ed90-51a5-4eb0-b752-fc35e3a0dbc2" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0cc2895f-0dc6-46bc-b8b8-5dd0ce73145a</onsuccess>
</stage>
<stage stageid="a4100d23-439f-4ee2-8dab-ee25514881f8" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>615</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2e40e885-0c97-442d-8d2f-8ff5d25e7dc8" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-210</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="891f5b80-4a5e-4618-82ca-5aff4518bae3" name="Clear Response" type="SubSheetInfo":
<subsheetid>70d65c68-7091-4767-bb98-a49a9b02489e</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4d512a78-ada9-4fd0-8f1d-670c674dcabd" name="Start" type="Start">
<subsheetid>70d65c68-7091-4767-bb98-a49a9b02489e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1124a90a-2842-4e00-82b7-ce6e1f628d6b</onsuccess>
</stage>
<stage stageid="394c54fe-aa8d-4f17-bd38-9eca83d1f419" name="End" type="End">
<subsheetid>70d65c68-7091-4767-bb98-a49a9b02489e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="fd40505d-20cb-4345-91f3-6f36e6135fee" name="Clear Response" type="MultipleCalcular
<subsheetid>70d65c68-7091-4767-bb98-a49a9b02489e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>394c54fe-aa8d-4f17-bd38-9eca83d1f419</onsuccess>
<steps>
```

```
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
</steps>
</stage>
<stage stageid="1124a90a-2842-4e00-82b7-ce6e1f628d6b" name="Remove Rows" type="Action">
<subsheetid>70d65c68-7091-4767-bb98-a49a9b02489e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
</inputs>
<onsuccess>fd40505d-20cb-4345-91f3-6f36e6135fee</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove All Rows"/>
</stage>
<stage stageid="f53805f7-93c5-43d1-8654-99d7fc1f0058" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="29ef8ba6-fed3-49fc-af12-12760cdaa01c" name="Response Headers" type="Collection">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="faf30e9b-773c-4464-aaa0-33d4985326fa" name="HTTP Status Code" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="9c38cb74-77a7-4ef4-9be2-bee65dd749e2" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET)]"/>
<ontrue>d6868011-0aad-43f3-9a51-70e1504b6e1d
<onfalse>26104776-8f74-404d-928e-6f95270cdd1a</onfalse>
</stage>
<stage stageid="020a4a81-0115-4876-8b80-93c4e8500d67" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="26104776-8f74-404d-928e-6f95270cdd1a" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ail
</stage>
<stage stageid="68ba2103-925e-47f6-a08c-f730d47f7bb4" name="Response Content (GET)" type="Data"
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">[{"Id":1,"Name":"Lionel"},{"Id":2,"Name":"Leo"},{"Id":3,"Name":"Felix"},{"Id":2,"Name":"Leo"},{"Id":3,"Name":"Felix"},{"Id":2,"Name":"Leo"},{"Id":3,"Name":"Felix"},{"Id":3,"Name":"Felix"},{"Id":4,"Name":"Felix"},{"Id":4,"Name":"Leo"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Id":5,"Name":"Felix"},{"Felix"},{"Felix"},{"Felix"},{"Felix"},{"Felix"},{"Felix"},{"Felix"},{"F
<alwaysinit/>
</stage>
<stage stageid="25fe7ecc-b2f8-4a32-99bb-830df53121e6" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
```

```
</inputs>
<onsuccess>89b0bf12-e415-47c0-b4ca-ce5a7ff5d8e5</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="fc488d25-9c68-49a9-b5e1-bb05f73d7a72" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>43e686e6-400b-41bf-b1be-3b160b87742d</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="ac626968-85bc-45bf-b9f3-39ce88f46ac5" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="c7e718d5-5a0a-4ee2-bb42-136d211270c5" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="41212202-c30a-48e1-81e4-6add2bf11b0a" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>9c38cb74-77a7-4ef4-9be2-bee65dd749e2</ontrue>
<onfalse>03abf14d-f53a-4dfa-8fec-df9d3c5551d0</onfalse>
</stage>
<stage stageid="03abf14d-f53a-4dfa-8fec-df9d3c5551d0" name="FAIL" type="Exception">
<narrative>
```

```
</narrative>
<displayx>255</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="c35ad846-eb62-4c4a-b599-46fcb24ee628" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>0c0130bd-9233-4b51-b34f-f7ccd4b4b365</ontrue>
<onfalse>dcc5bf7d-8487-469d-8d6c-7fee6fe2da88</onfalse>
</stage>
<stage stageid="0c0130bd-9233-4b51-b34f-f7ccd4b4b365" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="285f43b0-91f8-4356-9c23-fabc90f29751" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0d49e357-acd3-49f9-ad28-43b68d25f1ee</onsuccess>
</stage>
<stage stageid="fa122b5c-0eed-4049-b6f7-e4259a6b6525" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>76d6efe5-78c7-41d3-9fef-dc785eedd0ab</onsuccess>
</stage>
<stage stageid="0d49e357-acd3-49f9-ad28-43b68d25f1ee" name="Exception Calc" type="MultipleCalcula
<narrative>
</narrative>
<displayx>330</displayx>
```

```
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fa122b5c-0eed-4049-b6f7-e4259a6b6525</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="02715cec-a947-432d-b8a2-1e8378e3848b" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>210</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f42a8b9a-6263-4e41-93e2-4b8fbd5ad5d4" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
```

```
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="728f76c9-b03a-4d08-87a2-eb30dca8589b" name="Anchor8" type="Anchor">
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>390</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>25fe7ecc-b2f8-4a32-99bb-830df53121e6</onsuccess>
</stage>
<stage stageid="e8d9c639-9180-4b7c-958f-3c516192d0e2" name="Recovery Block" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-30</displayy>
<displaywidth>435</displaywidth>
<displayheight>390</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>
<stage stageid="a066ecda-1d07-49a4-92d5-a2e129b5ec5d" name="GET (Exposed)" type="Action">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Basic Authentication Credential Name" expr="&amp;quot;WebAPICredential&an
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>41212202-c30a-48e1-81e4-6add2bf11b0a</onsuccess>
<resource object="Web API Service (Basic-Authentication Exposed) " action="GET"/>
</stage>
<stage stageid="43e686e6-400b-41bf-b1be-3b160b87742d" name="Create Credential" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>e174fe5c-6c10-444c-a7b3-9b1ffcfee226</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="5c9a36c3-ca97-4ba6-8eee-fe00096d704f" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET)]"/>
<ontrue>6955161d-0aba-4e17-a817-08c386b9572d</ontrue>
<onfalse>ef765b8a-d06a-4517-8c0f-af73a3ec37a0</onfalse>
</stage>
<stage stageid="ef765b8a-d06a-4517-8c0f-af73a3ec37a0" name="FAIL" type="Exception">
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="37e07983-860a-4425-9865-841ef82ce05b" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>5c9a36c3-ca97-4ba6-8eee-fe00096d704f</ontrue>
<onfalse>d1124e87-c6c4-46c0-a06f-e324187d1c2e</onfalse>
</stage>
<stage stageid="d1124e87-c6c4-46c0-a06f-e324187d1c2e" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="1c86f973-18af-4d70-b272-10c0c2c1ef2d" name="GET" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Bob" expr=""/>
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>37e07983-860a-4425-9865-841ef82ce05b</onsuccess>
<resource object="Web API Service (Basic-Authentication)" action="GET"/>
</stage>
<stage stageid="d6868011-0aad-43f3-9a51-70e1504b6e1d" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>135</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9b79008d-4e02-4f79-937a-5b08af439814
</stage>
<stage stageid="6955161d-0aba-4e17-a817-08c386b9572d" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9030f786-2dbe-4c55-839d-980cc9a349ed</onsuccess>
</stage>
<stage stageid="9030f786-2dbe-4c55-839d-980cc9a349ed" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>135</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1c954b1a-3ff8-4d1a-83e4-e68beba2b2f0</onsuccess>
</stage>
```

```
<stage stageid="1c954b1a-3ff8-4d1a-83e4-e68beba2b2f0" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a066ecda-1d07-49a4-92d5-a2e129b5ec5d</onsuccess>
</stage>
<stage stageid="9b79008d-4e02-4f79-937a-5b08af439814" name="Anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4f8e3a6e-8276-43f8-978f-f818e29b6abe</onsuccess>
</stage>
<stage stageid="4f8e3a6e-8276-43f8-978f-f818e29b6abe" name="Anchor4" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8794fb3a-21a2-4a83-ac0c-f0c71a0b7247</onsuccess>
</stage>
<stage stageid="5b3517f1-8c3f-4832-a28b-74d52698361a" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET)]"/>
<ontrue>b56f001b-71f1-4e1f-ade0-08f8c329e089</ontrue>
<onfalse>76866732-ccec-4d31-9fbe-a6d6205d94da</onfalse>
</stage>
<stage stageid="76866732-ccec-4d31-9fbe-a6d6205d94da" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>285</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="2e98c574-ab5f-4894-86f5-b8995b3be096" name="Check Status Code" type="Decision">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>5b3517f1-8c3f-4832-a28b-74d52698361a</ontrue>
<onfalse>9b480695-4b81-4f4a-8d1d-eada70264700</onfalse>
</stage>
<stage stageid="9b480695-4b81-4f4a-8d1d-eada70264700" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="8794fb3a-21a2-4a83-ac0c-f0c71a0b7247" name="GET (Pre-Emptive)" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>2e98c574-ab5f-4894-86f5-b8995b3be096</onsuccess>
<resource object="Web API Service (Basic-Authentication Pre-Emptive)" action="GET"/>
</stage>
<stage stageid="b56f001b-71f1-4e1f-ade0-08f8c329e089" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8c77bb39-11ec-4ffb-85de-69324c94e5ca</onsuccess>
</stage>
<stage stageid="8038747c-d7ef-4c85-bea4-31e427aa84a2" name="GET (False Credential)" type="Action"
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage=""/>
<output type="text" name="HTTP Status Code" stage=""/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>712b4196-021f-4143-a48c-8559b3fbb381
<resource object="Web API Service (Basic-Authentiction False Credential)" action="GET"/>
</stage>
<stage stageid="8c77bb39-11ec-4ffb-85de-69324c94e5ca" name="Anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>330</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>76ac3c2e-9bcd-4efb-bc2d-8d3165d265be</onsuccess>
</stage>
<stage stageid="76ac3c2e-9bcd-4efb-bc2d-8d3165d265be" name="Anchor6" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>53b43dc6-3924-40b9-98f9-670ed140f3a9</onsuccess>
</stage>
<stage stageid="e174fe5c-6c10-444c-a7b3-9b1ffcfee226" name="Create Credential (False)" type="Action"
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>1c86f973-18af-4d70-b272-10c0c2c1ef2d</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="9a94030a-e6e9-43b6-ae33-b0972bc60070" name="Response Content (POST)" type="Da
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">{"Id":6,"Name":"Frank"}</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="96a74367-ff06-45f8-b673-104467327a09" name="False Credential Block" type="Block">
<narrative>
</narrative>
<displayx>405</displayx>
<displayy>165</displayy>
<displaywidth>120</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="843f4875-aa13-435d-8de9-a75e27c82964" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f3dd016f-eda6-4e6d-8500-c385d0706bfd</onsuccess>
</stage>
```

```
<stage stageid="b2a351e4-011a-46d9-9bfc-7978b6fbbc6f" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>728f76c9-b03a-4d08-87a2-eb30dca8589b</onsuccess>
</stage>
<stage stageid="f3dd016f-eda6-4e6d-8500-c385d0706bfd" name="Get Exception" type="Calculation">
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b2a351e4-011a-46d9-9bfc-7978b6fbbc6f</onsuccess>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</stage>
<stage stageid="9a0dbc73-a66f-44b4-bef5-34f35624732c" name="Exception Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Exception]=[Expected Exception]"/>
<ontrue>a4100d23-439f-4ee2-8dab-ee25514881f8</ontrue>
<onfalse>46f077e7-9144-4f37-8168-41a7f75987cf</onfalse>
</stage>
<stage stageid="46f077e7-9144-4f37-8168-41a7f75987cf" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>570</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The error was wrong, you recieved: &amp;quot;&amp;amp;[Exc
</stage>
<stage stageid="712b4196-021f-4143-a48c-8559b3fbb381" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>555</displayx>
<displayy>195</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The request went through with a incorrect credential.&amp;quot
</stage>
<stage stageid="c26c5055-f3a1-43c3-bce7-edb567470936" name="Response Correct?" type="Decision">
```

```
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (POST)]"/>
<ontrue>6049f3e3-2acb-4c9a-a532-d60a11bd9277</ontrue>
<onfalse>335d754d-ea93-46b0-9052-baf6b9e69781</onfalse>
</stage>
<stage stageid="335d754d-ea93-46b0-9052-baf6b9e69781" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>285</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ail
</stage>
<stage stageid="b77c3467-7f89-4ed3-8fe9-1fcaa3cfa064" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;201&amp;quot;"/>
<ontrue>c26c5055-f3a1-43c3-bce7-edb567470936</ontrue>
<onfalse>42c87ce8-b602-4256-b8a3-6acf2efed3a5</onfalse>
</stage>
<stage stageid="42c87ce8-b602-4256-b8a3-6acf2efed3a5" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="53b43dc6-3924-40b9-98f9-670ed140f3a9" name="POST" type="Action">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
```

```
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>b77c3467-7f89-4ed3-8fe9-1fcaa3cfa064</onsuccess>
<resource object="Web API Service (Basic-Authentication)" action="POST"/>
</stage>
<stage stageid="6049f3e3-2acb-4c9a-a532-d60a11bd9277" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1a4ea632-ac1e-4ee9-b7ee-c15cd7669910</onsuccess>
</stage>
<stage stageid="1a4ea632-ac1e-4ee9-b7ee-c15cd7669910" name="Anchor9" type="Anchor">
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>330</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>404e2cde-f4f5-4610-82d7-bce917440807</onsuccess>
</stage>
<stage stageid="404e2cde-f4f5-4610-82d7-bce917440807" name="Anchor10" type="Anchor">
```

```
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8038747c-d7ef-4c85-bea4-31e427aa84a2</onsuccess>
</stage>
<stage stageid="76d6efe5-78c7-41d3-9fef-dc785eedd0ab" name="Anchor7" type="Anchor">
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>90</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>31084e0f-6223-4f7f-b267-194c4e93fa40</onsuccess>
</stage>
<stage stageid="31084e0f-6223-4f7f-b267-194c4e93fa40" name="Anchor11" type="Anchor">
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>390</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>728f76c9-b03a-4d08-87a2-eb30dca8589b</onsuccess>
</stage>
<stage stageid="dd1206ff-7302-48de-b72d-fd9eb2270dba" name="QA Root" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="dcc5bf7d-8487-469d-8d6c-7fee6fe2da88" name="Trim Exception" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>525</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9a0dbc73-a66f-44b4-bef5-34f35624732c</onsuccess>
<calculation expression="Trim([Exception])" stage="Exception"/>
</stage>
```

```
<stage stageid="0e95e773-e270-4099-82d8-a3cf63b8bb1f" name="Expected Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>270</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Unexpected error Error during Web API HTTP Request
HTTP Status Code: 401
HTTP Response Content:</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d3b08801-2226-479e-b669-65908ea594b9" name="Setup" type="SubSheetInfo">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0a348344-d989-4bb3-93e3-7660cf341b9b" name="Start" type="Start">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>44277416-e38a-4989-b20c-ad6e1de00f68</onsuccess>
</stage>
<stage stageid="c6fc5618-feb0-4104-b457-b90c02f08ff8" name="End" type="End">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="0cc2895f-0dc6-46bc-b8b8-5dd0ce73145a" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>fc488d25-9c68-49a9-b5e1-bb05f73d7a72</onsuccess>
cessid>62f68287-a894-4702-a962-fbd4d68d1d77/processid>
</stage>
<stage stageid="af2e1f00-65e7-40c8-aca2-47e33662818d" name="Attach to System" type="Action">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>e1d67c69-6795-410b-8985-41d99806e55f</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="44277416-e38a-4989-b20c-ad6e1de00f68" name="BP Server?" type="Decision">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<decision expression="BPServer()"/>
<ontrue>b4aa01bf-9af4-4537-9234-39b5ac1bbed4</ontrue>
<onfalse>5570f92a-c2c3-4b86-a7c8-e13aa1d92892</onfalse>
</stage>
<stage stageid="5570f92a-c2c3-4b86-a7c8-e13aa1d92892" name="Launch" type="Action">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>af2e1f00-65e7-40c8-aca2-47e33662818d</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="b4aa01bf-9af4-4537-9234-39b5ac1bbed4" name="Anchor12" type="Anchor">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>25192b27-f287-4efe-976b-199c2d311a2f</onsuccess>
</stage>
<stage stageid="25192b27-f287-4efe-976b-199c2d311a2f" name="Anchor13" type="Anchor">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c6fc5618-feb0-4104-b457-b90c02f08ff8</onsuccess>
</stage>
<stage stageid="d8147074-4936-4b33-be02-b96ca42ea882" name="pid" type="Data">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="39a960ce-ec29-453e-aa76-0d3cc6e4f956" name="Browse to System" type="Action">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>f48f889c-e1d5-4e33-a325-2f6e4cb4fb34</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="f48f889c-e1d5-4e33-a325-2f6e4cb4fb34" name="Collapse Tree" type="Action">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>81f72ac8-06a6-41c3-bb66-aba1c15e5a28</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="81f72ac8-06a6-41c3-bb66-aba1c15e5a28" name="Browse to Encryption Schemes" type=
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>238fd0dc-2e81-4674-a6e1-83028b532c35</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="238fd0dc-2e81-4674-a6e1-83028b532c35" name="Create Encryption Scheme" type="Action of the company of the compa
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s
<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b
<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datal
<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Method"
</inputs>
<onsuccess>20538b40-d252-4908-ac08-53af823e196e</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption - Cre
</stage>
<stage stageid="bc3d7cb2-76d9-4cb8-aab2-1fbca78fc856" name="Method" type="Data">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="15f827d4-cc2e-4afc-94b0-183e622a1b78" name="Input Variables" type="Block">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="92eb19a8-4adc-4d32-af0e-e7ed1923b9ee" name="Local Variables" type="Block">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="20538b40-d252-4908-ac08-53af823e196e" name="Select Encryption Scheme" type="Act
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[
</inputs>
<onsuccess>c6fc5618-feb0-4104-b457-b90c02f08ff8</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen
</stage>
<stage stageid="c6d9886d-25e6-4503-8351-d1e9e3835a89" name="Cleanup" type="SubSheetInfo">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4ddfa427-9b17-40f3-9886-371f1977fd6f" name="Start" type="Start">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8383fffd-577f-4320-b0f3-fe27dd175df2</onsuccess>
</stage>
<stage stageid="e70f7e11-0e47-4783-940e-212db8597026" name="End" type="End">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="89b0bf12-e415-47c0-b4ca-ce5a7ff5d8e5" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c35ad846-eb62-4c4a-b599-46fcb24ee628</onsuccess>
```

```
</stage>
<stage stageid="7be2c603-7ca4-4ae1-9d1e-077dfbfd2280" name="Browse to System" type="Action">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>3c73884b-bf92-4dc7-9945-3e7a1a12affd</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="3c73884b-bf92-4dc7-9945-3e7a1a12affd" name="Collapse Tree" type="Action">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>c0149d2f-1fbd-4f47-bcd8-8cb1ba55785e</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="c0149d2f-1fbd-4f47-bcd8-8cb1ba55785e" name="Browse to Encryption Schemes" type="
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>355d42e6-7e7f-452c-a7c2-b57d13644d0f</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="ad174af2-a6a6-4a80-8e9d-7c63c3d742bb" name="Delete Encryption Scheme" type="Act
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish to
</inputs>
<onsuccess>c4b02878-0623-4d9f-a3f0-829e445be881</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Schere
</stage>
<stage stageid="4fbadf7b-c2b2-437e-bd80-40e87a9e6a48" name="Scheme Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API (Basic Auth Scheme)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="56b9005b-f2ca-4dbd-8bf1-51a00eebb508" name="Global Variables" type="Block">
<narrative>
</narrative>
```

```
<displayx>-210</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e1d67c69-6795-410b-8985-41d99806e55f" name="Sign In" type="Action">
<subsheetid>62f68287-a894-4702-a962-fbd4d68d1d77</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
<input type="flag" name="Expect Password Reset" expr=""/>
</inputs>
<onsuccess>39a960ce-ec29-453e-aa76-0d3cc6e4f956</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="355d42e6-7e7f-452c-a7c2-b57d13644d0f" name="Browse to Credentials" type="Action">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>894b7de0-9aac-403e-a72c-906ec78ab416</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="78a07f0d-9b78-43df-94bf-c6fbfb063c0f" name="Browse to Encryption Schemes" type="A
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>ad174af2-a6a6-4a80-8e9d-7c63c3d742bb</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="894b7de0-9aac-403e-a72c-906ec78ab416" name="Delete Credential (1)" type="Action">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>98fdfc15-1a24-4ff6-8948-db3b388066a8</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="c4b02878-0623-4d9f-a3f0-829e445be881" name="Terminate" type="Action">
```

```
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e70f7e11-0e47-4783-940e-212db8597026</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="98fdfc15-1a24-4ff6-8948-db3b388066a8" name="Delete Credential (2)" type="Action">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>78a07f0d-9b78-43df-94bf-c6fbfb063c0f</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
```

```
</stage>
<stage stageid="8383fffd-577f-4320-b0f3-fe27dd175df2" name="BP Server?" type="Decision">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="BPServer()"/>
<ontrue>ff85f60b-8a39-4d94-aa92-f88752304e4f</ontrue>
<onfalse>7be2c603-7ca4-4ae1-9d1e-077dfbfd2280</onfalse>
</stage>
<stage stageid="ff85f60b-8a39-4d94-aa92-f88752304e4f" name="Anchor12" type="Anchor">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b2f97c18-f702-47cd-b351-7fab325c9303</onsuccess>
</stage>
<stage stageid="b2f97c18-f702-47cd-b351-7fab325c9303" name="Anchor13" type="Anchor">
<subsheetid>1d64f714-5c24-4c38-a837-084cb1ff1db0</subsheetid>
```

```
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e70f7e11-0e47-4783-940e-212db8597026</onsuccess>
</stage>
<view>
<camerax>15</camerax>
<cameray>57</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="1ec536ff-88b0-44e8-a398-7950b5bcd50d" type="Normal" published="False">
<name>Clear Response</name>
<view>
<camerax>2</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="76ffc32b-36af-4fa6-a797-2ce89457a38e" type="Normal" published="False">
```

```
<name>Setup</name>
<view>
<camerax>0</camerax>
<cameray>126</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f592a879-e3ee-41b7-afce-dcae50118c01" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>105</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="c541a8ed-d448-491a-9e10-682525fdb175" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-210</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="7c2a5f2a-157f-4700-9061-a35379ff1c3a" name="Start" type="Start">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>40f08479-c57f-4f32-b37b-67d36320f635
</stage>
<stage stageid="747e8a7f-fc4e-4450-a42f-4424428ee5a2" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>390</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="e12e7d61-614d-4e39-a089-72dd74dd5593" name="Response Headers" type="Collection
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>420</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="84775b92-28d2-418a-a136-2d2d0ab73933" name="HTTP Status Code" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>450</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="32cc619e-a8a0-4d0c-a5c7-f22655c4b08a" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>360</displayy>
<displaywidth>150</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="5248fd8c-997d-481e-86f6-01f0c2bfb129" name="End1" type="End">
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>705</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="255dc311-b239-4edb-b80f-a077156e6f1b" name="GET Echo" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Bearer Token Authentication Credential Name" expr="&amp;quot;BearerCred&a
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>4cc1284e-abf6-4421-a892-19bb9b71456b</onsuccess>
<resource object="Web API Service (Bearer Token Exposed)" action="GET"/>
</stage>
<stage stageid="d38691fc-030e-4ce0-a886-22644346a6a5" name="Response Correct?" type="Decision">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET Echo)]"/>
<ontrue>b56617ea-045d-4fa1-b86d-dfcc3cd3ba17</ontrue>
<onfalse>cbbdf224-476c-4806-ae4a-962288fc225b</onfalse>
</stage>
<stage stageid="cbbdf224-476c-4806-ae4a-962288fc225b" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="b0c24b8f-1383-4cd6-be01-d5ff5220bfc5" name="Response Content (GET Echo)" type="[
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Method: GET, RequestUri: 'http://localhost:9000/api/echo', Version: 1.
<alwaysinit/>
</stage>
<stage stageid="e7c83d0f-c06c-40d1-9f50-469e1a3143e7" name="Response Content (POST Echo)" type
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
{
Connection: Keep-Alive
Authorization: Bearer 1234
Expect: 100-continue
Host: localhost:9000
Content-Length: 39
Content-Type: application/xml
}
Message Body:
'input':'Test this gets received'
```

```
}
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="258ab27a-4c29-42b9-872d-f38843c8b395" name="Response Content (PUT Echo)" type=</p>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
Connection: Keep-Alive
Authorization: Bearer 1234
Expect: 100-continue
Host: localhost:9000
Content-Length: 38
Content-Type: application/xml
}
ID received:
1
Message Body:
<input&amp;amp;gt;Test this gets received&amp;amp;lt;/input&amp;amp;gt;
```

```
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="833ab8ad-e8dd-47a9-8c61-78bcc7c28a29" name="Response Content (DELETE Echo)" t
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Method: DELETE, RequestUri: 'http://localhost:9000/api/echo/1', Vers
<alwaysinit/>
</stage>
<stage stageid="1e3c2634-be1b-44d7-87dc-a6893772d3c6" name="DELETE Echo" type="Action">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Bearer Token Authentication Credential Name" expr="&amp;quot;BearerCred&a
</inputs>
```

```
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>eadfd71e-53e1-484f-99b8-4578bceb15a6</onsuccess>
<resource object="Web API Service (Bearer Token Exposed)" action="DELETE"/>
</stage>
<stage stageid="c6d9d7ae-4aab-4494-87b6-54567233ce3e" name="Response Correct?" type="Decision":
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (DELETE Echo)]"/>
<ontrue>d1792a47-67e3-48c6-affb-075034ded422</ontrue>
<onfalse>1862147a-67c7-43e4-8061-2663198a7969</onfalse>
</stage>
<stage stageid="1862147a-67c7-43e4-8061-2663198a7969" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&a
</stage>
<stage stageid="86cac479-1736-486a-8f8e-59f29785d266" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (POST Echo)] &amp;#xA;OR&amp;#xA;[F</pre>
<ontrue>2ce8535c-f1e7-4aab-a58e-ffdc03728286</ontrue>
<onfalse>b61c2da5-368d-400c-9bd6-9b126509ccaa</onfalse>
</stage>
<stage stageid="b61c2da5-368d-400c-9bd6-9b126509ccaa" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="354ec172-59c0-44cd-8b4f-58d26a370307" name="Response Correct?" type="Decision">
<narrative>
```

```
</narrative>
<displayx>345</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (PUT Echo)]&amp;#xA;OR&amp;#xA;[Re</p>
<ontrue>2b8e485f-761b-44b1-89c6-27c7af09e366</ontrue>
<onfalse>3907fa46-bb14-485a-a309-f6da2d56ecaf</onfalse>
</stage>
<stage stageid="3907fa46-bb14-485a-a309-f6da2d56ecaf" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ail
</stage>
<stage stageid="1cdbd648-f5f4-4146-bc0e-ff46d536571a" name="Echo POST" type="Action">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Bearer Token Authentication Credential Name" expr="&amp;quot;BearerCred&a
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>430b8181-e22e-4ee0-a5a0-2a2901a3f1ed</onsuccess>
<resource object="Web API Service (Bearer Token Exposed)" action="POST"/>
</stage>
<stage stageid="c6204294-e6d4-4c4f-908c-a2b5c08891f5" name="Echo PUT" type="Action">
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Bearer Token Authentication Credential Name" expr="&amp;quot;BearerCred&a
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
```

```
</outputs>
<onsuccess>f5f37887-9be4-4604-830a-11c7befe74a9</onsuccess>
<resource object="Web API Service (Bearer Token Exposed)" action="PUT"/>
</stage>
<stage stageid="f33b774b-5621-479a-b9d9-8ef0a93b7d2c" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>541535f6-6aaf-4a99-9421-d985e22049bd</onsuccess>
</stage>
<stage stageid="09617a9e-5ee2-4798-8d30-80feeeda6404" name="Anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cec8115d-55da-4c12-b519-d7c3fefff423</onsuccess>
</stage>
<stage stageid="478559ff-73b6-4216-b057-e8f0f439c373" name="Anchor4" type="Anchor">
<narrative>
</narrative>
```

```
<displayx>285</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f33b774b-5621-479a-b9d9-8ef0a93b7d2c</onsuccess>
</stage>
<stage stageid="76560536-aec3-49f1-bc1c-0c8d135e9f27" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>450</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9a30d9fb-8b80-4b0a-88c5-b71a175f8a1b</onsuccess>
</stage>
<stage stageid="962353f3-1e73-4414-ab5a-bb0ee5b7a11a" name="Anchor7" type="Anchor">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>570</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1543b345-355d-4dd0-b2d0-1782af9e146f</onsuccess>
</stage>
```

```
<stage stageid="b56617ea-045d-4fa1-b86d-dfcc3cd3ba17" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>09617a9e-5ee2-4798-8d30-80feeeda6404</onsuccess>
</stage>
<stage stageid="2ce8535c-f1e7-4aab-a58e-ffdc03728286" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>478559ff-73b6-4216-b057-e8f0f439c373
</stage>
<stage stageid="2b8e485f-761b-44b1-89c6-27c7af09e366" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>225</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>76560536-aec3-49f1-bc1c-0c8d135e9f27</onsuccess>
</stage>
<stage stageid="d1792a47-67e3-48c6-affb-075034ded422" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>65f1e8cf-a286-4310-8afe-aee3f8b45907</onsuccess>
</stage>
<stage stageid="1543b345-355d-4dd0-b2d0-1782af9e146f" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>570</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
```

```
</inputs>
<onsuccess>be12c9d3-e807-4167-86df-e8942e9a4967</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="b296853d-3d84-4402-a3e6-055699bb3c49" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>73756b71-f98d-49b3-8d49-6262410fb2f9</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="b356ea3a-59f7-4255-b37e-ce2be939800d" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>420</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="9a30d9fb-8b80-4b0a-88c5-b71a175f8a1b" name="Anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>450</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b79b25af-6ce1-4c71-9cd3-d5c642273ac1
</stage>
<stage stageid="cec8115d-55da-4c12-b519-d7c3fefff423" name="Anchor6" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8b0f1786-95aa-447d-80b5-b440248b6437</onsuccess>
</stage>
<stage stageid="30bd2124-49b5-46d4-a82f-daf9d008ef77" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>480</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1731a08b-16bf-4310-a4b6-42eb36d8a9d3" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>d38691fc-030e-4ce0-a886-22644346a6a5</ontrue>
<onfalse>2720f902-a489-499c-9025-5954fa7fc0ad/onfalse>
</stage>
<stage stageid="2720f902-a489-499c-9025-5954fa7fc0ad" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
```

```
</stage>
<stage stageid="430b8181-e22e-4ee0-a5a0-2a2901a3f1ed" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>86cac479-1736-486a-8f8e-59f29785d266</ontrue>
<onfalse>f396768d-0d63-4ddc-b347-c2e0e4f348ad</onfalse>
</stage>
<stage stageid="f396768d-0d63-4ddc-b347-c2e0e4f348ad" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="0948cd67-0a40-4530-a25e-39a79b111ebf" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>510</displayx>
```

```
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>c6d9d7ae-4aab-4494-87b6-54567233ce3e</ontrue>
<onfalse>f7e56ff1-3323-4381-b95c-0e08796babc5</onfalse>
</stage>
<stage stageid="f7e56ff1-3323-4381-b95c-0e08796babc5" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="f5f37887-9be4-4604-830a-11c7befe74a9" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
```

```
<ontrue>354ec172-59c0-44cd-8b4f-58d26a370307</ontrue>
<onfalse>6114f739-751e-4f69-9398-619e9c1e676a</onfalse>
</stage>
<stage stageid="6114f739-751e-4f69-9398-619e9c1e676a" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="bb4ec9d2-7145-45ee-a004-043670e63bd6" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>3aa3d5ca-a290-4720-8044-43e542bd4fc6</ontrue>
<onfalse>5248fd8c-997d-481e-86f6-01f0c2bfb129</onfalse>
</stage>
<stage stageid="3aa3d5ca-a290-4720-8044-43e542bd4fc6" name="RETHROW" type="Exception">
<narrative>
```

```
</narrative>
<displayx>105</displayx>
<displayy>660</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="5720fc5b-3143-4522-9a12-a1eb9e8f3621" name="Note2" type="Note">
<narrative>GET (Exposed)
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>255dc311-b239-4edb-b80f-a077156e6f1b</onsuccess>
</stage>
<stage stageid="8b0f1786-95aa-447d-80b5-b440248b6437" name="Note2" type="Note">
<narrative>POST (Exposed)
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1cdbd648-f5f4-4146-bc0e-ff46d536571a</onsuccess>
</stage>
<stage stageid="541535f6-6aaf-4a99-9421-d985e22049bd" name="Note2" type="Note">
```

```
<narrative>PUT (Exposed)
<displayx>345</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c6204294-e6d4-4c4f-908c-a2b5c08891f5</onsuccess>
</stage>
<stage stageid="b79b25af-6ce1-4c71-9cd3-d5c642273ac1" name="Note2" type="Note">
<narrative>DELETE (Exposed)
<displayx>510</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1e3c2634-be1b-44d7-87dc-a6893772d3c6</onsuccess>
</stage>
<stage stageid="87ffa6f2-519b-4371-b137-e56da5fd833a" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>510</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="60e43dd8-e800-43d3-b152-3ade8eb90afa" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>540</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="85d86f69-12a9-4ba9-8398-958b5b24f600" name="Anchor8" type="Anchor">
<narrative>
</narrative>
<displayx>615</displayx>
<displayy>570</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>962353f3-1e73-4414-ab5a-bb0ee5b7a11a</onsuccess>
</stage>
<stage stageid="f9206f51-652c-4ab0-af01-80ff55f4cbfb" name="Recovery Block" type="Block">
```

```
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-30</displayy>
<displaywidth>720</displaywidth>
<displayheight>570</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="0a22136a-87e6-4233-9e71-c47055c59a71" name="QA Root" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="052b9acc-ebac-4e07-b0b9-7f4c0f7840a9" name="Clear Response" type="SubSheetInfo"
<subsheetid>1ec536ff-88b0-44e8-a398-7950b5bcd50d</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="40f2a881-1881-449a-a9d5-b0269684783d" name="Start" type="Start">
<subsheetid>1ec536ff-88b0-44e8-a398-7950b5bcd50d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d75cc286-ce4d-4951-a5a6-f4e23d0b5377</onsuccess>
</stage>
<stage stageid="e2f02212-d1cd-4927-bd75-86c9e7812609" name="End" type="End">
<subsheetid>1ec536ff-88b0-44e8-a398-7950b5bcd50d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c41819e0-cd55-457d-a060-8984e5c61b33" name="Clear Response" type="MultipleCalcu
```

<displayy>-75</displayy>

```
<subsheetid>1ec536ff-88b0-44e8-a398-7950b5bcd50d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e2f02212-d1cd-4927-bd75-86c9e7812609</onsuccess>
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
</steps>
</stage>
<stage stageid="d75cc286-ce4d-4951-a5a6-f4e23d0b5377" name="Remove Rows" type="Action">
<subsheetid>1ec536ff-88b0-44e8-a398-7950b5bcd50d</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
</inputs>
<onsuccess>c41819e0-cd55-457d-a060-8984e5c61b33</onsuccess>
```

```
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove All Rows"/>
</stage>
<stage stageid="65f1e8cf-a286-4310-8afe-aee3f8b45907" name="Anchor9" type="Anchor">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>255</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0ca5a2c6-9a08-4ed3-9852-1c84d33156e2</onsuccess>
</stage>
<stage stageid="0ca5a2c6-9a08-4ed3-9852-1c84d33156e2" name="Anchor10" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>aa4544e2-c28b-4ea6-844b-eb73e32d5e92</onsuccess>
</stage>
<stage stageid="1db83eb6-f551-4210-8ec7-840fafb29ab3" name="GET Echo" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>fb1be6d4-727b-4052-8b2c-1ded28bbca80</onsuccess>
<resource object="Web API Service (Bearer Token)" action="GET"/>
</stage>
<stage stageid="b8445d85-91d4-4c21-bbfb-b09ea9a5ecd0" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>465</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&a
</stage>
<stage stageid="0b8fb331-c043-4e96-b8c4-ab2556ff56a8" name="DELETE Echo" type="Action">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>ef878f2a-356d-493d-a3a1-2447c22b1038</onsuccess>
<resource object="Web API Service (Bearer Token)" action="DELETE"/>
</stage>
<stage stageid="b8b686c0-0c0e-4001-9026-e9600f645afe" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>465</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="a796d9c4-d475-491a-80a0-4cf5166aa97d" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>465</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&a
</stage>
<stage stageid="7ce00ded-73b7-4f6c-ba00-673d96cdfb7b" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>465</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&a
</stage>
<stage stageid="b8e0dfa7-7a88-4766-a605-335032b8afbc" name="Echo POST" type="Action">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>b5932783-93d3-47ca-92f7-26146a87d4e1
```

```
<resource object="Web API Service (Bearer Token)" action="POST"/>
</stage>
<stage stageid="3a1e781b-7488-468f-ab3a-057f4b430672" name="Echo PUT" type="Action">
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>c12dbfd2-62a8-46bf-9245-d3ef6cd9e51a</onsuccess>
<resource object="Web API Service (Bearer Token)" action="PUT"/>
</stage>
<stage stageid="2f61ea44-1902-4fa3-ba24-81fb2e64d61d" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>285</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d937e392-37a1-4e1c-be63-b5176ce5b128</onsuccess>
```

```
</stage>
<stage stageid="a9d5f8db-6f1c-4a10-ade7-4ee684c2e57c" name="Anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>510</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>71a071f5-05f9-45f0-a45c-5d0e3d2b17b3</onsuccess>
</stage>
<stage stageid="3668a9fa-e696-4311-9e8a-4dcf6872b83c" name="Anchor4" type="Anchor">
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>510</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2f61ea44-1902-4fa3-ba24-81fb2e64d61d</onsuccess>
</stage>
<stage stageid="715c657b-73a4-4dc9-aa97-8ca400c9676f" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>450</displayx>
<displayy>510</displayy>
<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>924b439d-6a1a-4750-894e-53a6c2f043b9</onsuccess>
</stage>
<stage stageid="727889e8-60a7-487d-9620-3eb10c0c1630" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a9d5f8db-6f1c-4a10-ade7-4ee684c2e57c</onsuccess>
</stage>
<stage stageid="4a7a00ea-eee6-48f1-b5ff-8b97eaa61aa1" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3668a9fa-e696-4311-9e8a-4dcf6872b83c</onsuccess>
</stage>
<stage stageid="46820b33-edf4-46cc-9b24-94b32ab0cdad" name="Clear Response" type="SubSheet">
```

```
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>715c657b-73a4-4dc9-aa97-8ca400c9676f</onsuccess>
</stage>
<stage stageid="624a8457-3d96-4011-a689-057d53b97d32" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>962353f3-1e73-4414-ab5a-bb0ee5b7a11a</onsuccess>
</stage>
<stage stageid="924b439d-6a1a-4750-894e-53a6c2f043b9" name="Anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>450</displayx>
<displayy>285</displayy>
<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>17c3b41a-555e-422b-9e58-f54b52329b2e</onsuccess>
</stage>
<stage stageid="71a071f5-05f9-45f0-a45c-5d0e3d2b17b3" name="Anchor6" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>285</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>458d6b12-1c52-4fd0-b74a-0508028d7cae</onsuccess>
</stage>
<stage stageid="09e9b42d-3f66-4ea4-8a8e-1dfe819e298c" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>23c692e4-447d-4f23-9be8-7c1483c4cd6a</ontrue>
<onfalse>50d451c0-f124-4e76-bd29-cf72b186cd56</onfalse>
</stage>
<stage stageid="50d451c0-f124-4e76-bd29-cf72b186cd56" name="FAIL" type="Exception">
```

```
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>420</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="b5932783-93d3-47ca-92f7-26146a87d4e1" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>58c3e5e9-0de5-47ac-95cf-70621f7aa521</ontrue>
<onfalse>5aae700d-f752-4fe7-b54b-87638b739f8d</onfalse>
</stage>
<stage stageid="5aae700d-f752-4fe7-b54b-87638b739f8d" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>420</displayy>
<displaywidth>30</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="c76bb869-9ac5-4dc8-a6bf-bdefb30b26fd" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>5fd461eb-bab3-4ad3-9898-702d5f308ae4</ontrue>
<onfalse>731d3853-fa31-41de-a7cd-f63656afaf33</onfalse>
</stage>
<stage stageid="731d3853-fa31-41de-a7cd-f63656afaf33" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>585</displayx>
<displayy>420</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="c12dbfd2-62a8-46bf-9245-d3ef6cd9e51a" name="Check Status Code" type="Decision">
```

```
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>72051380-4497-452d-9f57-b7956c3c767c</ontrue>
<onfalse>b2c4e4a7-6ffb-4cf2-973b-61df9c052c5c</onfalse>
</stage>
<stage stageid="b2c4e4a7-6ffb-4cf2-973b-61df9c052c5c" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>420</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="aa4544e2-c28b-4ea6-844b-eb73e32d5e92" name="Note2" type="Note">
<narrative>GET</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1db83eb6-f551-4210-8ec7-840fafb29ab3</onsuccess>
</stage>
<stage stageid="458d6b12-1c52-4fd0-b74a-0508028d7cae" name="Note2" type="Note">
<narrative>POST</narrative>
<displayx>180</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b8e0dfa7-7a88-4766-a605-335032b8afbc</onsuccess>
</stage>
<stage stageid="d937e392-37a1-4e1c-be63-b5176ce5b128" name="Note2" type="Note">
<narrative>PUT</narrative>
<displayx>345</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3a1e781b-7488-468f-ab3a-057f4b430672</onsuccess>
</stage>
<stage stageid="17c3b41a-555e-422b-9e58-f54b52329b2e" name="Note2" type="Note">
<narrative>DELETE</narrative>
<displayx>510</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0b8fb331-c043-4e96-b8c4-ab2556ff56a8</onsuccess>
</stage>
<stage stageid="73756b71-f98d-49b3-8d49-6262410fb2f9" name="Create Credential" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>963afcd4-87af-4058-9eb8-7129da8fa19e</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="963afcd4-87af-4058-9eb8-7129da8fa19e" name="Create Credential (2)" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>5720fc5b-3143-4522-9a12-a1eb9e8f3621
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="4cc1284e-abf6-4421-a892-19bb9b71456b" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1731a08b-16bf-4310-a4b6-42eb36d8a9d3
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quot</p>
</stage>
```

```
<stage stageid="fb1be6d4-727b-4052-8b2c-1ded28bbca80" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>375</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>09e9b42d-3f66-4ea4-8a8e-1dfe819e298c</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quo</p>
</stage>
<stage stageid="ef878f2a-356d-493d-a3a1-2447c22b1038" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>375</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c76bb869-9ac5-4dc8-a6bf-bdefb30b26fd</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quot</p>
</stage>
<stage stageid="eadfd71e-53e1-484f-99b8-4578bceb15a6" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>90</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0948cd67-0a40-4530-a25e-39a79b111ebf</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quot</p>
</stage>
<stage stageid="d095be24-e507-4d22-aaa3-138c1f29afe5" name="Response Content (POST Echo 2)" type="color: red;" type="color: red
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
{
Authorization: Bearer 1234
Expect: 100-continue
Host: localhost:9000
Content-Length: 39
Content-Type: application/xml
Message Body:
{
'input':'Test this gets received'
}
```

```
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="a000bbd7-2751-46cd-89a1-94fcb3f989b5" name="Response Content (PUT Echo 2)" type
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
{
Authorization: Bearer 1234
Expect: 100-continue
Host: localhost:9000
Content-Length: 38
Content-Type: application/xml
}
ID received:
1
Message Body:
<input&amp;amp;gt;Test this gets received&amp;amp;lt;/input&amp;amp;gt;
</string&amp;gt;</initialvalue>
<alwaysinit/>
```

```
</stage>
<stage stageid="58c3e5e9-0de5-47ac-95cf-70621f7aa521" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>465</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (POST Echo 3)] & amp; #xA; OR& amp; #xA</p>
<ontrue>4a7a00ea-eee6-48f1-b5ff-8b97eaa61aa1
<onfalse>a796d9c4-d475-491a-80a0-4cf5166aa97d</onfalse>
</stage>
<stage stageid="72051380-4497-452d-9f57-b7956c3c767c" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>465</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (PUT Echo 3)]&amp;#xA;OR&amp;#xA;[R</p>
<ontrue>46820b33-edf4-46cc-9b24-94b32ab0cdad</ontrue>
<onfalse>7ce00ded-73b7-4f6c-ba00-673d96cdfb7b</onfalse>
</stage>
<stage stageid="23c692e4-447d-4f23-9be8-7c1483c4cd6a" name="Response Correct?" type="Decision">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>465</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET Echo 2)]"/>
<ontrue>727889e8-60a7-487d-9620-3eb10c0c1630</ontrue>
<onfalse>b8445d85-91d4-4c21-bbfb-b09ea9a5ecd0</onfalse>
</stage>
<stage stageid="5fd461eb-bab3-4ad3-9898-702d5f308ae4" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>510</displayx>
<displayy>465</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (DELETE Echo 2)]"/>
<ontrue>624a8457-3d96-4011-a689-057d53b97d32</ontrue>
<onfalse>b8b686c0-0c0e-4001-9026-e9600f645afe</onfalse>
</stage>
<stage stageid="2ad4ad29-7107-460a-aad8-f11b0e1d3a29" name="Response Content (GET Echo 2)" typ
<narrative>
</narrative>
<displayx>-135</displayx>
```

<displayy>165</displayy>

```
<displaywidth>150</displaywidth>
 <displayheight>30</displayheight>
 <font family="Segoe UI" size="10" style="Regular" color="000000"/>
 <datatype>text</datatype>
 <initialvalue xml:space="preserve">"Method: GET, RequestUri: 'http://localhost:9000/api/echo', Version: 1.
 <private/>
 <alwaysinit/>
 </stage>
<stage stageid="40fca147-f722-4482-9c8b-2c264ada706b" name="Response Content (POST Echo 3)" type="color: red;" type="color: red
 <narrative>
 </narrative>
 <displayx>-135</displayx>
 <displayy>195</displayy>
 <displaywidth>150</displaywidth>
 <displayheight>30</displayheight>
 <font family="Segoe UI" size="10" style="Regular" color="000000"/>
 <datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializated com/2003/10/Serializated com/2003/10/Se
{
Connection: Keep-Alive
Authorization: Bearer abcd
 Expect: 100-continue
Host: localhost:9000
Content-Length: 39
Content-Type: application/xml
}
Message Body:
```

```
{
'input':'Test this gets received'
}
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="624a86fe-65ed-4164-8f37-8428074c9ec7" name="Response Content (PUT Echo 3)" type
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>255</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
{
Connection: Keep-Alive
Authorization: Bearer abcd
Expect: 100-continue
Host: localhost:9000
Content-Length: 38
Content-Type: application/xml
}
ID received:
1
```

```
Message Body:
<input&amp;amp;gt;Test this gets received&amp;amp;lt;/input&amp;amp;gt;
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="e639fbbe-179b-4045-8f62-f7ddf0b3b561" name="Response Content (DELETE Echo 2)" t
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>315</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Method: DELETE, RequestUri: 'http://localhost:9000/api/echo/1', Vers
<alwaysinit/>
</stage>
<stage stageid="645358e0-d16c-4459-be9f-231d5061c9c4" name="Response Content (POST Echo 4)" ty
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>225</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
{
Authorization: Bearer abcd
Expect: 100-continue
Host: localhost:9000
Content-Length: 39
Content-Type: application/xml
Message Body:
{
'input':'Test this gets received'
}
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="56e76090-2017-4d1e-92ca-14b8859833e4" name="Response Content (PUT Echo 4)" type="10" type=
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>285</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">&amp;lt;string xmlns="http://schemas.microsoft.com/2003/10/Serializat
{
```

```
Authorization: Bearer abcd
Expect: 100-continue
Host: localhost:9000
Content-Length: 38
Content-Type: application/xml
}
ID received:
1
Message Body:
<input&amp;amp;gt;Test this gets received&amp;amp;lt;/input&amp;amp;gt;
</string&amp;gt;</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="863f9e7a-aa99-40db-85fa-a3753e2c6916" name="Setup" type="SubSheetInfo">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a9196ede-66e7-4d9e-badb-01fa02da4d5f" name="Start" type="Start">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7cbbfc96-4e7e-4ac7-bbfa-43fe50359300</onsuccess>
</stage>
<stage stageid="fc59f16a-a103-4c11-841f-37fa5c41cd86" name="End" type="End">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c857b991-022f-4bda-aff0-479de4373db9" name="Attach to System" type="Action">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
```

```
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
<onsuccess>2844b629-d351-4680-9e93-9a1401a96883
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="7cbbfc96-4e7e-4ac7-bbfa-43fe50359300" name="BP Server?" type="Decision">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="BPServer()"/>
<ontrue>1125ce10-3af0-4241-bc4c-56c2c7d19a32</ontrue>
<onfalse>df0d16d1-8a30-448e-9ba8-41f60c1c9151</onfalse>
</stage>
<stage stageid="df0d16d1-8a30-448e-9ba8-41f60c1c9151" name="Launch" type="Action">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
</outputs>
<onsuccess>c857b991-022f-4bda-aff0-479de4373db9</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="1125ce10-3af0-4241-bc4c-56c2c7d19a32" name="Anchor12" type="Anchor">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>482bb007-7e03-4075-8d79-13a3eb2f0bc4</onsuccess>
</stage>
<stage stageid="482bb007-7e03-4075-8d79-13a3eb2f0bc4" name="Anchor13" type="Anchor">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fc59f16a-a103-4c11-841f-37fa5c41cd86</onsuccess>
```

```
</stage>
<stage stageid="cb4e0456-a403-48a0-a3af-b585b4f91bd4" name="pid" type="Data">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d07af005-1d2d-419c-a274-6fbcba757dcf" name="Browse to System" type="Action">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
```

```
</inputs>
<onsuccess>d2ff6f77-0a29-40ef-98c1-1322bc648c6b</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="d2ff6f77-0a29-40ef-98c1-1322bc648c6b" name="Collapse Tree" type="Action">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>687604b4-8a44-40d6-9519-3145cac4ceb9</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="687604b4-8a44-40d6-9519-3145cac4ceb9" name="Browse to Encryption Schemes" type
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>2a1709b6-de6b-4ac0-8741-537f74be79ab</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="2a1709b6-de6b-4ac0-8741-537f74be79ab" name="Create Encryption Scheme" type="Ac
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s
<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b
<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datal
<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Method"
</inputs>
<onsuccess>be327783-2c74-4834-bb41-a8e8efaf721a</onsuccess>
```

```
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption - Cre
</stage>
<stage stageid="d9722a70-87f2-413e-b957-a99c8eb6ee17" name="Method" type="Data">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="578f1210-951b-4184-89a5-e6e75db975ce" name="Input Variables" type="Block">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
```

```
<stage stageid="173a3498-7a59-4cdc-a8da-d780515126e2" name="Local Variables" type="Block">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="be327783-2c74-4834-bb41-a8e8efaf721a" name="Select Encryption Scheme" type="Acti
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[
</inputs>
<onsuccess>fc59f16a-a103-4c11-841f-37fa5c41cd86</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen
</stage>
```

```
<stage stageid="7ba23e8b-3681-41a5-9bf7-bd983babcf1a" name="Cleanup" type="SubSheetInfo">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8d80d67b-f2fd-4d07-9668-126c5e2dc44b" name="Start" type="Start">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>108a1df7-f6ef-45a3-a5a6-c676509c56ac</onsuccess>
</stage>
<stage stageid="40f08479-c57f-4f32-b37b-67d36320f635" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b296853d-3d84-4402-a3e6-055699bb3c49</onsuccess>
</stage>
<stage stageid="be12c9d3-e807-4167-86df-e8942e9a4967" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bb4ec9d2-7145-45ee-a004-043670e63bd6</onsuccess>
</stage>
<stage stageid="7285fc85-6afa-4350-9bf6-62208d1149a2" name="Scheme Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API (Bearer Scheme)</initialvalue>
<alwaysinit/>
```

```
</stage>
<stage stageid="ea5e3e74-2f89-40f3-b949-e4e0d4b99c76" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="2844b629-d351-4680-9e93-9a1401a96883" name="Sign In" type="Action">
<subsheetid>76ffc32b-36af-4fa6-a797-2ce89457a38e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
<input type="flag" name="Expect Password Reset" expr=""/>
</inputs>
<onsuccess>d07af005-1d2d-419c-a274-6fbcba757dcf</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
```

```
</stage>
<stage stageid="1325e1f2-c0be-430c-a9b5-429df675313d" name="End" type="End">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="368b82ab-1c90-483f-a653-e9d53431e4c8" name="Browse to System" type="Action">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>41462ff0-7bb0-42b0-bf24-1a0f4fffbe99</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
```

```
<stage stageid="41462ff0-7bb0-42b0-bf24-1a0f4fffbe99" name="Collapse Tree" type="Action">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>12133ae0-b9b6-4d3b-bd60-dfddd1ecf922</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="12133ae0-b9b6-4d3b-bd60-dfddd1ecf922" name="Browse to Encryption Schemes" type=
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
```

```
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>05c21129-7dde-480f-b088-63f2f479d1f0</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="40d46684-ad4e-4212-a8a9-1f83d5ed1cc2" name="Delete Encryption Scheme" type="Act
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish to
</inputs>
<onsuccess>49ac955e-442d-49f7-a8f5-f5e118cf6b9d</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Schere
</stage>
<stage stageid="05c21129-7dde-480f-b088-63f2f479d1f0" name="Browse to Credentials" type="Action">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>edffafd7-a753-434e-81d7-446d44109ffe</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="6cbff76e-878c-4b68-bab6-9dc4dd0f3b0c" name="Browse to Encryption Schemes" type="
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
```

```
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>40d46684-ad4e-4212-a8a9-1f83d5ed1cc2</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="edffafd7-a753-434e-81d7-446d44109ffe" name="Delete Credential (1)" type="Action">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>96dd7869-d750-4dd5-9997-f6ad58ba3ef0</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="49ac955e-442d-49f7-a8f5-f5e118cf6b9d" name="Terminate" type="Action">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1325e1f2-c0be-430c-a9b5-429df675313d</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="96dd7869-d750-4dd5-9997-f6ad58ba3ef0" name="Delete Credential (2)" type="Action">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>6cbff76e-878c-4b68-bab6-9dc4dd0f3b0c</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="108a1df7-f6ef-45a3-a5a6-c676509c56ac" name="BP Server?" type="Decision">
```

```
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="BPServer()"/>
<ontrue>bb8bef63-8f4f-49f3-8252-1c35bcdd88a3</ontrue>
<onfalse>368b82ab-1c90-483f-a653-e9d53431e4c8</onfalse>
</stage>
<stage stageid="bb8bef63-8f4f-49f3-8252-1c35bcdd88a3" name="Anchor12" type="Anchor">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1b0d1047-62ed-4b81-b62d-9765e249557f</onsuccess>
</stage>
<stage stageid="1b0d1047-62ed-4b81-b62d-9765e249557f" name="Anchor13" type="Anchor">
<subsheetid>f592a879-e3ee-41b7-afce-dcae50118c01</subsheetid>
<narrative>
</narrative>
```

```
<displayx>75</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1325e1f2-c0be-430c-a9b5-429df675313d</onsuccess>
</stage>
<stage stageid="b3ff99a0-b02d-4181-8a29-ccfa2d6f0381" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>615</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2470fe3f-781c-4f58-9e6d-f33c95a2c875</onsuccess>
</stage>
<stage stageid="27b261d6-7cb6-47a7-b250-a4cdd23b22ab" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>615</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>85d86f69-12a9-4ba9-8398-958b5b24f600</onsuccess>
</stage>
```

```
<stage stageid="2470fe3f-781c-4f58-9e6d-f33c95a2c875" name="Exception Calc" type="MultipleCalculation"
<narrative>
</narrative>
<displayx>615</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>27b261d6-7cb6-47a7-b250-a4cdd23b22ab</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
color="1.0" bpversion="6.4.0.7114" narrative=
<view>
<camerax>120</camerax>
<cameray>390</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="89bdd206-18ff-4b58-934d-b5bc96ba21c1" type="Normal" published="False">
<name>Setup</name>
<view>
<camerax>0</camerax>
```

```
<cameray>126</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="f67e527e-42a0-4ebc-a796-c4a6872f93e4" type="Normal" published="False">
<name>Cleanup</name>
<view>
<camerax>0</camerax>
<cameray>147</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="9357ed90-51a5-4eb0-b752-fc35e3a0dbc2" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-285</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6f7d57f5-f319-4385-b87b-c928139d8701
</stage>
<stage stageid="a4100d23-439f-4ee2-8dab-ee25514881f8" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2e40e885-0c97-442d-8d2f-8ff5d25e7dc8" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-210</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f53805f7-93c5-43d1-8654-99d7fc1f0058" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="faf30e9b-773c-4464-aaa0-33d4985326fa" name="HTTP Status Code" type="Data">
<narrative>
```

```
</narrative>
<displayx>-135</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="9c38cb74-77a7-4ef4-9be2-bee65dd749e2" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Expected Response Content]"/>
<ontrue>8c113cfc-c129-4626-8cf9-900e212463a8</ontrue>
<onfalse>26104776-8f74-404d-928e-6f95270cdd1a</onfalse>
</stage>
<stage stageid="020a4a81-0115-4876-8b80-93c4e8500d67" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>30</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="26104776-8f74-404d-928e-6f95270cdd1a" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="68ba2103-925e-47f6-a08c-f730d47f7bb4" name="Expected Response Content" type="Da
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Method: POST, RequestUri: 'http://localhost:9000/api/echo', Version: '
<alwaysinit/>
</stage>
```

```
<stage stageid="25fe7ecc-b2f8-4a32-99bb-830df53121e6" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>46d423ab-fe50-43cc-b732-1de889dd0c56</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="fc488d25-9c68-49a9-b5e1-bb05f73d7a72" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>43e686e6-400b-41bf-b1be-3b160b87742d</onsuccess>
<resource object="Web API" action="Launch"/>
```

```
</stage>
<stage stageid="ac626968-85bc-45bf-b9f3-39ce88f46ac5" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c7e718d5-5a0a-4ee2-bb42-136d211270c5" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="41212202-c30a-48e1-81e4-6add2bf11b0a" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
```

```
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>9c38cb74-77a7-4ef4-9be2-bee65dd749e2</ontrue>
<onfalse>03abf14d-f53a-4dfa-8fec-df9d3c5551d0</onfalse>
</stage>
<stage stageid="03abf14d-f53a-4dfa-8fec-df9d3c5551d0" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="c35ad846-eb62-4c4a-b599-46fcb24ee628" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
```

```
<ontrue>0c0130bd-9233-4b51-b34f-f7ccd4b4b365/ontrue>
<onfalse>a4100d23-439f-4ee2-8dab-ee25514881f8</onfalse>
</stage>
<stage stageid="0c0130bd-9233-4b51-b34f-f7ccd4b4b365" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="285f43b0-91f8-4356-9c23-fabc90f29751" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0d49e357-acd3-49f9-ad28-43b68d25f1ee</onsuccess>
</stage>
<stage stageid="fa122b5c-0eed-4049-b6f7-e4259a6b6525" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>285</displayx>
```

```
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>728f76c9-b03a-4d08-87a2-eb30dca8589b</onsuccess>
</stage>
<stage stageid="0d49e357-acd3-49f9-ad28-43b68d25f1ee" name="Exception Calc" type="MultipleCalcula
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fa122b5c-0eed-4049-b6f7-e4259a6b6525</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="02715cec-a947-432d-b8a2-1e8378e3848b" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="f42a8b9a-6263-4e41-93e2-4b8fbd5ad5d4" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="728f76c9-b03a-4d08-87a2-eb30dca8589b" name="Anchor8" type="Anchor">
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>9b79008d-4e02-4f79-937a-5b08af439814
</stage>
<stage stageid="e8d9c639-9180-4b7c-958f-3c516192d0e2" name="Recovery Block" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-120</displayy>
<displaywidth>390</displaywidth>
<displayheight>330</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a066ecda-1d07-49a4-92d5-a2e129b5ec5d" name="Echo (Exposed)" type="Action">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Custom Authentication Credential Name" expr="&amp;quot;CustomCred&amp;q
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
```

```
<onsuccess>586e6142-dfc8-463b-b59f-10e47b4f8d0e</onsuccess>
<resource object="Web API Service (Custom Exposed)" action="Echo"/>
</stage>
<stage stageid="43e686e6-400b-41bf-b1be-3b160b87742d" name="Create Credential" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>fb9edb4b-c195-4b67-9855-44310a2f84e4</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="5c9a36c3-ca97-4ba6-8eee-fe00096d704f" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Expected Response Content]"/>
<ontrue>fd40505d-20cb-4345-91f3-6f36e6135fee</ontrue>
<onfalse>ef765b8a-d06a-4517-8c0f-af73a3ec37a0</onfalse>
</stage>
<stage stageid="ef765b8a-d06a-4517-8c0f-af73a3ec37a0" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="37e07983-860a-4425-9865-841ef82ce05b" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
```

```
<ontrue>5c9a36c3-ca97-4ba6-8eee-fe00096d704f</ontrue>
<onfalse>d1124e87-c6c4-46c0-a06f-e324187d1c2e</onfalse>
</stage>
<stage stageid="d1124e87-c6c4-46c0-a06f-e324187d1c2e" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="1c86f973-18af-4d70-b272-10c0c2c1ef2d" name="Echo" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>e377aa65-94a8-4c06-84e0-b015231d418f</onsuccess>
```

```
<resource object="Web API Service (Custom)" action="Echo"/>
</stage>
<stage stageid="9030f786-2dbe-4c55-839d-980cc9a349ed" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>180</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>1c954b1a-3ff8-4d1a-83e4-e68beba2b2f0</onsuccess>
</stage>
<stage stageid="1c954b1a-3ff8-4d1a-83e4-e68beba2b2f0" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a066ecda-1d07-49a4-92d5-a2e129b5ec5d</onsuccess>
</stage>
<stage stageid="9b79008d-4e02-4f79-937a-5b08af439814" name="Anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>225</displayy>
```

```
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4f8e3a6e-8276-43f8-978f-f818e29b6abe</onsuccess>
</stage>
<stage stageid="4f8e3a6e-8276-43f8-978f-f818e29b6abe" name="Anchor4" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>25fe7ecc-b2f8-4a32-99bb-830df53121e6</onsuccess>
</stage>
<stage stageid="dd1206ff-7302-48de-b72d-fd9eb2270dba" name="QA Root" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="fb9edb4b-c195-4b67-9855-44310a2f84e4" name="Add Credential Test Property" type="A
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>03d222e0-889b-4b8f-b3aa-5ebe0832cbc3</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="03d222e0-889b-4b8f-b3aa-5ebe0832cbc3" name="Add Credential Echo Property" type="
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Requires Login" narrative="Flag indicating if the login info should be given too" e
<input type="text" name="Arguments" narrative="The arguments to pass to automatec, not including the arguments
<input type="text" name="Username" narrative="The username that you want to authenticate against." exp
<input type="text" name="Password" narrative="The password for the username." expr=""/>
</inputs>
<outputs>
<output type="text" name="Output" narrative="The output from the command" stage=""/>
</outputs>
<onsuccess>1c86f973-18af-4d70-b272-10c0c2c1ef2d</onsuccess>
<resource object="Call AutomateC" action="Call AutomateC"/>
</stage>
<stage stageid="fd40505d-20cb-4345-91f3-6f36e6135fee" name="Clear Response" type="MultipleCalcular
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9030f786-2dbe-4c55-839d-980cc9a349ed</onsuccess>
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
```

```
</steps>
</stage>
<stage stageid="8c113cfc-c129-4626-8cf9-900e212463a8" name="Clear Response" type="MultipleCalcula
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9b79008d-4e02-4f79-937a-5b08af439814
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
</steps>
</stage>
<stage stageid="e377aa65-94a8-4c06-84e0-b015231d418f" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>37e07983-860a-4425-9865-841ef82ce05b</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quot</p>
</stage>
```

```
<stage stageid="586e6142-dfc8-463b-b59f-10e47b4f8d0e" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>41212202-c30a-48e1-81e4-6add2bf11b0a</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quot</p>
</stage>
<stage stageid="3b036afd-9000-4f11-8ba9-9071a211f124" name="Setup" type="SubSheetInfo">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a85d860c-5608-4b80-a149-9dfa486717a7" name="Start" type="Start">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d698f5d6-9162-442e-bd4f-ee21f1cd6038</onsuccess>
</stage>
<stage stageid="782a75b1-4436-4ca2-83fa-6eff7e0c421c" name="End" type="End">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>345</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d50feda0-de41-420e-8f86-4acef3a986fd" name="Attach to System" type="Action">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>
</inputs>
```

```
<onsuccess>90e3cd71-e185-4bc6-b6fe-ef85338b3019</onsuccess>
<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>
</stage>
<stage stageid="d698f5d6-9162-442e-bd4f-ee21f1cd6038" name="BP Server?" type="Decision">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="BPServer()"/>
<ontrue>878aaf5f-fda1-42d5-b0a3-5d2251e6a3da/ontrue>
<onfalse>e2b4ba84-e0ef-4b2d-ab59-91dc7476200e</onfalse>
</stage>
<stage stageid="e2b4ba84-e0ef-4b2d-ab59-91dc7476200e" name="Launch" type="Action">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="pid" narrative="PID of the process" stage="pid"/>
```

```
</outputs>
<onsuccess>d50feda0-de41-420e-8f86-4acef3a986fd</onsuccess>
<resource object="Blue Prism" action="Launch and Get PID"/>
</stage>
<stage stageid="878aaf5f-fda1-42d5-b0a3-5d2251e6a3da" name="Anchor12" type="Anchor">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-60</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>32d4347f-6266-4bb5-b8a4-c8337b1a56c5</onsuccess>
</stage>
<stage stageid="32d4347f-6266-4bb5-b8a4-c8337b1a56c5" name="Anchor13" type="Anchor">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>345</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>782a75b1-4436-4ca2-83fa-6eff7e0c421c</onsuccess>
</stage>
<stage stageid="15d8ef11-f270-490d-a1cf-7182154f3b4a" name="pid" type="Data">
```

```
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a012d8a7-e415-4580-8eb0-d2b1d3987872" name="Browse to System" type="Action">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>4cf59e6f-8761-4377-92a8-321132cddf24</onsuccess>
```

```
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="4cf59e6f-8761-4377-92a8-321132cddf24" name="Collapse Tree" type="Action">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e92f281f-fa62-428e-8f04-fa092d071abd</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="e92f281f-fa62-428e-8f04-fa092d071abd" name="Browse to Encryption Schemes" type="/-
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
```

```
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>70de9391-5fb3-4f24-ad3c-377b14daa1cb</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="70de9391-5fb3-4f24-ad3c-377b14daa1cb" name="Create Encryption Scheme" type="Action of the content of the conte
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name in which you want to call your encrpytion s
<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b
<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datal
<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="[Method"
</inputs>
<onsuccess>c7bcb384-634f-4a9a-8325-ba003a605114</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption - Cre
</stage>
```

```
<stage stageid="002c75ba-a5c1-4e17-81d2-2df1f677971f" name="Method" type="Data">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">AES-256 AesCryptoService (256 bit)</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="b2386cb4-7cc2-485d-8c04-3064589b2b2b" name="Input Variables" type="Block">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="00a9a671-0bbc-49d7-aada-f9e7a4111687" name="Local Variables" type="Block">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
```

```
<loginhibit/>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c7bcb384-634f-4a9a-8325-ba003a605114" name="Select Encryption Scheme" type="Act
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="[
</inputs>
<onsuccess>782a75b1-4436-4ca2-83fa-6eff7e0c421c</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Schen
</stage>
<stage stageid="90e3cd71-e185-4bc6-b6fe-ef85338b3019" name="Sign In" type="Action">
<subsheetid>89bdd206-18ff-4b58-934d-b5bc96ba21c1</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Username" expr=""/>
<input type="password" name="Password" expr=""/>
<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha
<input type="flag" name="Expect Password Reset" expr=""/>
</inputs>
<onsuccess>a012d8a7-e415-4580-8eb0-d2b1d3987872</onsuccess>
<resource object="Blue Prism" action="Sign In"/>
</stage>
<stage stageid="0df897b2-a2e2-4ecc-893d-31f8eff5dabe" name="Cleanup" type="SubSheetInfo">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a1f72829-087f-441b-95cc-8263f671ae47" name="Start" type="Start">
```

```
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>05980580-9b2a-4426-8265-d8c3ef88cced</onsuccess>
</stage>
<stage stageid="748f942e-bf06-4886-bb52-315de6b82349" name="End" type="End">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d27ef4a7-a4b5-4621-9492-fd97bb13fdbd" name="Browse to System" type="Action">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&amp;quot;System&amp;qu
</inputs>
<onsuccess>19998269-9848-48cd-8a6a-9120092c778a</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="19998269-9848-48cd-8a6a-9120092c778a" name="Collapse Tree" type="Action">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>efccda82-dcfc-470c-931d-115272e83088</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Collapse All System Trees"/>
</stage>
<stage stageid="efccda82-dcfc-470c-931d-115272e83088" name="Browse to Encryption Schemes" type="
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>5625de83-d229-4fc9-ac8f-26fc7fc0de8f</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="64081fee-5b6f-4aef-8f12-2336ad1fbdb4" name="Delete Encryption Scheme" type="Action
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Scheme Name" narrative="This is the name of the encryption scheme you wish to
```

```
</inputs>
<onsuccess>ea0bede4-2342-43fb-a570-a49b62a1cd53</onsuccess>
<resource object="Blue Prism - System - Security" action="Encryption Schemes - Delete Encryption Schere
</stage>
<stage stageid="5625de83-d229-4fc9-ac8f-26fc7fc0de8f" name="Browse to Credentials" type="Action">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;Cre
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system.
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>9c1ebb81-eab1-495f-9fb0-c6909158662d</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="3e04bb21-5a66-4f27-9eeb-11019d0f8ec2" name="Browse to Encryption Schemes" type=
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&amp;quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&amp;quot;En
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system."
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>
<onsuccess>64081fee-5b6f-4aef-8f12-2336ad1fbdb4</onsuccess>
<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
</stage>
<stage stageid="9c1ebb81-eab1-495f-9fb0-c6909158662d" name="Delete Credential" type="Action">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<inputs>
<input type="text" name="Credential Name" narrative="The name of the credential you want to delete." exp
</inputs>
<onsuccess>3e04bb21-5a66-4f27-9eeb-11019d0f8ec2</onsuccess>
<resource object="Blue Prism - System - Security" action="Credentials - Delete Credential"/>
</stage>
<stage stageid="ea0bede4-2342-43fb-a570-a49b62a1cd53" name="Terminate" type="Action">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>748f942e-bf06-4886-bb52-315de6b82349</onsuccess>
<resource object="Blue Prism" action="Exit Application"/>
</stage>
<stage stageid="05980580-9b2a-4426-8265-d8c3ef88cced" name="BP Server?" type="Decision">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="BPServer()"/>
<ontrue>495f8b39-ad63-488a-a188-c2395dc8bf0e</ontrue>
<onfalse>d27ef4a7-a4b5-4621-9492-fd97bb13fdbd</onfalse>
</stage>
<stage stageid="495f8b39-ad63-488a-a188-c2395dc8bf0e" name="Anchor12" type="Anchor">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-105</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e85379c7-7feb-46b4-83ed-dac54727efef</onsuccess>
</stage>
<stage stageid="e85379c7-7feb-46b4-83ed-dac54727efef" name="Anchor13" type="Anchor">
<subsheetid>f67e527e-42a0-4ebc-a796-c4a6872f93e4</subsheetid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>300</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>748f942e-bf06-4886-bb52-315de6b82349</onsuccess>
</stage>
```

```
<stage stageid="ef78aec9-1f43-46bb-b13f-477350beef81" name="Scheme Name" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">Web API Custom Auth Scheme)</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="1fe5107e-3459-4362-b7d4-bbea6948baa9" name="Global Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="6f7d57f5-f319-4385-b87b-c928139d8701" name="Setup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-240</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fc488d25-9c68-49a9-b5e1-bb05f73d7a72</onsuccess>
</stage>
<stage stageid="46d423ab-fe50-43cc-b732-1de889dd0c56" name="Cleanup" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>300</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c35ad846-eb62-4c4a-b599-46fcb24ee628</onsuccess>
</stage>
</process>
o="Test Web API (Custom Code)" version="1.0" bpversion="6.4.0.6367" narrative="" byrefce
<view>
<camerax>-58</camerax>
<cameray>-21</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<stage stageid="b3213e73-fb3a-4ab0-9708-6829763f8221" name="Stage1" type="ProcessInfo">
<narrative>
```

```
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="cf048744-226d-4468-b074-305c4b00d875" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cfe70a16-8d3f-4692-ab53-939cc744c6b0</onsuccess>
</stage>
<stage stageid="dfe5caed-98c8-4400-ab68-e282baba290a" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="a61264bf-62b1-41d8-88c1-80432bb70943" name="Make request" type="Action">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="collection" name="Files" expr=""/>
</inputs>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>ceb588a5-5ffe-4b3f-a58d-d059ef8c7efc</onsuccess>
<resource object="Web API Service (CustomCode)" action="PostEcho"/>
</stage>
<stage stageid="f72acad2-5017-463a-9ffa-4a5ffaa2d12a" name="Response Headers" type="Collection">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
</stage>
<stage stageid="1a5801a7-c0b1-427f-808e-2130dd1de15e" name="HTTP Status Code" type="Data">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="07715cca-a796-492f-b7f5-b8cf89277f18" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="ceb588a5-5ffe-4b3f-a58d-d059ef8c7efc" name="Request OK?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;202&amp;quot;"/>
<ontrue>95606c52-c141-4500-9095-7562bf66029b</ontrue>
<onfalse>7f44db8e-36d4-4f1f-aafa-a6fcce232444</onfalse>
</stage>
<stage stageid="7f44db8e-36d4-4f1f-aafa-a6fcce232444" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Request failed. Status &amp;quot; &amp;amp; [HTTP Status Co
</stage>
<stage stageid="e2803029-688d-4516-8dba-e87f94192552" name="QA Root" type="Data">
<narrative>
</narrative>
```

```
<displayx>-105</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="cfe70a16-8d3f-4692-ab53-939cc744c6b0" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>a61264bf-62b1-41d8-88c1-80432bb70943
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="e7f174e1-1783-4404-95f3-aef3dd2408b9" name="Terminate" type="Action">
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>f283eff5-a96f-49f2-931c-86da21547ed8</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="f283eff5-a96f-49f2-931c-86da21547ed8" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>255</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>1d53dd75-cfae-46c2-b2f3-2aec133e6d73</ontrue>
<onfalse>dfe5caed-98c8-4400-ab68-e282baba290a</onfalse>
</stage>
<stage stageid="1d53dd75-cfae-46c2-b2f3-2aec133e6d73" name="RETHROW" type="Exception">
<narrative>
</narrative>
```

```
<displayx>90</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="194d2503-8ec7-4ed8-9fb6-b80127109027" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e7f174e1-1783-4404-95f3-aef3dd2408b9</onsuccess>
</stage>
<stage stageid="8be53b44-9449-4e32-9452-eac467954626" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0c0b6ec4-c3da-4529-8a24-a3c57719ac48</onsuccess>
</stage>
```

```
<stage stageid="2ae3b8c8-9b67-4856-853b-576ad721bb65" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>194d2503-8ec7-4ed8-9fb6-b80127109027</onsuccess>
</stage>
<stage stageid="0c0b6ec4-c3da-4529-8a24-a3c57719ac48" name="Exception Calc" type="MultipleCalculations"
<narrative>
</narrative>
<displayx>210</displayx>
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2ae3b8c8-9b67-4856-853b-576ad721bb65</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="cbd146d4-09a1-422c-80e7-769ff1ca0ce9" name="PID" type="Data">
<narrative>
</narrative>
```

```
<displayx>120</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="37688085-363d-486b-9cd2-5f6433de79df" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>375</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="e1fb2abd-e77f-4d44-885b-0cb53f210edb" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>315</displayx>
```

```
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6a5ed5cf-950e-4e5f-8749-bc8a1a02164c" name="Block1" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-30</displayy>
<displaywidth>315</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="95606c52-c141-4500-9095-7562bf66029b" name="Is Expected Response?" type="Decisi
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Expected Response]"/>
```

```
<ontrue>e7f174e1-1783-4404-95f3-aef3dd2408b9</ontrue>
<onfalse>7917f980-1a12-481f-bbf6-bf9fbfd10306</onfalse>
</stage>
<stage stageid="7917f980-1a12-481f-bbf6-bf9fbfd10306" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Reponse does not match expected value. Content is &amp;quot
</stage>
<stage stageid="b4765d46-2d9c-4573-952f-741658faa7e1" name="Expected Response" type="Data">
<narrative>
</narrative>
<displayx>-105</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Method: POST, RequestUri: 'http://localhost:9000/api/echo', Version: '
<alwaysinit/>
</stage>
</process>
```

```
o="Test Web API (Custom Outputs)" version="1.0" bpversion="6.0.0.0" narrative="" byrefcol
<view>
<camerax>-105</camerax>
<cameray>9</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="2501d94a-4528-416a-8f4e-9877a5668475" type="Normal" published="False">
<name>JSON Path</name>
<view>
<camerax>220</camerax>
<cameray>63</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="1fdcee2b-80cf-44f1-8f19-cf69d5410fe2" type="Normal" published="False">
<name>JSON Path with Nested Arrays</name>
<view>
<camerax>0</camerax>
<cameray>84</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="8487038b-fd68-4ecd-ad10-3f077e4a4cc3" type="Normal" published="False">
<name>JSON Path With Paths Not In Response</name>
<view>
```

```
<camerax>-348</camerax>
<cameray>63</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="df11f932-65ac-4f68-a3f4-4ed196d3ed1c" type="Normal" published="False">
<name>JSON Path with Mixed Arrays</name>
<view>
<camerax>0</camerax>
<cameray>21</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="e6d1a717-08ad-4080-a8cf-3fda26da696e" type="Normal" published="False">
<name>Json Path Returns Multiple Results</name>
<view>
<camerax>68</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<subsheet subsheetid="261e710e-01bf-4620-9848-11b04edeb62f" type="Normal" published="False">
<name>Custom Code VB</name>
<view>
<camerax>278</camerax>
<cameray>210</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
</subsheet>
<subsheet subsheetid="96b50551-3120-43de-b78f-d95cf8fa7de4" type="Normal" published="False">
<name>Custom Code C#</name>
<view>
<camerax>200</camerax>
<cameray>168</cameray>
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="508d26b0-f5cf-4565-a558-ab5c4551964f" name="Start" type="Start">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>-240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8c449e99-37c8-436a-b2e2-1c5516a6178d</onsuccess>
</stage>
<stage stageid="ffbd91d2-f672-4ab5-8576-a1159cdc1abe" name="End" type="End">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>315</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="27b9b675-cffd-4039-85a1-acb0f260eea6" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-210</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b47a0195-3767-4a2d-92b9-cc3b0ca9977d" name="QA Root" type="Data">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<alwaysinit/>
</stage>
<stage stageid="8c449e99-37c8-436a-b2e2-1c5516a6178d" name="Launch" type="Action">
<narrative>
```

```
</narrative>
<displayx>-90</displayx>
<displayy>-195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>4fd34c90-cbdb-4e59-a0b5-044d509273ba</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="4fef14e4-f7d8-4741-a201-58f970c768fe" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>e711bfe0-f0a6-4b3e-887f-24b1661a3dda/onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="e711bfe0-f0a6-4b3e-887f-24b1661a3dda" name="Failed?" type="Decision">
```

```
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>ec352cc9-f40e-43d5-86e1-5ccbe0cf3297</ontrue>
<onfalse>ffbd91d2-f672-4ab5-8576-a1159cdc1abe</onfalse>
</stage>
<stage stageid="ec352cc9-f40e-43d5-86e1-5ccbe0cf3297" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>0</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="6a72871e-19bb-44f2-b51b-334a42c1bf88" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4fef14e4-f7d8-4741-a201-58f970c768fe</onsuccess>
</stage>
<stage stageid="610a9363-c7bc-4c67-8198-0f8839c5a2e7" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d51d6fd7-b7d4-4678-a753-0dcee15a8ec2" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="0e10761a-c46b-4b51-9ba6-d2ac03db7f21" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d632677b-e3a7-42b3-9e2e-c68afb6f77f0" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-315</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="832cf2eb-453f-4b85-84f6-e454fa54b634" name="Environment Variables" type="Block">
<narrative>
```

```
</narrative>
<displayx>-315</displayx>
<displayy>-150</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="5be494ae-06e8-49a2-b804-c2f3ae7fa495" name="JSON Path" type="SubSheetInfo">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="bc61d4bf-0533-4b14-bf5b-6f3b8f9d3208" name="Start" type="Start">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ce9ad138-86f9-4f1f-b815-d03c87660f95</onsuccess>
```

```
</stage>
<stage stageid="6c2edbec-49bd-4ed6-8adc-c87d6626f92f" name="Custom Code VB" type="SubSheetInfo
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="da843ef3-7886-4d83-baa8-3b22b2dd4281" name="Start" type="Start">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fb2f8255-d936-4c30-83ad-7824706ee4e5</onsuccess>
</stage>
<stage stageid="0fa21957-a291-45c1-a22b-981b22071e9d" name="Custom Code C#" type="SubSheetInf
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
```

```
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="49a99eea-7861-45f6-a175-503e9ebcec53" name="Start" type="Start">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4b67258d-89e9-41bb-8224-5e8a59a4428c</onsuccess>
</stage>
<stage stageid="ce9ad138-86f9-4f1f-b815-d03c87660f95" name="Make request" type="Action">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
```

```
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="Name" stage="Name"/>
<output type="collection" name="Dogs" stage="Dogs"/>
<output type="collection" name="Numbers" stage="Numbers"/>
<output type="text" name="Address" stage="Address"/>
<output type="text" name="Two" stage="Two"/>
<output type="date" name="Year Start" stage="Year Start"/>
<output type="datetime" name="Year Real Start" stage="Year Real Start"/>
<output type="flag" name="Is Happy" stage="Is Happy"/>
<output type="number" name="Lucky Number" stage="Lucky Number"/>
<output type="password" name="Secret" stage="Secret"/>
<output type="time" name="Ten OClock" stage="Ten OClock"/>
<output type="image" name="Image" stage="Image"/>
<output type="binary" name="Binary" stage="Binary"/>
<output type="timespan" name="Marathon" stage="Marathon"/>
</outputs>
<onsuccess>9aba2c77-ce2d-472e-87ae-20a22a1e4255</onsuccess>
<resource object="Web API Custom Output" action="GetEverything"/>
</stage>
<stage stageid="1c09a6aa-2932-43ee-bcfa-80aac5385314" name="Name" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1fe6225f-c378-4e6d-9435-99de5be6aec9" name="Dogs" type="Collection">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="adbc83a5-6925-403b-8e66-985b50f22780" name="Numbers" type="Collection">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="e5d58bcf-9737-47ed-8cc7-476eb671b633" name="Address" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="881b5173-f0e3-4357-b684-b62159119beb" name="Two" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f7b44195-d0a1-4542-ba3e-b9ddabc2acf3" name="Year Start" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="51d3ac93-cc35-4b53-9466-a6621eef72a8" name="Year Real Start" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="6261799f-bf8c-46fa-882f-bb464265d125" name="Is Happy" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="2964823b-4c8c-4e94-9339-2dbb2d333d1d" name="Lucky Number" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
```

```
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="729d3611-ebf5-4ec2-bb21-10e0496a4572" name="Secret" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="fc3e1942-744d-4a26-a9d6-1ac17bd5bae3" name="Ten OClock" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
```

```
</narrative>
<displayx>540</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="9708cdbc-7739-49ca-987d-79afad2e5ab6" name="Marathon" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="4f11c32e-81e7-43b5-b04a-04557acaafa6" name="Image" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
```

```
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="b1d975c9-4e56-43fb-8bef-f37adff35c4c" name="Binary" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="a174a2f3-d755-442a-ae8c-3a309c5d6be9" name="Custom Headers - JSON Path" type="</p>
```

```
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>-75</displayy>
<displaywidth>300</displaywidth>
<displayheight>240</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="9aba2c77-ce2d-472e-87ae-20a22a1e4255" name="Request OK?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>22ad9216-e8b2-41a1-993d-767e7ed11da0</ontrue>
<onfalse>8e6f6dc0-4a2e-4594-bbd7-1a96611b3e75</onfalse>
</stage>
<stage stageid="8e6f6dc0-4a2e-4594-bbd7-1a96611b3e75" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
```

```
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Request failed. Status &amp;quot; &amp;amp; [HTTP Status Co
</stage>
<stage stageid="22ad9216-e8b2-41a1-993d-767e7ed11da0" name="Is Name correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Name]=&amp;quot;Gerald&amp;quot;"/>
<ontrue>52afb837-5256-4b7a-8893-4c6cea047187</ontrue>
<onfalse>b3287449-2bc7-4b16-bc80-9d3501921d8c</onfalse>
</stage>
<stage stageid="52afb837-5256-4b7a-8893-4c6cea047187" name="Is Two correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>Check indexed array of strings</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Two]=&amp;quot;Two&amp;quot;"/>
<ontrue>981e2727-a551-494a-8fcd-cd80067716fc</ontrue>
<onfalse>942cf90e-e8d6-4447-9129-fa03da07b348</onfalse>
</stage>
<stage stageid="981e2727-a551-494a-8fcd-cd80067716fc" name="Are Dogs correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Dogs]=[Expected Dogs]"/>
<ontrue>7c7464fb-c4d5-4869-9f6f-bdc74b8e422f</ontrue>
<onfalse>6f971103-98dc-4d99-b1a6-6bc20964828a</onfalse>
</stage>
<stage stageid="43293ae3-1ebb-4a54-8c34-aa2f922a1436" name="Expected Dogs" type="Collection">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
```

```
<alwaysinit/>
<collectioninfo>
<field name="DogName" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="DogName" type="text" value="Freddy"/>
</row>
<row>
<field name="DogName" type="text" value="Georgie"/>
</row>
<row>
<field name="DogName" type="text" value="Boris"/>
</row>
</initialvalue>
</stage>
<stage stageid="7c7464fb-c4d5-4869-9f6f-bdc74b8e422f" name="Are Numbers correct?" type="Decision":
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Numbers]=[Expected Numbers]"/>
```

```
<ontrue>2153e4c2-bcc3-4f8b-9346-85dfdef294ef</ontrue>
<onfalse>7dbeb41c-b084-4fba-bc69-2dfec746ebbf</onfalse>
</stage>
<stage stageid="9778c928-3d3d-45e7-8b65-311ad04f33f4" name="Expected Numbers" type="Collection";
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Value" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="Value" type="text" value="One"/>
</row>
<row>
<field name="Value" type="text" value="Two"/>
</row>
<row>
```

<field name="Value" type="text" value="Three"/>

```
</row>
</initialvalue>
</stage>
<stage stageid="d62b00f3-834c-4af5-bd8a-264c31c0834f" name="Is Address Correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Address]=&amp;quot;1 Yellow Brick Road&amp;quot;"/>
<ontrue>9e011f8e-3c49-4157-a03e-fa6500d8863a</ontrue>
<onfalse>c9894cbd-05d2-4a44-8d5f-0164ac88d1e2</onfalse>
</stage>
<stage stageid="9e011f8e-3c49-4157-a03e-fa6500d8863a" name="Is happy correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Is Happy]=True"/>
<ontrue>41d49758-cd9c-4aa4-87b9-38b6aeb4d736</ontrue>
```

```
<onfalse>f0bdf19d-88e6-498f-a7ca-082bb7a63679</onfalse>
</stage>
<stage stageid="b3287449-2bc7-4b16-bc80-9d3501921d8c" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Name:&amp;quot; &amp;amp; [Name]"/>
</stage>
<stage stageid="942cf90e-e8d6-4447-9129-fa03da07b348" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Two: &amp;quot; &amp;amp; [Two]"/>
</stage>
<stage stageid="6f971103-98dc-4d99-b1a6-6bc20964828a" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Dogs&amp;quot;"/>
</stage>
<stage stageid="7dbeb41c-b084-4fba-bc69-2dfec746ebbf" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Numbers&amp;quot;"/>
</stage>
<stage stageid="c9894cbd-05d2-4a44-8d5f-0164ac88d1e2" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Address: &amp;quot; &amp;amp; [Addres
</stage>
<stage stageid="f0bdf19d-88e6-498f-a7ca-082bb7a63679" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Is Happy: &amp;quot; &amp;amp; [Is Hap
</stage>
<stage stageid="41d49758-cd9c-4aa4-87b9-38b6aeb4d736" name="Is Year Real Start correct?" type="De
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Year Real Start]=MakeDateTime(1, 1, 2018, 10, 0, 0, False)"/>
<ontrue>157b0809-9083-4fcd-a84d-11f64cb1318d
<onfalse>3fb6bec4-5dc7-44c1-a230-58cb62ba28b5</onfalse>
</stage>
```

```
<stage stageid="0c34ee90-5d1a-4f0b-accf-8d69e996486c" name="Anchor2" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d62b00f3-834c-4af5-bd8a-264c31c0834f</onsuccess>
</stage>
<stage stageid="2153e4c2-bcc3-4f8b-9346-85dfdef294ef" name="Anchor3" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>df5677bb-aa66-4b95-b150-bcae62c4a9ff</onsuccess>
</stage>
<stage stageid="df5677bb-aa66-4b95-b150-bcae62c4a9ff" name="Anchor4" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
```

```
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0c34ee90-5d1a-4f0b-accf-8d69e996486c</onsuccess>
</stage>
<stage stageid="3fb6bec4-5dc7-44c1-a230-58cb62ba28b5" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Year Real Start:&amp;quot; &amp;amp; [
</stage>
<stage stageid="157b0809-9083-4fcd-a84d-11f64cb1318d" name="Is Ten OClock correct?" type="Decisio
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Ten OClock]=MakeTime(10, 0, 0)"/>
```

```
<ontrue>10c036a7-5979-42c0-841a-85b01af83dfe</ontrue>
<onfalse>31fe0d87-96be-4416-b2e8-4ae6d89f4f98</onfalse>
</stage>
<stage stageid="10c036a7-5979-42c0-841a-85b01af83dfe" name="Is Binary correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Binary]=[Expected Binary]"/>
<ontrue>c7ae14ee-344a-4e9b-af34-e2a42a83ea95</ontrue>
<onfalse>ace72b69-df60-47fd-88ca-3211e0816d12</onfalse>
</stage>
<stage stageid="ace72b69-df60-47fd-88ca-3211e0816d12" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Binary&amp;quot;"/>
</stage>
```

```
<stage stageid="31fe0d87-96be-4416-b2e8-4ae6d89f4f98" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Ten OClock:&amp;quot; &amp;amp; [Ten
</stage>
<stage stageid="342471d2-15a4-46d7-ad8b-887f40ab8c61" name="Is Year Start correct?" type="Decision
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Year Start]=MakeDate(1, 1,2018)"/>
<ontrue>c88eae6f-aecd-472d-941d-78cb908cc1fd</ontrue>
<onfalse>1d049cab-44d1-4056-85c0-f2d78b9cf646</onfalse>
</stage>
<stage stageid="1d049cab-44d1-4056-85c0-f2d78b9cf646" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
```

```
</narrative>
<displayx>420</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c88eae6f-aecd-472d-941d-78cb908cc1fd" name="Is Lucky Number correct?" type="Decisions"
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Lucky Number]=4"/>
<ontrue>4a513112-bfb0-45da-ac11-39587f580eaf</ontrue>
<onfalse>5dda5d5c-189c-4de7-86d5-3168351f11ee</onfalse>
</stage>
<stage stageid="5dda5d5c-189c-4de7-86d5-3168351f11ee" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>45</displayy>
```

```
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Lucky Number:&amp;quot; &amp;amp; [L
</stage>
<stage stageid="4a513112-bfb0-45da-ac11-39587f580eaf" name="Is Marathon correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Marathon]=MakeTimeSpan(0, 4, 30, 0)"/>
<ontrue>3e3f0353-0c06-43b5-bead-e8cbb0b80843</ontrue>
<onfalse>8bd31000-60ef-4bb9-942f-3df16919067e</onfalse>
</stage>
<stage stageid="8bd31000-60ef-4bb9-942f-3df16919067e" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

```
<exception type="Bug" detail="&amp;quot;Unexpected value for Marathon:&amp;quot; &amp;amp; [Marath
</stage>
<stage stageid="3e3f0353-0c06-43b5-bead-e8cbb0b80843" name="Is Secret correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Secret]=[ExpectedSecret]"/>
<ontrue>ba5b85a1-7e4a-4198-9133-4728c4586831
<onfalse>447f88f7-a574-4c4b-8d6b-aec9143f97e4</onfalse>
</stage>
<stage stageid="ba5b85a1-7e4a-4198-9133-4728c4586831" name="Is Image correct?" type="Decision">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Image]=[Expected Image]"/>
<ontrue>6c67c25e-84c8-40ad-965a-46664226c20e</ontrue>
<onfalse>6f80bb21-394e-4d47-90b7-5bcf528a5cf0</onfalse>
```

```
</stage>
<stage stageid="c720a6b6-0ee2-4e0b-86df-1fa5409aa096" name="ExpectedSecret" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>21,29,29,67,36,71,57,28,18,16,23,66,8,64</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="447f88f7-a574-4c4b-8d6b-aec9143f97e4" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Secret:&amp;quot; &amp;amp; [Secret]"/>
</stage>
<stage stageid="75996b88-2d62-443b-88c6-e16e1f66d68f" name="Expected Binary" type="Data">
```

```
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue>SABIAGwAbABvACAAVwBvAHIAbABkAA==</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="e126f6f9-6c84-491a-917f-64a4c97e8697" name="Expected Image" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue>2,2,137224,iVBORw0KGgoAAAANSUhEUgAAAAIAAAACCAIAAAD91JpzAAAAFUIEQVQYV
<alwaysinit/>
</stage>
```

```
<stage stageid="6f80bb21-394e-4d47-90b7-5bcf528a5cf0" name="FAIL" type="Exception">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>180</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Unexpected value for Image:&amp;quot;"/>
</stage>
<stage stageid="4cc97866-e52b-4400-b9ab-55ec3b15b5c1" name="JSON Path" type="Block">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>495</displaywidth>
<displayheight>315</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a4f6e708-039a-4551-b5f1-d1644d44e815" name="Input Variables" type="Block">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="dd5c4c0b-7997-4463-b620-4635d9810a07" name="Anchor2" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>342471d2-15a4-46d7-ad8b-887f40ab8c61
</stage>
<stage stageid="c7ae14ee-344a-4e9b-af34-e2a42a83ea95" name="Anchor3" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>031e92f4-1c60-4b13-8777-656fcb53d535</onsuccess>
</stage>
<stage stageid="031e92f4-1c60-4b13-8777-656fcb53d535" name="Anchor4" type="Anchor">
```

```
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dd5c4c0b-7997-4463-b620-4635d9810a07</onsuccess>
</stage>
<stage stageid="6c67c25e-84c8-40ad-965a-46664226c20e" name="Anchor5" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3a8007ce-9122-4e69-b25e-55dfbdcd9151</onsuccess>
</stage>
<stage stageid="3a8007ce-9122-4e69-b25e-55dfbdcd9151" name="Anchor6" type="Anchor">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
```

```
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>13a87e21-b7a5-45bc-ad90-d418c6608203
</stage>
<stage stageid="13a87e21-b7a5-45bc-ad90-d418c6608203" name="End1" type="End">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b6354af0-13a7-4e28-b6f4-a208dd8d7896" name="Custom Code VB" type="Block">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>495</displaywidth>
<displayheight>435</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="fb2f8255-d936-4c30-83ad-7824706ee4e5" name="Make Request with all data types in co
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="collection" name="CollectionParam" stage="CollectionParam VB"/>
<output type="date" name="DateParam" stage="DateParam VB"/>
<output type="datetime" name="DateTimeParam" stage="DateTimeParam VB"/>
<output type="flag" name="FlagParam" stage="FlagParam VB"/>
<output type="number" name="NumberParam" stage="NumberParam VB"/>
<output type="password" name="PasswordParam" stage="PasswordParam VB"/>
<output type="text" name="TextParam" stage="TextParam VB"/>
<output type="time" name="TimeParam" stage="TimeParam VB"/>
<output type="timespan" name="TimeSpanParam" stage="TimeSpanParam VB"/>
<output type="image" name="ImageParam" stage="ImageParam VB"/>
<output type="binary" name="BinaryParam" stage="BinaryParam VB"/>
</outputs>
<onsuccess>b9347bc5-5e49-4a53-b703-f498ffd7390f</onsuccess>
<resource object="Web API Service (Custom Code Output Parameters - VB)" action="Test all datatypes in
</stage>
<stage stageid="3637c9bb-c165-4411-9333-bf4a99be1455" name="Custom Headers - Custom Code VB"
```

```
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>-75</displayy>
<displaywidth>300</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="c094cffc-1cdd-4abd-ab44-8009bd1d17f9" name="CollectionParam VB" type="Collection";
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="749be4c9-57bd-4f1a-af6e-5b1ef8b29577" name="DateParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
```

```
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="24c8f112-fd4d-4940-b795-aa2db16337e0" name="DateTimeParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f77edfde-334c-4972-b7a2-cc1c898fb8e3" name="FlagParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
```

```
<displayx>540</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f2133b8a-a911-424e-b2d4-04ba942a5b4b" name="NumberParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e6a9198e-d641-4c3f-ad78-b0f6981f0593" name="PasswordParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
```

```
</narrative>
<displayx>540</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="3a60cd69-ab00-4857-bcfa-5b3440be33a7" name="TextParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5088e036-e949-4ed8-a976-b092399b4177" name="TimeParam VB" type="Data">
```

```
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2d3a2e7b-a21c-4f70-a8ed-bfede93a82c3" name="TimeSpanParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue>0.00:00</initialvalue>
<alwaysinit/>
</stage>
```

```
<stage stageid="37c71668-e419-4776-b669-5f8092a3f9df" name="ImageParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="01f5c4d3-6fbd-4e0f-b71b-9dc8e0e6c114" name="BinaryParam VB" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="b9347bc5-5e49-4a53-b703-f498ffd7390f" name="Request OK?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>6301d502-ccc5-495a-a790-e238e92ad4b0</ontrue>
<onfalse>4d817a66-da1d-415a-bf34-55d55956bda1
</stage>
<stage stageid="4d817a66-da1d-415a-bf34-55d55956bda1" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Request failed. Status &amp;quot; &amp;amp; [HTTP Status Co
</stage>
<stage stageid="6301d502-ccc5-495a-a790-e238e92ad4b0" name="VB Text Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[TextParam VB]=&amp;quot;Some text&amp;quot;"/>
<ontrue>de71660f-74fc-41c9-bdf8-5bc728ea9c3a</ontrue>
<onfalse>6094784b-8971-4564-9dc4-1e2f079b4ed7</onfalse>
</stage>
<stage stageid="de71660f-74fc-41c9-bdf8-5bc728ea9c3a" name="VB Number Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[NumberParam VB]=-1034894"/>
<ontrue>2b070415-9397-4660-a63a-a4e7c09d2c8c</ontrue>
<onfalse>337deca6-0ecc-4209-8717-ab20b021738b</onfalse>
</stage>
<stage stageid="2b070415-9397-4660-a63a-a4e7c09d2c8c" name="VB Time Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[TimeParam VB]=MakeTime(14, 12, 4)"/>
<ontrue>503b1825-5234-4212-93e9-1027e2f85fe9</ontrue>
<onfalse>f32f436a-5410-4948-b400-e174f9016675/onfalse>
</stage>
<stage stageid="c37bddc6-9929-4cd8-95fb-f0803d07e228" name="VB Date Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[DateParam VB]=MakeDate(16, 12, 2018)"/>
<ontrue>c198f7ad-f489-46ae-b533-d88f45a58003</ontrue>
<onfalse>62299b89-7800-4a47-8c58-23e2dbc860b4</onfalse>
</stage>
<stage stageid="4fc5ad2c-b0df-4fc2-abcf-4d341479f932" name="VB Flag Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
```

```
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[FlagParam VB]=True"/>
<ontrue>ebcf4fb0-c98a-4c31-aeb4-2de95aa304c6</ontrue>
<onfalse>cd2deb38-f237-4062-a870-899a1c05160f</onfalse>
</stage>
<stage stageid="ebcf4fb0-c98a-4c31-aeb4-2de95aa304c6" name="VB Password Correct?" type="Decision"
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[PasswordParam VB]=[Expected Password]"/>
<ontrue>e964f089-afe3-49e1-97a3-1737b9b4cc09</ontrue>
<onfalse>383430ea-f20a-419e-8e41-acabbf679e6c</onfalse>
</stage>
<stage stageid="e964f089-afe3-49e1-97a3-1737b9b4cc09" name="VB DateTime Correct?" type="Decision
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
```

<displayx>180</displayx>

```
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[DateTimeParam VB]=MakeDateTime(16, 12, 2018, 13, 1, 6, True)"/>
<ontrue>bbaa0ca7-dfd4-4a09-a4db-b31f2bcb9046</ontrue>
<onfalse>35eaafe2-3ea8-481d-82e8-b5202f297673</onfalse>
</stage>
<stage stageid="bbaa0ca7-dfd4-4a09-a4db-b31f2bcb9046" name="VB Binary Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[BinaryParam VB]=[Expected Binary]"/>
<ontrue>fe815227-7d98-4146-89a2-74060f63eb40</ontrue>
<onfalse>49ed3a63-461b-418c-b52a-7927f0d7511b</onfalse>
</stage>
<stage stageid="20108548-a23b-4ef7-9942-987b5ff43909" name="VB Image Correct?" type="Decision">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>0</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Image]=[ImageParam VB]"/>
<ontrue>32f6877b-3720-41b8-90cd-06a8ac8ecac2</ontrue>
<onfalse>3acbcd25-cf66-4bab-9866-a6fa7e9b03ae</onfalse>
</stage>
<stage stageid="32f6877b-3720-41b8-90cd-06a8ac8ecac2" name="VB TimeSpan Correct?" type="Decisions"
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[TimeSpanParam VB]=MakeTimeSpan(0, 0, 2, 0)"/>
<ontrue>114d9c92-b9d4-4925-a125-bad56adac412</ontrue>
<onfalse>f15f3d2e-ccfc-4689-9396-4fec9a051020</onfalse>
</stage>
<stage stageid="114d9c92-b9d4-4925-a125-bad56adac412" name="VB Collection Correct?" type="Decision Correct" type="Decision Cor
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[CollectionParam VB]=[Expected Collection]"/>
<ontrue>c37bddc6-9929-4cd8-95fb-f0803d07e228</ontrue>
<onfalse>bc34d0a2-858a-4345-9106-d82b490eb18c</onfalse>
</stage>
<stage stageid="503b1825-5234-4212-93e9-1027e2f85fe9" name="Anchor10" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7c58af6d-4421-4aad-92d0-f9dc87b739a3</onsuccess>
</stage>
<stage stageid="7c58af6d-4421-4aad-92d0-f9dc87b739a3" name="Anchor11" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>f7dd038f-e0c7-49b9-8734-b29b9f5655f1</onsuccess>
```

```
</stage>
<stage stageid="f7dd038f-e0c7-49b9-8734-b29b9f5655f1" name="Anchor12" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4fc5ad2c-b0df-4fc2-abcf-4d341479f932</onsuccess>
</stage>
<stage stageid="fe815227-7d98-4146-89a2-74060f63eb40" name="Anchor13" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>54eac371-d6a9-4740-9c1e-36ffbc49f8fa</onsuccess>
</stage>
<stage stageid="54eac371-d6a9-4740-9c1e-36ffbc49f8fa" name="Anchor14" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
```

```
<displayx>285</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2d3af55c-93db-4de1-9fc3-9d54ed9b3808</onsuccess>
</stage>
<stage stageid="2d3af55c-93db-4de1-9fc3-9d54ed9b3808" name="Anchor15" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>20108548-a23b-4ef7-9942-987b5ff43909</onsuccess>
</stage>
<stage stageid="c198f7ad-f489-46ae-b533-d88f45a58003" name="Anchor16" type="Anchor">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>acaddf7e-6782-4cb4-bd07-0635178772aa</onsuccess>
</stage>
<stage stageid="b8e88a49-80f2-422d-a9e6-de252cb2fc1a" name="Custom Code C#" type="Block">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>495</displaywidth>
<displayheight>435</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="4b67258d-89e9-41bb-8224-5e8a59a4428c" name="Make Request with all data types in c
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="collection" name="CollectionParam" stage="CollectionParam C#"/>
<output type="date" name="DateParam" stage="DateParam C#"/>
```

```
<output type="datetime" name="DateTimeParam" stage="DateTimeParam C#"/>
<output type="flag" name="FlagParam" stage="FlagParam C#"/>
<output type="number" name="NumberParam" stage="NumberParam C#"/>
<output type="password" name="PasswordParam" stage="PasswordParam C#"/>
<output type="text" name="TextParam" stage="TextParam C#"/>
<output type="time" name="TimeParam" stage="TimeParam C#"/>
<output type="timespan" name="TimeSpanParam" stage="TimeSpanParam C#"/>
<output type="image" name="ImageParam" stage="ImageParam C#"/>
<output type="binary" name="BinaryParam" stage="BinaryParam C#"/>
</outputs>
<onsuccess>72cc423d-d3a9-4f36-9c2f-0e9df475c710</onsuccess>
<resource object="Web API Service (Custom Code Output Parameters - C#)" action="Test all datatypes in
</stage>
<stage stageid="135f6b53-848e-4b09-b030-e1f72d8354b8" name="Custom Headers - Custom Code C#" t
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>-75</displayy>
<displaywidth>300</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a68737f3-57a7-4e1e-8ffe-bd2e22151ed5" name="CollectionParam C#" type="Collection"
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
```

```
<displayx>540</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="5316a7fb-10a2-4be2-9471-4411b0fcc6eb" name="DateParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="904639fb-a654-4fa6-bdb9-f008032f0c5d" name="DateTimeParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
```

```
<displayx>540</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="b1e28446-5b88-494b-96da-7862c6466e53" name="FlagParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="0cb07c1e-a98f-4e8b-be3b-f962db1890b5" name="NumberParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
```

```
</narrative>
<displayx>540</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e266861e-8fe1-4ec5-b239-cb6bb662d445" name="PasswordParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f0c740c5-e02b-46c0-9f20-3256d91c47f8" name="TextParam C#" type="Data">
```

```
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5047c80d-18cd-4b38-9db2-e6f7b9b5ce9d" name="TimeParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
```

```
<stage stageid="9017f9d8-beb2-422c-957f-9e6ddc946412" name="TimeSpanParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6a042d11-6351-4db9-bbdd-f197733a812a" name="ImageParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>690</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="0272dde4-c09a-438d-bcad-dea98d3ea93c" name="BinaryParam C#" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>540</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="11f01f29-a814-4b3e-9127-907249116594" name="Anchor10" type="Anchor">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>eee97967-eb57-4d0f-91d8-03b60112f6e1</onsuccess>
</stage>
<stage stageid="eee97967-eb57-4d0f-91d8-03b60112f6e1" name="Anchor11" type="Anchor">
```

```
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9a0b90a2-f0cf-4eea-b59b-c2d493cc05f3</onsuccess>
</stage>
<stage stageid="35c23429-3555-405d-8e6a-fb21cf275d55" name="Anchor13" type="Anchor">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>165</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3c03d49f-1168-47e1-88f6-3963663b79fe</onsuccess>
</stage>
<stage stageid="3c03d49f-1168-47e1-88f6-3963663b79fe" name="Anchor14" type="Anchor">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>165</displayy>
```

```
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>15ce7b10-2e3d-44e6-8765-713cdd213be0</onsuccess>
</stage>
<stage stageid="9b8b515e-0b6f-4cd2-bc53-886127d9be1f" name="Anchor16" type="Anchor">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>061a4842-1822-4db6-9528-a21ef5e65d0b</onsuccess>
</stage>
<stage stageid="70c0bc7f-a098-4012-a245-b0bc7a4f418f" name="Cleanup" type="Block">
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>-165</displayy>
<displaywidth>225</displaywidth>
<displayheight>330</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="4fd34c90-cbdb-4e59-a0b5-044d509273ba" name="JSON Path" type="SubSheet">
<narrative>
```

```
</narrative>
<displayx>-90</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>fe85178f-50af-4143-9c5c-bae2d5dcab6c</onsuccess>
</stage>
<stage stageid="e18c239b-9501-403e-98b1-79565de16523" name="Custom Code VB" type="SubSheet">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>89f1a511-c021-41f9-9226-34a498a8ccc4</onsuccess>
</stage>
<stage stageid="89f1a511-c021-41f9-9226-34a498a8ccc4" name="Custom Code C#" type="SubSheet">
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>37521e7f-1b47-407f-8a1d-8418ee1f3b47</onsuccess>
</stage>
<stage stageid="b41bbdc3-4987-47ce-8073-60b7fa5d886d" name="Expected Password" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>49,20,7,67,26,91,6,1</initialvalueenc>
<alwaysinit/>
</stage>
<stage stageid="84bc63d1-5140-4464-ba90-9665c5273608" name="Expected Binary" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>binary</datatype>
<initialvalue>SABIAGwAbABvACAAVwBvAHIAbABkAA==</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="614ba0ce-60cd-4e69-a358-926567b9be67" name="Expected Image" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue>2,2,137224,iVBORw0KGgoAAAANSUhEUgAAAAIAAAACCAIAAAD91JpzAAAAFUIEQVQYV
<alwaysinit/>
</stage>
<stage stageid="01ffb931-edc3-46c5-bdd7-997c613ba3fb" name="Expected Collection" type="Collection";
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="ID" type="number"/>
<field name="Name" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="ID" type="number" value="2"/>
<field name="Name" type="text" value="Dave Smith"/>
</row>
</initialvalue>
</stage>
<stage stageid="72cc423d-d3a9-4f36-9c2f-0e9df475c710" name="Request OK?" type="Decision">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>e6c84236-0f5d-4d19-9523-f30d5915c559</ontrue>
<onfalse>618618b2-94f2-47b7-89ad-c96617a881a5</onfalse>
```

```
</stage>
<stage stageid="618618b2-94f2-47b7-89ad-c96617a881a5" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;Request failed. Status &amp;quot; &amp;amp; [HTTP Status Co
</stage>
<stage stageid="e6c84236-0f5d-4d19-9523-f30d5915c559" name="C# Text Correct?" type="Decision">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[TextParam C#]=&amp;quot;Some text&amp;quot;"/>
<ontrue>ad34d61a-2f41-4171-92bc-461031801a96</ontrue>
<onfalse>0b294b99-44b2-4f1f-a83c-542176805362</onfalse>
</stage>
<stage stageid="ad34d61a-2f41-4171-92bc-461031801a96" name="C# Number Correct?" type="Decision"
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[NumberParam C#]=-1034894"/>
<ontrue>693f1b07-1bbf-4455-82ef-d28d1bd24d2c</ontrue>
<onfalse>e8240132-a085-4654-8a3f-0735befbc2f5</onfalse>
</stage>
<stage stageid="693f1b07-1bbf-4455-82ef-d28d1bd24d2c" name="C# Time Correct?" type="Decision">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[TimeParam C#]=MakeTime(16, 32, 30)"/>
<ontrue>11f01f29-a814-4b3e-9127-907249116594</ontrue>
<onfalse>1e2188aa-5067-40e2-ba7e-13637c3009bf</onfalse>
</stage>
<stage stageid="d55a5d43-b1b8-498d-b3ef-89401a953f24" name="C# Date Correct?" type="Decision">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
```

```
</narrative>
<displayx>345</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[DateParam C#]=MakeDate(15, 12, 2018)"/>
<ontrue>9b8b515e-0b6f-4cd2-bc53-886127d9be1f</ontrue>
<onfalse>47d211cf-4c95-42cd-b28e-afcf6eb204ad</onfalse>
</stage>
<stage stageid="491f47d3-7949-4a23-931a-5ff8dae83794" name="C# Flag Correct?" type="Decision">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[FlagParam C#]=True"/>
<ontrue>43e80424-e12c-4927-acbf-facadce5a7ac</ontrue>
<onfalse>81e7d435-bbc5-4815-9f34-97f605226a51/onfalse>
</stage>
<stage stageid="43e80424-e12c-4927-acbf-facadce5a7ac" name="C# Password Correct?" type="Decision
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
```

```
<displayx>180</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[PasswordParam C#]=[Expected Password]"/>
<ontrue>175bb0d0-d07a-4198-a973-f2affd1e2e4a</ontrue>
<onfalse>c4a68019-5195-4d90-bc54-00c0b7fef04b</onfalse>
</stage>
<stage stageid="175bb0d0-d07a-4198-a973-f2affd1e2e4a" name="C# DateTime Correct?" type="Decision
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[DateTimeParam C#]=MakeDateTime(15, 12, 2018, 12, 0, 0, True)"/>
<ontrue>8ebba6b8-94da-443c-a120-bbb6a20ca6e4</ontrue>
<onfalse>5a3bb219-fd03-49f7-b323-475ac1864aea</onfalse>
</stage>
<stage stageid="8ebba6b8-94da-443c-a120-bbb6a20ca6e4" name="C# Binary Correct?" type="Decision";
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
```

<displayx>180</displayx>

```
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[BinaryParam C#]=[Expected Binary]"/>
<ontrue>35c23429-3555-405d-8e6a-fb21cf275d55</ontrue>
<onfalse>bf581056-f39e-48b8-aa7c-4d11459bdced</onfalse>
</stage>
<stage stageid="3857207b-e271-4794-9e83-2baf40ca67ba" name="C# Image Correct?" type="Decision">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Image]=[ImageParam C#]"/>
<ontrue>29ec18d9-8285-40a4-85bd-45f2b1defbd4</ontrue>
<onfalse>f28779a3-cd4e-4121-96ad-81acc0fe322a</onfalse>
</stage>
<stage stageid="29ec18d9-8285-40a4-85bd-45f2b1defbd4" name="C# TimeSpan Correct?" type="Decisio
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>45</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[TimeSpanParam C#]=MakeTimeSpan(0, 0, 2, 0)"/>
<ontrue>6a3356e3-dc4b-4488-be25-9a6ee1ea5e11
<onfalse>fa9d55f8-f83e-4876-bf61-cd29dfb06de1</onfalse>
</stage>
<stage stageid="6a3356e3-dc4b-4488-be25-9a6ee1ea5e11" name="C# Collection Correct?" type="Decision"
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[CollectionParam C#]=[Expected Collection]"/>
<ontrue>d55a5d43-b1b8-498d-b3ef-89401a953f24</ontrue>
<onfalse>979afeb6-e5c6-484a-90b7-36bdffbd3167</onfalse>
</stage>
<stage stageid="9a0b90a2-f0cf-4eea-b59b-c2d493cc05f3" name="Anchor12" type="Anchor">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>491f47d3-7949-4a23-931a-5ff8dae83794
</stage>
<stage stageid="15ce7b10-2e3d-44e6-8765-713cdd213be0" name="Anchor15" type="Anchor">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>0</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>3857207b-e271-4794-9e83-2baf40ca67ba</onsuccess>
</stage>
<stage stageid="6dbfda32-81e7-4116-85ae-b1ae02ff7411" name="Expected Password" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>49,20,7,67,26,91,6,1</initialvalueenc>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="9228f0bd-6d66-406f-a533-b53d7ff8bf69" name="Expected Binary" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue>SABIAGwAbABvACAAVwBvAHIAbABkAA==</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="1693f0ed-a002-4579-8613-ec06d9161ab0" name="Expected Image" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue>2,2,137224,iVBORw0KGgoAAAANSUhEUgAAAAIAAAACCAIAAAD91JpzAAAAFUIEQVQYV
```

```
<alwaysinit/>
</stage>
<stage stageid="a1e42e44-2f28-4462-87d6-9e0b502070d4" name="Expected Collection" type="Collection"
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="ID" type="number"/>
<field name="Name" type="text"/>
</collectioninfo>
<initialvalue>
<row>
<field name="ID" type="number" value="2"/>
<field name="Name" type="text" value="Dave Smith"/>
</row>
</initialvalue>
</stage>
<stage stageid="b4cc09d9-2a0a-41ec-9e70-42c8fd8ed2f3" name="Input Variables" type="Block">
```

```
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ad87bb8b-d4dd-4987-b262-036310ae68a9" name="Input Variables" type="Block">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="061a4842-1822-4db6-9528-a21ef5e65d0b" name="Call Common Code Method Request
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="number" name="OutputNumber" stage="OutputNumber"/>
</outputs>
<onsuccess>d9520930-1e56-4573-b719-a360468cf981
<resource object="Web API Service (Custom Code Output Parameters - C#)" action="Test calling commor
</stage>
<stage stageid="e125fcb6-d403-4122-84ab-46bcb87ded9d" name="OutputNumber" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>270</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d9520930-1e56-4573-b719-a360468cf981" name="Output Number Correct?" type="Decisions"
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[OutputNumber]=10"/>
<ontrue>3e670559-1011-487a-a074-24cb68446645</ontrue>
<onfalse>8afca763-0314-4b25-a2a6-bc4d70a75007</onfalse>
</stage>
<stage stageid="3e670559-1011-487a-a074-24cb68446645" name="Make Request Response Content three-
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="CopyResponseContent" stage="CopyResponseContent"/>
</outputs>
<onsuccess>315894a7-ece7-4a6b-a01c-d2acafd93d03</onsuccess>
<resource object="Web API Service (Custom Code Output Parameters - C#)" action="Test Response Con
```

```
</stage>
<stage stageid="8afca763-0314-4b25-a2a6-bc4d70a75007" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The Output was incorrect: &amp;quot;&amp;amp;[OutputNumbe
</stage>
<stage stageid="acaddf7e-6782-4cb4-bd07-0635178772aa" name="Call Common Code Method Request
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="number" name="OutputNumber" stage="OutputNumber"/>
</outputs>
```

```
<onsuccess>1e8971aa-209d-4d65-b43d-5a2de678a6cc</onsuccess>
<resource object="Web API Service (Custom Code Output Parameters - VB)" action="Test calling common
</stage>
<stage stageid="13e6da4f-7bb2-4515-ae96-82cdc91b91bf" name="OutputNumber" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>270</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="1e8971aa-209d-4d65-b43d-5a2de678a6cc" name="Output Number Correct?" type="Deci
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[OutputNumber]=10"/>
```

```
<ontrue>58a3fbca-74be-404d-9f03-1bd3f7e6c373</ontrue>
<onfalse>f0671c8d-3941-4ed4-bfb5-ce64c72936a8</onfalse>
</stage>
<stage stageid="f0671c8d-3941-4ed4-bfb5-ce64c72936a8" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>240</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The Output was incorrect: &amp;quot;&amp;amp;[OutputNumbe
</stage>
<stage stageid="7c9d1341-afc4-4421-902f-4df475bc57d6" name="Response Headers" type="Collection">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>210</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
```

```
<stage stageid="794c4446-bb01-499a-8471-d47961d20513" name="HTTP Status Code" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>270</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="eb4150a5-f782-4717-bf3f-425524742c08" name="Response Content" type="Data">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
```

```
</stage>
<stage stageid="41952b0c-03bf-497c-866d-77c0d45bae51" name="Local Variables" type="Block">
<subsheetid>2501d94a-4528-416a-8f4e-9877a5668475</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="aadf2e7e-c408-4bb9-8799-e039824c73c1" name="Response Headers" type="Collection"
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="71b6fc56-f529-4094-aec0-042be47dbcac" name="HTTP Status Code" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-135</displayx>
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="1256562c-4d17-4142-857c-cca6fc11f619" name="Response Content" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>210</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="11200881-4975-4c7f-b906-d23b58152d23" name="Local Variables" type="Block">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="eb7b8b5e-c158-4144-a0a4-d4f161a725c8" name="Response Headers" type="Collection"
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="e686c585-dcc2-416d-8a4d-0dfbad1571c4" name="HTTP Status Code" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>240</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="baa71278-d193-4861-88e8-456da316c3d7" name="Response Content" type="Data">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>210</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6dfd27c4-b2c0-4ffa-a620-9dc5e91745f1" name="Local Variables" type="Block">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
```

```
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="58a3fbca-74be-404d-9f03-1bd3f7e6c373" name="Make Request Response Content through
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="CopyResponseContent" stage="CopyResponseContent"/>
</outputs>
<onsuccess>fdc4b7bd-4203-4a20-8850-df3af507305a</onsuccess>
<resource object="Web API Service (Custom Code Output Parameters - VB)" action="Test Response Con
</stage>
<stage stageid="813f9659-32bd-42db-bc28-18bb24c5bca5" name="CopyResponseContent" type="Data">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-135</displayx>
<displayy>300</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="fdc4b7bd-4203-4a20-8850-df3af507305a" name="Copy Respose Content Correct?" type=
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[CopyResponseContent]=[Response Content]"/>
<ontrue>873f1cb2-435a-476d-8fd0-2cb14b36732b</ontrue>
<onfalse>c2536405-4d3b-4e50-ac64-93acf304cef8</onfalse>
</stage>
<stage stageid="315894a7-ece7-4a6b-a01c-d2acafd93d03" name="Copy Respose Content Correct?" type
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[CopyResponseContent]=[Response Content]"/>
<ontrue>7234989d-e0d2-4923-b2ca-3f9a1f688f9b</ontrue>
<onfalse>4e76ae5a-5afc-4c6d-b0fd-b52a77e790b6</onfalse>
</stage>
<stage stageid="875b0274-2911-48ad-9b97-960c40a7b53d" name="CopyResponseContent" type="Data":
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>300</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="7234989d-e0d2-4923-b2ca-3f9a1f688f9b" name="End2" type="End">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="873f1cb2-435a-476d-8fd0-2cb14b36732b" name="End3" type="End">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="c2536405-4d3b-4e50-ac64-93acf304cef8" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>330</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The copied response content was incorrect.&amp;quot;"/>
</stage>
```

```
<stage stageid="4e76ae5a-5afc-4c6d-b0fd-b52a77e790b6" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>330</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The copied response content was incorrect.&amp;quot;"/>
</stage>
<stage stageid="6094784b-8971-4564-9dc4-1e2f079b4ed7" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot; The text via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="337deca6-0ecc-4209-8717-ab20b021738b" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
```

```
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The number via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="f32f436a-5410-4948-b400-e174f9016675" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The time via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="cd2deb38-f237-4062-a870-899a1c05160f" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The flag via custom code was incorrect&amp;quot;"/>
```

```
</stage>
<stage stageid="383430ea-f20a-419e-8e41-acabbf679e6c" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The password via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="35eaafe2-3ea8-481d-82e8-b5202f297673" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The datetime via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="49ed3a63-461b-418c-b52a-7927f0d7511b" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
```

```
<displayx>255</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The binary via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="3acbcd25-cf66-4bab-9866-a6fa7e9b03ae" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The image via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="f15f3d2e-ccfc-4689-9396-4fec9a051020" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<exception type="Bug" detail="&amp;quot;The timespan via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="bc34d0a2-858a-4345-9106-d82b490eb18c" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The collection via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="62299b89-7800-4a47-8c58-23e2dbc860b4" name="FAIL" type="Exception">
<subsheetid>261e710e-01bf-4620-9848-11b04edeb62f</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The date via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="0b294b99-44b2-4f1f-a83c-542176805362" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
```

```
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The text via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="e8240132-a085-4654-8a3f-0735befbc2f5" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The number via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="1e2188aa-5067-40e2-ba7e-13637c3009bf" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The time via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="81e7d435-bbc5-4815-9f34-97f605226a51" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot; The flag via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="c4a68019-5195-4d90-bc54-00c0b7fef04b" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The password via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="5a3bb219-fd03-49f7-b323-475ac1864aea" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
```

```
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The datetime via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="bf581056-f39e-48b8-aa7c-4d11459bdced" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The binary via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="f28779a3-cd4e-4121-96ad-81acc0fe322a" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The image via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="fa9d55f8-f83e-4876-bf61-cd29dfb06de1" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The timespan via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="979afeb6-e5c6-484a-90b7-36bdffbd3167" name="FAIL" type="Exception">
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The collection via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="47d211cf-4c95-42cd-b28e-afcf6eb204ad" name="FAIL" type="Exception">
```

```
<subsheetid>96b50551-3120-43de-b78f-d95cf8fa7de4</subsheetid>
<narrative>
</narrative>
<displayx>420</displayx>
<displayy>135</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The date via custom code was incorrect&amp;quot;"/>
</stage>
<stage stageid="22e0eefa-a55a-4d4a-8aa0-94f70b09ad86" name="JSON Path with Nested Arrays" type=
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5ee4c2cb-b52f-4eb1-abec-a8ccccac1a6a" name="Start" type="Start">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d230617b-f0f1-4e09-beba-6af7908bbec4</onsuccess>
</stage>
<stage stageid="d230617b-f0f1-4e09-beba-6af7908bbec4" name="Make request" type="Action">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="collection" name="Document Sentiment" stage=""/>
<output type="collection" name="Sentences" stage="Sentences"/>
</outputs>
<onsuccess>701f7701-8f6b-478f-9d11-d953a562f8a6
<resource object="Web API Custom Output" action="Get Sentiment"/>
</stage>
<stage stageid="55e920b1-c432-4f2b-a2c6-f049a2ccfab8" name="JSON Path with Nested Arrays" type="l
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>315</displaywidth>
<displayheight>285</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="a450e6f7-08f1-43e7-a35a-bc6821a7606e" name="Input Variables" type="Block">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="81c136f1-d06b-4958-8e28-e6804bf595d6" name="End1" type="End">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="2fb498d6-c6fc-4418-821c-eecc870dae28" name="Response Headers" type="Collection">
```

```
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="afa1401e-8460-449a-ad57-485de4918960" name="HTTP Status Code" type="Data">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>180</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="2761cb2f-43a6-4795-84ca-d29916362f39" name="Response Content" type="Data">
```

```
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f49266bf-bc0b-4d89-82f7-a96a8420fd53" name="Local Variables" type="Block">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="fe85178f-50af-4143-9c5c-bae2d5dcab6c" name="JSON Path with Nested Arrays" type="$
<narrative>
</narrative>
<displayx>-90</displayx>
```

```
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>696c133d-5e96-46f1-94b1-822f0fb4d0f8</onsuccess>
</stage>
<stage stageid="066be336-eb95-4833-a20a-693599a631e3" name="Expected Sentences (1)" type="College"
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Text" type="collection">
<field name="Content" type="text"/>
<field name="BeginOffset" type="number"/>
</field>
<field name="Sentiment" type="collection">
<field name="Magnitude" type="number"/>
<field name="Score" type="number"/>
```

```
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Text" type="collection">
<row>
<field name="Content" type="text" value="This is not a very negative sentence"/>
<field name="BeginOffset" type="number" value="44"/>
</row>
</field>
<field name="Sentiment" type="collection">
<row>
<field name="Magnitude" type="number" value="0.4"/>
<field name="Score" type="number" value="-0.5"/>
</row>
</field>
</row>
</initialvalue>
</stage>
<stage stageid="e78ff68d-c476-469c-be67-8596894bf1ec" name="Sentences" type="Collection">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>240</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Text" type="collection">
<field name="Content" type="text"/>
<field name="BeginOffset" type="number"/>
</field>
<field name="Sentiment" type="collection">
<field name="Magnitude" type="number"/>
<field name="Score" type="number"/>
</field>
</collectioninfo>
</stage>
<stage stageid="701f7701-8f6b-478f-9d11-d953a562f8a6" name="Sentences" type="LoopStart">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6497b8d6-de4c-4265-a7cb-2051e72fd1eb</onsuccess>
<groupid>1035e95a-0173-46a6-8b83-86a6d6cdbcf4</groupid>
<looptype>ForEach</looptype>
```

```
<loopdata>Sentences</loopdata>
</stage>
<stage stageid="84c1c470-7694-4036-b86e-c57e70eb0500" name="Sentences" type="LoopEnd">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>81c136f1-d06b-4958-8e28-e6804bf595d6</onsuccess>
<groupid>1035e95a-0173-46a6-8b83-86a6d6cdbcf4</groupid>
</stage>
<stage stageid="8b12ac8f-4c9a-473d-9226-09e9e918e365" name="First Row Correct?" type="Decision">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Sentences.Sentiment.Magnitude]=[Expected Sentences (1).Sentiment.Magnitude]</p>
<ontrue>5804a87a-ae6e-4602-b10f-fc0f0b8c2433</ontrue>
<onfalse>c5bdc63a-8438-4d8e-adf5-1316fa7d2307</onfalse>
</stage>
```

```
<stage stageid="584b9c7d-ab86-4e3d-b7e3-849ec96a386a" name="Expected Sentences (2)" type="Colle
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Text" type="collection">
<field name="Content" type="text"/>
<field name="BeginOffset" type="number"/>
</field>
<field name="Sentiment" type="collection">
<field name="Magnitude" type="number"/>
<field name="Score" type="number"/>
</field>
</collectioninfo>
<initialvalue>
<row>
<field name="Text" type="collection">
<row>
<field name="Content" type="text" value="I am so angry I might scream"/>
```

```
<field name="BeginOffset" type="number" value="26"/>
</row>
</field>
<field name="Sentiment" type="collection">
<row>
<field name="Magnitude" type="number" value="0.6"/>
<field name="Score" type="number" value="-2"/>
</row>
</field>
</row>
</initialvalue>
</stage>
<stage stageid="6497b8d6-de4c-4265-a7cb-2051e72fd1eb" name="First Loop?" type="Decision">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Count]=0"/>
<ontrue>8b12ac8f-4c9a-473d-9226-09e9e918e365/ontrue>
<onfalse>9316389e-8c0d-4cd5-8ddf-e8c7c82c0db0</onfalse>
</stage>
<stage stageid="5804a87a-ae6e-4602-b10f-fc0f0b8c2433" name="Count ++" type="Calculation">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>84c1c470-7694-4036-b86e-c57e70eb0500</onsuccess>
<calculation expression="[Count]+1" stage="Count"/>
</stage>
<stage stageid="d8cf195f-01fe-40b8-a2db-a5d548d15a8a" name="Count" type="Data">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>210</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="9316389e-8c0d-4cd5-8ddf-e8c7c82c0db0" name="Anchor7" type="Anchor">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
```

```
</narrative>
<displayx>165</displayx>
<displayy>45</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>da6b7995-5ae7-4e83-8483-01f9134c9546/onsuccess>
</stage>
<stage stageid="904f1c42-f70f-4ec5-95f0-62524e7a4596" name="Anchor8" type="Anchor">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>135</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5804a87a-ae6e-4602-b10f-fc0f0b8c2433</onsuccess>
</stage>
<stage stageid="c5bdc63a-8438-4d8e-adf5-1316fa7d2307" name="FAIL" type="Exception">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The first row of the nested array was wrong.&amp;quot;"/>
</stage>
<stage stageid="da6b7995-5ae7-4e83-8483-01f9134c9546" name="Second Row Correct?" type="Decision
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Sentences.Sentiment.Magnitude]=[Expected Sentences (2).Sentiment.Magnitude]</p>
<ontrue>904f1c42-f70f-4ec5-95f0-62524e7a4596</ontrue>
<onfalse>1f767435-3cc4-4e7b-900d-ca966288a278</onfalse>
</stage>
<stage stageid="1f767435-3cc4-4e7b-900d-ca966288a278" name="FAIL" type="Exception">
<subsheetid>1fdcee2b-80cf-44f1-8f19-cf69d5410fe2</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>90</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The second row of the nested array was wrong.&amp;quot;"/>
</stage>
```

```
<stage stageid="7581d584-83e8-4d58-bffb-1f23c6e8dbbc" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9ac9295c-7fb3-43b0-9ded-dae8ac3e4419</onsuccess>
</stage>
<stage stageid="70278071-b4f9-4096-b6ac-396f72073f86" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6a72871e-19bb-44f2-b51b-334a42c1bf88</onsuccess>
</stage>
<stage stageid="9ac9295c-7fb3-43b0-9ded-dae8ac3e4419" name="Get Exception" type="MultipleCalculat
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>70278071-b4f9-4096-b6ac-396f72073f86</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="f3c40e5b-399d-438f-80a7-a80a1b76fa17" name="JSON Path with Mixed Arrays" type="S
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="42aea84a-316f-4795-a1c9-ad64003b21b3" name="Start" type="Start">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4f78ba4a-55ed-47db-8739-f6d24a2b382f</onsuccess>
```

```
</stage>
<stage stageid="af3ff65f-442c-44d9-9cc6-9d1bd9f0d3d3" name="End" type="End">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="4f78ba4a-55ed-47db-8739-f6d24a2b382f" name="Make Request" type="Action">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage=""/>
<output type="text" name="HTTP Status Code" stage=""/>
<output type="collection" name="Response Headers" stage=""/>
<output type="collection" name="Document Sentiment" stage=""/>
<output type="collection" name="Sentences" stage=""/>
<output type="collection" name="Entities" stage="Entities"/>
```

```
</outputs>
<onsuccess>28a43549-4e4c-4e74-b558-9e2dab85f769</onsuccess>
<resource object="Web API Custom Output" action="Get Sentiment"/>
</stage>
<stage stageid="0a3f4bea-866a-4b52-9d40-727a238a0ec5" name="JSON Path with Mixed Arrays" type="
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>165</displaywidth>
<displayheight>105</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="773b2079-1daf-4f3a-b85e-0b41f83c2f0e" name="Input Variables" type="Block">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="552fe98f-cfc7-4f55-ad1a-9ca917a13f9d" name="Local Variables" type="Block">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-210</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="5f8509c6-0757-403d-b625-92da6b565bb4" name="Entities" type="Collection">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Metadata" type="collection"/>
<field name="Mentions" type="collection">
<field name="Text" type="collection">
<field name="Content" type="text"/>
<field name="BeginOffset" type="number"/>
</field>
<field name="Type" type="text"/>
```

```
</field>
<field name="Name" type="password"/>
<field name="Type" type="text"/>
<field name="Salience" type="number"/>
</collectioninfo>
</stage>
<stage stageid="b4d6a864-16e6-40be-8745-4b3f93cd9bb6" name="Expected Entities" type="Collection">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
<collectioninfo>
<field name="Mentions" type="collection">
<field name="Text" type="collection">
<field name="Content" type="text"/>
<field name="BeginOffset" type="number"/>
</field>
<field name="Type" type="text"/>
</field>
</collectioninfo>
```

```
<initialvalue>
<row>
<field name="Mentions" type="collection">
<row>
<field name="Text" type="collection">
<row>
<field name="Content" type="text" value="example"/>
<field name="BeginOffset" type="number" value="5"/>
</row>
</field>
<field name="Type" type="text" value="COMMON"/>
</row>
</field>
</row>
</initialvalue>
</stage>
<stage stageid="696c133d-5e96-46f1-94b1-822f0fb4d0f8" name="JSON Path with Mixed Arrays" type="Si
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e18c239b-9501-403e-98b1-79565de16523</onsuccess>
</stage>
```

```
<stage stageid="28a43549-4e4c-4e74-b558-9e2dab85f769" name="Collection Correct?" type="Decision">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Expected Entities.Mentions.Type]=[Expected Entities.Mentions.Type]&amp;#xA;Al</p>
<ontrue>af3ff65f-442c-44d9-9cc6-9d1bd9f0d3d3</ontrue>
<onfalse>827919bd-d994-4f21-aefe-889363d2cbd2</onfalse>
</stage>
<stage stageid="827919bd-d994-4f21-aefe-889363d2cbd2" name="FAII" type="Exception">
<subsheetid>df11f932-65ac-4f68-a3f4-4ed196d3ed1c</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The array didn't return correctly.&amp;quot;"/>
</stage>
<stage stageid="3dd03450-19ac-4e5b-a5c5-aeac34f09085" name="JSON Path With Paths Not In Respon
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>A test which calls a web api action which is set up with jsonpath output parameters which WILL
```

```
<displayx>-255</displayx>
<displayy>-75</displayy>
<displaywidth>300</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3553cb94-416a-4106-ae7a-e39574a1dca1" name="Start" type="Start">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a9dc2772-a4fb-423e-af73-3fd256269858</onsuccess>
</stage>
<stage stageid="a9dc2772-a4fb-423e-af73-3fd256269858" name="Make request" type="Action">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
```

```
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="Name" stage="Name"/>
<output type="text" name="NoPathText" stage="NoPathText"/>
<output type="collection" name="NoPathCollection" stage="NoPathCollection"/>
<output type="date" name="NoPathDate" stage="NoPathDate"/>
<output type="datetime" name="NoPathDateTime" stage="NoPathDateTime"/>
<output type="flag" name="NoPathFlag" stage="NoPathFlag"/>
<output type="number" name="NoPathNumber" stage="NoPathNumber"/>
<output type="password" name="NoPathPassword" stage="NoPathPassword"/>
<output type="time" name="NoPathTime" stage="NoPathTime"/>
<output type="timespan" name="NoPathTimeSpan" stage="NoPathTimeSpan"/>
<output type="image" name="NoPathImage" stage="NoPathImage"/>
<output type="binary" name="NoPathBinary" stage="NoPathBinary"/>
</outputs>
<onsuccess>ce4070c4-d8ca-4d62-bff7-0e3640f83b54</onsuccess>
<resource object="Web API Custom Output" action="Get Everything - Invalid Json Paths"/>
</stage>
<stage stageid="76967520-ee09-452f-a197-6356f8834644" name="Outputs - JSON Paths Not In response
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>240</displayx>
<displayy>-75</displayy>
<displaywidth>270</displaywidth>
```

<displayheight>210</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="ce4070c4-d8ca-4d62-bff7-0e3640f83b54" name="Request OK?" type="Decision">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>0b00487a-6807-411e-8b68-807fb370acca</ontrue>
</stage>
<stage stageid="0b00487a-6807-411e-8b68-807fb370acca" name="Is Name correctly populated?" type="I
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Name]=&amp;quot;Gerald&amp;quot;"/>
<ontrue>25f46e22-64da-4e13-8ac6-876f4169e82c</ontrue>
<onfalse>3eebe00f-6e02-4d1d-ba88-df24dd6026b4</onfalse>
</stage>
```

```
<stage stageid="25f46e22-64da-4e13-8ac6-876f4169e82c" name="Is NoPathText empty?" type="Decisior
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[NoPathText]=&amp;quot;&amp;quot;"/>
<ontrue>86fd7789-fcbb-4d5a-b5de-8a7a77c00ea4</ontrue>
<onfalse>7198ade7-de17-48d3-999f-fb7c54632faa</onfalse>
</stage>
<stage stageid="a99d15dd-25a6-42d9-aae3-9c6273d45728" name="JSON Path" type="Block">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>120</displaywidth>
<displayheight>225</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="86fd7789-fcbb-4d5a-b5de-8a7a77c00ea4" name="End1" type="End">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
```

```
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="22b7787d-7b02-40cb-b836-aae71071eafa" name="Response Headers" type="Collection"
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="a9a1e436-f51d-44c3-84dd-067724fc111d" name="HTTP Status Code" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="c4af1aaa-0312-4575-a4e7-3fc8f7234964" name="Response Content" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>-180</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="7ea2d3a2-35c6-47e8-aba9-6e200e878ed4" name="Local Variables" type="Block">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>-255</displayx>
<displayy>0</displayy>
<displaywidth>150</displaywidth>
```

```
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="f08fa96f-af00-45a2-bbb6-b518bed1c797" name="Name" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="8cac8cc0-e35b-486e-ac47-43255e1cdccc" name="NoPathText" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>-30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue xml:space="preserve">"This text should not be here after the web api call"</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="1bf64009-ddb7-4297-8f61-0ab18550bbb3" name="NoPathCollection" type="Collection">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="dd055d76-539d-4abd-97fb-f74dc1cff6f2" name="NoPathDate" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>405</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>date</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="16c1b306-5a37-467e-8c9b-39ebbffbfafa" name="NoPathDateTime" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>datetime</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="514b8cb9-1dbc-48f0-9efc-6dc90a05534d" name="NoPathFlag" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>flag</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d2d6f653-df48-48aa-bbd2-c60fc95b5839" name="NoPathNumber" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="8032beaf-3190-4538-9aa3-d8fdda30cb2d" name="NoPathPassword" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>password</datatype>
<initialvalueenc>
</initialvalueenc>
<private/>
<alwaysinit/>
</stage>
<stage stageid="3bf88381-5947-4016-ac89-e155ad11c228" name="NoPathTime" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>345</displayx>
<displayy>105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>time</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="3f9d67b3-66a8-4053-8b5d-d88af754e00a" name="NoPathTimeSpan" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>405</displayx>
<displayy>60</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>timespan</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="424cec3a-cf78-4b9d-be39-5761e801ca16" name="NoPathImage" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>image</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5cdcce1d-6c1c-4401-a0cc-d58e8c2d846c" name="NoPathBinary" type="Data">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>465</displayx>
```

```
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>binary</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="3eebe00f-6e02-4d1d-ba88-df24dd6026b4" name="FAIL" type="Exception">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="FAIL" detail="Incorrect value for 'Name'"/>
</stage>
<stage stageid="7198ade7-de17-48d3-999f-fb7c54632faa" name="FAIL" type="Exception">
<subsheetid>8487038b-fd68-4ecd-ad10-3f077e4a4cc3</subsheetid>
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="FAIL" detail="NoPathText was not empty"/>
</stage>
<stage stageid="13c13236-3469-4de1-a740-185253fbf3b8" name="Json Path Returns Multiple Results" ty
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>Tests that the correct exception is thrown if a json output parameter returns multiple possible re
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="b0c3e59c-ea62-494e-8d60-7cf25abdda5b" name="Start" type="Start">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6cdf56e3-b6f5-4ba8-a89c-0c16eb9ffdf0</onsuccess>
</stage>
<stage stageid="444d8552-bb4f-4542-91ff-103123c046eb" name="End" type="End">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
```

```
</narrative>
<displayx>150</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6cdf56e3-b6f5-4ba8-a89c-0c16eb9ffdf0" name="Call API which returns multiple possible
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="number" name="MultipleNumbers" stage="MultipleNumbers"/>
</outputs>
<onsuccess>5e5f3e0f-f440-45c2-845f-6afbaf7c8d26</onsuccess>
<resource object="Web API Custom Output" action="Get Everything - json path returns multiple results"/>
</stage>
<stage stageid="439f4f74-1c95-459f-ad8b-8452303addca" name="MultipleNumbers" type="Data">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
```

```
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="5ac91b70-a36c-491f-a6c9-03b04473efd2" name="Recover1" type="Recover">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>10183b55-6f45-46a9-9d5b-d1c8fa21dadb</onsuccess>
</stage>
<stage stageid="04a63224-89ef-4bea-94a1-b2640ac37f16" name="Block1" type="Block">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
```

```
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>315</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="dbdff481-4770-4271-bbc1-9f8d95f4b014" name="Resume1" type="Resume">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>75</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5488f834-844f-4374-9bd9-b4df38a95905</onsuccess>
</stage>
<stage stageid="10183b55-6f45-46a9-9d5b-d1c8fa21dadb" name="Get Exception" type="MultipleCalculating stage in the control of t
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>dbdff481-4770-4271-bbc1-9f8d95f4b014</onsuccess>
```

```
<steps>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="61cd1ead-dbbc-4cf2-b438-0d2816522866" name="Exception" type="Data">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="5488f834-844f-4374-9bd9-b4df38a95905" name="Correct Exception Thrown?" type="Dec
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>150</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Exception]=&amp;quot;Unexpected error Path returned multiple tokens.&amp;quot</p>
<ontrue>444d8552-bb4f-4542-91ff-103123c046eb</ontrue>
<onfalse>45263971-ed0d-4890-9c31-ecc21062f910</onfalse>
</stage>
<stage stageid="45263971-ed0d-4890-9c31-ecc21062f910" name="FAIL" type="Exception">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>285</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="FAIL" detail="&amp;quot;An unexpected exception was thrown. &amp;#xA;expected: 'Ur
</stage>
<stage stageid="5e5f3e0f-f440-45c2-845f-6afbaf7c8d26" name="FAIL" type="Exception">
<subsheetid>e6d1a717-08ad-4080-a8cf-3fda26da696e</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="FAIL" detail="The action did not throw an exception as expected"/>
</stage>
<stage stageid="37521e7f-1b47-407f-8a1d-8418ee1f3b47" name="JSON Path With Paths Not In Respons
```

```
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>30b76f16-c227-42ec-a070-ec00ef38ea24</onsuccess>
</stage>
<stage stageid="30b76f16-c227-42ec-a070-ec00ef38ea24" name="Json Path Returns Multiple Results" ty
<narrative>
</narrative>
<displayx>-90</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4fef14e4-f7d8-4741-a201-58f970c768fe</onsuccess>
cessid>e6d1a717-08ad-4080-a8cf-3fda26da696e/processid>
</stage>
cess name="Test Web API (Disable Sending Request)" version="1.0" bpversion="6.0.0.0" narrative=""
<view>
<camerax>0</camerax>
<cameray>57</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
onditions/>
<endpoint narrative=""/>
<stage stageid="c268e647-fed7-4d83-9b93-960148cc6183" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-120</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="8a2cbfc9-3113-4f3f-afcd-02343d67f348" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>0f77c173-7680-46b1-9814-ea41dcbd857f</onsuccess>
</stage>
<stage stageid="e77ea42b-1ef9-4325-b5b4-1350bb79e0d6" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>105</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="682f288a-a276-4797-8b5c-0ba03da018dd" name="HTTP Status Code" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>135</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="93cea6c4-a1ae-4ebc-a0aa-e3315c24b187" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>45</displayy>
<displaywidth>150</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>
<stage stageid="1a2e9622-bade-407c-8a6b-a8ade54f3e59" name="End1" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>510</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="37a23b2e-8dc7-4d3d-9264-e9df2d0248c1" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>420</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>479d1c85-d7db-4f09-8d5f-17bb43f960ed</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="8c93f879-d5fa-4f31-a6e6-f56f1cc135ae" name="PID" type="Data">
<narrative>
</narrative>
```

```
<displayx>-135</displayx>
<displayy>75</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="479d1c85-d7db-4f09-8d5f-17bb43f960ed" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>465</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>17c2ffca-2232-42ab-9b87-bc4f31ff3e73</ontrue>
<onfalse>1a2e9622-bade-407c-8a6b-a8ade54f3e59</onfalse>
</stage>
<stage stageid="17c2ffca-2232-42ab-9b87-bc4f31ff3e73" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>465</displayy>
```

```
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="718257f7-a6fd-40a2-9859-72bc8c39715c" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>38e149fd-8572-4ad9-8e38-88df4c3621fa</onsuccess>
</stage>
<stage stageid="4ec5b1a7-6c68-4e36-8acd-32ff3a109a5e" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c8a84f6b-0092-438c-b5ca-3d77bcd0e3c6</onsuccess>
</stage>
<stage stageid="38e149fd-8572-4ad9-8e38-88df4c3621fa" name="Exception Calc" type="MultipleCalculat
<narrative>
```

```
</narrative>
<displayx>165</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>4ec5b1a7-6c68-4e36-8acd-32ff3a109a5e</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="7f1f5bf6-79e7-4b65-b4f8-201e98e5fffe" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>195</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="bdac6ad6-d124-4e0a-8b9a-17e68aadc88c" name="Exception" type="Data">
<narrative>
```

```
</narrative>
<displayx>-135</displayx>
<displayy>225</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="d66ba700-5e04-4751-9ea9-7b87682d9442" name="Recovery Block" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-75</displayy>
<displaywidth>270</displaywidth>
<displayheight>465</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="0f77c173-7680-46b1-9814-ea41dcbd857f" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>afe19c2c-0abd-4777-9001-4621713d1058</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="c0d0247f-93c7-4a76-a013-ae4996904ef8" name="Enabled 'Disable Sending of Request"
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>135</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>05f75fae-7cb3-49df-8792-676ee816bb5b</onsuccess>
<resource object="Web API Service (Disable Sending Request)" action="Enabled 'Disable Sending of Req
</stage>
<stage stageid="ad013212-5318-445c-9b19-6dc455849117" name="Request Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
```

```
<displayy>165</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="05f75fae-7cb3-49df-8792-676ee816bb5b" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;&amp;quot;&amp;#xA;&amp;#xA;AND&amp;#xA;</pre>
<ontrue>18dd3078-cc1a-4106-8dfb-b7fe6682c1a3</ontrue>
<onfalse>3efe8598-62f1-4bfa-8c0f-bf10a56220f3</onfalse>
</stage>
<stage stageid="afe19c2c-0abd-4777-9001-4621713d1058" name="Disabled 'Disable Sending of Request
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>4e77e493-d78f-4076-9ac8-c6b2e035193c</onsuccess>
<resource object="Web API Service (Disable Sending Request)" action="Disabled 'Disable Sending of Rec
</stage>
<stage stageid="7e879c91-854b-4e98-bd10-d32276c547a6" name="Response Correct?" type="Decision":</p>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=[Expected HTTP Status Code]&amp;#xA;&amp;#xA;AND&am</p>
<ontrue>1256554f-7b0a-44ea-a9f1-6ae14baffd8e</ontrue>
<onfalse>249c4054-ffe5-4749-ba59-21afe9fd8c6e</onfalse>
</stage>
<stage stageid="3efe8598-62f1-4bfa-8c0f-bf10a56220f3" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>180</displayy>
```

```
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;You shouln't have been able to send the request, however it did
</stage>
<stage stageid="249c4054-ffe5-4749-ba59-21afe9fd8c6e" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>45</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;You should have been able to send the request, however it faile
</stage>
<stage stageid="c8a84f6b-0092-438c-b5ca-3d77bcd0e3c6" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>420</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>37a23b2e-8dc7-4d3d-9264-e9df2d0248c1
</stage>
<stage stageid="1256554f-7b0a-44ea-a9f1-6ae14baffd8e" name="Clear Response" type="MultipleCalcula
<narrative>
```

```
</narrative>
<displayx>15</displayx>
<displayy>90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>c0d0247f-93c7-4a76-a013-ae4996904ef8</onsuccess>
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
</steps>
</stage>
<stage stageid="80685179-1791-4943-a65a-4134dc9c82cb" name="Expected Response Content" type="I
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-30</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Method: GET, RequestUri: 'http://localhost:9000/api/echo', Version: 1.
<alwaysinit/>
</stage>
<stage stageid="4fa089f7-004c-4c2b-8048-c6703d9c6200" name="Input Variables" type="Block">
<narrative>
```

```
</narrative>
<displayx>-210</displayx>
<displayy>-60</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="73a14159-0999-482e-8de2-5a7800b0e4c8" name="Expected HTTP Status Code" type="</p>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>0</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">202</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="18dd3078-cc1a-4106-8dfb-b7fe6682c1a3" name="Clear Response" type="MultipleCalculations" |
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>994f6524-b90e-4433-bcc9-b50768df2c06</onsuccess>
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
</steps>
</stage>
<stage stageid="994f6524-b90e-4433-bcc9-b50768df2c06" name="Both Enabled" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>270</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage=""/>
</outputs>
<onsuccess>6ccc8e8f-e847-4a96-b991-c6e3a991c749</onsuccess>
<resource object="Web API Service (Disable Sending Request)" action="Enabled 'Disable Sending of Req
</stage>
<stage stageid="5d10b1b2-1efd-466e-bca9-bfe20f61a962" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>360</displayy>
```

```
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;&amp;quot;&amp;#xA;&amp;#xA;AND&amp;#xA;</pre>
<ontrue>37a23b2e-8dc7-4d3d-9264-e9df2d0248c1
<onfalse>d11526ae-eddd-4514-92c4-15fd5ea1daf5</onfalse>
</stage>
<stage stageid="d11526ae-eddd-4514-92c4-15fd5ea1daf5" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>360</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;You shouln't have been able to send the request, however it did
</stage>
<stage stageid="4e77e493-d78f-4076-9ac8-c6b2e035193c" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>7e879c91-854b-4e98-bd10-d32276c547a6</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quo</p>
```

```
</stage>
<stage stageid="6ccc8e8f-e847-4a96-b991-c6e3a991c749" name="Trim Keep Alive" type="Calculation">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>315</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5d10b1b2-1efd-466e-bca9-bfe20f61a962</onsuccess>
<calculation expression="Replace([Response Content], &amp;quot;Connection: Keep-Alive\r\n &amp;quot</p>
</stage>
</process>
o="Test Web API (Non-Authenticated)" version="1.0" bpversion="6.0.0.0" narrative="A test test test)
<view>
<camerax>-23</camerax>
<cameray>-952</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="288c8c6c-2a47-4c25-b280-d2765d216c6a" type="Normal" published="False">
<name>Clear Response</name>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom version="2">1.25</zoom>
```

```
</view>
</subsheet>
<stage stageid="d017174a-e278-4eb3-9a21-9ecdf20bcd41" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-1140</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>b361d9db-ccf2-4d79-ab16-31dc87f01833</onsuccess>
</stage>
<stage stageid="66d10b91-7edb-4bf0-9091-244d90df98bb" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-1110</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="86719a6f-a8ad-49d9-aa41-7f48f7c1c39f" name="GET Customers" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-990</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
</outputs>
<onsuccess>ffbdc5fd-3067-4dcb-b635-0f4926afecef</onsuccess>
<resource object="Web API Service (Non-Authenticated)" action="GET (Customers)"/>
</stage>
<stage stageid="ded5ce90-a9bb-4944-ac2a-ebfc8cadedd1" name="Response Content" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-825</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d62f5d32-38cf-466b-b9d9-ea5a2961424c" name="Response Headers" type="Collection";
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-795</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<alwaysinit/>
</stage>
<stage stageid="e33b4e66-8daa-49e6-b192-9ae19c0d888b" name="HTTP Status Code" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-765</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="67b182a6-c2e7-45b8-bfc8-e42288bea385" name="DELETE Customer (1)" type="Action";</p>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-750</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
```

```
<output type="text" name="Response Content" stage="Response Content"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
</outputs>
<onsuccess>94973928-0705-4055-ba86-18f6fc228edd</onsuccess>
<resource object="Web API Service (Non-Authenticated)" action="DELETE Customer (1)"/>
</stage>
<stage stageid="ffbdc5fd-3067-4dcb-b635-0f4926afecef" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-945</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (GET)]"/>
<ontrue>d39fba60-454d-4266-b5b1-540a91c6a3df</ontrue>
<onfalse>02295c39-539c-4db4-bca3-98b254076b2d</onfalse>
</stage>
<stage stageid="058050f6-5eff-4b0d-a25d-d85543ba77a0" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-855</displayy>
<displaywidth>150</displaywidth>
<displayheight>210</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
```

```
</stage>
<stage stageid="94973928-0705-4055-ba86-18f6fc228edd" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-705</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (DELETE)]"/>
<ontrue>778c5e06-aaab-4ccb-a4b5-fcb0faf9bb37</ontrue>
<onfalse>0b931e76-31d3-4491-8a6c-2c6846f8922e</onfalse>
</stage>
<stage stageid="02295c39-539c-4db4-bca3-98b254076b2d" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-945</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&al
</stage>
<stage stageid="0f697a4f-38a5-4dd9-94b3-dd2e8631123c" name="End1" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>-465</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="87b6d3d7-a899-4179-8c91-ba09131a56d9" name="Response Content (GET)" type="Dat
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-990</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">["Name: Thomas Smith, ID: 1, Date of birth: 01/08/1982.","Name: Rob
<alwaysinit/>
</stage>
<stage stageid="81012f85-375a-42fc-b215-24473a31a1f5" name="Response Content (POST)" type="Data"
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-960</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</initialvalue xml:space="preserve">"Customer added: Name: Matt, ID: 10, Date of birth: 09/09/1994."</i>
<alwaysinit/>
</stage>
<stage stageid="11f89f92-e24c-4a2a-8840-9e0a1db4d7ac" name="Response Content (PUT)" type="Data"
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-930</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Customer updated: Name: Matthew, ID: 11, Date of birth: 09/09/1994
<alwaysinit/>
</stage>
<stage stageid="7f697d6c-e904-49fd-9550-e01a865c9768" name="Response Content (DELETE)" type="E</p>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-900</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"Deleted customer: Name: Thomas Smith, ID: 1"</initialvalue>
```

```
<private/>
<alwaysinit/>
</stage>
<stage stageid="0b931e76-31d3-4491-8a6c-2c6846f8922e" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>-705</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="fac3bc9f-f2b7-4053-ab9f-7275422b3de4" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-945</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (POST)]"/>
<ontrue>8d8850d2-e691-4600-8233-5f2415153ae8</ontrue>
<onfalse>90e17a5b-2435-4998-b499-39430082f9cc</onfalse>
</stage>
<stage stageid="90e17a5b-2435-4998-b499-39430082f9cc" name="FAIL" type="Exception">
<narrative>
```

```
</narrative>
<displayx>255</displayx>
<displayy>-945</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="cdc8ed4d-0e49-46d0-b2d0-e06c810fd7b2" name="Response Correct?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-705</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Response Content (PUT)]"/>
<ontrue>54a49b2e-a584-4a3b-8d8b-80dcd2613bd5</ontrue>
<onfalse>cc3f3c00-1565-448c-a6d8-aaf87b0ee48a</onfalse>
</stage>
<stage stageid="cc3f3c00-1565-448c-a6d8-aaf87b0ee48a" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-705</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Bug" detail="&amp;quot;The responce was not expected... You expected &amp;quot;&ai
</stage>
<stage stageid="ff93d146-93df-4518-91e6-02eefcb8e04b" name="POST Customer" type="Action">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-990</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
</outputs>
<onsuccess>fac3bc9f-f2b7-4053-ab9f-7275422b3de4</onsuccess>
<resource object="Web API Service (Non-Authenticated)" action="POST (Matt)"/>
</stage>
<stage stageid="27ed0ffd-58ef-466e-b2f5-3497ba482f5d" name="PUT Customer" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-750</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
</outputs>
<onsuccess>cdc8ed4d-0e49-46d0-b2d0-e06c810fd7b2</onsuccess>
<resource object="Web API Service (Non-Authenticated)" action="PUT (Matt)"/>
</stage>
<stage stageid="90eba00f-1bdf-4086-87c6-b1b4c3104e8a" name="Anchor2" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-825</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>a535b2e5-b5b3-4372-8685-05ee182b0401</onsuccess>
</stage>
<stage stageid="5a16d908-b074-4b25-96c4-ccddef2f91da" name="Anchor3" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-855</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>307e922f-1a2b-4456-a635-c7e85d62ae82</onsuccess>
```

```
</stage>
<stage stageid="e2480fcd-f981-4213-a2b2-70170164aa3c" name="Anchor4" type="Anchor">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-825</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>90eba00f-1bdf-4086-87c6-b1b4c3104e8a</onsuccess>
</stage>
<stage stageid="307e922f-1a2b-4456-a635-c7e85d62ae82" name="Anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-1035</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>658002d4-21dd-4bfa-8bb7-dce0a64f3526</onsuccess>
</stage>
<stage stageid="554c0e4a-fb7d-4398-96fc-0e9566e43328" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-615</displayy>
<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>cba50d6c-e16f-4e6d-98a5-cb8e599a7540</onsuccess>
</stage>
<stage stageid="cba50d6c-e16f-4e6d-98a5-cb8e599a7540" name="Anchor6" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-795</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8e942258-13fa-4028-938f-9740ef238772</onsuccess>
</stage>
<stage stageid="37f38df2-f8ec-4ef7-af4b-4a2e1b197474" name="Anchor7" type="Anchor">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-555</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>35b8ecd8-c266-4cf6-8756-60324b26fbd0</onsuccess>
</stage>
<stage stageid="487bc24b-4245-4a99-a1af-00bfabc37439" name="Clear Response" type="SubSheetInfo"
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
```

```
</narrative>
<displayx>-120</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3c83e62d-94c2-4250-8782-d8b96c177257" name="Start" type="Start">
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6b8deb69-a022-4479-ad3b-45745e9d9010</onsuccess>
</stage>
<stage stageid="9020cf00-833f-483e-a9ea-b33de8e2c089" name="End" type="End">
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
</stage>
<stage stageid="23716ce5-a985-437b-a720-611a94ff0e71" name="Clear Response" type="MultipleCalcul
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9020cf00-833f-483e-a9ea-b33de8e2c089</onsuccess>
<steps>
<calculation expression="&amp;quot;&amp;quot;" stage="Response Content"/>
<calculation expression="&amp;quot;&amp;quot;" stage="HTTP Status Code"/>
</steps>
</stage>
<stage stageid="6b8deb69-a022-4479-ad3b-45745e9d9010" name="Remove Rows" type="Action">
<subsheetid>288c8c6c-2a47-4c25-b280-d2765d216c6a</subsheetid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&am
```

```
</inputs>
<onsuccess>23716ce5-a985-437b-a720-611a94ff0e71
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Remove All Rows"/>
</stage>
<stage stageid="74aeebd5-9140-4f74-a2ad-1f7e073de8c9" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-855</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>5a16d908-b074-4b25-96c4-ccddef2f91da</onsuccess>
</stage>
<stage stageid="a14d10f0-6499-4c77-93a6-ebb58484cf2b" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-855</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e2480fcd-f981-4213-a2b2-70170164aa3c</onsuccess>
</stage>
<stage stageid="e0d03e73-7c0b-41ee-81a9-8cfd026a54ed" name="Clear Response" type="SubSheet">
```

```
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>554c0e4a-fb7d-4398-96fc-0e9566e43328</onsuccess>
</stage>
<stage stageid="a81af8b4-efa6-4801-b681-90aa9e595364" name="Clear Response" type="SubSheet">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-615</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>37f38df2-f8ec-4ef7-af4b-4a2e1b197474</onsuccess>
</stage>
<stage stageid="35b8ecd8-c266-4cf6-8756-60324b26fbd0" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-555</displayy>
<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>e9cb1c63-a455-4883-abea-fc137da000cd</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="b361d9db-ccf2-4d79-ab16-31dc87f01833" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-1095</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>5279cc90-924b-4566-a629-b8f60eb302f5</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="cc1a99f4-2d55-45ca-98d2-d3bfb29303eb" name="Input Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-1050</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>180</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="0a33af8b-5b77-4bc9-a95a-00bb1d1862a1" name="PID" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-735</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="d39fba60-454d-4266-b5b1-540a91c6a3df" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-900</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>74aeebd5-9140-4f74-a2ad-1f7e073de8c9</ontrue>
```

```
<onfalse>fe5d0030-59ed-4e3d-bbca-6ef8f8f7c696</onfalse>
</stage>
<stage stageid="fe5d0030-59ed-4e3d-bbca-6ef8f8f7c696" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-900</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="8d8850d2-e691-4600-8233-5f2415153ae8" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-900</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>a14d10f0-6499-4c77-93a6-ebb58484cf2b</ontrue>
<onfalse>f79485e5-8c7f-47f2-a38f-e659b933ac11/onfalse>
</stage>
<stage stageid="f79485e5-8c7f-47f2-a38f-e659b933ac11" name="FAIL" type="Exception">
<narrative>
</narrative>
```

```
<displayx>255</displayx>
<displayy>-900</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="54a49b2e-a584-4a3b-8d8b-80dcd2613bd5" name="Check Status Code" type="Decision";
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>e0d03e73-7c0b-41ee-81a9-8cfd026a54ed</ontrue>
<onfalse>c8833a0e-30d2-48d7-aaf5-4171a0a60bd9</onfalse>
</stage>
<stage stageid="c8833a0e-30d2-48d7-aaf5-4171a0a60bd9" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-660</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="778c5e06-aaab-4ccb-a4b5-fcb0faf9bb37" name="Check Status Code" type="Decision">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-660</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=&amp;quot;200&amp;quot;"/>
<ontrue>a81af8b4-efa6-4801-b681-90aa9e595364</ontrue>
<onfalse>75f1fb2f-0b85-4316-bf6b-32f4d924ddd4</onfalse>
</stage>
<stage stageid="75f1fb2f-0b85-4316-bf6b-32f4d924ddd4" name="FAIL" type="Exception">
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>-660</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="BUG" detail="&amp;quot;The status code was wrong. &amp;quot;&amp;amp;&amp;quot
</stage>
<stage stageid="ccc76a38-edab-44e5-bea2-3145111813fe" name="Recovery Block" type="Block">
<narrative>
</narrative>
```

```
<displayx>-45</displayx>
<displayy>-1065</displayy>
<displaywidth>435</displaywidth>
<displayheight>480</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e9cb1c63-a455-4883-abea-fc137da000cd" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>a11571b3-edb2-415f-ba39-cbac2dafce4a</ontrue>
<onfalse>0f697a4f-38a5-4dd9-94b3-dd2e8631123c</onfalse>
</stage>
<stage stageid="a11571b3-edb2-415f-ba39-cbac2dafce4a" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>-510</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
```

```
</stage>
<stage stageid="5279cc90-924b-4566-a629-b8f60eb302f5" name="Note2" type="Note">
<narrative>GET</narrative>
<displayx>15</displayx>
<displayy>-1035</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>86719a6f-a8ad-49d9-aa41-7f48f7c1c39f</onsuccess>
</stage>
<stage stageid="658002d4-21dd-4bfa-8bb7-dce0a64f3526" name="Note2" type="Note">
<narrative>POST</narrative>
<displayx>180</displayx>
<displayy>-1035</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>ff93d146-93df-4518-91e6-02eefcb8e04b</onsuccess>
</stage>
<stage stageid="a535b2e5-b5b3-4372-8685-05ee182b0401" name="Note2" type="Note">
<narrative>PUT</narrative>
<displayx>15</displayx>
<displayy>-795</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>27ed0ffd-58ef-466e-b2f5-3497ba482f5d</onsuccess>
```

```
</stage>
<stage stageid="8e942258-13fa-4028-938f-9740ef238772" name="Note2" type="Note">
<narrative>DELETE</narrative>
<displayx>180</displayx>
<displayy>-795</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>67b182a6-c2e7-45b8-bfc8-e42288bea385</onsuccess>
</stage>
<stage stageid="5a6f4594-dc89-43d9-be6d-5a203bb57171" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-1035</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e16cc20b-63ac-4c91-a914-7a76b05af4ad</onsuccess>
</stage>
<stage stageid="544decd4-c99b-4eea-ae8b-e076a0958656" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-945</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>021dceab-fda7-4b9c-b908-f5653f10c142</onsuccess>
</stage>
<stage stageid="e16cc20b-63ac-4c91-a914-7a76b05af4ad" name="Exception Calc" type="MultipleCalcula
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-990</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>544decd4-c99b-4eea-ae8b-e076a0958656</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="8b7cf261-de01-4097-a09d-2ec5f33a83b9" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-705</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
```

```
<alwaysinit/>
</stage>
<stage stageid="b195211d-b547-40ff-8a1a-90b98d5bfca2" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-675</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="021dceab-fda7-4b9c-b908-f5653f10c142" name="Anchor8" type="Anchor">
<narrative>
</narrative>
<displayx>330</displayx>
<displayy>-555</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>37f38df2-f8ec-4ef7-af4b-4a2e1b197474</onsuccess>
</stage>
<stage stageid="342a6f99-8476-47d5-86a5-50c30b2d7a8f" name="QA Root" type="Data">
```

```
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-1020</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<exposure>Environment</exposure>
<private/>
<alwaysinit/>
</stage>
</process>
o="1.0" bpversion="6.4.0.6335" narrative=
<view>
<camerax>3</camerax>
<cameray>43</cameray>
<zoom version="2">1.25</zoom>
</view>
conditions/>
<endpoint narrative=""/>
<subsheet subsheetid="d472856f-1b73-4746-8dd0-b657158fa6ec" type="Normal" published="False">
<name>Check Non-Standard Method Functionality
<view>
<camerax>-79</camerax>
<cameray>34</cameray>
```

```
<zoom version="2">1.25</zoom>
</view>
</subsheet>
<stage stageid="cb653b50-31f7-4497-8382-06392c9c4788" name="Start" type="Start">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>9f180c94-14b0-4abc-9347-51a38abc31da</onsuccess>
</stage>
<stage stageid="8244e30d-0df2-4ccf-9099-4c159c0eeb51" name="End" type="End">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="d6a7e91a-3662-4a68-b171-40e80ef966f8" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-135</displayy>
```

```
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6e7073d1-19be-4f3a-9f69-e94e4b1592c2" name="Cleanup" type="Block">
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>-90</displayy>
<displaywidth>225</displaywidth>
<displayheight>150</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="d04705fd-0b64-408b-833d-02c7aec88b96" name="Recover" type="Recover">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>8ec3e985-1574-40e3-99f3-daf16469825e</onsuccess>
</stage>
<stage stageid="6086ee4e-20ea-4825-a756-f4d9dae3ad08" name="Resume" type="Resume">
<narrative>
</narrative>
<displayx>120</displayx>
```

```
<displayy>30</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>871b7afc-106d-47c7-80f8-19f79c37429c</onsuccess>
</stage>
<stage stageid="8ec3e985-1574-40e3-99f3-daf16469825e" name="Get Exception" type="MultipleCalculating stage id="8ec3e985-1574-40e3-99f3-daf16469825e" name="Get Exception" type="MultipleCalculating stage id="8ec4e985e" name="Bet Exception" type="Multiple" name="Bet Exception" type="MultipleCalculating stage id="8ec4e985e" name="Bet Exception" name="Bet Exception" type="Bet Exception" name="Bet Exception" nam
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>6086ee4e-20ea-4825-a756-f4d9dae3ad08</onsuccess>
<steps>
<calculation expression="True" stage="Failed?"/>
<calculation expression="ExceptionDetail()" stage="Exception"/>
</steps>
</stage>
<stage stageid="33a196c1-4fe7-4637-9e65-7979649fde6d" name="Failed?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Failed?]"/>
<ontrue>07713b68-1851-4004-81e9-dcfc6b996060</ontrue>
<onfalse>8244e30d-0df2-4ccf-9099-4c159c0eeb51</onfalse>
</stage>
<stage stageid="39d6ac53-b718-413c-80a2-79dd48c3b76e" name="Failed?" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="9c3f03d5-0055-42bb-a0ac-4e5ee09d5a30" name="Exception" type="Data">
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
```

```
<initialvalue/>
<alwaysinit/>
</stage>
<stage stageid="f85239ad-3556-4f64-a9d7-4db5d2f3c7ad" name="Local Variables" type="Block">
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-75</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="07713b68-1851-4004-81e9-dcfc6b996060" name="RETHROW" type="Exception">
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="RETHROW" detail="[Exception]"/>
</stage>
<stage stageid="871b7afc-106d-47c7-80f8-19f79c37429c" name="Anchor1" type="Anchor">
<narrative>
</narrative>
<displayx>120</displayx>
```

```
<displayy>75</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>72775135-e55c-4311-9361-7e0a049c4459</onsuccess>
</stage>
<stage stageid="b7872cf2-ec3e-44da-b8dc-03d3d59f1902" name="Check Non-Standard Method Function
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="97b049be-be2d-4af5-b808-5400d1bf55f5" name="Start" type="Start">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>10ced15a-1fcf-426e-b42d-5bda5449cbef</onsuccess>
```

</stage>

```
<stage stageid="497dd2f4-39af-4fe3-8041-6bd52bddb0ad" name="Check Non-Standard Method Function
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>72775135-e55c-4311-9361-7e0a049c4459</onsuccess>
</stage>
<stage stageid="10ced15a-1fcf-426e-b42d-5bda5449cbef" name="Call HOWL Method" type="Action">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-90</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="text" name="Response Content" stage="Response Content"/>
<output type="text" name="HTTP Status Code" stage="HTTP Status Code"/>
<output type="collection" name="Response Headers" stage="Response Headers"/>
</outputs>
<onsuccess>4fd63642-c68c-40dc-b04e-d721db587b32</onsuccess>
<resource object="Non-Standard Method API" action="HOWL"/>
```

```
</stage>
<stage stageid="d775bf82-0b05-4a01-8a69-3acddc875de6" name="Response Content" type="Data">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>90</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6c359075-6857-4965-a1ca-ce3b636ca985" name="HTTP Status Code" type="Data">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>120</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="fe7794ba-58f9-4e51-ba49-e0eba3e9eb11" name="Response Headers" type="Collection";
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>150</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
</stage>
<stage stageid="6a9a3a41-eafa-4ecf-82aa-486690553166" name="Generated Vairables" type="Block">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>60</displayy>
<displaywidth>150</displaywidth>
<displayheight>120</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="697f9582-ac4d-43b9-9cde-5dac285ffd40" name="Expected Variables " type="Block">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
```

```
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>
</stage>
<stage stageid="e0e9dc5a-8290-487f-b64e-28b1751a6f7b" name="End2" type="End">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="72775135-e55c-4311-9361-7e0a049c4459" name="Anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>75</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>63e19455-e982-46dd-918e-5834cb8c62fc</onsuccess>
```

```
</stage>
<stage stageid="a6e173ea-543e-4f28-8a01-c09fc90b7d92" name="Expected Response" type="Data">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">"HOOOOOWL!"</initialvalue>
<private/>
<alwaysinit/>
</stage>
<stage stageid="06d71709-ae92-46e7-9d25-5eb547482e63" name="Expected Status Code" type="Data">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue xml:space="preserve">200</initialvalue>
<private/>
```

```
<alwaysinit/>
</stage>
<stage stageid="4fd63642-c68c-40dc-b04e-d721db587b32" name="Correct Response" type="Decision">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>-45</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[Response Content]=[Expected Response]"/>
<ontrue>8d981a2c-de43-4e34-a7b6-ad9f38583689</ontrue>
<onfalse>176f77d1-c7ad-4aaa-90a8-943238cf4f79</onfalse>
</stage>
<stage stageid="8d981a2c-de43-4e34-a7b6-ad9f38583689" name="Correct Status Code" type="Decision"</p>
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<decision expression="[HTTP Status Code]=[Expected Status Code]"/>
<ontrue>e0e9dc5a-8290-487f-b64e-28b1751a6f7b</ontrue>
<onfalse>1647e416-2e1f-427c-b4fe-dd592cc5d24f</onfalse>
```

```
</stage>
<stage stageid="176f77d1-c7ad-4aaa-90a8-943238cf4f79" name="FAIL" type="Exception">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Test Fail" detail="&amp;quot;Incorrect response&amp;quot;"/>
</stage>
<stage stageid="1647e416-2e1f-427c-b4fe-dd592cc5d24f" name="FAIL" type="Exception">
<subsheetid>d472856f-1b73-4746-8dd0-b657158fa6ec</subsheetid>
<narrative>
</narrative>
<displayx>30</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Test Fail" detail="&amp;quot;Incorrect Status Code&amp;quot;"/>
</stage>
<stage stageid="63e19455-e982-46dd-918e-5834cb8c62fc" name="Terminate" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
```

```
<displayy>105</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="PID" narrative="The PID of the process you want to kill." expr="[PID]"/>
</inputs>
<onsuccess>33a196c1-4fe7-4637-9e65-7979649fde6d</onsuccess>
<resource object="Web API" action="Terminate"/>
</stage>
<stage stageid="9f180c94-14b0-4abc-9347-51a38abc31da" name="Launch" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<outputs>
<output type="number" name="PID" narrative="The PID of the program." stage="PID"/>
</outputs>
<onsuccess>497dd2f4-39af-4fe3-8041-6bd52bddb0ad</onsuccess>
<resource object="Web API" action="Launch"/>
</stage>
<stage stageid="1ac313c9-a40c-44a1-b3c3-2c2c6f8c76b7" name="PID" type="Data">
<narrative>
</narrative>
```

```
<displayx>-135</displayx>
<displayy>-45</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
</process>
```

</Root>