

<?xml version='1.0' encoding='UTF-8'?>

<Root>

<process name="ViewResourceScreenshotTest" version="1.0" bpversion="7.1.0.52258" narrative="" byref

<view>

<camerax>-6</camerax>

<cameray>50</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="8c8e7cbb-3b24-47df-a702-502a2720b8b7" type="Normal" published="False">

<name>Enable Screenshot</name>

<view>

<camerax>0</camerax>

<cameray>117</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="4bee7fc3-fe0a-49f3-b8e5-c50d242b266e" type="Normal" published="False">

<name>Test</name>

<view>

<camerax>0</camerax>

<cameray>84</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="4718c0c2-8208-467b-a789-ad82c7fec429" type="Normal" published="False">

<name>Run Process</name>

<view>

<camerax>47</camerax>

<cameray>180</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9" type="Normal" published="False">

<name>Get Screen Capture - Positive</name>

<view>

<camerax>44</camerax>

<cameray>-22</cameray>

<zoom version="2">1.5625</zoom>

</view>

</subsheet>

<subsheet subsheetid="702f2b88-63e9-4ff0-adb5-04804d5acad9" type="Normal" published="False">

<name>Get Screen Capture - Negative</name>

<view>

<camerax>0</camerax>

<cameray>45</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a59530c2-6bd1-4276-b0fd-cd66d4895d0c" type="Normal" published="False">

<name>Clean Up</name>

<view>

<camerax>-81</camerax>

<cameray>180</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="5658ff15-31e7-4e7e-b4e2-d02d73dcd225" name="Stage1" type="ProcessInfo">

<display x="-165" y="-315" w="150" h="90"/>

</stage>

<stage stageid="75eb45d1-1305-4edb-b26a-fc05bc0f8dbc" name="Run Process" type="SubSheetInfo">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="-15" w="150" h="90"/>

</stage>

<stage stageid="1acb56e1-d574-4566-9a4e-23c2dc3684f7" name="Start" type="Start">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="15" y="-45"/>

<onsuccess>d92454f7-1486-432d-a0cf-df82a66df29c</onsuccess>

</stage>

<stage stageid="b4114c10-216e-4828-87d6-eb3087da75bc" name="Get Screen Capture - Negative" type="Start">

<subsheetid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetid>

<display x="-135" y="-75" w="150" h="90"/>

</stage>

<stage stageid="6199e9bf-90b6-4ff3-9470-4eb60ba8fc0e" name="Start" type="Start">

<subsheetid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetid>

<display x="15" y="-105"/>

<onsuccess>f75e67fd-ec37-4c65-ab80-40f75afe132e</onsuccess>

</stage>

<stage stageid="1d77f043-3dae-4c1d-ad0a-e9425f074b0d" name="Start" type="Start">

<display x="15" y="-540"/>

```
<onsuccess>b3532cb3-3c89-4da2-af5b-b70ab787c322</onsuccess>

</stage>

<stage stageid="fb908193-8b75-4c26-a592-0b4beae4bcfc" name="Sign In" type="Action">

<display x="15" y="-255" w="90" h="30"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>63f9d69f-a9b1-4193-b7a8-e81a97f94fd8</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="e20a1c6e-51e1-42be-9db9-b753e3919957" name="Process Name" type="Data">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<display x="-120" y="150" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">ScreenshotProcess</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1a0d2055-7d79-4ea7-91d2-3a73c3cbf301" name="Machine Name" type="Data">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<display x="-120" y="90" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">BPWIN7</initialvalue>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="cf3b9de7-f65b-4736-a68f-0503ad4d67bc" name="Resource" type="Data">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<display x="-120" y="120" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="5360af5c-909c-4e68-9303-f02b650a3a31" name="Enable Screenshot" type="SubSheet">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="-195" y="-60" w="150" h="90"/>

</stage>

<stage stageid="e410e913-95fa-4a1c-8aff-c4fec60f80a0" name="Start" type="Start">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="-240"/>

<onsuccess>bf34a78f-b475-4563-a83a-6181a3f9f9e6</onsuccess>

</stage>

<stage stageid="b13b55be-a1a4-4ebf-b3a4-a6d09f8e0bd6" name="Enable Screenshot" type="SubSheet">

<display x="15" y="150" w="90" h="30"/>

<onsuccess>c8ac86bf-1d5d-4fb6-8283-bbd28cf69d4f</onsuccess>

<processid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</processid>

</stage>

<stage stageid="3b7ff2f0-de57-4d1d-9951-e8621492718f" name="End" type="End">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="210"/>

</stage>

<stage stageid="c9e122c5-3778-44cc-baa9-8afa5f07ae6d" name="Check System Setting" type="Action">

<subsheetid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetid>

<display x="15" y="-60" w="90" h="30"/>

<inputs>

<input type="flag" name="Set "Start local Resource"" expr=""/>

<input type="flag" name="Start Local Resource Value" expr=""/>

<input type="flag" name="Set 'Process / Object Auto Backup'" expr=""/>

<input type="flag" name="Process / Object Auto Backup Flag" expr=""/>

<input type="text" name="Process / Object Auto Backup Value" expr=""/>

<input type="flag" name="Set 'Forced Changes Summary'" expr=""/>

<input type="flag" name="Force Changes Summary Flag" expr=""/>

<input type="flag" name="Set 'Allow Pasted Passwords'" expr=""/>

<input type="flag" name="Allow Pasted Passwords Flag" expr=""/>

<input type="flag" name="Set 'Require Secure Inbound Connections'" expr=""/>

<input type="flag" name="Require Secure Inbound Connections Flag" expr=""/>

<input type="flag" name="Set 'Allow Anonymous Resources'" expr=""/>

<input type="flag" name="Allow Anonymous Resources Flag" expr=""/>

<input type="flag" name="Set 'Prevent Registration of New Resources'" expr=""/>

<input type="flag" name="Prevent Registration of New Resources Flag" expr=""/>

<input type="flag" name="Set 'Resource Registration & Addressing'" expr=""/>

<input type="text" name="Resource and Registration & Addressing Value" expr=""/>

<input type="flag" name="Set 'Enable Unicode for Session Logs'" expr=""/>

<input type="flag" name="Enable Unicode for Session Logs Flag" expr=""/>

<input type="flag" name="Set 'Allow latest Runtime Resource screen capture' " expr=""/>

<input type="flag" name="Allow latest Runtime Resource screen capture Flag" expr=""/>

</inputs>

<outputs>

<output type="flag" name="Allow Runtime Resource" stage="Allow Runtime Resource"/>

</outputs>

<onsuccess>7d81a9ee-a614-4af5-935e-2bf4c2141caf</onsuccess>

<resource object="Blue Prism - System - System" action="Set System Settings"/>

</stage>

<stage stageid="7d81a9ee-a614-4af5-935e-2bf4c2141caf" name="Needs to be enabled?" type="Decision"

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="-15" w="90" h="30"/>

<decision expression="[Allow Runtime Resource] = False"/>

<ontrue>07d66cc1-c208-44ae-9944-4f00398a8865</ontrue>

<onfalse>4043b130-f9ac-4287-adcd-ee998b2a7192</onfalse>

</stage>

<stage stageid="462705b3-b94a-446d-a7f0-eebe20a80ed8" name="Set Screen Capture Option" type="Ac

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="165" w="90" h="30"/>

<inputs>

<input type="flag" name="Set "Start local Resource"" expr=""/>

<input type="flag" name="Start Local Resource Value" expr=""/>

<input type="flag" name="Set 'Process / Object Auto Backup'" expr=""/>

<input type="flag" name="Process / Object Auto Backup Flag" expr=""/>

<input type="text" name="Process / Object Auto Backup Value" expr=""/>

<input type="flag" name="Set 'Forced Changes Summary'" expr=""/>

<input type="flag" name="Force Changes Summary Flag" expr=""/>

<input type="flag" name="Set 'Allow Pasted Passwords'" expr=""/>

<input type="flag" name="Allow Pasted Passwords Flag" expr=""/>

<input type="flag" name="Set 'Require Secure Inbound Connections'" expr=""/>

<input type="flag" name="Require Secure Inbound Connections Flag" expr=""/>

<input type="flag" name="Set 'Allow Anonymous Resources'" expr=""/>

<input type="flag" name="Allow Anonymous Resources Flag" expr=""/>

<input type="flag" name="Set 'Prevent Registration of New Resources'" expr=""/>

<input type="flag" name="Prevent Registration of New Resources Flag" expr=""/>

<input type="flag" name="Set 'Resource Registration & Addressing'" expr=""/>

<input type="text" name="Resource and Registration & Addressing Value" expr=""/>

<input type="flag" name="Set 'Enable Unicode for Session Logs'" expr=""/>

<input type="flag" name="Enable Unicode for Session Logs Flag" expr=""/>

<input type="flag" name="Set 'Allow latest Runtime Resource screen capture' " expr="True"/>

<input type="flag" name="Allow latest Runtime Resource screen capture Flag" expr="True"/>

</inputs>

<outputs>

<output type="flag" name="Allow Runtime Resource" stage=""/>

</outputs>

<onsuccess>3b7ff2f0-de57-4d1d-9951-e8621492718f</onsuccess>

<resource object="Blue Prism - System - System" action="Set System Settings"/>

</stage>

<stage stageid="546cbca7-e8d8-4ccf-9904-98efe1b20a83" name="Allow Runtime Resource" type="Data"

<subsheetid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetid>

<display x="120" y="-60" w="90" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8fc966f8-404b-460b-9caa-7bc4705bd867" name="Test Screen Capture" type="Data">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="180" w="150" h="30"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="f289c144-b6bb-40e8-b321-8f4973ef2dda" name="ScreenShot Image" type="Data">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="210" w="150" h="30"/>

<datatype>image</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="3812f0ba-a264-4b89-be52-5f0f94334ea0" name="Screen Cap Opt" type="Data">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="240" w="150" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="b7eb3ed0-3f8e-4604-8e7a-1df8acf381f7" name="Region Blank?" type="Data">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="270" w="150" h="30"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b8f1790d-9d8b-4733-84f4-f8246f92f40a" name="Check resource screen capture" type="A

<subsheetid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetid>

<display x="15" y="45" w="90" h="30"/>

<inputs>

<input type="text" name="Resource Name" expr="[Resource]"/>

<input type="flag" name="Test Screenshot" expr="False"/>

<input type="text" name="Resource Group to Expand" expr=""/>

</inputs>

<outputs>

<output type="flag" name="Screen Cap Opt" stage="Screen Capture Available?"/>

<output type="image" name="ScreenShot Image" stage=""/>

</outputs>

<onsuccess>ae940be4-8b25-48f9-8434-70ba5fe69e7d</onsuccess>

<resource object="Blue Prism - Control - Session Management" action="Control Room - Get Resource Scr

</stage>

<stage stageid="10a7388c-8e6e-4f5b-a55c-1cfac529b958" name="Port Number" type="Data">

<subsheetid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetid>

<display x="-135" y="0" w="150" h="30"/>

<datatype>number</datatype>

<initialvalue>8416</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5142dac5-7ae7-4000-b0d7-5a2e1940b819" name="Machine Name" type="Data">

<subsheetid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetid>

<display x="-135" y="30" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="77483548-fb90-4c43-a39f-94290150dc74" name="Expected Failure" type="Block">

<subsheetsid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetsid>

<display x="-45" y="15" w="120" h="105"/>

</stage>

<stage stageid="43ba0f3e-d2fd-44db-aaae-5a20b2796359" name="Recover1" type="Recover">

<subsheetsid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetsid>

<display x="15" y="90"/>

<onsuccess>a068d368-adb3-43b8-95fd-4a3b2ebe0be0</onsuccess>

</stage>

<stage stageid="a068d368-adb3-43b8-95fd-4a3b2ebe0be0" name="Resume1" type="Resume">

<subsheetsid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetsid>

<display x="15" y="195"/>

<onsuccess>15cacc98-1dd3-493a-8324-26ab7ef20a67</onsuccess>

</stage>

<stage stageid="15cacc98-1dd3-493a-8324-26ab7ef20a67" name="End1" type="End">

<subsheetsid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetsid>

<display x="15" y="240"/>

</stage>

<stage stageid="ae940be4-8b25-48f9-8434-70ba5fe69e7d" name="Screenshot Negative" type="Exception">

<subsheetsid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetsid>

<display x="120" y="45"/>

<exception type="Screenshot" detail=""User Without View Resource Screenshot permission cou

</stage>

```
<stage stageid="b87d5b02-fb87-4b22-902b-99a501702258" name="Position of Pending Session" type="D
<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="300" w="150" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b3532cb3-3c89-4da2-af5b-b70ab787c322" name="Publish Process" type="Action">

<display x="15" y="-480" w="90" h="30"/>

<inputs>

<input type="text" name="Name" narrative="The name of the process to publish" expr="&quot;Screen
</inputs>

<onsuccess>94b8c883-726c-47b1-8976-b0b396c75e15</onsuccess>

<resource object="Blue Prism - Studio - Process / Object" action="Publish Process"/>

</stage>

<stage stageid="788f543d-ca3e-47a2-a06f-824ce3aef043" name="Scheme Name" type="Data">

<display x="-165" y="-180" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">Screenshot Test Scheme</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ac596738-d242-4b5b-bee4-95c4a8c86060" name="CleanUp Block" type="Block">

<display x="-45" y="-510" w="225" h="915"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>
```

<stage stageid="63f9d69f-a9b1-4193-b7a8-e81a97f94fd8" name="Start Resource" type="Action">

<display x="15" y="-210" w="90" h="30"/>

<inputs>

<input type="number" name="Port" narrative="The port number on which the resource PC should listen" ex

<input type="flag" name="SSO" narrative="True to login using Active Directory authentication. If this is Fals

<input type="text" name="Username" narrative="The username to use for the resource PC. Ignored if SSO

<input type="password" name="Password" narrative="The password to use for the resource. Only used if U

</inputs>

<outputs>

<output type="number" name="Process ID" narrative="The PID of the newly created process" stage=""/>

</outputs>

<onsuccess>081db8dd-f152-4144-b515-d751b88d144f</onsuccess>

<resource object="Resource Manager" action="Start Resource"/>

</stage>

<stage stageid="cfc04195-2f4c-47b4-9386-8bb380446c5b" name="Port Number" type="Data">

<display x="-165" y="-225" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue>8416</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a957a42e-c481-46b9-8282-d4e1c8f0e64b" name="Port Number" type="Data">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="-120" y="60" w="150" h="30"/>

<datatype>number</datatype>

<initialvalue>8416</initialvalue>

<private/>

```
<alwaysinit/>

</stage>

<stage stageid="d92454f7-1486-432d-a0cf-df82a66df29c" name="Get Machine Name" type="Calculation">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<display x="15" y="0" w="90" h="30"/>

<onsuccess>a4d0bfd4-18f2-41a0-90ff-43a48d36f6c8</onsuccess>

<calculation expression="GetResourceName()" stage="Machine Name"/>

</stage>

<stage stageid="88451d2c-b1c3-4dba-ac9a-b7bc6aca6b2e" name="Strip _debug" type="Calculation">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<display x="120" y="45" w="90" h="30"/>

<onsuccess>926cd99f-db3f-4c03-b893-32f6b26c3f4a</onsuccess>

<calculation expression="Left([Machine Name], Len([Machine Name]) - Len("&quot;_debug&quot;"))">

</stage>

<stage stageid="ad02d97e-fa5c-4354-9a43-349093be952a" name="Add Port" type="Calculation">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<display x="15" y="90" w="90" h="30"/>

<onsuccess>cd3a4f4f-8eb7-4c13-9df1-ed4548ac88fd</onsuccess>

<calculation expression="[Machine Name] &amp;&amp; "&quot;;&quot; &amp;&amp; [Port Number]&quot;">

</stage>

<stage stageid="a4d0bfd4-18f2-41a0-90ff-43a48d36f6c8" name="_debug?" type="Decision">

<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>

<narrative>[Machine Name]="BPWIN7_debug"</narrative>

<display x="15" y="45" w="90" h="30"/>

<font family="Segoe UI" size="10" style="Regular" color="FF0000"/>

<decision expression="InStr(Upper(Trim([Machine Name])), Upper("&quot;_debug&quot;")) &gt;

<ontrue>88451d2c-b1c3-4dba-ac9a-b7bc6aca6b2e</ontrue>
```

<onfalse>ad02d97e-fa5c-4354-9a43-349093be952a</onfalse>

</stage>

<stage stageid="926cd99f-db3f-4c03-b893-32f6b26c3f4a" name="Anchor1" type="Anchor">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="120" y="90" w="10" h="10"/>

<onsuccess>ad02d97e-fa5c-4354-9a43-349093be952a</onsuccess>

</stage>

<stage stageid="f1bf13cc-9dbf-4b78-9c4f-d627d0e14b27" name="Note1" type="Note">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<narrative>The machine name was hardcoded as "BPWIN7_debug" and as a result, the result of this decision

Changed the expression from:

[Machine Name]="BPWIN7_debug"

to

InStr(Upper(Trim([Machine Name])), Upper("_debug")) > 0

To look for the term _debug within the Machine Name.</narrative>

<display x="150" y="-60" w="150" h="120"/>

<onsuccess>a4d0bfd4-18f2-41a0-90ff-43a48d36f6c8</onsuccess>

</stage>

<stage stageid="c8ac86bf-1d5d-4fb6-8283-bbd28cf69d4f" name="Create Role/User" type="Action">

<display x="15" y="195" w="90" h="30"/>

<inputs>

<input type="collection" name="Role Permissions" narrative="Collection containing nodes and values for collection">

<input type="text" name="Role Name" expr="[Role Name]"/>

<input type="text" name="User Name" expr="[User Name]"/>

<input type="password" name="Password" expr="[Password]"/>

</inputs>

<onsuccess>1b7ac2be-0b71-4684-8c3c-7e7b0164da9a</onsuccess>

<resource object="QA - Templates - Segregated Permissions" action="Create Role/User"/>

</stage>

<stage stageid="c2710300-8587-4da6-8906-45a24540dc8d" name="Clean Up" type="SubSheetInfo">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="8d514892-f576-47e6-a2df-bfccc3cf97ff" name="Start" type="Start">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="-150"/>

<onsuccess>54ab0dab-4959-4292-a02f-8155a3d16c23</onsuccess>

</stage>

<stage stageid="b2c2f1aa-ed2a-4157-aca3-281389c5080f" name="End" type="End">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="420"/>

</stage>

<stage stageid="f219dc5a-1a6c-4d87-82b0-bbfa2f0aed6a" name="Close Blue Prism" type="Action">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="270" w="90" h="30"/>

<onsuccess>6e3163f8-f5ae-47aa-abe4-5d3d98134705</onsuccess>

<resource object="Blue Prism" action="Exit Application"/>

</stage>

<stage stageid="6e3163f8-f5ae-47aa-abe4-5d3d98134705" name="UnPublish Process" type="Action">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="315" w="90" h="30"/>

<inputs>

<input type="text" name="Name" narrative="The name of the process to publish" expr=""Screen

</inputs>

<onsuccess>b20bedd2-5ef1-419f-b3a1-4d8e966b0bd7</onsuccess>

<resource object="Blue Prism - Studio - Process / Object" action="Unpublish Process"/>

</stage>

<stage stageid="b2565e76-a310-4dd2-8106-a7d8d14bd2f6" name="Clean Up" type="Block">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="-30" y="-120" w="195" h="510"/>

</stage>

<stage stageid="b20bedd2-5ef1-419f-b3a1-4d8e966b0bd7" name="Stop Resource" type="Action">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="360" w="90" h="30"/>

<inputs>

<input type="number" name="Port" narrative="The port number whose resource should be stopped" expr=

</inputs>

<onsuccess>b2c2f1aa-ed2a-4157-aca3-281389c5080f</onsuccess>

<resource object="Resource Manager" action="Stop Resource"/>

</stage>

<stage stageid="4043b130-f9ac-4287-adcd-ee998b2a7192" name="Anchor2" type="Anchor">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="105" y="-15" w="10" h="10"/>

<onsuccess>a305cfc7-e220-4dde-8a5f-02b10c24438f</onsuccess>

</stage>

<stage stageid="a305cfc7-e220-4dde-8a5f-02b10c24438f" name="Anchor3" type="Anchor">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="105" y="210" w="10" h="10"/>

<onsuccess>3b7ff2f0-de57-4d1d-9951-e8621492718f</onsuccess>

</stage>

<stage stageid="0e19c30b-150b-4eb6-891b-53c03d5bb319" name="Role Permissions" type="Collection">

<display x="-165" y="-90" w="120" h="30"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Parent Node" type="text" description="Name of the parent node you wish to set a permission on"/>

<field name="Check/Uncheck" type="flag"/>

<field name="Child Node" type="text" description="Name of the node you wish to set a permission on"/>

</collectioninfo>

<initialvalue>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Create Process"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Delete Process"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

```
<field name="Child Node" type="text" value="Edit Process"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Edit Process Groups"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Execute Process"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Export Process"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Import Process"/>

</row>

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Manage Process Access Rights"/>

</row>
```

<row>

<field name="Parent Node" type="text" value="Process Studio"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="View Process Definition"/>

</row>

<row>

<field name="Parent Node" type="text" value="Resources"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Configure Resource"/>

</row>

<row>

<field name="Parent Node" type="text" value="Resources"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Control Resource"/>

</row>

<row>

<field name="Parent Node" type="text" value="Resources"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="View Resource"/>

</row>

<row>

<field name="Parent Node" type="text" value="Resources"/>

<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="Edit Resource Groups"/>

</row>

<row>

<field name="Parent Node" type="text" value="Resources"/>

```
<field name="Check/Uncheck" type="flag" value="True"/>

<field name="Child Node" type="text" value="View Resource Screen Captures"/>

</row>

</initialvalue>

</stage>

<stage stageid="d7e292d7-448c-47f6-a27f-05a8106c8c70" name="User Name" type="Data">

<display x="-165" y="-45" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">UserUS1880</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="1edcdc02-7c46-4e27-869a-16a2382016f2" name="Password" type="Data">

<display x="-165" y="0" w="120" h="30"/>

<datatype>password</datatype>

<initialvalueenc>32,17,25,89,3</initialvalueenc>

<alwaysinit/>

</stage>

<stage stageid="8293b9d6-9f84-4fea-9a2d-e42973b0ea4d" name="Role Name" type="Data">

<display x="-165" y="-135" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">X Custom Role</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="4ba2d2d0-80a6-4198-9b04-c886c6faa0e9" name="Inputs" type="Block">

<display x="-240" y="-255" w="150" h="375"/>

<font family="Segoe UI" size="10" style="Regular" color="339966"/>

</stage>
```

```
<stage stageid="9c717a7d-fca1-4f9f-8da8-e28ca6b45e26" name="Resource Permissions" type="Collection">
  <loginhibit/>
  <display x="-165" y="45" w="120" h="30"/>
  <datatype>collection</datatype>
  <alwaysinit/>
  <collectioninfo>
    <field name="Permission" type="text"/>
    <field name="Checked/Unchecked" type="flag"/>
    <field name="User Role" type="text"/>
  </collectioninfo>
  <initialvalue>
    <row>
      <field name="Permission" type="text" value="View Resource Screen Captures"/>
      <field name="Checked/Unchecked" type="flag" value="False"/>
      <field name="User Role" type="text" value="X Custom Role"/>
    </row>
  </initialvalue>
</stage>

<stage stageid="a6f9e285-00b8-4298-a18d-9b1e23657a1e" name="Sign Out" type="Action">
  <display x="15" y="285" w="90" h="30"/>
  <onsuccess>bf712772-9480-4bc4-b658-d9cfdee6c6ad</onsuccess>
  <resource object="Blue Prism" action="Sign Out"/>
</stage>

<stage stageid="bf712772-9480-4bc4-b658-d9cfdee6c6ad" name="Sign In" type="Action">
  <display x="15" y="330" w="90" h="30"/>
  <inputs>
    <input type="text" name="Username" expr="[User Name]"/>
```

```
<input type="password" name="Password" expr="[Password]"/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>bd391cc0-e770-40f6-9939-5ad33e468185</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="6d12612f-bf51-46bc-b506-669a9bb9a206" name="Get Screen Capture - Positive" type="S

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="-180" y="-195" w="150" h="90"/>

</stage>

<stage stageid="00b360b1-9a25-4fa6-9880-f6ff42ada5e2" name="Start" type="Start">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="15" y="-225"/>

<onsuccess>8f973d7d-79db-4dee-a4bc-577fcbca8fa2</onsuccess>

</stage>

<stage stageid="c514df9b-cd11-4dd0-a8a6-c19e0fce5df5" name="End" type="End">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="15" y="75"/>

</stage>

<stage stageid="f85f0199-6e35-43fb-8244-7669366ad3f3" name="Check Resource Screen Capture" type=

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="15" y="-60" w="90" h="30"/>

<inputs>

<input type="text" name="Resource Name" expr="[Resource]"/>

<input type="flag" name="Test Screenshot" expr="[Test Screen Capture]"/>

<input type="text" name="Resource Group to Expand" expr=""/>

</inputs>
```

<outputs>

<output type="flag" name="Screen Cap Opt" stage="Screen Cap Opt"/>

<output type="image" name="ScreenShot Image" stage="ScreenShot Image"/>

</outputs>

<onsuccess>0ef05684-0153-4fe8-8544-49e47cc97dfe</onsuccess>

<resource object="Blue Prism - Control - Session Management" action="Control Room - Get Resource Scr

</stage>

<stage stageid="654fa04c-3c23-48a6-9d95-064cfa21ce75" name="Screenshot" type="Exception">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="105" y="15"/>

<exception type="Screenshot" detail=""User with view resource screenshot permission was not

</stage>

<stage stageid="0ef05684-0153-4fe8-8544-49e47cc97dfe" name="screenshot available" type="Decision">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="15" y="15" w="90" h="30"/>

<decision expression="[Screen Cap Opt] = True"/>

<ontrue>c514df9b-cd11-4dd0-a8a6-c19e0fce5df5</ontrue>

<onfalse>654fa04c-3c23-48a6-9d95-064cfa21ce75</onfalse>

</stage>

<stage stageid="1b7ac2be-0b71-4684-8c3c-7e7b0164da9a" name="Run Process" type="SubSheet">

<display x="15" y="240" w="90" h="30"/>

<onsuccess>a6f9e285-00b8-4298-a18d-9b1e23657a1e</onsuccess>

<processid>4718c0c2-8208-467b-a789-ad82c7fec429</processid>

</stage>

<stage stageid="e925d230-8b89-4677-b6d6-d1220b540843" name="Test" type="SubSheetInfo">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="63f84580-05f4-4133-b76b-65671c45d9b7" name="Start" type="Start">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="-105" w="90" h="30"/>

<onsuccess>adae7f9d-2e8a-4f2e-b45c-3369350208a0</onsuccess>

</stage>

<stage stageid="1e40c258-315c-434f-af85-cc61c4360371" name="End" type="End">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="255" w="90" h="30"/>

</stage>

<stage stageid="adae7f9d-2e8a-4f2e-b45c-3369350208a0" name="Get Screen Capture - Positive" type="S

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="-60" w="90" h="30"/>

<onsuccess>207d1c1e-f510-4435-960b-cd17a52e1720</onsuccess>

<processid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</processid>

</stage>

<stage stageid="207d1c1e-f510-4435-960b-cd17a52e1720" name="Sign Out" type="Action">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="-15" w="90" h="30"/>

<onsuccess>9fa63a69-2614-4d3f-bb17-8aae194d7daa</onsuccess>

<resource object="Blue Prism" action="Sign Out"/>

</stage>

<stage stageid="9fa63a69-2614-4d3f-bb17-8aae194d7daa" name="Sign In" type="Action">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="30" w="90" h="30"/>

<inputs>

<input type="text" name="Username" expr=""/>

```
<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>b31dcf0b-21ca-4ebf-ab90-0c963f82631f</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="b31dcf0b-21ca-4ebf-ab90-0c963f82631f" name="Set Group Permissions" type="Action">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="75" w="90" h="30"/>

<inputs>

<input type="collection" name="Resource Permissions" expr="[Resource Permissions]"/>

<input type="text" name="Target Group" expr="&quot;Default&quot;"/>

</inputs>

<onsuccess>1f650675-6598-4d13-9968-b9102fdd8af1</onsuccess>

<resource object="QA - Templates - Segregated Permissions" action="Set Resource Group Permissions"/>

</stage>

<stage stageid="1f650675-6598-4d13-9968-b9102fdd8af1" name="Sign Out" type="Action">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="120" w="90" h="30"/>

<onsuccess>7d9c3309-86e2-4208-9c4e-20269fedace8</onsuccess>

<resource object="Blue Prism" action="Sign Out"/>

</stage>

<stage stageid="7d9c3309-86e2-4208-9c4e-20269fedace8" name="Sign In" type="Action">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="15" y="165" w="90" h="30"/>

<inputs>

<input type="text" name="Username" expr="[User Name]"/>
```

```
<input type="password" name="Password" expr="[Password]"/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>acfc3239-05d4-468a-b124-a2e6ba493bac</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="acfc3239-05d4-468a-b124-a2e6ba493bac" name="Get Screen Capture - Negative" type=

<subsheetid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetid>

<display x="15" y="210" w="90" h="30"/>

<onsuccess>1e40c258-315c-434f-af85-cc61c4360371</onsuccess>

<processid>702f2b88-63e9-4ff0-adb5-04804d5acad9</processid>

</stage>

<stage stageid="bd391cc0-e770-40f6-9939-5ad33e468185" name="Test" type="SubSheet">

<display x="15" y="375" w="90" h="30"/>

<onsuccess>1ee1af7f-67e6-4431-a5d9-7623e52a9c5d</onsuccess>

<processid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</processid>

</stage>

<stage stageid="1ee1af7f-67e6-4431-a5d9-7623e52a9c5d" name="Clean Up" type="SubSheet">

<display x="15" y="435" w="90" h="30"/>

<onsuccess>7d7b9a0d-7254-46a3-95f8-a953bc6c7ffb</onsuccess>

<processid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</processid>

</stage>

<stage stageid="a417a3c2-f388-4987-be6f-dfa3c7719609" name="End2" type="End">

<display x="15" y="525" w="90" h="30"/>

</stage>

<stage stageid="54ab0dab-4959-4292-a02f-8155a3d16c23" name="Sign Out" type="Action">

<subsheetid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetid>
```

<display x="30" y="-90" w="90" h="30"/>

<onsuccess>0fdeb167-22b4-4b4b-bf1e-ce74d375b76b</onsuccess>

<resource object="Blue Prism" action="Sign Out"/>

</stage>

<stage stageid="0fdeb167-22b4-4b4b-bf1e-ce74d375b76b" name="Sign In" type="Action">

<subsheetid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetid>

<display x="30" y="-45" w="90" h="30"/>

<inputs>

<input type="text" name="Username" expr=""/>

<input type="password" name="Password" expr=""/>

<input type="password" name="New Password" narrative="If this is your first login it will prompt you to cha

</inputs>

<onsuccess>1d72ac87-98a5-43b4-954c-105b00c139b0</onsuccess>

<resource object="Blue Prism" action="Sign In"/>

</stage>

<stage stageid="93cc7dbe-aacc-4586-a7b5-6217cac0454f" name="DeleteUser" type="Action">

<subsheetid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetid>

<display x="30" y="90" w="90" h="30"/>

<inputs>

<input type="text" name="Username" narrative="The name of the user you wish to delete." expr="[User Na

</inputs>

<onsuccess>d66e3dd0-f68f-49bf-844a-ccadd80dfe4e</onsuccess>

<resource object="Blue Prism - System - Security" action="Delete Username"/>

</stage>

<stage stageid="e1b40db9-443d-4280-858b-973c749a811a" name="Delete Role" type="Action">

<subsheetid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetid>

<display x="30" y="180" w="90" h="30"/>

<inputs>

<input type="text" name="Role Name" narrative="Name of the Role to be deleted." expr="[Role Name]"/>

</inputs>

<onsuccess>06db2733-c02c-4b75-b38b-f42f3b3b9668</onsuccess>

<resource object="Blue Prism - System - Security" action="User Roles - Delete Role"/>

</stage>

<stage stageid="68fb47c2-b5fe-4a66-a233-5a5a90f2e729" name="Go To Users" type="Action">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="45" w="90" h="30"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr=""Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr=""Us

</inputs>

<onsuccess>93cc7dbe-aacc-4586-a7b5-6217cac0454f</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="d66e3dd0-f68f-49bf-844a-ccadd80dfe4e" name="Go To User Roles" type="Action">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="135" w="90" h="30"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr=""Sec

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr=""Us

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

</inputs>

<onsuccess>e1b40db9-443d-4280-858b-973c749a811a</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="06db2733-c02c-4b75-b38b-f42f3b3b9668" name="Press Apply" type="Action">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="30" y="225" w="90" h="30"/>

<onsuccess>f219dc5a-1a6c-4d87-82b0-bbfa2f0aed6a</onsuccess>

<resource object="Blue Prism - System - Security" action="User Roles - Press Apply Button"/>

</stage>

<stage stageid="65c562d6-59d1-49b1-9fd0-1d7fc87f8394" name="Recover Clean Up" type="Recover">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="120" y="105"/>

<onsuccess>adf95127-fbbd-49f0-beea-27dfce1945a9</onsuccess>

</stage>

<stage stageid="adf95127-fbbd-49f0-beea-27dfce1945a9" name="Resume1" type="Resume">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="120" y="150"/>

<onsuccess>14913801-6a30-4caa-92a9-2c6025f25d88</onsuccess>

</stage>

<stage stageid="14913801-6a30-4caa-92a9-2c6025f25d88" name="End2" type="End">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="210" y="150"/>

</stage>

<stage stageid="83eb860a-5ce8-4010-a6fc-9c0e39e9720d" name="Port Number" type="Data">

<subsheetsid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetsid>

<display x="-180" y="-30" w="150" h="30"/>

<datatype>number</datatype>

<initialvalue>8416</initialvalue>

<private/>

```
<alwaysinit/>

</stage>

<stage stageid="53a9a680-a4eb-42d4-8a32-2824fa178b9e" name="End3" type="End">

<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

<display x="15" y="315"/>

</stage>

<stage stageid="1d72ac87-98a5-43b4-954c-105b00c139b0" name="Go To System" type="Action">

<subsheetid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</subsheetid>

<display x="30" y="0" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&quot;" type="text" value="System" />

</inputs>

<onsuccess>68fb47c2-b5fe-4a66-a233-5a5a90f2e729</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="5f5cc6eb-f5ac-4207-acf9-43e34386cb80" name="Block1" type="Block">

<subsheetid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetid>

<display x="-60" y="-75" w="195" h="300"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="1e36a142-d2e9-4f10-8276-de40ced82e47" name="Screen Capture Available?" type="DataStore">

<subsheetid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsheetid>

<display x="-135" y="75"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="260ba7ff-3808-44cd-b8c0-c5d9ef8cf7ca" name="Recover2" type="Recover">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="105" y="30"/>

<onsuccess>c0ea6679-9eaa-42a6-8714-3b35f87b2ceb</onsuccess>

</stage>

<stage stageid="f02566c3-8c30-44ff-b242-916169e2ac2c" name="Exception" type="Data">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="-195" y="-15"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c0ea6679-9eaa-42a6-8714-3b35f87b2ceb" name="Catch Exception" type="Calculation">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="105" y="75"/>

<onsuccess>ccc00c12-91c4-4bdd-8ef3-171722df76bd</onsuccess>

<calculation expression="ExceptionDetail()" stage="Exception"/>

</stage>

<stage stageid="ccc00c12-91c4-4bdd-8ef3-171722df76bd" name="Resume2" type="Resume">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="105" y="120"/>

<onsuccess>509d5d06-13f9-44c9-b45e-5fe8bbfd2eba</onsuccess>

</stage>

<stage stageid="509d5d06-13f9-44c9-b45e-5fe8bbfd2eba" name="Clean Up" type="SubSheet">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>


```
<display x="180" y="120"/>

<onsuccess>4fae8f36-17bc-4e23-aa6d-b73170d6ed66</onsuccess>

<processid>a59530c2-6bd1-4276-b0fd-cd66d4895d0c</processid>

</stage>

<stage stageid="4fae8f36-17bc-4e23-aa6d-b73170d6ed66" name="Rethrown Exception" type="Exception">

<subsheetsid>4bee7fc3-fe0a-49f3-b8e5-c50d242b266e</subsheetsid>

<display x="180" y="180"/>

<exception type="" detail="[Exception]"/>

</stage>

<stage stageid="fe3dc792-60e9-450a-ae69-4a38fc609852" name="Catch" type="Block">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="-45" y="-90" w="195" h="60"/>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="3d68b12c-a019-4149-adbd-87c254b0ceca" name="Recover3" type="Recover">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="105" y="-60"/>

<onsuccess>f0758e90-036e-4f23-8bbb-5fa338d8ae39</onsuccess>

</stage>

<stage stageid="f0758e90-036e-4f23-8bbb-5fa338d8ae39" name="Store Exception" type="Calculation">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="210" y="-60" w="90" h="30"/>

<onsuccess>d5fa891d-a364-4251-99bf-02a8a394fab3</onsuccess>

<calculation expression="ExceptionDetail()" stage="Exception Detail"/>

</stage>

<stage stageid="f7a63fa9-ea6e-41d2-9b36-d1c6ccfb9cc1" name="Exception Detail" type="Data">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>
```

<display x="-180" y="-105" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2220e1d1-7d76-40a1-b10c-5308198bce56" name="Local Variables" type="Block">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="-255" y="-135" w="150" h="120"/>

</stage>

<stage stageid="d5fa891d-a364-4251-99bf-02a8a394fab3" name="Resume3" type="Resume">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="315" y="-60"/>

<onsuccess>fed8e9e2-c18b-4c25-9cb2-5286452891ce</onsuccess>

</stage>

<stage stageid="fed8e9e2-c18b-4c25-9cb2-5286452891ce" name="Get Resources" type="Action">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="420" y="-60" w="90" h="30"/>

<outputs>

<output type="collection" name="Availabe Resources" stage="Availabe Resources"/>

</outputs>

<onsuccess>36613419-f95e-46e1-a2da-b0e87c462102</onsuccess>

<resource object="Blue Prism - Control - Session Management" action="Get Names of Visible resources"/>

</stage>

<stage stageid="811f598d-6b51-415b-ad56-68e32c9c057e" name="Availabe Resources" type="Collection">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="-180" y="-75" w="120" h="30"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Name" type="text"/>

<field name="State" type="text"/>

<field name="Session Info" type="text"/>

<field name="Members" type="text"/>

<field name="Connection" type="text"/>

<field name="Latest Connection Message" type="text"/>

</collectioninfo>

</stage>

<stage stageid="36613419-f95e-46e1-a2da-b0e87c462102" name="Resources" type="LoopStart">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="420" y="0" w="90" h="30"/>

<onsuccess>e3caea13-37d7-4b68-90cc-1d1d03cfa735</onsuccess>

<groupid>70d08563-c3e4-4500-b498-4eb5c726f496</groupid>

<looptype>ForEach</looptype>

<loopdata>Availabe Resources</loopdata>

</stage>

<stage stageid="ab5e6bf7-88af-4d89-aebd-fb8cec48ed37" name="Resources" type="LoopEnd">

<subsheetsid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetsid>

<display x="420" y="120" w="90" h="30"/>

<onsuccess>5ae40080-02f2-4c94-ae90-32cd6b46495d</onsuccess>

<groupid>70d08563-c3e4-4500-b498-4eb5c726f496</groupid>

</stage>

```
<stage stageid="e3caea13-37d7-4b68-90cc-1d1d03cfa735" name="Concat Resources" type="Calculation">
<subsheetid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetid>
<display x="420" y="60" w="90" h="30"/>
<onsuccess>ab5e6bf7-88af-4d89-aebd-fb8cec48ed37</onsuccess>
<calculation expression="[Total Resources] &amp;&amp;&amp;#xA;&amp;quot;Name: &amp;quot; &amp;an
</stage>

<stage stageid="41c5a2e4-63a6-4116-be09-201bf5d0e251" name="Total Resources" type="Data">
<subsheetid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetid>
<display x="-180" y="-45" w="120" h="30"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>

<stage stageid="5ae40080-02f2-4c94-ae90-32cd6b46495d" name="Bubble Up" type="Exception">
<subsheetid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetid>
<display x="420" y="180" w="90" h="30"/>
<exception type="System Exception" detail="&amp;quot;Encountered Exception: &amp;quot; &amp;&amp; [
</stage>

<stage stageid="6cd3e971-7f6a-40df-93fe-309fadbf60f6" name="Create Session" type="Action">
<subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>
<display x="15" y="180" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Process Name" narrative="The name of the process of interest - if it is not found
<input type="text" name="Resource Name" narrative="The name of the Resource PC on which to create th
<input type="text" name="Group to Expand" narrative="Default value is 'Default'." expr=""/>
```

```
<input type="flag" name="Negative Test" narrative="Check for negative testing " expr=""/>
<input type="text" name="Resource Group to Expand" narrative="Default value is 'Default'" expr=""/>
</inputs>
<outputs>
<output type="number" name="Position of Pending Session" narrative="The 1-based index of the newly created session" expr=""/>
<output type="text" name="Error Message (expected)" narrative="Error message returned (negative testing)" expr=""/>
</outputs>
<onsuccess>18f3d347-25dc-46d0-9063-31a64fb6733c</onsuccess>
<resource object="Blue Prism - Control - Session Management" action="Create Session"/>
</stage>
<stage stageid="cd3a4f4f-8eb7-4c13-9df1-ed4548ac88fd" name="Open Control Tab" type="Action">
<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>
<display x="15" y="135" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;Control&quot;" expr=""/>
</inputs>
<onsuccess>6cd3e971-7f6a-40df-93fe-309fadbf60f6</onsuccess>
<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>
</stage>
<stage stageid="18f3d347-25dc-46d0-9063-31a64fb6733c" name="Select Session" type="Action">
<subsheetsid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetsid>
<display x="15" y="225" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="number" name="Session Position" narrative="The 1-based index of the session of interest, in the list of sessions returned by the previous stage" expr=""/>
<input type="text" name="Process Name" narrative="The expected process name of the session of interest" expr=""/>
```

```
<input type="text" name="Resource Name" narrative="The expected resource name of the pending session" />
<input type="text" name="Session Status" narrative="The expected status of the session. This will be double checked" />
</inputs>

<onsuccess>d2e0287c-6dc7-4e6b-9428-50c3a834249b</onsuccess>

<resource object="Blue Prism - Control - Session Management" action="Select Session"/>

</stage>

<stage stageid="d2e0287c-6dc7-4e6b-9428-50c3a834249b" name="Start Session" type="Action">
  <subsheetid>4718c0c2-8208-467b-a789-ad82c7fec429</subsheetid>

  <display x="15" y="270" w="90" h="30"/>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <inputs>

    <input type="flag" name="Set Parameter Flag?" expr="" />

    <input type="flag" name="Parameter Flag Value" expr="" />

    <input type="number" name="Flag's Match Index" expr="" />

    <input type="flag" name="Use ClickLink" expr="" />

  </inputs>

  <onsuccess>53a9a680-a4eb-42d4-8a32-2824fa178b9e</onsuccess>

  <resource object="Blue Prism - Control - Session Management" action="Start Session"/>

</stage>

<stage stageid="6436dc4f-26d5-4a98-b587-63545dcdab3a" name="Open Control Tab" type="Action">
  <subsheetid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsheetid>

  <display x="15" y="-120" w="90" h="30"/>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <inputs>

    <input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;Control&quot;" />

  </inputs>

  <onsuccess>f85f0199-6e35-43fb-8244-7669366ad3f3</onsuccess>
```

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="8f973d7d-79db-4dee-a4bc-577fcbca8fa2" name="Go Home Tab" type="Action">

<subsHEETid>3438e31e-6cd8-49c8-bf3c-28d4a53fa0b9</subsHEETid>

<display x="15" y="-165" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr=""Home""

</inputs>

<onsuccess>6436dc4f-26d5-4a98-b587-63545dcdab3a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="700aa85c-945d-4a29-9be8-0e1f3e4766e5" name="Open Control Tab" type="Action">

<subsHEETid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsHEETid>

<display x="15" y="-15" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr=""Control""

</inputs>

<onsuccess>b8f1790d-9d8b-4733-84f4-f8246f92f40a</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="f75e67fd-ec37-4c65-ab80-40f75afe132e" name="Go Home Tab" type="Action">

<subsHEETid>702f2b88-63e9-4ff0-adb5-04804d5acad9</subsHEETid>

<display x="15" y="-60" w="90" h="30"/>

<inputs>

```
<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;Home&quot;
</inputs>

<onsuccess>700aa85c-945d-4a29-9be8-0e1f3e4766e5</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="6068974a-740b-4b2b-bd1a-63c358767b8a" name="Create Encrypt Scheme" type="Action
<display x="15" y="-75" w="90" h="30"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name in which you want to call your encryption s
<input type="flag" name="Available?" narrative="This will tick a box that allows the encryption scheme to b
<input type="flag" name="Database?" narrative="Mark as true if you want to store the scheme on the datab
<input type="text" name="Method" narrative="The encryption method used with the scheme." expr="&quot;
</inputs>

<onsuccess>0d51910d-2aba-427a-bb0b-0c782814f9f1</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Create Encryption Scher
</stage>

<stage stageid="5977bb21-1189-475b-8fbb-96e551f73bad" name="Click Encryption Schemes" type="Action
<display x="15" y="-120" w="90" h="30"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sec
<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Enc
<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system
<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to
<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be
</inputs>

<onsuccess>6068974a-740b-4b2b-bd1a-63c358767b8a</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>
```



```
</stage>

<stage stageid="081db8dd-f152-4144-b515-d751b88d144f" name="Go to System" type="Action">

<display x="15" y="-165" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&quot;"/>

</inputs>

<onsuccess>5977bb21-1189-475b-8fbb-96e551f73bad</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="9b56862b-1979-488b-b841-63fbc8696f30" name="Select Encrypt Scheme" type="Action">

<display x="15" y="105" w="90" h="30"/>

<inputs>

<input type="text" name="Scheme Name" narrative="The name of the scheme you wish to select." expr="["</input>

</inputs>

<onsuccess>b13b55be-a1a4-4ebf-b3a4-a6d09f8e0bd6</onsuccess>

<resource object="Blue Prism - System - Security" action="Encryption Schemes - Select Encryption Scheme"/>

</stage>

<stage stageid="35419e5a-816c-496e-b7c3-ed0f42e12eb0" name="Click Encryption Schemes" type="Action">

<display x="15" y="60" w="90" h="30"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Security Schemes&quot;"/>

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Encrypt&quot;"/>

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system tree." expr="true"/>

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to 5 times." expr="true"/>

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the beginning of the process." expr="false"/>

</inputs>

<onsuccess>9b56862b-1979-488b-b841-63fbc8696f30</onsuccess>
```

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="4f64b608-c3f3-4c8a-9543-1400094568b2" name="Go to System" type="Action">

<display x="15" y="15" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr=""System""/>

</inputs>

<onsuccess>35419e5a-816c-496e-b7c3-ed0f42e12eb0</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="0d51910d-2aba-427a-bb0b-0c782814f9f1" name="Go to Home" type="Action">

<display x="15" y="-30" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr=""Home""/>

</inputs>

<onsuccess>4f64b608-c3f3-4c8a-9543-1400094568b2</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="94b8c883-726c-47b1-8976-b0b396c75e15" name="Launch Blue Prism" type="Action">

<display x="15" y="-435" w="90" h="30"/>

<outputs>

<output type="number" name="pid" narrative="PID of the process" stage="pid"/>

</outputs>

<onsuccess>8eaffbfb-366f-4b00-997d-29c57ae2197a</onsuccess>

<resource object="Blue Prism" action="Launch and Get PID"/>

</stage>

<stage stageid="8eaffbfb-366f-4b00-997d-29c57ae2197a" name="Attach Control" type="Action">

<display x="15" y="-390" w="90" h="30"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>a8d91481-9f1e-49a1-9f3f-c873e807b693</onsuccess>

<resource object="Blue Prism - Control Room (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="a8d91481-9f1e-49a1-9f3f-c873e807b693" name="Attach Studio" type="Action">

<display x="15" y="-345" w="90" h="30"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>eed132f2-4fc2-4488-b22d-4dd66a54cb14</onsuccess>

<resource object="Blue Prism - Studio (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="eed132f2-4fc2-4488-b22d-4dd66a54cb14" name="Attach System" type="Action">

<display x="15" y="-300" w="90" h="30"/>

<inputs>

<input type="number" name="pid" narrative="PID to attach to" expr="[pid]"/>

</inputs>

<onsuccess>fb908193-8b75-4c26-a592-0b4beae4bcfc</onsuccess>

<resource object="Blue Prism - System (Parent)" action="Attach to Pid"/>

</stage>

<stage stageid="51b09a60-b3ab-4d7c-9904-dc87901ac93b" name="pid" type="Data">

<display x="-165" y="90" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bf34a78f-b475-4563-a83a-6181a3f9f9e6" name="Go Home Tab" type="Action">

<subsheetid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetid>

<display x="15" y="-195" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr=""Home"" type="text" value="Home" />

</inputs>

<onsuccess>86094c7e-b0d8-4eee-9129-634acd864d97</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="86094c7e-b0d8-4eee-9129-634acd864d97" name="Go System Tab" type="Action">

<subsheetid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetid>

<display x="15" y="-150" w="90" h="30"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr=""System"" type="text" value="System" />

</inputs>

<onsuccess>a0a374a7-370b-43d5-86dc-0690aa809873</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="a0a374a7-370b-43d5-86dc-0690aa809873" name="Go To Settings" type="Action">

<subsheetid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetid>

<display x="15" y="-105" w="90" h="30"/>


```
<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sys

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Set

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>c9e122c5-3778-44cc-baa9-8afa5f07ae6d</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="07d66cc1-c208-44ae-9944-4f00398a8865" name="Go Home Tab" type="Action">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="30" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;Home&quot;

</inputs>

<onsuccess>48d6f8ee-b2a0-4cd9-ae98-2d4bab2f8fa0</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="48d6f8ee-b2a0-4cd9-ae98-2d4bab2f8fa0" name="Go System Tab" type="Action">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="75" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tab Name" narrative="Name of Tab to Click" expr="&quot;System&quot;

</inputs>
```

```
<onsuccess>2a50a0d0-eadd-4ab4-830e-f40dc419dad4</onsuccess>

<resource object="Blue Prism - Basic Actions" action="Go to Tab"/>

</stage>

<stage stageid="2a50a0d0-eadd-4ab4-830e-f40dc419dad4" name="Go To Settings" type="Action">

<subsheetsid>8c8e7cbb-3b24-47df-a702-502a2720b8b7</subsheetsid>

<display x="15" y="120" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Tree Name" narrative="Name of the tree to be extended." expr="&quot;Sys

<input type="text" name="Item Name" narrative="Name of the item to be clicked on." expr="&quot;Set

<input type="flag" name="Select Item Method?" narrative="True by Default. Selects the node from system

<input type="flag" name="Retry MouseClick?" narrative="Default to True. Retries Global Mouse Click up to

<input type="flag" name="Clean Up?" narrative="False by Default. Set True if clean up is required at the be

</inputs>

<onsuccess>462705b3-b94a-446d-a7f0-eebe20a80ed8</onsuccess>

<resource object="Blue Prism - System - Basic Actions" action="Click Item From System Tree"/>

</stage>

<stage stageid="795b6731-d4ee-4745-a344-a204933eb2f1" name="Recover" type="Recover">

<display x="120" y="285" w="90" h="30"/>

<onsuccess>3f1aa0cb-fd4d-409e-a9ce-b93c223fd8cd</onsuccess>

</stage>

<stage stageid="148011de-42b0-46a9-927e-670af77ee876" name="Resume" type="Resume">

<display x="120" y="375" w="90" h="30"/>

<onsuccess>df2be72e-fbb5-4bec-beb2-75c5e4db68bc</onsuccess>

</stage>

<stage stageid="3f1aa0cb-fd4d-409e-a9ce-b93c223fd8cd" name="Get Exception" type="MultipleCalculatio

<display x="120" y="330" w="90" h="30"/>
```

<onsuccess>148011de-42b0-46a9-927e-670af77ee876</onsuccess>

<steps>

<calculation expression="True" stage="Failed?" />

<calculation expression="ExceptionDetail()" stage="Exception" />

</steps>

</stage>

<stage stageid="7d7b9a0d-7254-46a3-95f8-a953bc6c7ffb" name="Failed?" type="Decision">

<display x="15" y="480" w="90" h="30"/>

<decision expression="[Failed?]" />

<ontrue>2a0a4b9e-9e86-4165-bca6-43f568ddcb51</ontrue>

<onfalse>a417a3c2-f388-4987-be6f-dfa3c7719609</onfalse>

</stage>

<stage stageid="2a0a4b9e-9e86-4165-bca6-43f568ddcb51" name="RETHROW" type="Exception">

<display x="135" y="480"/>

<exception type="RETHROW" detail="[Exception]" />

</stage>

<stage stageid="880d9c9d-1428-4d04-86ad-e38ad872595a" name="Failed?" type="Data">

<display x="-165" y="165" w="120" h="30"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="376285e3-1981-4a8c-8577-9cad7ef9f8f" name="Exception" type="Data">

<display x="-165" y="195" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="543d05a7-4b4a-4f3c-80c3-3850dbd30055" name="Local Variables" type="Block">

<loginhibit onsucceed="true"/>

<display x="-240" y="135" w="150" h="90"/>

</stage>

<stage stageid="df2be72e-fbb5-4bec-beb2-75c5e4db68bc" name="Anchor4" type="Anchor">

<loginhibit onsucceed="true"/>

<display x="120" y="435" w="10" h="10"/>

<onsucceed>1ee1af7f-67e6-4431-a5d9-7623e52a9c5d</onsucceed>

</stage>

</process>

<process name="Web Service Caller 42" version="1.0" narrative="Test process for wsioautomate42" preference="0" type="Process">

<view>

<camerax>71</camerax>

<cameray>120</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="091c0591-d38f-492e-9bb3-0491934f5c1f" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b1674e81-6231-410e-992b-7c5115cefa68</onsuccess>

</stage>

<stage stageid="94234d44-ef35-4630-96de-bdbf8a51c8c4" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="b1674e81-6231-410e-992b-7c5115cefa68" name="Create Instance" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="bplInstance" stage="bplInstance"/>

</outputs>

<onsuccess>595ab265-6d25-4bbe-9c72-397fce815fd3</onsuccess>

<resource object="WebServiceInputsOutputs42Service" action="Initialise"/>

</stage>

<stage stageid="08ceb9ef-2164-405d-b254-29a9661fdf48" name="bpInstance" type="Data">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="595ab265-6d25-4bbe-9c72-397fce815fd3" name="Inputs and Outputs" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="bpInstance" expr="[bpInstance]"/>

<input type="text" name="TestText" expr=""foo""/>

<input type="text" name="TestPassword" expr=""bar""/>

<input type="number" name="TestNumber" expr="8"/>

<input type="flag" name="TestFlag" expr="True"/>

<input type="date" name="TestDate" expr="MakeDate(1,2,2009)"/>

<input type="datetime" name="TestDateTime" expr="MakeDateTime(1, 2, 2009, 3, 4, 5, True)"/>

<input type="time" name="TestTime" expr="MakeTime(1,2,3)"/>

<input type="timespan" name="TestTimespan" expr="MakeTimeSpan(1,2,3,4,5)"/>

<input type="binary" name="TestBinary" expr="[TestBinary]"/>

</inputs>

<outputs>

<output type="text" name="TestText" stage="TestText"/>

<output type="text" name="TestPassword" stage="TestPassword"/>

<output type="number" name="TestNumber" stage="TestNumber"/>

<output type="flag" name="TestFlag" stage="TestFlag"/>

<output type="date" name="TestDate" stage="TestDate"/>

<output type="datetime" name="TestDateTime" stage="TestDateTime"/>

<output type="time" name="TestTime" stage="TestTime"/>

<output type="timespan" name="TestTimespan" stage="TestTimespan"/>

<output type="binary" name="TestBinary" stage=""/>

</outputs>

<onsuccess>9ebb4cb8-8958-4814-ae72-9320c154edf9</onsuccess>

<resource object="WebServiceInputsOutputs42Service" action="InputsandOutputs"/>

</stage>

<stage stageid="54a4dbb9-0023-4951-ae5c-6ec9415c29ef" name="TestText" type="Data">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="38c18e32-9fbd-4249-831b-2906225f5112" name="TestPassword" type="Data">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="aeec30b2-a374-43a7-8a2a-f75430e2c6be" name="TestNumber" type="Data">

<narrative>

</narrative>

<displayx>615</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1176a28c-0688-4a9f-8f8f-6eefbf15a116" name="TestFlag" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8eaa0d59-01f6-48e3-8211-5db5ca2c0edd" name="TestDate" type="Data">

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>date</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9ae4a8bf-2b43-48d6-9246-a8357b8bc94d" name="TestDateTime" type="Data">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>datetime</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="197f45c9-e5f4-435f-989b-6b572a2a32b4" name="TestTime" type="Data">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>time</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fa6f0cc5-58d0-47aa-92af-4b1cfce666fc" name="TestTimespan" type="Data">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>timespan</datatype>

<initialvalue>0.00:00:00</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="69992b41-a97b-4035-ab84-e64b2bbeb062" name="TestBinary" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>binary</datatype>

<initialvalue>77u/PHByb2Nlc3MgYmFtZT0iQlBBIFByb2Nlc3MgLSBXZWlU2VydmljZSBkYXNlZXIiIHZlcn

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="9ebb4cb8-8958-4814-ae72-9320c154edf9" name="Collection Out" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="bplInstance" expr="[bplInstance]"/>

</inputs>

<outputs>

<output type="collection" name="BeeGees" stage="BeeGees"/>

</outputs>

<onsuccess>615f7c89-060c-472e-ab65-5c6aa1e600fb</onsuccess>

<resource object="WebServiceInputsOutputs42Service" action="CollectionOut"/>

</stage>

<stage stageid="18d7e38f-c131-4f57-a531-2d867fba7a25" name="BeeGees" type="Collection">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>
```



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
  <field name="Name" type="text"/>
  <field name="Born" type="date"/>
  <field name="Squeakiness" type="number"/>
</collectioninfo>
</stage>
<stage stageid="615f7c89-060c-472e-ab65-5c6aa1e600fb" name="Loop Start1" type="LoopStart">
  <narrative>
  </narrative>
  <displayx>135</displayx>
  <displayy>-15</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>9ed6f098-731c-42ef-9aef-3464b9464196</onsuccess>
  <groupid>da9da385-f33e-42b6-ac22-039cdf39e17f</groupid>
  <looptype>ForEach</looptype>
  <loopdata>BeeGees</loopdata>
</stage>
<stage stageid="154b2064-732e-41e4-b5e7-87bd45d3ec00" name="Loop End1" type="LoopEnd">
  <narrative>
  </narrative>
  <displayx>135</displayx>
```

```
<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>03a27363-2bb4-4c8d-9f97-d311d9121efd</onsuccess>

<groupid>da9da385-f33e-42b6-ac22-039cdf39e17f</groupid>

</stage>

<stage stageid="de574e69-a636-4c42-a2b5-d9ab1684db32" name="Total Squeaks" type="Data">

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>45</displayy>

<displaywidth>210</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9ed6f098-731c-42ef-9aef-3464b9464196" name="Calc1" type="Calculation">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>154b2064-732e-41e4-b5e7-87bd45d3ec00</onsuccess>

<calculation expression="[Total Squeaks] + [BeeGees.Squeakiness]" stage="Total Squeaks"/>

</stage>

<stage stageid="03a27363-2bb4-4c8d-9f97-d311d9121efd" name="Squeak Test" type="Decision">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Total Squeaks] = 30"/>

<ontrue>b629da06-33a3-450e-bc46-1dc59f2f227c</ontrue>

<onfalse>702ab287-7ee5-4a61-9863-ed79ff1b9a71</onfalse>

</stage>

<stage stageid="702ab287-7ee5-4a61-9863-ed79ff1b9a71" name="Eeek" type="Exception">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;Invalid squeak level&quot;"/>

</stage>

<stage stageid="99107727-489d-45ba-8fda-6e3761151812" name="Clean Up" type="Action">
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="bpInstance" expr="[bpInstance]"/>

</inputs>

<onsuccess>d1546ba2-5332-4ce3-bc41-0573d0f7695e</onsuccess>

<resource object="WebServiceInputsOutputs42Service" action="CleanUp"/>

</stage>

<stage stageid="b629da06-33a3-450e-bc46-1dc59f2f227c" name="Collection In/Out" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="bpInstance" expr="[bpInstance]"/>

<input type="collection" name="BeegeesIn" expr="[BeeGees]"/>

</inputs>

<outputs>

<output type="collection" name="BeeGeesOut" stage="BeeGees Out"/>

</outputs>

<onsuccess>750f1808-7b7e-4726-96a3-2b2d7e608c60</onsuccess>

<resource object="WebServiceInputsOutputs42Service" action="CollectionInOut"/>

</stage>

<stage stageid="750f1808-7b7e-4726-96a3-2b2d7e608c60" name="Loop Start1" type="LoopStart">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cf0b8717-3ba2-4b87-9ce9-b7f8709b7f5d</onsuccess>

<groupid>3cf3a044-f2cc-42b8-9411-9067f1e6af5a</groupid>

<looptype>ForEach</looptype>

<loopdata>BeeGees Out</loopdata>

</stage>

<stage stageid="ed0a497a-c0bc-400c-9028-8fc3f319fe1a" name="Loop End1" type="LoopEnd">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>140aa2dc-e993-41f5-82e8-ddf977bb278b</onsuccess>

<groupid>3cf3a044-f2cc-42b8-9411-9067f1e6af5a</groupid>

```
</stage>

<stage stageid="75e1c938-b45b-4c9f-a9ea-90529f7839b1" name="Total Squeaks" type="Data">

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>270</displayy>

<displaywidth>210</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cf0b8717-3ba2-4b87-9ce9-b7f8709b7f5d" name="Calc1" type="Calculation">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ed0a497a-c0bc-400c-9028-8fc3f319fe1a</onsuccess>

<calculation expression="[Total Squeaks] + [BeeGees Out.Squeakiness]" stage="Total Squeaks"/>

</stage>

<stage stageid="140aa2dc-e993-41f5-82e8-ddf977bb278b" name="Squeak Test" type="Decision">

<narrative>
```

```
</narrative>

<displayx>135</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Total Squeaks] = 30"/>

<ontrue>31da32fe-d9a9-45f5-8cd7-ec41ddae668e</ontrue>

<onfalse>99107727-489d-45ba-8fda-6e3761151812</onfalse>

</stage>

<stage stageid="31da32fe-d9a9-45f5-8cd7-ec41ddae668e" name="Eeek" type="Exception">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;Invalid squeak level&quot;"/>

</stage>

<stage stageid="d1546ba2-5332-4ce3-bc41-0573d0f7695e" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


</stage>

<stage stageid="3f9c7f69-0fbe-455b-b8a7-0826502d84d9" name="BeeGees Out" type="Collection">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>270</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Name" type="text"/>

<field name="Born" type="date"/>

<field name="Squeakiness" type="number"/>

</collectioninfo>

</stage>

</process>

<process name="BPA Process - Web Service Caller" version="1.0" narrative="." preferredid="70c89cff-118" type="Process">

<view>

<camerax>199</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="091c0591-d38f-492e-9bb3-0491934f5c1f" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b1674e81-6231-410e-992b-7c5115cefa68</onsuccess>

</stage>

<stage stageid="d1546ba2-5332-4ce3-bc41-0573d0f7695e" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="94234d44-ef35-4630-96de-bdbf8a51c8c4" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="b1674e81-6231-410e-992b-7c5115cefa68" name="Create Instance" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="bpInstance" stage="bpInstance"/>

</outputs>

<onsuccess>595ab265-6d25-4bbe-9c72-397fce815fd3</onsuccess>

<resource object="WebServiceInputsOutputsService" action="Initialise"/>

</stage>

<stage stageid="08ceb9ef-2164-405d-b254-29a9661fdf48" name="bpInstance" type="Data">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="595ab265-6d25-4bbe-9c72-397fce815fd3" name="Inputs and Outputs" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="bpInstance" expr="[bpInstance]"/>

<input type="text" name="TestText" expr=""foo""/>

<input type="text" name="TestPassword" expr=""bar""/>

<input type="number" name="TestNumber" expr="8"/>

<input type="flag" name="TestFlag" expr="True"/>

<input type="date" name="TestDate" expr="MakeDate(1,2,2009)"/>

<input type="datetime" name="TestDateTime" expr="MakeDateTime(1, 2, 2009, 3, 4, 5, True)"/>

<input type="time" name="TestTime" expr="MakeTime(1,2,3)"/>

<input type="timespan" name="TestTimespan" expr="MakeTimeSpan(1,2,3,4,5)"/>

<input type="binary" name="TestBinary" expr="[TestBinary]"/>

</inputs>

<outputs>

<output type="text" name="TestText" stage="TestText"/>

<output type="text" name="TestPassword" stage="TestPassword"/>

<output type="number" name="TestNumber" stage="TestNumber"/>

<output type="flag" name="TestFlag" stage="TestFlag"/>

```
<output type="date" name="TestDate" stage="TestDate"/>

<output type="datetime" name="TestDateTime" stage="TestDateTime"/>

<output type="time" name="TestTime" stage="TestTime"/>

<output type="timespan" name="TestTimespan" stage="TestTimespan"/>

<output type="binary" name="TestBinary" stage=""/>

</outputs>

<onsuccess>ef2dd504-1f6f-4e8d-9621-91c99007eab7</onsuccess>

<resource object="WebServiceInputsOutputsService" action="InputsandOutputs"/>

</stage>

<stage stageid="54a4dbb9-0023-4951-ae5c-6ec9415c29ef" name="TestText" type="Data">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="38c18e32-9fbd-4249-831b-2906225f5112" name="TestPassword" type="Data">

<narrative>

</narrative>

<displayx>540</displayx>

<displayy>15</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="aeec30b2-a374-43a7-8a2a-f75430e2c6be" name="TestNumber" type="Data">

<narrative>

</narrative>

<displayx>615</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1176a28c-0688-4a9f-8f8f-6eefbf15a116" name="TestFlag" type="Data">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8eaa0d59-01f6-48e3-8211-5db5ca2c0edd" name="TestDate" type="Data">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>date</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9ae4a8bf-2b43-48d6-9246-a8357b8bc94d" name="TestDateTime" type="Data">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<datatype>datetime</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="197f45c9-e5f4-435f-989b-6b572a2a32b4" name="TestTime" type="Data">

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>time</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fa6f0cc5-58d0-47aa-92af-4b1cfce666fc" name="TestTimespan" type="Data">

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>timespan</datatype>

<initialvalue>0.00:00:00</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ef2dd504-1f6f-4e8d-9621-91c99007eab7" name="Clean Up" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="bplInstance" expr="[bplInstance]"/>

</inputs>

<onsuccess>d1546ba2-5332-4ce3-bc41-0573d0f7695e</onsuccess>

<resource object="WebServiceInputsOutputsService" action="CleanUp"/>

</stage>

<stage stageid="69992b41-a97b-4035-ab84-e64b2bbeb062" name="TestBinary" type="Data">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<datatype>binary</datatype>

<initialvalue>77u/PHByb2Nlc3MgYmFtZT0iQlBBIFByb2Nlc3MgLSBXZWlU2VydmVjZSBDYWxsZXIiIHZlcn

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Wordpad Menu Test" version="1.0" narrative="Tests the menus in wordpad" preferredid=

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="e1ef9e93-ac37-4b40-b7dd-2edec6022ddb" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>324c6e71-4f05-40d9-8737-86782ac1c883</onsuccess>

</stage>
```

<stage stageid="14655e08-4f43-4468-a5ba-4b8118c9faf5" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="a6ee6f14-0514-4b4a-82dc-ee05b9f7c882" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="324c6e71-4f05-40d9-8737-86782ac1c883" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>c7c32e28-0987-4335-bee7-4611fffd3c2e</onsuccess>

<resource object="Wordpad" action="Launch"/>

</stage>

<stage stageid="c7c32e28-0987-4335-bee7-4611fffd3c2e" name="Hide Status Bar" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>4ceb9dd8-b5b9-4369-8f15-1ff0c524432e</onsuccess>

<resource object="Wordpad" action="Hide Status Bar"/>

</stage>

<stage stageid="6d23dd6d-7392-41f8-b0c3-0a1251ac1f34" name="Exit Applicaiton" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>14655e08-4f43-4468-a5ba-4b8118c9faf5</onsuccess>

<resource object="Wordpad" action="Close Application"/>

</stage>

<stage stageid="4ceb9dd8-b5b9-4369-8f15-1ff0c524432e" name="Show Status Bar" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>f8e04f7d-07cc-43fc-b3a7-0c790ed275b6</onsuccess>

<resource object="Wordpad" action="Show Status Bar"/>

</stage>

<stage stageid="f8e04f7d-07cc-43fc-b3a7-0c790ed275b6" name="Hide Status Bar" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

```
<display>105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>aad35e43-73f4-4205-92be-30e0180c1c1c</onsuccess>

<resource object="Wordpad" action="Hide Status Bar"/>

</stage>

<stage stageid="aad35e43-73f4-4205-92be-30e0180c1c1c" name="Show Status Bar" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<display>165</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>6d23dd6d-7392-41f8-b0c3-0a1251ac1f34</onsuccess>

<resource object="Wordpad" action="Show Status Bar"/>

</stage>

</process>

<process name="WordPad Toolbar Test" version="1.0" narrative="See bug 3874" preferredid="abfb6a2d-8

<view>
```

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="d17ec9e5-06e9-4ee2-8986-95054dcbc288" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>f5d9a50e-3666-4fa4-a8c4-ff0fd251ac86</onsuccess>

</stage>

<stage stageid="aeb23a05-549a-4bb8-b538-1d6c24d0a179" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="80ec6106-41ee-4185-bd6b-e5867019f90e" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f5d9a50e-3666-4fa4-a8c4-ff0fd251ac86" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>1596b6ca-c7eb-44df-8a76-4b6940575cf0</onsuccess>

<resource object="Wordpad" action="Launch"/>

</stage>
```

```
<stage stageid="1596b6ca-c7eb-44df-8a76-4b6940575cf0" name="Do Toolbar Test" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs/>
<outputs/>
<onsuccess>d4d0b29c-1b0a-4aa3-b073-9f9585cc9a32</onsuccess>
<resource object="Wordpad" action="Test Toolbar Buttons"/>
</stage>

<stage stageid="d4d0b29c-1b0a-4aa3-b073-9f9585cc9a32" name="Do Toolbar Test" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs/>
<outputs/>
<onsuccess>aeb23a05-549a-4bb8-b538-1d6c24d0a179</onsuccess>
<resource object="Wordpad" action="Close Application"/>
```



```
</stage>

</process>

<process name="WQItemLocked-BG-4494" version="1.0" bpversion="6.8.0.20331" narrative="TagWQItem

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="716377ee-bb03-456a-9651-e1b8f5e118b4" name="Start" type="Start">

<display x="15" y="-105"/>

<inputs>

<input type="text" name="Item ID" stage="Item ID"/>

</inputs>

<onsuccess>1f0a29bd-0791-47a2-8aa8-7c84d3bda4c2</onsuccess>

</stage>

<stage stageid="50e5fd1c-e912-48f3-985c-bb8b27b99c39" name="End" type="End">

<display x="15" y="90"/>

</stage>

<stage stageid="05930508-d8c5-4384-a94e-c3d662892563" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="1f0a29bd-0791-47a2-8aa8-7c84d3bda4c2" name="Tag Item" type="Action">

<loginhibit onsuccess="true"/>

<narrative>Adds a tag to a work queue item</narrative>

<display x="15" y="-15"/>
```

```
<inputs>

<input type="text" name="Item ID" friendlyname="Item ID" narrative="The ID of the queue item to add the t

<input type="text" name="Tag" friendlyname="Tag" narrative="The tag to add to the item. Note that this ca

</inputs>

<onsuccess>50e5fd1c-e912-48f3-985c-bb8b27b99c39</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Tag Item"/>

</stage>

<stage stageid="3ef31241-79ca-4ff9-8d57-f281490991f9" name="Item ID" type="Data">

<display x="180" y="-15" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="WQItemUnLocked-BG-4494" version="1.0" bpversion="6.8.0.20331" narrative="TagWQItem">

<view>

<camerax>-152</camerax>

<cameray>-181</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="9c86b8ba-ec98-48ab-924b-b57e0f50cc3e" name="Stage1" type="ProcessInfo">

<display x="-375" y="-345" w="150" h="90"/>

</stage>

<stage stageid="aa7d954f-7b0b-440b-bf25-9d7c910e75bf" name="Start" type="Start">
```

<display x="-60" y="-225"/>

<inputs>

<input type="text" name="Queue Name" stage="Queue Name"/>

<input type="text" name="Item ID" stage="Item ID"/>

</inputs>

<onsuccess>62c2e58c-34fb-4e7d-b4b1-215e2f80e897</onsuccess>

</stage>

<stage stageid="e3bc69a1-df7b-4d97-9637-7b6c24fd2fd7" name="Input Variables" type="Block">

<loginhibit onsuccess="true"/>

<display x="-465" y="-225" w="225" h="255"/>

</stage>

<stage stageid="6e7da8b5-44ae-4dfc-932e-e2be9c11cc54" name="End" type="End">

<display x="-60" y="-45"/>

</stage>

<stage stageid="45fd0a31-dbc1-49c8-8ed6-ebe2fde09888" name="Tag Item" type="Action">

<loginhibit onsuccess="true"/>

<narrative>Adds a tag to a work queue item</narrative>

<display x="-60" y="-120"/>

<inputs>

<input type="text" name="Item ID" friendlyname="Item ID" narrative="The ID of the queue item to add the t

<input type="text" name="Tag" friendlyname="Tag" narrative="The tag to add to the item. Note that this ca

</inputs>

<onsuccess>6e7da8b5-44ae-4dfc-932e-e2be9c11cc54</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Tag Item"/>

</stage>

<stage stageid="e33d4f91-17e7-4737-8e9e-98d3a4a63003" name="Item ID" type="Data">

<display x="-345" y="-180" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="475ef8a2-7d6b-4364-a2c8-63b3715dbbe7" name="Queue Name" type="Data">

<loginhibit onsucceed="true"/>

<display x="-360" y="-120" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<alwaysinit/>

</stage>

<stage stageid="9de24e5f-2e00-436f-9656-0072b984ca9e" name="New item id" type="Data">

<display x="-375" y="-60" w="150" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="62c2e58c-34fb-4e7d-b4b1-215e2f80e897" name="Get Next Item" type="Action">

<narrative>This action gets the next item to be worked from the queue, returning its details and locking it s

Items with higher priorities (lower numerical value) are processed first. Where the priority is the same, the n

The Item ID returned is used to make further calls to update the work status for that item. It may be empty,

<display x="-60" y="-180"/>

<inputs>

<input type="text" name="Queue Name" friendlyname="Queue Name" narrative="The name of the queue"

<input type="text" name="Key Filter" friendlyname="Key Filter" narrative="Optionally, a key value to filter by"

<input type="text" name="Tag Filter" friendlyname="Tag Filter" narrative="Optionally, a tag mask to filter by"

</inputs>

<outputs>

<output type="text" name="Item ID" friendlyname="Item ID" narrative="The ID of the item retrieved - empty"

<output type="collection" name="Data" friendlyname="Data" narrative="The data associated with the item - "

<output type="text" name="Status" friendlyname="Status" narrative="The status of the item." stage=""/>

<output type="number" name="Attempts" friendlyname="Attempts" narrative="The number of attempts already"

</outputs>

<onsuccess>45fd0a31-dbc1-49c8-8ed6-ebe2fde09888</onsuccess>

<resource object="Blueprism.Automate.clsWorkQueuesActions" action="Get Next Item"/>

</stage>

</process>

<process name="Calculator Test" version="1.0" bpversion="6.3.0.2923" narrative="Test process using the"

<view>

<camerax>40</camerax>

<cameray>795</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative="

"/>

<subsheet subsheetid="8217724f-e061-45d9-8527-c4681e7745c1" type="Normal" published="False">

<name>Call Rogue Processes</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="4d360bd8-c303-4ed9-ada2-5e69817bf0d9" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Number 1" stage="Number 1"/>

<input type="text" name="Number 2" stage="Number 2"/>

<input type="text" name="Operation" stage="Operator"/>

</inputs>

<onsuccess>fb30abb3-f1c8-4243-bf82-591cab1a6149</onsuccess>

</stage>

<stage stageid="cd04c456-d837-4183-bdbb-bf559e43f410" name="End" type="End">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>975</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<outputs>

<output type="text" name="Result" stage="Result Formatted"/>

<output type="number" name="Numeric Result" stage="Numeric Result"/>

</outputs>

</stage>

<stage stageid="807367a4-000a-4dd9-b625-defb8d455dfa" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4780837c-2f43-49f2-8db3-352033e8246c" name="Start Calculator" type="Action">

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Hide Window?" expr="False"/>

</inputs>

<onsuccess>b5f580a3-0a10-4d8c-8ec0-9be4fe0873f3</onsuccess>

<resource object="Calculator" action="Start Calculator"/>
```

```
</stage>

<stage stageid="03e05733-24e4-4662-b675-160bcee03e2a" name="Press First Number Button" type="Action">

  <narrative>

  </narrative>

  <displayx>-30</displayx>

  <displayy>-60</displayy>

  <displaywidth>60</displaywidth>

  <displayheight>60</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <inputs>

  <input type="text" name="Button to Press" expr="[Number 1]"/>

  </inputs>

  <onsuccess>30b0d3fe-e490-4419-a42b-c09b23822070</onsuccess>

  <resource object="Calculator" action="Press a Button"/>

</stage>

<stage stageid="11aae353-7b75-45a3-b8f3-776052689348" name="Number 1" type="Data">

  <narrative>

  </narrative>

  <displayx>-240</displayx>

  <displayy>-30</displayy>

  <displaywidth>60</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <datatype>text</datatype>

  <initialvalue xml:space="preserve">5</initialvalue>

</stage>

<stage stageid="2ebc05cd-3712-412f-8d3c-e2321778c590" name="Number 2" type="Data">
```


<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">3</initialvalue>

</stage>

<stage stageid="995c8a94-6918-4a81-8777-1676bc74b4a8" name="Operator" type="Data">

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue xml:space="preserve">+</initialvalue>

</stage>

<stage stageid="30b0d3fe-e490-4419-a42b-c09b23822070" name="Press Operator Button" type="Action">

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<inputs>

<input type="text" name="Button to Press" expr="[Operator]"/>

</inputs>

<onsuccess>76edd5fa-4b91-442d-8c0f-86cddb6714</onsuccess>

<resource object="Calculator" action="Press a Button"/>

</stage>

<stage stageid="76edd5fa-4b91-442d-8c0f-86cddb6714" name="Press Second Number Button" type="Action">

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<inputs>

<input type="text" name="Button to Press" expr="[Number 2]"/>

</inputs>

<onsuccess>9d70b513-454a-4db4-8b1f-736f92fd6b8a</onsuccess>

<resource object="Calculator" action="Press a Button"/>

</stage>

<stage stageid="9d70b513-454a-4db4-8b1f-736f92fd6b8a" name="Get Result" type="Action">

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>150</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Result" stage="Result"/>

</outputs>

<onsuccess>e10bcbe1-4a4a-43db-9ef7-3454c1520ffd</onsuccess>

<resource object="Calculator" action="Get Result"/>

</stage>

<stage stageid="2d0588cc-f755-4177-809a-1d5187f7926a" name="Result" type="Data">

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="00684158-ea18-44d7-8f0a-4f9574802f66" name="Result Formatted" type="Data">

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="36609b79-a8e6-4752-8572-df68d8bdc2ef" name="Format Result" type="Calculation">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>86a273e9-947d-4491-8bfa-6352daf63888</onsuccess>

<calculation expression="[Number 1] && [Operator] && [Number 2] && &qu

</stage>

<stage stageid="997eb8cc-4ac0-4a17-86dd-d9837c8f91e8" name="Numeric Result" type="Data">

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>

```
<stage stageid="04e82a36-6c9f-433d-bcec-daae4c76afec" name="Read Numeric Result" type="Action">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="Result" stage="Numeric Result"/>

</outputs>

<onsuccess>36609b79-a8e6-4752-8572-df68d8bdc2ef</onsuccess>

<resource object="Calculator" action="Read Display"/>

</stage>

<stage stageid="e10bcbe1-4a4a-43db-9ef7-3454c1520ffd" name="Turn it into 26 in the style of Carol Vord

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Button to Press" expr="&quot;*&quot;"/>

</inputs>

<onsuccess>8bd2bcc9-0dce-4575-8eb4-86e806c1a675</onsuccess>

<resource object="Calculator" action="Press a Button"/>
```

```
</stage>

<stage stageid="8bd2bcc9-0dce-4575-8eb4-86e806c1a675" name="Turn it into 26 in the style of Carol Vor

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Button to Press" expr="&quot;3&amp;quot;"/>

</inputs>

<onsuccess>2a5035b2-8b8f-4d07-8877-8721b7719d36</onsuccess>

<resource object="Calculator" action="Press a Button"/>

</stage>

<stage stageid="2a5035b2-8b8f-4d07-8877-8721b7719d36" name="Turn it into 26 in the style of Carol Vor

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Button to Press" expr="&quot;+&amp;quot;"/>

</inputs>

<onsuccess>e736d555-dc15-42ab-aef4-c14109c6bd09</onsuccess>
```

```
<resource object="Calculator" action="Press a Button"/>

</stage>

<stage stageid="e736d555-dc15-42ab-aef4-c14109c6bd09" name="Turn it into 26 in the style of Carol Voronin" />

<narrative>

</narrative>

<math display="block">\frac{285}{90} = 3.166\overline{6}\frac{285}{90} = 3.166\overline{6}\frac{285}{90} = 3.166\overline{6}\frac{285}{90} = 3.166\overline{6}\frac{345}{90} = 3.833\overline{3}\frac{345}{90} = 3.833\overline{3}\frac{345}{90} = 3.833\overline{3}\frac{345}{90} = 3.833\overline{3}
```

<onsuccess>04e82a36-6c9f-433d-bcec-daae4c76afec</onsuccess>

<resource object="Calculator" action="Press a Button"/>

</stage>

<stage stageid="7cb8e146-23db-47f8-b6e2-8d31aca49f40" name="Get Digit Grouping Status" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Enabled" stage="Enabled"/>

</outputs>

<onsuccess>95ea3d3a-40c3-409b-b521-2a57f651064b</onsuccess>

<resource object="Calculator" action="Read Digit Grouping Enabled Status"/>

</stage>

<stage stageid="ed484e93-0ac2-4713-a560-b94e9c0cbcc1" name="Enabled" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>


```
<private/>

<alwaysinit/>

</stage>

<stage stageid="86a273e9-947d-4491-8bfa-6352daf63888" name="Disable Digit Grouping" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Enabled" expr="False"/>

</inputs>

<onsuccess>7cb8e146-23db-47f8-b6e2-8d31aca49f40</onsuccess>

<resource object="Calculator" action="Enable / Disable Digit Grouping"/>

</stage>

<stage stageid="95ea3d3a-40c3-409b-b521-2a57f651064b" name="Verify grouping status" type="Decision">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Enabled] = False"/>

<ontrue>4ed2ae5c-76d3-41ad-b7bd-cd2144bdffcd</ontrue>
```

```
<onfalse>fca1040d-c138-4dc5-8406-81032f7f1686</onfalse>

</stage>

<stage stageid="959ccd3c-f351-4bd8-8de8-e18910be82e8" name="Get Digit Grouping Status" type="Action">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>465</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <outputs>

  <output type="flag" name="Enabled" stage="Enabled"/>

  </outputs>

  <onsuccess>e5bcfcb5-d0c7-49d4-9996-fc6e07ebb488</onsuccess>

  <resource object="Calculator" action="Read Digit Grouping Enabled Status"/>

</stage>

<stage stageid="4ed2ae5c-76d3-41ad-b7bd-cd2144bdffcd" name="Enable Digit Grouping" type="Action">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>405</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <inputs>

  <input type="flag" name="Enabled" expr="True"/>

  </inputs>
```

```
<onsuccess>959ccd3c-f351-4bd8-8de8-e18910be82e8</onsuccess>

<resource object="Calculator" action="Enable / Disable Digit Grouping"/>

</stage>

<stage stageid="e5bcfcb5-d0c7-49d4-9996-fc6e07ebb488" name="Verify grouping status" type="Decision">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>510</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <decision expression="[Enabled] = True"/>

  <ontrue>ef35a48b-636d-42e9-b877-9151b0f11577</ontrue>

  <onfalse>fca1040d-c138-4dc5-8406-81032f7f1686</onfalse>

</stage>

<stage stageid="a2f1765f-4381-4035-b639-14e6a48ac300" name="Get Digit Grouping Status" type="Action">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>630</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <outputs>

  <output type="flag" name="Enabled" stage="Enabled"/>

  </outputs>

<onsuccess>a2687786-af08-4ec1-b575-eaaf6467a421</onsuccess>
```

<resource object="Calculator" action="Read Digit Grouping Enabled Status"/>

</stage>

<stage stageid="ef35a48b-636d-42e9-b877-9151b0f11577" name="Disable Digit Grouping" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>570</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="Enabled" expr="False"/>

</inputs>

<onsuccess>a2f1765f-4381-4035-b639-14e6a48ac300</onsuccess>

<resource object="Calculator" action="Enable / Disable Digit Grouping"/>

</stage>

<stage stageid="a2687786-af08-4ec1-b575-eaaf6467a421" name="Verify grouping status" type="Decision">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>675</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Enabled] = False"/>

<ontrue>91e35481-8970-4a08-ad6f-9321ef6bef6f</ontrue>

<onfalse>fca1040d-c138-4dc5-8406-81032f7f1686</onfalse>

```
</stage>

<stage stageid="5010262a-4547-4700-834e-97f16f650836" name="Get Digit Grouping Status" type="Action">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>795</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <outputs>

  <output type="flag" name="Enabled" stage="Enabled"/>

  </outputs>

  <onsuccess>8d20e0e0-2bcd-4874-85fa-c941413a12b1</onsuccess>

  <resource object="Calculator" action="Read Digit Grouping Enabled Status"/>

</stage>

<stage stageid="91e35481-8970-4a08-ad6f-9321ef6bef6f" name="Enable Digit Grouping" type="Action">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>735</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <inputs>

  <input type="flag" name="Enabled" expr="True"/>

  </inputs>

  <onsuccess>5010262a-4547-4700-834e-97f16f650836</onsuccess>
```

```
<resource object="Calculator" action="Enable / Disable Digit Grouping"/>

</stage>

<stage stageid="8d20e0e0-2bcd-4874-85fa-c941413a12b1" name="Verify grouping status" type="Decision">

  <narrative>

  </narrative>

  <displayx>105</displayx>

  <displayy>840</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <decision expression="[Enabled] = True"/>

  <ontrue>f83e212a-34ce-48e4-973a-264ccb3f1537</ontrue>

  <onfalse>fca1040d-c138-4dc5-8406-81032f7f1686</onfalse>

</stage>

<stage stageid="b5f580a3-0a10-4d8c-8ec0-9be4fe0873f3" name="Set Standard Mode" type="Action">

  <narrative>

  </narrative>

  <displayx>-30</displayx>

  <displayy>-120</displayy>

  <displaywidth>120</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <inputs>

  <input type="text" name="Display Mode" expr="&quot;Standard&quot;"/>

  </inputs>

  <onsuccess>038b6e4f-565c-4ff8-b7da-ef081050f992</onsuccess>

  <resource object="Calculator" action="Set Display Mode"/>
```

</stage>

<stage stageid="038b6e4f-565c-4ff8-b7da-ef081050f992" name="Check Identifiers" type="Action">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>03e05733-24e4-4662-b675-160bcee03e2a</onsuccess>

<resource object="Calculator" action="Check Identifiers"/>

</stage>

<stage stageid="bd1a1b9e-711d-46f4-a057-9522d3c31b73" name="Call Rogue Processes" type="SubShe

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="6178103a-53ee-4d8e-bafb-1ea93c876e0e" name="Start" type="Start">

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>57f49e6d-4325-41b2-8bba-831709d1d815</onsuccess>

</stage>

<stage stageid="e13a043c-10ce-4c20-a1c4-04508d496f89" name="End" type="End">

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<display>90</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="c11fec71-885e-49a2-9797-6329d5cd9d8e" name="call Rogue Processes" type="Process">

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>check for any errant, running application and close them</narrative>

<displayx>15</displayx>

<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

<input type="number" name="PID" narrative="WHat will be the PID of the process you are searching for, b

</inputs>

<onsuccess>25077b68-39af-4880-a33f-0172f32b6e9b</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="57f49e6d-4325-41b2-8bba-831709d1d815" name="Loop Start1" type="LoopStart">

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c11fec71-885e-49a2-9797-6329d5cd9d8e</onsuccess>

<groupid>1f33ab5d-e50f-493d-8afd-fd02928f5ae8</groupid>

<looptype>ForEach</looptype>

<loopdata>Target list for Rogue Processes</loopdata>

</stage>

<stage stageid="25077b68-39af-4880-a33f-0172f32b6e9b" name="Loop End1" type="LoopEnd">

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<onsuccess>e13a043c-10ce-4c20-a1c4-04508d496f89</onsuccess>

<groupid>1f33ab5d-e50f-493d-8afd-fd02928f5ae8</groupid>

</stage>

<stage stageid="f5ba5327-889b-4738-adce-9fe51f299c8e" name="Target list for Rogue Processes" type='

<subsheetsid>8217724f-e061-45d9-8527-c4681e7745c1</subsheetsid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Process Name" type="text" namespace=""/>

<field name="PID" type="number" namespace=""/>

</collectioninfo>

<initialvalue>

<row>

<field name="Process Name" type="text" value="Calculator"/>

<field name="PID" type="number" value="-1"/>

</row>

<row>

<field name="Process Name" type="text" value="Calc"/>

<field name="PID" type="number" value="-1"/>
```

</row>

<row>

<field name="Process Name" type="text" value="Win32calc"/>

<field name="PID" type="number" value="-1"/>

</row>

</initialvalue>

</stage>

<stage stageid="fb30abb3-f1c8-4243-bf82-591cab1a6149" name="Call Rogue Processes" type="SubShee

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>4780837c-2f43-49f2-8db3-352033e8246c</onsuccess>

<processid>8217724f-e061-45d9-8527-c4681e7745c1</processid>

</stage>

<stage stageid="f83e212a-34ce-48e4-973a-264ccb3f1537" name="Call Rogue Processes" type="SubShee

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>930</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cd04c456-d837-4183-bdbb-bf559e43f410</onsuccess>

```
<processid>8217724f-e061-45d9-8527-c4681e7745c1</processid>

</stage>

<stage stageid="ade80134-2600-4a59-9ca2-a2339f5623ae" name="Digital grouping not enabled as expected" type="SubSheet">

<narrative>check to verify digital grouping is enabled failed verification</narrative>

<displayx>480</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;check to verify digital grouping is enabled failed verification&quot;" />

</stage>

<stage stageid="fca1040d-c138-4dc5-8406-81032f7f1686" name="Call Rogue Processes" type="SubSheet">

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ade80134-2600-4a59-9ca2-a2339f5623ae</onsuccess>

<processid>8217724f-e061-45d9-8527-c4681e7745c1</processid>

</stage>

</process>

<process name="Calculator" version="1.0" bpversion="6.3.0.2933" narrative="Calculator business object" type="Business Object">

<appdef>

<element name="Calculator">

<id>e7b35717-0b55-4ee6-86c0-51740394d719</id>
```

```
<group name="Numbers">

<id>a83aa72c-6bb3-4622-aae0-8e65e02e4e6f</id>

<element name="9">

<id>b4f4f3b5-100d-44cb-a4de-f397d2486d05</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="9"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="132"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="73"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>
```

```
<attribute name="Visible" inuse="True">
<ProcessValue datatype="text" value="True"/>
</attribute>

<attribute name="Enabled" inuse="True">
<ProcessValue datatype="text" value="True"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="text" value="True"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="text" value="14"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="text" value="0"/>
</attribute>

<attribute name="pWindowText">
<ProcessValue datatype="text" value="Calculator"/>
</attribute>

<attribute name="pX">
<ProcessValue datatype="text" value="57"/>
</attribute>

<attribute name="pY">
<ProcessValue datatype="text" value="99"/>
</attribute>

<attribute name="pWidth">
<ProcessValue datatype="text" value="261"/>
</attribute>
```

```
<attribute name="pHeight">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="8">
<id>9c7a2636-d70d-4ef0-a937-79803cffaef7</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="8"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
```

```
<attribute name="X" inuse="True">  
<ProcessValue datatype="text" value="93"/>  
</attribute>  
  
<attribute name="Y" inuse="True">  
<ProcessValue datatype="text" value="73"/>  
</attribute>  
  
<attribute name="Width">  
<ProcessValue datatype="text" value="37"/>  
</attribute>  
  
<attribute name="Height">  
<ProcessValue datatype="text" value="30"/>  
</attribute>  
  
<attribute name="Visible">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Enabled">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Active">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Ordinal">  
<ProcessValue datatype="text" value="10"/>  
</attribute>  
  
<attribute name="ChildCount">  
<ProcessValue datatype="text" value="0"/>  
</attribute>
```



```
<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="text" value="30"/>

</attribute>

</attributes>

</element>

<element name="7">
```

<id>d998db01-abdb-4f66-b6e5-7d18abe17a92</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="54"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="73"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

```
<attribute name="Enabled">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="6"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>
```

```
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="6">
<id>ff599e68-0084-4c23-b4b3-a6016016787e</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="6"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="text" value="132"/>
</attribute>
```

```
<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="106"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="15"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>
```

```
<attribute name="pX">
<ProcessValue datatype="text" value="57"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="text" value="99"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="5">
<id>0e7bfd43-306c-495d-8045-cde6c32728c6</id>
<type>Button</type>
<basetype>Button</basetype>
```

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="5"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="93"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="106"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

```
<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="11"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>
```



```
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="4">
<id>4e97e3d1-aff7-418a-85bd-6480a02c92e5</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="4"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="text" value="54"/>
</attribute>
<attribute name="Y" inuse="True">
<ProcessValue datatype="text" value="106"/>
</attribute>
```

```
<attribute name="Width">
<ProcessValue datatype="text" value="37"/>
</attribute>

<attribute name="Height">
<ProcessValue datatype="text" value="30"/>
</attribute>

<attribute name="Visible">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Enabled">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="text" value="7"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="text" value="0"/>
</attribute>

<attribute name="pWindowText">
<ProcessValue datatype="text" value="Calculator"/>
</attribute>

<attribute name="pX">
<ProcessValue datatype="text" value="57"/>
</attribute>
```

```
<attribute name="pY">
<ProcessValue datatype="text" value="99"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="3">
<id>0fb8c394-18fa-4eb6-bd0d-564b6aede689</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
```

```
<attribute name="WindowText">  
  
<ProcessValue datatype="text" value="3"/>  
  
</attribute>  
  
<attribute name="ClassName" inuse="True">  
  
<ProcessValue datatype="text" value="Button"/>  
  
</attribute>  
  
<attribute name="X" inuse="True">  
  
<ProcessValue datatype="text" value="132"/>  
  
</attribute>  
  
<attribute name="Y" inuse="True">  
  
<ProcessValue datatype="text" value="138"/>  
  
</attribute>  
  
<attribute name="Width">  
  
<ProcessValue datatype="text" value="37"/>  
  
</attribute>  
  
<attribute name="Height">  
  
<ProcessValue datatype="text" value="30"/>  
  
</attribute>  
  
<attribute name="Visible">  
  
<ProcessValue datatype="text" value="Yes"/>  
  
</attribute>  
  
<attribute name="Enabled">  
  
<ProcessValue datatype="text" value="Yes"/>  
  
</attribute>  
  
<attribute name="Active">  
  
<ProcessValue datatype="text" value="Yes"/>  
  
</attribute>
```

```
<attribute name="Ordinal">

<ProcessValue datatype="text" value="16"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>
```

```
<attribute name="pChildCount">

<ProcessValue datatype="text" value="30"/>

</attribute>

</attributes>

</element>

<element name="2">

<id>c696cba9-8b50-4bf9-890d-9c73b4811342</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="93"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="138"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>
```

```
<attribute name="Height">
<ProcessValue datatype="text" value="30"/>
</attribute>

<attribute name="Visible">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Enabled">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="text" value="12"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="text" value="0"/>
</attribute>

<attribute name="pWindowText">
<ProcessValue datatype="text" value="Calculator"/>
</attribute>

<attribute name="pX">
<ProcessValue datatype="text" value="57"/>
</attribute>

<attribute name="pY">
<ProcessValue datatype="text" value="99"/>
</attribute>
```

```
<attribute name="pWidth">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="1">
<id>ccf38153-2898-464b-b9b1-b0c2d18e9d38</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="1"/>
</attribute>
```



```
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>

<attribute name="X" inuse="True">
<ProcessValue datatype="text" value="54"/>
</attribute>

<attribute name="Y" inuse="True">
<ProcessValue datatype="text" value="138"/>
</attribute>

<attribute name="Width">
<ProcessValue datatype="text" value="37"/>
</attribute>

<attribute name="Height">
<ProcessValue datatype="text" value="30"/>
</attribute>

<attribute name="Visible">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Enabled">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="text" value="8"/>
</attribute>
```

```
<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="text" value="30"/>

</attribute>
```

</attributes>

</element>

<element name="0">

<id>5ceb7ed3-2631-4093-9c21-534dab1ae211</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="54"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="171"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

```
<attribute name="Visible">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Enabled">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Ordinal" inuse="True">
<ProcessValue datatype="text" value="9"/>
</attribute>

<attribute name="ChildCount" inuse="True">
<ProcessValue datatype="text" value="0"/>
</attribute>

<attribute name="pWindowText" inuse="True">
<ProcessValue datatype="text" value="Calculator"/>
</attribute>

<attribute name="pX" inuse="True">
<ProcessValue datatype="text" value="22"/>
</attribute>

<attribute name="pY" inuse="True">
<ProcessValue datatype="text" value="29"/>
</attribute>

<attribute name="pWidth" inuse="True">
<ProcessValue datatype="text" value="261"/>
</attribute>
```

```
<attribute name="pHeight" inuse="True">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal" inuse="True">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount" inuse="True">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
</group>
<group name="Result">
<id>8a0f9887-39cc-4c3b-a03d-5efb42bf8ec9</id>
<element name="Result">
<id>9c3dafc4-0791-4a4e-8d23-7f90348410ce</id>
<type>Edit</type>
<basetype>Edit</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
```

```
<attribute name="ClassName">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="text" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="text" value="240"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="24"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="text" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="text" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="1"/>

</attribute>
```

```
<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="text" value="30"/>

</attribute>
```

```
</attributes>

</element>

</group>

<group name="Operators">

<id>36918c11-dde0-4274-810b-366a51a663fc</id>

<element name="">

<id>a7368c35-20be-4eaf-9b1f-49fbc74dc454</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="210"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="171"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>
```



```
<attribute name="Height">
<ProcessValue datatype="text" value="30"/>
</attribute>

<attribute name="Visible">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Enabled">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="text" value="Yes"/>
</attribute>

<attribute name="Ordinal">
<ProcessValue datatype="text" value="22"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="text" value="0"/>
</attribute>

<attribute name="pWindowText">
<ProcessValue datatype="text" value="Calculator"/>
</attribute>

<attribute name="pX">
<ProcessValue datatype="text" value="57"/>
</attribute>

<attribute name="pY">
<ProcessValue datatype="text" value="99"/>
</attribute>
```

```
<attribute name="pWidth">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="*">
<id>1e5bbc08-4e66-494a-8ea7-a52d938878ce</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
```

```
<attribute name="ClassName" inuse="True">  
<ProcessValue datatype="text" value="Button"/>  
</attribute>  
  
<attribute name="X" inuse="True">  
<ProcessValue datatype="text" value="171"/>  
</attribute>  
  
<attribute name="Y" inuse="True">  
<ProcessValue datatype="text" value="106"/>  
</attribute>  
  
<attribute name="Width">  
<ProcessValue datatype="text" value="37"/>  
</attribute>  
  
<attribute name="Height">  
<ProcessValue datatype="text" value="30"/>  
</attribute>  
  
<attribute name="Visible">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Enabled">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Active">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Ordinal">  
<ProcessValue datatype="text" value="19"/>  
</attribute>
```

```
<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="text" value="30"/>

</attribute>
```

</attributes>

</element>

<element name="">

<id>2e5aaa71-8cdb-4ebf-9938-e5123fa679d6</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="171"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="73"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

```
<attribute name="Visible">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="18"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>
```

```
<attribute name="pHeight">
<ProcessValue datatype="text" value="261"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
<element name="-">
<id>288bcfb3-107f-49a3-90e1-e15cbc95a7dd</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="-"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
```

```
<attribute name="X" inuse="True">  
<ProcessValue datatype="text" value="171"/>  
</attribute>  
  
<attribute name="Y" inuse="True">  
<ProcessValue datatype="text" value="138"/>  
</attribute>  
  
<attribute name="Width">  
<ProcessValue datatype="text" value="37"/>  
</attribute>  
  
<attribute name="Height">  
<ProcessValue datatype="text" value="30"/>  
</attribute>  
  
<attribute name="Visible">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Enabled">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Active">  
<ProcessValue datatype="text" value="Yes"/>  
</attribute>  
  
<attribute name="Ordinal">  
<ProcessValue datatype="text" value="20"/>  
</attribute>  
  
<attribute name="ChildCount">  
<ProcessValue datatype="text" value="0"/>  
</attribute>
```



```
<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="text" value="30"/>

</attribute>

</attributes>

</element>

<element name="+">
```

<id>3ccf4fd9-1cba-460f-ac97-8a46627b310a</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="+"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="text" value="171"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="171"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

```
<attribute name="Enabled">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="21"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="57"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="99"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="261"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="261"/>

</attribute>
```

```
<attribute name="pActive">
<ProcessValue datatype="text" value="Yes"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="text" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="text" value="30"/>
</attribute>
</attributes>
</element>
</group>
<element name="9ButtonByRect">
<id>4ff11b26-04cb-4eaf-8c1f-898704226d15</id>
<type>WindowRect</type>
<basetype>WindowRect</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value="9"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="text" value="312"/>
```

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="text" value="98"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="text" value="37"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="text" value="30"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="text" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="text" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="text" value="53"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="text" value="66"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="text" value="66"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="text" value="481"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="text" value="310"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="text" value="Yes"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="text" value="78"/>

</attribute>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="text" value="5"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="text" value="4"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="text" value="32"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="text" value="23"/>

</attribute>

</attributes>

</element>

<element name="Main Window">

<id>4bbd315c-2c57-4124-a4bd-8a09ab64c152</id>

<element name="Main Window - Standard Mode">

<id>a4b15f4e-5695-403f-998e-a902a0745cd0</id>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value="#32770"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="-1134122024"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="261"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="253"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>


```
<attribute name="ChildCount">

<ProcessValue datatype="number" value="30"/>

</attribute>

</attributes>

</element>

<element name="Main Window - Scientific Mode">

<id>fc82ebdb-34fb-4bf2-ab76-40d5e7b5aaea</id>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value="#32770"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="-1134122024"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="22"/>

</attribute>
```

```
<attribute name="Width">
<ProcessValue datatype="number" value="481"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="310"/>
</attribute>
<attribute name="Visible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="78"/>
</attribute>
</attributes>
</element>
<type>Window</type>
```

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Calculator"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value="SciCalc"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="44"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="44"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="481"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="310"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

```
</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="78"/>

</attribute>

</attributes>

</element>

<group name="Win7">

<id>95ba12c1-ced3-4a74-9d8e-576f348934f6</id>

<group name="Numbers">

<id>1d355f69-c3b4-4d4d-a5c7-a6c999a56cdb</id>

<element name="1">

<id>6d26a128-f008-453b-9b9d-65a73cd15f08</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="128"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

```
<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="2">

<id>6b359d5c-8141-420d-b235-bc8230bbdcaa</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">
```

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="128"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="3">

<id>d65c3c9e-a081-4237-9dcf-a1bfe75602f7</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">
```

<ProcessValue datatype="number" value="78"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="128"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

```
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
</attributes>
</element>
<element name="4">
<id>d0352731-70c6-4930-8586-56380b00612e</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Y" inuse="True">
```

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

```
<ProcessValue datatype="text" value=" Calculator &lt;UNKNOWN&gt; "/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
```

```
<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="5">

<id>bca989ac-238f-4c9c-bf98-a03ba7dcdb0f</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">
```


<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="6">

<id>171e4e2e-90f5-4037-8d3f-893d9b82b8a8</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="78"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

```
<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="7">

<id>37c6fa51-5a0e-4344-9059-247f890abbd6</id>
```

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

```
<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="8">

<id>7f35a18a-8376-4aff-944b-2046a940a9d5</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>
```


<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

```
<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="9">

<id>39630e52-0637-4e1b-a80f-8bf52e0f0af3</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">
```

<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="number" value="78"/>
</attribute>
<attribute name="Y" inuse="True">
<ProcessValue datatype="number" value="64"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="35"/>
</attribute>
<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="ScreenVisible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

```
<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

</group>

<group name="Operators">

<id>4d7d62a0-9ce4-4337-83d7-ba294b88d7e1</id>

<element name="+">

<id>f47b9eda-d343-4978-bdc6-e6ef50660dff</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">
```

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="117"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="160"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">


```
<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="">

<id>6100d04c-2979-473e-ba69-c86b27e93ec6</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="128"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="60"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

```
<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="*">

<id>29ce6e41-5ccb-44c7-ac81-f2122a99f346</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">
```

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="117"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

<element name="/">

<id>16642c22-1777-4cc8-8766-916af3cf3982</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">
```

<ProcessValue datatype="number" value="117"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="65"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="191"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="192"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

```
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="28"/>
</attribute>
</attributes>
</element>
<element name="-">
<id>3703e4a9-0b04-4c5f-bc8f-9ed76a5dfbb4</id>
<type>Button</type>
<basetype>Button</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
<attribute name="CtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="X" inuse="True">
<ProcessValue datatype="number" value="117"/>
</attribute>
<attribute name="Y" inuse="True">
```

<ProcessValue datatype="number" value="128"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="65"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="192"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="pChildCount">

```
<ProcessValue datatype="number" value="28"/>

</attribute>

</attributes>

</element>

</group>

<group name="Result">

<id>5347e8a7-f737-475a-beb3-6b32cf9eada0</id>

<element name="Result">

<id>aba6529c-090c-4e22-a2a3-eacca010be6a</id>

<type>Label</type>

<basetype>Label</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="8"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Static"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="Y">
```

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="number" value="168"/>

</attribute>

<attribute name="Height" inuse="True">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" Calculator <UNKNOWN> "/>
</attribute>
<attribute name="pWindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="pCtrlID">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="pX">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="pY">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="191"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="51"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">

<ProcessValue datatype="number" value="4"/>

</attribute>

</attributes>

</element>

</group>

</group>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

<name>Path</name>

<value>calc.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="af18e4cb-2c21-4f2a-852d-e80d90c2f467" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="45ae527c-3e74-4aa7-862c-4a9129e12540" type="Normal" published="True">

<name>Start Calculator</name>

<view>

<camerax>84</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8e041464-fa0c-4cae-b352-a21242b590c5" type="Normal" published="True">

<name>Set Display Mode</name>

<view>

<camerax>14</camerax>

<cameray>46</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="9af50fa3-7ea8-4db3-b798-9db00d239cbe" type="Normal" published="True">

<name>Press a Button</name>

<view>

<camerax>-18</camerax>

<cameray>17</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="27d455c4-5002-4058-a19f-bc8b95eb7fc7" type="Normal" published="True">

<name>Pause</name>

<view>

<camerax>-7</camerax>

<cameray>-135</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d54c2ec2-0e49-4aa1-97af-591c198d1f12" type="Normal" published="True">

<name>Get Result</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="546006a9-d1d0-495a-a6ff-37f78b0832b3" type="Normal" published="True">

<name>Hex Mode</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d7fce23f-48bc-4d07-b80c-4815b7ddb800" type="Normal" published="True">

<name>Close</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ac73dee0-d222-41a1-8eac-7c29cc971e57" type="Normal" published="True">

<name>Read Display</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ffbc371d-edb0-401f-86f3-cd7ac89e1667" type="Normal" published="True">

<name>Enable / Disable Digit Grouping</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b8f14651-8839-405a-844c-eedcff2ef703" type="Normal" published="True">

<name>Read Digit Grouping Enabled Status</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e2c3c21d-2baf-4978-a5d4-9b98274fb901" type="Normal" published="True">

<name>Check Identifiers</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="5f8f50f9-f8be-4f26-b5ac-b043d7449ecd" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>46a7ed31-cf1c-4336-90c1-98a2f0b8058b</onsuccess>

</stage>

<stage stageid="9bd3a369-3047-4681-9a37-f644cf79d2fb" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

```
<displayx>30</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b43a3dd6-299a-4b3f-b29d-0f354b501304" name="" type="ProcessInfo">

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references/>

<imports/>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="ffc09728-844e-4105-b44b-5088f98109f4" name="Clean Up" type="SubSheetInfo">

<subsheetsid>af18e4cb-2c21-4f2a-852d-e80d90c2f467</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>
```

```
<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bc947a23-0749-48b3-ac76-6233c0b9e00c" name="Start" type="Start">

<subsheetid>af18e4cb-2c21-4f2a-852d-e80d90c2f467</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<display>-120</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e4327d40-ecad-4f94-b1f3-dc27f2c4e298</onsuccess>

</stage>

<stage stageid="11f35921-067a-43c1-b37c-bc63f11c9c17" name="End" type="End">

<subsheetid>af18e4cb-2c21-4f2a-852d-e80d90c2f467</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<display>60</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>

<stage stageid="3083bc8d-dee6-40be-ba91-c9b3a1e7ef21" name="Start Calculator" type="SubSheetInfo"

<subsheetsid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="17513368-7d51-4ee0-8762-49f209123736" name="Start" type="Start">

<subsheetsid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Hide Window?" stage="Hide Window?"/>

</inputs>

<onsuccess>f32612c0-91b7-4aa4-9b7f-c8053176820f</onsuccess>

</stage>
```



```
<stage stageid="826a8968-da7d-4988-854a-d069c1a2686b" name="End" type="End">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="08265c9f-d50a-47c1-b334-b4556e270c78" name="Start Calculator" type="Navigate">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1dc99f9b-9b3c-4023-a66d-70e06f79dba3</onsuccess>

<step>

<element id="e7b35717-0b55-4ee6-86c0-51740394d719"/>

<action>

<id>Launch</id>

<arguments>

<argument>
```

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="46a7ed31-cf1c-4336-90c1-98a2f0b8058b" name="Running Init Page" type="Note">

<narrative>This is just here to get logged for test purposes</narrative>

<displayx>30</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<onsuccess>b66ba1b1-b249-45a7-aa5d-36044f11252e</onsuccess>

</stage>

<stage stageid="056cbe78-3880-4d54-94fb-3406d9b39c2a" name="Press a Button" type="SubSheetInfo">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-300</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="ea79dd0e-9335-455e-9549-53d62e7b4d58" name="Start" type="Start">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Button to Press" stage="Button"/>

</inputs>

<onsuccess>c418b33e-31a5-43a8-8a9e-65a2fe212f7b</onsuccess>

</stage>

<stage stageid="bc3c7eab-28fc-45c4-9235-cd61a7af43a3" name="End" type="End">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="768f75f5-d052-46d6-90ae-ef2c7a62584d" name="Which Button?" type="ChoiceStart">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-330</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<groupid>5d7dae79-bef1-4154-9428-a15a70a53fe3</groupid>

<choices>

<choice expression="[Button] = "1"">

<name>1</name>

<distance>35</distance>

<ontrue>c1480fa1-e2ec-4ff6-8409-eca4c63da53d</ontrue>

</choice>

<choice expression="[Button] = "2"">

<name>2</name>

<distance>35</distance>

<ontrue>e0cfd980-0930-4f6e-b8ff-1ee275f0a7b7</ontrue>

</choice>

<choice expression="[Button] = "3"">

<name>3</name>

<distance>35</distance>

<ontrue>c1291b0a-71f5-4cde-86e9-a8bb92de13bb</ontrue>

</choice>

<choice expression="[Button] = "4"">

<name>4</name>

<distance>35</distance>

<ontrue>1f00df18-025d-41a1-8fef-463c0c0f8c43</ontrue>

</choice>

<choice expression="[Button] = "5"">

<name>5</name>

<distance>35</distance>

<ontrue>37871922-fb42-4ad7-a645-fc493ae4ca35</ontrue>

</choice>

<choice expression="[Button] = "6"">

<name>6</name>

<distance>35</distance>

<ontrue>6b09550a-6d92-4021-aa3e-61013cc959be</ontrue>

</choice>

<choice expression="[Button] = "7"">

<name>7</name>

<distance>35</distance>

<ontrue>4082d6f3-76b3-4286-b8e0-7f852b858aad</ontrue>

</choice>

<choice expression="[Button] = "8"">

<name>8</name>

<distance>35</distance>

<ontrue>c2feff5a-91e2-421b-a257-31fcd388ca52</ontrue>

</choice>

<choice expression="[Button] = "9"">

<name>9</name>

<distance>35</distance>

<ontrue>8e19a1c7-6a90-4aef-ab51-0119100883f7</ontrue>

</choice>

<choice expression="[Button] = "0"">
<name>0</name>
<distance>35</distance>
<ontrue>7b2d248b-d479-415a-8229-591c1abdad4f</ontrue>
</choice>
<choice expression="[Button] = "+"">
<name>+</name>
<distance>35</distance>
<ontrue>4b3c5e69-6745-46e5-a547-0cd4b44dc3e2</ontrue>
</choice>
<choice expression="[Button] = "-"">
<name>-</name>
<distance>35</distance>
<ontrue>78b28a10-9e99-45f2-956d-c754370aaf0e</ontrue>
</choice>
<choice expression="[Button] = "*"">
<name>*</name>
<distance>35</distance>
<ontrue>15262e72-d455-4233-bb96-0d7d9da1c631</ontrue>
</choice>
<choice expression="[Button] = "/"">
<name>/</name>
<distance>35</distance>
<ontrue>3d268fa9-26f8-4450-ade1-86836aa28a72</ontrue>
</choice>
<choice expression="[Button] = "="">
<name>=</name>

```
<distance>35</distance>

<ontrue>22a3450a-83f4-4479-85f7-17549bb4c420</ontrue>

</choice>

</choices>

</stage>

<stage stageid="7600b942-d9d7-422d-b66b-1e465cedab54" name="otherwise1" type="ChoiceEnd">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>08356f28-d840-465a-86c8-07a9e488f4b8</onsuccess>

<groupid>5d7dae79-bef1-4154-9428-a15a70a53fe3</groupid>

</stage>

<stage stageid="ec20db85-5109-45f7-803e-faafcf36e01a" name="Button" type="Data">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-435</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<datatype>text</datatype>

<initialvalue xml:space="preserve">4</initialvalue>

<private/>

</stage>

<stage stageid="c1480fa1-e2ec-4ff6-8409-eca4c63da53d" name="1" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b30038d1-50cd-4d6c-87b7-6a83563d1382</onsuccess>

<step>

<element id="ccf38153-2898-464b-b9b1-b0c2d18e9d38"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="e0cfd980-0930-4f6e-b8ff-1ee275f0a7b7" name="2" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>-60</displayx>

<displayy>-270</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9db35de7-3305-4433-aece-59e391600273</onsuccess>

<step>

<element id="c696cba9-8b50-4bf9-890d-9c73b4811342"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="c1291b0a-71f5-4cde-86e9-a8bb92de13bb" name="3" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-240</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>58285b89-3e7d-4154-ba7b-50ed4cd3c92e</onsuccess>

<step>

<element id="0fb8c394-18fa-4eb6-bd0d-564b6aede689"/>

<action>
```

```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="1f00df18-025d-41a1-8fef-463c0c0f8c43" name="4" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-210</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4f5e0054-92c7-41e2-b514-e60ce48f47e1</onsuccess>

<step>

<element id="4e97e3d1-aff7-418a-85bd-6480a02c92e5"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="37871922-fb42-4ad7-a645-fc493ae4ca35" name="5" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>-60</displayx>

<displayy>-180</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4b062d9d-d077-4f45-9ac3-a1e9b33a1ef8</onsuccess>

<step>

<element id="0e7bfd43-306c-495d-8045-cde6c32728c6"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="6b09550a-6d92-4021-aa3e-61013cc959be" name="6" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>949f5e4f-0a76-4673-989b-85ad704989bd</onsuccess>

<step>

<element id="ff599e68-0084-4c23-b4b3-a6016016787e"/>

<action>
```

```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="4082d6f3-76b3-4286-b8e0-7f852b858aad" name="7" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>acdc4f31-9724-4ee9-a096-b820f5a57bdf</onsuccess>

<step>

<element id="d998db01-abdb-4f66-b6e5-7d18abe17a92"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="c2feff5a-91e2-421b-a257-31fcd388ca52" name="8" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>-60</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7eb4e104-ef75-4b57-9553-0fb6400aba09</onsuccess>

<step>

<element id="9c7a2636-d70d-4ef0-a937-79803cffaef7"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="8e19a1c7-6a90-4aef-ab51-0119100883f7" name="9" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e6dccc3-2be9-4bea-aa25-12f13a6314be</onsuccess>

<step>

<element id="b4f4f3b5-100d-44cb-a4de-f397d2486d05"/>

<action>
```

```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="7b2d248b-d479-415a-8229-591c1abdad4f" name="0" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ba1aa01a-083a-4057-a1c6-f9d2880db2ff</onsuccess>

<step>

<element id="5ceb7ed3-2631-4093-9c21-534dab1ae211"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="4b3c5e69-6745-46e5-a547-0cd4b44dc3e2" name="+" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>-60</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2013afc0-ba8a-4e1b-9d2b-8b0a557f93cb</onsuccess>

<step>

<element id="3ccf4fd9-1cba-460f-ac97-8a46627b310a"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="78b28a10-9e99-45f2-956d-c754370aaf0e" name="-" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>3dc5b657-9960-4c8b-ae20-65219fa82479</onsuccess>

<step>

<element id="288bcfb3-107f-49a3-90e1-e15cbc95a7dd"/>

<action>


```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="15262e72-d455-4233-bb96-0d7d9da1c631" name="*" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3680fa24-3edc-4367-a45c-5ca807db718e</onsuccess>

<step>

<element id="1e5bbc08-4e66-494a-8ea7-a52d938878ce"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="22a3450a-83f4-4479-85f7-17549bb4c420" name=" " type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>-60</displayx>

<displayy>120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae37df46-9211-4dc6-b54e-79ac7473fd5e</onsuccess>

<step>

<element id="a7368c35-20be-4eaf-9b1f-49fbc74dc454"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="3d268fa9-26f8-4450-ade1-86836aa28a72" name="" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d9dd6cc5-cedd-4edf-8700-4328ba2841fe</onsuccess>

<step>

<element id="2e5aaa71-8cdb-4ebf-9938-e5123fa679d6"/>

<action>
```

```
<id>Press</id>

</action>

</step>

</stage>

<stage stageid="08356f28-d840-465a-86c8-07a9e488f4b8" name="anchor1" type="Anchor">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bc3c7eab-28fc-45c4-9235-cd61a7af43a3</onsuccess>

</stage>

<stage stageid="8579f0e7-71f2-468e-b8c5-f7e32a5765cb" name="Pause" type="SubSheetInfo">

<subsheetid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-240</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

<stage stageid="16e9b334-1dec-4ef8-b078-230fc0e94b0a" name="Start" type="Start">

<subsHEETid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="timespan" name="Seconds" stage="Wait Time"/>

</inputs>

<onsuccess>257b4937-0201-4e55-9c95-f816ee5b70b6</onsuccess>

</stage>

<stage stageid="7ade7598-7d08-4ba7-998d-cbed4fc7ff94" name="End" type="End">

<subsHEETid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="8e6aefea-39c4-42ae-bea2-9f2b5124310e" name="Wait Time" type="Data">

<subsHEETid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>timespan</datatype>

<initialvalue>0.00:00:10</initialvalue>

<private/>

</stage>

<stage stageid="b30038d1-50cd-4d6c-87b7-6a83563d1382" name="anchor2" type="Anchor">

<subsHEETid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-300</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>9db35de7-3305-4433-aece-59e391600273</onsuccess>

</stage>

<stage stageid="9db35de7-3305-4433-aece-59e391600273" name="anchor3" type="Anchor">

<subsHEETid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-270</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>58285b89-3e7d-4154-ba7b-50ed4cd3c92e</onsuccess>

</stage>

<stage stageid="58285b89-3e7d-4154-ba7b-50ed4cd3c92e" name="anchor4" type="Anchor">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-240</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>4f5e0054-92c7-41e2-b514-e60ce48f47e1</onsuccess>

</stage>

<stage stageid="4f5e0054-92c7-41e2-b514-e60ce48f47e1" name="anchor5" type="Anchor">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-210</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>4b062d9d-d077-4f45-9ac3-a1e9b33a1ef8</onsuccess>

</stage>

<stage stageid="4b062d9d-d077-4f45-9ac3-a1e9b33a1ef8" name="anchor6" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>949f5e4f-0a76-4673-989b-85ad704989bd</onsuccess>

</stage>

<stage stageid="949f5e4f-0a76-4673-989b-85ad704989bd" name="anchor7" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>10</displaywidth>

```
<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>acdc4f31-9724-4ee9-a096-b820f5a57bdf</onsuccess>

</stage>

<stage stageid="acdc4f31-9724-4ee9-a096-b820f5a57bdf" name="anchor8" type="Anchor">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7eb4e104-ef75-4b57-9553-0fb6400aba09</onsuccess>

</stage>

<stage stageid="7eb4e104-ef75-4b57-9553-0fb6400aba09" name="anchor9" type="Anchor">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e6dccc3-2be9-4bea-aa25-12f13a6314be</onsuccess>
```


</stage>

<stage stageid="8e6dccc3-2be9-4bea-aa25-12f13a6314be" name="anchor10" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>ba1aa01a-083a-4057-a1c6-f9d2880db2ff</onsuccess>

</stage>

<stage stageid="ba1aa01a-083a-4057-a1c6-f9d2880db2ff" name="anchor11" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>2013afc0-ba8a-4e1b-9d2b-8b0a557f93cb</onsuccess>

</stage>

<stage stageid="2013afc0-ba8a-4e1b-9d2b-8b0a557f93cb" name="anchor12" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>3dc5b657-9960-4c8b-ae20-65219fa82479</onsuccess>

</stage>

<stage stageid="3dc5b657-9960-4c8b-ae20-65219fa82479" name="anchor13" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>3680fa24-3edc-4367-a45c-5ca807db718e</onsuccess>

</stage>

<stage stageid="3680fa24-3edc-4367-a45c-5ca807db718e" name="anchor14" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>d9dd6cc5-cedd-4edf-8700-4328ba2841fe</onsuccess>

</stage>

<stage stageid="d9dd6cc5-cedd-4edf-8700-4328ba2841fe" name="anchor15" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>ae37df46-9211-4dc6-b54e-79ac7473fd5e</onsuccess>

</stage>

<stage stageid="ae37df46-9211-4dc6-b54e-79ac7473fd5e" name="anchor16" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

```
<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>08356f28-d840-465a-86c8-07a9e488f4b8</onsuccess>

</stage>

<stage stageid="3ceadac1-1153-4642-9caa-693e7c52bb5a" name="Get Result" type="SubSheetInfo">

<subsheetsid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetsid>

<loginhibit/>

<narrative>Press the = button and then read and return the TEXT from the display. Note that this usually in

<displayx>-165</displayx>

<displayy>-120</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c49e963a-48ff-4acf-9518-be301e5652bd" name="Start" type="Start">

<subsheetsid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f5890444-7ccd-4edb-a5aa-be6fd9dc7df7</onsuccess>

</stage>

<stage stageid="b5c0e975-c696-4c5e-b4de-a78e9a151d5e" name="Press Equals" type="Navigate">
```

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>00395259-33a1-4bf7-b734-85d0f15423b9</onsuccess>

<step>

<element id="a7368c35-20be-4eaf-9b1f-49fbc74dc454"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="00395259-33a1-4bf7-b734-85d0f15423b9" name="Read Result" type="Read">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>007c4fc5-ac72-4569-bd69-e0bf149c8386</onsuccess>

<step stage="TheResult">

<element id="9c3dafc4-0791-4a4e-8d23-7f90348410ce"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="89ae68e7-3b12-4431-9a85-d60e2d54509d" name="TheResult" type="Data">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="1bddc36e-bea0-4264-b5cc-03723f400528" name="Wait..." type="Decision">

<subsheetid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

```
<display>-105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="Now() &gt; ([Start Time] + [Wait Time])"/>

<ontrue>7ade7598-7d08-4ba7-998d-cbed4fc7ff94</ontrue>

<onfalse>1f8219c1-bdc1-469c-bc97-518461a335d2</onfalse>

</stage>

<stage stageid="257b4937-0201-4e55-9c95-f816ee5b70b6" name="Start Timer" type="Calculation">

<subsheetid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<display>-195</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c0247d07-8e74-4228-8726-fc8b2d3dc484</onsuccess>

<calculation expression="Now()" stage="Start Time"/>

</stage>

<stage stageid="a40b0343-fae7-4d91-a54d-789463b32a64" name="Start Time" type="Data">

<subsheetid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>
```

```
<display>-105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>datetime</datatype>

<initialvalue>2007-01-29 13:39:58</initialvalue>

<private/>

</stage>

<stage stageid="1f8219c1-bdc1-469c-bc97-518461a335d2" name="anchor17" type="Anchor">

<subsheetsid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<display>-105</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8d4b574e-14ad-4fed-9472-2227ff723f62</onsuccess>

</stage>

<stage stageid="8d4b574e-14ad-4fed-9472-2227ff723f62" name="anchor18" type="Anchor">

<subsheetsid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<display>-150</display>
```


<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>c0247d07-8e74-4228-8726-fc8b2d3dc484</onsuccess>

</stage>

<stage stageid="c0247d07-8e74-4228-8726-fc8b2d3dc484" name="anchor19" type="Anchor">

<subsHEETid>27d455c4-5002-4058-a19f-bc8b95eb7fc7</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>1bddc36e-bea0-4264-b5cc-03723f400528</onsuccess>

</stage>

<stage stageid="5f5a9471-66f5-4c1e-b638-530b74291949" name="Wait For" type="Data">

<subsHEETid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<datatype>timespan</datatype>

<initialvalue>0.00:00:10</initialvalue>

<private/>

</stage>

<stage stageid="1dc99f9b-9b3c-4023-a66d-70e06f79dba3" name="Wait1" type="WaitStart">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>bd0c2f0d-17bf-4c7a-b46f-2f734d7400ff</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>

<ontrue>f206835b-7924-4a52-b435-fb886263f208</ontrue>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

```
</choices>

<timeout>10</timeout>

</stage>

<stage stageid="233691ca-4dfd-4806-9684-562981550d74" name="Time Out1" type="WaitEnd">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>20b2426f-02e5-4c1b-b023-9c8a01e7321b</onsuccess>

<groupid>bd0c2f0d-17bf-4c7a-b46f-2f734d7400ff</groupid>

</stage>

<stage stageid="20b2426f-02e5-4c1b-b023-9c8a01e7321b" name="Raise Error" type="Note">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>I need to raise an error, but I can't!</narrative>

<displayx>30</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bef3c888-ed65-45a7-ae23-44c2a794cdf7" name="Hex Mode" type="SubSheetInfo">
```

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>Select Hex mode</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="a9cad6cf-18d2-4fb0-b89d-cae326beb6b6" name="Start" type="Start">

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>76906786-538a-4676-913c-871af7d0f9f8</onsuccess>

</stage>

<stage stageid="37f5cb8f-dd2a-4638-ae79-ecd104550adf" name="End" type="End">

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

```
<display>30</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2efe712f-02cd-4962-9f92-11ad0ddf948e" name="Alt-V, H" type="Navigate">

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>37f5cb8f-dd2a-4638-ae79-ecd104550adf</onsuccess>

<step>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<action>

<id>ActivateApp</id>

</action>

</step>

<step>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<action>

<id>TypeTextAlt</id>

<arguments>
```

```
<argument>
<id>newtext</id>
<value>"V"</value>
</argument>
</arguments>
</action>
</step>
<step>
<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>
<action>
<id>TypeText</id>
<arguments>
<argument>
<id>newtext</id>
<value>"H"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="f387aefb-3950-436d-b892-7794345babf7" name="Close" type="SubSheetInfo">
<subsheetsid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsheetsid>
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
```

<displayheight>90</displayheight>

</stage>

<stage stageid="bb984449-4cea-4e00-8668-a1cb982857d1" name="Start" type="Start">

<subsHEETid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ea39d722-301f-4289-aabb-1cf281ed2e9e</onsuccess>

</stage>

<stage stageid="bcd02527-b16d-4519-ad17-61769f612a52" name="End" type="End">

<subsHEETid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="ff262cee-4a72-4718-940c-d996ba3d1264" name="Close Main Window" type="Navigate">

<subsHEETid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsHEETid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bcd02527-b16d-4519-ad17-61769f612a52</onsuccess>

<step>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<action>

<id>CloseWindow</id>

</action>

</step>

</stage>

<stage stageid="574ce7f6-041e-419a-9b02-54f8368b6a47" name="Read Display" type="SubSheetInfo">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<narrative>Reads the NUMBER from the calculator display</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="caee73b8-31f0-42c0-8948-a372c2f6899f" name="Start" type="Start">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<narrative>
```



```
</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bade0119-c6ad-430b-83f5-f66f59849b06</onsuccess>

</stage>

<stage stageid="df86b456-714e-4d45-9a81-6ccefc6d9061" name="End" type="End">

<subsheetsid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="number" name="Result" stage="Result"/>

</outputs>

</stage>

<stage stageid="bcf348a5-c549-4fb6-8f00-79ea76f86aeb" name="Result" type="Data">

<subsheetsid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>
```

```
<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>

<stage stageid="a798e219-1a3a-478c-b43c-802b15f9f29c" name="Read" type="Read">

<subsheetsid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>42fe0635-c322-4ae7-b501-2dbb2f899251</onsuccess>

<step stage="ResText">

<element id="9c3dafc4-0791-4a4e-8d23-7f90348410ce"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="74bec5c6-49c3-4750-90f7-b8dbb9a61274" name="ResText" type="Data">
```

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="42fe0635-c322-4ae7-b501-2dbb2f899251" name="Convert" type="Calculation">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>df86b456-714e-4d45-9a81-6ccefc6d9061</onsuccess>

<calculation expression="Left([ResText],Len([ResText])-1)" stage="Result"/>

</stage>

<stage stageid="e4327d40-ecad-4f94-b1f3-dc27f2c4e298" name="Running Clean Up Page" type="Note">

<subsheetid>af18e4cb-2c21-4f2a-852d-e80d90c2f467</subsheetid>

<narrative>This is just here to get logged for test purposes</narrative>

<displayx>30</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<onsuccess>11f35921-067a-43c1-b37c-bc63f11c9c17</onsuccess>

</stage>

<stage stageid="4cce8ac9-67f0-401f-bfca-f3301f350e58" name="Enable / Disable Digit Grouping" type="S

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9666a149-0e7f-429d-8cac-7509ea60f449" name="Start" type="Start">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="Enabled" stage="Enabled"/>

</inputs>

<onsuccess>b6f0b151-8509-4e58-8d28-2a76accbd825</onsuccess>

</stage>

<stage stageid="141cf2be-0aca-4f9f-8596-08fc930de2fb" name="End" type="End">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="cc6b95cf-e62c-4f98-87d0-c652d5af22ca" name="Enabled" type="Data">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="e23b274c-d441-425a-ab81-ec8df9c385e2" name="Read Menu Item Checked Status" type="Text">

  <subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

  <loginhibit/>

  <narrative>

  </narrative>

  <displayx>15</displayx>

  <displayy>-15</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <onsuccess>8765d496-d337-4965-8b41-d8943cd8ed6e</onsuccess>

  <step stage="Checked?">

    <element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

    <action>

      <id>IsMenuItemChecked</id>

      <arguments>

        <argument>

          <id>Value</id>

          <value>"{View}{Digit grouping}"</value>

        </argument>

      </arguments>

    </action>

  </step>
```

```
</stage>

<stage stageid="afabb547-f39a-46b5-b442-c7a866aae5c4" name="Checked?" type="Data">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8765d496-d337-4965-8b41-d8943cd8ed6e" name="Action Required?" type="Decision">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Enabled] &lt;&gt; [Checked?]">

<ontrue>8373233c-8e62-4f1b-9851-510e4137fc00</ontrue>
```

<onfalse>cfb82a58-4ee4-489d-8b93-093a8261a95c</onfalse>

</stage>

<stage stageid="cfb82a58-4ee4-489d-8b93-093a8261a95c" name="anchor20" type="Anchor">

<subsHEETid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>5e57ca7d-4e49-4a96-8d93-3a10ed654c50</onsuccess>

</stage>

<stage stageid="8373233c-8e62-4f1b-9851-510e4137fc00" name="Select Menu Item" type="Navigate">

<subsHEETid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>141cf2be-0aca-4f9f-8596-08fc930de2fb</onsuccess>

<step>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>


```
<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{View}{Digit grouping}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="5e57ca7d-4e49-4a96-8d93-3a10ed654c50" name="anchor21" type="Anchor">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>141cf2be-0aca-4f9f-8596-08fc930de2fb</onsuccess>

</stage>

<stage stageid="0288acc0-cf03-454d-bd03-9b1783608d25" name="Read Digit Grouping Enabled Status">

<subsheetid>b8f14651-8839-405a-844c-eedc2ef703</subsheetid>

<narrative>

</narrative>
```

```
<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1e361098-ecf3-4820-8d2a-cde56afcc38a" name="Start" type="Start">

<subsheetsid>b8f14651-8839-405a-844c-eedc2ef703</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f14a1b09-4fdc-411d-9dfe-391bf3dfa2d6</onsuccess>

</stage>

<stage stageid="179d16bc-7915-4c0c-a6ec-55565c96d500" name="End" type="End">

<subsheetsid>b8f14651-8839-405a-844c-eedc2ef703</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<outputs>

<output type="flag" name="Enabled" stage="Enabled"/>

</outputs>

</stage>

<stage stageid="35ca964e-9f7e-45be-899f-23b8a2564ec8" name="Read Menu Item Checked Status" type

<subsheetid>b8f14651-8839-405a-844c-eedcff2ef703</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>179d16bc-7915-4c0c-a6ec-55565c96d500</onsuccess>

<step stage="Enabled">

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<action>

<id>IsMenuItemChecked</id>

<arguments>

<argument>

<id>Value</id>

<value>"{View}{Digit grouping}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="f217f097-7d64-47a2-a508-2b8848244fad" name="Note1" type="Note">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>Integration Notes -

Windows 2000 contains a different version of calculator.

The Win2K version does not have any window text on the buttons, so we identify buttons by location</narrative>

<displayx>-135</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>180</displayheight>

</stage>

<stage stageid="f206835b-7924-4a52-b435-fb886263f208" name="Hide Window?" type="Decision">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Hide Window?]">

```
<ontrue>84832a51-5779-4693-b6d5-f90ceae1197d</ontrue>

<onfalse>826a8968-da7d-4988-854a-d069c1a2686b</onfalse>

</stage>

<stage stageid="ed68f0c0-453b-45e6-b704-ae04b22f1dad" name="Hide Window?" type="Data">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="84832a51-5779-4693-b6d5-f90ceae1197d" name="Hide Window" type="Navigate">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>826a8968-da7d-4988-854a-d069c1a2686b</onsuccess>

<step>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<action>

<id>HideWindow</id>

</action>

</step>

</stage>

<stage stageid="7f8249d6-9ccc-4896-86f6-34d5db5f95a9" name="Set Display Mode" type="SubSheetInfo">

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="24e0268f-1683-498d-93a9-56c05d4bb030" name="Start" type="Start">

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<loginhibit/>

<narrative>Display Mode is either "Standard" or "Scientific"</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<inputs>

<input type="text" name="Display Mode" stage="Display Mode"/>

</inputs>

<onsuccess>0368dc63-053c-4ab2-b6c6-46c1ac8c5222</onsuccess>

</stage>

<stage stageid="966dda8e-c7aa-4d0e-bc0a-0c8d1eee42d5" name="End" type="End">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fb95b85e-c418-4e2d-9118-2d226480b43b" name="Display Mode" type="Data">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>
```

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="cc85b7c3-449f-4fa8-9635-17abf5edb499" name="Validate Input" type="Decision">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Display Mode] = &quot;Scientific&quot;;or&quot;[Display Mode] = &quot;Text&quot;">

<ontrue>b269fd7a-dcbc-4e17-89fa-b296cbd5c940</ontrue>

<onfalse>20f9bd02-ce2d-434f-b00a-03e07d15d961</onfalse>

</stage>

<stage stageid="20f9bd02-ce2d-434f-b00a-03e07d15d961" name="Note2" type="Note">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>FAIL</narrative>

<displayx>135</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fb3941c2-cf96-4775-a8c8-f3b1a2134e98" name="Set Display Mode" type="Navigate">
```


<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c0344e99-9911-4fad-933f-a717db910286</onsuccess>

<step>

<element id="4bbd315c-2c57-4124-a4bd-8a09ab64c152"/>

<action>

<id>SelectMenuItem</id>

<arguments>

<argument>

<id>Value</id>

<value>"{View}{ " && [Display Mode] && "}"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="c0344e99-9911-4fad-933f-a717db910286" name="Scientific Mode?" type="Decision">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Display Mode] = &amp;quot;Scientific&amp;quot;"/>

<ontrue>5e5838da-f212-4542-a0aa-77c39c29fcad</ontrue>

<onfalse>8b664bb6-eb67-4520-9ec4-e3a58800aad3</onfalse>

</stage>

<stage stageid="b94f2076-1c6d-4d3c-a422-d55936d708e5" name="Time Out2" type="WaitEnd">

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>360</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>6d5d9844-bb4a-4037-ba13-63ede01dbf37</groupid>

</stage>

<stage stageid="5e5838da-f212-4542-a0aa-77c39c29fcad" name="Wait for Window Change" type="WaitS

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>300</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>6d5d9844-bb4a-4037-ba13-63ede01dbf37</groupid>

<choices>

<choice reply="True">

<name>Main Window - Scientific Mode Check Exists</name>

<distance>60</distance>

<ontrue>edbdb8e2-c90e-445b-b125-88e943831d95</ontrue>

<element id="fc82ebdb-34fb-4bf2-ab76-40d5e7b5aaea"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="04b3c5f1-ae9f-48d8-bb3e-a805f60d233d" name="Time Out3" type="WaitEnd">

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>360</displayy>
```

```
<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>98eac13a-e982-4bc0-aeeb-78b21a92ee54</groupid>

</stage>

<stage stageid="8b664bb6-eb67-4520-9ec4-e3a58800aad3" name="Wait for Window Change" type="Wait

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>98eac13a-e982-4bc0-aeeb-78b21a92ee54</groupid>

<choices>

<choice reply="True">

<name>Main Window - Standard Mode Check Exists</name>

<distance>60</distance>

<ontrue>edbdb8e2-c90e-445b-b125-88e943831d95</ontrue>

<element id="a4b15f4e-5695-403f-998e-a902a0745cd0"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

```
</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b269fd7a-dcbc-4e17-89fa-b296cbd5c940" name="Windows 7?" type="Decision">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersionMajor()&gt;=6 AND GetOSVersionMinor()&gt;=1"/>

<ontrue>48e9688f-72d5-425d-899f-f17e54834715</ontrue>

<onfalse>b0f5bc9b-d793-4001-8cc3-c444d5c0b340</onfalse>

</stage>

<stage stageid="48e9688f-72d5-425d-899f-f17e54834715" name="Mode" type="ChoiceStart">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>4f0bffc8-cdf2-4547-85bb-3e328cee3d08</groupid>
```

<choices>

<choice expression="[Display Mode]="Standard"">

<name>Standard</name>

<distance>60</distance>

<ontrue>bf4540f1-1242-4f38-9a46-7803f41af02d</ontrue>

</choice>

<choice expression="[Display Mode]="Scientific"">

<name>Scientific</name>

<distance>105</distance>

<ontrue>8102f9d0-dbef-487a-90e6-3b58f34f6802</ontrue>

</choice>

</choices>

</stage>

<stage stageid="2c1224de-037f-4f01-a228-7d7c3d450a88" name="Otherwise1" type="ChoiceEnd">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<groupid>4f0bffc8-cdf2-4547-85bb-3e328cee3d08</groupid>

</stage>

<stage stageid="bf4540f1-1242-4f38-9a46-7803f41af02d" name="Amend Display Mode" type="Calculation"

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b0f5bc9b-d793-4001-8cc3-c444d5c0b340</onsuccess>

<calculation expression="[Display Mode]&amp;Chr(9)&amp;&quot;Alt+1&quot;" stage=

</stage>

<stage stageid="b0f5bc9b-d793-4001-8cc3-c444d5c0b340" name="anchor22" type="Anchor">

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>46ccba6c-337f-47d5-8c02-8095296dc3ab</onsuccess>

</stage>

<stage stageid="46ccba6c-337f-47d5-8c02-8095296dc3ab" name="anchor23" type="Anchor">

<subsheetsid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fb3941c2-cf96-4775-a8c8-f3b1a2134e98</onsuccess>

</stage>

<stage stageid="8102f9d0-dbef-487a-90e6-3b58f34f6802" name="Amend Display Mode" type="Calculation">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>46ccba6c-337f-47d5-8c02-8095296dc3ab</onsuccess>

<calculation expression="[Display Mode]&amp;amp;Chr(9)&amp;amp;&amp;quot;Alt+2&amp;quot;" stage=

</stage>

<stage stageid="66a22df1-d8b8-4999-8ed3-a31b9ccdd39f" name="Windows 7?" type="Decision">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>
```



```
<display>-390</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersionMajor()&gt;=6 AND GetOSVersionMinor()&gt;=1"/>

<ontrue>8fd4cf5c-76ff-4e35-a8d9-95c4bb1e0680</ontrue>

<onfalse>768f75f5-d052-46d6-90ae-ef2c7a62584d</onfalse>

</stage>

<stage stageid="372afb8d-5265-4ed2-a2a1-0e48784b91f1" name="1" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<display>-300</display>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b30038d1-50cd-4d6c-87b7-6a83563d1382</onsuccess>

<step>

<element id="6d26a128-f008-453b-9b9d-65a73cd15f08"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="4847929f-9dd1-4d05-a0f2-8d9dfc1a8783" name="2" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-270</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9db35de7-3305-4433-aece-59e391600273</onsuccess>

<step>

<element id="6b359d5c-8141-420d-b235-bc8230bbdcaa"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="02afc9a0-fb80-4c9a-836c-a8e268438087" name="3" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-240</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>58285b89-3e7d-4154-ba7b-50ed4cd3c92e</onsuccess>
```

<step>

<element id="d65c3c9e-a081-4237-9dcf-a1bfe75602f7"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="819d9324-fb44-4ca7-83ef-0e562e7fb443" name="4" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-210</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>4f5e0054-92c7-41e2-b514-e60ce48f47e1</onsuccess>

<step>

<element id="d0352731-70c6-4930-8586-56380b00612e"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="e9ec469d-2eae-474c-aa9c-f369224ca0a9" name="5" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-180</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4b062d9d-d077-4f45-9ac3-a1e9b33a1ef8</onsuccess>

<step>

<element id="bca989ac-238f-4c9c-bf98-a03ba7dcdb0f"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="a5a3eed8-c576-4258-b4e9-5d84eebdd861" name="6" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-150</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>949f5e4f-0a76-4673-989b-85ad704989bd</onsuccess>
```

```
<step>

<element id="171e4e2e-90f5-4037-8d3f-893d9b82b8a8"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="976ed1c5-cccd-4eb5-9279-87321c4432da" name="7" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>acdc4f31-9724-4ee9-a096-b820f5a57bdf</onsuccess>

<step>

<element id="37c6fa51-5a0e-4344-9059-247f890abbd6"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="9319f19d-19f5-4cbd-892e-3e259293e78c" name="8" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7eb4e104-ef75-4b57-9553-0fb6400aba09</onsuccess>

<step>

<element id="7f35a18a-8376-4aff-944b-2046a940a9d5"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="569a4feb-6dba-4baf-8488-507bb85f1b63" name="9" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e6dccc3-2be9-4bea-aa25-12f13a6314be</onsuccess>
```

```
<step>

<element id="39630e52-0637-4e1b-a80f-8bf52e0f0af3"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="febab81d-eff6-4b45-be43-40796aab2e2b" name="0" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ba1aa01a-083a-4057-a1c6-f9d2880db2ff</onsuccess>

<step>

<element id="5ceb7ed3-2631-4093-9c21-534dab1ae211"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="9ec28b0c-541c-4de4-b3e6-68cf43c03db6" name="+" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2013afc0-ba8a-4e1b-9d2b-8b0a557f93cb</onsuccess>

<step>

<element id="f47b9eda-d343-4978-bdc6-e6ef50660dff"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="9ef7e520-7eab-4d74-a176-4d200f20bcc8" name="-" type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3dc5b657-9960-4c8b-ae20-65219fa82479</onsuccess>
```


<step>

<element id="3703e4a9-0b04-4c5f-bc8f-9ed76a5dfbb4"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="9eb8074e-8866-45e0-9008-74f4ac457249" name="*" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>3680fa24-3edc-4367-a45c-5ca807db718e</onsuccess>

<step>

<element id="29ce6e41-5ccb-44c7-ac81-f2122a99f346"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="e430cad7-ddb2-4317-8426-d5b3e9a966da" name="=" type="Navigate">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae37df46-9211-4dc6-b54e-79ac7473fd5e</onsuccess>

<step>

<element id="6100d04c-2979-473e-ba69-c86b27e93ec6"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="32e7c86a-ecd1-40a4-9dab-c7626c7623bc" name="\ " type="Navigate">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d9dd6cc5-cedd-4edf-8700-4328ba2841fe</onsuccess>
```

```
<step>

<element id="16642c22-1777-4cc8-8766-916af3cf3982"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="8fd4cf5c-76ff-4e35-a8d9-95c4bb1e0680" name="Which Button?" type="ChoiceStart">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-330</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>813693c0-3e89-4e1b-8e12-c465ff78ce7c</groupid>

<choices>

<choice expression="[Button] = &quot;1&quot;">

<name>1</name>

<distance>35.007206</distance>

<ontrue>372afb8d-5265-4ed2-a2a1-0e48784b91f1</ontrue>

</choice>

<choice expression="[Button] = &quot;2&quot;">

<name>2</name>

<distance>60</distance>

<ontrue>4847929f-9dd1-4d05-a0f2-8d9dfc1a8783</ontrue>
```

</choice>

<choice expression="[Button] = "3"">

<name>3</name>

<distance>90</distance>

<ontrue>02afc9a0-fb80-4c9a-836c-a8e268438087</ontrue>

</choice>

<choice expression="[Button] = "4"">

<name>4</name>

<distance>120</distance>

<ontrue>819d9324-fb44-4ca7-83ef-0e562e7fb443</ontrue>

</choice>

<choice expression="[Button] = "5"">

<name>5</name>

<distance>150</distance>

<ontrue>e9ec469d-2eae-474c-aa9c-f369224ca0a9</ontrue>

</choice>

<choice expression="[Button] = "6"">

<name>6</name>

<distance>180</distance>

<ontrue>a5a3eed8-c576-4258-b4e9-5d84eebdd861</ontrue>

</choice>

<choice expression="[Button] = "7"">

<name>7</name>

<distance>210</distance>

<ontrue>976ed1c5-cccd-4eb5-9279-87321c4432da</ontrue>

</choice>

<choice expression="[Button] = "8"">

<name>8</name>

<distance>240</distance>

<ontrue>9319f19d-19f5-4cbd-892e-3e259293e78c</ontrue>

</choice>

<choice expression="[Button] = "9"">

<name>9</name>

<distance>270</distance>

<ontrue>569a4feb-6dba-4baf-8488-507bb85f1b63</ontrue>

</choice>

<choice expression="[Button] = "0"">

<name>0</name>

<distance>300</distance>

<ontrue>febab81d-eff6-4b45-be43-40796aab2e2b</ontrue>

</choice>

<choice expression="[Button] = "+"">

<name>+</name>

<distance>330</distance>

<ontrue>9ec28b0c-541c-4de4-b3e6-68cf43c03db6</ontrue>

</choice>

<choice expression="[Button] = "-"">

<name>-</name>

<distance>360</distance>

<ontrue>9ef7e520-7eab-4d74-a176-4d200f20bcc8</ontrue>

</choice>

<choice expression="[Button] = "*"">

<name>*</name>

<distance>390</distance>

```
<ontrue>9eb8074e-8866-45e0-9008-74f4ac457249</ontrue>

</choice>

<choice expression="[Button] = &amp;quot;/&amp;quot;">

<name>/</name>

<distance>420</distance>

<ontrue>32e7c86a-eed1-40a4-9dab-c7626c7623bc</ontrue>

</choice>

<choice expression="[Button] = &amp;quot;=&amp;quot;">

<name>=</name>

<distance>450</distance>

<ontrue>e430cad7-ddb2-4317-8426-d5b3e9a966da</ontrue>

</choice>

</choices>

</stage>

<stage stageid="40cc1a3d-cffd-4c96-9192-b59e263a88ba" name="otherwise1" type="ChoiceEnd">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>08356f28-d840-465a-86c8-07a9e488f4b8</onsuccess>

<groupid>813693c0-3e89-4e1b-8e12-c465ff78ce7c</groupid>

</stage>
```

```
<stage stageid="b5c34342-3a2c-4b4a-ad26-e66d378de639" name="Windows 7?" type="Decision">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersionMajor()&gt;=6 AND GetOSVersionMinor()&gt;=1"/>

<ontrue>6d849195-b38c-430d-a3a3-07277ca7549e</ontrue>

<onfalse>b5c0e975-c696-4c5e-b4de-a78e9a151d5e</onfalse>

</stage>

<stage stageid="007c4fc5-ac72-4569-bd69-e0bf149c8386" name="End" type="End">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Result" stage="TheResult"/>

</outputs>
```

```
</stage>

<stage stageid="6d849195-b38c-430d-a3a3-07277ca7549e" name="Press Equals" type="Navigate">

<subsheetsid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>69e30058-3b2e-471d-af51-044422209cdb</onsuccess>

<step>

<element id="6100d04c-2979-473e-ba69-c86b27e93ec6"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="69e30058-3b2e-471d-af51-044422209cdb" name="Read Result" type="Read">

<subsheetsid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>
```



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>007c4fc5-ac72-4569-bd69-e0bf149c8386</onsuccess>

<step stage="TheResult">

<element id="aba6529c-090c-4e22-a2a3-eacca010be6a"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="4d13b521-6e99-444b-b23a-f4ef2f84df6b" name="Windows 7?" type="Decision">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersionMajor()&gt;=6 AND GetOSVersionMinor()&gt;=1"/>

<ontrue>29f9c79e-1061-43ed-8cf7-f62a77b64d16</ontrue>

<onfalse>a798e219-1a3a-478c-b43c-802b15f9f29c</onfalse>

</stage>

<stage stageid="29f9c79e-1061-43ed-8cf7-f62a77b64d16" name="Read" type="Read">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e84cd184-bd61-4bb7-910c-0b393eb8e387</onsuccess>

<step stage="ResText">

<element id="aba6529c-090c-4e22-a2a3-eacca010be6a"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="e84cd184-bd61-4bb7-910c-0b393eb8e387" name="Convert" type="Calculation">

<subsheetsid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>df86b456-714e-4d45-9a81-6ccefc6d9061</onsuccess>

<calculation expression="[ResText]" stage="Result"/>
```

```
</stage>

<stage stageid="73d7c3f1-0648-4345-aa44-3259fcda1aba" name="Check Identifiers" type="SubSheetInfo">

<subsheetsid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetsid>

<narrative>Check some window identifiers</narrative>

<displayx>-195</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d48db711-13ea-4f71-97e5-b072ae40f60e" name="Start" type="Start">

<subsheetsid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c563cb0-87f4-46ee-8f39-0815e0fa33ac</onsuccess>

</stage>

<stage stageid="7893635b-892d-49ba-b07c-da452f227ff9" name="End" type="End">

<subsheetsid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>90</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a2de3e69-8307-4919-9c3f-b95873c54b5e" name="Read some things" type="Read">

<subsheetsid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0d52b52-8234-40ba-ab4f-781b8329f675</onsuccess>

<step stage="id_WindowText">

<element id="b4f4f3b5-100d-44cb-a4de-f397d2486d05"/>

<action>

<id>GetWindowIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"WindowText"</value>

</argument>

</arguments>
```

```
</action>

</step>

<step stage="id_AncestorsText">

<element id="9c7a2636-d70d-4ef0-a937-79803cffaef7"/>

<action>

<id>GetWindowIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"AncestorsText"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="015c0cbe-d23b-4686-a64a-c18ece2294cf" name="id_WindowText" type="Data">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-60</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="012bd7cf-a82c-498b-84ee-9e47abc91ef7" name="id_AncestorsText" type="Data">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-15</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="27276fb3-1166-487e-a497-78942687488d" name="Windows 7?" type="Decision">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersionMajor()&gt;=6 AND GetOSVersionMinor()&gt;=1"/>
```

```
<ontrue>226c31e5-250c-46a9-a249-b1bddb4af6e7</ontrue>

<onfalse>a2de3e69-8307-4919-9c3f-b95873c54b5e</onfalse>

</stage>

<stage stageid="226c31e5-250c-46a9-a249-b1bddb4af6e7" name="Read some things" type="Read">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0e2085a-3c51-4738-ad67-d67615c80e97</onsuccess>

<step stage="id_WindowText">

<element id="39630e52-0637-4e1b-a80f-8bf52e0f0af3"/>

<action>

<id>GetWindowIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"WindowText"</value>

</argument>

</arguments>

</action>

</step>

<step stage="id_AncestorsText">
```

```
<element id="7f35a18a-8376-4aff-944b-2046a940a9d5"/>

<action>

<id>GetWindowIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"AncestorsText"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="0c27c0de-51fc-4fa5-a7b4-30e1013076bd" name="Check Window Text" type="Decision">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[id_WindowText] = &quot;9&quot;"/>

<ontrue>43fe0059-6c94-4681-99c2-be960d1c6dcc</ontrue>

<onfalse>a1b567f4-da54-41b9-9546-c887957119a0</onfalse>

</stage>

<stage stageid="43fe0059-6c94-4681-99c2-be960d1c6dcc" name="Check Ancestors" type="Decision">
```


<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[id_AncestorsText] = "Calculator <UNKNOWN> "

<ontrue>7893635b-892d-49ba-b07c-da452f227ff9</ontrue>

<onfalse>4c2aa3ac-b023-480c-9ab9-49006ba7f8dc</onfalse>

</stage>

<stage stageid="a1b567f4-da54-41b9-9546-c887957119a0" name="Exception1" type="Exception">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="TestFailure" detail=""WindowText identifier read as " & [id

</stage>

<stage stageid="4c2aa3ac-b023-480c-9ab9-49006ba7f8dc" name="Exception2" type="Exception">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<narrative>

```
</narrative>

<displayx>-45</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;AncestorsText identifier read as '&quot; &amp;

</stage>

<stage stageid="e0e2085a-3c51-4738-ad67-d67615c80e97" name="Adjust" type="Calculation">

<subsheetsid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetsid>

<loginhibit/>

<narrative>The ancestors text is different for Windows 7!</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>43fe0059-6c94-4681-99c2-be960d1c6dcc</onsuccess>

<calculation expression="Mid([id_AncestorsText], 3, Len([id_AncestorsText]) -2)" stage="id_AncestorsText

</stage>

<stage stageid="e0d52b52-8234-40ba-ab4f-781b8329f675" name="Win2K?" type="Decision">

<subsheetsid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetsid>

<loginhibit/>

<narrative>Win2K has the WindowText identifier blank for the button, so we'll be skipping that check!</narrative>

<displayx>-60</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<decision expression="GetOSVersion() = "Windows 2000""/>

<ontrue>43fe0059-6c94-4681-99c2-be960d1c6dcc</ontrue>

<onfalse>0c27c0de-51fc-4fa5-a7b4-30e1013076bd</onfalse>

</stage>

<stage stageid="b66ba1b1-b249-45a7-aa5d-36044f11252e" name="Check for Win10" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9bd3a369-3047-4681-9a37-f644cf79d2fb</onsuccess>

<calculation expression="(GetOSVersion() = "Windows 10") = True" stage="Win10"/>

</stage>

<stage stageid="2470b58a-595d-4547-97ee-6e52cc96e4b2" name="Win10" type="Data">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

```
<initialvalue>False</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="f32612c0-91b7-4aa4-9b7f-c8053176820f" name="Is Win10?" type="Decision">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Win10] = True"/>

<ontrue>52e58463-1f92-4a1f-8c5d-ba38af273018</ontrue>

<onfalse>08265c9f-d50a-47c1-b334-b4556e270c78</onfalse>

</stage>

<stage stageid="52e58463-1f92-4a1f-8c5d-ba38af273018" name="Start Calculator (Win10)" type="Action">

<subsheetid>45ae527c-3e74-4aa7-862c-4a9129e12540</subsheetid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Hide Window?" expr="[Hide Window?]" />
```

```
</inputs>

<onsuccess>826a8968-da7d-4988-854a-d069c1a2686b</onsuccess>

<resource object="Win10Calculator" action="Start Calculator"/>

</stage>

<stage stageid="0368dc63-053c-4ab2-b6c6-46c1ac8c5222" name="Is Win10?" type="Decision">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Win10] = True"/>

<ontrue>1351cce1-f4a9-4b3e-9af7-b4bf002f42b9</ontrue>

<onfalse>cc85b7c3-449f-4fa8-9635-17abf5edb499</onfalse>

</stage>

<stage stageid="1351cce1-f4a9-4b3e-9af7-b4bf002f42b9" name="Set Display Mode (Win10)" type="Action">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

```
<input type="text" name="Display Mode" expr="[Display Mode]"/>

</inputs>

<onsuccess>acd21f23-e0ab-48d1-8a73-fd5752d2ffef</onsuccess>

<resource object="Win10Calculator" action="Set Display Mode"/>

</stage>

<stage stageid="c418b33e-31a5-43a8-8a9e-65a2fe212f7b" name="Is Win10?" type="Decision">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[Win10] = True"/>

<ontrue>6d7f3370-b899-4ced-a625-eb2b41b6848a</ontrue>

<onfalse>66a22df1-d8b8-4999-8ed3-a31b9ccdd39f</onfalse>

</stage>

<stage stageid="6d7f3370-b899-4ced-a625-eb2b41b6848a" name="Press a Button (Win10)" type="Action">

<subsheetid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-435</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Button to Press" expr="[Button]"/>

</inputs>

<onsuccess>b4010853-8242-45d8-b1bb-9e2dc46a795d</onsuccess>

<resource object="Win10Calculator" action="Press a Button"/>

</stage>

<stage stageid="f5890444-7ccd-4edb-a5aa-be6fd9dc7df7" name="Is Win10?" type="Decision">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>0f0d1679-0479-4ad2-a4dd-e517f650c1d3</ontrue>

<onfalse>b5c34342-3a2c-4b4a-ad26-e66d378de639</onfalse>

</stage>

<stage stageid="0f0d1679-0479-4ad2-a4dd-e517f650c1d3" name="Get Result (Win10)" type="Action">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Result" stage="TheResult"/>

</outputs>

<onsuccess>85f04ae6-7230-41d1-8a95-bdb916f3ac54</onsuccess>

<resource object="Win10Calculator" action="Get Result"/>

</stage>

<stage stageid="76906786-538a-4676-913c-871af7d0f9f8" name="Is Win10?" type="Decision">

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>5a78e7f7-1703-4888-ba4c-42979b478624</ontrue>

<onfalse>2efe712f-02cd-4962-9f92-11ad0ddf948e</onfalse>

</stage>

<stage stageid="ea39d722-301f-4289-aabb-1cf281ed2e9e" name="Is Win10?" type="Decision">

<subsheetid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>e69ef25d-9e28-4e0a-8274-ca841fafa75a</ontrue>

<onfalse>ff262cee-4a72-4718-940c-d996ba3d1264</onfalse>

</stage>

<stage stageid="e69ef25d-9e28-4e0a-8274-ca841fafa75a" name="Close (Win10)" type="Action">

<subsheetsid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>3197524c-a229-46a0-8830-7168a12adad5</onsuccess>

<resource object="Win10Calculator" action="Close"/>

</stage>

<stage stageid="bade0119-c6ad-430b-83f5-f66f59849b06" name="Is Win10?" type="Decision">

<subsheetsid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>9f672744-dc30-420a-927d-ef50453a7899</ontrue>

<onfalse>4d13b521-6e99-444b-b23a-f4ef2f84df6b</onfalse>

</stage>

<stage stageid="9f672744-dc30-420a-927d-ef50453a7899" name="Read Display (Win10)" type="Action">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="number" name="Result" stage="Result"/>

</outputs>

<onsuccess>372b976d-5bc2-44fa-b958-079ca9c594ab</onsuccess>

<resource object="Win10Calculator" action="Read Display"/>

</stage>

<stage stageid="acd21f23-e0ab-48d1-8a73-fd5752d2ffef" name="Anchor1" type="Anchor">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>-105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>1ebec816-ac21-4679-bdbb-c602980fb1fc</onsuccess>

</stage>

<stage stageid="1ebec816-ac21-4679-bdbb-c602980fb1fc" name="Anchor2" type="Anchor">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>390</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>966dda8e-c7aa-4d0e-bc0a-0c8d1eee42d5</onsuccess>

</stage>

<stage stageid="edbdb8e2-c90e-445b-b125-88e943831d95" name="Anchor3" type="Anchor">

<subsheetid>8e041464-fa0c-4cae-b352-a21242b590c5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>966dda8e-c7aa-4d0e-bc0a-0c8d1eee42d5</onsuccess>

</stage>

<stage stageid="b4010853-8242-45d8-b1bb-9e2dc46a795d" name="Anchor4" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>-435</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>5914f3ef-6fbb-41e6-b82a-3ba1916ce869</onsuccess>

</stage>

<stage stageid="5914f3ef-6fbb-41e6-b82a-3ba1916ce869" name="Anchor5" type="Anchor">

<subsheetsid>9af50fa3-7ea8-4db3-b798-9db00d239cbe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>240</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>bc3c7eab-28fc-45c4-9235-cd61a7af43a3</onsuccess>

</stage>

<stage stageid="85f04ae6-7230-41d1-8a95-bdb916f3ac54" name="Anchor6" type="Anchor">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>0277299f-647b-4403-b83b-a46e8089fd52</onsuccess>

</stage>

<stage stageid="0277299f-647b-4403-b83b-a46e8089fd52" name="Anchor7" type="Anchor">

<subsheetid>d54c2ec2-0e49-4aa1-97af-591c198d1f12</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

```
<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>007c4fc5-ac72-4569-bd69-e0bf149c8386</onsuccess>

</stage>

<stage stageid="5a78e7f7-1703-4888-ba4c-42979b478624" name="Anchor8" type="Anchor">

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>207dd94f-1890-448d-af85-9b5972230fee</onsuccess>

</stage>

<stage stageid="207dd94f-1890-448d-af85-9b5972230fee" name="Anchor9" type="Anchor">

<subsheetid>546006a9-d1d0-495a-a6ff-37f78b0832b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>37f5cb8f-dd2a-4638-ae79-ecd104550adf</onsuccess>
```

</stage>

<stage stageid="3197524c-a229-46a0-8830-7168a12adad5" name="Anchor10" type="Anchor">

<subsheetid>d7fce23f-48bc-4d07-b80c-4815b7ddb800</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>bcd02527-b16d-4519-ad17-61769f612a52</onsuccess>

</stage>

<stage stageid="372b976d-5bc2-44fa-b958-079ca9c594ab" name="Anchor11" type="Anchor">

<subsheetid>ac73dee0-d222-41a1-8eac-7c29cc971e57</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>df86b456-714e-4d45-9a81-6ccefc6d9061</onsuccess>

</stage>

<stage stageid="b6f0b151-8509-4e58-8d28-2a76accbd825" name="Is Win10?" type="Decision">

<subsheetid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>fcd4f874-a6dd-4dda-ae45-6a05a7a9156c</ontrue>

<onfalse>e23b274c-d441-425a-ab81-ec8df9c385e2</onfalse>

</stage>

<stage stageid="fcd4f874-a6dd-4dda-ae45-6a05a7a9156c" name="Anchor12" type="Anchor">

<subsheetsid>ffbc371d-edb0-401f-86f3-cd7ac89e1667</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>cfb82a58-4ee4-489d-8b93-093a8261a95c</onsuccess>

</stage>

<stage stageid="f14a1b09-4fdc-411d-9dfe-391bf3dfa2d6" name="Is Win10?" type="Decision">

<subsheetsid>b8f14651-8839-405a-844c-eedc2ef703</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>b0b5e57c-924e-4b63-a18d-8bc33b4fd7f5</ontrue>

<onfalse>35ca964e-9f7e-45be-899f-23b8a2564ec8</onfalse>

</stage>

<stage stageid="b0b5e57c-924e-4b63-a18d-8bc33b4fd7f5" name="Anchor13" type="Anchor">

<subsheetid>b8f14651-8839-405a-844c-eedcff2ef703</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>d6f6cde7-aa39-4f7b-ac31-8ccebc9a271d</onsuccess>

</stage>

<stage stageid="d6f6cde7-aa39-4f7b-ac31-8ccebc9a271d" name="Anchor14" type="Anchor">

<subsheetid>b8f14651-8839-405a-844c-eedcff2ef703</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>179d16bc-7915-4c0c-a6ec-55565c96d500</onsuccess>

</stage>

<stage stageid="2c563cb0-87f4-46ee-8f39-0815e0fa33ac" name="Is Win10?" type="Decision">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Win10] = True"/>

<ontrue>10039830-16b2-4f81-abd5-14f620c3db19</ontrue>

<onfalse>27276fb3-1166-487e-a497-78942687488d</onfalse>

</stage>

<stage stageid="10039830-16b2-4f81-abd5-14f620c3db19" name="Check Identifiers (Win 10)" type="Action">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>165</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>45825d33-3303-40fa-a36a-d5e22b6e5719</onsuccess>

<resource object="Win10Calculator" action="Check Identifiers"/>

</stage>

<stage stageid="45825d33-3303-40fa-a36a-d5e22b6e5719" name="Anchor15" type="Anchor">

<subsheetid>e2c3c21d-2baf-4978-a5d4-9b98274fb901</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>7893635b-892d-49ba-b07c-da452f227ff9</onsuccess>

</stage>

</process>

<process name="Coop2BZR" version="1.0" narrative="fdsfa" type="object" runmode="Foreground" preferred=>

<appdef>

<element name="Coop2BZR">

<type>Application</type>

<basetype>Application</basetype>

<id>4a4cd74b-583e-47db-94d8-deefd31a75e5</id>
```

```
<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Cancel Button">

<type>Button</type>

<basetype>Button</basetype>

<id>87abf0c6-8eec-4f97-9e50-308d029b52be</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>Cancel</value>

</ProcessValue>

</attribute>

<attribute name="ClassName" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>WindowsForms10.BUTTON</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>
```

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>387</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>117</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>76</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>24</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pWindowText" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>text</datatype>

<value>Coop2BZR 1.0</value>

</ProcessValue>

</attribute>

<attribute name="pCtrlID" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>66</value>

</ProcessValue>

</attribute>

<attribute name="pY" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>66</value>

</ProcessValue>

</attribute>

<attribute name="pWidth" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>564</value>

</ProcessValue>

</attribute>

<attribute name="pHeight" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>372</value>

</ProcessValue>

</attribute>

<attribute name="pActive" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="pOrdinal" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>2</value>

</ProcessValue>

</attribute>

<attribute name="pChildCount" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>9</value>

</ProcessValue>

</attribute>

</attributes>

</element>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<name>My application is launched from an executable file</name>

<parameters>

<parameter>

<name>Path</name>

<type>File</type>

<values/>

<value>c:\blueprism\qa\code\Coop2BZR\Coop2BZR.exe</value>

<acceptsnull>False</acceptsnull>

<filefilter>Executable Files (*.exe)|*.exe</filefilter>

<helptext>Enter the path to the application executable, or use the Browse button</helptext>

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the command line parameters (if any) to be passed to the target application</helptext>

</parameter>

```
<parameter>

<name>NonInvasive</name>

<type>Boolean</type>

<values/>

<value>False</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>Restrict to non-invasive automation techniques</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="f88fda98-ea0e-4be2-857a-f38f99b4999a" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>
```

</subsheet>

<subsheet subsheetid="6de3b55c-e734-421c-a80a-ddf5683824f6" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="1295d982-1136-4226-9a95-5397c9ec2493" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="cd97b666-3a20-4956-aa5a-a508df879186" type="Normal" published="True">

<name>Was Cancel Pressed?</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="2ac2264e-dc12-43df-9ad6-4e2e4caaa53a" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>19cf5bb8-8795-4b98-85ce-0e8baae65b8a</onsuccess>

</stage>

<stage stageid="19cf5bb8-8795-4b98-85ce-0e8baae65b8a" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="b68c7113-f185-476c-9a60-06777161be5f" name="Stage1" type="ProcessInfo">

<narrative>

```
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="23630821-5881-4338-99a7-00f76a91dde9" name="Clean Up" type="SubSheetInfo">

<subsheetsid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetsid>

<narrative>

</narrative>
```

```
<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="be3b4c9b-f506-42c2-af5a-8ef0f7ac97f0" name="Start" type="Start">

<subsheetid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>6f63ff75-3ddb-4f41-80c0-3ba9b79a6b2b</onsuccess>

</stage>

<stage stageid="6f63ff75-3ddb-4f41-80c0-3ba9b79a6b2b" name="End" type="End">

<subsheetid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="32614b7f-f405-4236-854c-693db8833122" name="Launch" type="SubSheetInfo">

<subsheetsid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="395ada87-10a8-4a26-91dc-7f9d6ce167e3" name="Start" type="Start">

<subsheetsid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>62ead549-ff65-4098-a6d1-da48b064c44b</onsuccess>

</stage>

<stage stageid="167b908c-2378-434c-922f-6e2e9027c9b7" name="End" type="End">

<subsheetid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="72caca63-e189-4b2e-9286-72aa2c95fb0a" name="new" type="Note">

<subsheetid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="eeb84622-62bb-4688-9b9e-5525d14a2488" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="62ead549-ff65-4098-a6d1-da48b064c44b" name="Launch" type="Navigate">

<subsheetid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>167b908c-2378-434c-922f-6e2e9027c9b7</onsuccess>

<step>

<element id="4a4cd74b-583e-47db-94d8-deefd31a75e5"/>

<action>

<id>Launch</id>

</action>

</step>

</stage>

<stage stageid="52c6a2ba-0b94-406c-a834-006494f3a613" name="Was Cancel Pressed?" type="SubSheet">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-60</displayy>

<displaywidth>180</displaywidth>

<displayheight>120</displayheight>

</stage>

<stage stageid="f9591a67-b045-4b85-b5dd-b29881441033" name="Start" type="Start">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>-75</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>2c788cff-1662-478e-9c83-32be45094bdc</onsuccess>

</stage>

<stage stageid="b43c8906-f40d-45df-b01f-9f63a53e0f83" name="End" type="End">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Pressed?" stage="Pressed?"/>

</outputs>

</stage>
```

<stage stageid="38eef115-74c2-4c88-a8f7-c2f71c128bf5" name="Time Out1" type="WaitEnd">

<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>48ff479c-012e-4d0f-973e-a311f6b38d35</onsuccess>

<groupid>9130af88-de0d-4a17-a7e2-ca53bd6d88d5</groupid>

</stage>

<stage stageid="2c788cff-1662-478e-9c83-32be45094bdc" name="Wait1" type="WaitStart">

<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>9130af88-de0d-4a17-a7e2-ca53bd6d88d5</groupid>

<choices>

<choice reply="True">

<name>Cancel Button MouseLeftDown</name>

```
<distance>75</distance>

<ontrue>f7eb5f00-d38e-41ed-9fc5-1e414d5f8879</ontrue>

<element id="87abf0c6-8eec-4f97-9e50-308d029b52be"/>

<condition>

<id>MouseLeftDown</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>1</timeout>

</stage>

<stage stageid="4cb82fd5-1c8e-4552-b8c2-d93a0cc90a8a" name="Pressed?" type="Data">

<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f7eb5f00-d38e-41ed-9fc5-1e414d5f8879" name="Was Pressed" type="Calculation">
```

<subsHEETid>cd97b666-3a20-4956-aa5a-a508df879186</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b43c8906-f40d-45df-b01f-9f63a53e0f83</onsuccess>

<calculation expression="True" stage="Pressed?"/>

</stage>

<stage stageid="48ff479c-012e-4d0f-973e-a311f6b38d35" name="Was Not Pressed" type="Calculation">

<subsHEETid>cd97b666-3a20-4956-aa5a-a508df879186</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b43c8906-f40d-45df-b01f-9f63a53e0f83</onsuccess>

<calculation expression="False" stage="Pressed?"/>

</stage>

<stage stageid="644f7005-4079-4844-8c8d-15bc0bd6bd10" name="Terminate" type="SubSheetInfo">

<subsHEETid>1295d982-1136-4226-9a95-5397c9ec2493</subsHEETid>

```
<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6b51f1fd-6fb6-4ec7-9e44-45cfd3fef1f1" name="Start" type="Start">

<subsheetsid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>a5db31fa-d4f1-4c67-b1b8-14f637c94c65</onsuccess>

</stage>

<stage stageid="73640d84-e8b3-4244-8622-16a61a8b876f" name="End" type="End">

<subsheetsid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="a5db31fa-d4f1-4c67-b1b8-14f637c94c65" name="Terminate App" type="Navigate">

<subsheetid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>73640d84-e8b3-4244-8622-16a61a8b876f</onsuccess>

<step>

<element id="4a4cd74b-583e-47db-94d8-deefd31a75e5"/>

<action>

<id>Terminate</id>

</action>

</step>
```


</stage>

</process>

<process name="Coop2BZRAttach" version="1.0" narrative="Attached (and hooked) version" type="object"

<appdef>

<element name="Coop2BZR">

<type>Application</type>

<basetype>Application</basetype>

<id>4a4cd74b-583e-47db-94d8-deefd31a75e5</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Cancel Button">

<type>Button</type>

<basetype>Button</basetype>

<id>87abf0c6-8eec-4f97-9e50-308d029b52be</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Cancel"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value="WindowsForms10.BUTTON"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="387"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="117"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="76"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Coop2BZR 1.0"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="66"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="66"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="564"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="372"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

</attributes>

</element>

</element>

<apptypeinfo>

<id>Win32Attach</id>

<name>My application will already be running - I want to attach to an existing instance</name>

<parameters>

<parameter>

<name>WindowTitle</name>

<type>String</type>

<values/>

<value>Coop2BZR* </value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the window title of the target application (the wildcards *, ?, # are valid)</helptext>

</parameter>

<parameter>

<name>ProcessName</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the Windows process name of the target application</helptext>

</parameter>

<parameter>

<name>Path</name>

<type>File</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>Executable Files (*.exe)|*.exe</filefilter>

<helptext>If not found for attaching, your application may be launched automatically if desired. Enter the pa

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the command line parameters (if any) to be passed, when the specified executable is laun

</parameter>

<parameter>

<name>NonInvasive</name>

<type>Boolean</type>

<values/>

<value>False</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>Restrict to non-invasive automation techniques</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="f88fda98-ea0e-4be2-857a-f38f99b4999a" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="6de3b55c-e734-421c-a80a-ddf5683824f6" type="Normal" published="True">

<name>Attach</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="1295d982-1136-4226-9a95-5397c9ec2493" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="91521806-44b3-4f88-945e-bd49fc6cc09e" type="Normal" published="True">

<name>Detach</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="cd97b666-3a20-4956-aa5a-a508df879186" type="Normal" published="True">

<name>Was Cancel Pressed?</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

```
<subsheet subsheetid="7e774542-c408-4182-8cf7-0844d54b24f1" type="Normal" published="True">

<name>Check Button</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="559ba13b-f1c4-4359-9087-5b60891c47a5" type="Normal" published="True">

<name>Wait 5 Secs</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="2ac2264e-dc12-43df-9ad6-4e2e4caaa53a" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>19cf5bb8-8795-4b98-85ce-0e8baae65b8a</onsuccess>

</stage>
```


<stage stageid="19cf5bb8-8795-4b98-85ce-0e8baae65b8a" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b68c7113-f185-476c-9a60-06777161be5f" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="23630821-5881-4338-99a7-00f76a91dde9" name="Clean Up" type="SubSheetInfo">

<subsheetsid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="be3b4c9b-f506-42c2-af5a-8ef0f7ac97f0" name="Start" type="Start">

<subsheetsid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>6f63ff75-3ddb-4f41-80c0-3ba9b79a6b2b</onsuccess>

</stage>

<stage stageid="6f63ff75-3ddb-4f41-80c0-3ba9b79a6b2b" name="End" type="End">

<subsheetid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="32614b7f-f405-4236-854c-693db8833122" name="Attach" type="SubSheetInfo">

<subsheetid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="395ada87-10a8-4a26-91dc-7f9d6ce167e3" name="Start" type="Start">

<subsheetid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetid>

<loginhibit/>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>62ead549-ff65-4098-a6d1-da48b064c44b</onsuccess>

</stage>

<stage stageid="167b908c-2378-434c-922f-6e2e9027c9b7" name="End" type="End">

<subsheetsid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="72caca63-e189-4b2e-9286-72aa2c95fb0a" name="new" type="Note">

<subsheetsid>f88fda98-ea0e-4be2-857a-f38f99b4999a</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="eeb84622-62bb-4688-9b9e-5525d14a2488" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="62ead549-ff65-4098-a6d1-da48b064c44b" name="Attach" type="Navigate">

<subsheetsid>6de3b55c-e734-421c-a80a-ddf5683824f6</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>15</displayx>
<displayy>-15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>167b908c-2378-434c-922f-6e2e9027c9b7</onsuccess>
<step>
<element id="4a4cd74b-583e-47db-94d8-deefd31a75e5"/>
<action>
<id>AttachApplication</id>
<arguments>
<argument>
<id>WindowTitlesCollection</id>
<value>
</value>
</argument>
<argument>
<id>WindowTitle</id>
<value>
</value>
</argument>
<argument>
<id>ProcessName</id>
<value>
</value>
</argument>
</arguments>
```

```
</action>

</step>

</stage>

<stage stageid="52c6a2ba-0b94-406c-a834-006494f3a613" name="Was Cancel Pressed?" type="SubSheet">

<subsheets>
<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-60</displayy>

<displaywidth>180</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f9591a67-b045-4b85-b5dd-b29881441033" name="Start" type="Start">

<subsheets>
<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c788cff-1662-478e-9c83-32be45094bdc</onsuccess>

</stage>

<stage stageid="b43c8906-f40d-45df-b01f-9f63a53e0f83" name="End" type="End">

<subsheets>
<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Pressed?" stage="Pressed?"/>

</outputs>

</stage>

<stage stageid="38eef115-74c2-4c88-a8f7-c2f71c128bf5" name="Time Out1" type="WaitEnd">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>48ff479c-012e-4d0f-973e-a311f6b38d35</onsuccess>

<groupid>9130af88-de0d-4a17-a7e2-ca53bd6d88d5</groupid>

</stage>

<stage stageid="2c788cff-1662-478e-9c83-32be45094bdc" name="Wait1" type="WaitStart">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>


```
<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>9130af88-de0d-4a17-a7e2-ca53bd6d88d5</groupid>

<choices>

<choice reply="True">

<name>Cancel Button MouseLeftDown</name>

<distance>75</distance>

<ontrue>f7eb5f00-d38e-41ed-9fc5-1e414d5f8879</ontrue>

<element id="87abf0c6-8eec-4f97-9e50-308d029b52be"/>

<condition>

<id>MouseLeftDown</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>1</timeout>

</stage>

<stage stageid="4cb82fd5-1c8e-4552-b8c2-d93a0cc90a8a" name="Pressed?" type="Data">

<subsheetid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetid>

<narrative>

</narrative>
```

```
<displayx>135</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f7eb5f00-d38e-41ed-9fc5-1e414d5f8879" name="Was Pressed" type="Calculation">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b43c8906-f40d-45df-b01f-9f63a53e0f83</onsuccess>

<calculation expression="True" stage="Pressed?"/>

</stage>

<stage stageid="48ff479c-012e-4d0f-973e-a311f6b38d35" name="Was Not Pressed" type="Calculation">

<subsheetsid>cd97b666-3a20-4956-aa5a-a508df879186</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>135</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b43c8906-f40d-45df-b01f-9f63a53e0f83</onsuccess>

<calculation expression="False" stage="Pressed?"/>

</stage>

<stage stageid="644f7005-4079-4844-8c8d-15bc0bd6bd10" name="Terminate" type="SubSheetInfo">

<subsheetsid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6b51f1fd-6fb6-4ec7-9e44-45cfd3fef1f1" name="Start" type="Start">

<subsheetsid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<onsuccess>a5db31fa-d4f1-4c67-b1b8-14f637c94c65</onsuccess>

</stage>

<stage stageid="73640d84-e8b3-4244-8622-16a61a8b876f" name="End" type="End">

<subsheetsid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="a5db31fa-d4f1-4c67-b1b8-14f637c94c65" name="Terminate App" type="Navigate">

<subsheetsid>1295d982-1136-4226-9a95-5397c9ec2493</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>73640d84-e8b3-4244-8622-16a61a8b876f</onsuccess>

<step>

<element id="4a4cd74b-583e-47db-94d8-deefd31a75e5"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="28dd0951-d403-4979-ad4f-01fa6252fc4b" name="Detach" type="SubSheetInfo">

<subsheetsid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="ef248003-066d-434c-8576-cbf28b5df947" name="Start" type="Start">

<subsheetsid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>275f809e-f819-483b-a0a9-ec85b6c41be9</onsuccess>

```
</stage>

<stage stageid="07df3a51-116a-42a8-a59c-9a123c5e6b54" name="End" type="End">

<subsheetid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="275f809e-f819-483b-a0a9-ec85b6c41be9" name="Detach" type="Navigate">

<subsheetid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>94ddfad7-a8a7-4e36-a2e0-724f9aec63b6</onsuccess>

<step>

<element id="4a4cd74b-583e-47db-94d8-deefd31a75e5"/>

<action>

<id>DetachApplication</id>
```

```
</action>

</step>

</stage>

<stage stageid="917d1988-18b1-4ffc-b606-bf10ecc93450" name="Check Button" type="SubSheetInfo">

<subsheetsid>7e774542-c408-4182-8cf7-0844d54b24f1</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9c419972-0fd6-46a7-a939-208d9007ac30" name="Start" type="Start">

<subsheetsid>7e774542-c408-4182-8cf7-0844d54b24f1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4acd92cd-d5ed-4d39-95e9-c18a9e38113c</onsuccess>

</stage>

<stage stageid="872ba737-90ab-42fb-88ba-e6908b550d54" name="End" type="End">

<subsheetsid>7e774542-c408-4182-8cf7-0844d54b24f1</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="55d8420b-3c5e-4d3a-99ae-71157b4e6d8a" name="Time Out2" type="WaitEnd">

<subsheetsid>7e774542-c408-4182-8cf7-0844d54b24f1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4fd9704b-9c17-43c2-9539-707e4c12eab2</onsuccess>

<groupid>9f30ee96-6056-4077-9aaf-39b587bf84f5</groupid>

</stage>

<stage stageid="4acd92cd-d5ed-4d39-95e9-c18a9e38113c" name="Wait2" type="WaitStart">

<subsheetsid>7e774542-c408-4182-8cf7-0844d54b24f1</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>-15</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>9f30ee96-6056-4077-9aaf-39b587bf84f5</groupid>

<choices>

<choice reply="True">

<name>Cancel Button Check Exists</name>

<distance>60</distance>

<ontrue>872ba737-90ab-42fb-88ba-e6908b550d54</ontrue>

<element id="87abf0c6-8eec-4f97-9e50-308d029b52be"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>20</timeout>

</stage>

<stage stageid="1b369242-c66a-4945-a2e4-1a106b5b6ad9" name="Check connected" type="Read">

<subsheetsid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>213e014d-85bd-44d0-8b8b-fab3be898ed1</onsuccess>

<step stage="Is Connected">

<element id="4a4cd74b-583e-47db-94d8-deefd31a75e5"/>

<action>

<id>IsConnected</id>

</action>

</step>

</stage>

<stage stageid="f341ff5c-84ba-4912-95c9-2dad488e0ad6" name="Is Connected" type="Data">

<subsheetsid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetsid>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="213e014d-85bd-44d0-8b8b-fab3be898ed1" name="Still connected?" type="Decision">

<subsheetsid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetsid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Is Connected]"/>

<ontrue>4afd8f85-32a1-4869-a82d-37862d36d963</ontrue>

<onfalse>07df3a51-116a-42a8-a59c-9a123c5e6b54</onfalse>

</stage>

<stage stageid="4afd8f85-32a1-4869-a82d-37862d36d963" name="Waited too long?" type="Decision">

<subsheetid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="Now() - [Start time] > MakeTimeSpan(0, 0, 0, 5, 0)"/>

<ontrue>a4240421-70f0-4c1d-b034-88602b929e5f</ontrue>

<onfalse>f5039293-f05b-4364-8f95-59a20d857577</onfalse>

</stage>

<stage stageid="f5039293-f05b-4364-8f95-59a20d857577" name="anchor1" type="Anchor">

```
<subsheetid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1b369242-c66a-4945-a2e4-1a106b5b6ad9</onsuccess>

</stage>

<stage stageid="94ddfad7-a8a7-4e36-a2e0-724f9aec63b6" name="Set start time" type="Calculation">

<subsheetid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1b369242-c66a-4945-a2e4-1a106b5b6ad9</onsuccess>

<calculation expression="Now()" stage="Start time"/>

</stage>

<stage stageid="c734243b-7c48-4225-8110-d4bf10ab15da" name="Start time" type="Data">

<subsheetid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>datetime</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a4240421-70f0-4c1d-b034-88602b929e5f" name="Too long" type="Exception">

<subsheetsid>91521806-44b3-4f88-945e-bd49fc6cc09e</subsheetsid>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;Waited too long for disconnection from target app&quot;

</stage>

<stage stageid="4fd9704b-9c17-43c2-9539-707e4c12eab2" name="Exception1" type="Exception">

<subsheetsid>7e774542-c408-4182-8cf7-0844d54b24f1</subsheetsid>

<narrative>

</narrative>
```

```
<displayx>-105</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;Timed out waiting for cancel button&quot;"/>

</stage>

<stage stageid="f0da78df-b40c-41d3-82bf-d01edbc7ef14" name="Wait 5 Secs" type="SubSheetInfo">

<subsheetsid>559ba13b-f1c4-4359-9087-5b60891c47a5</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="25eda345-8ad0-4b8c-a96b-0ae94808570d" name="Start" type="Start">

<subsheetsid>559ba13b-f1c4-4359-9087-5b60891c47a5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>447d7510-5780-4448-bdbb-d2246dac2428</onsuccess>

</stage>

<stage stageid="0b05099e-e2f8-4912-a916-a22ec933b13f" name="End" type="End">

<subsheetid>559ba13b-f1c4-4359-9087-5b60891c47a5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="ea2f3285-5388-4328-a28b-9f3b8d5db5a5" name="Time Out3" type="WaitEnd">

<subsheetid>559ba13b-f1c4-4359-9087-5b60891c47a5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0b05099e-e2f8-4912-a916-a22ec933b13f</onsuccess>

<groupid>ef551031-a64b-4553-9c1e-7b82ffe61e14</groupid>

</stage>

<stage stageid="447d7510-5780-4448-bdbb-d2246dac2428" name="Wait3" type="WaitStart">

<subsheetid>559ba13b-f1c4-4359-9087-5b60891c47a5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>ef551031-a64b-4553-9c1e-7b82ffe61e14</groupid>

<choices/>

<timeout>5</timeout>

</stage>

</process>

<designcontrol>

<category id="0" name="StageValidation">

<type id="0" name="Error">

<action id="1" name="Validate"/>

</type>

<type id="1" name="Warning">

<action id="1" name="Validate"/>

</type>

<type id="2" name="Advice">

<action id="1" name="Validate"/>

</type>

<check id="3" name="No name assigned to {0}">

<type ref="1"/>

</check>

<check id="7" name="Cannot store data in an environment variable">

<type ref="0"/>

</check>

<check id="8" name="Can not determine resulting data type of expression{0}">

<type ref="0"/>

</check>

<check id="9" name="Value to be stored is not compatible with destination{0}">

<type ref="0"/>

</check>

<check id="10" name="Field '{0}' does not exist in the collection{1}">

<type ref="0"/>

</check>

<check id="11" name="Stage to store result in is not accessible from this page{0}">

<type ref="0"/>

</check>

<check id="12" name="Stage to store in is not a Data or Collection stage{0}">

<type ref="0"/>

</check>

<check id="13" name="Stage to store result in does not exist{0}">

<type ref="0"/>

</check>

<check id="14" name="Stage to read value from does not exist{0}">

<type ref="0"/>

</check>

<check id="15" name="The chosen action in row {0} is not permitted for the corresponding element type">

<type ref="0"/>

</check>

<check id="16" name="Row {0} contains an action which is outdated. Please consider updating.">

<type ref="1"/>

</check>

<check id="17" name="Internal Error: No type information found on the element in row {0}.">

<type ref="0"/>

</check>

<check id="18" name="There is no action selected in row {0}">

<type ref="0"/>

</check>

<check id="19" name="Failed to find referenced application element in row {0}. Element ID is {1}">

<type ref="0"/>

</check>

<check id="20" name="No application element chosen in row {0}">

<type ref="0"/>

</check>

<check id="21" name="Expression evaluates to the wrong datatype">

<type ref="0"/>

</check>

<check id="22" name="Expression{0} is valid, but its data type cannot be resolved until runtime">

<type ref="1"/>

</check>

<check id="23" name="Invalid expression{0} - {1}">

<type ref="0"/>

</check>

<check id="24" name="Expression{0} is blank">

<type ref="0"/>

</check>

<check id="25" name="Block overlaps another block">

<type ref="0"/>

</check>

<check id="26" name="Stage is only partially within a block">

<type ref="0"/>

</check>

<check id="27" name="Page '{0}' is not called by any other page">

<type ref="1"/>

</check>

<check id="28" name="Resume stage is not in a recovery section">

<type ref="0"/>

</check>

<check id="30" name="Exception stage wants to use existing exception information, but there can be no ex

<type ref="0"/>

</check>

<check id="31" name="Wrong type of parameter">

<type ref="0"/>

</check>

<check id="33" name="Bad map type for an expression-type parameter">

<type ref="0"/>

</check>

<check id="38" name="Bad map type for a stage-type parameter">

<type ref="0"/>

</check>

<check id="41" name="Collection mismatch{0}: {1}">

<type ref="0"/>

</check>

<check id="45" name="Expression{0} uses the function {1}, which is deprecated">

<type ref="1"/>

</check>

<check id="58" name="Stage has blank name">

<type ref="1"/>

</check>

<check id="60" name="Invalid data type match in row {0}.">

<type ref="0"/>

</check>

<check id="61" name="The stage referenced in row {0} is out of scope.">

<type ref="0"/>

</check>

<check id="62" name="The stage referenced in row {0} does not exist.">

<type ref="0"/>

</check>

<check id="63" name="The element referenced in row {0} has no data type.">

<type ref="0"/>

</check>

<check id="64" name="Failed to find referenced application element in row {0}. Element ID is {1}">

<type ref="0"/>

</check>

<check id="65" name="The stage calls a process with parameter '{0}' which is not defined in the stage">

<type ref="1"/>

</check>

<check id="66" name="The Page Reference stage provides a value for the input parameter '{0}' which is not defined in the stage">

<type ref="1"/>

</check>

<check id="67" name="The Page Reference stage provides a mapping for the Output parameter '{0}' which

<type ref="0"/>

</check>

<check id="68" name="Row {0} does not have a valid target element">

<type ref="0"/>

</check>

<check id="69" name="Row {0} does not specify a condition">

<type ref="0"/>

</check>

<check id="70" name="Row {0} contains a condition which is outdated. Please consider updating.">

<type ref="1"/>

</check>

<check id="72" name="Row {0} has no application element set">

<type ref="0"/>

</check>

<check id="77" name="Row {0} does not have a condition which is appropriate to the target element">

<type ref="0"/>

</check>

<check id="78" name="Row {0} has no read action defined.">

<type ref="0"/>

</check>

<check id="79" name="The chosen read action in row {0} is not permitted for the corresponding element ty

<type ref="0"/>

</check>

<check id="80" name="Row {0} contains an action which is outdated. Please consider updating.">

<type ref="1"/>

</check>

<check id="81" name="Row {0} has an invalid store in location - the stage '{1}' does not exist.">

<type ref="0"/>

</check>

<check id="82" name="Row {0} has an invalid store in location - the collection stage '{1}' has some fields d

<type ref="0"/>

</check>

<check id="83" name="Row {0} has a blank store in location">

<type ref="0"/>

</check>

<check id="84" name="Row {0} has an invalid store in location - the stage '{1}' cannot be found.{2}">

<type ref="0"/>

</check>

<check id="85" name="Row {0} has an invalid store in location - the stage '{1}' is located on another page a

<type ref="0"/>

</check>

<check id="86" name="Row {0} does not refer to a valid application element">

<type ref="0"/>

</check>

<check id="90" name="Row {0} supplies a blank expression to argument '{1}'">

<type ref="0"/>

</check>

<check id="91" name="Row {0} does not supply a value to the compulsory parameter '{1}'">

<type ref="0"/>

</check>

<check id="92" name="Row {0} contains an argument '{1}' that is not defined in the application model">

<type ref="0"/>

</check>

<check id="94" name="Missing element parameter for attribute '{0}' in row {1}">

<type ref="0"/>

</check>

<check id="95" name="The data item '{0}' on page '{1}' conflicts with the data item '{2}' on page '{3}'">

<type ref="0"/>

</check>

<check id="96" name="Data item does not yet have a data type">

<type ref="0"/>

</check>

<check id="97" name="The Action has no Business Object (or Action) set.">

<type ref="0"/>

</check>

<check id="98" name="The Action refers to the Business Object '{0}' which does not seem to be installed.">

<type ref="0"/>

</check>

<check id="99" name="The referenced business object has been retired.">

<type ref="0"/>

</check>

<check id="100" name="The Action refers to the action '{0}' within the Business Object '{1}' but this Business Object does not exist.">

<type ref="0"/>

</check>

<check id="109" name="The Page Reference stage does not refer to any page.">

<type ref="0"/>

</check>

<check id="110" name="The Page Reference stage refers to a page which does not exist.">

<type ref="0"/>

</check>

<check id="111" name="The Page Reference stage does not acknowledge the input parameter '{0}' defined in the page reference stage">

<type ref="0"/>

</check>

<check id="112" name="The Page Reference stage does not acknowledge the output parameter '{0}' defined in the page reference stage">

<type ref="0"/>

</check>

<check id="113" name="Collection field definition '{0}' has an invalid name">

<type ref="0"/>

</check>

<check id="114" name="Initial value field '{0}' has an invalid name">

<type ref="0"/>

</check>

<check id="115" name="Data item refers to a missing environment variable '{0}'">

<type ref="0"/>

</check>

<check id="116" name="Undefined loop type">

<type ref="0"/>

</check>

<check id="117" name="Unrecognised loop type">

<type ref="0"/>

</check>

<check id="118" name="No collection set for loop stage">

<type ref="0"/>

</check>

<check id="119" name="Can not find collection stage '{0}' referenced in loop stage">

<type ref="0"/>

</check>

<check id="120" name="Loop stages references a collection which is not accessible - it is private and resio

<type ref="0"/>

</check>

<check id="121" name="The Process stage has not yet set the subprocess.">

<type ref="0"/>

</check>

<check id="122" name="The Process stage references a subprocess which has been retired.">

<type ref="0"/>

</check>

<check id="123" name="Compiler warning at line {0}: {1}">

<type ref="0"/>

</check>

<check id="124" name="Compiler error at line {0}: {1}">

<type ref="0"/>

</check>

<check id="125" name="Compiler warning at top section line {0}: {1}">

<type ref="0"/>

</check>

<check id="126" name="Compiler error at top section line {0}: {1}">

<type ref="0"/>

</check>

<check id="128" name="Expression{0} uses Exception function but is not in a Recovery section">

<type ref="0"/>

</check>

<check id="134" name="Referenced subprocess does not exist">

<type ref="0"/>

</check>

<check id="135" name="No 'Store In' mapping set{0}">

<type ref="1"/>

</check>

<check id="136" name="Blank value supplied{0}">

<type ref="1"/>

</check>

<check id="138" name="Data item '{0}' is not referenced">

<type ref="2"/>

</check>

<check id="139" name="Collection '{0}' is not referenced">

<type ref="2"/>

</check>

<check id="140" name="Application element '{0}' is not referenced">

<type ref="2"/>

</check>

<check id="141" name=""Pause After Step" not specified in navigate stage">

<type ref="1"/>

</check>

<check id="142" name="Exception Type '{0}' not previously defined within the environment">

<type ref="2"/>

</check>

<check id="143" name="Stage has a direct or indirect reference to Processes or Objects which may contain">

<type ref="1"/>

</check>

<check id="144" name="Web API Business Object Action input collection mismatch{0}: {1}">

<type ref="0"/>

</check>

<check id="145" name="The collection stage used{0} in the Web API Business Object Action inputs has no

<type ref="1"/>

</check>

</category>

<category id="1" name="FlowValidation">

<type id="0" name="Error">

<action id="1" name="Validate"/>

</type>

<type id="1" name="Warning">

<action id="1" name="Validate"/>

</type>

<type id="2" name="Advice">

<action id="1" name="Validate"/>

</type>

<check id="4" name="No link from {0}">

<type ref="0"/>

</check>

<check id="5" name="Invalid link from {0}">

<type ref="0"/>

</check>

<check id="6" name="Link to a different page from {0}">

<type ref="0"/>

</check>

<check id="29" name="Recovery stage is linked back to main process">

<type ref="0"/>

</check>

<check id="51" name="No link when the decision is True">

<type ref="0"/>

</check>

<check id="52" name="Invalid link for the True result">

<type ref="0"/>

</check>

<check id="53" name="True link goes to a different page">

<type ref="0"/>

</check>

<check id="54" name="No link when the decision is False">

<type ref="0"/>

</check>

<check id="55" name="Invalid link for the False result">

<type ref="0"/>

</check>

<check id="56" name="False link goes to a different page">

<type ref="0"/>

</check>

<check id="57" name="Missing link">

<type ref="0"/>

</check>

<check id="101" name="Invalid link">

<type ref="0"/>

</check>

<check id="102" name="Link to a different page">

<type ref="0"/>

</check>

<check id="103" name="Missing group ID">

<type ref="0"/>

</check>

<check id="104" name="Missing start stage for loop">

<type ref="0"/>

</check>

<check id="105" name="Loop start is on a different page">

<type ref="0"/>

</check>

<check id="106" name="Missing group ID on loop start stage">

<type ref="0"/>

</check>

<check id="107" name="Missing end stage for loop">

<type ref="0"/>

</check>

<check id="108" name="Loop end is on a different page">

<type ref="0"/>

</check>

<check id="146" name="The Skill '{0}' is not installed or is unavailable.">

<type ref="0"/>

</check>

<check id="147" name="The data type ({1}) for data stage '{0}' does not match its associated environment

<type ref="0"/>

</check>

<check id="148" name="''Batch Size' input value is - {1}. {2}">

<type ref="1"/>

</check>

</category>

<category id="2" name="DocumentationControl">

<type id="0" name="Error">

<action id="1" name="Validate"/>

</type>

<type id="1" name="Warning">

<action id="1" name="Validate"/>

</type>

<type id="2" name="Advice">

<action id="0" name="Ignore"/>

</type>

<check id="129" name="Action stage has no description">

<type ref="2"/>

</check>

<check id="130" name="Application element "{0}" has dynamic attributes but no note">

<type ref="2"/>

</check>

<check id="131" name="No preconditions are defined">

<type ref="2"/>

</check>

<check id="132" name="No postconditions are defined">

<type ref="2"/>

</check>

<check id="133" name="No description given for parameter '{0}'">

<type ref="2"/>

</check>

<check id="137" name="Published action does not contain a description{0}">

```
<type ref="2"/>

</check>

</category>

</designcontrol>

<process name="DummyProcess" version="1.0" bpversion="6.5.0.9818" narrative="Used to test grace-per

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="9e19840d-a229-4171-acd4-32182e126344" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>fb29e095-19ad-4679-8c79-0bcbff3927a0</onsuccess>

</stage>

<stage stageid="fb29e095-19ad-4679-8c79-0bcbff3927a0" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6b586311-df8c-4d60-8b34-905391d87c55" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="First Metropolitan Ordering System" version="1.0" narrative="Orders Literature for course

<appdef>

<element name="SH Order System">

<type>Application</type>

<basetype>Application</basetype>

<id>3849da80-addf-4095-9aaa-7675bf137877</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Order Form">

<type>Window</type>

<basetype>Window</basetype>

<id>702b5ccb-2bd6-4184-9512-f5abecdffa0b</id>

<datatype>unknown</datatype>
```


<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="First Metropolitan University Order System"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ThunderRT6FormDC"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="-596"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="-326"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="756"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="427"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="OrderSystem"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="640"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="384"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">
```

<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="3"/>
</attribute>
</attributes>
<group name="Order Line">
<id>8588cd16-365f-44fa-a7f9-f45f97c2f419</id>
<element name="Title">
<type>Edit</type>
<basetype>Edit</basetype>
<id>74c22379-22f4-4375-8ec0-01f1319f77b4</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Edit"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="8"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="32"/>
</attribute>

```
<attribute name="Width">

<ProcessValue datatype="number" value="234"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="38"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Order Entry"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="8"/>

</attribute>
```

```
<attribute name="pY">
<ProcessValue datatype="number" value="64"/>
</attribute>
<attribute name="pWidth">
<ProcessValue datatype="number" value="730"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="306"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="51"/>
</attribute>
</attributes>
</element>
<element name="Author">
<type>Edit</type>
<basetype>Edit</basetype>
<id>900bed4b-0a80-4461-8c85-7b5492627b09</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
```

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="240"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="32"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="162"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Order Entry"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="730"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="306"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

```
<attribute name="pChildCount">
<ProcessValue datatype="number" value="51"/>
</attribute>
</attributes>
</element>
<element name="Publisher">
<type>Edit</type>
<basetype>Edit</basetype>
<id>9b1a5bf1-b88e-4c86-8fd3-e9adc66556fe</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Edit"/>
</attribute>
<attribute name="X">
<ProcessValue datatype="number" value="400"/>
</attribute>
<attribute name="Y">
<ProcessValue datatype="number" value="32"/>
</attribute>
<attribute name="Width">
<ProcessValue datatype="number" value="138"/>
</attribute>
```



```
<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Order Entry"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="64"/>

</attribute>
```

```
<attribute name="pWidth">
<ProcessValue datatype="number" value="730"/>
</attribute>
<attribute name="pHeight">
<ProcessValue datatype="number" value="306"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="51"/>
</attribute>
</attributes>
</element>
<element name="ISBN">
<type>Edit</type>
<basetype>Edit</basetype>
<id>ba591376-e059-4dc8-9bcf-c36e10054585</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText">
<ProcessValue datatype="text" value=""/>
</attribute>
```

```
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Edit"/>
</attribute>

<attribute name="X">
<ProcessValue datatype="number" value="536"/>
</attribute>

<attribute name="Y">
<ProcessValue datatype="number" value="32"/>
</attribute>

<attribute name="Width">
<ProcessValue datatype="number" value="98"/>
</attribute>

<attribute name="Height">
<ProcessValue datatype="number" value="28"/>
</attribute>

<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Ordinal" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="11"/>
</attribute>
```

```
<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="Order Entry"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="730"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="306"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="51"/>

</attribute>
```

</attributes>

</element>

<element name="Due Date">

<type>Edit</type>

<basetype>Edit</basetype>

<id>a51a2c93-25e8-4ff6-a47a-0a6a41075f53</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="632"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="32"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="82"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

```
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Ordinal" inuse="True">
<ProcessValue datatype="number" value="11"/>
</attribute>

<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>

<attribute name="pWindowText">
<ProcessValue datatype="text" value="Order Entry"/>
</attribute>

<attribute name="pX">
<ProcessValue datatype="number" value="8"/>
</attribute>

<attribute name="pY">
<ProcessValue datatype="number" value="64"/>
</attribute>

<attribute name="pWidth">
<ProcessValue datatype="number" value="730"/>
</attribute>
```

```
<attribute name="pHeight">
<ProcessValue datatype="number" value="322"/>
</attribute>
<attribute name="pActive">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="pOrdinal">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="56"/>
</attribute>
</attributes>
</element>
<element name="Submit Order">
<type>Button</type>
<basetype>Button</basetype>
<id>ba01ef67-99a4-4dec-b354-de5675899137</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value="Submit Order"/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="Button"/>
</attribute>
```

<attribute name="X">

<ProcessValue datatype="number" value="616"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="280"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="98"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="34"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>


```
<attribute name="pWindowText">

<ProcessValue datatype="text" value="Order Entry"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="730"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="322"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="56"/>

</attribute>

</attributes>

</element>

</group>
```

</element>

</element>

<apptypeinfo>

<id>Win32Launch</id>

<name>My application is launched from an executable file</name>

<parameters>

<parameter>

<name>Path</name>

<type>File</type>

<values/>

<value>C:\BluePrism\QA\Processes\V3Demo\OrderSystem.exe</value>

<acceptsnull>False</acceptsnull>

<filefilter>Executable Files (*.exe)|*.exe</filefilter>

<helptext>Enter the path to the application executable, or use the Browse button</helptext>

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the command line parameters (if any) to be passed to the target application</helptext>

</parameter>

<parameter>

```
<name>NonInvasive</name>

<type>Boolean</type>

<values/>

<value>True</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>Restrict to non-invasive automation techniques</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;" />

<subsheet subsheetid="fb00110b-a380-409f-8927-8f15c56afeb5" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>
```

<subsheet subsheetid="dcc4747b-b5db-422d-b433-5fac9e8a8b82" type="Normal" published="True">

<name>Load Ordering System</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="f1c8d803-e3dd-4cdb-acf0-a14471b81dcc" type="Normal" published="True">

<name>Order Entry</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3" type="Normal" published="True">

<name>Submit Order</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="31d5de29-1634-4390-a564-ed7338a9b767" type="Normal" published="True">

<name>Close Ordering System</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="12318441-e841-4feb-8bb6-5ec0cd83967a" type="Normal" published="False">

<name>Press Button</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="c2ca5452-638d-4bb2-906a-240c195e8e4f" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c4b9be57-4411-4ee3-bb96-34d3bf8a53cd</onsuccess>

</stage>

<stage stageid="c4b9be57-4411-4ee3-bb96-34d3bf8a53cd" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="4e442bb4-f674-4c29-918b-676de1a44de5" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>

</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="4fd4046f-0800-436a-b66b-d3b8226ab8f7" name="Clean Up" type="SubSheetInfo">

<subsheetsid>fb00110b-a380-409f-8927-8f15c56afeb5</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="f44e7bea-1384-4200-b063-0cd517a0d20c" name="Start" type="Start">

<subsheetsid>fb00110b-a380-409f-8927-8f15c56afeb5</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>30ed5457-8654-46a0-9795-207655aa0a15</onsuccess>

</stage>

<stage stageid="30ed5457-8654-46a0-9795-207655aa0a15" name="End" type="End">

<subsHEETid>fb00110b-a380-409f-8927-8f15c56afeb5</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="420efa6f-231d-4915-9664-f48340b05e8a" name="Load Ordering System" type="SubSheet">

<subsHEETid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="76bcda4e-9932-4d11-8447-57e3f90c8ea3" name="Start" type="Start">

<subsHEETid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0627f1b6-bfd6-4c3e-a6fa-9be0e25f8253</onsuccess>

</stage>

<stage stageid="a2e5c5cf-6067-4633-b80c-0929130a29a2" name="End" type="End">

<subsheetsid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

</stage>

<stage stageid="4ed0a26c-e606-461a-9d03-46700837273c" name="new" type="Note">

<subsheetsid>fb00110b-a380-409f-8927-8f15c56afeb5</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="2b7a9783-ebdc-4e5b-bd03-c759113d9db5" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than after the business object is loaded.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="0627f1b6-bfd6-4c3e-a6fa-9be0e25f8253" name="Launch" type="Navigate">

<subsheetsid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3decd335-2f3b-48e2-a396-59bb31d72397</onsuccess>

<step>

<element id="3849da80-addf-4095-9aaa-7675bf137877"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>WindowTitlesCollection</id>

<value>

</value>

</argument>

<argument>

<id>WindowTitle</id>

<value>

</value>

</argument>

<argument>

<id>ProcessName</id>

<value>

</value>

</argument>

<argument>

<id>ChildIndex</id>

<value>
```

</value>

</argument>

<argument>

<id>Path</id>

<value>[QA Root] & "\Processes\V3Demo\OrderSystem.exe"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3decd335-2f3b-48e2-a396-59bb31d72397" name="Wait" type="WaitStart">

<subsheetid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

```
<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>beea6ead-d3d5-46c8-917c-16a6d000c00b</groupid>

<choices>

<choice reply="True">

<name>Get Prices Check Exists</name>

<distance>0</distance>

<ontrue>4e30c111-260a-4b3f-9c99-03f0651d1086</ontrue>

<element id="ba01ef67-99a4-4dec-b354-de5675899137"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="ff79cfa9-93a7-4af7-a345-8f1d083f8d6e" name="Timeout" type="WaitEnd">

<subsheetid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5bff82a2-55b8-4853-ac89-d614f766639b</onsuccess>
<groupid>beea6ead-d3d5-46c8-917c-16a6d000c00b</groupid>
</stage>
<stage stageid="6f28a10e-21c4-4732-b6b6-ef6e2c6fd08b" name="Success" type="Data">
<subsheetid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>True</initialvalue>
<private/>
</stage>
<stage stageid="5bff82a2-55b8-4853-ac89-d614f766639b" name="Success" type="Calculation">
<subsheetid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>a2e5c5cf-6067-4633-b80c-0929130a29a2</onsuccess>
<calculation expression="False" stage="Success"/>
</stage>
<stage stageid="e4e9f159-53e0-448b-80c3-4ce25da8fd61" name="Order Entry" type="SubSheetInfo">
<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>
<narrative>
</narrative>
<displayx>-210</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="5bc23ad1-a9e0-4e4d-9127-59f98685ead1" name="Start" type="Start">
<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>-150</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Author" stage="Author"/>
<input type="text" name="Title" stage="Title"/>
<input type="text" name="Publisher" stage="Publisher"/>
```

```
<input type="text" name="ISBN" stage="ISBN"/>

</inputs>

<onsuccess>eb973120-958d-4356-aa50-e7de0bcdffb4</onsuccess>

</stage>

<stage stageid="e0100c94-cfbd-4112-8e05-2fb7894cf6d9" name="End" type="End">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0cbe7e0a-7913-4611-93d4-c567663e0869" name="Update Fields" type="Write">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0100c94-cfbd-4112-8e05-2fb7894cf6d9</onsuccess>

<step expr="[Title]">

<element id="74c22379-22f4-4375-8ec0-01f1319f77b4">
```



```
<elementparameter>

<name>Ordinal</name>

<expression>[Ordinal] + 27 + [Next Row]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

<step expr="[Author]">

<element id="900bed4b-0a80-4461-8c85-7b5492627b09">

<elementparameter>

<name>Ordinal</name>

<expression>[Ordinal] + 18 + [Next Row]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

<step expr="[Publisher]">

<element id="9b1a5bf1-b88e-4c86-8fd3-e9adc66556fe">

<elementparameter>

<name>Ordinal</name>

<expression>[Ordinal] + 9 + [Next Row]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>
```

</step>

<step expr="[ISBN]">

<element id="ba591376-e059-4dc8-9bcf-c36e10054585">

<elementparameter>

<name>Ordinal</name>

<expression>[Ordinal] + [Next Row]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="aa611cf1-bfa7-4742-8a8c-001d09c95580" name="Author" type="Data">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="0460c5e9-f059-4dee-ae26-bb41af9d5abd" name="Title" type="Data">

```
<subsheetid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="a9353688-355d-4d37-8d7f-a2fa3a8c545f" name="Publisher" type="Data">

<subsheetid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>
```

<stage stageid="16e071cd-33f5-4ea2-814a-9bd2df133898" name="ISBN" type="Data">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="b861657c-d552-457b-9960-43ce99d828fa" name="Submit Order" type="SubSheetInfo">

<subsheetsid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="c3aaacb3-61f2-4007-ab53-f28419a902b7" name="Start" type="Start">

<subsheetsid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetsid>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1a9f63a8-1e99-4829-bf52-3a111282e6a7</onsuccess>

</stage>

<stage stageid="248f8865-b965-4081-aadf-0e06701aba32" name="End" type="End">

<subsheetsid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d492f3be-6a2d-4805-9f70-c96af6137d25" name="Submit" type="Navigate">

<subsheetsid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>248f8865-b965-4081-aadf-0e06701aba32</onsuccess>

<step>

<element id="ba01ef67-99a4-4dec-b354-de5675899137"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="4e30c111-260a-4b3f-9c99-03f0651d1086" name="Move Form" type="Navigate">

<subsheetid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a2e5c5cf-6067-4633-b80c-0929130a29a2</onsuccess>

<step>

<element id="702b5ccb-2bd6-4184-9512-f5abecdffa0b"/>

<action>

<id>MoveWindow</id>

<arguments>

<argument>

<id>targx</id>
```

```
<value>0</value>

</argument>

<argument>

<id>targy</id>

<value>415</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="eb973120-958d-4356-aa50-e7de0bcdffb4" name="Read Title" type="Read">

<subsheetid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6e72b2ec-9c3e-47d0-b7fb-f942acb8f1cc</onsuccess>

<step stage="Current Title">

<element id="74c22379-22f4-4375-8ec0-01f1319f77b4">

<elementparameter>

<name>Ordinal</name>

<expression>[Ordinal] + 27 + [Next Row]</expression>

<datatype>number</datatype>
```

```
<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="7afa3cf8-db6e-4858-9326-daa8d4aa81a9" name="Current Title" type="Data">

<subsheetid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="6e72b2ec-9c3e-47d0-b7fb-f942acb8f1cc" name="Is Title Available?" type="Decision">

<subsheetid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>75</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="Len([Current Title]) &gt; 0"/>

<ontrue>a3ebfb54-caec-48d9-abe9-c51f6cd67724</ontrue>

<onfalse>0cbe7e0a-7913-4611-93d4-c567663e0869</onfalse>

</stage>

<stage stageid="39233b06-a16a-4559-bd28-5e425426a224" name="Ordinal" type="Data">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>10</initialvalue>

<private/>

</stage>

<stage stageid="dfd5f702-2767-4d92-bc9a-0b0503e2dcf9" name="Next Row" type="Data">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>-240</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>1</initialvalue>

<private/>

</stage>

<stage stageid="aa9a0f26-68a5-407e-951f-a1dd41201a54" name="Next Row" type="Calculation">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eb973120-958d-4356-aa50-e7de0bcdffb4</onsuccess>

<calculation expression="[Next Row] + 1" stage="Next Row"/>

</stage>

<stage stageid="a3ebfb54-caec-48d9-abe9-c51f6cd67724" name="Last Row?" type="Decision">

<subsheetsid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>-45</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Next Row] &gt; 7"/>

<ontrue>25190cee-be36-488d-839f-c75dd6285f8f</ontrue>

<onfalse>aa9a0f26-68a5-407e-951f-a1dd41201a54</onfalse>

</stage>

<stage stageid="25190cee-be36-488d-839f-c75dd6285f8f" name="anchor1" type="Anchor">

<subsheetid>f1c8d803-e3dd-4cdb-acf0-a14471b81dcc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0100c94-cfbd-4112-8e05-2fb7894cf6d9</onsuccess>

</stage>

<stage stageid="1a9f63a8-1e99-4829-bf52-3a111282e6a7" name="Bring to Front" type="Navigate">

<subsheetid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>29b57286-6531-427e-97ad-d4d9f7e57c94</onsuccess>

<step>

<element id="702b5ccb-2bd6-4184-9512-f5abecdffa0b"/>

<action>

<id>ActivateApp</id>

</action>

</step>

</stage>

<stage stageid="05f57862-6c46-4295-b6ca-a8def6ea409d" name="Close Ordering System" type="SubShe

<subsheetsid>31d5de29-1634-4390-a564-ed7338a9b767</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9517c594-9ad6-496b-ab33-a690c9dd23b7" name="Start" type="Start">

<subsheetsid>31d5de29-1634-4390-a564-ed7338a9b767</subsheetsid>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>193dc411-ff30-4eba-85b3-e640ccbcf141</onsuccess>

</stage>

<stage stageid="c1197d71-4ece-4340-9393-1b36bb31a3cc" name="End" type="End">

<subsheetid>31d5de29-1634-4390-a564-ed7338a9b767</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="193dc411-ff30-4eba-85b3-e640ccbcf141" name="Close" type="Navigate">

<subsheetid>31d5de29-1634-4390-a564-ed7338a9b767</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>c1197d71-4ece-4340-9393-1b36bb31a3cc</onsuccess>

<step>

<element id="702b5ccb-2bd6-4184-9512-f5abecdffa0b"/>

<action>

<id>CloseWindow</id>

</action>

</step>

</stage>

<stage stageid="a3e37da1-8d8b-46c1-90e6-0cec0e73f388" name="Press Button" type="SubSheetInfo">

<subsheetsid>12318441-e841-4feb-8bb6-5ec0cd83967a</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="a22e215e-92ae-4d4a-9be4-f119987404a2" name="Start" type="Start">

<subsheetsid>12318441-e841-4feb-8bb6-5ec0cd83967a</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
</stage>

<stage stageid="b0a6e52d-2b3e-4e8b-a469-48a3f145ba6a" name="End" type="End">

<subsheetid>12318441-e841-4feb-8bb6-5ec0cd83967a</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="29b57286-6531-427e-97ad-d4d9f7e57c94" name="Wait" type="WaitStart">

<subsheetid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>dfb8f314-a8e9-4a37-a92d-db6bcf086e42</groupid>

<choices/>

<timeout>1</timeout>

</stage>

<stage stageid="8b7ad3a5-7633-4514-b255-9bd9d156f245" name="Time Out1" type="WaitEnd">

<subsheetid>c6c8ab4e-2ce8-4f93-9bb2-1bd5e3e4d5b3</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d492f3be-6a2d-4805-9f70-c96af6137d25</onsuccess>

<groupid>dfb8f314-a8e9-4a37-a92d-db6bcf086e42</groupid>

</stage>

<stage stageid="86278b63-8f08-4e88-bb5a-671812435ba8" name="QA Root" type="Data">

<subsheetsid>dcc4747b-b5db-422d-b433-5fac9e8a8b82</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>
```


</process>

<process name="First Metropolitan University OPAC (Attachmate Extra!)" version="1.0" narrative="On-line

<appdef>

<element name="First Metropolitan Library System">

<type>Application</type>

<basetype>Application</basetype>

<id>e6e12869-c470-4a5c-a71e-80b3e425586c</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Login">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>46b9d12f-87c0-4433-a429-aa61c21ea82b</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="login:"/>

</attribute>

</attributes>

<element name="Username">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>f981b778-cc89-4ec8-ae8-2c55f8fb58f8</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
</element>
<element name="Main Menu">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>b2ff1446-0ff3-436d-928a-a6dd410024ae</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="26"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="51"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
```

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value=" 1ST METROPOLITAN UNIVERSI"/>

</attribute>

</attributes>

<element name="Menu Option">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>5ca88403-ad88-4221-a0ee-2d14dd0311b6</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
</element>
<element name="Other Searches Menu">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>f9db3a40-3ab7-4387-a6c0-980a9cb297e3</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="32"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="7"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="50"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="7"/>
```

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Other Searches Menu"/>

</attribute>

</attributes>

<element name="Menu Option">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>9cc51573-aef1-4a96-8026-54c09e7b31b9</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
</element>
<element name="Dewey Search">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="7"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="21"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="1"/>
```

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Subject Number "/>

</attribute>

</attributes>

<element name="Search Results">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>23e040b1-91dd-4449-9d68-fce31f83f9d3</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="17"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>


```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText" inuse="True">
<ProcessValue datatype="text" value="You searched for"/>
</attribute>
</attributes>
<element name="Result Detail">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>2f3302dc-9c36-41e7-a24d-44df230ebe01</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="10"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="17"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="FieldType" inuse="True">
```

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="342.0858"/>

</attribute>

</attributes>

</element>

<element name="Result Text">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>042290b2-f578-40e9-a4f8-a9b80dc1a1e3</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="68"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

</element>

<element name="Result Browser Screen">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>6284b4b1-234f-4000-9520-c266935354b5</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="64"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="67"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText" inuse="True">
<ProcessValue datatype="text" value="NAME"/>
</attribute>
</attributes>
<element name="Select Option">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>641ed781-8404-4bbe-87e3-f90f6fb966bb</id>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="24"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="24"/>
</attribute>
<attribute name="FieldType" inuse="True">
```

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<element name="Dewey Search Number of Titles">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>a8057444-8e31-4416-8379-457cf5733726</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="26 entries"/>

</attribute>

</attributes>

</element>

</element>

<element name="Results Page">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>fce9779b-97a8-429e-bc2e-8aed629ce7cc</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText" inuse="True">
<ProcessValue datatype="text" value="TITLE"/>
</attribute>
</attributes>
<element name="Result Header">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>7444c2d4-856f-4501-a617-acbc8260bd67</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="StartY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="13"/>
</attribute>
<attribute name="EndY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="FieldType" inuse="True">
```

```
<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="TITLE    "/>

</attribute>

</attributes>

</element>

<element name="Result Text">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>7f84c66e-acc7-4f5e-aa09-370987db0b44</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="StartY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="79"/>

</attribute>

<attribute name="EndY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="FieldType" inuse="True">
```



```
<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="Analysis [SOUND RECORDING OFF-AIR] 5"/>

</attribute>

</attributes>

</element>

<group name="Details">

<id>395cfd76-24e2-4709-b220-cc386bac87d8</id>

<element name="Location">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>94335b98-cced-4c2e-87c0-74e1d5501726</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="18"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="Collegiate    "/>

</attribute>

</attributes>

</element>

<element name="Shelfmark">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>9db12321-8611-464c-912c-981badb6fb67</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="18"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" 342.0858 L"/>

</attribute>

</attributes>

</element>

<element name="Status">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>71e62efa-4f34-47d0-8b21-58cbd55494c1</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="57"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="75"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="18"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" NOT ON LOAN " />

</attribute>

</attributes>

</element>

</group>

<element name="Forward Browse">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>539c325c-7a99-45fd-b141-476364963637</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="EndY" inuse="True">
```

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="R > RETURN to Browsing"/>

</attribute>

</attributes>

</element>

</element>

<element name="Record Number">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>66c492ab-df3f-49e2-92c0-7a5167c9657b</id>

<datatype>number</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="71"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="72"/>

</attribute>

```
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
<element name="More?">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>8143ab5e-924d-401d-b601-c49818f0efc3</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="21"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
```

```
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="21"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText" inuse="True">
<ProcessValue datatype="text" value="M"/>
</attribute>
</attributes>
</element>
</element>
</element>
<apptypeinfo>
<id>MainframeATM</id>
<parameters>
<parameter>
<name>Session ID</name>
<value>A</value>
</parameter>
<parameter>
<name>Attachmate Variant</name>
<value>Extra!</value>
</parameter>
<parameter>
<name>ProcessMode</name>
<value>Internal</value>
```

</parameter>

<parameter>

<name>Options</name>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="


"/>

<subsheet subsheetid="ded66069-69d0-4e63-9f93-48a19bf0d152" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb" type="Normal" published="True">

<name>Start OPAC and Log In</name>

<view>

<camerax>-7</camerax>

<cameray>-23</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0" type="Normal" published="True">

<name>Dewey Search from Main Menu</name>

<view>

<camerax>47</camerax>

<cameray>-50</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="780e3694-9766-4dec-8a1e-edf111be4c76" type="Normal" published="True">

<name>Return Book Details</name>

<view>

<camerax>735</camerax>

<cameray>135</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0" type="Normal" published="True">

<name>Browse Forward</name>

<view>

<camerax>-99</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</sheet>

<subsheet subsheetid="3ba4bd35-54f1-4ba4-834a-c96fec7de551" type="Normal" published="True">

<name>Log Off</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="ae468c66-67c5-4d8f-8772-1bc1bf3ed8db" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c04ceeb8-b419-4f46-bc5b-63d9811bdc06</onsuccess>

</stage>

<stage stageid="c04ceeb8-b419-4f46-bc5b-63d9811bdc06" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

```
<stage stageid="75146833-5afc-4fc9-a463-863c6d0fd5e3" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>

</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>
```

```
</code>

</stage>

<stage stageid="c67f2d0f-07b1-42b8-b3b4-a9bb425d31d2" name="Clean Up" type="SubSheetInfo">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9e03a029-98db-4bbd-9ea9-9a82658513ea" name="Start" type="Start">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0</onsuccess>

</stage>

<stage stageid="ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0" name="End" type="End">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>

</narrative>
```

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b037961e-a490-46d8-827a-ae3730e82c24" name="Start OPAC and Log In" type="SubSh

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="7f8ae59f-111e-4d30-9645-b25ae078553e" name="Start" type="Start">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>964ebb35-856f-459d-9b37-5c5866354f87</onsuccess>

</stage>

```
<stage stageid="f22083ae-a348-4f03-abbe-4c51a325d820" name="End" type="End">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

</stage>

<stage stageid="9cfa1e0f-b49a-4d81-a7c3-3466ffb62795" name="new" type="Note">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="d7d48a36-b2fe-42b7-9af6-f56d21a0d348" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a page load.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="964ebb35-856f-459d-9b37-5c5866354f87" name="Start OPAC" type="Navigate">

<subsheets>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheets>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2a376c33-0bd0-4509-a501-d43b0c2c6f0d</onsuccess>

<step>

```
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Launch</id>

</action>

</step>

</stage>

<stage stageid="2a376c33-0bd0-4509-a501-d43b0c2c6f0d" name="Wait" type="WaitStart">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

<choices>

<choice reply="True">

<name>Login Check Exists</name>

<distance>0</distance>

<ontrue>b2163b83-0b02-45a2-a4de-65b4434d2ea4</ontrue>

<element id="46b9d12f-87c0-4433-a429-aa61c21ea82b"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>
```



```
</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="8d0e6bde-029b-4bcf-aa95-c895dd6d8e6e" name="Time Out" type="WaitEnd">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6ae104ee-4be0-4258-ba6d-5238f1168dd3</onsuccess>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

</stage>

<stage stageid="e3d666b7-1e6f-4b63-b5d0-7df2484ea4f1" name="Success" type="Data">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="6ae104ee-4be0-4258-ba6d-5238f1168dd3" name="Set as failed" type="Calculation">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07d6cfbb-6ce0-497a-bac8-79864aba12e4</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="07d6cfbb-6ce0-497a-bac8-79864aba12e4" name="anchor1" type="Anchor">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>

</stage>

<stage stageid="b2163b83-0b02-45a2-a4de-65b4434d2ea4" name="Enter Username" type="Navigate">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"opac^M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="4f2627e8-d47e-4991-9190-599bb32eff8e" name="Dewey Search from Main Menu" type=
```

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="df6f1c33-654c-437f-aa0d-3e105d3d664c" name="Start" type="Start">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Dewey Reference" stage="Dewey Reference"/>

</inputs>

<onsuccess>b05f731a-a1db-49f9-9d42-47ea7424a4de</onsuccess>

</stage>

<stage stageid="0a040f55-0bbd-4c2c-8777-c463a89062ed" name="End" type="End">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Result"/>

</outputs>

</stage>

<stage stageid="3a9336ea-89e5-41ff-b371-8085bfcad350" name="Dewey Reference" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b05f731a-a1db-49f9-9d42-47ea7424a4de" name="Wait" type="WaitStart">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>45</distance>

<ontrue>c90a7c7a-1de5-422d-b327-8cd6d0722fdb</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="65f7f840-07ad-4e80-aad8-9f231aaeb571" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>105</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>47fb6cc6-c98b-4798-a5cc-3afe4e4216a7</onsuccess>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

</stage>

<stage stageid="59958168-5cb2-42dd-9351-16ccb0dbf58f" name="Other Search" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8899682c-0130-4d6d-a376-bedc071c1c26</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"O"</value>
```

```
</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="90811185-caa6-4923-bbb3-adb1c21954a4" name="Set as failed" type="Calculation">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="8899682c-0130-4d6d-a376-bedc071c1c26" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```


<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

<choices>

<choice reply="True">

<name>Other Searches Menu Check Exists</name>

<distance>0</distance>

<ontrue>63bb4df0-302b-4e0e-96c0-6f0f56db11fe</ontrue>

<element id="f9db3a40-3ab7-4387-a6c0-980a9cb297e3"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="51e579ba-d1f4-4547-a291-cb39fb40125e" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>

<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

```
</stage>

<stage stageid="ae23936e-22f6-4a25-87b3-38fe7ab40940" name="anchor2" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

</stage>

<stage stageid="63bb4df0-302b-4e0e-96c0-6f0f56db11fe" name="Dewey Search" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7077bd37-dc17-4c91-ad39-5f2e6eb7487b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>
```

```
<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"S"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="7077bd37-dc17-4c91-ad39-5f2e6eb7487b" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>

<ontrue>447e26e0-da1c-450d-a79a-7d5fdf02facc</ontrue>

<element id="f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87"/>
```

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="f1645109-9979-403f-86ab-11fc26c766f9" name="Timeout" type="WaitEnd">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

</stage>

<stage stageid="447e26e0-da1c-450d-a79a-7d5fdf02facc" name="SEARCH" type="Navigate">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

```
<display>255</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>67072628-d9b9-4312-872d-a2c4bc537a33</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>[Dewey Reference]</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"^M"</value>

</argument>

</arguments>
```

```
</action>

</step>

</stage>

<stage stageid="2181d102-4d13-4924-9111-e939a8198d87" name="Select" type="Navigate">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>46dd2f31-1aac-4bab-9489-d820c175e98b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>

</step>

</stage>
```

```
<stage stageid="47fb6cc6-c98b-4798-a5cc-3afe4e4216a7" name="anchor3" type="Anchor">
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-45</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>
</stage>

<stage stageid="f9bd3cb3-96e1-48df-ba45-ce6604ed93b2" name="anchor4" type="Anchor">
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>195</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>
</stage>

<stage stageid="46dd2f31-1aac-4bab-9489-d820c175e98b" name="Wait" type="WaitStart">
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>420</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>

<ontrue>970738ba-0d90-4fcd-9dac-737b686cddac</ontrue>

<element id="6284b4b1-234f-4000-9520-c266935354b5"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="bdadd675-80fc-411b-b9d6-9c2d02361350" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>105</displayx>

<displayy>420</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

</stage>

<stage stageid="134a0439-8fee-4fa8-99b5-2cc88c14998e" name="anchor6" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>420</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

</stage>

<stage stageid="40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32" name="anchor5" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>300</displayy>
```

```
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

</stage>

<stage stageid="60d34863-5142-4d31-8ad4-e1f92a2b0230" name="Open List" type="Navigate">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>510</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dc7568a9-f931-4eaf-b924-6a699c0b8d1e</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>
```

```
</step>

</stage>

<stage stageid="dc7568a9-f931-4eaf-b924-6a699c0b8d1e" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>555</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

<choices>

<choice reply="True">

<name>Results Page Check Exists</name>

<distance>0</distance>

<ontrue>6d1d9f3f-eb7b-4b97-8742-6a988cbd5197</ontrue>

<element id="fce9779b-97a8-429e-bc2e-8aed629ce7cc"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="eb0f2d2f-7aab-4d89-9348-a8a1760ed847" name="Timeout" type="WaitEnd">
```

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>555</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

</stage>

<stage stageid="8c9d4610-e808-426a-a6e4-8c81ccb9095e" name="anchor8" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>555</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>4782da61-c0a1-45f9-bcd0-a323bce1b7db</onsuccess>

</stage>

<stage stageid="4782da61-c0a1-45f9-bcd0-a323bce1b7db" name="anchor7" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>180</displayx>

<displayy>570</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>90811185-caa6-4923-bbb3-adb1c21954a4</onsuccess>

</stage>

<stage stageid="970738ba-0d90-4fcd-9dac-737b686cddac" name="Read Results" type="Read">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>60d34863-5142-4d31-8ad4-e1f92a2b0230</onsuccess>

<step stage="Result Text">

<element id="a8057444-8e31-4416-8379-457cf5733726"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>
```

```
<stage stageid="186970bb-ed0d-4560-af3f-1bbb55d77e8d" name="Result Text" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>495</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6d1d9f3f-eb7b-4b97-8742-6a988cbd5197" name="Get Result Quantity" type="Calculation">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="Left([Result Text], InStr([Result Text], &quot; &quot;)-1)" stage="Result
```

</stage>

<stage stageid="f4dd9d3e-31b3-45d5-972c-7194e6a1a66d" name="Result" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>675</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1b23ee5b-f647-4551-829a-18995877e427" name="Return Book Details" type="SubSheet">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-315</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="1cc216a6-73e0-42f1-8ecc-5e2de61e7398" name="Start" type="Start">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="collection" name="Existing Book Collection" stage="Book Summary"/>

</inputs>

<onsuccess>f2168dde-9404-47b5-88d2-857162500c62</onsuccess>

</stage>

<stage stageid="5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2" name="End" type="End">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>645</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

</stage>

<stage stageid="16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4" name="Read Row" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>816eb4d3-3b43-4ced-afe0-5219c981f2de</onsuccess>

<step stage="Header">

<element id="7444c2d4-856f-4501-a617-acbc8260bd67">

<elementparameter>

<name>StartY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

<elementparameter>

<name>EndY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>GetField</id>
</action>
</step>
<step stage="Text">
<element id="7f84c66e-acc7-4f5e-aa09-370987db0b44">
<elementparameter>
<name>StartY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
<elementparameter>
<name>EndY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>GetField</id>
</action>
</step>
</stage>

<stage stageid="eec8ae9c-4938-455c-ab59-b228a5f17fc2" name="Row Number" type="Data">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-165</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>3</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bf436b7c-bade-4a30-83ec-6a940e95e30c" name="Header" type="Data">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0298f142-4124-4841-896b-d4917f344027" name="Text" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>120</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bd358935-7f5d-4934-8510-5af1366f77e7" name="Next Row" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd4c92eb-6f19-48dc-b0f2-46db341126b6</onsuccess>
<calculation expression="[Row Number] + 1" stage="Row Number"/>
</stage>
<stage stageid="bd4c92eb-6f19-48dc-b0f2-46db341126b6" name="Last Row?" type="Decision">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Row Number] = 16"/>
<ontrue>06a3bad4-6259-4277-be07-7d34d484a717</ontrue>
<onfalse>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onfalse>
</stage>
<stage stageid="cc018c0d-da66-4618-be4c-6d0a2a681bd0" name="anchor9" type="Anchor">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fe4cc97f-dddb-4f9e-92af-5ac120376d47</onsuccess>

</stage>

<stage stageid="c2902889-91de-4c75-95f3-f0028a8906d5" name="anchor10" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

</stage>

<stage stageid="07a8d77e-7913-4408-ac8c-aedd51993389" name="Field Type" type="ChoiceStart">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>

<choices>
```

<choice expression="[Header] = "TITLE "">

<name>TITLE</name>

<distance>60</distance>

<ontrue>41e01eb4-d081-49ca-a88c-46a917d6d6ef</ontrue>

</choice>

<choice expression="[Header] = "PUBLISHED "">

<name>PUBLISHED</name>

<distance>120</distance>

<ontrue>ca7db650-bef5-408a-9f14-0257c0f16229</ontrue>

</choice>

<choice expression="[Header] = "PAGES, ETC "">

<name>PAGES,ETC</name>

<distance>180</distance>

<ontrue>9a769556-bea9-4b14-8084-d98314f628bf</ontrue>

</choice>

<choice expression="[Header] = "NOTES "">

<name>NOTES</name>

<distance>240</distance>

<ontrue>cedda8e9-4fbd-4d23-8021-e1486295c476</ontrue>

</choice>

<choice expression="[Header] = "SUMMARY "">

<name>SUMMARY</name>

<distance>300</distance>

<ontrue>8b4da37f-3ef6-4142-b57b-e3b2ded882d8</ontrue>

</choice>

<choice expression="[Header] = "SUBJECT "">

<name>SUBJECT</name>

<distance>360</distance>

<ontrue>f31575f4-69eb-4c2d-8226-ce785d5f77ae</ontrue>

</choice>

<choice expression="[Header] = "NAME "">

<name>NAME</name>

<distance>420</distance>

<ontrue>a6f61c65-2426-4b1e-aefb-1dc1e028f658</ontrue>

</choice>

<choice expression="[Header] = "ISBN "">

<name>ISBN</name>

<distance>480</distance>

<ontrue>ac2b1a7f-7433-4c52-a137-dcf60fb79e77</ontrue>

</choice>

<choice expression="[Header] = "CONTENTS "">

<name>CONTENTS</name>

<distance>540</distance>

<ontrue>2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867</ontrue>

</choice>

<choice expression="[Header] = "ALT TITLE "">

<name>ALT TITLE</name>

<distance>600</distance>

<ontrue>88ca40b8-b799-428a-b868-3140b5f80312</ontrue>

</choice>

<choice expression="[Header] = "ADD. TITLE "">

<name>ADD. TITLE</name>

<distance>660</distance>

<ontrue>ff985d30-fe12-4f18-aaa8-d1270b04238a</ontrue>


```
</choice>

<choice expression="[Header] = &quot;ADD. NAME  &quot;">

<name>ADD. NAME</name>

<distance>720</distance>

<ontrue>45386695-c194-4ae8-8baf-95dd5d81f541</ontrue>

</choice>

<choice expression="[Header] = &quot;EDITION  &quot;">

<name>EDITION</name>

<distance>780</distance>

<ontrue>449d883d-4eb3-41bd-baa3-b41c4df18c2c</ontrue>

</choice>

<choice expression="[Header] = &quot;SERIES  &quot;">

<name>SERIES</name>

<distance>840</distance>

<ontrue>56313981-1b64-4ec6-bc55-11e590a42b91</ontrue>

</choice>

</choices>

</stage>

<stage stageid="984c89f6-94fd-434a-a4e1-85e7c99547f2" name="Otherwise" type="ChoiceEnd">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>915</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>35fe6b27-9efb-443c-ae36-ee5e1b224e4b</onsuccess>
<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>
</stage>
<stage stageid="7a4dae64-3810-426a-b762-0642d61e5b68" name="Book Summary" type="Collection">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-120</displayx>
<displayy>105</displayy>
<displaywidth>120</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<collectioninfo>
<field name="Title" type="text"/>
<field name="Subject" type="text"/>
<field name="ISBN" type="text"/>
<field name="Author" type="text"/>
<field name="Published" type="text"/>
<field name="Pages Etc" type="text"/>
<field name="Notes" type="text"/>
<field name="Summary" type="text"/>
<field name="Name" type="text"/>
```

```
<field name="Contents" type="text"/>
<field name="Alt Title" type="text"/>
<field name="Add Title" type="text"/>
<field name="Add Name" type="text"/>
<field name="Edition" type="text"/>
<field name="Series" type="text"/>
<field name="Location" type="text"/>
<field name="Shelfmark" type="text"/>
<field name="Status" type="text"/>
</collectioninfo>
</stage>
<stage stageid="41e01eb4-d081-49ca-a88c-46a917d6d6ef" name="Title" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bb881725-971a-4b19-9f38-5ea09cce380e</onsuccess>
<calculation expression="[Book Summary.Title] & amp; [Text]" stage="Book Summary.Title"/>
</stage>
<stage stageid="f31575f4-69eb-4c2d-8226-ce785d5f77ae" name="Subject" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>375</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>131129a8-82d4-4086-a334-efdeca527368</onsuccess>

<calculation expression="[Book Summary.Subject] &amp; [Text]" stage="Book Summary.Subject"/>

</stage>

<stage stageid="ac2b1a7f-7433-4c52-a137-dcf60fb79e77" name="ISBN" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>495</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4f97e968-8eed-44b5-92f1-407c1e66d3d6</onsuccess>

<calculation expression="[Book Summary.ISBN] &amp; [Text]" stage="Book Summary.ISBN"/>

</stage>

<stage stageid="35fe6b27-9efb-443c-ae36-ee5e1b224e4b" name="anchor19" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>915</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

</stage>

<stage stageid="f2168dde-9404-47b5-88d2-857162500c62" name="Add row" type="Action">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Collection Name" expr=""Book Summary""/>

</inputs>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="65add1a8-c6c9-4069-a954-0c6728a12d07" name="Browse Forward" type="SubSheetInfo">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="7eee31d3-12de-4d17-9f14-98b4d1463c31" name="Start" type="Start">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>869511df-a3a9-441e-ad9c-85c4e2754a9a</onsuccess>

</stage>

<stage stageid="98d046b9-d87f-444b-b7a0-fa2975735a07" name="End" type="End">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

</stage>

<stage stageid="829d4e69-7aef-4d2d-9da8-b01a63423842" name="Browse Forward" type="Navigate">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07d9bc38-495d-4974-a148-f55a1949efb5</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"F"</value>

</argument>

</arguments>

</action>

</step>
```

```
</stage>

<stage stageid="869511df-a3a9-441e-ad9c-85c4e2754a9a" name="Read Current Record Number" type="

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>829d4e69-7aef-4d2d-9da8-b01a63423842</onsuccess>

<step stage="Current Record">

<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="f04778b9-a14a-416f-8487-17bd4472bbaa" name="Current Record" type="Data">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>
```


<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="145f9af1-8120-40f2-9e60-9b3b2a16d0cc" name="Wait" type="WaitStart">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

<choices>

<choice reply="[CR txt]">

<name>Record Number Get Field</name>

<distance>0</distance>

<ontrue>98d046b9-d87f-444b-b7a0-fa2975735a07</ontrue>

<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<condition>

<id>GetField</id>

</condition>

```
<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b06d8321-37b4-4540-a16d-7a5deda3e16a" name="Timeout" type="WaitEnd">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ccaee9-d4ef-4244-9715-cf63ff1112d7</onsuccess>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

</stage>

<stage stageid="ccaee9-d4ef-4244-9715-cf63ff1112d7" name="EOF" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>98d046b9-d87f-444b-b7a0-fa2975735a07</onsuccess>

<calculation expression="True" stage="No More Records"/>

</stage>

<stage stageid="e1b26ed3-83e3-4ecf-8b67-e61af3317722" name="No More Records" type="Data">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="07d9bc38-495d-4974-a148-f55a1949efb5" name="Next Record Number" type="Calculation">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c48c33b-1c5d-4703-a53e-f7a839391f63</onsuccess>

<calculation expression="[Current Record] + 1" stage="CR txt"/>

</stage>

<stage stageid="c6aaee15-c428-4c0d-ae70-a132d6c1ab98" name="CR txt" type="Data">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c48c33b-1c5d-4703-a53e-f7a839391f63" name="Pad?" type="Decision">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="Len([CR txt]) = 1"/>

<ontrue>b8e91d2f-45ef-45f6-8fc1-6723dc435d61</ontrue>

<onfalse>0a063449-de8e-42f2-aa60-ab1465fe44a7</onfalse>

</stage>

<stage stageid="b8e91d2f-45ef-45f6-8fc1-6723dc435d61" name="Pad" type="Calculation">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

<calculation expression="&quot; &quot; &amp; [CR txt]" stage="CR txt"/>

</stage>

<stage stageid="0a063449-de8e-42f2-aa60-ab1465fe44a7" name="anchor20" type="Anchor">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>45</displayy>
```

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>a6cc58af-98f8-4d03-af0b-42943455c2e6</onsuccess>

</stage>

<stage stageid="a6cc58af-98f8-4d03-af0b-42943455c2e6" name="anchor21" type="Anchor">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>135</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

</stage>

<stage stageid="816eb4d3-3b43-4ced-afe0-5219c981f2de" name="End?" type="Decision">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<decision expression="[Header] = &quot;qqqqqqqqqq&quot;"/>
<ontrue>34fbfe50-402f-4de1-92d0-6435c2188157</ontrue>
<onfalse>edcadece-7a8b-435e-ac5a-653873f12e64</onfalse>
</stage>
<stage stageid="34fbfe50-402f-4de1-92d0-6435c2188157" name="anchor22" type="Anchor">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>960</displayx>
<displayy>-135</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>495244d2-9f16-44f6-8dd0-f4cf66633e71</onsuccess>
</stage>
<stage stageid="495244d2-9f16-44f6-8dd0-f4cf66633e71" name="anchor23" type="Anchor">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>960</displayx>
<displayy>405</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>705a3390-d146-442d-8df3-73d8499c6f64</onsuccess>
```

```
</stage>

<stage stageid="06a3bad4-6259-4277-be07-7d34d484a717" name="Read More Option" type="Read">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4d706b8d-e451-4a53-9d1b-f9088c50d112</onsuccess>

<step stage="More?">

<element id="8143ab5e-924d-401d-b601-c49818f0efc3"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="a1e0d197-b183-4f18-b424-8956d2860646" name="More?" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>
```



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4d706b8d-e451-4a53-9d1b-f9088c50d112" name="More option?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="([More?] = &quot;M&quot;) AND ([More Done] = False)"/>

<ontrue>71f5c111-c266-470d-93bb-dec42e42a3c8</ontrue>

<onfalse>705a3390-d146-442d-8df3-73d8499c6f64</onfalse>

</stage>

<stage stageid="ff333a61-ac9e-4d07-822f-09c1101563c6" name="Press M" type="Navigate">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>
```

```
<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>75a528a1-02bd-41e5-8f30-94fb5ac0c7d2</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="cded3574-1a8e-49da-962a-f5ab85ff75d3" name="Wait1" type="WaitStart">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>225</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```


<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

<choices/>

<timeout>0.1</timeout>

</stage>

<stage stageid="0092431c-9da6-44de-bc19-c1c4263e2f94" name="Time Out1" type="WaitEnd">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>225</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onsuccess>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

</stage>

<stage stageid="81aab411-fa7e-4834-a8a5-1ce278cedc88" name="More Done" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="71f5c111-c266-470d-93bb-dec42e42a3c8" name="Set Done Flag" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ff333a61-ac9e-4d07-822f-09c1101563c6</onsuccess>

<calculation expression="True" stage="More Done"/>

</stage>

<stage stageid="75a528a1-02bd-41e5-8f30-94fb5ac0c7d2" name="Reset Row Number" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cded3574-1a8e-49da-962a-f5ab85ff75d3</onsuccess>

<calculation expression="3" stage="Row Number"/>

</stage>

<stage stageid="ca7db650-bef5-408a-9f14-0257c0f16229" name="Published" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>89636b5c-d9a3-4551-9184-3d14f3cb9087</onsuccess>

<calculation expression="[Book Summary.Published] & [Text]" stage="Book Summary.Published">

</stage>

<stage stageid="9a769556-bea9-4b14-8084-d98314f628bf" name="Pages" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Pages Etc] &amp; [Text]" stage="Book Summary.Pages Et
</stage>

<stage stageid="cedda8e9-4fbd-4d23-8021-e1486295c476" name="Notes" type="Calculation">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Notes] &amp; [Text]" stage="Book Summary.Notes"/>
</stage>

<stage stageid="8b4da37f-3ef6-4142-b57b-e3b2ded882d8" name="Summary" type="Calculation">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Summary] & [Text]" stage="Book Summary.Summary"

</stage>

<stage stageid="a6f61c65-2426-4b1e-aefb-1dc1e028f658" name="Name" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>435</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Name] & [Text]" stage="Book Summary.Name"/>

</stage>

<stage stageid="2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867" name="Contents" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

```
<calculation expression="[Book Summary.Contents] &amp; [Text]" stage="Book Summary.Contents"/>
</stage>

<stage stageid="88ca40b8-b799-428a-b868-3140b5f80312" name="Alt. Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>615</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Alt Title] &amp; [Text]" stage="Book Summary.Alt Title"/>

</stage>

<stage stageid="ff985d30-fe12-4f18-aaa8-d1270b04238a" name="Add Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>675</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Title] &amp; [Text]" stage="Book Summary.Add Title"/>
```



```
</stage>

<stage stageid="45386695-c194-4ae8-8baf-95dd5d81f541" name="Add Name" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>735</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Name] &amp;&amp; [Text]" stage="Book Summary.Add Nam

</stage>

<stage stageid="449d883d-4eb3-41bd-baa3-b41c4df18c2c" name="Edition" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>795</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Edition] &amp;&amp; [Text]" stage="Book Summary.Edition"/>

</stage>
```

```
<stage stageid="56313981-1b64-4ec6-bc55-11e590a42b91" name="Series" type="Calculation">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>855</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Series] &amp;&amp; [Text]" stage="Book Summary.Series"/>
</stage>

<stage stageid="edcadece-7a8b-435e-ac5a-653873f12e64" name="Blank Title?" type="Decision">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Header] = &amp;quot;          &amp;quot;"/>
<ontrue>14b0cc31-1d6c-4c9e-955c-e9554be00e2f</ontrue>
<onfalse>07a8d77e-7913-4408-ac8c-aedd51993389</onfalse>
</stage>
```

```
<stage stageid="fe4cc97f-dddb-4f9e-92af-5ac120376d47" name="Save Last Header" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c2902889-91de-4c75-95f3-f0028a8906d5</onsuccess>
<calculation expression="[Header]" stage="Last Header"/>
</stage>

<stage stageid="99f3aa75-7b3d-439b-b824-f3fc6b07378b" name="Last Header" type="Data">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>-240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
```

```
</stage>

<stage stageid="14b0cc31-1d6c-4c9e-955c-e9554be00e2f" name="Restore last header" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07a8d77e-7913-4408-ac8c-aedd51993389</onsuccess>

<calculation expression="[Last Header]" stage="Header"/>

</stage>

<stage stageid="705a3390-d146-442d-8df3-73d8499c6f64" name="Get Book Location" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>Reads location, shelfmark and status</narrative>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f</onsuccess>

<step stage="Book Summary.Location">

<element id="94335b98-cced-4c2e-87c0-74e1d5501726"/>

<action>
```

```
<id>GetField</id>

</action>

</step>

<step stage="Book Summary.Shelfmark">

<element id="9db12321-8611-464c-912c-981badb6fb67"/>

<action>

<id>GetField</id>

</action>

</step>

<step stage="Status">

<element id="71e62efa-4f34-47d0-8b21-58cbd55494c1"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f" name="Not On Loan" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="InStr([Status], &quot;NOT ON LOAN&quot;) &gt; 0"/>
```

```
<ontrue>dd70f39c-48eb-428b-bdf4-4dcc08d560f4</ontrue>

<onfalse>e7251ddf-162d-421f-9a14-2fb328d2187b</onfalse>

</stage>

<stage stageid="dd70f39c-48eb-428b-bdf4-4dcc08d560f4" name="Set Status to Not on Loan" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6ea7d11d-4956-4aac-8b08-4a0dca2b2c03</onsuccess>

<calculation expression="&quot;NOT ON LOAN&quot;" stage="Status"/>

</stage>

<stage stageid="e7251ddf-162d-421f-9a14-2fb328d2187b" name="Ref" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="InStr([Status], &quot;REF ONLY&quot;) &gt; 0"/>
```

```
<ontrue>921b7570-b84b-4653-b155-4504a6ea62b0</ontrue>

<onfalse>13891d0c-187d-4885-8b08-808a64c7bc24</onfalse>

</stage>

<stage stageid="921b7570-b84b-4653-b155-4504a6ea62b0" name="Set Staus to Ref Only" type="Calcula

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9541fd6d-2ef9-4728-935a-a3dccf04b5ec</onsuccess>

<calculation expression="&quot;REF ONLY&quot;" stage="Status"/>

</stage>

<stage stageid="6ea7d11d-4956-4aac-8b08-4a0dca2b2c03" name="anchor11" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>465</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9541fd6d-2ef9-4728-935a-a3dccf04b5ec</onsuccess>
```

</stage>

<stage stageid="9541fd6d-2ef9-4728-935a-a3dccf04b5ec" name="anchor12" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>525</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>1e3b8333-1d9e-43cd-b44f-4d0805918db1</onsuccess>

</stage>

<stage stageid="1e3b8333-1d9e-43cd-b44f-4d0805918db1" name="anchor13" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>585</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>13891d0c-187d-4885-8b08-808a64c7bc24</onsuccess>

</stage>

<stage stageid="e912bcad-be8c-4b85-8da6-3a33e6568363" name="Status" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>


```
<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="13891d0c-187d-4885-8b08-808a64c7bc24" name="Store Status" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2</onsuccess>

<calculation expression="[Status]" stage="Book Summary.Status"/>

</stage>

<stage stageid="9758ddea-69c4-4d7b-a0bc-115a6c90d8cc" name="Log Off" type="SubSheetInfo">
```

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="659a35f1-a821-4304-b94c-6d2b99a4b667" name="Start" type="Start">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b66b9640-cde5-4b38-b735-a8981b9fcc6f</onsuccess>

</stage>

<stage stageid="f6c617ad-9cdf-48a0-807b-abfc0df5797c" name="End" type="End">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b66b9640-cde5-4b38-b735-a8981b9fcc6f" name="Go To Main Menu" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d4646a8-ef83-47c9-a8ce-ccd5f9029eea</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"N"</value>

</argument>

</arguments>

</action>

</step>

</stage>
```

<stage stageid="3d4646a8-ef83-47c9-a8ce-ccd5f9029eea" name="Wait2" type="WaitStart">

<subsHEETid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>0</distance>

<ontrue>54655745-5af6-46fb-919c-8893ad9b7341</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="34428b28-e7f0-4be6-8ea0-3fe523b826c4" name="Time Out2" type="WaitEnd">

<subsHEETid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

</stage>

<stage stageid="54655745-5af6-46fb-919c-8893ad9b7341" name="Disconnect" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

```
<argument>

<id>newtext</id>

<value>"A"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="67072628-d9b9-4312-872d-a2c4bc537a33" name="Wait for Results" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

<choices>

<choice reply="True">

<name>Search Results Check Exists</name>

<distance>0</distance>

<ontrue>2181d102-4d13-4924-9111-e939a8198d87</ontrue>

<element id="23e040b1-91dd-4449-9d68-fce31f83f9d3"/>

<condition>

<id>CheckField</id>

</condition>
```

```
<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>15</timeout>

</stage>

<stage stageid="fd2ebc99-aec0-4bd3-b967-86dd95658c45" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

</stage>

<stage stageid="5de64f27-1252-4b9f-a8fb-d749833a022b" name="Title" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```


<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d15426ef-61bc-44fc-a62e-58b28182bc7f" name="Subject" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6464c80-9091-4ad9-abff-40255fb40cd7" name="Published" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-255</displayx>


```
<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1a3d7372-a05f-4dc0-a191-2e731fc52dac" name="ISBN" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bb881725-971a-4b19-9f38-5ea09cce380e" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>75</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Title]" stage="Title"/>

</stage>

<stage stageid="131129a8-82d4-4086-a334-efdeca527368" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Subject]" stage="Subject"/>

</stage>

<stage stageid="89636b5c-d9a3-4551-9184-3d14f3cb9087" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>135</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Published]" stage="Published"/>

</stage>

<stage stageid="4f97e968-8eed-44b5-92f1-407c1e66d3d6" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>495</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.ISBN]" stage="ISBN"/>

</stage>

<stage stageid="7d28e3c4-9551-4ae8-a78f-3d8987657ca5" name="End Process" type="Navigate">

<subsheetsid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>105</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f6c617ad-9cdf-48a0-807b-abfc0df5797c</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="c90a7c7a-1de5-422d-b327-8cd6d0722fdb" name="Search for Search" type="Read">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1fb321f4-dbe8-4966-8e8f-1586d19748e3</onsuccess>

<step stage="Search Results">

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>
```

```
<id>SearchTerminal</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Search"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="aba81f19-25fd-47e0-b1bd-4f795a618843" name="Search Results" type="Collection">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d913df02-5911-4a9d-a5a5-75a708eb5c7e" name="Check rows" type="Decision">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>There should be 6 instances of the text "search"</narrative>
```

```
<displayx>-75</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count] = 7"/>

<ontrue>59958168-5cb2-42dd-9351-16ccb0dbf58f</ontrue>

<onfalse>883f5555-359e-4c83-9e96-b831fca31c0c</onfalse>

</stage>

<stage stageid="1fb321f4-dbe8-4966-8e8f-1586d19748e3" name="How many rows?" type="Action">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection whose rows are to be co

</inputs>

<outputs>

<output type="number" name="Count" narrative="The number of rows counted in the collection" stage="Co

</outputs>

<onsuccess>d913df02-5911-4a9d-a5a5-75a708eb5c7e</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>
```

</stage>

<stage stageid="7e651c2d-0fcf-4b72-95d0-213c6ef86e32" name="Count" type="Data">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="883f5555-359e-4c83-9e96-b831fca31c0c" name="Exception1" type="Exception">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="TestFailure" detail=""Expected 6 rows, got " & [Count]"/>

</stage>

</process>

<process name="First Metropolitan University OPAC" version="1.0" bpversion="6.3.0.4051" narrative="On

<appdef>

<element name="First Metropolitan Library System">

<id>e6e12869-c470-4a5c-a71e-80b3e425586c</id>

<element name="Login">

<id>46b9d12f-87c0-4433-a429-aa61c21ea82b</id>

<element name="Username">

<id>f981b778-cc89-4ec8-aee8-2c55f8fb58f8</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>


```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">
```

```
<ProcessValue datatype="text" value="login:"/>

</attribute>

</attributes>

</element>

<element name="Main Menu">

<id>b2ff1446-0ff3-436d-928a-a6dd410024ae</id>

<element name="Menu Option">

<id>5ca88403-ad88-4221-a0ee-2d14dd0311b6</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```

```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">
```

<ProcessValue datatype="text" value=" 1ST METROPOLITAN UNIVERSI"/>

</attribute>

</attributes>

</element>

<element name="Other Searches Menu">

<id>f9db3a40-3ab7-4387-a6c0-980a9cb297e3</id>

<element name="Menu Option">

<id>9cc51573-aef1-4a96-8026-54c09e7b31b9</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="32"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="50"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">
```

<ProcessValue datatype="text" value="Other Searches Menu"/>

</attribute>

</attributes>

</element>

<element name="Dewey Search">

<id>f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87</id>

<element name="Search Results">

<id>23e040b1-91dd-4449-9d68-fce31f83f9d3</id>

<element name="Result Detail">

<id>2f3302dc-9c36-41e7-a24d-44df230ebe01</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="17"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="4"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="342.0858"/>
</attribute>
</attributes>
</element>
<element name="Result Text">
<id>042290b2-f578-40e9-a4f8-a9b80dc1a1e3</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="68"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="70"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="17"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
```



```
</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="You searched for"/>

</attribute>

</attributes>

</element>

<element name="Result Browser Screen">

<id>6284b4b1-234f-4000-9520-c266935354b5</id>

<element name="Select Option">

<id>641ed781-8404-4bbe-87e3-f90f6fb966bb</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="24"/>

</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
<element name="Dewey Search Number of Titles">
<id>a8057444-8e31-4416-8379-457cf5733726</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="26 entries"/>
</attribute>
</attributes>
</element>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="64"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="67"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
```

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="NAME"/>

</attribute>

</attributes>

</element>

<element name="Results Page">

<id>fce9779b-97a8-429e-bc2e-8aed629ce7cc</id>

<element name="Result Header">

<id>7444c2d4-856f-4501-a617-acbc8260bd67</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="EndY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="TITLE    "/>
</attribute>
</attributes>
</element>
<element name="Result Text">
<id>7f84c66e-acc7-4f5e-aa09-370987db0b44</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="15"/>
</attribute>
<attribute name="StartY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="79"/>
</attribute>
<attribute name="EndY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="Analysis [SOUND RECORDING OFF-AIR] 5"/>
</attribute>
</attributes>
</element>
<group name="Details">
<id>395cfd76-24e2-4709-b220-cc386bac87d8</id>
<element name="Location">
<id>94335b98-cced-4c2e-87c0-74e1d5501726</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="18"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="25"/>
</attribute>
<attribute name="EndY" inuse="True">
```

```
<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="Collegiate    "/>

</attribute>

</attributes>

</element>

<element name="Shelfmark">

<id>9db12321-8611-464c-912c-981badb6fb67</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="EndY" inuse="True">
```

```
<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" 342.0858 L"/>

</attribute>

</attributes>

</element>

<element name="Status">

<id>71e62efa-4f34-47d0-8b21-58cbd55494c1</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="57"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="75"/>

</attribute>

<attribute name="EndY" inuse="True">
```



```
<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" NOT ON LOAN " />

</attribute>

</attributes>

</element>

</group>

<element name="Forward Browse">

<id>539c325c-7a99-45fd-b141-476364963637</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>
```

```
<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="R &gt; RETURN to Browsing"/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="3"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="TITLE"/>

</attribute>

</attributes>

</element>

<element name="Record Number">

<id>66c492ab-df3f-49e2-92c0-7a5167c9657b</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>number</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="71"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="72"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<element name="More?">

<id>8143ab5e-924d-401d-b601-c49818f0efc3</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="21"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="M"/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="FieldType" inuse="True">
```

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Subject Number "/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>MainframeHUM</id>

<parameters>

<parameter>

<name>Path</name>

<value>

</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative="


"/>

<subsheet subsheetid="ded66069-69d0-4e63-9f93-48a19bf0d152" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb" type="Normal" published="True">

<name>Start OPAC and Log In</name>

<view>

<camerax>-7</camerax>

<cameray>-23</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0" type="Normal" published="True">

<name>Dewey Search from Main Menu</name>

<view>

<camerax>47</camerax>

<cameray>135</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="780e3694-9766-4dec-8a1e-edf111be4c76" type="Normal" published="True">

<name>Return Book Details</name>

<view>

<camerax>675</camerax>

<cameray>135</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0" type="Normal" published="True">

<name>Browse Forward</name>

<view>

<camerax>-99</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="3ba4bd35-54f1-4ba4-834a-c96fec7de551" type="Normal" published="True">

<name>Log Off</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="ae468c66-67c5-4d8f-8772-1bc1bf3ed8db" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c04ceeb8-b419-4f46-bc5b-63d9811bdc06</onsuccess>

</stage>

<stage stageid="c04ceeb8-b419-4f46-bc5b-63d9811bdc06" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="75146833-5afc-4fc9-a463-863c6d0fd5e3" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>

</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

```
<code>

</code>

</stage>

<stage stageid="c67f2d0f-07b1-42b8-b3b4-a9bb425d31d2" name="Clean Up" type="SubSheetInfo">

<subsheetsid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9e03a029-98db-4bbd-9ea9-9a82658513ea" name="Start" type="Start">

<subsheetsid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0</onsuccess>

</stage>

<stage stageid="ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0" name="End" type="End">

<subsheetsid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetsid>
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b037961e-a490-46d8-827a-ae3730e82c24" name="Start OPAC and Log In" type="SubSh

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="7f8ae59f-111e-4d30-9645-b25ae078553e" name="Start" type="Start">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>964ebb35-856f-459d-9b37-5c5866354f87</onsuccess>

</stage>

<stage stageid="f22083ae-a348-4f03-abbe-4c51a325d820" name="End" type="End">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

</stage>

<stage stageid="9cfa1e0f-b49a-4d81-a7c3-3466ffb62795" name="new" type="Note">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="d7d48a36-b2fe-42b7-9af6-f56d21a0d348" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a page load.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="964ebb35-856f-459d-9b37-5c5866354f87" name="Start OPAC" type="Navigate">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2a376c33-0bd0-4509-a501-d43b0c2c6f0d</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] & "\Processes\V3Demo\1st Metropolitan.hep"</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2a376c33-0bd0-4509-a501-d43b0c2c6f0d" name="Wait" type="WaitStart">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

<choices>

<choice reply="True">

<name>Login Check Exists</name>

<distance>0</distance>

<ontrue>b2163b83-0b02-45a2-a4de-65b4434d2ea4</ontrue>

<element id="46b9d12f-87c0-4433-a429-aa61c21ea82b"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="8d0e6bde-029b-4bcf-aa95-c895dd6d8e6e" name="Time Out" type="WaitEnd">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```


<displayx>195</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6ae104ee-4be0-4258-ba6d-5238f1168dd3</onsuccess>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

</stage>

<stage stageid="e3d666b7-1e6f-4b63-b5d0-7df2484ea4f1" name="Success" type="Data">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="6ae104ee-4be0-4258-ba6d-5238f1168dd3" name="Set as failed" type="Calculation">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>07d6cfbb-6ce0-497a-bac8-79864aba12e4</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="07d6cfbb-6ce0-497a-bac8-79864aba12e4" name="anchor1" type="Anchor">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>

</stage>

<stage stageid="b2163b83-0b02-45a2-a4de-65b4434d2ea4" name="Enter Username" type="Navigate">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"opac^M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="4f2627e8-d47e-4991-9190-599bb32eff8e" name="Dewey Search from Main Menu" type=

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

```
<stage stageid="df6f1c33-654c-437f-aa0d-3e105d3d664c" name="Start" type="Start">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Dewey Reference" stage="Dewey Reference"/>

</inputs>

<onsuccess>b05f731a-a1db-49f9-9d42-47ea7424a4de</onsuccess>

</stage>

<stage stageid="0a040f55-0bbd-4c2c-8777-c463a89062ed" name="End" type="End">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Result"/>

</outputs>
```

```
</stage>

<stage stageid="3a9336ea-89e5-41ff-b371-8085bfcad350" name="Dewey Reference" type="Data">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b05f731a-a1db-49f9-9d42-47ea7424a4de" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>
```

```
<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>0</distance>

<ontrue>59958168-5cb2-42dd-9351-16ccb0dbf58f</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="65f7f840-07ad-4e80-aad8-9f231aaeb571" name="Timeout" type="WaitEnd">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>47fb6cc6-c98b-4798-a5cc-3afe4e4216a7</onsuccess>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

</stage>
```

```
<stage stageid="59958168-5cb2-42dd-9351-16ccb0dbf58f" name="Other Search" type="Navigate">
<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8899682c-0130-4d6d-a376-bedc071c1c26</onsuccess>
<step>
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
<action>
<id>SendKeys</id>
<arguments>
<argument>
<id>newtext</id>
<value>"O"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="90811185-caa6-4923-bbb3-adb1c21954a4" name="Set as failed" type="Calculation">
<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>
<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>180</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="8899682c-0130-4d6d-a376-bedc071c1c26" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

<choices>

<choice reply="True">

<name>Other Searches Menu Check Exists</name>

<distance>0</distance>

<ontrue>63bb4df0-302b-4e0e-96c0-6f0f56db11fe</ontrue>

<element id="f9db3a40-3ab7-4387-a6c0-980a9cb297e3"/>
```



```
<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="51e579ba-d1f4-4547-a291-cb39fb40125e" name="Timeout" type="WaitEnd">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>

<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

</stage>

<stage stageid="ae23936e-22f6-4a25-87b3-38fe7ab40940" name="anchor2" type="Anchor">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>
```

```
<display>75</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

</stage>

<stage stageid="63bb4df0-302b-4e0e-96c0-6f0f56db11fe" name="Dewey Search" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7077bd37-dc17-4c91-ad39-5f2e6eb7487b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"S"</value>

</argument>

</arguments>
```

```
</action>

</step>

</stage>

<stage stageid="7077bd37-dc17-4c91-ad39-5f2e6eb7487b" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>

<ontrue>447e26e0-da1c-450d-a79a-7d5fdf02facc</ontrue>

<element id="f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

<timeout>5</timeout>

</stage>

<stage stageid="f1645109-9979-403f-86ab-11fc26c766f9" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

</stage>

<stage stageid="447e26e0-da1c-450d-a79a-7d5fdf02facc" name="SEARCH" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>67072628-d9b9-4312-872d-a2c4bc537a33</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>[Dewey Reference]</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"^M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2181d102-4d13-4924-9111-e939a8198d87" name="Select" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>46dd2f31-1aac-4bab-9489-d820c175e98b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="47fb6cc6-c98b-4798-a5cc-3afe4e4216a7" name="anchor3" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>
```

<display>-45</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>

</stage>

<stage stageid="f9bd3cb3-96e1-48df-ba45-ce6604ed93b2" name="anchor4" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<display>195</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

</stage>

<stage stageid="46dd2f31-1aac-4bab-9489-d820c175e98b" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>420</display>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>
<choices>
<choice reply="True">
<name>
</name>
<distance>0</distance>
<ontrue>970738ba-0d90-4fcd-9dac-737b686cddac</ontrue>
<element id="6284b4b1-234f-4000-9520-c266935354b5"/>
<condition>
<id>CheckField</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>5</timeout>
</stage>
<stage stageid="bdadd675-80fc-411b-b9d6-9c2d02361350" name="Timeout" type="WaitEnd">
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>420</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```



```
<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

</stage>

<stage stageid="134a0439-8fee-4fa8-99b5-2cc88c14998e" name="anchor6" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>420</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

</stage>

<stage stageid="40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32" name="anchor5" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>300</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

</stage>
```

```
<stage stageid="60d34863-5142-4d31-8ad4-e1f92a2b0230" name="Open List" type="Navigate">
<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>510</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dc7568a9-f931-4eaf-b924-6a699c0b8d1e</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="dc7568a9-f931-4eaf-b924-6a699c0b8d1e" name="Wait" type="WaitStart">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>555</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

<choices>

<choice reply="True">

<name>Results Page Check Exists</name>

<distance>0</distance>

<ontrue>6d1d9f3f-eb7b-4b97-8742-6a988cbd5197</ontrue>

<element id="fce9779b-97a8-429e-bc2e-8aed629ce7cc"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="eb0f2d2f-7aab-4d89-9348-a8a1760ed847" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>105</displayx>

<displayy>555</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

</stage>

<stage stageid="8c9d4610-e808-426a-a6e4-8c81ccb9095e" name="anchor8" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>555</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>4782da61-c0a1-45f9-bcd0-a323bce1b7db</onsuccess>

</stage>

<stage stageid="4782da61-c0a1-45f9-bcd0-a323bce1b7db" name="anchor7" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>570</displayy>

```
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>90811185-caa6-4923-bbb3-adb1c21954a4</onsuccess>

</stage>

<stage stageid="970738ba-0d90-4fcd-9dac-737b686cddac" name="Read Results" type="Read">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>60d34863-5142-4d31-8ad4-e1f92a2b0230</onsuccess>

<step stage="Result Text">

<element id="a8057444-8e31-4416-8379-457cf5733726"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="186970bb-ed0d-4560-af3f-1bbb55d77e8d" name="Result Text" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>-120</displayx>

<displayy>495</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6d1d9f3f-eb7b-4b97-8742-6a988cbd5197" name="Get Result Quantity" type="Calculation

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="Left([Result Text], InStr([Result Text], &quot;&quot;)-1)" stage="Result

</stage>

<stage stageid="f4dd9d3e-31b3-45d5-972c-7194e6a1a66d" name="Result" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>
```

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>675</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1b23ee5b-f647-4551-829a-18995877e427" name="Return Book Details" type="SubSheet">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-315</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="1cc216a6-73e0-42f1-8ecc-5e2de61e7398" name="Start" type="Start">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

```
<display>-315</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" stage="Book Summary"/>

</inputs>

<onsuccess>f2168dde-9404-47b5-88d2-857162500c62</onsuccess>

</stage>

<stage stageid="5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2" name="End" type="End">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<display>645</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

</stage>
```



```
<stage stageid="16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4" name="Read Row" type="Read">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-180</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>816eb4d3-3b43-4ced-afe0-5219c981f2de</onsuccess>
<step stage="Header">
<element id="7444c2d4-856f-4501-a617-acbc8260bd67">
<elementparameter>
<name>StartY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
<elementparameter>
<name>EndY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
```

<id>GetField</id>

</action>

</step>

<step stage="Text">

<element id="7f84c66e-acc7-4f5e-aa09-370987db0b44">

<elementparameter>

<name>StartY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

<elementparameter>

<name>EndY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="eec8ae9c-4938-455c-ab59-b228a5f17fc2" name="Row Number" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>-120</displayx>

<displayy>-165</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>3</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bf436b7c-bade-4a30-83ec-6a940e95e30c" name="Header" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0298f142-4124-4841-896b-d4917f344027" name="Text" type="Data">
```

```
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bd358935-7f5d-4934-8510-5af1366f77e7" name="Next Row" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd4c92eb-6f19-48dc-b0f2-46db341126b6</onsuccess>

<calculation expression="[Row Number] + 1" stage="Row Number"/>

</stage>
```

```
<stage stageid="bd4c92eb-6f19-48dc-b0f2-46db341126b6" name="Last Row?" type="Decision">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>225</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Row Number] = 16"/>
<ontrue>06a3bad4-6259-4277-be07-7d34d484a717</ontrue>
<onfalse>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onfalse>
</stage>

<stage stageid="cc018c0d-da66-4618-be4c-6d0a2a681bd0" name="anchor9" type="Anchor">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>225</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fe4cc97f-dddb-4f9e-92af-5ac120376d47</onsuccess>
</stage>

<stage stageid="c2902889-91de-4c75-95f3-f0028a8906d5" name="anchor10" type="Anchor">
```

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

</stage>

<stage stageid="07a8d77e-7913-4408-ac8c-aedd51993389" name="Field Type" type="ChoiceStart">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>

<choices>

<choice expression="[Header] = "TITLE "">

<name>TITLE</name>

<distance>60</distance>

<ontrue>41e01eb4-d081-49ca-a88c-46a917d6d6ef</ontrue>

</choice>

<choice expression="[Header] = "PUBLISHED "">

<name>PUBLISHED</name>

<distance>120</distance>

<ontrue>ca7db650-bef5-408a-9f14-0257c0f16229</ontrue>

</choice>

<choice expression="[Header] = "PAGES, ETC "">

<name>PAGES,ETC</name>

<distance>180</distance>

<ontrue>9a769556-bea9-4b14-8084-d98314f628bf</ontrue>

</choice>

<choice expression="[Header] = "NOTES "">

<name>NOTES</name>

<distance>240</distance>

<ontrue>cedda8e9-4fbd-4d23-8021-e1486295c476</ontrue>

</choice>

<choice expression="[Header] = "SUMMARY "">

<name>SUMMARY</name>

<distance>300</distance>

<ontrue>8b4da37f-3ef6-4142-b57b-e3b2ded882d8</ontrue>

</choice>

<choice expression="[Header] = "SUBJECT "">

<name>SUBJECT</name>

<distance>360</distance>

<ontrue>f31575f4-69eb-4c2d-8226-ce785d5f77ae</ontrue>

</choice>

<choice expression="[Header] = "NAME "">

<name>NAME</name>

<distance>420</distance>

<ontrue>a6f61c65-2426-4b1e-aefb-1dc1e028f658</ontrue>

</choice>

<choice expression="[Header] = "ISBN "">

<name>ISBN</name>

<distance>480</distance>

<ontrue>ac2b1a7f-7433-4c52-a137-dcf60fb79e77</ontrue>

</choice>

<choice expression="[Header] = "CONTENTS "">

<name>CONTENTS</name>

<distance>540</distance>

<ontrue>2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867</ontrue>

</choice>

<choice expression="[Header] = "ALT TITLE "">

<name>ALT TITLE</name>

<distance>600</distance>

<ontrue>88ca40b8-b799-428a-b868-3140b5f80312</ontrue>

</choice>

<choice expression="[Header] = "ADD TITLE "">

<name>ADD TITLE</name>

<distance>660</distance>

<ontrue>ff985d30-fe12-4f18-aaa8-d1270b04238a</ontrue>

</choice>

<choice expression="[Header] = "ADD NAME "">

<name>ADD NAME</name>

<distance>720</distance>


```
<ontrue>45386695-c194-4ae8-8baf-95dd5d81f541</ontrue>

</choice>

<choice expression="[Header] = &quot;EDITION    &quot;">

<name>EDITION</name>

<distance>780</distance>

<ontrue>449d883d-4eb3-41bd-baa3-b41c4df18c2c</ontrue>

</choice>

<choice expression="[Header] = &quot;SERIES    &quot;">

<name>SERIES</name>

<distance>840</distance>

<ontrue>56313981-1b64-4ec6-bc55-11e590a42b91</ontrue>

</choice>

</choices>

</stage>

<stage stageid="984c89f6-94fd-434a-a4e1-85e7c99547f2" name="Otherwise" type="ChoiceEnd">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>915</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>35fe6b27-9efb-443c-ae36-ee5e1b224e4b</onsuccess>

<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>

</stage>
```

```
<stage stageid="7a4dae64-3810-426a-b762-0642d61e5b68" name="Book Summary" type="Collection">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>105</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Author" type="text"/>

<field name="Published" type="text"/>

<field name="Pages Etc" type="text"/>

<field name="Notes" type="text"/>

<field name="Summary" type="text"/>

<field name="Name" type="text"/>

<field name="Contents" type="text"/>

<field name="Alt Title" type="text"/>

<field name="Add Title" type="text"/>

<field name="Add Name" type="text"/>
```

```
<field name="Edition" type="text"/>

<field name="Series" type="text"/>

<field name="Location" type="text"/>

<field name="Shelfmark" type="text"/>

<field name="Status" type="text"/>

</collectioninfo>

</stage>

<stage stageid="41e01eb4-d081-49ca-a88c-46a917d6d6ef" name="Title" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bb881725-971a-4b19-9f38-5ea09cce380e</onsuccess>

<calculation expression="[Book Summary.Title] &amp; [Text]" stage="Book Summary.Title"/>

</stage>

<stage stageid="f31575f4-69eb-4c2d-8226-ce785d5f77ae" name="Subject" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>90</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>131129a8-82d4-4086-a334-efdeca527368</onsuccess>

<calculation expression="[Book Summary.Subject] &amp; [Text]" stage="Book Summary.Subject"/>

</stage>

<stage stageid="ac2b1a7f-7433-4c52-a137-dcf60fb79e77" name="ISBN" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>495</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4f97e968-8eed-44b5-92f1-407c1e66d3d6</onsuccess>

<calculation expression="[Book Summary.ISBN] &amp; [Text]" stage="Book Summary.ISBN"/>

</stage>

<stage stageid="35fe6b27-9efb-443c-ae36-ee5e1b224e4b" name="anchor19" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>915</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>
```

<displayheight>10</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

</stage>

<stage stageid="f2168dde-9404-47b5-88d2-857162500c62" name="Add row" type="Action">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Collection Name" expr=""Book Summary""/>

</inputs>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="65add1a8-c6c9-4069-a954-0c6728a12d07" name="Browse Forward" type="SubSheetInfo">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7eee31d3-12de-4d17-9f14-98b4d1463c31" name="Start" type="Start">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>869511df-a3a9-441e-ad9c-85c4e2754a9a</onsuccess>

</stage>

<stage stageid="98d046b9-d87f-444b-b7a0-fa2975735a07" name="End" type="End">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

</stage>
```

```
<stage stageid="829d4e69-7aef-4d2d-9da8-b01a63423842" name="Browse Forward" type="Navigate">
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>07d9bc38-495d-4974-a148-f55a1949efb5</onsuccess>
<step>
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
<action>
<id>SendKeys</id>
<arguments>
<argument>
<id>newtext</id>
<value>"F"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="869511df-a3a9-441e-ad9c-85c4e2754a9a" name="Read Current Record Number" type="
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>829d4e69-7aef-4d2d-9da8-b01a63423842</onsuccess>

<step stage="Current Record">

<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="f04778b9-a14a-416f-8487-17bd4472bbaa" name="Current Record" type="Data">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>
```



```
<private/>

<alwaysinit/>

</stage>

<stage stageid="145f9af1-8120-40f2-9e60-9b3b2a16d0cc" name="Wait" type="WaitStart">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

<choices>

<choice reply="[CR txt]">

<name>Record Number Get Field</name>

<distance>0</distance>

<ontrue>98d046b9-d87f-444b-b7a0-fa2975735a07</ontrue>

<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<condition>

<id>GetField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>
```

</stage>

<stage stageid="b06d8321-37b4-4540-a16d-7a5deda3e16a" name="Timeout" type="WaitEnd">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ccaeeae9-d4ef-4244-9715-cf63ff1112d7</onsuccess>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

</stage>

<stage stageid="ccaeeae9-d4ef-4244-9715-cf63ff1112d7" name="EOF" type="Calculation">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>98d046b9-d87f-444b-b7a0-fa2975735a07</onsuccess>

<calculation expression="True" stage="No More Records"/>

</stage>

```
<stage stageid="e1b26ed3-83e3-4ecf-8b67-e61af3317722" name="No More Records" type="Data">
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-135</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
```

```
<stage stageid="07d9bc38-495d-4974-a148-f55a1949efb5" name="Next Record Number" type="Calculation">
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>2c48c33b-1c5d-4703-a53e-f7a839391f63</onsuccess>
<calculation expression="[Current Record] + 1" stage="CR txt"/>
```

</stage>

<stage stageid="c6aaee15-c428-4c0d-ae70-a132d6c1ab98" name="CR txt" type="Data">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c48c33b-1c5d-4703-a53e-f7a839391f63" name="Pad?" type="Decision">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="Len([CR txt]) = 1"/>

```
<ontrue>b8e91d2f-45ef-45f6-8fc1-6723dc435d61</ontrue>

<onfalse>0a063449-de8e-42f2-aa60-ab1465fe44a7</onfalse>

</stage>

<stage stageid="b8e91d2f-45ef-45f6-8fc1-6723dc435d61" name="Pad" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

<calculation expression="&quot; &quot; &amp; [CR txt]" stage="CR txt"/>

</stage>

<stage stageid="0a063449-de8e-42f2-aa60-ab1465fe44a7" name="anchor20" type="Anchor">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a6cc58af-98f8-4d03-af0b-42943455c2e6</onsuccess>
```

```
</stage>

<stage stageid="a6cc58af-98f8-4d03-af0b-42943455c2e6" name="anchor21" type="Anchor">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>135</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

</stage>

<stage stageid="816eb4d3-3b43-4ced-afe0-5219c981f2de" name="End?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Header] = &quot;qqqqqqqqqqqq&quot;"/>

<ontrue>34fbfe50-402f-4de1-92d0-6435c2188157</ontrue>

<onfalse>edcadece-7a8b-435e-ac5a-653873f12e64</onfalse>

</stage>
```

<stage stageid="34fbfe50-402f-4de1-92d0-6435c2188157" name="anchor22" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>-135</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>495244d2-9f16-44f6-8dd0-f4cf66633e71</onsuccess>

</stage>

<stage stageid="495244d2-9f16-44f6-8dd0-f4cf66633e71" name="anchor23" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>405</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>705a3390-d146-442d-8df3-73d8499c6f64</onsuccess>

</stage>

<stage stageid="06a3bad4-6259-4277-be07-7d34d484a717" name="Read More Option" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4d706b8d-e451-4a53-9d1b-f9088c50d112</onsuccess>

<step stage="More?">

<element id="8143ab5e-924d-401d-b601-c49818f0efc3"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="a1e0d197-b183-4f18-b424-8956d2860646" name="More?" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>
```


<private/>

<alwaysinit/>

</stage>

<stage stageid="4d706b8d-e451-4a53-9d1b-f9088c50d112" name="More option?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="([More?] = "M") AND ([More Done] = False)"/>

<ontrue>71f5c111-c266-470d-93bb-dec42e42a3c8</ontrue>

<onfalse>705a3390-d146-442d-8df3-73d8499c6f64</onfalse>

</stage>

<stage stageid="ff333a61-ac9e-4d07-822f-09c1101563c6" name="Press M" type="Navigate">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<onsuccess>75a528a1-02bd-41e5-8f30-94fb5ac0c7d2</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="cded3574-1a8e-49da-962a-f5ab85ff75d3" name="Wait1" type="WaitStart">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>225</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

<choices/>

<timeout>0.1</timeout>
```

</stage>

<stage stageid="0092431c-9da6-44de-bc19-c1c4263e2f94" name="Time Out1" type="WaitEnd">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>225</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onsuccess>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

</stage>

<stage stageid="81aab411-fa7e-4834-a8a5-1ce278cedc88" name="More Done" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="71f5c111-c266-470d-93bb-dec42e42a3c8" name="Set Done Flag" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ff333a61-ac9e-4d07-822f-09c1101563c6</onsuccess>

<calculation expression="True" stage="More Done"/>

</stage>

<stage stageid="75a528a1-02bd-41e5-8f30-94fb5ac0c7d2" name="Reset Row Number" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cdded3574-1a8e-49da-962a-f5ab85ff75d3</onsuccess>

<calculation expression="3" stage="Row Number"/>

```
</stage>

<stage stageid="ca7db650-bef5-408a-9f14-0257c0f16229" name="Published" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>89636b5c-d9a3-4551-9184-3d14f3cb9087</onsuccess>

<calculation expression="[Book Summary.Published] &amp; [Text]" stage="Book Summary.Published

</stage>

<stage stageid="9a769556-bea9-4b14-8084-d98314f628bf" name="Pages" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Pages Etc] &amp; [Text]" stage="Book Summary.Pages Etc

</stage>
```

```
<stage stageid="cedda8e9-4fbd-4d23-8021-e1486295c476" name="Notes" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>255</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Notes] &amp; [Text]" stage="Book Summary.Notes"/>
</stage>

<stage stageid="8b4da37f-3ef6-4142-b57b-e3b2ded882d8" name="Summary" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>315</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Summary] &amp; [Text]" stage="Book Summary.Summary"/>
</stage>

<stage stageid="a6f61c65-2426-4b1e-aefb-1dc1e028f658" name="Name" type="Calculation">
```

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>435</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Name] & [Text]" stage="Book Summary.Name"/>
</stage>

<stage stageid="2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867" name="Contents" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Contents] & [Text]" stage="Book Summary.Contents"/>
</stage>

<stage stageid="88ca40b8-b799-428a-b868-3140b5f80312" name="Alt. Title" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>615</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Alt Title] &amp;&amp; [Text]" stage="Book Summary.Alt Title"/>

</stage>

<stage stageid="ff985d30-fe12-4f18-aaa8-d1270b04238a" name="Add Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>675</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Title] &amp;&amp; [Text]" stage="Book Summary.Add Title"/>

</stage>

<stage stageid="45386695-c194-4ae8-8baf-95dd5d81f541" name="Add Name" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>
```



```
<narrative>

</narrative>

<displayx>735</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Name] &amp;&amp; [Text]" stage="Book Summary.Add Nam

</stage>

<stage stageid="449d883d-4eb3-41bd-baa3-b41c4df18c2c" name="Edition" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>795</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Edition] &amp;&amp; [Text]" stage="Book Summary.Edition"/>

</stage>

<stage stageid="56313981-1b64-4ec6-bc55-11e590a42b91" name="Series" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>855</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Series] &amp;amp; [Text]" stage="Book Summary.Series"/>

</stage>

<stage stageid="edcadece-7a8b-435e-ac5a-653873f12e64" name="Blank Title?" type="Decision">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Header] = &amp;quot;          &amp;quot;"/>

<ontrue>14b0cc31-1d6c-4c9e-955c-e9554be00e2f</ontrue>

<onfalse>07a8d77e-7913-4408-ac8c-aedd51993389</onfalse>

</stage>

<stage stageid="fe4cc97f-dddb-4f9e-92af-5ac120376d47" name="Save Last Header" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>-45</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c2902889-91de-4c75-95f3-f0028a8906d5</onsuccess>

<calculation expression="[Header]" stage="Last Header"/>

</stage>

<stage stageid="99f3aa75-7b3d-439b-b824-f3fc6b07378b" name="Last Header" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="14b0cc31-1d6c-4c9e-955c-e9554be00e2f" name="Restore last header" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07a8d77e-7913-4408-ac8c-aedd51993389</onsuccess>

<calculation expression="[Last Header]" stage="Header"/>

</stage>

<stage stageid="705a3390-d146-442d-8df3-73d8499c6f64" name="Get Book Location" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>Reads location, shelfmark and status</narrative>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f</onsuccess>

<step stage="Book Summary.Location">

<element id="94335b98-cced-4c2e-87c0-74e1d5501726"/>

<action>

<id>GetField</id>

</action>

</step>

<step stage="Book Summary.Shelfmark">
```

<element id="9db12321-8611-464c-912c-981badb6fb67"/>

<action>

<id>GetField</id>

</action>

</step>

<step stage="Status">

<element id="71e62efa-4f34-47d0-8b21-58cbd55494c1"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f" name="Not On Loan" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="InStr([Status], "NOT ON LOAN") > 0"/>

<ontrue>dd70f39c-48eb-428b-bdf4-4dcc08d560f4</ontrue>

<onfalse>e7251ddf-162d-421f-9a14-2fb328d2187b</onfalse>

</stage>

<stage stageid="dd70f39c-48eb-428b-bdf4-4dcc08d560f4" name="Set Status to Not on Loan" type="Calcu

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6ea7d11d-4956-4aac-8b08-4a0dca2b2c03</onsuccess>

<calculation expression=""NOT ON LOAN"" stage="Status"/>

</stage>

<stage stageid="e7251ddf-162d-421f-9a14-2fb328d2187b" name="Ref" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="InStr([Status], "REF ONLY") > 0"/>

<ontrue>921b7570-b84b-4653-b155-4504a6ea62b0</ontrue>

<onfalse>13891d0c-187d-4885-8b08-808a64c7bc24</onfalse>

</stage>

<stage stageid="921b7570-b84b-4653-b155-4504a6ea62b0" name="Set Staus to Ref Only" type="Calcula

```
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9541fd6d-2ef9-4728-935a-a3dccf04b5ec</onsuccess>

<calculation expression="&quot;REF ONLY&quot;" stage="Status"/>

</stage>

<stage stageid="6ea7d11d-4956-4aac-8b08-4a0dca2b2c03" name="anchor11" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>465</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9541fd6d-2ef9-4728-935a-a3dccf04b5ec</onsuccess>

</stage>

<stage stageid="9541fd6d-2ef9-4728-935a-a3dccf04b5ec" name="anchor12" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>525</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1e3b8333-1d9e-43cd-b44f-4d0805918db1</onsuccess>

</stage>

<stage stageid="1e3b8333-1d9e-43cd-b44f-4d0805918db1" name="anchor13" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>585</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>13891d0c-187d-4885-8b08-808a64c7bc24</onsuccess>

</stage>

<stage stageid="e912bcad-be8c-4b85-8da6-3a33e6568363" name="Status" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>
```



```
<display>-105</display>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="13891d0c-187d-4885-8b08-808a64c7bc24" name="Store Status" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>585</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2</onsuccess>

<calculation expression="[Status]" stage="Book Summary.Status"/>

</stage>

<stage stageid="9758ddea-69c4-4d7b-a0bc-115a6c90d8cc" name="Log Off" type="SubSheetInfo">

<subsheetsid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>
```

```
<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="659a35f1-a821-4304-b94c-6d2b99a4b667" name="Start" type="Start">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b66b9640-cde5-4b38-b735-a8981b9fcc6f</onsuccess>

</stage>

<stage stageid="f6c617ad-9cdf-48a0-807b-abfc0df5797c" name="End" type="End">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<display>105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b66b9640-cde5-4b38-b735-a8981b9fcc6f" name="Go To Main Menu" type="Navigate">
```

```
<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d4646a8-ef83-47c9-a8ce-ccd5f9029eea</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"N"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3d4646a8-ef83-47c9-a8ce-ccd5f9029eea" name="Wait2" type="WaitStart">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>0</distance>

<ontrue>54655745-5af6-46fb-919c-8893ad9b7341</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="34428b28-e7f0-4be6-8ea0-3fe523b826c4" name="Time Out2" type="WaitEnd">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>
```

```
<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

</stage>

<stage stageid="54655745-5af6-46fb-919c-8893ad9b7341" name="Disconnect" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"A"</value>

</argument>
```

```
</arguments>

</action>

</step>

</stage>

<stage stageid="67072628-d9b9-4312-872d-a2c4bc537a33" name="Wait for Results" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

<choices>

<choice reply="True">

<name>Search Results Check Exists</name>

<distance>0</distance>

<ontrue>2181d102-4d13-4924-9111-e939a8198d87</ontrue>

<element id="23e040b1-91dd-4449-9d68-fce31f83f9d3"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

<timeout>5</timeout>

</stage>

<stage stageid="fd2ebc99-aec0-4bd3-b967-86dd95658c45" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

</stage>

<stage stageid="5de64f27-1252-4b9f-a8fb-d749833a022b" name="Title" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d15426ef-61bc-44fc-a62e-58b28182bc7f" name="Subject" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6464c80-9091-4ad9-abff-40255fb40cd7" name="Published" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1a3d7372-a05f-4dc0-a191-2e731fc52dac" name="ISBN" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bb881725-971a-4b19-9f38-5ea09cce380e" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

```
<display>135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Title]" stage="Title"/>

</stage>

<stage stageid="131129a8-82d4-4086-a334-efdeca527368" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<display>135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Subject]" stage="Subject"/>

</stage>

<stage stageid="89636b5c-d9a3-4551-9184-3d14f3cb9087" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<display>135</display>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Published]" stage="Published"/>

</stage>

<stage stageid="4f97e968-8eed-44b5-92f1-407c1e66d3d6" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>495</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.ISBN]" stage="ISBN"/>

</stage>

<stage stageid="7d28e3c4-9551-4ae8-a78f-3d8987657ca5" name="End Process" type="Navigate">

<subsheetsid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f6c617ad-9cdf-48a0-807b-abfc0df5797c</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="dffe557f-aa58-4c88-8349-b5f729de636b" name="QA Root" type="Data">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>
```

<process name="First Metropolitan University OPAC (pcom)" version="1.0" bpversion="6.7.0.16843" narra

<appdef>

<element name="First Metropolitan Library System">

<id>e6e12869-c470-4a5c-a71e-80b3e425586c</id>

<element name="Login">

<id>46b9d12f-87c0-4433-a429-aa61c21ea82b</id>

<element name="Username">

<id>f981b778-cc89-4ec8-aee8-2c55f8fb58f8</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">
```

```
<ProcessValue datatype="text" value="login:"/>

</attribute>

</attributes>

</element>

<element name="Main Menu">

<id>b2ff1446-0ff3-436d-928a-a6dd410024ae</id>

<element name="Menu Option">

<id>5ca88403-ad88-4221-a0ee-2d14dd0311b6</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```

```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">
```


<ProcessValue datatype="text" value=" 1ST METROPOLITAN UNIVERSI"/>

</attribute>

</attributes>

</element>

<element name="Other Searches Menu">

<id>f9db3a40-3ab7-4387-a6c0-980a9cb297e3</id>

<element name="Menu Option">

<id>9cc51573-aef1-4a96-8026-54c09e7b31b9</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="32"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="50"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">
```

<ProcessValue datatype="text" value="Other Searches Menu"/>

</attribute>

</attributes>

</element>

<element name="Dewey Search">

<id>f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87</id>

<element name="Search Results">

<id>23e040b1-91dd-4449-9d68-fce31f83f9d3</id>

<element name="Result Detail">

<id>2f3302dc-9c36-41e7-a24d-44df230ebe01</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="17"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="4"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="342.0858"/>
</attribute>
</attributes>
</element>
<element name="Result Text">
<id>042290b2-f578-40e9-a4f8-a9b80dc1a1e3</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="68"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="70"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="17"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
```

```
</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="You searched for"/>

</attribute>

</attributes>

</element>

<element name="Result Browser Screen">

<id>6284b4b1-234f-4000-9520-c266935354b5</id>

<element name="Select Option">

<id>641ed781-8404-4bbe-87e3-f90f6fb966bb</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="24"/>

</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
<element name="Dewey Search Number of Titles">
<id>a8057444-8e31-4416-8379-457cf5733726</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="26 entries"/>
</attribute>
</attributes>
</element>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="64"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="67"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
```


</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="NAME"/>

</attribute>

</attributes>

</element>

<element name="Results Page">

<id>fce9779b-97a8-429e-bc2e-8aed629ce7cc</id>

<element name="Result Header">

<id>7444c2d4-856f-4501-a617-acbc8260bd67</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="EndY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="TITLE    "/>
</attribute>
</attributes>
</element>
<element name="Result Text">
<id>7f84c66e-acc7-4f5e-aa09-370987db0b44</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="15"/>
</attribute>
<attribute name="StartY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="79"/>
</attribute>
<attribute name="EndY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
```

```
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="Analysis [SOUND RECORDING OFF-AIR] 5"/>
</attribute>
</attributes>
</element>
<group name="Details">
<id>395cfd76-24e2-4709-b220-cc386bac87d8</id>
<element name="Location">
<id>94335b98-cced-4c2e-87c0-74e1d5501726</id>
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="6"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="18"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="25"/>
</attribute>
<attribute name="EndY" inuse="True">
```

```
<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="Collegiate    "/>

</attribute>

</attributes>

</element>

<element name="Shelfmark">

<id>9db12321-8611-464c-912c-981badb6fb67</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="EndY" inuse="True">
```

```
<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" 342.0858 L"/>

</attribute>

</attributes>

</element>

<element name="Status">

<id>71e62efa-4f34-47d0-8b21-58cbd55494c1</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="57"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="75"/>

</attribute>

<attribute name="EndY" inuse="True">
```

```
<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" NOT ON LOAN " />

</attribute>

</attributes>

</element>

</group>

<element name="Forward Browse">

<id>539c325c-7a99-45fd-b141-476364963637</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>
```

```
<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="R &gt; RETURN to Browsing"/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="3"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="TITLE"/>

</attribute>

</attributes>

</element>

<element name="Record Number">

<id>66c492ab-df3f-49e2-92c0-7a5167c9657b</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>number</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="71"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="72"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>
```



```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<element name="More?">

<id>8143ab5e-924d-401d-b601-c49818f0efc3</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="21"/>
```

```
</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="M"/>

</attribute>

</attributes>

</element>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="FieldType" inuse="True">
```

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Subject Number "/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>MainframeIBM</id>

<parameters>

<parameter>

<name>Path</name>

<value>H:\automate\qa\Code\pcom\a.ws</value>

</parameter>

<parameter>

<name>Session ID</name>

<value>A</value>

</parameter>

<parameter>

<name>WaitSleepTime</name>

<value>250</value>

</parameter>

<parameter>

<name>WaitTimeout</name>

<value>30</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>nodisconnect</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="ded66069-69d0-4e63-9f93-48a19bf0d152" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb" type="Normal" published="True">

<name>Start OPAC and Log In</name>

<view>

<camerax>-7</camerax>

<cameray>19</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0" type="Normal" published="True">

<name>Dewey Search from Main Menu</name>

<view>

<camerax>47</camerax>

<cameray>-105</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="780e3694-9766-4dec-8a1e-edf111be4c76" type="Normal" published="True">

<name>Return Book Details</name>

<view>

<camerax>15</camerax>

<cameray>15</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0" type="Normal" published="True">

<name>Browse Forward</name>

<view>

<camerax>-99</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="3ba4bd35-54f1-4ba4-834a-c96fec7de551" type="Normal" published="True">

<name>Log Off</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="ae468c66-67c5-4d8f-8772-1bc1bf3ed8db" name="Start" type="Start">

<display x="15" y="-105"/>

<onsuccess>c04ceeb8-b419-4f46-bc5b-63d9811bdc06</onsuccess>

</stage>

<stage stageid="c04ceeb8-b419-4f46-bc5b-63d9811bdc06" name="End" type="End">

<display x="15" y="90"/>

</stage>

<stage stageid="75146833-5afc-4fc9-a463-863c6d0fd5e3" name="" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Diagnostics</import>

</imports>

<language>csharp</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="c67f2d0f-07b1-42b8-b3b4-a9bb425d31d2" name="Clean Up" type="SubSheetInfo">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="9e03a029-98db-4bbd-9ea9-9a82658513ea" name="Start" type="Start">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<display x="15" y="-105"/>

<onsuccess>ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0</onsuccess>

</stage>

<stage stageid="ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0" name="End" type="End">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<display x="15" y="90"/>

</stage>

<stage stageid="b037961e-a490-46d8-827a-ae3730e82c24" name="Start OPAC and Log In" type="SubSh

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<display x="-135" y="-45" w="150" h="90"/>

</stage>

<stage stageid="f22083ae-a348-4f03-abbe-4c51a325d820" name="End" type="End">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<display x="120" y="255"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

</stage>

<stage stageid="9cfa1e0f-b49a-4d81-a7c3-3466ffb62795" name="new" type="Note">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="d7d48a36-b2fe-42b7-9af6-f56d21a0d348" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

</stage>

<stage stageid="2a376c33-0bd0-4509-a501-d43b0c2c6f0d" name="Wait" type="WaitStart">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="15" y="165" w="30" h="30"/>


```
<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

<choices>

<choice reply="True">

<name>Login Check Exists</name>

<distance>0</distance>

<ontrue>b2163b83-0b02-45a2-a4de-65b4434d2ea4</ontrue>

<element id="46b9d12f-87c0-4433-a429-aa61c21ea82b"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>60</timeout>

</stage>

<stage stageid="8d0e6bde-029b-4bcf-aa95-c895dd6d8e6e" name="o" type="WaitEnd">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="210" y="165" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6ae104ee-4be0-4258-ba6d-5238f1168dd3</onsuccess>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

</stage>

<stage stageid="e3d666b7-1e6f-4b63-b5d0-7df2484ea4f1" name="Success" type="Data">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="-180" y="30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>True</initialvalue>
<alwaysinit/>
</stage>
<stage stageid="6ae104ee-4be0-4258-ba6d-5238f1168dd3" name="Set as failed" type="Calculation">
<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>
<loginhibit/>
<display x="210" y="210" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>07d6cfbb-6ce0-497a-bac8-79864aba12e4</onsuccess>
<calculation expression="False" stage="Success"/>
</stage>
<stage stageid="07d6cfbb-6ce0-497a-bac8-79864aba12e4" name="anchor1" type="Anchor">
<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>
<loginhibit/>
<display x="210" y="255" w="10" h="10"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>
</stage>
<stage stageid="b2163b83-0b02-45a2-a4de-65b4434d2ea4" name="Enter Username" type="Navigate">
<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>
<loginhibit/>
<display x="120" y="210"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>
<step>
```

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"opac[tab]"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="4f2627e8-d47e-4991-9190-599bb32eff8e" name="Dewey Search from Main Menu" type="

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<display x="-195" y="-105" w="150" h="90"/>

</stage>

<stage stageid="df6f1c33-654c-437f-aa0d-3e105d3d664c" name="Start" type="Start">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<display x="15" y="-105"/>

<inputs>

<input type="text" name="Dewey Reference" stage="Dewey Reference"/>

</inputs>

<onsuccess>b05f731a-a1db-49f9-9d42-47ea7424a4de</onsuccess>

</stage>

<stage stageid="0a040f55-0bbd-4c2c-8777-c463a89062ed" name="End" type="End">

```
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<display x="15" y="675"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Result"/>

</outputs>

</stage>

<stage stageid="3a9336ea-89e5-41ff-b371-8085bfcad350" name="Dewey Reference" type="Data">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="-120" y="135" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b05f731a-a1db-49f9-9d42-47ea7424a4de" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="-45" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>
```

```
<distance>0</distance>

<ontrue>59958168-5cb2-42dd-9351-16ccb0dbf58f</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="65f7f840-07ad-4e80-aad8-9f231aueb571" name="Timeout" type="WaitEnd">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="105" y="-45" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>47fb6cc6-c98b-4798-a5cc-3afe4e4216a7</onsuccess>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

</stage>

<stage stageid="59958168-5cb2-42dd-9351-16ccb0dbf58f" name="Other Search" type="Navigate">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="15" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8899682c-0130-4d6d-a376-bedc071c1c26</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
```

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"O"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="90811185-caa6-4923-bbb3-adb1c21954a4" name="Set as failed" type="Calculation">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<loginhibit/>

<display x="180" y="675"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="8899682c-0130-4d6d-a376-bedc071c1c26" name="Wait" type="WaitStart">

<subsHEETid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsHEETid>

<loginhibit/>

<display x="15" y="75" w="30" h="30"/>

<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

<choices>

<choice reply="True">

```
<name>Other Searches Menu Check Exists</name>

<distance>0</distance>

<ontrue>63bb4df0-302b-4e0e-96c0-6f0f56db11fe</ontrue>

<element id="f9db3a40-3ab7-4387-a6c0-980a9cb297e3"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="51e579ba-d1f4-4547-a291-cb39fb40125e" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="105" y="75" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>

<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

</stage>

<stage stageid="ae23936e-22f6-4a25-87b3-38fe7ab40940" name="anchor2" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="180" y="75" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

</stage>
```



```
<stage stageid="63bb4df0-302b-4e0e-96c0-6f0f56db11fe" name="Dewey Search" type="Navigate">
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
<loginhibit/>
<display x="15" y="135"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7077bd37-dc17-4c91-ad39-5f2e6eb7487b</onsuccess>
<step>
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
<action>
<id>SendKeys</id>
<arguments>
<argument>
<id>newtext</id>
<value>"S"</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="7077bd37-dc17-4c91-ad39-5f2e6eb7487b" name="Wait" type="WaitStart">
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
<loginhibit/>
<display x="15" y="195" w="30" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>
<choices>
<choice reply="True">
```

<name>

</name>

<distance>0</distance>

<ontrue>447e26e0-da1c-450d-a79a-7d5fdf02facc</ontrue>

<element id="f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="f1645109-9979-403f-86ab-11fc26c766f9" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="105" y="195" w="30" h="30"/>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

</stage>

<stage stageid="447e26e0-da1c-450d-a79a-7d5fdf02facc" name="SEARCH" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="255"/>

<onsuccess>67072628-d9b9-4312-872d-a2c4bc537a33</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>[Dewey Reference]</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"^M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2181d102-4d13-4924-9111-e939a8198d87" name="Select" type="Navigate">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="15" y="360"/>

<onsuccess>46dd2f31-1aac-4bab-9489-d820c175e98b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="47fb6cc6-c98b-4798-a5cc-3afe4e4216a7" name="anchor3" type="Anchor">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="180" y="-45" w="10" h="10"/>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>

</stage>

<stage stageid="f9bd3cb3-96e1-48df-ba45-ce6604ed93b2" name="anchor4" type="Anchor">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="180" y="195" w="10" h="10"/>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

</stage>

<stage stageid="46dd2f31-1aac-4bab-9489-d820c175e98b" name="Wait" type="WaitStart">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="15" y="420" w="30" h="30"/>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>

<ontrue>970738ba-0d90-4fcd-9dac-737b686cddac</ontrue>

<element id="6284b4b1-234f-4000-9520-c266935354b5"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="bdadd675-80fc-411b-b9d6-9c2d02361350" name="Timeout" type="WaitEnd">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

```
<loginhibit/>

<display x="105" y="420" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

</stage>

<stage stageid="134a0439-8fee-4fa8-99b5-2cc88c14998e" name="anchor6" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="180" y="420" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

</stage>

<stage stageid="40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32" name="anchor5" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="180" y="300" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

</stage>

<stage stageid="60d34863-5142-4d31-8ad4-e1f92a2b0230" name="Open List" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="510"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dc7568a9-f931-4eaf-b924-6a699c0b8d1e</onsuccess>

<step>
```

```
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="dc7568a9-f931-4eaf-b924-6a699c0b8d1e" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="555" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

<choices>

<choice reply="True">

<name>Results Page Check Exists</name>

<distance>0</distance>

<ontrue>6d1d9f3f-eb7b-4b97-8742-6a988cbd5197</ontrue>

<element id="fce9779b-97a8-429e-bc2e-8aed629ce7cc"/>

<condition>

<id>CheckField</id>

</condition>
```

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="eb0f2d2f-7aab-4d89-9348-a8a1760ed847" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="105" y="555" w="30" h="30"/>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

</stage>

<stage stageid="8c9d4610-e808-426a-a6e4-8c81ccb9095e" name="anchor8" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="180" y="555" w="10" h="10"/>

<onsuccess>4782da61-c0a1-45f9-bcd0-a323bce1b7db</onsuccess>

</stage>

<stage stageid="4782da61-c0a1-45f9-bcd0-a323bce1b7db" name="anchor7" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="180" y="570" w="10" h="10"/>

<onsuccess>90811185-caa6-4923-bbb3-adb1c21954a4</onsuccess>

</stage>


```
<stage stageid="970738ba-0d90-4fcd-9dac-737b686cddac" name="Read Results" type="Read">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="465"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>60d34863-5142-4d31-8ad4-e1f92a2b0230</onsuccess>

<step stage="Result Text">

<element id="a8057444-8e31-4416-8379-457cf5733726"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="186970bb-ed0d-4560-af3f-1bbb55d77e8d" name="Result Text" type="Data">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="-120" y="495" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6d1d9f3f-eb7b-4b97-8742-6a988cbd5197" name="Get Result Quantity" type="Calculation">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="615"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="Left([Result Text], InStr([Result Text], &quot; &quot;)-1)" stage="Result
</stage>

<stage stageid="f4dd9d3e-31b3-45d5-972c-7194e6a1a66d" name="Result" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<display x="-120" y="675" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1b23ee5b-f647-4551-829a-18995877e427" name="Return Book Details" type="SubSheet
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<display x="-225" y="-315" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1cc216a6-73e0-42f1-8ecc-5e2de61e7398" name="Start" type="Start">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<display x="15" y="-315" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" stage="Book Summary"/>

</inputs>

<onsuccess>f2168dde-9404-47b5-88d2-857162500c62</onsuccess>
```

</stage>

<stage stageid="5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2" name="End" type="End">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<display x="15" y="645" w="90" h="30"/>

<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

</stage>

<stage stageid="16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4" name="Read Row" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="15" y="-180" w="90" h="30"/>

<onsuccess>816eb4d3-3b43-4ced-afe0-5219c981f2de</onsuccess>

<step stage="Header">

<element id="7444c2d4-856f-4501-a617-acbc8260bd67">

<elementparameter>

<name>StartY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

```
</elementparameter>

<elementparameter>

<name>EndY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>GetField</id>

</action>

</step>

<step stage="Text">

<element id="7f84c66e-acc7-4f5e-aa09-370987db0b44">

<elementparameter>

<name>StartY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

<elementparameter>

<name>EndY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>
```

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="eec8ae9c-4938-455c-ab59-b228a5f17fc2" name="Row Number" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-120" y="-165" w="120" h="30"/>

<datatype>number</datatype>

<initialvalue>3</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bf436b7c-bade-4a30-83ec-6a940e95e30c" name="Header" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-120" y="-135" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0298f142-4124-4841-896b-d4917f344027" name="Text" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

```
<loginhibit/>

<display x="-120" y="-15" w="120" h="120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bd358935-7f5d-4934-8510-5af1366f77e7" name="Next Row" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="465" y="225" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd4c92eb-6f19-48dc-b0f2-46db341126b6</onsuccess>

<calculation expression="[Row Number] + 1" stage="Row Number"/>

</stage>

<stage stageid="bd4c92eb-6f19-48dc-b0f2-46db341126b6" name="Last Row?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="15" y="225" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Row Number] = 16"/>

<ontrue>06a3bad4-6259-4277-be07-7d34d484a717</ontrue>

<onfalse>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onfalse>

</stage>

<stage stageid="cc018c0d-da66-4618-be4c-6d0a2a681bd0" name="anchor9" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
```

```
<loginhibit/>

<display x="-45" y="225" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fe4cc97f-dddb-4f9e-92af-5ac120376d47</onsuccess>

</stage>

<stage stageid="c2902889-91de-4c75-95f3-f0028a8906d5" name="anchor10" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-45" y="-180" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

</stage>

<stage stageid="07a8d77e-7913-4408-ac8c-aedd51993389" name="Field Type" type="ChoiceStart">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="15" y="15" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>

<choices>

<choice expression="[Header] = &quot;TITLE    &quot;">

<name>TITLE</name>

<distance>60</distance>

<ontrue>41e01eb4-d081-49ca-a88c-46a917d6d6ef</ontrue>

</choice>

<choice expression="[Header] = &quot;PUBLISHED    &quot;">

<name>PUBLISHED</name>

<distance>120</distance>
```

<ontrue>ca7db650-bef5-408a-9f14-0257c0f16229</ontrue>

</choice>

<choice expression="[Header] = "PAGES, ETC "">

<name>PAGES,ETC</name>

<distance>180</distance>

<ontrue>9a769556-bea9-4b14-8084-d98314f628bf</ontrue>

</choice>

<choice expression="[Header] = "NOTES "">

<name>NOTES</name>

<distance>240</distance>

<ontrue>cedda8e9-4fbd-4d23-8021-e1486295c476</ontrue>

</choice>

<choice expression="[Header] = "SUMMARY "">

<name>SUMMARY</name>

<distance>300</distance>

<ontrue>8b4da37f-3ef6-4142-b57b-e3b2ded882d8</ontrue>

</choice>

<choice expression="[Header] = "SUBJECT "">

<name>SUBJECT</name>

<distance>360</distance>

<ontrue>f31575f4-69eb-4c2d-8226-ce785d5f77ae</ontrue>

</choice>

<choice expression="[Header] = "NAME "">

<name>NAME</name>

<distance>420</distance>

<ontrue>a6f61c65-2426-4b1e-aefb-1dc1e028f658</ontrue>

</choice>

<choice expression="[Header] = "ISBN "">

<name>ISBN</name>

<distance>480</distance>

<ontrue>ac2b1a7f-7433-4c52-a137-dcf60fb79e77</ontrue>

</choice>

<choice expression="[Header] = "CONTENTS "">

<name>CONTENTS</name>

<distance>540</distance>

<ontrue>2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867</ontrue>

</choice>

<choice expression="[Header] = "ALT TITLE "">

<name>ALT TITLE</name>

<distance>600</distance>

<ontrue>88ca40b8-b799-428a-b868-3140b5f80312</ontrue>

</choice>

<choice expression="[Header] = "ADD. TITLE "">

<name>ADD. TITLE</name>

<distance>660</distance>

<ontrue>ff985d30-fe12-4f18-aaa8-d1270b04238a</ontrue>

</choice>

<choice expression="[Header] = "ADD. NAME "">

<name>ADD. NAME</name>

<distance>720</distance>

<ontrue>45386695-c194-4ae8-8baf-95dd5d81f541</ontrue>

</choice>

<choice expression="[Header] = "EDITION "">

<name>EDITION</name>

```
<distance>780</distance>

<ontrue>449d883d-4eb3-41bd-baa3-b41c4df18c2c</ontrue>

</choice>

<choice expression="[Header] = &quot;SERIES    &quot;">

<name>SERIES</name>

<distance>840</distance>

<ontrue>56313981-1b64-4ec6-bc55-11e590a42b91</ontrue>

</choice>

</choices>

</stage>

<stage stageid="984c89f6-94fd-434a-a4e1-85e7c99547f2" name="Otherwise" type="ChoiceEnd">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="915" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>35fe6b27-9efb-443c-ae36-ee5e1b224e4b</onsuccess>

<groupid>7a954af9-9bcd-4903-982d-e3382becb28</groupid>

</stage>

<stage stageid="7a4dae64-3810-426a-b762-0642d61e5b68" name="Book Summary" type="Collection">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-120" y="105" w="120" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>
```

<field name="Title" type="text"/>
<field name="Subject" type="text"/>
<field name="ISBN" type="text"/>
<field name="Author" type="text"/>
<field name="Published" type="text"/>
<field name="Pages Etc" type="text"/>
<field name="Notes" type="text"/>
<field name="Summary" type="text"/>
<field name="Name" type="text"/>
<field name="Contents" type="text"/>
<field name="Alt Title" type="text"/>
<field name="Add Title" type="text"/>
<field name="Add Name" type="text"/>
<field name="Edition" type="text"/>
<field name="Series" type="text"/>
<field name="Location" type="text"/>
<field name="Shelfmark" type="text"/>
<field name="Status" type="text"/>
</collectioninfo>
</stage>
<stage stageid="41e01eb4-d081-49ca-a88c-46a917d6d6ef" name="Title" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<display x="75" y="90"/>

<onsuccess>bb881725-971a-4b19-9f38-5ea09cce380e</onsuccess>
<calculation expression="[Book Summary.Title] & amp; [Text]" stage="Book Summary.Title"/>

</stage>

<stage stageid="f31575f4-69eb-4c2d-8226-ce785d5f77ae" name="Subject" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="375" y="90"/>

<onsuccess>131129a8-82d4-4086-a334-efdeca527368</onsuccess>

<calculation expression="[Book Summary.Subject] & [Text]" stage="Book Summary.Subject"/>

</stage>

<stage stageid="ac2b1a7f-7433-4c52-a137-dcf60fb79e77" name="ISBN" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="495" y="90"/>

<onsuccess>4f97e968-8eed-44b5-92f1-407c1e66d3d6</onsuccess>

<calculation expression="[Book Summary.ISBN] & [Text]" stage="Book Summary.ISBN"/>

</stage>

<stage stageid="35fe6b27-9efb-443c-ae36-ee5e1b224e4b" name="anchor19" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="915" y="90" w="10" h="10"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

</stage>

<stage stageid="f2168dde-9404-47b5-88d2-857162500c62" name="Add row" type="Action">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

```
<display x="15" y="-270"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" narrative="The name of the collection to act upon" expr="&amp;

</inputs>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="65add1a8-c6c9-4069-a954-0c6728a12d07" name="Browse Forward" type="SubSheetInfo

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<display x="-165" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7eee31d3-12de-4d17-9f14-98b4d1463c31" name="Start" type="Start">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<display x="15" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>869511df-a3a9-441e-ad9c-85c4e2754a9a</onsuccess>

</stage>

<stage stageid="98d046b9-d87f-444b-b7a0-fa2975735a07" name="End" type="End">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<display x="15" y="195"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

</stage>
```

```
<stage stageid="829d4e69-7aef-4d2d-9da8-b01a63423842" name="Browse Forward" type="Navigate">
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
<loginhibit/>
<display x="15" y="-45"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>07d9bc38-495d-4974-a148-f55a1949efb5</onsuccess>
<step>
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
<action>
<id>SendKeys</id>
<arguments>
<argument>
<id>newtext</id>
<value>"F"</value>
</argument>
</arguments>
</action>
</step>
</stage>

<stage stageid="869511df-a3a9-441e-ad9c-85c4e2754a9a" name="Read Current Record Number" type="
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
<loginhibit/>
<display x="15" y="-90" w="90" h="30"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>829d4e69-7aef-4d2d-9da8-b01a63423842</onsuccess>
<step stage="Current Record">
<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>
```

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="f04778b9-a14a-416f-8487-17bd4472bbaa" name="Current Record" type="Data">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<display x="-135" y="-30" w="90" h="30"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="145f9af1-8120-40f2-9e60-9b3b2a16d0cc" name="Wait" type="WaitStart">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<display x="15" y="135" w="30" h="30"/>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

<choices>

<choice reply="[CR txt]">

<name>Record Number Get Field</name>

<distance>0</distance>

<ontrue>98d046b9-d87f-444b-b7a0-fa2975735a07</ontrue>

<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<condition>

<id>GetField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b06d8321-37b4-4540-a16d-7a5deda3e16a" name="Timeout" type="WaitEnd">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<display x="105" y="135" w="30" h="30"/>

<onsuccess>ccaee9-d4ef-4244-9715-cf63ff1112d7</onsuccess>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

</stage>

<stage stageid="ccaee9-d4ef-4244-9715-cf63ff1112d7" name="EOF" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<display x="105" y="195"/>

<onsuccess>98d046b9-d87f-444b-b7a0-fa2975735a07</onsuccess>

<calculation expression="True" stage="No More Records"/>

</stage>

<stage stageid="e1b26ed3-83e3-4ecf-8b67-e61af3317722" name="No More Records" type="Data">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>


```
<display x="-135" y="0" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="07d9bc38-495d-4974-a148-f55a1949efb5" name="Next Record Number" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<display x="15" y="0"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c48c33b-1c5d-4703-a53e-f7a839391f63</onsuccess>

<calculation expression="[Current Record] + 1" stage="CR txt"/>

</stage>

<stage stageid="c6aaee15-c428-4c0d-ae70-a132d6c1ab98" name="CR txt" type="Data">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<display x="-210" y="-30" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c48c33b-1c5d-4703-a53e-f7a839391f63" name="Pad?" type="Decision">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>
```

```
<loginhibit/>

<display x="15" y="45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="Len([CR txt]) = 1"/>

<ontrue>b8e91d2f-45ef-45f6-8fc1-6723dc435d61</ontrue>

<onfalse>0a063449-de8e-42f2-aa60-ab1465fe44a7</onfalse>

</stage>

<stage stageid="b8e91d2f-45ef-45f6-8fc1-6723dc435d61" name="Pad" type="Calculation">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

<calculation expression="&quot; &quot; &amp; [CR txt]" stage="CR txt"/>

</stage>

<stage stageid="0a063449-de8e-42f2-aa60-ab1465fe44a7" name="anchor20" type="Anchor">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<display x="-45" y="45" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a6cc58af-98f8-4d03-af0b-42943455c2e6</onsuccess>

</stage>

<stage stageid="a6cc58af-98f8-4d03-af0b-42943455c2e6" name="anchor21" type="Anchor">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<display x="-45" y="135" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

</stage>

<stage stageid="816eb4d3-3b43-4ced-afe0-5219c981f2de" name="End?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="15" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Header] = &quot;qqqqqqqqqqqq&quot;"/>

<ontrue>34fbfe50-402f-4de1-92d0-6435c2188157</ontrue>

<onfalse>edcadece-7a8b-435e-ac5a-653873f12e64</onfalse>

</stage>

<stage stageid="34fbfe50-402f-4de1-92d0-6435c2188157" name="anchor22" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="960" y="-135" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>495244d2-9f16-44f6-8dd0-f4cf66633e71</onsuccess>

</stage>

<stage stageid="495244d2-9f16-44f6-8dd0-f4cf66633e71" name="anchor23" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="960" y="405" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>705a3390-d146-442d-8df3-73d8499c6f64</onsuccess>

</stage>

<stage stageid="06a3bad4-6259-4277-be07-7d34d484a717" name="Read More Option" type="Read">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
```

<loginhibit/>

<display x="15" y="285" w="120" h="30"/>

<onsuccess>4d706b8d-e451-4a53-9d1b-f9088c50d112</onsuccess>

<step stage="More?">

<element id="8143ab5e-924d-401d-b601-c49818f0efc3"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="a1e0d197-b183-4f18-b424-8956d2860646" name="More?" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-240" y="-210"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4d706b8d-e451-4a53-9d1b-f9088c50d112" name="More option?" type="Decision">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="15" y="345"/>

<decision expression="([More?] = "M") AND ([More Done] = False)"/>

<ontrue>71f5c111-c266-470d-93bb-dec42e42a3c8</ontrue>

<onfalse>705a3390-d146-442d-8df3-73d8499c6f64</onfalse>

</stage>

<stage stageid="ff333a61-ac9e-4d07-822f-09c1101563c6" name="Press M" type="Navigate">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-180" y="345"/>

<onsuccess>75a528a1-02bd-41e5-8f30-94fb5ac0c7d2</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="cded3574-1a8e-49da-962a-f5ab85ff75d3" name="Wait1" type="WaitStart">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-180" y="225" w="30" h="30"/>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

<choices/>

<timeout>0.1</timeout>

</stage>

<stage stageid="0092431c-9da6-44de-bc19-c1c4263e2f94" name="Time Out1" type="WaitEnd">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-120" y="225" w="30" h="30"/>

<onsuccess>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onsuccess>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

</stage>

<stage stageid="81aab411-fa7e-4834-a8a5-1ce278cedc88" name="More Done" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-255" y="-225"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="71f5c111-c266-470d-93bb-dec42e42a3c8" name="Set Done Flag" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-75" y="345"/>


```
<onsuccess>ff333a61-ac9e-4d07-822f-09c1101563c6</onsuccess>

<calculation expression="True" stage="More Done"/>

</stage>

<stage stageid="75a528a1-02bd-41e5-8f30-94fb5ac0c7d2" name="Reset Row Number" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-180" y="285"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cdded3574-1a8e-49da-962a-f5ab85ff75d3</onsuccess>

<calculation expression="3" stage="Row Number"/>

</stage>

<stage stageid="ca7db650-bef5-408a-9f14-0257c0f16229" name="Published" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="135" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>89636b5c-d9a3-4551-9184-3d14f3cb9087</onsuccess>

<calculation expression="[Book Summary.Published] &amp;&amp; [Text]" stage="Book Summary.Published">

</stage>

<stage stageid="9a769556-bea9-4b14-8084-d98314f628bf" name="Pages" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="195" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Pages Etc] &amp;&amp; [Text]" stage="Book Summary.Pages Etc">

</stage>
```

<stage stageid="cedda8e9-4fbd-4d23-8021-e1486295c476" name="Notes" type="Calculation">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<display x="255" y="135"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Notes] & [Text]" stage="Book Summary.Notes"/>

</stage>

<stage stageid="8b4da37f-3ef6-4142-b57b-e3b2ded882d8" name="Summary" type="Calculation">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<display x="315" y="135"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Summary] & [Text]" stage="Book Summary.Summary">

</stage>

<stage stageid="a6f61c65-2426-4b1e-aefb-1dc1e028f658" name="Name" type="Calculation">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<display x="435" y="135"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Name] & [Text]" stage="Book Summary.Name"/>

</stage>

<stage stageid="2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867" name="Contents" type="Calculation">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>


```
<display x="555" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Contents] &amp; [Text]" stage="Book Summary.Contents"/>

</stage>

<stage stageid="88ca40b8-b799-428a-b868-3140b5f80312" name="Alt. Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="615" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Alt Title] &amp; [Text]" stage="Book Summary.Alt Title"/>

</stage>

<stage stageid="ff985d30-fe12-4f18-aaa8-d1270b04238a" name="Add. Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="675" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Title] &amp; [Text]" stage="Book Summary.Add Title"/>

</stage>

<stage stageid="45386695-c194-4ae8-8baf-95dd5d81f541" name="Add. Name" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="735" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
```

```
<calculation expression="[Book Summary.Add Name] &amp; [Text]" stage="Book Summary.Add Name" />

</stage>

<stage stageid="449d883d-4eb3-41bd-baa3-b41c4df18c2c" name="Edition" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="795" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Edition] &amp; [Text]" stage="Book Summary.Edition"/>

</stage>

<stage stageid="56313981-1b64-4ec6-bc55-11e590a42b91" name="Series" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="855" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Series] &amp; [Text]" stage="Book Summary.Series"/>

</stage>

<stage stageid="edcadece-7a8b-435e-ac5a-653873f12e64" name="Blank Title?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="15" y="-45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Header] = &amp;quot;          &amp;quot;"/>

<ontrue>14b0cc31-1d6c-4c9e-955c-e9554be00e2f</ontrue>

<onfalse>07a8d77e-7913-4408-ac8c-aedd51993389</onfalse>

</stage>
```

```
<stage stageid="fe4cc97f-dddb-4f9e-92af-5ac120376d47" name="Save Last Header" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-45" y="180"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c2902889-91de-4c75-95f3-f0028a8906d5</onsuccess>

<calculation expression="[Header]" stage="Last Header"/>

</stage>

<stage stageid="99f3aa75-7b3d-439b-b824-f3fc6b07378b" name="Last Header" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-270" y="-240"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="14b0cc31-1d6c-4c9e-955c-e9554be00e2f" name="Restore last header" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="90" y="-45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07a8d77e-7913-4408-ac8c-aedd51993389</onsuccess>

<calculation expression="[Last Header]" stage="Header"/>

</stage>

<stage stageid="705a3390-d146-442d-8df3-73d8499c6f64" name="Get Book Location" type="Read">
```

```
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>Reads location, shelfmark and status</narrative>

<display x="15" y="405"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f</onsuccess>

<step stage="Book Summary.Location">

<element id="94335b98-cced-4c2e-87c0-74e1d5501726"/>

<action>

<id>GetField</id>

</action>

</step>

<step stage="Book Summary.Shelfmark">

<element id="9db12321-8611-464c-912c-981badb6fb67"/>

<action>

<id>GetField</id>

</action>

</step>

<step stage="Status">

<element id="71e62efa-4f34-47d0-8b21-58cbd55494c1"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f" name="Not On Loan" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
```

```
<loginhibit/>

<display x="15" y="465"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="InStr([Status], &quot;NOT ON LOAN&quot;) &gt; 0"/>

<ontrue>dd70f39c-48eb-428b-bdf4-4dcc08d560f4</ontrue>

<onfalse>e7251ddf-162d-421f-9a14-2fb328d2187b</onfalse>

</stage>

<stage stageid="dd70f39c-48eb-428b-bdf4-4dcc08d560f4" name="Set Status to Not on Loan" type="Calcula

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-120" y="465"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6ea7d11d-4956-4aac-8b08-4a0dca2b2c03</onsuccess>

<calculation expression="&quot;NOT ON LOAN&quot;" stage="Status"/>

</stage>

<stage stageid="e7251ddf-162d-421f-9a14-2fb328d2187b" name="Ref" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="15" y="525"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="InStr([Status], &quot;REF ONLY&quot;) &gt; 0"/>

<ontrue>921b7570-b84b-4653-b155-4504a6ea62b0</ontrue>

<onfalse>13891d0c-187d-4885-8b08-808a64c7bc24</onfalse>

</stage>

<stage stageid="921b7570-b84b-4653-b155-4504a6ea62b0" name="Set Staus to Ref Only" type="Calcula

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>
```

<math display="block" x="-120" y="525">

<div style="font-family: Tahoma; font-size: 10px; font-style: normal; color: black;">

<div id="9541fd6d-2ef9-4728-935a-a3dccf04b5ec">

<div id="REF ONLY" style="border: 1px solid black; padding: 5px;">

</div>

<div id="6ea7d11d-4956-4aac-8b08-4a0dca2b2c03" style="border: 1px solid black; padding: 5px;">

<div id="780e3694-9766-4dec-8a1e-edf111be4c76">

<div id="loginhibit">

<math display="block" x="-270" y="465" w="10" h="10">

<div style="font-family: Tahoma; font-size: 10px; font-style: normal; color: black;">

<div id="9541fd6d-2ef9-4728-935a-a3dccf04b5ec">

</div>

<div id="9541fd6d-2ef9-4728-935a-a3dccf04b5ec" style="border: 1px solid black; padding: 5px;">

<div id="780e3694-9766-4dec-8a1e-edf111be4c76">

<div id="loginhibit">

<math display="block" x="-270" y="525" w="10" h="10">

<div style="font-family: Tahoma; font-size: 10px; font-style: normal; color: black;">

<div id="1e3b8333-1d9e-43cd-b44f-4d0805918db1">

</div>

<div id="1e3b8333-1d9e-43cd-b44f-4d0805918db1" style="border: 1px solid black; padding: 5px;">

<div id="780e3694-9766-4dec-8a1e-edf111be4c76">

<div id="loginhibit">

<math display="block" x="-270" y="585" w="10" h="10">

<div style="font-family: Tahoma; font-size: 10px; font-style: normal; color: black;">

<div id="13891d0c-187d-4885-8b08-808a64c7bc24">

</div>

<div id="e912bcad-be8c-4b85-8da6-3a33e6568363" style="border: 1px solid black; padding: 5px;">

```
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-120" y="-105" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="13891d0c-187d-4885-8b08-808a64c7bc24" name="Store Status" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="15" y="585"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2</onsuccess>

<calculation expression="[Status]" stage="Book Summary.Status"/>

</stage>

<stage stageid="9758ddea-69c4-4d7b-a0bc-115a6c90d8cc" name="Log Off" type="SubSheetInfo">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="659a35f1-a821-4304-b94c-6d2b99a4b667" name="Start" type="Start">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b66b9640-cde5-4b38-b735-a8981b9fcc6f</onsuccess>
```

```
</stage>

<stage stageid="f6c617ad-9cdf-48a0-807b-abfc0df5797c" name="End" type="End">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<display x="105" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b66b9640-cde5-4b38-b735-a8981b9fcc6f" name="Go To Main Menu" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<display x="15" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d4646a8-ef83-47c9-a8ce-ccd5f9029eea</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"N"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3d4646a8-ef83-47c9-a8ce-ccd5f9029eea" name="Wait2" type="WaitStart">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>
```


<loginhibit/>

<display x="15" y="-15" w="30" h="30"/>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>0</distance>

<ontrue>54655745-5af6-46fb-919c-8893ad9b7341</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="34428b28-e7f0-4be6-8ea0-3fe523b826c4" name="Time Out2" type="WaitEnd">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<display x="105" y="-15" w="30" h="30"/>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

</stage>

<stage stageid="54655745-5af6-46fb-919c-8893ad9b7341" name="Disconnect" type="Navigate">

```
<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<display x="15" y="45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"A"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="67072628-d9b9-4312-872d-a2c4bc537a33" name="Wait for Results" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="15" y="300" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

<choices>

<choice reply="True">

<name>Search Results Check Exists</name>
```

<distance>0</distance>

<ontrue>2181d102-4d13-4924-9111-e939a8198d87</ontrue>

<element id="23e040b1-91dd-4449-9d68-fce31f83f9d3"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="fd2ebc99-aec0-4bd3-b967-86dd95658c45" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<display x="105" y="300" w="30" h="30"/>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

</stage>

<stage stageid="5de64f27-1252-4b9f-a8fb-d749833a022b" name="Title" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="-285" y="-180"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d15426ef-61bc-44fc-a62e-58b28182bc7f" name="Subject" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-270" y="-165"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6464c80-9091-4ad9-abff-40255fb40cd7" name="Published" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-255" y="-150"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1a3d7372-a05f-4dc0-a191-2e731fc52dac" name="ISBN" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="-240" y="-135"/>


```
<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bb881725-971a-4b19-9f38-5ea09cce380e" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="75" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Title]" stage="Title"/>

</stage>

<stage stageid="131129a8-82d4-4086-a334-efdeca527368" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="375" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Subject]" stage="Subject"/>

</stage>

<stage stageid="89636b5c-d9a3-4551-9184-3d14f3cb9087" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<display x="135" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
```

```
<calculation expression="[Book Summary.Published]" stage="Published"/>

</stage>

<stage stageid="4f97e968-8eed-44b5-92f1-407c1e66d3d6" name="Update Output" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<display x="495" y="135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.ISBN]" stage="ISBN"/>

</stage>

<stage stageid="7d28e3c4-9551-4ae8-a78f-3d8987657ca5" name="End Process" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<display x="105" y="45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f6c617ad-9cdf-48a0-807b-abfc0df5797c</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="75a3c27b-899c-4d1b-ba24-144a2e734b96" name="QA Root" type="Data">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="270" y="-150" w="150" h="60"/>
```


<datatype>text</datatype>

<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c5bdf591-4161-4db1-bbf7-53c3ee6719e7" name="Start" type="Start">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="15" y="-180"/>

<onsuccess>55f671b3-f6d5-49c8-b9b0-ed546eec329a</onsuccess>

</stage>

<stage stageid="658c8004-48f1-4805-8839-8a1d506c4e0a" name="launch" type="Navigate">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="15" y="-75"/>

<onsuccess>11517ea8-3a09-44cc-a934-7bb02dabc98d</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] & "\Code\pcom\\a.ws"</value>

</argument>

<argument>

<id>Session ID</id>

<value>

</value>

</argument>

<argument>

<id>WaitSleepTime</id>

<value>

</value>

</argument>

<argument>

<id>WaitTimeout</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="ca5424df-c04f-4f63-80f3-c8f4ed1fa55c" name="Recover1" type="Recover">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="120" y="-75"/>

<onsuccess>ec9d1047-36ad-4368-901f-02f872d532ed</onsuccess>

</stage>

<stage stageid="ec9d1047-36ad-4368-901f-02f872d532ed" name="Resume1" type="Resume">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="120" y="-30"/>

<onsuccess>39785ed9-dc30-4b80-ac63-71d53ed58528</onsuccess>

</stage>

<stage stageid="39785ed9-dc30-4b80-ac63-71d53ed58528" name="Launch Pcom" type="Code">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="120" y="30"/>

<inputs>

<input type="text" name="sessionFile" expr="[QA Root] &amp; &quot;\Code\pcom\l.a.ws&qu

</inputs>

<onsuccess>28396719-9f04-4ef3-b167-494927e2c6ea</onsuccess>

<code>string args = string.Format("/s=A {0}",sessionFile);

string progs = Environment.GetFolderPath(Environment.SpecialFolder.ProgramFiles);

string cmd = string.Format(@"{0}\IBM\Personal Communications\pcsws.exe",progs);

ProcessStartInfo p = new ProcessStartInfo(cmd, args);

p.RedirectStandardInput = true;

p.RedirectStandardOutput = true;

p.RedirectStandardError = true;

p.UseShellExecute = false;

Process.Start(p);</code>

</stage>

<stage stageid="6e625686-4562-4da9-9b39-5d62a0279da5" name="Block1" type="Block">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="-30" y="-105" w="300" h="105"/>

</stage>

<stage stageid="a5446307-933b-4b63-8797-77781e2204a2" name="Connect" type="Navigate">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<display x="120" y="120"/>

<onsuccess>707c9607-41ab-413b-861a-8cf417973da1</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] & "\Code\pcom\\a.ws"</value>

</argument>

<argument>

<id>Session ID</id>

<value>

</value>

</argument>

<argument>

<id>WaitSleepTime</id>

<value>

</value>

</argument>

<argument>

<id>WaitTimeout</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2c64771a-c10d-4df9-9951-b3acc6a3fcbb" name="o" type="WaitEnd">

<subsHEETid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsHEETid>

<loginhibit/>

<display x="150" y="75" w="30" h="30"/>

<onsuccess>a5446307-933b-4b63-8797-77781e2204a2</onsuccess>

<groupid>173e2122-6bd3-4749-aa45-4e54ef0dc553</groupid>

</stage>

<stage stageid="28396719-9f04-4ef3-b167-494927e2c6ea" name="Wait 30" type="WaitStart">

<subsHEETid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsHEETid>

<loginhibit/>

<display x="90" y="75" w="30" h="30"/>

<groupid>173e2122-6bd3-4749-aa45-4e54ef0dc553</groupid>

<choices/>

<timeout>30</timeout>

</stage>

<stage stageid="d4f54026-6375-4927-9be9-695f464b715c" name="Session File" type="Data">

<subsHEETid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsHEETid>

<loginhibit/>

<display x="150" y="-135"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">\Code\pcom\a.ws</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="06d22de4-80c7-475c-89b2-56a29c7fff15" name="Note3" type="Note">

<subsHEETid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsHEETid>

<loginhibit/>

<narrative>This path is only executed when its launched via vbox scripts.</narrative>

<display x="210" y="-60" w="90" h="60"/>

</stage>

<stage stageid="7f72961a-061b-4544-9a30-1f2f662503ca" name="o" type="WaitEnd">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="45" y="75" w="30" h="30"/>

<onsuccess>707c9607-41ab-413b-861a-8cf417973da1</onsuccess>

<groupid>b68b7244-91a4-4f81-bf21-6183feb9cc9e</groupid>

</stage>

<stage stageid="d87803e6-29bd-4199-b1c9-902a36b922e9" name="Wait 30" type="WaitStart">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="-15" y="75" w="30" h="30"/>

<groupid>b68b7244-91a4-4f81-bf21-6183feb9cc9e</groupid>

<choices/>

<timeout>30</timeout>

</stage>

<stage stageid="707c9607-41ab-413b-861a-8cf417973da1" name="Anchor1" type="Anchor">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="15" y="120" w="10" h="10"/>

<onsuccess>2a376c33-0bd0-4509-a501-d43b0c2c6f0d</onsuccess>

</stage>

<stage stageid="11517ea8-3a09-44cc-a934-7bb02dabc98d" name="Anchor2" type="Anchor">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="15" y="30" w="10" h="10"/>

<onsuccess>d87803e6-29bd-4199-b1c9-902a36b922e9</onsuccess>

</stage>

<stage stageid="55f671b3-f6d5-49c8-b9b0-ed546eec329a" name="Make Session File" type="Calculation".

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<display x="15" y="-135"/>

<onsuccess>658c8004-48f1-4805-8839-8a1d506c4e0a</onsuccess>

<calculation expression="[QA Root]&&[Session File]" stage="Session File"/>

</stage>

</process>

<process name="First Metropolitan University OPAC (rmd)" version="1.0" narrative="On-line Public Access

<appdef>

<element name="First Metropolitan Library System">

<type>Application</type>

<basetype>Application</basetype>

<id>e6e12869-c470-4a5c-a71e-80b3e425586c</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Login">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>46b9d12f-87c0-4433-a429-aa61c21ea82b</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

```
<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="login:"/>

</attribute>

</attributes>

<element name="Username">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>f981b778-cc89-4ec8-ae8-2c55f8fb58f8</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="8"/>
```

```
</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="11"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

</element>

<element name="Main Menu">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>b2ff1446-0ff3-436d-928a-a6dd410024ae</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">
```



```
<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value=" 1ST METROPOLITAN UNIVERSI"/>

</attribute>

</attributes>

<element name="Menu Option">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>5ca88403-ad88-4221-a0ee-2d14dd0311b6</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="55"/>
```

```
</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

</element>

<element name="Other Searches Menu">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>f9db3a40-3ab7-4387-a6c0-980a9cb297e3</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">
```

```
<ProcessValue datatype="number" value="32"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="50"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Other Searches Menu"/>

</attribute>

</attributes>

<element name="Menu Option">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>9cc51573-aef1-4a96-8026-54c09e7b31b9</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="51"/>
```

```
</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="51"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

</element>

<element name="Dewey Search">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">
```

```
<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Subject Number "/>

</attribute>

</attributes>

<element name="Search Results">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>23e040b1-91dd-4449-9d68-fce31f83f9d3</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>
```

```
</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="17"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="You searched for"/>

</attribute>

</attributes>

<element name="Result Detail">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>2f3302dc-9c36-41e7-a24d-44df230ebe01</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="10"/>

</attribute>
```

```
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="17"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="342.0858"/>
</attribute>
</attributes>
</element>
<element name="Result Text">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>042290b2-f578-40e9-a4f8-a9b80dc1a1e3</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="68"/>
</attribute>
```

```
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="70"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="4"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
</element>
<element name="Result Browser Screen">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>6284b4b1-234f-4000-9520-c266935354b5</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="64"/>
```



```
</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="67"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="NAME"/>

</attribute>

</attributes>

<element name="Select Option">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>641ed781-8404-4bbe-87e3-f90f6fb966bb</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="39"/>

</attribute>
```

```
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="24"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="39"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="24"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value=""/>
</attribute>
</attributes>
</element>
<element name="Dewey Search Number of Titles">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>a8057444-8e31-4416-8379-457cf5733726</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
```

```
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="11"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="26 entries"/>
</attribute>
</attributes>
</element>
</element>
<element name="Results Page">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>fce9779b-97a8-429e-bc2e-8aed629ce7cc</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="2"/>
```

```
</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="TITLE"/>

</attribute>

</attributes>

<element name="Result Header">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>7444c2d4-856f-4501-a617-acbc8260bd67</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>
```

<attribute name="StartY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="EndY" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="TITLE" />

</attribute>

</attributes>

</element>

<element name="Result Text">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>7f84c66e-acc7-4f5e-aa09-370987db0b44</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="15"/>

</attribute>

```
<attribute name="StartY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="79"/>
</attribute>
<attribute name="EndY" comparisontype="dynamic" inuse="True">
<ProcessValue datatype="number" value="3"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="Analysis [SOUND RECORDING OFF-AIR] 5"/>
</attribute>
</attributes>
</element>
<group name="Details">
<id>395cfd76-24e2-4709-b220-cc386bac87d8</id>
<element name="Location">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>94335b98-cced-4c2e-87c0-74e1d5501726</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="StartX" inuse="True">
```

```
<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="25"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value="Collegiate"    "/>

</attribute>

</attributes>

</element>

<element name="Shelfmark">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>9db12321-8611-464c-912c-981badb6fb67</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">
```

```
<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" 342.0858 L"/>

</attribute>

</attributes>

</element>

<element name="Status">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>71e62efa-4f34-47d0-8b21-58cbd55494c1</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">
```



```
<ProcessValue datatype="number" value="57"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="75"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=" NOT ON LOAN " />

</attribute>

</attributes>

</element>

</group>

<element name="Forward Browse">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>539c325c-7a99-45fd-b141-476364963637</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>
```

```
<attribute name="StartX" inuse="True">
<ProcessValue datatype="number" value="1"/>
</attribute>
<attribute name="StartY" inuse="True">
<ProcessValue datatype="number" value="22"/>
</attribute>
<attribute name="EndX" inuse="True">
<ProcessValue datatype="number" value="22"/>
</attribute>
<attribute name="EndY" inuse="True">
<ProcessValue datatype="number" value="22"/>
</attribute>
<attribute name="FieldType" inuse="True">
<ProcessValue datatype="text" value="Rectangular"/>
</attribute>
<attribute name="FieldText">
<ProcessValue datatype="text" value="R &gt; RETURN to Browsing"/>
</attribute>
</attributes>
</element>
</element>
<element name="Record Number">
<type>TerminalField</type>
<basetype>TerminalField</basetype>
<id>66c492ab-df3f-49e2-92c0-7a5167c9657b</id>
<datatype>number</datatype>
<diagnose>False</diagnose>
```

```
<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="71"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="72"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<element name="More?">

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<id>8143ab5e-924d-401d-b601-c49818f0efc3</id>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

```
<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>

</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="M"/>

</attribute>

</attributes>

</element>

</element>

</element>

<apptypeinfo>

<id>MainframeRMD</id>

<name>Mainframe (RMD)</name>

<parameters>
```

<parameter>

<name>Port</name>

<type>Number</type>

<values/>

<value>4554</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>RMD Interface Port</helptext>

</parameter>

<parameter>

<name>Options</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>If necessary, enter any options specific to this target application, as directed by Blue Prism techn

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="


" />

<subsheet subsheetid="ded66069-69d0-4e63-9f93-48a19bf0d152" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb" type="Normal" published="True">

<name>Start OPAC and Log In</name>

<view>

<camerax>-7</camerax>

<cameray>-23</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0" type="Normal" published="True">

<name>Dewey Search from Main Menu</name>

<view>

<camerax>47</camerax>

<cameray>-105</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="780e3694-9766-4dec-8a1e-edf111be4c76" type="Normal" published="True">

<name>Return Book Details</name>

<view>

<camerax>15</camerax>

<cameray>15</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0" type="Normal" published="True">

<name>Browse Forward</name>

<view>

<camerax>-99</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="3ba4bd35-54f1-4ba4-834a-c96fec7de551" type="Normal" published="True">

<name>Log Off</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="ae468c66-67c5-4d8f-8772-1bc1bf3ed8db" name="Start" type="Start">

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c04ceeb8-b419-4f46-bc5b-63d9811bdc06</onsuccess>

</stage>

<stage stageid="c04ceeb8-b419-4f46-bc5b-63d9811bdc06" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="75146833-5afc-4fc9-a463-863c6d0fd5e3" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>
```


<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>

</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="c67f2d0f-07b1-42b8-b3b4-a9bb425d31d2" name="Clean Up" type="SubSheetInfo">

<subsHEETid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9e03a029-98db-4bbd-9ea9-9a82658513ea" name="Start" type="Start">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0</onsuccess>

</stage>

<stage stageid="ee00f17d-7a62-4f8e-82c3-f1a9c2d2d9e0" name="End" type="End">

<subsheetid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b037961e-a490-46d8-827a-ae3730e82c24" name="Start OPAC and Log In" type="SubSH

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="7f8ae59f-111e-4d30-9645-b25ae078553e" name="Start" type="Start">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>964ebb35-856f-459d-9b37-5c5866354f87</onsuccess>

</stage>

<stage stageid="f22083ae-a348-4f03-abbe-4c51a325d820" name="End" type="End">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

</stage>

<stage stageid="9cfa1e0f-b49a-4d81-a7c3-3466ffb62795" name="new" type="Note">

<subsHEETid>ded66069-69d0-4e63-9f93-48a19bf0d152</subsHEETid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="d7d48a36-b2fe-42b7-9af6-f56d21a0d348" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

```
<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="964ebb35-856f-459d-9b37-5c5866354f87" name="Start OPAC" type="Navigate">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2a376c33-0bd0-4509-a501-d43b0c2c6f0d</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>TargY</id>

<value>

</value>

</argument>

<argument>
```

<id>TargX</id>

<value>

</value>

</argument>

<argument>

<id>Path</id>

<value>[QA Root] & "\Code\pcom\\a.ws"</value>

</argument>

<argument>

<id>Session ID</id>

<value>

</value>

</argument>

<argument>

<id>WaitSleepTime</id>

<value>

</value>

</argument>

<argument>

<id>WaitTimeout</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

```
</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2a376c33-0bd0-4509-a501-d43b0c2c6f0d" name="Wait" type="WaitStart">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

<choices>

<choice reply="True">

<name>Login Check Exists</name>

<distance>0</distance>

<ontrue>b2163b83-0b02-45a2-a4de-65b4434d2ea4</ontrue>

<element id="46b9d12f-87c0-4433-a429-aa61c21ea82b"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

```
</choices>

<timeout>5</timeout>

</stage>

<stage stageid="8d0e6bde-029b-4bcf-aa95-c895dd6d8e6e" name="Time Out" type="WaitEnd">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6ae104ee-4be0-4258-ba6d-5238f1168dd3</onsuccess>

<groupid>382c6ffa-a72e-452e-8dfc-878e68377169</groupid>

</stage>

<stage stageid="e3d666b7-1e6f-4b63-b5d0-7df2484ea4f1" name="Success" type="Data">

<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>
```



```
<initialvalue>True</initialvalue>

<alwaysinit/>

</stage>

<stage stageid="6ae104ee-4be0-4258-ba6d-5238f1168dd3" name="Set as failed" type="Calculation">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07d6cfbb-6ce0-497a-bac8-79864aba12e4</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="07d6cfbb-6ce0-497a-bac8-79864aba12e4" name="anchor1" type="Anchor">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>
```

```
</stage>

<stage stageid="b2163b83-0b02-45a2-a4de-65b4434d2ea4" name="Enter Username" type="Navigate">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f22083ae-a348-4f03-abbe-4c51a325d820</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"opacX"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="4f2627e8-d47e-4991-9190-599bb32eff8e" name="Dewey Search from Main Menu" type=

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>
```

```
<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="df6f1c33-654c-437f-aa0d-3e105d3d664c" name="Start" type="Start">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Dewey Reference" stage="Dewey Reference"/>

</inputs>

<onsuccess>b05f731a-a1db-49f9-9d42-47ea7424a4de</onsuccess>

</stage>

<stage stageid="0a040f55-0bbd-4c2c-8777-c463a89062ed" name="End" type="End">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Result"/>

</outputs>

</stage>

<stage stageid="3a9336ea-89e5-41ff-b371-8085bfcad350" name="Dewey Reference" type="Data">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b05f731a-a1db-49f9-9d42-47ea7424a4de" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>0</distance>

<ontrue>59958168-5cb2-42dd-9351-16ccb0dbf58f</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="65f7f840-07ad-4e80-aad8-9f231aaeb571" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>105</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>47fb6cc6-c98b-4798-a5cc-3afe4e4216a7</onsuccess>

<groupid>8a8b6441-80d7-4e53-ae07-ad1ce4282196</groupid>

</stage>

<stage stageid="59958168-5cb2-42dd-9351-16ccb0dbf58f" name="Other Search" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8899682c-0130-4d6d-a376-bedc071c1c26</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"O"</value>

```
</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="90811185-caa6-4923-bbb3-adb1c21954a4" name="Set as failed" type="Calculation">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>675</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="False" stage="Success"/>

</stage>

<stage stageid="8899682c-0130-4d6d-a376-bedc071c1c26" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```


<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

<choices>

<choice reply="True">

<name>Other Searches Menu Check Exists</name>

<distance>0</distance>

<ontrue>63bb4df0-302b-4e0e-96c0-6f0f56db11fe</ontrue>

<element id="f9db3a40-3ab7-4387-a6c0-980a9cb297e3"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="51e579ba-d1f4-4547-a291-cb39fb40125e" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>


```
<groupid>6a020d8c-fe07-4634-8fae-c14f0d751200</groupid>

</stage>

<stage stageid="ae23936e-22f6-4a25-87b3-38fe7ab40940" name="anchor2" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

</stage>

<stage stageid="63bb4df0-302b-4e0e-96c0-6f0f56db11fe" name="Dewey Search" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7077bd37-dc17-4c91-ad39-5f2e6eb7487b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
```

```
<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"S"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="7077bd37-dc17-4c91-ad39-5f2e6eb7487b" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>
```

```
<ontrue>447e26e0-da1c-450d-a79a-7d5fdf02facc</ontrue>

<element id="f5f6f58a-48d1-4c38-8d7b-2a22c6f9fa87"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="f1645109-9979-403f-86ab-11fc26c766f9" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9bd3cb3-96e1-48df-ba45-ce6604ed93b2</onsuccess>

<groupid>d4b09bdb-2ad5-4921-abe9-fdadbd9dc72</groupid>

</stage>

<stage stageid="447e26e0-da1c-450d-a79a-7d5fdf02facc" name="SEARCH" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>67072628-d9b9-4312-872d-a2c4bc537a33</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>[Dewey Reference]</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"^M"</value>
```

```
</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2181d102-4d13-4924-9111-e939a8198d87" name="Select" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>46dd2f31-1aac-4bab-9489-d820c175e98b</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>

</argument>

</arguments>

</action>
```

</step>

</stage>

<stage stageid="47fb6cc6-c98b-4798-a5cc-3afe4e4216a7" name="anchor3" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>ae23936e-22f6-4a25-87b3-38fe7ab40940</onsuccess>

</stage>

<stage stageid="f9bd3cb3-96e1-48df-ba45-ce6604ed93b2" name="anchor4" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

</stage>

<stage stageid="46dd2f31-1aac-4bab-9489-d820c175e98b" name="Wait" type="WaitStart">

```
<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>420</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

<choices>

<choice reply="True">

<name>

</name>

<distance>0</distance>

<ontrue>970738ba-0d90-4fcd-9dac-737b686cddac</ontrue>

<element id="6284b4b1-234f-4000-9520-c266935354b5"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="bdadd675-80fc-411b-b9d6-9c2d02361350" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>420</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

<groupid>dc296fe4-d5f8-4fd2-9dde-5739cc461046</groupid>

</stage>

<stage stageid="134a0439-8fee-4fa8-99b5-2cc88c14998e" name="anchor6" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>420</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

</stage>

<stage stageid="40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32" name="anchor5" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>


```
</narrative>

<displayx>180</displayx>

<displayy>300</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>134a0439-8fee-4fa8-99b5-2cc88c14998e</onsuccess>

</stage>

<stage stageid="60d34863-5142-4d31-8ad4-e1f92a2b0230" name="Open List" type="Navigate">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>510</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dc7568a9-f931-4eaf-b924-6a699c0b8d1e</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"1"</value>
```

```
</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="dc7568a9-f931-4eaf-b924-6a699c0b8d1e" name="Wait" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>555</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

<choices>

<choice reply="True">

<name>Results Page Check Exists</name>

<distance>0</distance>

<ontrue>6d1d9f3f-eb7b-4b97-8742-6a988cbd5197</ontrue>

<element id="fce9779b-97a8-429e-bc2e-8aed629ce7cc"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

```
</choices>

<timeout>5</timeout>

</stage>

<stage stageid="eb0f2d2f-7aab-4d89-9348-a8a1760ed847" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>555</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8c9d4610-e808-426a-a6e4-8c81ccb9095e</onsuccess>

<groupid>ec62598e-5422-4b31-aea9-6a7d3161425a</groupid>

</stage>

<stage stageid="8c9d4610-e808-426a-a6e4-8c81ccb9095e" name="anchor8" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>555</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4782da61-c0a1-45f9-bcd0-a323bce1b7db</onsuccess>
```

```
</stage>

<stage stageid="4782da61-c0a1-45f9-bcd0-a323bce1b7db" name="anchor7" type="Anchor">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>570</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>90811185-caa6-4923-bbb3-adb1c21954a4</onsuccess>

</stage>

<stage stageid="970738ba-0d90-4fcd-9dac-737b686cddac" name="Read Results" type="Read">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>60d34863-5142-4d31-8ad4-e1f92a2b0230</onsuccess>

<step stage="Result Text">

<element id="a8057444-8e31-4416-8379-457cf5733726"/>

<action>
```

```
<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="186970bb-ed0d-4560-af3f-1bbb55d77e8d" name="Result Text" type="Data">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>495</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6d1d9f3f-eb7b-4b97-8742-6a988cbd5197" name="Get Result Quantity" type="Calculation">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0a040f55-0bbd-4c2c-8777-c463a89062ed</onsuccess>

<calculation expression="Left([Result Text], InStr([Result Text], &quot; &quot;)-1)" stage="Result

</stage>

<stage stageid="f4dd9d3e-31b3-45d5-972c-7194e6a1a66d" name="Result" type="Data">

<subsheetsid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>675</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1b23ee5b-f647-4551-829a-18995877e427" name="Return Book Details" type="SubSheet

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-315</displayy>

<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1cc216a6-73e0-42f1-8ecc-5e2de61e7398" name="Start" type="Start">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" stage="Book Summary"/>

</inputs>

<onsuccess>f2168dde-9404-47b5-88d2-857162500c62</onsuccess>

</stage>

<stage stageid="5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2" name="End" type="End">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>645</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>
```

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

</stage>

<stage stageid="16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4" name="Read Row" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>816eb4d3-3b43-4ced-afe0-5219c981f2de</onsuccess>

<step stage="Header">

<element id="7444c2d4-856f-4501-a617-acbc8260bd67">

<elementparameter>

<name>StartY</name>

<expression>[Row Number]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>


```
<elementparameter>
<name>EndY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
<id>ReadCurrentValue</id>
</action>
</step>
<step stage="Text">
<element id="7f84c66e-acc7-4f5e-aa09-370987db0b44">
<elementparameter>
<name>StartY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
<elementparameter>
<name>EndY</name>
<expression>[Row Number]</expression>
<datatype>number</datatype>
<comparisontype>Equal</comparisontype>
</elementparameter>
</element>
<action>
```

```
<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="eec8ae9c-4938-455c-ab59-b228a5f17fc2" name="Row Number" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-165</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>3</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bf436b7c-bade-4a30-83ec-6a940e95e30c" name="Header" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0298f142-4124-4841-896b-d4917f344027" name="Text" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>120</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="bd358935-7f5d-4934-8510-5af1366f77e7" name="Next Row" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>465</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd4c92eb-6f19-48dc-b0f2-46db341126b6</onsuccess>

<calculation expression="[Row Number] + 1" stage="Row Number"/>

</stage>

<stage stageid="bd4c92eb-6f19-48dc-b0f2-46db341126b6" name="Last Row?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Row Number] = 16"/>

<ontrue>06a3bad4-6259-4277-be07-7d34d484a717</ontrue>

<onfalse>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onfalse>

</stage>

<stage stageid="cc018c0d-da66-4618-be4c-6d0a2a681bd0" name="anchor9" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>-45</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fe4cc97f-dddb-4f9e-92af-5ac120376d47</onsuccess>

</stage>

<stage stageid="c2902889-91de-4c75-95f3-f0028a8906d5" name="anchor10" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>

</stage>

<stage stageid="07a8d77e-7913-4408-ac8c-aedd51993389" name="Field Type" type="ChoiceStart">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>
```

<displayheight>30</displayheight>

<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>

<choices>

<choice expression="[Header] = "TITLE "">

<name>TITLE</name>

<distance>60</distance>

<ontrue>41e01eb4-d081-49ca-a88c-46a917d6d6ef</ontrue>

</choice>

<choice expression="[Header] = "PUBLISHED "">

<name>PUBLISHED</name>

<distance>120</distance>

<ontrue>ca7db650-bef5-408a-9f14-0257c0f16229</ontrue>

</choice>

<choice expression="[Header] = "PAGES, ETC "">

<name>PAGES,ETC</name>

<distance>180</distance>

<ontrue>9a769556-bea9-4b14-8084-d98314f628bf</ontrue>

</choice>

<choice expression="[Header] = "NOTES "">

<name>NOTES</name>

<distance>240</distance>

<ontrue>cedda8e9-4fbd-4d23-8021-e1486295c476</ontrue>

</choice>

<choice expression="[Header] = "SUMMARY "">

<name>SUMMARY</name>

<distance>300</distance>

<ontrue>8b4da37f-3ef6-4142-b57b-e3b2ded882d8</ontrue>

</choice>

<choice expression="[Header] = "SUBJECT "">

<name>SUBJECT</name>

<distance>360</distance>

<ontrue>f31575f4-69eb-4c2d-8226-ce785d5f77ae</ontrue>

</choice>

<choice expression="[Header] = "NAME "">

<name>NAME</name>

<distance>420</distance>

<ontrue>a6f61c65-2426-4b1e-aefb-1dc1e028f658</ontrue>

</choice>

<choice expression="[Header] = "ISBN "">

<name>ISBN</name>

<distance>480</distance>

<ontrue>ac2b1a7f-7433-4c52-a137-dcf60fb79e77</ontrue>

</choice>

<choice expression="[Header] = "CONTENTS "">

<name>CONTENTS</name>

<distance>540</distance>

<ontrue>2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867</ontrue>

</choice>

<choice expression="[Header] = "ALT TITLE "">

<name>ALT TITLE</name>

<distance>600</distance>

<ontrue>88ca40b8-b799-428a-b868-3140b5f80312</ontrue>

</choice>

<choice expression="[Header] = "ADD. TITLE "">
<name>ADD. TITLE</name>
<distance>660</distance>
<ontrue>ff985d30-fe12-4f18-aaa8-d1270b04238a</ontrue>
</choice>
<choice expression="[Header] = "ADD. NAME "">
<name>ADD. NAME</name>
<distance>720</distance>
<ontrue>45386695-c194-4ae8-8baf-95dd5d81f541</ontrue>
</choice>
<choice expression="[Header] = "EDITION "">
<name>EDITION</name>
<distance>780</distance>
<ontrue>449d883d-4eb3-41bd-baa3-b41c4df18c2c</ontrue>
</choice>
<choice expression="[Header] = "SERIES "">
<name>SERIES</name>
<distance>840</distance>
<ontrue>56313981-1b64-4ec6-bc55-11e590a42b91</ontrue>
</choice>
</choices>
</stage>
<stage stageid="984c89f6-94fd-434a-a4e1-85e7c99547f2" name="Otherwise" type="ChoiceEnd">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>


```
<displayx>915</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>35fe6b27-9efb-443c-ae36-ee5e1b224e4b</onsuccess>

<groupid>7a954af9-9bcd-4903-982d-e3382beccb28</groupid>

</stage>

<stage stageid="7a4dae64-3810-426a-b762-0642d61e5b68" name="Book Summary" type="Collection">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>105</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Author" type="text"/>

<field name="Published" type="text"/>
```

<field name="Pages Etc" type="text"/>
<field name="Notes" type="text"/>
<field name="Summary" type="text"/>
<field name="Name" type="text"/>
<field name="Contents" type="text"/>
<field name="Alt Title" type="text"/>
<field name="Add Title" type="text"/>
<field name="Add Name" type="text"/>
<field name="Edition" type="text"/>
<field name="Series" type="text"/>
<field name="Location" type="text"/>
<field name="Shelfmark" type="text"/>
<field name="Status" type="text"/>
</collectioninfo>
</stage>
<stage stageid="41e01eb4-d081-49ca-a88c-46a917d6d6ef" name="Title" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>

<onsuccess>bb881725-971a-4b19-9f38-5ea09c380e</onsuccess>
<calculation expression="[Book Summary.Title] & [Text]" stage="Book Summary.Title"/>

```
</stage>

<stage stageid="f31575f4-69eb-4c2d-8226-ce785d5f77ae" name="Subject" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>131129a8-82d4-4086-a334-efdeca527368</onsuccess>

<calculation expression="[Book Summary.Subject] &amp; [Text]" stage="Book Summary.Subject"/>

</stage>

<stage stageid="ac2b1a7f-7433-4c52-a137-dcf60fb79e77" name="ISBN" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>495</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4f97e968-8eed-44b5-92f1-407c1e66d3d6</onsuccess>

<calculation expression="[Book Summary.ISBN] &amp; [Text]" stage="Book Summary.ISBN"/>

</stage>
```

```
<stage stageid="35fe6b27-9efb-443c-ae36-ee5e1b224e4b" name="anchor19" type="Anchor">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>915</displayx>
<displayy>90</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
</stage>
<stage stageid="f2168dde-9404-47b5-88d2-857162500c62" name="Add row" type="Action">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" expr="&quot;Book Summary&quot;"/>
</inputs>
<onsuccess>16b4d1b0-06d4-4b7a-98a3-15c49e1ba8f4</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
```

```
</stage>

<stage stageid="65add1a8-c6c9-4069-a954-0c6728a12d07" name="Browse Forward" type="SubSheetInfo">

<subsheets>
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7eee31d3-12de-4d17-9f14-98b4d1463c31" name="Start" type="Start">

<subsheets>
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>869511df-a3a9-441e-ad9c-85c4e2754a9a</onsuccess>

</stage>

<stage stageid="98d046b9-d87f-444b-b7a0-fa2975735a07" name="End" type="End">

<subsheets>
<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<display>195</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

</stage>

<stage stageid="829d4e69-7aef-4d2d-9da8-b01a63423842" name="Browse Forward" type="Navigate">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-45</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07d9bc38-495d-4974-a148-f55a1949efb5</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"F"</value>
```

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="869511df-a3a9-441e-ad9c-85c4e2754a9a" name="Read Current Record Number" type="

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>829d4e69-7aef-4d2d-9da8-b01a63423842</onsuccess>

<step stage="Current Record">

<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="f04778b9-a14a-416f-8487-17bd4472bbaa" name="Current Record" type="Data">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="145f9af1-8120-40f2-9e60-9b3b2a16d0cc" name="Wait" type="WaitStart">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

<choices>

<choice reply="[CR txt]">

<name>Record Number Get Field</name>

<distance>0</distance>

<ontrue>98d046b9-d87f-444b-b7a0-fa2975735a07</ontrue>


```
<element id="66c492ab-df3f-49e2-92c0-7a5167c9657b"/>

<condition>

<id>GetField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="b06d8321-37b4-4540-a16d-7a5deda3e16a" name="Timeout" type="WaitEnd">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ccaee9-d4ef-4244-9715-cf63ff1112d7</onsuccess>

<groupid>989548b2-d2f6-460f-9491-a2f89f2eff50</groupid>

</stage>

<stage stageid="ccaee9-d4ef-4244-9715-cf63ff1112d7" name="EOF" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>105</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>98d046b9-d87f-444b-b7a0-fa2975735a07</onsuccess>

<calculation expression="True" stage="No More Records"/>

</stage>

<stage stageid="e1b26ed3-83e3-4ecf-8b67-e61af3317722" name="No More Records" type="Data">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="07d9bc38-495d-4974-a148-f55a1949efb5" name="Next Record Number" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c48c33b-1c5d-4703-a53e-f7a839391f63</onsuccess>

<calculation expression="[Current Record] + 1" stage="CR txt"/>

</stage>

<stage stageid="c6aaee15-c428-4c0d-ae70-a132d6c1ab98" name="CR txt" type="Data">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c48c33b-1c5d-4703-a53e-f7a839391f63" name="Pad?" type="Decision">

<subsheetsid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetsid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="Len([CR txt]) = 1"/>

<ontrue>b8e91d2f-45ef-45f6-8fc1-6723dc435d61</ontrue>

<onfalse>0a063449-de8e-42f2-aa60-ab1465fe44a7</onfalse>

</stage>

<stage stageid="b8e91d2f-45ef-45f6-8fc1-6723dc435d61" name="Pad" type="Calculation">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

<calculation expression="&quot; &quot; &amp; [CR txt]" stage="CR txt"/>

</stage>

<stage stageid="0a063449-de8e-42f2-aa60-ab1465fe44a7" name="anchor20" type="Anchor">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a6cc58af-98f8-4d03-af0b-42943455c2e6</onsuccess>

</stage>

<stage stageid="a6cc58af-98f8-4d03-af0b-42943455c2e6" name="anchor21" type="Anchor">

<subsheetid>1efcc432-d94a-4cf5-bae0-9e6a4ca9f4d0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>135</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>145f9af1-8120-40f2-9e60-9b3b2a16d0cc</onsuccess>

</stage>

<stage stageid="816eb4d3-3b43-4ced-afe0-5219c981f2de" name="End?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<display>-135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Header] = &quot;qqqqqqqqqq&quot;"/>

<ontrue>34fbfe50-402f-4de1-92d0-6435c2188157</ontrue>

<onfalse>edcadece-7a8b-435e-ac5a-653873f12e64</onfalse>

</stage>

<stage stageid="34fbfe50-402f-4de1-92d0-6435c2188157" name="anchor22" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>960</displayx>

<display>-135</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>495244d2-9f16-44f6-8dd0-f4cf66633e71</onsuccess>

</stage>

<stage stageid="495244d2-9f16-44f6-8dd0-f4cf66633e71" name="anchor23" type="Anchor">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>960</displayx>

<display>405</display>
```

```
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>705a3390-d146-442d-8df3-73d8499c6f64</onsuccess>

</stage>

<stage stageid="06a3bad4-6259-4277-be07-7d34d484a717" name="Read More Option" type="Read">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4d706b8d-e451-4a53-9d1b-f9088c50d112</onsuccess>

<step stage="More?">

<element id="8143ab5e-924d-401d-b601-c49818f0efc3"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="a1e0d197-b183-4f18-b424-8956d2860646" name="More?" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>-240</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4d706b8d-e451-4a53-9d1b-f9088c50d112" name="More option?" type="Decision">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="([More?] = &quot;M&quot;) AND ([More Done] = False)"/>

<ontrue>71f5c111-c266-470d-93bb-dec42e42a3c8</ontrue>

<onfalse>705a3390-d146-442d-8df3-73d8499c6f64</onfalse>

</stage>

<stage stageid="ff333a61-ac9e-4d07-822f-09c1101563c6" name="Press M" type="Navigate">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
```



```
<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>75a528a1-02bd-41e5-8f30-94fb5ac0c7d2</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"M"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="cded3574-1a8e-49da-962a-f5ab85ff75d3" name="Wait1" type="WaitStart">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>-180</displayx>

<displayy>225</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

<choices/>

<timeout>0.1</timeout>

</stage>

<stage stageid="0092431c-9da6-44de-bc19-c1c4263e2f94" name="Time Out1" type="WaitEnd">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>225</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cc018c0d-da66-4618-be4c-6d0a2a681bd0</onsuccess>

<groupid>0d0717a2-649c-470c-b966-9e4d1bad26ac</groupid>

</stage>

<stage stageid="81aab411-fa7e-4834-a8a5-1ce278cedc88" name="More Done" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>-255</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="71f5c111-c266-470d-93bb-dec42e42a3c8" name="Set Done Flag" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ff333a61-ac9e-4d07-822f-09c1101563c6</onsuccess>

<calculation expression="True" stage="More Done"/>

</stage>

<stage stageid="75a528a1-02bd-41e5-8f30-94fb5ac0c7d2" name="Reset Row Number" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>cded3574-1a8e-49da-962a-f5ab85ff75d3</onsuccess>

<calculation expression="3" stage="Row Number"/>

</stage>

<stage stageid="ca7db650-bef5-408a-9f14-0257c0f16229" name="Published" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>89636b5c-d9a3-4551-9184-3d14f3cb9087</onsuccess>

<calculation expression="[Book Summary.Published] & [Text]" stage="Book Summary.Published">

</stage>

<stage stageid="9a769556-bea9-4b14-8084-d98314f628bf" name="Pages" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Pages Etc] & [Text]" stage="Book Summary.Pages Etc" />

<stage stageid="cedda8e9-4fbd-4d23-8021-e1486295c476" name="Notes" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Notes] & [Text]" stage="Book Summary.Notes"/>

<stage stageid="8b4da37f-3ef6-4142-b57b-e3b2ded882d8" name="Summary" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>315</displayx>

<display>135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Summary] & [Text]" stage="Book Summary.Summary"

</stage>

<stage stageid="a6f61c65-2426-4b1e-aefb-1dc1e028f658" name="Name" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>435</displayx>

<display>135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Name] & [Text]" stage="Book Summary.Name"/>

</stage>

<stage stageid="2b1f5e9c-3cf3-4cae-8aa3-a0a18ce9a867" name="Contents" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>555</displayx>

<display>135</display>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Contents] &amp; [Text]" stage="Book Summary.Contents"/>

</stage>

<stage stageid="88ca40b8-b799-428a-b868-3140b5f80312" name="Alt. Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>615</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Alt Title] &amp; [Text]" stage="Book Summary.Alt Title"/>

</stage>

<stage stageid="ff985d30-fe12-4f18-aaa8-d1270b04238a" name="Add. Title" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>675</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Title] & [Text]" stage="Book Summary.Add. Title"/>
</stage>

<stage stageid="45386695-c194-4ae8-8baf-95dd5d81f541" name="Add. Name" type="Calculation">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>735</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Add Name] & [Text]" stage="Book Summary.Add Name"/>
</stage>

<stage stageid="449d883d-4eb3-41bd-baa3-b41c4df18c2c" name="Edition" type="Calculation">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>795</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Edition] &amp; [Text]" stage="Book Summary.Edition"/>
</stage>
<stage stageid="56313981-1b64-4ec6-bc55-11e590a42b91" name="Series" type="Calculation">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>855</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>
<calculation expression="[Book Summary.Series] &amp; [Text]" stage="Book Summary.Series"/>
</stage>
<stage stageid="edcadece-7a8b-435e-ac5a-653873f12e64" name="Blank Title?" type="Decision">
<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Header] = &quot;          &quot;"/>
<ontrue>14b0cc31-1d6c-4c9e-955c-e9554be00e2f</ontrue>
<onfalse>07a8d77e-7913-4408-ac8c-aedd51993389</onfalse>
</stage>
<stage stageid="fe4cc97f-dddb-4f9e-92af-5ac120376d47" name="Save Last Header" type="Calculation">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-45</displayx>
<displayy>180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c2902889-91de-4c75-95f3-f0028a8906d5</onsuccess>
<calculation expression="[Header]" stage="Last Header"/>
</stage>
<stage stageid="99f3aa75-7b3d-439b-b824-f3fc6b07378b" name="Last Header" type="Data">
<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-270</displayx>
<displayy>-240</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="14b0cc31-1d6c-4c9e-955c-e9554be00e2f" name="Restore last header" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07a8d77e-7913-4408-ac8c-aedd51993389</onsuccess>

<calculation expression="[Last Header]" stage="Header"/>

</stage>

<stage stageid="705a3390-d146-442d-8df3-73d8499c6f64" name="Get Book Location" type="Read">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>Reads location, shelfmark and status</narrative>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f</onsuccess>

<step stage="Book Summary.Location">

<element id="94335b98-cced-4c2e-87c0-74e1d5501726"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

<step stage="Book Summary.Shelfmark">

<element id="9db12321-8611-464c-912c-981badb6fb67"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

<step stage="Status">

<element id="71e62efa-4f34-47d0-8b21-58cbd55494c1"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="1f1e2d0e-b6f3-4a65-adbe-13cd4870d41f" name="Not On Loan" type="Decision">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="InStr([Status], "NOT ON LOAN") > 0"/>

<ontrue>dd70f39c-48eb-428b-bdf4-4dcc08d560f4</ontrue>

<onfalse>e7251ddf-162d-421f-9a14-2fb328d2187b</onfalse>

</stage>

<stage stageid="dd70f39c-48eb-428b-bdf4-4dcc08d560f4" name="Set Status to Not on Loan" type="Calcula

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6ea7d11d-4956-4aac-8b08-4a0dca2b2c03</onsuccess>

<calculation expression=""NOT ON LOAN"" stage="Status"/>

</stage>

<stage stageid="e7251ddf-162d-421f-9a14-2fb328d2187b" name="Ref" type="Decision">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="InStr([Status], "REF ONLY") > 0"/>

<ontrue>921b7570-b84b-4653-b155-4504a6ea62b0</ontrue>

<onfalse>13891d0c-187d-4885-8b08-808a64c7bc24</onfalse>

</stage>

<stage stageid="921b7570-b84b-4653-b155-4504a6ea62b0" name="Set Staus to Ref Only" type="Calcula

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9541fd6d-2ef9-4728-935a-a3dccf04b5ec</onsuccess>

<calculation expression=""REF ONLY"" stage="Status"/>

</stage>

<stage stageid="6ea7d11d-4956-4aac-8b08-4a0dca2b2c03" name="anchor11" type="Anchor">

<subsHEETid>780e3694-9766-4dec-8a1e-edf111be4c76</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>465</displayy>

```
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9541fd6d-2ef9-4728-935a-a3dccf04b5ec</onsuccess>

</stage>

<stage stageid="9541fd6d-2ef9-4728-935a-a3dccf04b5ec" name="anchor12" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>525</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1e3b8333-1d9e-43cd-b44f-4d0805918db1</onsuccess>

</stage>

<stage stageid="1e3b8333-1d9e-43cd-b44f-4d0805918db1" name="anchor13" type="Anchor">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>585</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>13891d0c-187d-4885-8b08-808a64c7bc24</onsuccess>

</stage>

<stage stageid="e912bcad-be8c-4b85-8da6-3a33e6568363" name="Status" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="13891d0c-187d-4885-8b08-808a64c7bc24" name="Store Status" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<onsuccess>5d8fe7fa-74f1-4bbe-83c5-ddb6ae4dd5a2</onsuccess>

<calculation expression="[Status]" stage="Book Summary.Status"/>

</stage>

<stage stageid="9758ddea-69c4-4d7b-a0bc-115a6c90d8cc" name="Log Off" type="SubSheetInfo">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="659a35f1-a821-4304-b94c-6d2b99a4b667" name="Start" type="Start">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b66b9640-cde5-4b38-b735-a8981b9fcc6f</onsuccess>

</stage>

<stage stageid="f6c617ad-9cdf-48a0-807b-abfc0df5797c" name="End" type="End">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<narrative>
```

```
</narrative>

<displayx>105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b66b9640-cde5-4b38-b735-a8981b9fcc6f" name="Go To Main Menu" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d4646a8-ef83-47c9-a8ce-ccd5f9029eea</onsuccess>

<step>

<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"N"</value>

</argument>
```

```
</arguments>

</action>

</step>

</stage>

<stage stageid="3d4646a8-ef83-47c9-a8ce-ccd5f9029eea" name="Wait2" type="WaitStart">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

<choices>

<choice reply="True">

<name>Main Menu Check Exists</name>

<distance>0</distance>

<ontrue>54655745-5af6-46fb-919c-8893ad9b7341</ontrue>

<element id="b2ff1446-0ff3-436d-928a-a6dd410024ae"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

<timeout>5</timeout>

</stage>

<stage stageid="34428b28-e7f0-4be6-8ea0-3fe523b826c4" name="Time Out2" type="WaitEnd">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<groupid>746f6cbc-1164-43db-97eb-dc66bd140a2c</groupid>

</stage>

<stage stageid="54655745-5af6-46fb-919c-8893ad9b7341" name="Disconnect" type="Navigate">

<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7d28e3c4-9551-4ae8-a78f-3d8987657ca5</onsuccess>

<step>

```
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"A"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="67072628-d9b9-4312-872d-a2c4bc537a33" name="Wait for Results" type="WaitStart">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

<choices>

<choice reply="True">

<name>Search Results Check Exists</name>

<distance>0</distance>
```

<ontrue>2181d102-4d13-4924-9111-e939a8198d87</ontrue>

<element id="23e040b1-91dd-4449-9d68-fce31f83f9d3"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="fd2ebc99-aec0-4bd3-b967-86dd95658c45" name="Timeout" type="WaitEnd">

<subsheetid>8832ac3c-30ec-43a7-9ceb-3c7c88b2fae0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>300</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>40bcbb2d-3bea-4ed4-95d2-b1c895fb9a32</onsuccess>

<groupid>36a60b85-36d5-40fa-8118-2d21cbfc1450</groupid>

</stage>

<stage stageid="5de64f27-1252-4b9f-a8fb-d749833a022b" name="Title" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>-285</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d15426ef-61bc-44fc-a62e-58b28182bc7f" name="Subject" type="Data">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b6464c80-9091-4ad9-abff-40255fb40cd7" name="Published" type="Data">
```

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1a3d7372-a05f-4dc0-a191-2e731fc52dac" name="ISBN" type="Data">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>


```
<alwaysinit/>

</stage>

<stage stageid="bb881725-971a-4b19-9f38-5ea09cce380e" name="Update Output" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Title]" stage="Title"/>

</stage>

<stage stageid="131129a8-82d4-4086-a334-efdeca527368" name="Update Output" type="Calculation">

<subsheetid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Subject]" stage="Subject"/>
```

```
</stage>

<stage stageid="89636b5c-d9a3-4551-9184-3d14f3cb9087" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.Published]" stage="Published"/>

</stage>

<stage stageid="4f97e968-8eed-44b5-92f1-407c1e66d3d6" name="Update Output" type="Calculation">

<subsheetsid>780e3694-9766-4dec-8a1e-edf111be4c76</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>495</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd358935-7f5d-4934-8510-5af1366f77e7</onsuccess>

<calculation expression="[Book Summary.ISBN]" stage="ISBN"/>

</stage>
```

```
<stage stageid="7d28e3c4-9551-4ae8-a78f-3d8987657ca5" name="End Process" type="Navigate">
<subsheetid>3ba4bd35-54f1-4ba4-834a-c96fec7de551</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>105</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f6c617ad-9cdf-48a0-807b-abfc0df5797c</onsuccess>
<step>
<element id="e6e12869-c470-4a5c-a71e-80b3e425586c"/>
<action>
<id>Terminate</id>
</action>
</step>
</stage>
<stage stageid="75a3c27b-899c-4d1b-ba24-144a2e734b96" name="QA Root" type="Data">
<subsheetid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>60</displayheight>
```


<datatype>text</datatype>

<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3cf24693-64be-46bc-a2c7-d7b345204860" name="Reader1" type="Read">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<step stage="Value from Login">

<element id="46b9d12f-87c0-4433-a429-aa61c21ea82b"/>

<action>

<id>GetField</id>

</action>

</step>

</stage>

<stage stageid="d902f56e-b2f1-4729-8f4f-3a9cd64de24d" name="Value from Login" type="Data">

<subsheetsid>57d07e7c-0894-4d7d-a4bf-d9dddabb0ddb</subsheetsid>

<narrative>

```
</narrative>

<displayx>-120</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Hooked Event Presser" version="1.0" narrative="Works alongside the Hooked Event Tes

<appdef>

<element name="Coop2BZR">

<type>Application</type>

<basetype>Application</basetype>

<id>1f21bf47-616b-4fe8-9741-db1d65a6c945</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Cancel Button">

<type>Button</type>

<basetype>Button</basetype>

<id>756d8562-1590-46fc-ba74-5d6b69b6a102</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>
```

```
<attribute name="WindowText" inuse="True">
<ProcessValue>
<datatype>text</datatype>
<value xml:space="preserve">Cancel</value>
</ProcessValue>
</attribute>
<attribute name="ClassName">
<ProcessValue>
<datatype>text</datatype>
<value xml:space="preserve">WindowsForms10.BUTTON</value>
</ProcessValue>
</attribute>
<attribute name="CtrlID">
<ProcessValue>
<datatype>number</datatype>
<value>0</value>
</ProcessValue>
</attribute>
<attribute name="X">
<ProcessValue>
<datatype>number</datatype>
<value>387</value>
</ProcessValue>
</attribute>
<attribute name="Y">
<ProcessValue>
<datatype>number</datatype>
```

<value>117</value>

</ProcessValue>

</attribute>

<attribute name="Width">

<ProcessValue>

<datatype>number</datatype>

<value>76</value>

</ProcessValue>

</attribute>

<attribute name="Height">

<ProcessValue>

<datatype>number</datatype>

<value>24</value>

</ProcessValue>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

```
<attribute name="Active">
<ProcessValue>
<datatype>flag</datatype>
<value>False</value>
</ProcessValue>
</attribute>
<attribute name="Ordinal">
<ProcessValue>
<datatype>number</datatype>
<value>3</value>
</ProcessValue>
</attribute>
<attribute name="ChildCount">
<ProcessValue>
<datatype>number</datatype>
<value>0</value>
</ProcessValue>
</attribute>
<attribute name="pWindowText" inuse="True">
<ProcessValue>
<datatype>text</datatype>
<value xml:space="preserve">Coop2BZR 1.0</value>
</ProcessValue>
</attribute>
<attribute name="pCtrlID">
<ProcessValue>
<datatype>number</datatype>
```


<value>0</value>

</ProcessValue>

</attribute>

<attribute name="pX">

<ProcessValue>

<datatype>number</datatype>

<value>176</value>

</ProcessValue>

</attribute>

<attribute name="pY">

<ProcessValue>

<datatype>number</datatype>

<value>176</value>

</ProcessValue>

</attribute>

<attribute name="pWidth">

<ProcessValue>

<datatype>number</datatype>

<value>564</value>

</ProcessValue>

</attribute>

<attribute name="pHeight">

<ProcessValue>

<datatype>number</datatype>

<value>372</value>

</ProcessValue>

</attribute>

```
<attribute name="pActive">
<ProcessValue>
<datatype>flag</datatype>
<value>True</value>
</ProcessValue>
</attribute>
<attribute name="pOrdinal">
<ProcessValue>
<datatype>number</datatype>
<value>1</value>
</ProcessValue>
</attribute>
<attribute name="pChildCount">
<ProcessValue>
<datatype>number</datatype>
<value>9</value>
</ProcessValue>
</attribute>
</attributes>
</element>
<element name="Main Window">
<type>Window</type>
<basetype>Window</basetype>
<id>c488e781-9f7e-40b5-93c5-cbf2241bde3f</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
```

```
<attribute name="WindowText" inuse="True">
<ProcessValue>
<datatype>text</datatype>
<value xml:space="preserve">Coop2BZR 1.0</value>
</ProcessValue>
</attribute>
<attribute name="ClassName">
<ProcessValue>
<datatype>text</datatype>
<value xml:space="preserve">WindowsForms10.Window</value>
</ProcessValue>
</attribute>
<attribute name="CtrlID">
<ProcessValue>
<datatype>number</datatype>
<value>0</value>
</ProcessValue>
</attribute>
<attribute name="X">
<ProcessValue>
<datatype>number</datatype>
<value>435</value>
</ProcessValue>
</attribute>
<attribute name="Y">
<ProcessValue>
<datatype>number</datatype>
```

<value>341</value>

</ProcessValue>

</attribute>

<attribute name="Width">

<ProcessValue>

<datatype>number</datatype>

<value>564</value>

</ProcessValue>

</attribute>

<attribute name="Height">

<ProcessValue>

<datatype>number</datatype>

<value>372</value>

</ProcessValue>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

```
<attribute name="Active">
<ProcessValue>
<datatype>flag</datatype>
<value>False</value>
</ProcessValue>
</attribute>
<attribute name="Ordinal">
<ProcessValue>
<datatype>number</datatype>
<value>1</value>
</ProcessValue>
</attribute>
<attribute name="ChildCount">
<ProcessValue>
<datatype>number</datatype>
<value>9</value>
</ProcessValue>
</attribute>
</attributes>
<element name="Main Window (Active)">
<type>Window</type>
<basetype>Window</basetype>
<id>54f8089e-6d3f-4eba-a0ac-5e5a6ed446d1</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
```

<ProcessValue>

<datatype>text</datatype>

<value xml:space="preserve">Coop2BZR 1.0</value>

</ProcessValue>

</attribute>

<attribute name="ClassName">

<ProcessValue>

<datatype>text</datatype>

<value xml:space="preserve">WindowsForms10.Window</value>

</ProcessValue>

</attribute>

<attribute name="CtrlID">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="X">

<ProcessValue>

<datatype>number</datatype>

<value>435</value>

</ProcessValue>

</attribute>

<attribute name="Y">

<ProcessValue>

<datatype>number</datatype>

<value>341</value>

</ProcessValue>

</attribute>

<attribute name="Width">

<ProcessValue>

<datatype>number</datatype>

<value>564</value>

</ProcessValue>

</attribute>

<attribute name="Height">

<ProcessValue>

<datatype>number</datatype>

<value>372</value>

</ProcessValue>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Active" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value xml:space="preserve">True</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal">

<ProcessValue>

<datatype>number</datatype>

<value>1</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount">

<ProcessValue>

<datatype>number</datatype>

<value>9</value>

</ProcessValue>

</attribute>

</attributes>

</element>

</element>

</element>

<apptypeinfo>

<id>Win32Attach</id>

<name>My application will already be running - I want to attach to an existing instance</name>

<parameters>

<parameter>

<name>WindowTitle</name>


```
<type>String</type>

<values/>

<value>Coop2BZR*</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the window title of the target application (the wildcards *, ?, # are valid)</helptext>

</parameter>

<parameter>

<name>ProcessName</name>

<type>String</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enter the Windows process name of the target application</helptext>

</parameter>

<parameter>

<name>Path</name>

<type>File</type>

<values/>

<value>

</value>

<acceptsnull>True</acceptsnull>

<filefilter>Executable Files (*.exe)|*.exe</filefilter>
```

```
<helptext>If not found for attaching, your application may be launched automatically if desired. Enter the pa
</parameter>
<parameter>
<name>CommandLineParams</name>
<type>String</type>
<values/>
<value>
</value>
<acceptsnull>True</acceptsnull>
<filefilter>
</filefilter>
<helptext>Enter the command line parameters (if any) to be passed, when the specified executable is laun
</parameter>
</parameters>
</apptypeinfo>
</appdef>
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<subsheet subsheetid="0efd3c8c-1133-4eb8-8e0e-0396b406a8c0" type="CleanUp" published="True">
<name>Clean Up</name>
<view>
<camerax>0</camerax>
```

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="bd2047da-ec3f-4c87-a0f6-9e5cb69329b9" type="Normal" published="True">

<name>Do The Pressing</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="d834f8af-b84b-40dc-b18e-f84840dcf409" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7a2d5a2a-39b9-4fd3-aa3b-3405ec8e40c1</onsuccess>

</stage>

<stage stageid="7a2d5a2a-39b9-4fd3-aa3b-3405ec8e40c1" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="5dc1f8d9-6a52-4557-a82f-eed4cfece8dc" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

```
</code>

</stage>

<stage stageid="175e0a1a-942b-4248-b3ba-712a75db7552" name="Clean Up" type="SubSheetInfo">

<subsheetsid>0efd3c8c-1133-4eb8-8e0e-0396b406a8c0</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="376cb858-4091-4c6c-be08-632094bb8221" name="Start" type="Start">

<subsheetsid>0efd3c8c-1133-4eb8-8e0e-0396b406a8c0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ca6a7387-f7d6-4902-9d8d-a910e2d41e26</onsuccess>

</stage>

<stage stageid="ca6a7387-f7d6-4902-9d8d-a910e2d41e26" name="End" type="End">

<subsheetsid>0efd3c8c-1133-4eb8-8e0e-0396b406a8c0</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="99d6dbf7-52e8-4819-8c40-e5af39bee782" name="Do The Pressing" type="SubSheetInfo">

<subsheetsid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetsid>

<narrative>Attach to Coop2BZR, press the cancel button and detach again</narrative>

<displayx>-165</displayx>

<displayy>-90</displayy>

<displaywidth>210</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5c46039d-09c0-4c43-8d75-615e66c596e3" name="Start" type="Start">

<subsheetsid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>5a7d8c6b-e95b-4a8d-ba29-85b01ccfaebc</onsuccess>

</stage>

<stage stageid="ca029613-4024-420e-b10b-58157b4b59d4" name="End" type="End">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b0358bcc-9e56-4bd2-a550-3db0c2cd18ae" name="new" type="Note">

<subsheetid>0efd3c8c-1133-4eb8-8e0e-0396b406a8c0</subsheetid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>
```


</stage>

<stage stageid="966d5f82-280c-48ab-8568-1cc0c781811e" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="5a7d8c6b-e95b-4a8d-ba29-85b01ccfaebc" name="Attach" type="Navigate">

<subsheetsid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetsid>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2e65a6c3-b7e2-4752-bd70-e8c659073566</onsuccess>

<step>


```
<element id="1f21bf47-616b-4fe8-9741-db1d65a6c945"/>

<action>

<id>AttachApplication</id>

<arguments>

<argument>

<id>WindowTitlesCollection</id>

<value>

</value>

</argument>

<argument>

<id>WindowTitle</id>

<value>

</value>

</argument>

<argument>

<id>ProcessName</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="8c61eab2-db90-4394-8e29-35196909a52a" name="Press Cancel" type="Navigate">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<narrative>

</narrative>
```

<displayx>240</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>425f9c1f-eb11-43ca-b4a2-0750d3ac1ae3</onsuccess>

<step>

<element id="c488e781-9f7e-40b5-93c5-cbf2241bde3f"/>

<action>

<id>ActivateApp</id>

</action>

</step>

<step>

<element id="756d8562-1590-46fc-ba74-5d6b69b6a102"/>

<action>

<id>MouseClickedCentre</id>

<arguments>

<argument>

<id>targx</id>

<value>10</value>

</argument>

<argument>

<id>targy</id>

<value>10</value>

</argument>

<argument>

<id>newtext</id>

```
<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="425f9c1f-eb11-43ca-b4a2-0750d3ac1ae3" name="Detach" type="Navigate">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ca029613-4024-420e-b10b-58157b4b59d4</onsuccess>

<step>

<element id="1f21bf47-616b-4fe8-9741-db1d65a6c945"/>

<action>

<id>DetachApplication</id>

</action>

</step>

</stage>

<stage stageid="2e65a6c3-b7e2-4752-bd70-e8c659073566" name="Activate" type="Navigate">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<narrative>
```

```
</narrative>

<displayx>0</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f74f1020-624f-499b-ac46-0f3de716d7fe</onsuccess>

<step>

<element id="c488e781-9f7e-40b5-93c5-cbf2241bde3f"/>

<action>

<id>ActivateApp</id>

</action>

</step>

</stage>

<stage stageid="fd4bfe45-46a5-4077-a35a-779c4453b795" name="Time Out1" type="WaitEnd">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>b47f53c6-cc37-4d15-8dea-750ae5b0a69b</groupid>

</stage>

<stage stageid="f74f1020-624f-499b-ac46-0f3de716d7fe" name="Wait1" type="WaitStart">
```

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<groupid>b47f53c6-cc37-4d15-8dea-750ae5b0a69b</groupid>

<choices>

<choice reply="True">

<name>Main Window (Active) Check Exists</name>

<distance>45</distance>

<ontrue>fbe8e953-d4bd-42da-ba71-66641ee9b40a</ontrue>

<element id="54f8089e-6d3f-4eba-a0ac-5e5a6ed446d1"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>10</timeout>

</stage>

<stage stageid="fbe8e953-d4bd-42da-ba71-66641ee9b40a" name="Click on the window" type="Navigate"

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<loginhibit/>

<narrative>To move the mouse pointer, see bug #4033</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>de35f3d7-2f9e-47cb-bd14-3312c2c65854</onsuccess>

<step>

<element id="c488e781-9f7e-40b5-93c5-cbf2241bde3f"/>

<action>

<id>MouseClicked</id>

<arguments>

<argument>

<id>targx</id>

<value>40</value>

</argument>

<argument>

<id>targy</id>

<value>40</value>

</argument>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

</arguments>

</action>

```
</step>

</stage>

<stage stageid="d1e72df7-b612-490f-b9c6-f2978ed337d5" name="Time Out2" type="WaitEnd">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8c61eab2-db90-4394-8e29-35196909a52a</onsuccess>

<groupid>4b50e6f5-8b6b-4070-930d-9aa0f445cae4</groupid>

</stage>

<stage stageid="de35f3d7-2f9e-47cb-bd14-3312c2c65854" name="Wait2" type="WaitStart">

<subsheetid>bd2047da-ec3f-4c87-a0f6-9e5cb69329b9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>4b50e6f5-8b6b-4070-930d-9aa0f445cae4</groupid>

<choices/>
```

<timeout>2</timeout>

</stage>

</process>

<process name="Hooked Event Test (Attach)" version="1.0" narrative="Attaching version of Hooked Event

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="2ace56b1-b57a-46d2-a463-8f3212e6a1fb" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>28048d27-9931-48f3-9502-ef250144a02e</onsuccess>

</stage>

<stage stageid="f0661658-14d8-4ec5-afb0-3e5296929ede" name="End" type="End">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>


```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4e89a2a7-bf42-4cb8-9d8c-ac7fcac5eb26" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-75</displayy>

<displaywidth>240</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="28048d27-9931-48f3-9502-ef250144a02e" name="Attach" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a222a0b1-3026-426c-9b89-e1de88224206</onsuccess>

<resource object="Coop2BZRAttach" action="Attach"/>

</stage>

<stage stageid="5ab16f88-01f3-454a-be0a-d7cebc6e2b54" name="Pressed?" type="Data">

<narrative>

</narrative>

<displayx>-105</displayx>
```

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a222a0b1-3026-426c-9b89-e1de88224206" name="See if pressed" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="Pressed?" stage="Pressed?"/>

</outputs>

<onsuccess>6db8e4c2-3f26-42cd-8284-1c30d36c9d0f</onsuccess>

<resource object="Coop2BZRAttach" action="Was Cancel Pressed?"/>

</stage>

<stage stageid="6db8e4c2-3f26-42cd-8284-1c30d36c9d0f" name="Was it?" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

```
<display>60</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Pressed?]" />

<ontrue>9dc97132-1d78-4274-9b7e-bbb0fe27aa0c</ontrue>

<onfalse>ce83e914-4d6e-4bef-8359-6a6ccb086acf</onfalse>

</stage>

<stage stageid="3c4065f7-a2a2-4a0a-9038-fb5939bc4644" name="Max iterations" type="Data">

<narrative>

</narrative>

<displayx>210</displayx>

<display>-120</display>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>120</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ce83e914-4d6e-4bef-8359-6a6ccb086acf" name="Update Iteration Count" type="Calculat

<narrative>

</narrative>

<displayx>120</displayx>

<display>60</display>

<displaywidth>60</displaywidth>
```

```
<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bbda95fa-cef0-434e-ad71-ffd6b411b7b8</onsuccess>

<calculation expression="[Max iterations]-1" stage="Max iterations"/>

</stage>

<stage stageid="bbda95fa-cef0-434e-ad71-ffd6b411b7b8" name="Taken too long?" type="Decision">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Max iterations]=0"/>

<ontrue>2b13bd75-aa04-4338-9da2-e66e2b1dde85</ontrue>

<onfalse>a222a0b1-3026-426c-9b89-e1de88224206</onfalse>

</stage>

<stage stageid="b21ffa8e-e994-4385-8caf-a43544ca629a" name="Note1" type="Note">

<narrative>It took too long!</narrative>

<displayx>300</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2b13bd75-aa04-4338-9da2-e66e2b1dde85" name="Terminate" type="Action">

<narrative>
```

</narrative>

<displayx>210</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b21ffa8e-e994-4385-8caf-a43544ca629a</onsuccess>

<resource object="Coop2BZRAttach" action="Terminate"/>

</stage>

<stage stageid="f8283e46-ea8a-483d-80cf-462b307ca138" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f0661658-14d8-4ec5-afb0-3e5296929ede</onsuccess>

<resource object="Coop2BZRAttach" action="Terminate"/>

</stage>

<stage stageid="9dc97132-1d78-4274-9b7e-bbb0fe27aa0c" name="Detach" type="Action">

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2e8f6919-246f-45f0-a763-5f00ce8f5064</onsuccess>
<resource object="Coop2BZRAttach" action="Detach"/>
</stage>
<stage stageid="6bac8ac7-cb78-4212-a5c4-b2823209cd05" name="Attach Again" type="Action">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>165</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>

<onsuccess>35a42dbe-dc41-40c9-a475-377cb08d252d</onsuccess>
<resource object="Coop2BZRAttach" action="Attach"/>
</stage>
<stage stageid="35a42dbe-dc41-40c9-a475-377cb08d252d" name="Check Button" type="Action">
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>210</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>

<onsuccess>f8283e46-ea8a-483d-80cf-462b307ca138</onsuccess>
<resource object="Coop2BZRAttach" action="Check Button"/>
</stage>
<stage stageid="c7c60ec5-2973-4c54-a419-8cf755dad627" name="Exists?" type="Data">

```
<narrative>

</narrative>

<displayx>210</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2e8f6919-246f-45f0-a763-5f00ce8f5064" name="Wait" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6bac8ac7-cb78-4212-a5c4-b2823209cd05</onsuccess>

<resource object="Coop2BZRAttach" action="Wait 5 Secs"/>

</stage>

</process>

<process name="Hooked Event Test" version="1.0" narrative="Launches the Coop2BZR app and waits un

<view>

<camerax>0</camerax>
```

```
<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="2ace56b1-b57a-46d2-a463-8f3212e6a1fb" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>28048d27-9931-48f3-9502-ef250144a02e</onsuccess>

</stage>

<stage stageid="f0661658-14d8-4ec5-afb0-3e5296929ede" name="End" type="End">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>
```


<inputs/>

<outputs/>

</stage>

<stage stageid="4e89a2a7-bf42-4cb8-9d8c-ac7fcac5eb26" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-75</displayy>

<displaywidth>240</displaywidth>

<displayheight>120</displayheight>

</stage>

<stage stageid="28048d27-9931-48f3-9502-ef250144a02e" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>a222a0b1-3026-426c-9b89-e1de88224206</onsuccess>

<resource object="Coop2BZR" action="Launch"/>

</stage>

<stage stageid="5ab16f88-01f3-454a-be0a-d7cebc6e2b54" name="Pressed?" type="Data">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a222a0b1-3026-426c-9b89-e1de88224206" name="See if pressed" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Pressed?" stage="Pressed?"/>

</outputs>

<onsuccess>6db8e4c2-3f26-42cd-8284-1c30d36c9d0f</onsuccess>

<resource object="Coop2BZR" action="Was Cancel Pressed?"/>

</stage>

<stage stageid="6db8e4c2-3f26-42cd-8284-1c30d36c9d0f" name="Was it?" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[Pressed?]" />

<ontrue>f8283e46-ea8a-483d-80cf-462b307ca138</ontrue>

<onfalse>ce83e914-4d6e-4bef-8359-6a6ccb086acf</onfalse>

</stage>

<stage stageid="3c4065f7-a2a2-4a0a-9038-fb5939bc4644" name="Max iterations" type="Data">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-120</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>number</datatype>

<initialvalue>120</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ce83e914-4d6e-4bef-8359-6a6ccb086acf" name="Update Iteration Count" type="Calculat

```
<narrative>

</narrative>

<displayx>120</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bbda95fa-cef0-434e-ad71-ffd6b411b7b8</onsuccess>

<calculation expression="[Max iterations]-1" stage="Max iterations"/>

</stage>

<stage stageid="bbda95fa-cef0-434e-ad71-ffd6b411b7b8" name="Taken too long?" type="Decision">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Max iterations]=0"/>

<ontrue>2b13bd75-aa04-4338-9da2-e66e2b1dde85</ontrue>

<onfalse>a222a0b1-3026-426c-9b89-e1de88224206</onfalse>

</stage>

<stage stageid="b21ffa8e-e994-4385-8caf-a43544ca629a" name="Note1" type="Note">

<narrative>It took too long!</narrative>

<displayx>300</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

</stage>

<stage stageid="2b13bd75-aa04-4338-9da2-e66e2b1dde85" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>b21ffa8e-e994-4385-8caf-a43544ca629a</onsuccess>

<resource object="Coop2BZR" action="Terminate"/>

</stage>

<stage stageid="f8283e46-ea8a-483d-80cf-462b307ca138" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

```
<outputs/>

<onsuccess>f0661658-14d8-4ec5-afb0-3e5296929ede</onsuccess>

<resource object="Coop2BZR" action="Terminate"/>

</stage>

</process>

<process name="Test HTML Button Control" version="1.0" narrative="Test HTML Button Control" preferred

<view>

<camerax>8</camerax>

<cameray>-83</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8dae3902-efc8-49ee-aecb-76fe72774257" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

</stage>

<stage stageid="742c5724-a9c6-4ffb-8be6-f9c2e68cba81" name="End" type="End">

<narrative>

</narrative>

<displayx>225</displayx>
```

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="68c68507-843a-46f0-ab13-a8703f1e37c8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="38fe2b29-a73c-4ffb-a451-99a0f356e8f4" name="Start" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>df7e465d-37b7-4c9a-afd6-95532841332f</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="df7e465d-37b7-4c9a-afd6-95532841332f" name="Press button" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0294661a-599a-4e97-9ead-593ea31d9671</onsuccess>

<resource object="HTML Controls" action="Press Button - HTML"/>

</stage>

<stage stageid="0294661a-599a-4e97-9ead-593ea31d9671" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>3df83dcd-82c8-4b40-952a-8e377648c7f2</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="31c44ac4-0f20-4d8f-94bd-f0c952838b09" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>120</displayx>


```
<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="64dc1fc6-80db-4f97-8957-e7d4edb13ab0" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>225</displayx>

<display>-60</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ExcludeHTC]"/>

<ontrue>742c5724-a9c6-4ffb-8be6-f9c2e68cba81</ontrue>

<onfalse>fef9bff2-c769-46d2-8ee2-4a7d34a61edd</onfalse>

</stage>

<stage stageid="fef9bff2-c769-46d2-8ee2-4a7d34a61edd" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>120</displayx>

<display>-60</display>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

<stage stageid="68546fe2-e47f-477f-a564-6423f02e5b20" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>64dc1fc6-80db-4f97-8957-e7d4edb13ab0</onsuccess>

</stage>

<stage stageid="3df83dcd-82c8-4b40-952a-8e377648c7f2" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>68546fe2-e47f-477f-a564-6423f02e5b20</onsuccess>

</stage>

</process>

<process name="Test HTML Checkbox control" version="1.0" narrative="Set HTML Checkbox control" pre
```

```
<view>

<camerax>0</camerax>

<cameray>-208</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8dae3902-efc8-49ee-aecb-76fe72774257" name="Start" type="Start">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

</stage>

<stage stageid="68c68507-843a-46f0-ab13-a8703f1e37c8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="38fe2b29-a73c-4ffb-a451-99a0f356e8f4" name="Start" type="Action">
```

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>e0981725-8213-4477-aa56-bc726f1493c4</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="e0981725-8213-4477-aa56-bc726f1493c4" name="Set checkbox to True using HTML" type="Set checkbox to True using HTML"/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="Check" expr="True"/>

</inputs>

<onsuccess>164acf63-b87f-41d6-95ee-4a05f88e5376</onsuccess>

<resource object="HTML Controls" action="Set Checkbox - HTML"/>

</stage>

<stage stageid="164acf63-b87f-41d6-95ee-4a05f88e5376" name="Get checkbox using HTML" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="checked" stage="checked"/>

</outputs>

<onsuccess>42c5270b-40e4-4563-a7d8-d0225c155c3c</onsuccess>

<resource object="HTML Controls" action="Get Checkbox - HTML"/>

</stage>

<stage stageid="e07f7591-c19f-40fc-a43c-505ca8975967" name="checked" type="Data">

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

```
<stage stageid="42c5270b-40e4-4563-a7d8-d0225c155c3c" name="Checkbox has correct value" type="D
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>-30</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[checked]=True"/>
<ontrue>f62cf122-de93-46df-a464-215b50c3288b</ontrue>
<onfalse>67951844-49e5-4ab4-86b7-e7e5021a093e</onfalse>
</stage>
<stage stageid="f62cf122-de93-46df-a464-215b50c3288b" name="Set checkbox to True using HTML" type
<narrative>
</narrative>
<displayx>120</displayx>
<displayy>30</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="checkbox" name="Check" checked="checked" />
</inputs>
<onsuccess>6cd8346a-57f1-4a11-88cd-84dd7d100cea</onsuccess>
<resource object="HTML Controls" action="Set Checkbox - HTML"/>
</stage>
<stage stageid="6cd8346a-57f1-4a11-88cd-84dd7d100cea" name="Get checkbox using HTML" type="Act
```

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>75</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="checked" stage="checked"/>

</outputs>

<onsuccess>69c3391e-d1bf-48e2-8d4d-da4ba22cfc3d</onsuccess>

<resource object="HTML Controls" action="Get Checkbox - HTML"/>

</stage>

<stage stageid="69c3391e-d1bf-48e2-8d4d-da4ba22cfc3d" name="Checkbox has correct value" type="De

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[checked]=True"/>

<ontrue>15434c63-e448-4c47-8681-b7841dc69a33</ontrue>

<onfalse>9a6feb46-f3ce-4b8c-b0a4-96dd41fda98d</onfalse>

</stage>

<stage stageid="15434c63-e448-4c47-8681-b7841dc69a33" name="Set checkbox to False using HTML" t

<narrative>

```
</narrative>

<displayx>120</displayx>

<displayy>210</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Check" expr="False"/>

</inputs>

<onsuccess>9afd03c6-7828-44b0-8007-d444de524f41</onsuccess>

<resource object="HTML Controls" action="Set Checkbox - HTML"/>

</stage>

<stage stageid="9afd03c6-7828-44b0-8007-d444de524f41" name="Get checkbox using HTML" type="Acti

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>255</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="checked" stage="checked"/>

</outputs>

<onsuccess>b2cce2c5-c41d-4b7b-8960-1a2e6f7a7cc1</onsuccess>

<resource object="HTML Controls" action="Get Checkbox - HTML"/>

</stage>

<stage stageid="b2cce2c5-c41d-4b7b-8960-1a2e6f7a7cc1" name="Checkbox has correct value" type="De
```


<narrative>

</narrative>

<displayx>120</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[checked]=False"/>

<ontrue>b9debf22-058d-42c3-8e80-b5989b6d66f1</ontrue>

<onfalse>dcb6e21e-fb2e-4a36-9980-7053c44fc7e7</onfalse>

</stage>

<stage stageid="b9debf22-058d-42c3-8e80-b5989b6d66f1" name="Set checkbox to False using HTML" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>390</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="checkbox" name="Check" expr="False"/>

</inputs>

<onsuccess>ef596118-9ec8-4f98-8b11-62b7f99bf00f</onsuccess>

<resource object="HTML Controls" action="Set Checkbox - HTML"/>

</stage>

<stage stageid="ef596118-9ec8-4f98-8b11-62b7f99bf00f" name="Get checkbox using HTML" type="Action">

<narrative>

```
</narrative>

<displayx>120</displayx>

<displayy>435</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="checked" stage="checked"/>

</outputs>

<onsuccess>419066d7-a2f7-46e7-a5aa-dacedc51dce1</onsuccess>

<resource object="HTML Controls" action="Get Checkbox - HTML"/>

</stage>

<stage stageid="419066d7-a2f7-46e7-a5aa-dacedc51dce1" name="Checkbox has correct value" type="De

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[checked]=False"/>

<ontrue>ff3a4363-0b56-4aaa-8b4d-0914ca3a14c9</ontrue>

<onfalse>4516c7dd-6fb9-478c-a348-0f43cd264ec2</onfalse>

</stage>

<stage stageid="ff3a4363-0b56-4aaa-8b4d-0914ca3a14c9" name="Set checkbox to True using HTML" typ

<narrative>

</narrative>
```

<displayx>120</displayx>

<displayy>585</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="Check" expr="True"/>

</inputs>

<onsuccess>a4a27592-eb3f-4c7f-acb2-292ccf892d9f</onsuccess>

<resource object="HTML Controls" action="Set Checkbox - HTML"/>

</stage>

<stage stageid="a4a27592-eb3f-4c7f-acb2-292ccf892d9f" name="Get checkbox using HTML" type="Action

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>630</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="checked" stage="checked"/>

</outputs>

<onsuccess>fa7e8325-7e25-4769-9138-5a8a2cff13be</onsuccess>

<resource object="HTML Controls" action="Get Checkbox - HTML"/>

</stage>

<stage stageid="fa7e8325-7e25-4769-9138-5a8a2cff13be" name="Checkbox has correct value" type="De

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>705</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[checked]=True"/>

<ontrue>0eca3f2b-46d7-49fd-9319-7fd455afc577</ontrue>

<onfalse>b3f1d939-74e2-461f-9135-93bd0a396700</onfalse>

</stage>

<stage stageid="0eca3f2b-46d7-49fd-9319-7fd455afc577" name="Close HTML Application" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>780</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>546fcb0b-4c20-4029-a98f-613ec4390367</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="546fcb0b-4c20-4029-a98f-613ec4390367" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>780</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>37130cf4-20c1-4ad6-b79f-73518f0f7d0d</onsuccess>

</stage>

<stage stageid="37130cf4-20c1-4ad6-b79f-73518f0f7d0d" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>-225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>536e1dab-124b-4582-bff9-6689480816ec</onsuccess>

</stage>

<stage stageid="67951844-49e5-4ab4-86b7-e7e5021a093e" name="Exception1" type="Exception">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Checkbox should be True""/>

</stage>

<stage stageid="9a6feb46-f3ce-4b8c-b0a4-96dd41fda98d" name="Exception2" type="Exception">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Checkbox should be True""/>

</stage>

<stage stageid="dcb6e21e-fb2e-4a36-9980-7053c44fc7e7" name="Exception3" type="Exception">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Checkbox should be False""/>

</stage>

<stage stageid="4516c7dd-6fb9-478c-a348-0f43cd264ec2" name="Exception4" type="Exception">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Checkbox should be False""/>

</stage>

```
<stage stageid="b3f1d939-74e2-461f-9135-93bd0a396700" name="Exception5" type="Exception">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>705</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;Checkbox should be True&quot;;"/>

</stage>

<stage stageid="55fcad03-7c00-4777-a2b7-29740f8a8e76" name="End" type="End">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0f40f29f-f256-4fad-bda9-a660e66c205f" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="536e1dab-124b-4582-bff9-6689480816ec" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ExcludeHTC]"/>

<ontrue>55fcad03-7c00-4777-a2b7-29740f8a8e76</ontrue>

<onfalse>5c46fa64-2a29-4385-8fea-25723b2ecbf8</onfalse>

</stage>

<stage stageid="5c46fa64-2a29-4385-8fea-25723b2ecbf8" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>
```



```
</stage>

</process>

<process name="Test HTML Combobox Control" version="1.0" narrative="Test HTML Listbox control" pref

<view>

<camerax>174</camerax>

<cameray>4</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8dae3902-efc8-49ee-aecb-76fe72774257" name="Start" type="Start">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1f57818a-2684-4d2d-9ab0-4148d1117ab6</onsuccess>

</stage>

<stage stageid="68c68507-843a-46f0-ab13-a8703f1e37c8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```


</stage>

<stage stageid="18a5a02e-b773-4e51-ad24-764796d31af3" name="Set Combobox Item" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Item" expr=""Drop down 2""/>

</inputs>

<onsuccess>d226fca8-364a-4556-81dd-6bbe2a5bc863</onsuccess>

<resource object="HTML Controls" action="Select Combo by Text - HTML"/>

</stage>

<stage stageid="1f57818a-2684-4d2d-9ab0-4148d1117ab6" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>18a5a02e-b773-4e51-ad24-764796d31af3</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="851826dc-ccdd-4417-9ae1-d3f52fc006b2" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>95cb0170-7206-4c96-9ff8-cb14bd6ce99e</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="2c17197d-f80e-49de-92ed-25483460fb49" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>-30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>1c2dbe0b-ce06-405a-a321-04880a2887d3</onsuccess>

</stage>

<stage stageid="95cb0170-7206-4c96-9ff8-cb14bd6ce99e" name="anchor1" type="Anchor">

<narrative>

</narrative>

```
<displayx>420</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c17197d-f80e-49de-92ed-25483460fb49</onsuccess>

</stage>

<stage stageid="92d1b6c6-2103-472f-b747-7f20063c1222" name="End" type="End">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="10dbbb85-b629-46ce-967b-a0a7e6075bac" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="1c2dbe0b-ce06-405a-a321-04880a2887d3" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ExcludeHTC]"/>

<ontrue>92d1b6c6-2103-472f-b747-7f20063c1222</ontrue>

<onfalse>9ee4b902-dc31-4baf-a3c0-39524e41d777</onfalse>

</stage>

<stage stageid="9ee4b902-dc31-4baf-a3c0-39524e41d777" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1f57818a-2684-4d2d-9ab0-4148d1117ab6</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

<stage stageid="d226fca8-364a-4556-81dd-6bbe2a5bc863" name="Set Combobox Item" type="Action">

<narrative>
```

```
</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Position" expr="4"/>

</inputs>

<onsuccess>ddfe5ba9-d691-4750-bcba-78601f9b8c75</onsuccess>

<resource object="HTML Controls" action="Select Combo by Position - HTML"/>

</stage>

<stage stageid="ddfe5ba9-d691-4750-bcba-78601f9b8c75" name="Set Combobox Item" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Value" expr="&quot;test003&quot;"/>

</inputs>

<onsuccess>851826dc-ccdd-4417-9ae1-d3f52fc006b2</onsuccess>

<resource object="HTML Controls" action="Select Combo by Value - HTML"/>

</stage>

</process>
```

<process name="HTML Controls" version="1.0" bpversion="6.2.0.2695" narrative="Interaction with a page

<appdef>

<element name="HTMLApp">

<id>750a57a8-29d2-4eb0-a88e-0473d864783b</id>

<group name="Radio2">

<id>26e80efc-7c13-4730-a95e-47c2093f9a17</id>

<element name="Radio2_AA">

<id>bed047ac-5229-4a7f-9da3-f2bf80bb2bc4</id>

<type>AARadioButton</type>

<basetype>AARadioButton</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="493"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="541"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" C:\BluePrism\qacontrol\qa\Code\HTML2\HTMLTest.html - Window

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:12,131,671,504"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="Shell DocObject View"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="493"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="541"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="218"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Name">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="RadioButton"/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value2">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction">

<ProcessValue datatype="text" value="Check"/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aAncestorCount">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="aChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:32,377,396,51"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="763"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="821"/>

</attribute>

<attribute name="pName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue2">

<ProcessValue datatype="text" value="file:///C:/BluePrism/qacontrol/qa/Code/HTML2/frame1.html"/>

</attribute>

<attribute name="pKeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="number" value="34"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="paChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Radio2_HTML">

<id>76f2cc23-eccf-4d01-81c3-6d629f77f90e</id>

<type>HTMLRadioButton</type>

<basetype>HTMLRadioButton</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="184"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="242"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(7)/INPUT(2)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="radio2"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="radio"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value="on"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="on"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<group name="Radio1">

<id>c4b8af24-590f-4848-8e39-7fd7520f7a47</id>

<element name="Radio1_AA">

<id>7fc82967-8450-45a3-9f7a-6c5790fd351e</id>

<type>AARadioButton</type>

<basetype>AARadioButton</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="493"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="541"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" C:\BluePrism\qacontrol\qa\Code\HTML2\HTMLTest.html - Window

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:12,131,671,504"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="Shell DocObject View"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="493"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="541"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="218"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Name">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="RadioButton"/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value2">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction">

<ProcessValue datatype="text" value="Check"/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aAncestorCount">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="aChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:32,377,396,51"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="763"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="821"/>

</attribute>

<attribute name="pName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue2">

<ProcessValue datatype="text" value="file:///C:/BluePrism/qacontrol/qa/Code/HTML2/frame1.html"/>

</attribute>

<attribute name="pKeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="number" value="34"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="paChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<element name="Radio1_HTML">

<id>11fb332e-9273-4033-acb0-37c3949dbba2</id>

<type>HTMLRadioButton</type>

<basetype>HTMLRadioButton</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="242"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(7)/INPUT(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="radio1"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="radio"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value="on"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="on"/>

```
</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<group name="Checkbox">

<id>78152b9e-ba84-4f30-8617-db13ee0a8c0d</id>

<element name="Checkbox_AA">

<id>2fb871c4-6935-47f3-84d8-d3b7a8b60a2a</id>

<type>AACheckBox</type>

<basetype>AACheckBox</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>
```

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="793"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="447"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="60"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="CheckBox"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction">

<ProcessValue datatype="text" value="Check"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="792"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="446"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\HTMLTest.html"/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="12"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>


```
</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Checkbox_HTML">

<id>7ae2bd52-6085-47af-8354-2629e0f5d75b</id>

<type>HTMLCheckBox</type>
```

<basetype>HTMLCheckBox</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="203"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(6)/INPUT(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="checkbox"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value="on"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="on"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>
```

</group>

<group name="Textbox">

<id>5e6009c0-12ca-4858-b015-077d379469a3</id>

<element name="Textbox_HTML">

<id>7d89b229-aeed-442d-b314-9456e6fe41f9</id>

<type>HTMLEdit</type>

<basetype>HTMLEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="77"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="146"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(3)/INPUT(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="text"/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value="My HTML Textbox"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="My HTML Textbox"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Textbox_AA">

<id>65589657-75ed-48a4-a027-643eb696d523</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="787"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="564"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value=" C:\BluePrism\qacontrol\qa\Code\HTML2\HTMLTest.html - Window

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:12,131,694,798"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pClassName">

<ProcessValue datatype="text" value="Shell DocObject View"/>

</attribute>

<attribute name="pCtrlID">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="787"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="564"/>

</attribute>

<attribute name="pVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pEnabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="146"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Name">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value2">

<ProcessValue datatype="text" value="My HTML Textbox"/>

</attribute>

<attribute name="KeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aAncestorCount">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="aChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ScreenBounds">

<ProcessValue datatype="text" value="RECT:32,229,251,178"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="763"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="821"/>

</attribute>

<attribute name="pName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue2" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

<attribute name="pKeyboardShortcut">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="number" value="34"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="paChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

</group>

<group name="Dropdown">

<id>413fad7c-13d3-491c-985a-f297e3a4a72b</id>

<element name="Dropdown_AA">

<id>e8a7c95c-8c64-4611-a460-017262e8c668</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="793"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="447"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="141"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="79"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="StaticText"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="Drop down 1"/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="3"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="792"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="446"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\HTMLTest.html"/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="12"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Dropdown_HTML">

<id>e12a6514-21b9-405e-8d3d-0f35fab781e3</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="136"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="102"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(4)/SELECT(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="SELECT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="dropdown"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=" Drop down 1Drop down 2Drop down 3Drop down 4Drop down 5"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<group name="Listbox">

<id>b8eb084c-9d67-4375-9821-066cb8d59f7e</id>

<element name="Listbox_HTML">

<id>64072a56-9169-4dad-b411-fd4f8a4b5f40</id>

<type>HTMLCombo</type>

<basetype>HTMLCombo</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="114"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="86"/>


```
</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Listbox_AA">

<id>1736ae0e-fed5-4b4b-a92f-ae51e6d145cb</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>
```

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1265"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="733"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="114"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="86"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="List"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="10"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="-250"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="759"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="679"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="pValue" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="27"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<group name="Button">

<id>80a8c37d-e0c8-4903-b6b1-ef87bb9f8915</id>

<element name="Button_AA">

<id>b1eeda24-0b9c-4418-98fb-dbc113df4bc9</id>

<type>AAButton</type>
```

<basetype>AAButton</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="793"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="447"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="285"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="PushButton"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Press"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="792"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="446"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\HTMLTest.html"/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="12"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Button_HTML">

<id>9d15ac3f-c71d-481b-bf00-e386b9305f09</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="492"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(11)/INPUT(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="button1"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="button"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

```
</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<group name="Button Confirmation">

<id>00cf35ca-e58b-48ac-8f03-a4847be14d56</id>

<element name="ButtonConfirm_AA">

<id>528f83c4-14b0-4c3c-9fb1-fb6c6ed069dc</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>
```

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="793"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="447"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="67"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="287"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="312"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="Not yet pressed the button"/>

```
</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>
```

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="792"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="446"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\HTMLTest.html"/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="12"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="ButtonConfirm_HTML">

<id>d0fdc536-3676-41bf-a346-fc2441ece8f2</id>

<type>HTMLEdit</type>

<basetype>HTMLEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="488"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="318"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(11)/INPUT(2)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="btnpressed"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="text"/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value="Not yet pressed the button"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<group name="Listbox Confirmation">

<id>797207a3-e871-4207-8523-c67f2283e8db</id>

```
<group name="ListboxConfirm_win32">

<id>9e63aa52-53e0-4ec7-9cc0-a6cd4f4a532e</id>

</group>

<group name="ListboxConfirm_AA">

<id>df70e9b9-86fb-4839-afd1-ca520faae1a7</id>

</group>

<group name="ListboxConfirm_HTML">

<id>337c19de-5809-48df-9be3-328de99fd5ae</id>

</group>

</group>

<element name="Main Window">

<id>1c0cc03a-a095-494c-8c74-33b28ee03c12</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1400"/>

</attribute>

<attribute name="Height">
```

```
<ProcessValue datatype="number" value="874"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BODY"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">
```

```
<ProcessValue datatype="text" value="&#xD;&#xA;My HTML checkbox&#xD;&#xA;My
</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<group name="Label">

<id>19a9e84f-31b0-494c-88c8-5793e7b50ac3</id>

<element name="Label_HTML">

<id>8bb3f8b1-3f39-4461-b5a3-dc5eede55f1e</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>
```

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1091"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="P"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="My Label"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Label_AA">

<id>908bd078-ebc8-488b-8b3b-686aa69a846d</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>
```

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1201"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="536"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="17"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="63"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My Label"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="800"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="300"/>

</attribute>

<attribute name="pName" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value="MSAAHTML Registered Handler"/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Client"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<group name="Link Label">

<id>bf73d221-bcd6-45ee-b9ab-f3caedc87eb0</id>

<element name="LinkLabel_HTML">

<id>80e549c5-490a-49eb-b384-651933f0ebec</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="38"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="90"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(2)/A(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="A"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value="about:blank"/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="My Link Label"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="LinkLabel_AA">

<id>2899b922-d122-40e3-8ec6-38463153d8fe</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Internet Explorer_Server"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="987"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="641"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="38"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="90"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My Link Label"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="traversed"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="about:blank"/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Jump"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="17"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="759"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="679"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Pane"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="read only"/>

</attribute>

<attribute name="pValue" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="27"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<group name="Location">

<id>04b17551-bff3-457a-ae70-2c4cf3ef60d9</id>

<element name="URL_AA">

<id>6b96a380-36b6-4401-b5d0-3e236f09fd2d</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="http://www.google.co.uk/ig?hl=en"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="615"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="614"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="Name" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="Address*"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="http://www.google.co.uk/ig?hl=en"/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value="Alt+D"/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="614"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="14"/>

</attribute>

<attribute name="pName" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="Address*"/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value="Alt+D"/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>
```

</group>

<group name="Combobox">

<id>7d5f7199-b78d-4f2f-bfae-879513b702da</id>

<element name="Combobox_HTML">

<id>6148144e-b288-4765-a81b-843e00fd4bc2</id>

<type>HTMLCombo</type>

<basetype>HTMLCombo</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="281"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="102"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/P(8)/SELECT(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="SELECT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="dropdown"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="select"/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=" Drop down 1 Drop down 2 Drop down 3 Drop down 4 Drop down 5

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pURL" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<group name="Table">

<id>cd73fceb-210e-4d17-a199-57dff461269b</id>

<element name="Table_HTML">

<id>ec0c8104-46e4-4434-8944-fc4a4b852459</id>

<type>HTMLTable</type>

<basetype>HTMLTable</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="535"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="154"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="129"/>
```

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/IFRAME/HTML/BODY(1)/TABLE(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="TABLE"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="ABCDEFGH
123456789&#x

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Cell [1,1]">

<id>991765f0-4c70-40e2-a1cf-d6b609d9cd66</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/IFRAME(1)/HTML/BASE(0)/BODY(1)/TABLE(1)/T

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="TH"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="A"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Cell [4,3]">

<id>de2ed625-7959-4034-b89f-cadcc8f58671</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="54"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="53"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/IFRAME(1)/HTML/BASE(0)/BODY(1)/TABLE(1)/T

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="TD"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="4"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

<element name="Cell [9,5]">

<id>c43e9452-2d33-4697-9697-3c00ba3ebc32</id>

<type>HTMLEdit</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="139"/>
```

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="103"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="12"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/IFRAME(1)/HTML/BASE(0)/BODY(1)/TABLE(1)/T

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="TD"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="9"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="Wildcard">

<ProcessValue datatype="text" value="*Code\HTML2\frame1.html"/>

</attribute>

</attributes>

</element>

</group>

<element name="Generic Body">

<id>7d89b229-aeed-442d-b314-9456e6fe41f0</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1280"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="833"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BODY"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title">

```
<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="about:blank"/>

</attribute>

</attributes>

</element>

<element name="Generic Body (Win32)">

<id>86f22a1e-62c7-4122-bcc5-42640db8aaea</id>
```

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" comparisontype="Wildcard" inuse="True">

<ProcessValue datatype="text" value="*\Code\HTML2\HTMLTest.html*" />

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value="IEFrame" />

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="number" value="0" />

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="-1831" />

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="46" />

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="1724" />

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="922" />

</attribute>

<attribute name="Visible">


```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="ScreenVisible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="AncestorsText">

<ProcessValue datatype="text" value="&lt;UNKNOWN&gt; "/>

</attribute>

<attribute name="AncestorCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="TypeName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ScreenBounds">
```

<ProcessValue datatype="text" value="RECT:-1823,46,959,-116"/>

</attribute>

<attribute name="Style">

<ProcessValue datatype="number" value="382664704"/>

</attribute>

<attribute name="MatchIndex" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="MatchReverse">

<ProcessValue datatype="flag" value="True"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>C:\BluePrism\QA\Code\HTML2\HTMLTest.html</value>

</parameter>

<parameter>

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

<parameter>

<name>ExcludeHTC</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="bba20bbf-899c-4e39-ba07-6f20a59ea69b" type="Normal" published="True">

<name>Get Table</name>

<view>

<camerax>0</camerax>

<cameray>124</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7107cef7-c228-45a9-a318-9fd745d90e8f" type="Normal" published="True">

<name>Select Combo by Text - HTML</name>

<view>

<camerax>0</camerax>

<cameray>1</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0341bb09-9f5b-4026-9ef1-7d0840a71f5a" type="Normal" published="True">

<name>Select Combo by Position - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="25accfd9-0958-4532-b767-d62f39cb18ce" type="Normal" published="True">

<name>Select Combo by Value - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="486bf1bf-f820-4e26-9192-b0a696f1cd0d" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ed93de65-1f5b-4b19-a72d-0731e4ec3f37" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7aefac45-64f5-47e4-aaaa-10e7f1d62f17" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8498d516-ddaf-4efe-95cf-6b03291083ec" type="Normal" published="True">

<name>Set Textbox - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="3b5c4096-032f-456b-9695-fbc482643faa" type="Normal" published="True">

<name>Get Textbox - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="48e1a412-31ca-4998-9462-b5cabee72f98" type="Normal" published="True">

<name>Set Checkbox - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="3c477412-b483-4f61-8c64-21e0dd9b683d" type="Normal" published="True">

<name>Get Checkbox - HTML</name>

<view>

<camerax>121</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="ff0fd8cf-0b22-482c-8aa3-460bcdef9e11" type="Normal" published="True">

<name>Set Radio - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8cc0855d-9ab4-4b0b-98c5-8c9820829b05" type="Normal" published="True">

<name>Get Radio - HTML</name>

<view>

<camerax>0</camerax>

<cameray>-5</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0a170c52-ae31-46c9-b2c8-d9ef5792990d" type="Normal" published="True">

<name>Set Drop Down - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8d8f0ee4-7e33-4712-9383-2c65316e817e" type="Normal" published="True">

<name>Get Drop Down - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="2fdc310e-9c06-490a-9e02-4ed92e9ee02b" type="Normal" published="True">

<name>Press Button - HTML</name>

<view>

<camerax>0</camerax>

<cameray>69</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5e29ded1-b836-4bbc-a630-4a956a97386b" type="Normal" published="True">

<name>Set Listbox - HTML</name>


```
<view>

<camerax>210</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet subsheetid="5bafbbc3-3076-4781-972f-41c0f7dff179" type="Normal" published="True">

<name>Get Listbox - HTML</name>

<view>

<camerax>0</camerax>

<cameray>-63</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet subsheetid="b9acb202-eb2a-4061-ae9a-1c965ac405b4" type="Normal" published="True">

<name>Get Label - HTML</name>

<view>

<camerax>-132</camerax>

<cameray>-3</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet subsheetid="75190638-1074-4ecd-810c-71dfa620ab65" type="Normal" published="True">

<name>Set Label - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>
```

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet sheetid="cef71511-258e-4cfc-9fda-84e6db17c5fe" type="Normal" published="True">

<name>Click Link Label - HTML</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet sheetid="f743c7f7-166e-4c62-a223-5256d2497f87" type="Normal" published="True">

<name>Get URL - AA</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet sheetid="9eb5fae6-48ab-451a-9135-1b2d3605841d" type="Normal" published="True">

<name>Get Checkbox - AA</name>

<view>

<camerax>0</camerax>

<cameray>-72</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<subsheet subsheetid="ec5feef0-56dd-496c-bac1-7ecd99de12b8" type="Normal" published="True">

<name>Set Checkbox - AA</name>

<view>

<camerax>107</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="75a588c1-4971-4629-a06a-9d078b73ddd0" type="Normal" published="True">

<name>Get Radio - AA</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d052d44c-d350-43e1-8c39-047ab90db0f3" type="Normal" published="True">

<name>Set Radio - AA</name>

<view>

<camerax>42</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="97071f9d-8bad-482a-9f1b-788a7cc2ca36" type="Normal" published="True">

<name>Get Label - AA</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c7189f09-318d-4e01-af58-9ef4c41143d2" type="Normal" published="True">

<name>Click Link Label - AA</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e59a6e3f-2a1f-4fc6-87d7-757b192866f9" type="Normal" published="True">

<name>Get Listbox - AA</name>

<view>

<camerax>109</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="16b0c9cf-11b0-438a-af68-8cc774254a73" type="Normal" published="True">

<name>Set Listbox - AA</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e7bf9e9d-f8d6-44dc-bfca-75c54041d327" type="Normal" published="True">

<name>Set Textbox - AA</name>

<view>

<camerax>84</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="38edd0ba-f3ed-4d97-8d9c-e50dba9c290b" type="Normal" published="True">

<name>Get Textbox - AA</name>

<view>

<camerax>72</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="9d5c9af2-c8e9-488d-a68a-5bf9d4ea84fd" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<onsuccess>e2dad9af-302d-434d-b6a5-6c9f34f1d8a9</onsuccess>

</stage>

<stage stageid="e2dad9af-302d-434d-b6a5-6c9f34f1d8a9" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1a887a3a-abf4-484f-818b-1a024d8d1636" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

</references>

<imports>
```

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="51d90a1f-0d22-4a6e-b964-59f7ff6dc52c" name="Clean Up" type="SubSheetInfo">

<subsheetsid>486bf1bf-f820-4e26-9192-b0a696f1cd0d</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="b6a08cf8-4595-4052-b77a-b86810fd0053" name="Start" type="Start">

<subsheetsid>486bf1bf-f820-4e26-9192-b0a696f1cd0d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

```
<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aca46a8f-5d5b-4e91-b3f5-f500c94d8b62</onsuccess>

</stage>

<stage stageid="aca46a8f-5d5b-4e91-b3f5-f500c94d8b62" name="End" type="End">

<subsheetid>486bf1bf-f820-4e26-9192-b0a696f1cd0d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0f96959d-fc05-421b-9549-d43180b2aaee" name="Launch" type="SubSheetInfo">

<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```



```
<stage stageid="5304eeec-57e4-48d3-952b-68aa1bfcd5fb" name="Start" type="Start">

<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="ExcludeHTC" stage="ExcludeHTC"/>

</inputs>

<onsuccess>b57e754d-4bca-40e7-9d9d-435018b6e558</onsuccess>

</stage>

<stage stageid="edc9bc90-b09f-4b13-b898-61f10a116e65" name="End" type="End">

<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f47a3611-854b-41e2-a16c-6d35892472de" name="new" type="Note">
```

<subsheetid>486bf1bf-f820-4e26-9192-b0a696f1cd0d</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="2680fb5e-157f-4bc2-87f4-edccff321b7a" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="b57e754d-4bca-40e7-9d9d-435018b6e558" name="Launch" type="Navigate">

<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e2af64cd-61e6-4437-a5c8-dab2070a8a79</onsuccess>

<step>

<element id="750a57a8-29d2-4eb0-a88e-0473d864783b"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>CommandLineParams</id>

<value>[QA Root] & "\Code\HTML2\HTMLTest.html"</value>

</argument>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>UseJavaInBrowser</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>ExcludeHTC</id>

<value>[ExcludeHTC]</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="9a17f059-b3fc-4c8c-8e28-edbd5389f9c4" name="Set Textbox - HTML" type="SubSheetI

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-120</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="03b60ee9-4204-46ec-bd3e-c08454174550" name="Start" type="Start">

<subsHEETid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Text" stage="Text"/>

</inputs>

<onsuccess>d41f5848-8f08-421f-b949-91c2f90af29a</onsuccess>

</stage>

<stage stageid="8ab42ff7-14c7-4cfa-a1c6-5fe7232c44c9" name="End" type="End">

<subsHEETid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="6a126f50-f586-468b-8444-0e800ea6d94f" name="Set text" type="Write">

```
<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>059caee5-f317-4b96-8f36-449157e98418</onsuccess>

<step expr="[Text]">

<element id="7d89b229-aeed-442d-b314-9456e6fe41f9"/>

</step>

</stage>

<stage stageid="9bf4087e-bbc0-486e-94cd-67af185a0964" name="Text" type="Data">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">text set from the object</initialvalue>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="9d52b0c3-e31c-49da-b91d-91048506d7ab" name="Get Textbox - HTML" type="SubSheet">

<subsheets>
<subsheetid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="916327d1-b8c4-463f-9f32-16078425f13e" name="Start" type="Start">

<subsheets>
<subsheetid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f6972758-6d0a-4e39-a65d-6e2060b4fdb</onsuccess>

</stage>

<stage stageid="3101f1fa-50bf-4af0-908a-4936b5583e3d" name="End" type="End">

<subsheets>
<subsheetid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>-15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Text" stage="text"/>

</outputs>

</stage>

<stage stageid="a371cf05-2d80-4f2a-b67e-d452d3ec9ac6" name="Get textbox" type="Read">

<subsheetid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3101f1fa-50bf-4af0-908a-4936b5583e3d</onsuccess>

<step stage="text">

<element id="7d89b229-aeed-442d-b314-9456e6fe41f9"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>
```


</stage>

<stage stageid="f3bf82b3-e652-4d5a-a663-750537ce3e1d" name="text" type="Data">

<subsheetsid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>90</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="55944007-a826-4b6f-b35a-87f543352fa9" name="Set Checkbox - HTML" type="SubSheet">

<subsheetsid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="d0e4734d-bafd-48dc-8089-a14adf172dff" name="Start" type="Start">

<subsheetsid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Check" stage="Check"/>

</inputs>

<onsuccess>fe64c8f9-21f2-4980-81c0-68ff56b7e22b</onsuccess>

</stage>

<stage stageid="ebc8369f-aeac-47b6-a3d4-f3850468f3df" name="End" type="End">

<subsheetid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="87cdd3dc-032c-47b0-9a1f-728a0ff12486" name="Check" type="Data">

<subsheetid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetid>

<narrative>
```

```
</narrative>

<displayx>-150</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cbf8bcbe-3ce1-4613-baaa-b8c29a06b969" name="Set checkbox" type="Write">

<subsheetsid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ebc8369f-aeac-47b6-a3d4-f3850468f3df</onsuccess>

<step expr="[Check]">

<element id="7ae2bd52-6085-47af-8354-2629e0f5d75b"/>

</step>

</stage>

<stage stageid="37d3e9eb-b881-42b5-8ca4-f3db85f8f061" name="Get Checkbox - HTML" type="SubSheet
```

<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="20eb5177-85f1-484a-a017-c74b48620512" name="Start" type="Start">

<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8ba56846-4ab2-40d2-878b-4d5b5fa9f78b</onsuccess>

</stage>

<stage stageid="4b6474c3-caa3-4707-98ec-5ca7b6e70f99" name="End" type="End">

<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

```
<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="checked" stage="checked"/>

</outputs>

</stage>

<stage stageid="a9a9f5cb-55f8-434a-acff-81a037ccf048" name="get checkbox value" type="Read">

<subsheetsid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4b6474c3-caa3-4707-98ec-5ca7b6e70f99</onsuccess>

<step stage="checked">

<element id="7ae2bd52-6085-47af-8354-2629e0f5d75b"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="ecfa2130-9410-4e87-adff-644bb1194866" name="checked" type="Data">
```

<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="97eabc10-fa8a-4647-8c7f-3599d4240d3d" name="Set Radio - HTML" type="SubSheetInf

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="3e1611ff-573d-4510-ab4e-59b442b296e0" name="Start" type="Start">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="radio 1" stage="radio 1"/>

<input type="flag" name="radio 2" stage="radio 2"/>

</inputs>

<onsuccess>d3fef82b-83a6-4081-b8df-af3418984b68</onsuccess>

</stage>

<stage stageid="1d7f5929-1191-4521-baea-5524dfc1fde6" name="End" type="End">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="93199b1c-8a20-43d1-83dc-7d2434e809b3" name="radio 1" type="Data">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<narrative>

</narrative>
```

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="22edae6b-36ad-45c1-bd54-c12793f1c27c" name="radio 2" type="Data">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c1387bc0-b58e-4152-8a8d-86ee9093a008" name="Set radio" type="Write">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>1d7f5929-1191-4521-baea-5524dfc1fde6</onsuccess>

<step expr="[radio 1]">

<element id="11fb332e-9273-4033-acb0-37c3949dbba2"/>

</step>

<step expr="[radio 2]">

<element id="76f2cc23-eccf-4d01-81c3-6d629f77f90e"/>

</step>

</stage>

<stage stageid="3bab3b3b-01a1-4212-8497-92fcc5e86b7c" name="Get Radio - HTML" type="SubSheetIn

<subsHEETid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsHEETid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="367259cb-1fb0-4b74-bbef-82a7e24d8427" name="Start" type="Start">

<subsHEETid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9a3da35e-ec7a-4172-81ef-81c89a48392b</onsuccess>

</stage>

<stage stageid="9ad9e1e9-c729-4833-b04f-2e7ecb5edde0" name="End" type="End">

<subsheetsid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="radio 1" stage="radio1"/>

<output type="flag" name="radio 2" stage="radio2"/>

</outputs>

</stage>

<stage stageid="ab3513e5-7565-42cf-aa08-2db08a2b832b" name="Reader1" type="Read">

<subsheetsid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9ad9e1e9-c729-4833-b04f-2e7ecb5edde0</onsuccess>

<step stage="radio1">

<element id="11fb332e-9273-4033-acb0-37c3949dbba2"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

<step stage="radio2">

<element id="76f2cc23-eccf-4d01-81c3-6d629f77f90e"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="f144620f-430e-4eb0-89cd-eb287e5c95ef" name="radio1" type="Data">

<subsheetid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>
```

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="907c78ca-0850-4348-ae87-0ad43cd78e56" name="radio2" type="Data">

<subsheetsid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetsid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="85b7983b-22d8-431c-9013-6bec9dc8a912" name="Set Drop Down - HTML" type="SubS

<subsheetsid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetsid>

<narrative>

</narrative>

```
<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a17f5fe4-868d-4079-829e-a5094f4a5145" name="Start" type="Start">

<subsheetsid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Drop down item" stage="Drop down value"/>

</inputs>

<onsuccess>20b29e6d-62a0-43e4-8226-6d1dacea57a6</onsuccess>

</stage>

<stage stageid="41c2075b-963e-4167-9f55-cf94833bff58" name="End" type="End">

<subsheetsid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<display>45</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1b269998-7d66-4b14-b6d2-cc70ca47036d" name="Set drop down" type="Write">

<subsheetid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<display>15</display>

<display>0</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>41c2075b-963e-4167-9f55-cf94833bff58</onsuccess>

<step expr="[Drop down value]">

<element id="e12a6514-21b9-405e-8d3d-0f35fab781e3"/>

</step>

</stage>

<stage stageid="10472c28-80ee-4406-905a-70b55a49d59a" name="Drop down value" type="Data">

<subsheetid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetid>

<narrative>

</narrative>

<display>-150</display>

<display>-15</display>

<displaywidth>150</displaywidth>
```

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="64fdfa63-6e42-49d4-9ca9-75d1dc8f2719" name="Get Drop Down - HTML" type="SubSh

<subsheetsid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="84940873-5244-483b-91f2-f861bb47cd47" name="Start" type="Start">

<subsheetsid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a154950d-62e0-4b2c-8c72-7000a26cf89e</onsuccess>

</stage>

<stage stageid="19af5854-fa0b-4f7a-b795-dff4f8c85207" name="End" type="End">

<subsheetid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Drop down value" stage="Drop down list value"/>

</outputs>

</stage>

<stage stageid="df9059cf-4de9-4e0f-b9d9-940b5bb8ce43" name="Get drop down" type="Read">

<subsheetid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>19af5854-fa0b-4f7a-b795-dff4f8c85207</onsuccess>


```
<step stage="Drop down list value">

<element id="e12a6514-21b9-405e-8d3d-0f35fab781e3"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="2769f272-d6a8-456a-8cb0-c1e7f987467a" name="Drop down list value" type="Data">

<subsheetid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="15b67c24-31fa-404a-9db2-785be20c27a9" name="Press Button - HTML" type="SubSheet">

<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-90</displayy>
```

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="22124b42-fd6f-4259-85ca-3af3cef0c6e3" name="Start" type="Start">

<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>96b05975-d104-40bd-9065-494c33fdf282</onsuccess>

</stage>

<stage stageid="405f529f-adc1-42f6-9402-5298d3a6bb9d" name="End" type="End">

<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

<stage stageid="2adef93c-cf71-479c-8c4b-0ee174622462" name="Press button" type="Navigate">

<subsHEETid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>033444b5-92df-4e3c-84cf-49a2ec754d3a</onsuccess>

<step>

<element id="9d15ac3f-c71d-481b-bf00-e386b9305f09"/>

<action>

<id>HTMLClickCentre</id>

</action>

</step>

</stage>

<stage stageid="5e2154f8-aad0-4409-b5b1-517ec4c2e5ff" name="O" type="WaitEnd">

<subsHEETid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>41f107d0-b571-4cad-a4ff-03ec89f93c1e</onsuccess>
<groupid>8309883e-74a0-4cd5-8f1c-a4cf1a252279</groupid>
</stage>
<stage stageid="033444b5-92df-4e3c-84cf-49a2ec754d3a" name="Check Value" type="WaitStart">
<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-60</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>

<groupid>8309883e-74a0-4cd5-8f1c-a4cf1a252279</groupid>
<choices>
<choice reply=""Pressed button"">
<name>ButtonConfirm_HTML Check Value</name>
<distance>45</distance>
<ontrue>405f529f-adc1-42f6-9402-5298d3a6bb9d</ontrue>
<element id="d0fdc536-3676-41bf-a346-fc2441ece8f2"/>
<condition>
<id>HTMLGetValue</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>

<timeout>30</timeout>

</stage>

<stage stageid="96f914da-964c-4da0-916d-3f8e772d5b5b" name="Set Listbox - HTML" type="SubSheetIn

<subsHEETid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsHEETid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="6047abeb-5aaf-411a-a084-2fb832b976f7" name="End" type="End">

<subsHEETid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b047dfbe-59d0-480e-bfe1-52b8d8691ffb" name="Get Listbox - HTML" type="SubSheetIn

<subsHEETid>5bafb3c3-3076-4781-972f-41c0f7dff179</subsHEETid>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>-210</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="585076f7-5ecb-4d76-b971-f4a91d7cfbb6" name="End" type="End">

<subsheetsid>5bafbbc3-3076-4781-972f-41c0f7dff179</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Listbox value" stage="listbox value"/>

</outputs>

</stage>

<stage stageid="21b2100a-7be7-42d7-b2fd-4f8b5001d110" name="Get Label - HTML" type="SubSheetInf

<subsheetsid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2e2d73b7-66ef-42fd-99c4-a32cc25ed9d6" name="Start" type="Start">

<subsheetid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cb8cc44a-d403-495f-bc38-93bc2d8a2294</onsuccess>

</stage>

<stage stageid="585f56b3-b85c-4379-9771-6b7994711a0e" name="End" type="End">

<subsheetid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Result" stage="Result"/>
```

```
</outputs>

</stage>

<stage stageid="1d09644e-5c0e-4639-ad84-1d4afaf04280" name="Get Value From Label" type="Read">

<subsheetid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>585f56b3-b85c-4379-9771-6b7994711a0e</onsuccess>

<step stage="Result">

<element id="8bb3f8b1-3f39-4461-b5a3-dc5eede55f1e"/>

<action>

<id>ReadCurrentValue</id>

</action>

</step>

</stage>

<stage stageid="e588b72c-e905-402d-bcf9-22cb2227a377" name="Result" type="Data">

<subsheetid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>
```


<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0f205c31-9830-482d-abdb-2d4b34b58d84" name="Set Label - HTML" type="SubSheetInt

<subsheetsid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="28f29dfd-ec93-437a-918a-5f0d0670dfcc" name="Start" type="Start">

<subsheetsid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Value" stage="Value"/>

</inputs>

<onsuccess>7f003ef6-040f-4312-9f36-443687739b47</onsuccess>

</stage>

<stage stageid="2cf98f8e-2f8a-4cb2-8c9b-013fb89c4ce3" name="End" type="End">

<subsheetid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="bdf0d4b6-5490-4d38-9adc-6906cc7faf40" name="Set HTML Label" type="Write">

<subsheetid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2cf98f8e-2f8a-4cb2-8c9b-013fb89c4ce3</onsuccess>

```
<step expr="[Value]">
<element id="8bb3f8b1-3f39-4461-b5a3-dc5eede55f1e"/>
</step>
</stage>
<stage stageid="e166f923-9b9e-41f9-baf6-ec3eecf25dac" name="Value" type="Data">
<subsheetid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>-15</displayy>
<displaywidth>150</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="92cf5825-3f03-4cd0-8934-c5873f767270" name="Click Link Label - HTML" type="SubShe
<subsheetid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetid>
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>-90</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="6af5c93e-97fb-409d-88e2-baa8b803f993" name="Start" type="Start">

<subsheetid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bbb55564-3bff-48c9-9ecb-19043077aca6</onsuccess>

</stage>

<stage stageid="b1c1866d-c870-485b-8a6d-d880c501bea4" name="End" type="End">

<subsheetid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="5351cc12-e488-4a3f-9ba0-646771a482c9" name="Click Link Label" type="Navigate">

<subsheetid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b1c1866d-c870-485b-8a6d-d880c501bea4</onsuccess>

<step>

<element id="80e549c5-490a-49eb-b384-651933f0ebec"/>

<action>

<id>HTMLClickCentre</id>

</action>

</step>

</stage>

<stage stageid="f22b282e-fb10-4797-8453-5a2fc3856516" name="Get URL - AA" type="SubSheetInfo">

<subsheetsid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7faf0fd9-a370-4e83-b5d6-8bae50de205f" name="Start" type="Start">

<subsheetsid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetsid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5dead36a-f350-41b0-9e58-9ebc807e4a75</onsuccess>

</stage>

<stage stageid="dd477c80-5e32-4b5a-8d3f-823f83b38b9b" name="End" type="End">

<subsheetid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Result" stage="Result"/>

</outputs>

</stage>

<stage stageid="7cf8974b-82aa-4558-a217-6e7bc0ee9183" name="Result" type="Data">

<subsheetid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetid>

<narrative>
```

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d98a9e5c-e2ba-4592-98a6-509e7ac798bb" name="Get URL" type="Read">

<subsheetsid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>dd477c80-5e32-4b5a-8d3f-823f83b38b9b</onsuccess>

<step stage="Result">

<element id="6b96a380-36b6-4401-b5d0-3e236f09fd2d"/>

<action>

<id>AAGetValue</id>

</action>

```
</step>

</stage>

<stage stageid="6f8fe339-6819-4893-8175-fb314a84b22a" name="Get Checkbox - AA" type="SubSheetIn">

<subsheetid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2de1399f-0c74-434b-b4d1-b4311068b814" name="Start" type="Start">

<subsheetid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4ec92557-5fc5-4eac-a6ca-9485383c5cbb</onsuccess>

</stage>

<stage stageid="be69b133-e191-4623-b344-98ce695bf570" name="End" type="End">

<subsheetid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsheetid>

<loginhibit/>
```



```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Result" stage="Checkbox value"/>

</outputs>

</stage>

<stage stageid="34542c8f-5af3-440c-b704-a134086f1dde" name="Get Checkbox Using AA" type="Read">

<subsheetsid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>be69b133-e191-4623-b344-98ce695bf570</onsuccess>

<step stage="Checkbox value">

<element id="2fb871c4-6935-47f3-84d8-d3b7a8b60a2a"/>

<action>

<id>AAGetChecked</id>

</action>
```

</step>

</stage>

<stage stageid="a5b049df-83a9-44c2-bb37-447bb8bb6e87" name="Checkbox value" type="Data">

<subsheetsid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="344122eb-6559-4d51-aac1-566fb2fb2425" name="Set Checkbox - AA" type="SubSheetIn">

<subsheetsid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsheetsid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

```
<stage stageid="401b713a-e598-47af-9be9-d9c6e7a03a05" name="End" type="End">

<subsHEETid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="27d0fa8d-4410-4f29-b10f-627d5bc4f50b" name="Start" type="Start">

<subsHEETid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Value" stage="Checkbox value"/>

</inputs>

<onsuccess>1a980e59-2628-497c-8d17-6d299f7df2b3</onsuccess>

</stage>

<stage stageid="aadd10c-d686-41cd-9ab7-693c803f1fd0" name="Checkbox value" type="Data">
```

```
<subsheetid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4918e89f-980f-4c66-946f-1b3897f78581" name="Set Checkbox using AA" type="Write">

<subsheetid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>401b713a-e598-47af-9be9-d9c6e7a03a05</onsuccess>

<step expr="[Checkbox value]">

<element id="2fb871c4-6935-47f3-84d8-d3b7a8b60a2a"/>
```

```
</step>

</stage>

<stage stageid="45f5f552-7a4a-47a4-a622-fdf16ffca62b" name="Get Radio - AA" type="SubSheetInfo">

<subsheetsid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetsid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3a00a184-fc8f-40a7-b63a-2f6f98e93eef" name="End" type="End">

<subsheetsid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Radio1" stage="radio1"/>

<output type="flag" name="Radio2" stage="radio2"/>

</outputs>

</stage>
```

<stage stageid="cf1f053d-3db0-4e93-a2b4-975beab182c4" name="Start" type="Start">

<subsheetid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f1116b40-16a9-4d53-8d5b-0cb7e15b2d09</onsuccess>

</stage>

<stage stageid="c3274968-d47f-4f58-90ad-94c08a22295b" name="Reader1" type="Read">

<subsheetid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>3a00a184-fc8f-40a7-b63a-2f6f98e93eef</onsuccess>

<step stage="radio1">

<element id="7fc82967-8450-45a3-9f7a-6c5790fd351e"/>

<action>

<id>AAGetChecked</id>

</action>

</step>

<step stage="radio2">

<element id="bed047ac-5229-4a7f-9da3-f2bf80bb2bc4">

<elementparameter>

<name>aX</name>

<expression>[offset]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>AAGetChecked</id>

</action>

</step>

</stage>

<stage stageid="9d5cfa7d-f440-4b98-b526-72306f3a77d0" name="radio1" type="Data">

<subsheetid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c08d5348-092b-421e-ad22-015ad2ffaad0" name="radio2" type="Data">

<subsheetsid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetsid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b4f98962-fa4a-4427-95c9-50edd2a65dcb" name="Set Radio - AA" type="SubSheetInfo">

<subsheetsid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>


```
<stage stageid="2c17cf47-32ff-4c4f-abf3-549ba3487217" name="End" type="End">

<subsheetid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="c0828ef2-72ea-4613-a50a-e868c8cec45f" name="Start" type="Start">

<subsheetid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="radio 1" stage="radio 1"/>

<input type="flag" name="radio 2" stage="radio 2"/>

</inputs>

<onsuccess>f541e538-faa9-4a96-9c7f-353dee01a14f</onsuccess>

</stage>
```

```
<stage stageid="23667b5c-5896-490b-8d7e-0e85065c7f2d" name="radio 1" type="Data">
<subsheetsid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

```
<stage stageid="40537007-f781-4cf6-82ea-748cee327b68" name="radio 2" type="Data">
<subsheetsid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetsid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="197ed8fb-b9e4-4cd4-9b2b-860167ce414f" name="Set radio" type="Write">

<subsheetid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c17cf47-32ff-4c4f-abf3-549ba3487217</onsuccess>

<step expr="[radio 1]">

<element id="7fc82967-8450-45a3-9f7a-6c5790fd351e"/>

</step>

<step expr="[radio 2]">

<element id="bed047ac-5229-4a7f-9da3-f2bf80bb2bc4">

<elementparameter>

<name>aX</name>

<expression>[offset]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="e1a7f504-87bb-400c-8906-ee7fc003c769" name="Get Label - AA" type="SubSheetInfo">
```

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="ab764954-a042-4924-815c-6359d06bd689" name="End" type="End">

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Result" stage="Result"/>

</outputs>

</stage>

<stage stageid="c748be3f-5a97-4779-82ee-7baf61b7f84b" name="Start" type="Start">

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd9baa2a-f088-4cf9-94e3-54da75d1d12a</onsuccess>

</stage>

<stage stageid="0c4d2cad-ca63-43a6-993d-bcacea07f48f" name="Get Value From Label" type="Read">

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ab764954-a042-4924-815c-6359d06bd689</onsuccess>

<step stage="Result">

<element id="908bd078-ebc8-488b-8b3b-686aa69a846d"/>

<action>

<id>AAGetName</id>

</action>

</step>

</stage>

<stage stageid="bc76806e-97a3-47f6-9eb9-fdf89f9b9d20" name="Result" type="Data">
```

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5a6009bc-8487-4756-99de-1275dc671816" name="Click Link Label - AA" type="SubSheet">

<subsheetid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="14fba9a2-c92b-443f-928e-9160aeaa3ee6" name="End" type="End">

<subsheetid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="ebe3ef27-af78-464a-b805-98a115dbfc37" name="Start" type="Start">

<subsheetid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c6499e44-44ff-42ef-a7f8-a8cabf412e6e</onsuccess>

</stage>

<stage stageid="78dbe2d6-da44-4db1-b644-f59483570629" name="Click Link Label" type="Navigate">

<subsheetid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>14fba9a2-c92b-443f-928e-9160aeaa3ee6</onsuccess>

<step>

<element id="2899b922-d122-40e3-8ec6-38463153d8fe"/>

<action>

<id>AAClickCentre</id>

</action>

</step>

</stage>

<stage stageid="b398d277-31b5-4eab-ad5a-ab740f077931" name="Start" type="Start">

<subsheetid>5bafb3c3-3076-4781-972f-41c0f7dff179</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>88c3a7c6-ce5f-46a6-b85b-e700ad5f68d9</onsuccess>

</stage>

<stage stageid="e3ad28fd-b762-45aa-8b78-6cff363cdf49" name="get value from listbox" type="Read">

<subsheetid>5bafb3c3-3076-4781-972f-41c0f7dff179</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>75</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>585076f7-5ecb-4d76-b971-f4a91d7cfbb6</onsuccess>

<step stage="listbox value">

<element id="64072a56-9169-4dad-b411-fd4f8a4b5f40"/>

<action>

<id>HTMLGetSelectedItemText</id>

</action>

</step>

</stage>

<stage stageid="6acf2ffc-a798-495e-85d3-4847c51ffd2b" name="listbox value" type="Data">

<subsheetsid>5bafbbc3-3076-4781-972f-41c0f7dff179</subsheetsid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

<stage stageid="1f73216f-e8a0-4aa6-ab29-5b857dfb24e0" name="Start" type="Start">

<subsheetid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Listbox item" stage="Listbox item"/>

</inputs>

<onsuccess>93f45838-817b-423e-a5b9-7dce2257b01c</onsuccess>

</stage>

<stage stageid="150bf924-9b6d-42cb-b45a-4ae39fed57d7" name="Set listbox" type="Write">

<subsheetid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6047abeb-5aaf-411a-a084-2fb832b976f7</onsuccess>

<step expr="[Listbox item]">

<element id="64072a56-9169-4dad-b411-fd4f8a4b5f40"/>

</step>

</stage>

<stage stageid="5248f132-7c17-422c-beda-da7ef348ee35" name="Listbox item" type="Data">

<subsheetsid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="36668f33-996c-4641-acfa-b1875ecc5688" name="Get Listbox - AA" type="SubSheetInfo">

<subsheetsid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

```
<stage stageid="0193ee03-9a33-43d0-8ee0-6c205eeeba5b" name="End" type="End">

<subsheetsid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Result" stage="listbox value"/>

</outputs>

</stage>

<stage stageid="4e0d3dcd-2435-481b-a142-068760d7bc26" name="Start" type="Start">

<subsheetsid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9c36c949-815e-429e-aefd-cb718ab9564d</onsuccess>

</stage>

<stage stageid="e29aab3b-9a8b-404c-843b-f55d9e7cc651" name="get value from listbox" type="Read">
```

<subsheetid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0193ee03-9a33-43d0-8ee0-6c205eeeba5b</onsuccess>

<step stage="listbox value">

<element id="1736ae0e-fed5-4b4b-a92f-ae51e6d145cb"/>

<action>

<id>AAGetValue</id>

</action>

</step>

</stage>

<stage stageid="31391cfc-b4b9-4db3-b2ea-c7ecaeb3452f" name="listbox value" type="Data">

<subsheetid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

```
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e2cde68f-f7ba-401e-b7f9-8907eac6720e" name="Set Listbox - AA" type="SubSheetInfo">

<subsheetsid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="aface74f-2650-4624-b520-551aa5d11862" name="Start" type="Start">

<subsheetsid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Listbox item" stage="Listbox item"/>

</inputs>
```

<onsuccess>6d7e4f03-f800-4ce5-aad8-aad0b85448ec</onsuccess>

</stage>

<stage stageid="1d162e97-38ef-4b3a-8691-f1d4f4b5d688" name="Set listbox" type="Write">

<subsHEETid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>fdcdfaf1-2d0c-40ae-978e-22473f8ab99a</onsuccess>

<step expr="[Listbox item]">

<element id="1736ae0e-fed5-4b4b-a92f-ae51e6d145cb"/>

</step>

</stage>

<stage stageid="db6f22f4-07d4-4f6b-a5fe-721dee63dcd9" name="Listbox item" type="Data">

<subsHEETid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsHEETid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fdcdfaf1-2d0c-40ae-978e-22473f8ab99a" name="End1" type="End">

<subsheetid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="70c96780-f211-4c3e-bbab-c9939482da00" name="Terminate" type="SubSheetInfo">

<subsheetid>7aefac45-64f5-47e4-aaaa-10e7f1d62f17</subsheetid>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="d5176e68-11b9-4a6e-b3a6-967ac2d260f2" name="Start" type="Start">

<subsheetid>7aefac45-64f5-47e4-aaaa-10e7f1d62f17</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c3b87e12-7a3e-436b-a0ab-367387d215bd</onsuccess>

</stage>

<stage stageid="31952c01-1933-465e-97b7-e8782440192a" name="End" type="End">

<subsheetid>7aefac45-64f5-47e4-aaaa-10e7f1d62f17</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="c3b87e12-7a3e-436b-a0ab-367387d215bd" name="Termincate HTML Application" type="

<subsheetid>7aefac45-64f5-47e4-aaaa-10e7f1d62f17</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>31952c01-1933-465e-97b7-e8782440192a</onsuccess>

<step>

<element id="750a57a8-29d2-4eb0-a88e-0473d864783b"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="21bcb413-388d-4159-aedb-a940c955e1dc" name="Set Textbox - AA" type="SubSheetInf

<subsheetsid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="c06a678b-7885-4183-b268-7b02cba4da85" name="Start" type="Start">

<subsheetsid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Text" stage="Text"/>

</inputs>

<onsuccess>5e18d858-023a-4fe1-98cb-70d20f1aeed8</onsuccess>

</stage>

<stage stageid="4e2c4793-42a4-4861-94e2-4336a56ca8c2" name="End" type="End">

<subsheetid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b727b666-2049-4376-ae94-52a38f9f98f5" name="Set text" type="Write">

<subsheetid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4e2c4793-42a4-4861-94e2-4336a56ca8c2</onsuccess>

<step expr="[Text]">

<element id="65589657-75ed-48a4-a027-643eb696d523">

<elementparameter>

<name>aY</name>

<expression>[offset]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

</step>

</stage>

<stage stageid="f6758612-ed21-479f-9bd1-0626726d3e9a" name="Text" type="Data">

<subsheetid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">text set from the object</initialvalue>
```

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="ccfb81ed-eb3b-4426-9572-50326d4c88f9" name="Get Textbox - AA" type="SubSheetInfo">

<subsheetid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fd75c15c-118f-44d1-9d35-b50e32dd22db" name="Start" type="Start">

<subsheetid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9e060072-c775-49d9-a5c8-9b9b58c48de9</onsuccess>

</stage>

<stage stageid="e4a4ee61-09a9-4b90-8c1a-33b1b4b7367a" name="End" type="End">

<subsheetid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Text" stage="text"/>

</outputs>

</stage>

<stage stageid="41f89d12-4302-40c8-9dcd-59762a9031e7" name="Get textbox" type="Read">

<subsheetsid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e4a4ee61-09a9-4b90-8c1a-33b1b4b7367a</onsuccess>

<step stage="text">

<element id="65589657-75ed-48a4-a027-643eb696d523">

<elementparameter>

<name>aY</name>
```

<expression>[offset]</expression>

<datatype>number</datatype>

<comparisontype>Equal</comparisontype>

</elementparameter>

</element>

<action>

<id>AAGetValue</id>

</action>

</step>

</stage>

<stage stageid="376b4bac-1d74-49fe-83de-d3053026d9a4" name="text" type="Data">

<subsheetid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>90</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f2469e72-c044-4696-b941-fee7c84d2243" name="Select Combo by Text - HTML" type="Text">

<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>

<narrative>

```
</narrative>

<displayx>-150</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4b162c0d-aa32-416d-82be-8a533ae2305c" name="Start" type="Start">

<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Item" stage="Item"/>

</inputs>

<onsuccess>94f00c9c-4da6-449d-8ba4-2abf45999e02</onsuccess>

</stage>

<stage stageid="bde39259-b89d-4a56-9907-5916c53cb364" name="End" type="End">

<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="196477f2-b235-4664-b94c-f0127498e2fb" name="Select Item" type="Navigate">
<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>0</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>bde39259-b89d-4a56-9907-5916c53cb364</onsuccess>
<step>
<element id="6148144e-b288-4765-a81b-843e00fd4bc2"/>
<action>
<id>SelectItem</id>
<arguments>
<argument>
<id>newtext</id>
<value>[Item]</value>
</argument>
<argument>
```

```
<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="40f9c26b-24cf-43cc-8e94-7d52df14b5e7" name="Item" type="Data">

<subsheetsid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d77693ec-8e97-4fce-89fc-9de560095962" name="Get Table" type="SubSheetInfo">

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>
```

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="9e320d3f-3e30-428a-bbbc-d1ae880d55ef" name="Start" type="Start">

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c3e48202-a7c2-4ac0-88f7-cea9f2f12991</onsuccess>

</stage>

<stage stageid="a355dc21-134d-4d7e-afde-06cbeed5517c" name="End" type="End">

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<outputs>

<output type="collection" name="Result" stage="Value from Table_HTML"/>

</outputs>

</stage>

<stage stageid="ebd8f4ae-cf44-4e62-b290-af0b8e4eac39" name="Get Table" type="Read">

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>26e65160-771d-4ce1-bceb-5c7cd0f4169d</onsuccess>

<step stage="Value from Table_HTML">

<element id="ec0c8104-46e4-4434-8944-fc4a4b852459"/>

<action>

<id>HTMLGetTable</id>

</action>

</step>

</stage>

<stage stageid="04baf8b6-062d-4bf8-af24-51708610d9db" name="Value from Table_HTML" type="Collec

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<narrative>

</narrative>

<displayx>135</displayx>
```

```
<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="26e65160-771d-4ce1-bceb-5c7cd0f4169d" name="Get Table using Cell (1,1)" type="Read">

  <subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

  <loginhibit/>

  <narrative>

  </narrative>

  <displayx>15</displayx>

  <displayy>45</displayy>

  <displaywidth>90</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <onsuccess>62553a59-a879-4fc6-ab98-e6a490a7ea40</onsuccess>

  <step stage="GetTable(1,1)-Results">

    <element id="991765f0-4c70-40e2-a1cf-d6b609d9cd66"/>

    <action>

    <id>HTMLGetTable</id>

    </action>

  </step>

</stage>

<stage stageid="62553a59-a879-4fc6-ab98-e6a490a7ea40" name="Get Table using Cell (4,3)" type="Read">
```

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f7521403-812f-48b0-9883-6e07afc0610e</onsuccess>

<step stage="GetTable(4,3)-Results">

<element id="de2ed625-7959-4034-b89f-cadcc8f58671"/>

<action>

<id>HTMLGetTable</id>

</action>

</step>

</stage>

<stage stageid="f7521403-812f-48b0-9883-6e07afc0610e" name="Get Table using Cell (9,5)" type="Read

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8a71439f-744c-4a49-8838-11024aa492d6</onsuccess>

<step stage="GetTable(9,5)-Results">

<element id="c43e9452-2d33-4697-9697-3c00ba3ebc32"/>

<action>

<id>HTMLGetTable</id>

</action>

</step>

</stage>

<stage stageid="cc255c4f-462c-45c7-8f42-5ebfeaafc249" name="GetTable(1,1)-Results" type="Collection"

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>45</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="dd284320-8a6a-4172-b246-ef1bd222ac92" name="GetTable(4,3)-Results" type="Collection"

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7143a72b-e0fd-4946-a862-9f7afdf4592e" name="GetTable(9,5)-Results" type="Collection"

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8a71439f-744c-4a49-8838-11024aa492d6" name="Get Table without table" type="Read"

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>60cc6099-2773-4f0d-9b58-59a4fa5be6fe</onsuccess>

<step stage="GetTable(9,5)-Results">

<element id="80e549c5-490a-49eb-b384-651933f0ebec"/>

<action>

<id>HTMLGetTable</id>

</action>

</step>

</stage>

<stage stageid="60cc6099-2773-4f0d-9b58-59a4fa5be6fe" name="Should fail" type="Exception">

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>195</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<exception type="Test Exception" detail=""HTMLGetTable() called without a table - should have

</stage>

<stage stageid="6b4bdaad-bb6b-44e6-a0f5-b0e556fd6308" name="Recover1" type="Recover">

<subsheetsid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>fc67e87c-051e-414c-8ad4-5a16b6198605</onsuccess>

</stage>

<stage stageid="2206e1c8-be6e-4cc4-9462-d3b222d52a64" name="Resume1" type="Resume">

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a355dc21-134d-4d7e-afde-06cbeed5517c</onsuccess>

</stage>

<stage stageid="f5217499-b90b-4039-ade4-4fbe8292d28d" name="Block1" type="Block">

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>165</displayy>

<displaywidth>150</displaywidth>

<displayheight>195</displayheight>

</stage>

<stage stageid="fc67e87c-051e-414c-8ad4-5a16b6198605" name="No Such Table Exception?" type="De

<subsHEETid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<decision expression="InStr(ExceptionDetail()),"No HTML table found in GetTable call"

<ontrue>2206e1c8-be6e-4cc4-9462-d3b222d52a64</ontrue>

<onfalse>6c8b4d20-449a-4b87-a4d3-16c641a521f3</onfalse>

</stage>

<stage stageid="6c8b4d20-449a-4b87-a4d3-16c641a521f3" name="Unrecognised exception" type="Excep

<subsHEETid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsHEETid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<exception type="Test Exception" detail=""HTMLGetTable() called without a table - should have

```
</stage>

<stage stageid="b2bb745a-1c51-4046-876b-a8b49cfcc4a7" name="QA Root" type="Data">

<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

<stage stageid="059caee5-f317-4b96-8f36-449157e98418" name="Read identifier" type="Read">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>53f63bd8-1afe-4906-a96f-a3ef6636f7fc</onsuccess>

<step stage="id_TagName">

<element id="7d89b229-aeed-442d-b314-9456e6fe41f9"/>

<action>

<id>GetHTMLIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"TagName"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="221f6c79-b97e-41bd-8b04-7cd4d41d5ffd" name="id_TagName" type="Data">

<subsheetsid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetsid>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

</stage>

<stage stageid="53f63bd8-1afe-4906-a96f-a3ef6636f7fc" name="Check identifier" type="Decision">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<decision expression="[id_TagName] = "INPUT""/>

<ontrue>a4420f30-135f-4687-ac99-d59d0e94babe</ontrue>

<onfalse>1822e0e9-a623-4b00-ac83-ec813d74cbce</onfalse>

</stage>

<stage stageid="1822e0e9-a623-4b00-ac83-ec813d74cbce" name="Exception1" type="Exception">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="TestFailure" detail=""Did not read identifier as expected""/>

</stage>

<stage stageid="d54ca5d8-bc37-47ef-81a8-5b45bc9eba40" name="O" type="WaitEnd">

```
<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cb337568-dd2e-4c6a-8261-41f374d106ed</onsuccess>

<groupid>33027e70-3179-4280-94db-4e79bc4fa950</groupid>

</stage>

<stage stageid="a4420f30-135f-4687-ac99-d59d0e94babe" name="Wait for identifier" type="WaitStart">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>33027e70-3179-4280-94db-4e79bc4fa950</groupid>

<choices>

<choice reply="&quot;text&quot;">

<name>Textbox_HTML Check HTML Identifier</name>

<distance>45</distance>
```

```
<ontrue>8ab42ff7-14c7-4cfa-a1c6-5fe7232c44c9</ontrue>

<element id="7d89b229-aeed-442d-b314-9456e6fe41f9"/>

<condition>

<id>CheckHTMLIdentifier</id>

<arguments>

<argument>

<id>idname</id>

<value>"Input Type"</value>

</argument>

</arguments>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="cb337568-dd2e-4c6a-8261-41f374d106ed" name="Exception2" type="Exception">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="TestFailure" detail="&quot;Failed waiting for HTML identifier&quot;"/>

</stage>
```



```
<stage stageid="41f107d0-b571-4cad-a4ff-03ec89f93c1e" name="FAIL" type="Exception">
<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Bug" detail="&quot;Timed out wating for button confirmation text&quot;"/>

</stage>

<stage stageid="41c0dac8-5773-4fa7-9ac1-d1766dd62aa0" name="ExcludeHTC" type="Data">
<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4f375d82-c2ea-43c7-a157-a8c79dc6eb16" name="Select Combo by Position - HTML" type="Data">
<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>
```

```
<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fed8444d-a185-4bbe-8c0d-b09a660fb187" name="Start" type="Start">

<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Position" stage="Position"/>

</inputs>

<onsuccess>795c90d4-5666-4733-ab8f-1ea2fa95a58f</onsuccess>

</stage>

<stage stageid="f4fb6a16-b83f-4588-a8fd-182ccfd8fb41" name="End" type="End">

<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>90</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b3881a4a-395e-468f-97db-9ae2bfa9a108" name="Select Item" type="Navigate">

<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f4fb6a16-b83f-4588-a8fd-182ccfd8fb41</onsuccess>

<step>

<element id="6148144e-b288-4765-a81b-843e00fd4bc2"/>

<action>

<id>HTMLSelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>

</value>
```

```
</argument>

<argument>

<id>position</id>

<value>[Position]</value>

</argument>

<argument>

<id>propname</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="cc30f2dc-fb4d-4f38-8e06-3d43cafe3629" name="Position" type="Data">

<subsheetsid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetsid>

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="e50cd44e-e718-49db-a82b-181fe9d5e0cf" name="Select Combo by Value - HTML" type=

<subsheetid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b974745a-b2c6-4a99-a0d7-fbf378fad68b" name="Start" type="Start">

<subsheetid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Value" stage="Value"/>

</inputs>

<onsuccess>88f91d54-262c-4d07-81c3-0a7c16c1fdaf</onsuccess>

</stage>

<stage stageid="b6492338-c5ad-44ce-b37a-1e83e2bffc06" name="End" type="End">
```

```
<subsheetid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d3684a15-c5e1-4912-ba67-d57da77aba61" name="Select Item" type="Navigate">

<subsheetid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b6492338-c5ad-44ce-b37a-1e83e2bffc06</onsuccess>

<step>

<element id="6148144e-b288-4765-a81b-843e00fd4bc2"/>

<action>

<id>HTMLSelectItem</id>

<arguments>

<argument>
```

```
<id>newtext</id>

<value>

</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

<argument>

<id>propname</id>

<value>[Value]</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="a15aaa07-ff6e-4a5e-b5b2-655b828959d9" name="Value" type="Data">

<subsheetsid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetsid>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="437f68a3-1ed6-417c-ac71-0668f18c9b2b" name="O" type="WaitEnd">

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>d5028439-6ccd-42c1-9a0b-af888279b20a</onsuccess>

<groupid>fbfd66f1-5ae5-4e59-b38d-b7508d49fc6b</groupid>

</stage>

<stage stageid="c3e48202-a7c2-4ac0-88f7-cea9f2f12991" name="Wait for Element" type="WaitStart">

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>fbfd66f1-5ae5-4e59-b38d-b7508d49fc6b</groupid>

<choices>

<choice reply="True">

<name>Table_HTML Check Exists</name>

<distance>45</distance>

<ontrue>ebd8f4ae-cf44-4e62-b290-af0b8e4eac39</ontrue>

<element id="ec0c8104-46e4-4434-8944-fc4a4b852459"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="d5028439-6ccd-42c1-9a0b-af888279b20a" name="FAIL" type="Exception">

<subsheetid>bba20bbf-899c-4e39-ba07-6f20a59ea69b</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="1e3ee96b-fb9d-47fc-b121-3531b20f91d7" name="O" type="WaitEnd">

```
<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4f97c707-bb22-4ee5-b4d2-e04c4014a9d0</onsuccess>

<groupid>31575d60-5976-4144-afb4-b9010568b6a9</groupid>

</stage>

<stage stageid="94f00c9c-4da6-449d-8ba4-2abf45999e02" name="Wait for Element" type="WaitStart">

<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>31575d60-5976-4144-afb4-b9010568b6a9</groupid>

<choices>

<choice reply="True">

<name>Combobox_HTML Check Exists</name>

<distance>45</distance>
```

```
<ontrue>196477f2-b235-4664-b94c-f0127498e2fb</ontrue>

<element id="6148144e-b288-4765-a81b-843e00fd4bc2"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="4f97c707-bb22-4ee5-b4d2-e04c4014a9d0" name="FAIL" type="Exception">

<subsheetid>7107cef7-c228-45a9-a318-9fd745d90e8f</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="4c86ea85-cd5c-4ff4-85b3-4bf3b0feb528" name="O" type="WaitEnd">

<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>
```

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2100c78f-b7b3-4ddc-a429-1aafa648f146</onsuccess>

<groupid>55befcb8-8b8b-4e66-9f20-2f8896aac0c2</groupid>

</stage>

<stage stageid="795c90d4-5666-4733-ab8f-1ea2fa95a58f" name="Wait for Element" type="WaitStart">

<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>55befcb8-8b8b-4e66-9f20-2f8896aac0c2</groupid>

<choices>

<choice reply="True">

<name>Combobox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>b3881a4a-395e-468f-97db-9ae2bfa9a108</ontrue>

<element id="6148144e-b288-4765-a81b-843e00fd4bc2"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="2100c78f-b7b3-4ddc-a429-1aafa648f146" name="FAIL" type="Exception">

<subsheetid>0341bb09-9f5b-4026-9ef1-7d0840a71f5a</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="5f681431-c699-4882-b146-b46914cfe2bf" name="O" type="WaitEnd">

<subsheetid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>7f8a9897-5db3-45dc-b0cb-a672f305d5af</onsuccess>

<groupid>2e400682-8d0d-4677-8a9f-55667b54f7c6</groupid>

</stage>

<stage stageid="88f91d54-262c-4d07-81c3-0a7c16c1fdaf" name="Wait for Element" type="WaitStart">

<subsHEETid>25accfd9-0958-4532-b767-d62f39cb18ce</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>2e400682-8d0d-4677-8a9f-55667b54f7c6</groupid>

<choices>

<choice reply="True">

<name>Combobox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>d3684a15-c5e1-4912-ba67-d57da77aba61</ontrue>

<element id="6148144e-b288-4765-a81b-843e00fd4bc2"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

```
<stage stageid="7f8a9897-5db3-45dc-b0cb-a672f305d5af" name="FAIL" type="Exception">
<subsheetid>25accfd9-0958-4532-b767-d62f39cb18ce</subsheetid>
<narrative>
</narrative>
<displayx>195</displayx>
<displayy>-60</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>
</stage>

<stage stageid="45846bf1-24ee-4f8a-8a48-43de394fcf48" name="O" type="WaitEnd">
<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>0</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>2af2f11c-a8c4-488c-b7a3-af475d641b3e</onsuccess>
<groupid>ee238b87-a1f7-4542-8a8e-41e82f3438a6</groupid>
</stage>

<stage stageid="e2af64cd-61e6-4437-a5c8-dab2070a8a79" name="Wait for Element" type="WaitStart">
<subsheetid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetid>
<loginhibit/>
```

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>ee238b87-a1f7-4542-8a8e-41e82f3438a6</groupid>

<choices>

<choice reply="True">

<name>Generic Body (UIA) Check Exists</name>

<distance>45</distance>

<ontrue>edc9bc90-b09f-4b13-b898-61f10a116e65</ontrue>

<element id="86f22a1e-62c7-4122-bcc5-42640db8aaea"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="2af2f11c-a8c4-488c-b7a3-af475d641b3e" name="FAIL" type="Exception">

<subsheetsid>ed93de65-1f5b-4b19-a72d-0731e4ec3f37</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The browser didn't load.""/>

</stage>

<stage stageid="f40720ed-51ed-46dc-8cff-af33425abc29" name="O" type="WaitEnd">

<subsheetsid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>946d1008-4090-417a-a84e-b875d040b966</onsuccess>

<groupid>ce96bf39-091a-4e4a-99ba-0db8764ebd0f</groupid>

</stage>

<stage stageid="d41f5848-8f08-421f-b949-91c2f90af29a" name="Wait for Element" type="WaitStart">

<subsheetsid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>ce96bf39-091a-4e4a-99ba-0db8764ebd0f</groupid>

<choices>

<choice reply="True">

<name>Textbox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>6a126f50-f586-468b-8444-0e800ea6d94f</ontrue>

<element id="7d89b229-aeed-442d-b314-9456e6fe41f9"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="946d1008-4090-417a-a84e-b875d040b966" name="FAIL" type="Exception">

<subsheetid>8498d516-ddaf-4efe-95cf-6b03291083ec</subsheetid>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="4d363934-f109-4026-b53c-0eb7e46e950d" name="O" type="WaitEnd">

<subsheetid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>98a815c9-1532-4b96-8e09-6917d6e25951</onsuccess>

<groupid>37a35f34-7a77-47e7-a954-e3b3ce8e848a</groupid>

</stage>

<stage stageid="f6972758-6d0a-4e39-a65d-6e2060b4fdbbc" name="Wait for Element" type="WaitStart">

<subsheetid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>37a35f34-7a77-47e7-a954-e3b3ce8e848a</groupid>

<choices>

<choice reply="True">

<name>Textbox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>a371cf05-2d80-4f2a-b67e-d452d3ec9ac6</ontrue>

<element id="7d89b229-aeed-442d-b314-9456e6fe41f9"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="98a815c9-1532-4b96-8e09-6917d6e25951" name="FAIL" type="Exception">

<subsheetsid>3b5c4096-032f-456b-9695-fbc482643faa</subsheetsid>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="16372381-8acb-469e-b3be-8dbb756311bc" name="O" type="WaitEnd">

<subsheetsid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e6b2767f-1c82-4bde-88bf-e023656cf5bb</onsuccess>

<groupid>87714533-aedd-4a40-969b-ee04d3001c2a</groupid>

</stage>

<stage stageid="fe64c8f9-21f2-4980-81c0-68ff56b7e22b" name="Wait for Element" type="WaitStart">

<subsheetid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>87714533-aedd-4a40-969b-ee04d3001c2a</groupid>

<choices>

<choice reply="True">

<name>Checkbox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>cbf8bcbe-3ce1-4613-baaa-b8c29a06b969</ontrue>

<element id="7ae2bd52-6085-47af-8354-2629e0f5d75b"/>

<condition>
```

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="e6b2767f-1c82-4bde-88bf-e023656cf5bb" name="FAIL" type="Exception">

<subsheetid>48e1a412-31ca-4998-9462-b5cabee72f98</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="d7574032-ef01-4733-95bc-480acba0d761" name="O" type="WaitEnd">

<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>88c81e37-3719-480c-8ae8-c2c0cc2887c9</onsuccess>
<groupid>9a2cafd3-ea89-4d38-a0f9-ec3228fdae59</groupid>
</stage>
<stage stageid="8ba56846-4ab2-40d2-878b-4d5b5fa9f78b" name="Wait for Element" type="WaitStart">
<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>9a2cafd3-ea89-4d38-a0f9-ec3228fdae59</groupid>
<choices>
<choice reply="True">
<name>Checkbox_HTML Check Exists</name>
<distance>45</distance>
<ontrue>a9a9f5cb-55f8-434a-acff-81a037ccf048</ontrue>
<element id="7ae2bd52-6085-47af-8354-2629e0f5d75b"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
```

<timeout>30</timeout>

</stage>

<stage stageid="88c81e37-3719-480c-8ae8-c2c0cc2887c9" name="FAIL" type="Exception">

<subsheetid>3c477412-b483-4f61-8c64-21e0dd9b683d</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="f8f5f2f6-6d65-4dae-8e33-fea09adf9528" name="O" type="WaitEnd">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>57a21b14-9f06-4c18-9f23-b34e86875b03</onsuccess>

<groupid>d9c32693-322d-41ad-b39f-9810d700cee5</groupid>

</stage>

<stage stageid="d3fef82b-83a6-4081-b8df-af3418984b68" name="Wait for Element" type="WaitStart">


```
<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>d9c32693-322d-41ad-b39f-9810d700cee5</groupid>

<choices>

<choice reply="True">

<name>Radio1_HTML Check Exists</name>

<distance>45</distance>

<ontrue>c1387bc0-b58e-4152-8a8d-86ee9093a008</ontrue>

<element id="11fb332e-9273-4033-acb0-37c3949dbba2"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="57a21b14-9f06-4c18-9f23-b34e86875b03" name="FAIL" type="Exception">

<subsheetid>ff0fd8cf-0b22-482c-8aa3-460bcdef9e11</subsheetid>

<narrative>
```

```
</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="13ed67f8-73af-48b8-8fd9-1c9bfdcaaae5" name="O" type="WaitEnd">

<subsheetsid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>ee6f5295-5a07-4012-b828-c9215924ecea</onsuccess>

<groupid>72b19dca-03f8-49a5-a7ae-67333edf033f</groupid>

</stage>

<stage stageid="9a3da35e-ec7a-4172-81ef-81c89a48392b" name="Wait for Element" type="WaitStart">

<subsheetsid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>
```

```
<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>72b19dca-03f8-49a5-a7ae-67333edf033f</groupid>

<choices>

<choice reply="True">

<name>Radio1_HTML Check Exists</name>

<distance>45</distance>

<ontrue>ab3513e5-7565-42cf-aa08-2db08a2b832b</ontrue>

<element id="11fb332e-9273-4033-acb0-37c3949dbba2"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="ee6f5295-5a07-4012-b828-c9215924ecea" name="FAIL" type="Exception">

<subsheetsid>8cc0855d-9ab4-4b0b-98c5-8c9820829b05</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>
</stage>
<stage stageid="3c633bd8-de50-4b88-89de-136f91557898" name="O" type="WaitEnd">
<subsheetid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-60</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>e3ac31a3-f2db-46d5-a978-0f2933ed3a2a</onsuccess>
<groupid>653b326a-7b6e-4f28-8795-f034adab3cde</groupid>
</stage>
<stage stageid="20b29e6d-62a0-43e4-8226-6d1dacea57a6" name="Wait for Element" type="WaitStart">
<subsheetid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>653b326a-7b6e-4f28-8795-f034adab3cde</groupid>
```

```
<choices>

<choice reply="True">

<name>Dropdown_HTML Check Exists</name>

<distance>45</distance>

<ontrue>1b269998-7d66-4b14-b6d2-cc70ca47036d</ontrue>

<element id="e12a6514-21b9-405e-8d3d-0f35fab781e3"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="e3ac31a3-f2db-46d5-a978-0f2933ed3a2a" name="FAIL" type="Exception">

<subsheetsid>0a170c52-ae31-46c9-b2c8-d9ef5792990d</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="fd71d1fa-b54f-4b16-800d-82610ff9568b" name="O" type="WaitEnd">

<subsheetsid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetsid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>9afd736e-226a-4b35-a2da-a0d6eb811c90</onsuccess>

<groupid>71d27fde-707d-44cd-b1a9-f50fd21e6b51</groupid>

</stage>

<stage stageid="a154950d-62e0-4b2c-8c72-7000a26cf89e" name="Wait for Element" type="WaitStart">

<subsheetsid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>71d27fde-707d-44cd-b1a9-f50fd21e6b51</groupid>

<choices>

<choice reply="True">

<name>Dropdown_HTML Check Exists</name>

<distance>45</distance>

<ontrue>df9059cf-4de9-4e0f-b9d9-940b5bb8ce43</ontrue>

```
<element id="e12a6514-21b9-405e-8d3d-0f35fab781e3"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="9afd736e-226a-4b35-a2da-a0d6eb811c90" name="FAIL" type="Exception">

<subsheetid>8d8f0ee4-7e33-4712-9383-2c65316e817e</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="b1cc8fbb-70a3-4053-abb6-b2d88c394b0d" name="O" type="WaitEnd">

<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>
```

```
<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>585ba63c-c5dd-4efa-97e3-23e38ffac649</onsuccess>

<groupid>a04ec427-9274-4562-924d-44894ad43af7</groupid>

</stage>

<stage stageid="96b05975-d104-40bd-9065-494c33fdf282" name="Wait for Element" type="WaitStart">

<subsheetsid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>a04ec427-9274-4562-924d-44894ad43af7</groupid>

<choices>

<choice reply="True">

<name>Button_HTML Check Exists</name>

<distance>45</distance>

<ontrue>2adef93c-cf71-479c-8c4b-0ee174622462</ontrue>

<element id="9d15ac3f-c71d-481b-bf00-e386b9305f09"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>
```



```
</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="585ba63c-c5dd-4efa-97e3-23e38ffac649" name="FAIL" type="Exception">

<subsheetid>2fdc310e-9c06-490a-9e02-4ed92e9ee02b</subsheetid>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="1b899fbd-a295-42ca-a906-d7c48a8cc2db" name="O" type="WaitEnd">

<subsheetid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>edcb5c55-3090-44bb-8120-1c01c972d7d2</onsuccess>

<groupid>337c3d19-aa7b-487e-be59-0d0349043d2c</groupid>
```

</stage>

<stage stageid="93f45838-817b-423e-a5b9-7dce2257b01c" name="Wait for Element" type="WaitStart">

<subsheetid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>337c3d19-aa7b-487e-be59-0d0349043d2c</groupid>

<choices>

<choice reply="True">

<name>Listbox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>150bf924-9b6d-42cb-b45a-4ae39fed57d7</ontrue>

<element id="64072a56-9169-4dad-b411-fd4f8a4b5f40"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="edcb5c55-3090-44bb-8120-1c01c972d7d2" name="FAIL" type="Exception">

```
<subsheetid>5e29ded1-b836-4bbc-a630-4a956a97386b</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="a62d6bff-48b2-4cab-aa6f-f481520df4a2" name="O" type="WaitEnd">

<subsheetid>5bafb3c3-3076-4781-972f-41c0f7dff179</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-180</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>24e1d925-b156-4bad-bfab-9c2476e2929d</onsuccess>

<groupid>06f5a881-d656-4f39-b11d-1576224cb535</groupid>

</stage>

<stage stageid="88c3a7c6-ce5f-46a6-b85b-e700ad5f68d9" name="Wait for Element" type="WaitStart">

<subsheetid>5bafb3c3-3076-4781-972f-41c0f7dff179</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>30</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>06f5a881-d656-4f39-b11d-1576224cb535</groupid>

<choices>

<choice reply="True">

<name>Listbox_HTML Check Exists</name>

<distance>45</distance>

<ontrue>e3ad28fd-b762-45aa-8b78-6cff363cdf49</ontrue>

<element id="64072a56-9169-4dad-b411-fd4f8a4b5f40"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="24e1d925-b156-4bad-bfab-9c2476e2929d" name="FAIL" type="Exception">

<subsheetid>5bafb3c3-3076-4781-972f-41c0f7dff179</subsheetid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-180</displayy>
```

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="95e9f230-3128-4684-89ee-fdb62629f302" name="O" type="WaitEnd">

<subsheetsid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f0c9e68f-bfa5-4403-947c-5ebe4a02dc32</onsuccess>

<groupid>28e7e6bc-b039-4312-9bd6-7232b532ef6f</groupid>

</stage>

<stage stageid="cb8cc44a-d403-495f-bc38-93bc2d8a2294" name="Wait for Element" type="WaitStart">

<subsheetsid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>28e7e6bc-b039-4312-9bd6-7232b532ef6f</groupid>
<choices>
<choice reply="True">
<name>Label_HTML Check Exists</name>
<distance>45</distance>
<ontrue>1d09644e-5c0e-4639-ad84-1d4afaf04280</ontrue>
<element id="8bb3f8b1-3f39-4461-b5a3-dc5eede55f1e"/>
<condition>
<id>CheckExists</id>
</condition>
<comparetype>Equal</comparetype>
</choice>
</choices>
<timeout>30</timeout>
</stage>
<stage stageid="f0c9e68f-bfa5-4403-947c-5ebe4a02dc32" name="FAIL" type="Exception">
<subsheetid>b9acb202-eb2a-4061-ae9a-1c965ac405b4</subsheetid>
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-75</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>
</stage>
```

```
<stage stageid="5ec9ad3a-8dec-448d-9eab-c71d09e99190" name="O" type="WaitEnd">
<subsheetid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>45</displayx>
<displayy>-60</displayy>
<displaywidth>30</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>91ba2560-7a9f-47e4-9c5d-4446038d2431</onsuccess>
<groupid>c80c5f9b-9eee-4865-b38d-7bcd51873505</groupid>
</stage>

<stage stageid="7f003ef6-040f-4312-9f36-443687739b47" name="Wait for Element" type="WaitStart">
<subsheetid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>-30</displayx>
<displayy>-60</displayy>
<displaywidth>60</displaywidth>
<displayheight>60</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<groupid>c80c5f9b-9eee-4865-b38d-7bcd51873505</groupid>
<choices>
<choice reply="True">
<name>Label_HTML Check Exists</name>
```

```
<distance>45</distance>

<ontrue>bdf0d4b6-5490-4d38-9adc-6906cc7faf40</ontrue>

<element id="8bb3f8b1-3f39-4461-b5a3-dc5eede55f1e"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="91ba2560-7a9f-47e4-9c5d-4446038d2431" name="FAIL" type="Exception">

<subsheetsid>75190638-1074-4ecd-810c-71dfa620ab65</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="c048bfb2-c033-4711-bb36-090487c5253f" name="O" type="WaitEnd">

<subsheetsid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```



```
<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>dc54b06e-d8c9-48c4-9395-71ab4fb35883</onsuccess>

<groupid>699499ce-e2ec-4973-bf63-7b8ef308de40</groupid>

</stage>

<stage stageid="bbb55564-3bff-48c9-9ecb-19043077aca6" name="Wait for Element" type="WaitStart">

<subsheetid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>699499ce-e2ec-4973-bf63-7b8ef308de40</groupid>

<choices>

<choice reply="True">

<name>LinkLabel_HTML Check Exists</name>

<distance>45</distance>

<ontrue>5351cc12-e488-4a3f-9ba0-646771a482c9</ontrue>

<element id="80e549c5-490a-49eb-b384-651933f0ebeb"/>

<condition>

<id>CheckExists</id>
```

```
</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="dc54b06e-d8c9-48c4-9395-71ab4fb35883" name="FAIL" type="Exception">

<subsheetid>cef71511-258e-4cfc-9fda-84e6db17c5fe</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="19ffb62e-549a-4e5d-b448-ea1f1b0a1002" name="O" type="WaitEnd">

<subsheetid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>17a0cb46-143c-4c29-b6c6-74d2dc8fa7b4</onsuccess>

<groupid>cba6ead0-0d1b-42e0-8089-d1b52e5b27a5</groupid>

</stage>

<stage stageid="5dead36a-f350-41b0-9e58-9ebc807e4a75" name="Wait for Element" type="WaitStart">

<subsheetid>f743c7f7-166e-4c62-a223-5256d2497f87</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>cba6ead0-0d1b-42e0-8089-d1b52e5b27a5</groupid>

<choices>

<choice reply="True">

<name>URL_AA Check Exists</name>

<distance>45</distance>

<ontrue>d98a9e5c-e2ba-4592-98a6-509e7ac798bb</ontrue>

<element id="6b96a380-36b6-4401-b5d0-3e236f09fd2d"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>
```

</stage>

<stage stageid="17a0cb46-143c-4c29-b6c6-74d2dc8fa7b4" name="FAIL" type="Exception">

<subsHEETid>f743c7f7-166e-4c62-a223-5256d2497f87</subsHEETid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="c71c6724-57ae-4340-b3e1-5d6f3566bd83" name="O" type="WaitEnd">

<subsHEETid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>1600c24f-eb82-46f4-b3cd-8ce099ddc5a0</onsuccess>

<groupid>9e71b601-f21c-4b02-a372-6585fd88134c</groupid>

</stage>

<stage stageid="4ec92557-5fc5-4eac-a6ca-9485383c5cbb" name="Wait for Element" type="WaitStart">

<subsHEETid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsHEETid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>9e71b601-f21c-4b02-a372-6585fd88134c</groupid>

<choices>

<choice reply="True">

<name>Checkbox_AA Check Exists</name>

<distance>45</distance>

<ontrue>34542c8f-5af3-440c-b704-a134086f1dde</ontrue>

<element id="2fb871c4-6935-47f3-84d8-d3b7a8b60a2a"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="1600c24f-eb82-46f4-b3cd-8ce099ddc5a0" name="FAIL" type="Exception">

<subsheetid>9eb5fae6-48ab-451a-9135-1b2d3605841d</subsheetid>

<narrative>

</narrative>
```

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="909858bd-c3a7-4be0-bdae-6b6f5af910d2" name="O" type="WaitEnd">

<subsHEETid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6a9b7c8e-1a9d-4a35-b71a-9ab714c6cfae</onsuccess>

<groupid>bfcad37d-9ec3-4a96-9f7e-7c9ddb9e6ee4</groupid>

</stage>

<stage stageid="1a980e59-2628-497c-8d17-6d299f7df2b3" name="Wait for Element" type="WaitStart">

<subsHEETid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-60</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>bfcad37d-9ec3-4a96-9f7e-7c9ddb9e6ee4</groupid>

<choices>

<choice reply="True">

<name>Checkbox_AA Check Exists</name>

<distance>45</distance>

<ontrue>4918e89f-980f-4c66-946f-1b3897f78581</ontrue>

<element id="2fb871c4-6935-47f3-84d8-d3b7a8b60a2a"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="6a9b7c8e-1a9d-4a35-b71a-9ab714c6cfae" name="FAIL" type="Exception">

<subsheetid>ec5feef0-56dd-496c-bac1-7ecd99de12b8</subsheetid>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="c359b073-1514-459b-a3d3-ccc45503b161" name="O" type="WaitEnd">

<subsheetid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>b89c4cf-d25a2-4152-bf66-99f3202b7720</onsuccess>

<groupid>3ff9598a-8661-4a8f-b968-50908f481d27</groupid>

</stage>

<stage stageid="f1116b40-16a9-4d53-8d5b-0cb7e15b2d09" name="Wait for Element" type="WaitStart">

<subsheetid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>3ff9598a-8661-4a8f-b968-50908f481d27</groupid>

<choices>

<choice reply="True">

<name>Radio1_AA Check Exists</name>

<distance>45</distance>

<ontrue>c3274968-d47f-4f58-90ad-94c08a22295b</ontrue>

<element id="7fc82967-8450-45a3-9f7a-6c5790fd351e"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="b89c4cfd-25a2-4152-bf66-99f3202b7720" name="FAIL" type="Exception">

<subsheetsid>75a588c1-4971-4629-a06a-9d078b73ddd0</subsheetsid>

<narrative>

</narrative>

<displayx>60</displayx>

<displays>-30</displays>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="6695f4e8-c410-497d-ae7e-5d1fee6766e1" name="O" type="WaitEnd">

<subsheetsid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetsid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0ced174a-1800-44de-aa2e-74ee99e5edee</onsuccess>

<groupid>3af5233d-32d9-4f5f-9476-422b71b8aa49</groupid>

</stage>

<stage stageid="f541e538-faa9-4a96-9c7f-353dee01a14f" name="Wait for Element" type="WaitStart">

<subsheetid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>3af5233d-32d9-4f5f-9476-422b71b8aa49</groupid>

<choices>

<choice reply="True">

<name>Radio1_AA Check Exists</name>

<distance>45</distance>

<ontrue>197ed8fb-b9e4-4cd4-9b2b-860167ce414f</ontrue>

<element id="7fc82967-8450-45a3-9f7a-6c5790fd351e"/>
```

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="0ced174a-1800-44de-aa2e-74ee99e5edee" name="FAIL" type="Exception">

<subsheetsid>d052d44c-d350-43e1-8c39-047ab90db0f3</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="f70e2644-fb95-4cc3-b5bb-09b134aba6da" name="O" type="WaitEnd">

<subsheetsid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

```
<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cb9a2ab7-c902-4140-8ef0-75fc26592978</onsuccess>

<groupid>de9ee737-670e-4fb3-bb4b-73fd3cdea7c2</groupid>

</stage>

<stage stageid="bd9baa2a-f088-4cf9-94e3-54da75d1d12a" name="Wait for Element" type="WaitStart">

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>de9ee737-670e-4fb3-bb4b-73fd3cdea7c2</groupid>

<choices>

<choice reply="True">

<name>Label_AA Check Exists</name>

<distance>45</distance>

<ontrue>0c4d2cad-ca63-43a6-993d-bcacea07f48f</ontrue>

<element id="908bd078-ebc8-488b-8b3b-686aa69a846d"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>
```

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="cb9a2ab7-c902-4140-8ef0-75fc26592978" name="FAIL" type="Exception">

<subsheetid>97071f9d-8bad-482a-9f1b-788a7cc2ca36</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="2d1a0421-6d35-498d-a5f1-49f30208be84" name="O" type="WaitEnd">

<subsheetid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e77f6b19-679b-443f-be99-59f0a05fdc95</onsuccess>

<groupid>b3a48c5c-690b-4360-a136-932ecf8e0cdd</groupid>

</stage>

<stage stageid="c6499e44-44ff-42ef-a7f8-a8cabf412e6e" name="Wait for Element" type="WaitStart">

<subsHEETid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<groupid>b3a48c5c-690b-4360-a136-932ecf8e0cdd</groupid>

<choices>

<choice reply="True">

<name>LinkLabel_AA Check Exists</name>

<distance>45</distance>

<ontrue>78dbe2d6-da44-4db1-b644-f59483570629</ontrue>

<element id="2899b922-d122-40e3-8ec6-38463153d8fe"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="e77f6b19-679b-443f-be99-59f0a05fdc95" name="FAIL" type="Exception">

<subsHEETid>c7189f09-318d-4e01-af58-9ef4c41143d2</subsHEETid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="4214c03a-38b0-4df9-abd9-974c0bc9e7b2" name="O" type="WaitEnd">

<subsheetid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>65d5ae20-62c6-4885-8bf4-b2012ae89d0c</onsuccess>

<groupid>8efbbcb3-f8b2-47cf-8a5b-c89c8bc65afc</groupid>

</stage>

<stage stageid="9c36c949-815e-429e-aefd-cb718ab9564d" name="Wait for Element" type="WaitStart">

<subsheetid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>8efbbcb3-f8b2-47cf-8a5b-c89c8bc65afc</groupid>

<choices>

<choice reply="True">

<name>Listbox_AA Check Exists</name>

<distance>45</distance>

<ontrue>e29aab3b-9a8b-404c-843b-f55d9e7cc651</ontrue>

<element id="1736ae0e-fed5-4b4b-a92f-ae51e6d145cb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="65d5ae20-62c6-4885-8bf4-b2012ae89d0c" name="FAIL" type="Exception">

<subsheetsid>e59a6e3f-2a1f-4fc6-87d7-757b192866f9</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>
```


<displayheight>30</displayheight>

<exception type="Missing Element" detail=""The element wasn't found.""/>

</stage>

<stage stageid="bc97c030-0d10-4667-bb87-655f974e449a" name="O" type="WaitEnd">

<subsheetid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<onsuccess>0c705bc0-4e32-4106-8d49-70ee396a6e25</onsuccess>

<groupid>26a7405d-b856-4409-9e50-52d6de95dbfa</groupid>

</stage>

<stage stageid="6d7e4f03-f800-4ce5-aad8-aad0b85448ec" name="Wait for Element" type="WaitStart">

<subsheetid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>


```
<groupid>26a7405d-b856-4409-9e50-52d6de95dbfa</groupid>

<choices>

<choice reply="True">

<name>Listbox_AA Check Exists</name>

<distance>45</distance>

<ontrue>1d162e97-38ef-4b3a-8691-f1d4f4b5d688</ontrue>

<element id="1736ae0e-fed5-4b4b-a92f-ae51e6d145cb"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="0c705bc0-4e32-4106-8d49-70ee396a6e25" name="FAIL" type="Exception">

<subsheetsid>16b0c9cf-11b0-438a-af68-8cc774254a73</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="23db80e7-f1f2-493f-8181-96d25a62cb0c" name="O" type="WaitEnd">
```

```
<subsheetid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>84189507-8282-47bd-bbc9-6e3b3a09c6fc</onsuccess>

<groupid>fa4e0044-aba1-4de7-98d1-550a1ad009ad</groupid>

</stage>

<stage stageid="5e18d858-023a-4fe1-98cb-70d20f1aeed8" name="Wait for Element" type="WaitStart">

<subsheetid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>fa4e0044-aba1-4de7-98d1-550a1ad009ad</groupid>

<choices>

<choice reply="True">

<name>Textbox_AA Check Exists</name>

<distance>45</distance>
```

```
<ontrue>b727b666-2049-4376-ae94-52a38f9f98f5</ontrue>

<element id="65589657-75ed-48a4-a027-643eb696d523"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="84189507-8282-47bd-bbc9-6e3b3a09c6fc" name="FAIL" type="Exception">

<subsheetid>e7bf9e9d-f8d6-44dc-bfca-75c54041d327</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

<stage stageid="fc290dcc-1bfb-4429-a2e8-d42d42fbb1e9" name="O" type="WaitEnd">

<subsheetid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>
```

```
<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>61fa07e9-319d-4ef0-946e-d00e295cdb59</onsuccess>

<groupid>7725fe1a-a90c-4c5f-ae89-463e2e5ecd33</groupid>

</stage>

<stage stageid="9e060072-c775-49d9-a5c8-9b9b58c48de9" name="Wait for Element" type="WaitStart">

<subsheetid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<groupid>7725fe1a-a90c-4c5f-ae89-463e2e5ecd33</groupid>

<choices>

<choice reply="True">

<name>Textbox_AA Check Exists</name>

<distance>45</distance>

<ontrue>41f89d12-4302-40c8-9dcd-59762a9031e7</ontrue>

<element id="65589657-75ed-48a4-a027-643eb696d523"/>

<condition>

<id>CheckExists</id>

</condition>
```

```
<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="61fa07e9-319d-4ef0-946e-d00e295cdb59" name="FAIL" type="Exception">

<subsheetsid>38edd0ba-f3ed-4d97-8d9c-e50dba9c290b</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="Missing Element" detail="&quot;The element wasn't found.&quot;"/>

</stage>

</process>

<process name="Test HTML Label control" version="1.0" narrative="Test HTML Label control" preferredid=

<view>

<camerax>68</camerax>

<cameray>58</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="4eb83950-c6f4-4843-817e-9b189488e36c" name="Start" type="Start">

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>997cfe58-d8b4-4b0f-ad66-1f0e8f4aabcb</onsuccess>

</stage>

<stage stageid="04767e08-9165-4cd1-bd53-506b8fc262d2" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="997cfe58-d8b4-4b0f-ad66-1f0e8f4aabcb" name="Launch HTML Application" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>56f03abe-04dc-4e3c-ab7d-42b3d69e23c7</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="73cb7105-0483-4f74-aa63-656a909e916c" name="Label Value" type="Data">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="56f03abe-04dc-4e3c-ab7d-42b3d69e23c7" name="Get Label Value" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Result" stage="Label Value"/>


```
</outputs>

<onsuccess>23122b88-62d5-47aa-a788-ad8014e30864</onsuccess>

<resource object="HTML Controls" action="Get Label - HTML"/>

</stage>

<stage stageid="23122b88-62d5-47aa-a788-ad8014e30864" name="Check Label Value" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Label Value] = &quot;My Label&quot;"/>

<ontrue>d9f70290-6225-4476-b0bd-ff6a8297da74</ontrue>

<onfalse>6ce93340-b29e-49ac-8c5a-eae46140b809</onfalse>

</stage>

<stage stageid="d9f70290-6225-4476-b0bd-ff6a8297da74" name="Close HTML Application" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aa68f3a4-a06c-4315-9b6c-be645e003300</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>
```

<stage stageid="c005ec12-2de4-4e10-9660-942348c046cc" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>0bb234b8-7704-4266-9de9-ad56c611eba1</onsuccess>

</stage>

<stage stageid="6ce93340-b29e-49ac-8c5a-eae46140b809" name="Exception1" type="Exception">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Label value was incorrect""/>

</stage>

<stage stageid="aa68f3a4-a06c-4315-9b6c-be645e003300" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c005ec12-2de4-4e10-9660-942348c046cc</onsuccess>

</stage>

<stage stageid="a3a514d4-468a-4d4c-ba94-40af9cd3aafa" name="End" type="End">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="55f91b7b-2c99-44ac-85d9-dff97e29f783" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0bb234b8-7704-4266-9de9-ad56c611eba1" name="ExcludeHTC Set?" type="Decision">

<narrative>
```

```
</narrative>

<displayx>225</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ExcludeHTC]"/>

<ontrue>a3a514d4-468a-4d4c-ba94-40af9cd3aafa</ontrue>

<onfalse>32174317-739c-4d73-a04a-8e51c87c8e61</onfalse>

</stage>

<stage stageid="32174317-739c-4d73-a04a-8e51c87c8e61" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>997cfe58-d8b4-4b0f-ad66-1f0e8f4aabc</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

</process>

<process name="Test HTML Link Label" version="1.0" narrative="Test HTML Link Label" preferredid="0a2

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>
```

```
</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8f0a4c3c-af2b-4334-981b-a6e8e605c4a3" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ddacdeec-4ded-4e64-915e-6ceb43d5b2f1</onsuccess>

</stage>

<stage stageid="ebcdb0f4-0bb6-448d-bd2f-0c5b44a1f9d7" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ddacdeec-4ded-4e64-915e-6ceb43d5b2f1" name="Launch HTML Application" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>
```

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>3ba6edf4-9d61-41a2-9683-06cb44f1102a</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="3ba6edf4-9d61-41a2-9683-06cb44f1102a" name="Click Link Label" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<onsuccess>ace3431b-db2b-429e-a7dc-76b98128b6e1</onsuccess>

<resource object="HTML Controls" action="Click Link Label - HTML"/>

</stage>

<stage stageid="ace3431b-db2b-429e-a7dc-76b98128b6e1" name="Get URL" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="text" name="Result" stage="URL"/>

</outputs>

<onsuccess>5ea94265-3eea-4541-bec6-7b55015d8bfb</onsuccess>

<resource object="HTML Controls" action="Get URL - AA"/>

</stage>

<stage stageid="7e5e12d3-3e06-4d2a-a5ec-05db51f8b062" name="URL" type="Data">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5ea94265-3eea-4541-bec6-7b55015d8bfb" name="Check URL" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[URL]= "about:blank""/>

<ontrue>0eca3f2b-46d7-49fd-9319-7fd455afc577</ontrue>

<onfalse>15dbccf3-92c9-49bf-a3b8-ae7575303d36</onfalse>

</stage>

<stage stageid="0eca3f2b-46d7-49fd-9319-7fd455afc577" name="Close HTML Application" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>59a1f85d-0248-45be-9f57-571ffc1041ac</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="34ed5648-e0ed-4377-8d99-4721c4565f02" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>24c07f3e-e39d-4199-8c8e-a85e95600975</onsuccess>

</stage>

<stage stageid="59a1f85d-0248-45be-9f57-571ffc1041ac" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>34ed5648-e0ed-4377-8d99-4721c4565f02</onsuccess>

</stage>

<stage stageid="15dbccf3-92c9-49bf-a3b8-ae7575303d36" name="Exception1" type="Exception">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""The URL was not correct""/>

</stage>

<stage stageid="9fce2830-5a67-42bb-a6d4-0c535d56bbd2" name="End" type="End">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="a19c4190-2727-447f-b87f-3799611a9ff5" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="24c07f3e-e39d-4199-8c8e-a85e95600975" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[ExcludeHTC]"/>

<ontrue>9fce2830-5a67-42bb-a6d4-0c535d56bbd2</ontrue>

<onfalse>9166a9a6-3ec2-43e1-b4bf-c69838b3b573</onfalse>

</stage>

<stage stageid="9166a9a6-3ec2-43e1-b4bf-c69838b3b573" name="Set Exclude HTC" type="Calculation">

```
<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ddacdeec-4ded-4e64-915e-6ceb43d5b2f1</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

</process>

<process name="Test HTML Listbox Control" version="1.0" narrative="Test HTML Listbox control" preferred="True">

<view>

<camerax>226</camerax>

<cameray>-67</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8dae3902-efc8-49ee-aecb-76fe72774257" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

</stage>

<stage stageid="68c68507-843a-46f0-ab13-a8703f1e37c8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="38fe2b29-a73c-4ffb-a451-99a0f356e8f4" name="Start" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>e0981725-8213-4477-aa56-bc726f1493c4</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="e0981725-8213-4477-aa56-bc726f1493c4" name="Set listbox using HTML" type="Action">

<narrative>

```
</narrative>

<displayx>135</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Listbox item" expr="&quot;Listbox item 4&quot;"/>

</inputs>

<onsuccess>164acf63-b87f-41d6-95ee-4a05f88e5376</onsuccess>

<resource object="HTML Controls" action="Set Listbox - HTML"/>

</stage>

<stage stageid="164acf63-b87f-41d6-95ee-4a05f88e5376" name="Get dropdown using HTML" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Listbox value" stage="listbox value"/>

</outputs>

<onsuccess>970c14df-9fd4-44ca-8dca-e8211516f1a7</onsuccess>

<resource object="HTML Controls" action="Get Listbox - HTML"/>

</stage>

<stage stageid="970c14df-9fd4-44ca-8dca-e8211516f1a7" name="Value correct" type="Decision">
```

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[listbox value]="Listbox item 4""/>

<ontrue>0eca3f2b-46d7-49fd-9319-7fd455afc577</ontrue>

<onfalse>d106cea0-20d9-4e4c-8ec3-a084ac847db6</onfalse>

</stage>

<stage stageid="d106cea0-20d9-4e4c-8ec3-a084ac847db6" name="Note1" type="Note">

<narrative>Either the set or the get failed with interaction with the hTML listbox using HTML</narrative>

<displayx>240</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="f4cb0653-6999-4613-b0ee-8f856159ad9b" name="listbox value" type="Data">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0eca3f2b-46d7-49fd-9319-7fd455afc577" name="Close HTML Application" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f5320134-8ef1-4da7-9c17-d1f2f2cb5fcb</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="74772fdb-b956-440a-afc3-33cab4b6cc5b" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>-105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>19e75749-76a1-4251-8dfb-2fa4dfdb2df8</onsuccess>

</stage>

<stage stageid="f5320134-8ef1-4da7-9c17-d1f2f2cb5fcb" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>74772fdb-b956-440a-afc3-33cab4b6cc5b</onsuccess>

</stage>

<stage stageid="7b6e43ed-37de-4ca3-83f7-754ada1fcc80" name="End" type="End">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b933834d-a627-419b-9d75-da1b370fb122" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="19e75749-76a1-4251-8dfb-2fa4dfdb2df8" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[ExcludeHTC]"/>

<ontrue>7b6e43ed-37de-4ca3-83f7-754ada1fcc80</ontrue>

<onfalse>2ee2cb8f-5e8d-4104-b598-7a83563a891a</onfalse>

</stage>

<stage stageid="2ee2cb8f-5e8d-4104-b598-7a83563a891a" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

```
</process>

<process name="Test HTML Radio Control" version="1.0" narrative="Test HTML Radio Controls" preferred=

<view>

<camerax>268</camerax>

<cameray>-118</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="8dae3902-efc8-49ee-aecb-76fe72774257" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

</stage>

<stage stageid="68c68507-843a-46f0-ab13-a8703f1e37c8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="38fe2b29-a73c-4ffb-a451-99a0f356e8f4" name="Start" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>c8da3715-7881-479f-a678-ce24d70536a8</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="c8da3715-7881-479f-a678-ce24d70536a8" name="Set 1 to True and 2 to False" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-240</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="radio 1" expr="True"/>

<input type="flag" name="radio 2" expr="False"/>

</inputs>

```
<onsuccess>8669c4aa-66ac-47f7-90e0-5fa133425170</onsuccess>

<resource object="HTML Controls" action="Set Radio - HTML"/>

</stage>

<stage stageid="8669c4aa-66ac-47f7-90e0-5fa133425170" name="Get radio values" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="radio 1" stage="r1"/>

<output type="flag" name="radio 2" stage="r2"/>

</outputs>

<onsuccess>b315dfce-d43e-490f-aa2e-909c1d11d56a</onsuccess>

<resource object="HTML Controls" action="Get Radio - HTML"/>

</stage>

<stage stageid="e9add67e-95dc-4fe2-9b4d-41616625bf01" name="r1" type="Data">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>
```

```
<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f460c067-15b0-49c4-a8bd-01a94b788fc4" name="r2" type="Data">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b315dfce-d43e-490f-aa2e-909c1d11d56a" name="Check set and got correctly" type="Decision">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[r1]=True AND [r2]=False"/>

<ontrue>4e1eb766-9d07-42eb-91a3-25c8b71c9e29</ontrue>
```

<onfalse>a44b9d29-b178-4904-9e23-64143d53088b</onfalse>

</stage>

<stage stageid="4e1eb766-9d07-42eb-91a3-25c8b71c9e29" name="Set 1 to false and 2 to true" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-420</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="radio 1" expr="False"/>

<input type="flag" name="radio 2" expr="True"/>

</inputs>

<onsuccess>1672e8ec-9be3-4eeb-b9b3-233543843e4d</onsuccess>

<resource object="HTML Controls" action="Set Radio - HTML"/>

</stage>

<stage stageid="1672e8ec-9be3-4eeb-b9b3-233543843e4d" name="Get radio values" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-495</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="radio 1" stage="r1"/>

```
<output type="flag" name="radio 2" stage="r2"/>

</outputs>

<onsuccess>78543689-fab1-43c3-856b-14a1655bcccd</onsuccess>

<resource object="HTML Controls" action="Get Radio - HTML"/>

</stage>

<stage stageid="78543689-fab1-43c3-856b-14a1655bcccd" name="Check set and got correctly" type="De

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-555</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[r1]=False AND [r2]=True"/>

<ontrue>bce4f475-d508-4833-a73d-d8e0016d145f</ontrue>

<onfalse>d0ad214e-35c9-43bc-9597-b0d5c61a0ba8</onfalse>

</stage>

<stage stageid="bce4f475-d508-4833-a73d-d8e0016d145f" name="Set 1 to false and 2 to true" type="Acti

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-645</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="radio 1" expr="False"/>
```

<input type="flag" name="radio 2" expr="True"/>

</inputs>

<onsuccess>e1cb23db-268f-4f94-ac76-b97a480992ec</onsuccess>

<resource object="HTML Controls" action="Set Radio - HTML"/>

</stage>

<stage stageid="e1cb23db-268f-4f94-ac76-b97a480992ec" name="Get radio values" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-720</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="flag" name="radio 1" stage="r1"/>

<output type="flag" name="radio 2" stage="r2"/>

</outputs>

<onsuccess>9dab5e60-e24e-4c92-8e12-61ddf12361d9</onsuccess>

<resource object="HTML Controls" action="Get Radio - HTML"/>

</stage>

<stage stageid="9dab5e60-e24e-4c92-8e12-61ddf12361d9" name="Check set and got correctly" type="De

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-780</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[r1]=False AND [r2]=True"/>

<ontrue>0eca3f2b-46d7-49fd-9319-7fd455afc577</ontrue>

<onfalse>8aed108a-f6e9-4d81-b25e-46451b7907a6</onfalse>

</stage>

<stage stageid="0eca3f2b-46d7-49fd-9319-7fd455afc577" name="Close HTML Application" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-840</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c31ffcb9-1901-44b4-bc81-b974de0e0fa3</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="543e91d8-424b-4602-b4d9-f7180449466b" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>-180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>597f2dd1-07dc-40da-9eb5-04ecd5353bf9</onsuccess>

</stage>

<stage stageid="c31ffcb9-1901-44b4-bc81-b974de0e0fa3" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>-840</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>543e91d8-424b-4602-b4d9-f7180449466b</onsuccess>

</stage>

<stage stageid="8aed108a-f6e9-4d81-b25e-46451b7907a6" name="Exception1" type="Exception">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-780</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Either the set or the get failed with radio buttons - radio 1 to True an

</stage>

<stage stageid="d0ad214e-35c9-43bc-9597-b0d5c61a0ba8" name="Exception2" type="Exception">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-555</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<exception type="" detail="&quot;Either the set or the get failed with radio buttons - radio 1 to True an
</stage>

<stage stageid="a44b9d29-b178-4904-9e23-64143d53088b" name="Exception3" type="Exception">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;Either the set or the get failed with radio buttons - radio 1 to True an
</stage>

<stage stageid="6067c29e-c7a8-43e0-9402-4add42c18f04" name="End" type="End">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="952d313a-b787-45f4-b925-fdbd4fbf994f" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="597f2dd1-07dc-40da-9eb5-04ecd5353bf9" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ExcludeHTC]"/>

<ontrue>6067c29e-c7a8-43e0-9402-4add42c18f04</ontrue>

<onfalse>d725d136-d4aa-4b33-943d-801c829f3a09</onfalse>

</stage>

<stage stageid="d725d136-d4aa-4b33-943d-801c829f3a09" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

</process>

<process name="Test HTML Table" version="1.0" narrative="Test HTML Table controls" preferredid="fcd6

<view>

<camerax>338</camerax>

<cameray>-240</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="f8d4b7a2-c938-4419-a9ce-2a8042f174d8" name="Start" type="Start">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>8f41c16e-9af8-4204-b9e9-fdab3e674165</onsuccess>

</stage>

<stage stageid="91841ca3-07f3-49ba-a700-5190f8d033d4" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="d8da70ff-ada0-4eb9-b030-5f412e9b2924" name="Loop Start1" type="LoopStart">

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>de07eca3-2117-4de7-8129-c6a7f15107a0</onsuccess>

<groupid>7232ee97-e0f5-4266-b5cc-6a0f25e4480e</groupid>

<looptype>ForEach</looptype>

<loopdata>Result</loopdata>

</stage>

<stage stageid="2041c292-272f-4dda-a57e-4c1c37439315" name="Loop End1" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<onsuccess>9141ecce-f8d6-4aea-8c60-a0b7acda7e4f</onsuccess>

<groupid>7232ee97-e0f5-4266-b5cc-6a0f25e4480e</groupid>

</stage>

<stage stageid="de07eca3-2117-4de7-8129-c6a7f15107a0" name="Get Column1" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>415e5cc0-74d1-4a71-b043-8331d961dd91</onsuccess>

<calculation expression="[Result.Column1]" stage="Row"/>

</stage>

<stage stageid="bf9dce7b-c0cb-42eb-9c38-3e6633ee143f" name="Row" type="Data">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="75ac7b9e-7db6-4f8c-be53-933a300a4096" name="FirstRow" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="415e5cc0-74d1-4a71-b043-8331d961dd91" name="FirstRow?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[FirstRow]"/>

<ontrue>9c83da46-bb60-4f52-992d-6b46a3248f6d</ontrue>

<onfalse>2041c292-272f-4dda-a57e-4c1c37439315</onfalse>
```



```
</stage>

<stage stageid="9c83da46-bb60-4f52-992d-6b46a3248f6d" name="FirstRow = &quot;A&quot;" type="Calculation">
  <loginhibit/>
  <narrative>
  </narrative>
  <displayx>195</displayx>
  <displayy>30</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <decision expression="[Row]=&quot;A&quot;"/>
  <ontrue>e64a6bd3-b9a8-4baf-856d-ae150db3f94f</ontrue>
  <onfalse>abfc6f47-3a66-462c-abe2-ec148b999ee9</onfalse>
</stage>

<stage stageid="e64a6bd3-b9a8-4baf-856d-ae150db3f94f" name="Set FirstRow False" type="Calculation">
  <loginhibit/>
  <narrative>
  </narrative>
  <displayx>195</displayx>
  <displayy>105</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>2041c292-272f-4dda-a57e-4c1c37439315</onsuccess>
  <calculation expression="False" stage="FirstRow"/>
</stage>

<stage stageid="4610b9bf-5f27-4b94-8717-4a48c8c01b8c" name="Get Table" type="Action">
```

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="collection" name="Result" stage="Result"/>

</outputs>

<onsuccess>d8da70ff-ada0-4eb9-b030-5f412e9b2924</onsuccess>

<resource object="HTML Controls" action="Get Table"/>

</stage>

<stage stageid="33f6027d-7d9b-4513-bc77-334d76dabf38" name="Result" type="Collection">

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8f41c16e-9af8-4204-b9e9-fdab3e674165" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>4610b9bf-5f27-4b94-8717-4a48c8c01b8c</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="9141ecce-f8d6-4aea-8c60-a0b7acda7e4f" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>bfe75a3b-7330-47f9-829a-fbe6f88b7ded</onsuccess>

<resource object="HTML Controls" action="Terminate"/>

</stage>

<stage stageid="1a6b233b-264b-4e5f-9e01-5ded7e80344a" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>435</displayx>

```
<display>-195</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dedf2501-cbcb-46d1-b814-a9c9f0b6f58a</onsuccess>

</stage>

<stage stageid="bfe75a3b-7330-47f9-829a-fbe6f88b7ded" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>435</displayx>

<display>165</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1a6b233b-264b-4e5f-9e01-5ded7e80344a</onsuccess>

</stage>

<stage stageid="abfc6f47-3a66-462c-abe2-ec148b999ee9" name="Exception1" type="Exception">

<narrative>

</narrative>

<displayx>315</displayx>

<display>30</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="" detail="&quot;First Row not equal to 'A'&quot;"/>

</stage>

<stage stageid="ceabb57a-b2b4-4e4f-aff9-3f2a3ba6466a" name="End" type="End">
```

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>-270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="0f23c49d-e4cc-45a2-9a69-bbdfbb3600b1" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="dedf2501-cbcb-46d1-b814-a9c9f0b6f58a" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ExcludeHTC]"/>

<ontrue>ceabb57a-b2b4-4e4f-aff9-3f2a3ba6466a</ontrue>

<onfalse>2d719be1-a6e6-4543-a59e-3940dff64832</onfalse>

</stage>

<stage stageid="2d719be1-a6e6-4543-a59e-3940dff64832" name="Set Exclude HTC" type="Calculation">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8f41c16e-9af8-4204-b9e9-fdab3e674165</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

</process>

<process name="Test HTML Textbox control" version="1.0" narrative="Test HTML textbox control" preferred="True">

<view>

<camerax>354</camerax>

<cameray>-13</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8dae3902-efc8-49ee-aecb-76fe72774257" name="Start" type="Start">
```

```
<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

</stage>

<stage stageid="68c68507-843a-46f0-ab13-a8703f1e37c8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="38fe2b29-a73c-4ffb-a451-99a0f356e8f4" name="Start" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>
```

<input type="flag" name="ExcludeHTC" expr="[ExcludeHTC]"/>

</inputs>

<onsuccess>e0981725-8213-4477-aa56-bc726f1493c4</onsuccess>

<resource object="HTML Controls" action="Launch"/>

</stage>

<stage stageid="e0981725-8213-4477-aa56-bc726f1493c4" name="Set textbox using HTML" type="Action"

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Text" expr=""My textbox set using HTML from the process""

</inputs>

<onsuccess>164acf63-b87f-41d6-95ee-4a05f88e5376</onsuccess>

<resource object="HTML Controls" action="Set Textbox - HTML"/>

</stage>

<stage stageid="164acf63-b87f-41d6-95ee-4a05f88e5376" name="Get textbox using HTML" type="Action"

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
<outputs>

<output type="text" name="Text" stage="Textbox value"/>

</outputs>

<onsuccess>970c14df-9fd4-44ca-8dca-e8211516f1a7</onsuccess>

<resource object="HTML Controls" action="Get Textbox - HTML"/>

</stage>

<stage stageid="c0881c11-89c6-4b37-8073-e5c800ce2db8" name="Textbox value" type="Data">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="970c14df-9fd4-44ca-8dca-e8211516f1a7" name="Value correct" type="Decision">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<decision expression="[Textbox value]=&quot;My textbox set using HTML from the process&quot;  
<ontrue>0eca3f2b-46d7-49fd-9319-7fd455afc577</ontrue>  
<onfalse>55f1ddd0-068d-4482-93a2-738aac9d33d1</onfalse>  
</stage>  
<stage stageid="0eca3f2b-46d7-49fd-9319-7fd455afc577" name="Close HTML Application" type="Action">  
<narrative>  
</narrative>  
<displayx>135</displayx>  
<displayy>120</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>fdbf0616-776d-41cf-bf3f-c21c16695b5f</onsuccess>  
<resource object="HTML Controls" action="Terminate"/>  
</stage>  
<stage stageid="294f80ee-e1ab-476d-8ea9-26f513363ef1" name="anchor2" type="Anchor">  
<narrative>  
</narrative>  
<displayx>435</displayx>  
<displayy>-105</displayy>  
<displaywidth>10</displaywidth>  
<displayheight>10</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>d757babf-f1e3-48b5-abea-947af9068789</onsuccess>  
</stage>  
<stage stageid="fdbf0616-776d-41cf-bf3f-c21c16695b5f" name="anchor1" type="Anchor">  
<narrative>
```

</narrative>

<displayx>435</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>294f80ee-e1ab-476d-8ea9-26f513363ef1</onsuccess>

</stage>

<stage stageid="55f1ddd0-068d-4482-93a2-738aac9d33d1" name="Exception1" type="Exception">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail=""Either the set or the get failed with interaction with the hTML text box"

</stage>

<stage stageid="6db2c7d8-f212-48c1-9239-5405f1ce143f" name="End" type="End">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="13c650a2-db0a-4638-a889-daed9cfb39ff" name="ExcludeHTC" type="Data">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d757babf-f1e3-48b5-abea-947af9068789" name="ExcludeHTC Set?" type="Decision">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<decision expression="[ExcludeHTC]"/>

<ontrue>6db2c7d8-f212-48c1-9239-5405f1ce143f</ontrue>

<onfalse>b671f16c-dcec-4a8d-9e2a-742067e9d64a</onfalse>

</stage>

<stage stageid="b671f16c-dcec-4a8d-9e2a-742067e9d64a" name="Set Exclude HTC" type="Calculation">

<narrative>

```
</narrative>

<displayx>270</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38fe2b29-a73c-4ffb-a451-99a0f356e8f4</onsuccess>

<calculation expression="True" stage="ExcludeHTC"/>

</stage>

</process>

<process name="HTML Timing Object 2" version="1.0" bpversion="6.3.0.2933" narrative="HTML Timing T

<appdef>

<element name="HTML Timing Test">

<id>ea3ffe0a-8308-40c9-aac9-8ef413133be8</id>

<element name="User Name">

<id>b72a2ba5-c8a5-4143-bf6f-b342ff6f5572</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(1)/TD(1)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divUserName"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Occupation">

<id>084e21ff-f816-4301-be9f-fe92b166e8cb</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(1)/TD(2)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divOccupation"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>


```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="DOB">

<id>fcebc2b6-0ce3-4122-8f6a-aa822481f2ca</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(1)/TD(3)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divDOB"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Password">

<id>f4820c5f-49a8-447c-a94a-3b08cd505378</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(1)/TD(4)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divPassword"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Talkplan">

<id>aac8d9b5-2970-470e-904d-134d4fb24005</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(1)/TD(5)/DIV"/>

</attribute>

<attribute name="TagName">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divTalkplan"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Address">

<id>38879607-8060-4dfe-96a8-a030abcbac2c</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="596"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(2)/TD(1)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divAddress"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>


```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="MSISDN">

<id>488352b6-58f2-4498-bfd6-b8caef3e449d</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(3)/TD(1)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divMSISDN"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Account Number">

<id>952780cc-de92-437a-84ea-cd7f1c3459b8</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(3)/TD(2)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divAccountNumber"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Account Holder">

<id>293e402a-8da8-4646-8cb0-785cce2cbffc</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(3)/TD(3)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divAccountHolder"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Start Date">

<id>ea90f5dc-b836-4f70-a8b6-7845c3554725</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(3)/TD(4)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divStartDate"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>


```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Numbers In Account">

<id>a16993df-1c78-4f22-82f4-97c19e05c866</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>True</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="116"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/TABLE(3)/TBODY(1)/TR(3)/TD(5)/DIV"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divNumbersInAccount"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

</parameter>

<parameter>
```

```
<name>CommandLineParams</name>

<value>http://localhost:8089/HTMLTiming/verify.html</value>

</parameter>

<parameter>

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

<parameter>

<name>ExcludeHTC</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

<diagnostics>

<action>
```

<id>HTMLSnapshot</id>

</action>

</diagnostics>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="8b47584c-23a8-4d11-8cfb-d514cf0559cb" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0297ea50-5508-4ba9-8b6a-e776e4b94013" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>-121</camerax>

<cameray>-38</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="559839fa-4d8d-4b85-9a17-27950631ffe9" type="Normal" published="True">

<name>Populate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d447b3a2-a95d-4723-af2c-e45513e6ae00" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="775a0a4c-678c-4b8d-9566-9dd388acc3f7" type="Normal" published="True">

<name>Test Invoke</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="8dca894b-02aa-4f5c-a222-e62291844bd0" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>63cf9971-c6ab-4211-84cb-19c6c1c9e61c</onsuccess>

</stage>

<stage stageid="63cf9971-c6ab-4211-84cb-19c6c1c9e61c" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="f2526d02-1529-4db6-9f1b-a0b798ca13f6" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="c8f29318-d103-4d04-a586-9514fbd4a512" name="Clean Up" type="SubSheetInfo">

<subsheetsid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="bb6b290b-6be0-4bfe-9ca2-fc9117d39b13" name="Start" type="Start">

<subsheetid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a9992628-c40d-49b4-997e-c34e7b6aea96</onsuccess>

</stage>

<stage stageid="a9992628-c40d-49b4-997e-c34e7b6aea96" name="End" type="End">

<subsheetid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="6410aaf2-2d79-41b4-89ad-37683ba6b08b" name="Launch" type="SubSheetInfo">

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

```
<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="68c363a8-0996-42d3-a3a5-e946cbab0541" name="Start" type="Start">

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Port" narrative="Port to launch against" stage="Port"/>

</inputs>

<onsuccess>be0f1a51-ea2c-48f4-a37d-30a01cc5fde1</onsuccess>

</stage>

<stage stageid="e4fc9ac1-d9c9-482f-8e35-44ee7de6d159" name="End" type="End">

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>105</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="b6b1e7fe-1028-419f-98a7-740552c58edd" name="new" type="Note">

<subsheetsid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="f87be2b2-b343-4569-946c-897c86b9142b" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="be0f1a51-ea2c-48f4-a37d-30a01cc5fde1" name="Launch" type="Navigate">

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>60e9991d-207e-4f0c-898b-b6a418a1c36c</onsuccess>

<step>

<element id="ea3ffe0a-8308-40c9-aac9-8ef413133be8"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>
```

<argument>

<id>CommandLineParams</id>

<value>"http://localhost:" & & [Port] & & "/HTMLTiming/verify.html"</value>

</argument>

<argument>

<id>ActiveTabOnly</id>

<value>

</value>

</argument>

<argument>

<id>UseJavaInBrowser</id>

<value>

</value>

</argument>

<argument>

<id>ExcludeHTC</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

```
</stage>

<stage stageid="c7ac3679-9033-4504-8936-0fd35c52e4ce" name="Populate" type="SubSheetInfo">

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="506fc710-a597-4230-95be-96d521372284" name="Start" type="Start">

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Number" stage="Number"/>

</inputs>

<onsuccess>fd16525f-676f-4710-96b5-048f8e35eecf</onsuccess>

</stage>

<stage stageid="704d465f-ac86-4518-97c5-6cf04ce226e8" name="End" type="End">
```

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="fd16525f-676f-4710-96b5-048f8e35eecf" name="Writer1" type="Write">

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>704d465f-ac86-4518-97c5-6cf04ce226e8</onsuccess>

<step expr=""User" && [Number]">

<element id="b72a2ba5-c8a5-4143-bf6f-b342ff6f5572"/>

</step>

<step expr=""Occupation" && [Number]">

<element id="084e21ff-f816-4301-be9f-fe92b166e8cb"/>

</step>

<step expr=""DOB" & [Number]">

<element id="fcebc2b6-0ce3-4122-8f6a-aa822481f2ca"/>

</step>

<step expr=""pw" & [Number]">

<element id="f4820c5f-49a8-447c-a94a-3b08cd505378"/>

</step>

<step expr=""Talkplan" & [Number]">

<element id="aac8d9b5-2970-470e-904d-134d4fb24005"/>

</step>

<step expr="[Number] & " Letsbe Avenue"">

<element id="38879607-8060-4dfe-96a8-a030abcbac2c"/>

</step>

<step expr=""07777" & [Number] & [Number]">

<element id="488352b6-58f2-4498-bfd6-b8caef3e449d"/>

</step>

<step expr=""0000000" & [Number]">

<element id="952780cc-de92-437a-84ea-cd7f1c3459b8"/>

</step>

<step expr=""Mr &quot; & [Number]">

<element id="293e402a-8da8-4646-8cb0-785cce2cbffc"/>

</step>

<step expr=""The Year" & [Number]">

<element id="ea90f5dc-b836-4f70-a8b6-7845c3554725"/>

</step>

<step expr="[Number]">

<element id="a16993df-1c78-4f22-82f4-97c19e05c866"/>

</step>


```
</stage>

<stage stageid="37c0e39d-5c4f-42c9-8268-76b08497a751" name="Number" type="Data">

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f7b275a1-5e24-4195-9f3e-7a8d867a6019" name="Terminate" type="SubSheetInfo">

<subsheetid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="82be584e-0ed2-424a-bf9f-c838aee2f666" name="Start" type="Start">

<subsheetid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>130cfe49-5c49-4164-98f4-6fa89b7fb8df</onsuccess>

</stage>

<stage stageid="50a6c35d-cbb4-478d-abc0-431046e454ff" name="End" type="End">

<subsheetsid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="130cfe49-5c49-4164-98f4-6fa89b7fb8df" name="Navigate2" type="Navigate">

<subsheetsid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

$$-15$$

$$60$$

$$30$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

50a6c35d-cbb4-478d-abc0-431046e454ff

step

element id="ea3ffe0a-8308-40c9-aac9-8ef413133be8"/>

action

id>Terminate</id>

</action>

</step>

</stage>

stage stageid="9a446e52-0417-41d1-a608-5992a5612a27" name="Document load timed out" type="Wait"

subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

loginhibit/

narrative

</narrative>

$$255$$

$$0$$

$$150$$

$$30$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

groupid>8ae047ae-ad1f-416f-a53f-04efad76c572</groupid>

</stage>

stage stageid="60e9991d-207e-4f0c-898b-b6a418a1c36c" name="Wait for document to load" type="Wait"

subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

loginhibit/

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8ae047ae-ad1f-416f-a53f-04efad76c572</groupid>

<choices>

<choice reply="True">

<name>User Name Parent Document Loaded</name>

<distance>105</distance>

<ontrue>e4fc9ac1-d9c9-482f-8e35-44ee7de6d159</ontrue>

<element id="b72a2ba5-c8a5-4143-bf6f-b342ff6f5572"/>

<condition>

<id>HTMLCheckExistsAndDocumentLoaded</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="8c6b73c1-6f69-4cf3-b5f1-eb74f4ad0927" name="Test Invoke" type="SubSheetInfo">

<subsheetsid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>
```

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="0ce82d47-d7d1-426c-be05-fcc437507954" name="Start" type="Start">

<subsheetsid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>f66dbb32-79c9-4d98-9452-c560860dcf88</onsuccess>

</stage>

<stage stageid="955b9f38-8fa1-4941-8d33-f43c8c16ad0c" name="End" type="End">

<subsheetsid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>


```
</stage>

<stage stageid="f66dbb32-79c9-4d98-9452-c560860dcf88" name="Invoke" type="Navigate">

<subsheetid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>955b9f38-8fa1-4941-8d33-f43c8c16ad0c</onsuccess>

<step>

<element id="ea3ffe0a-8308-40c9-aac9-8ef413133be8"/>

<action>

<id>HTMLInvokeJavascriptMethod</id>

<arguments>

<argument>

<id>MethodName</id>

<value>"test_invoke"</value>

</argument>

<argument>

<id>Arguments</id>

<value>"[{testvalue:7}]"</value>

</argument>

</arguments>

</action>
```

```
</step>

</stage>

<stage stageid="df081ae5-5c47-4ea8-95f8-51d3aef962dc" name="Port" type="Data">

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>8089</initialvalue>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="HTML Timing Object 3" version="1.0" bpversion="6.3.0.2933" narrative="HTML Timing T

<appdef>

<element name="HTML Timing Test">

<id>ea3ffe0a-8308-40c9-aac9-8ef413133be8</id>

<element name="User Name">

<id>b72a2ba5-c8a5-4143-bf6f-b342ff6f5572</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="111"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/Frameset(1)/Frameset(1)/Frame(2)/HTML/Body(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divUserName"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>


```
</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Occupation">

<id>084e21ff-f816-4301-be9f-fe92b166e8cb</id>

<type>HTML</type>
```

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="111"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divOccupation"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="DOB">

<id>fceb2b6-0ce3-4122-8f6a-aa822481f2ca</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/Frameset(1)/Frameset(1)/Frame(2)/HTML/body(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divDOB"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Password">

<id>f4820c5f-49a8-447c-a94a-3b08cd505378</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/Frameset(1)/Frameset(1)/Frame(2)/HTML/body(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divPassword"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Talkplan">

<id>aac8d9b5-2970-470e-904d-134d4fb24005</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/Frameset(1)/Frameset(1)/Frame(2)/HTML/body(1)/

</attribute>

<attribute name="TagName">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divTalkplan"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Address">

<id>38879607-8060-4dfe-96a8-a030abcbac2c</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="574"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divAddress"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="MSISDN">

<id>488352b6-58f2-4498-bfd6-b8caef3e449d</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="111"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divMSISDN"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Account Number">

<id>952780cc-de92-437a-84ea-cd7f1c3459b8</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="111"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divAccountNumber"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Account Holder">

<id>293e402a-8da8-4646-8cb0-785cce2cbffc</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>
```


</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divAccountHolder"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Start Date">

<id>ea90f5dc-b836-4f70-a8b6-7845c3554725</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/Frameset(1)/Frameset(1)/Frame(2)/HTML/Body(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divStartDate"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<element name="Numbers In Account">

<id>a16993df-1c78-4f22-82f4-97c19e05c866</id>

<type>HTML</type>
```

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="39"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="112"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/Frameset(1)/Frameset(1)/Frame(2)/HTML/Body(1)/

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="DIV"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="field"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="divNumbersInAccount"/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

```
<element name="TargetFrame">

<id>cb3e5dba-2f88-4dd6-bc23-c3121c247c44</id>

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="181"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAMESET(1)/FRAME(2)/HTML/BODY(1)/" />

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="TD"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="title"/>
```

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="A.N. Other Upgrade Process"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://localhost:8089/HTMLTiming/verify.html"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>http://localhost:8089/Bug4014/timing.html</value>

</parameter>

<parameter>

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

```
<parameter>

<name>ExcludeHTC</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

<diagnostics>

<action>

<id>HTMLSnapshot</id>

</action>

</diagnostics>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>
```

<subsheet subsheetid="8b47584c-23a8-4d11-8cfb-d514cf0559cb" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="0297ea50-5508-4ba9-8b6a-e776e4b94013" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="559839fa-4d8d-4b85-9a17-27950631ffe9" type="Normal" published="True">

<name>Populate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d447b3a2-a95d-4723-af2c-e45513e6ae00" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="775a0a4c-678c-4b8d-9566-9dd388acc3f7" type="Normal" published="True">

<name>Test Invoke</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="8dca894b-02aa-4f5c-a222-e62291844bd0" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>63cf9971-c6ab-4211-84cb-19c6c1c9e61c</onsuccess>

</stage>

<stage stageid="63cf9971-c6ab-4211-84cb-19c6c1c9e61c" name="End" type="End">

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f2526d02-1529-4db6-9f1b-a0b798ca13f6" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>
```

</globalcode>

<code>

</code>

</stage>

<stage stageid="c8f29318-d103-4d04-a586-9514fbd4a512" name="Clean Up" type="SubSheetInfo">

<subsheetsid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="bb6b290b-6be0-4bfe-9ca2-fc9117d39b13" name="Start" type="Start">

<subsheetsid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a9992628-c40d-49b4-997e-c34e7b6aea96</onsuccess>

</stage>

```
<stage stageid="a9992628-c40d-49b4-997e-c34e7b6aea96" name="End" type="End">

<subsheetsid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6410aaf2-2d79-41b4-89ad-37683ba6b08b" name="Launch" type="SubSheetInfo">

<subsheetsid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="68c363a8-0996-42d3-a3a5-e946cbab0541" name="Start" type="Start">

<subsheetsid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

$$-135$$

$$60$$

$$30$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

inputs

input type="number" name="Port" narrative="Port to launch against." stage="Port"/>

inputs

onsuccess>be0f1a51-ea2c-48f4-a37d-30a01cc5fde1</onsuccess>

stage>

stage stageid="e4fc9ac1-d9c9-482f-8e35-44ee7de6d159" name="End" type="End">

subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

loginhibit/>

narrative>

narrative>

$$120$$

$$105$$

$$60$$

$$30$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

stage>

stage stageid="b6b1e7fe-1028-419f-98a7-740552c58edd" name="new" type="Note">

subsheetid>8b47584c-23a8-4d11-8cfb-d514cf0559cb</subsheetid>

narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="f87be2b2-b343-4569-946c-897c86b9142b" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

</stage>

<stage stageid="be0f1a51-ea2c-48f4-a37d-30a01cc5fde1" name="Launch" type="Navigate">

<subsheetsid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>60e9991d-207e-4f0c-898b-b6a418a1c36c</onsuccess>

<step>

<element id="ea3ffe0a-8308-40c9-aac9-8ef413133be8"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>"http://localhost:" && [Port] && "/Bug4014/timing.html"</value>

</argument>

<argument>

<id>ActiveTabOnly</id>

<value>

</value>

</argument>

<argument>

<id>UseJavaInBrowser</id>

```
<value>

</value>

</argument>

<argument>

<id>ExcludeHTC</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="c7ac3679-9033-4504-8936-0fd35c52e4ce" name="Populate" type="SubSheetInfo">

<subsheetsid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="506fc710-a597-4230-95be-96d521372284" name="Start" type="Start">

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Number" stage="Number"/>

</inputs>

<onsuccess>fd16525f-676f-4710-96b5-048f8e35eecf</onsuccess>

</stage>

<stage stageid="704d465f-ac86-4518-97c5-6cf04ce226e8" name="End" type="End">

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="fd16525f-676f-4710-96b5-048f8e35eecf" name="Writer1" type="Write">
```

<subsheetid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>704d465f-ac86-4518-97c5-6cf04ce226e8</onsuccess>

<step expr=""User" & & [Number]">

<element id="b72a2ba5-c8a5-4143-bf6f-b342ff6f5572"/>

</step>

<step expr=""Occupation" & & [Number]">

<element id="084e21ff-f816-4301-be9f-fe92b166e8cb"/>

</step>

<step expr=""DOB" & & [Number]">

<element id="fcebc2b6-0ce3-4122-8f6a-aa822481f2ca"/>

</step>

<step expr=""pw" & & [Number]">

<element id="f4820c5f-49a8-447c-a94a-3b08cd505378"/>

</step>

<step expr=""Talkplan" & & [Number]">

<element id="aac8d9b5-2970-470e-904d-134d4fb24005"/>

</step>

<step expr="[Number] & & " Letsbe Avenue"">

<element id="38879607-8060-4dfe-96a8-a030abcbac2c"/>

```
</step>

<step expr="&quot;07777&quot; &amp; [Number] &amp; [Number]">

<element id="488352b6-58f2-4498-bfd6-b8caef3e449d"/>

</step>

<step expr="&quot;0000000&quot; &amp; [Number]">

<element id="952780cc-de92-437a-84ea-cd7f1c3459b8"/>

</step>

<step expr="&quot;Mr &quot; &amp; [Number]">

<element id="293e402a-8da8-4646-8cb0-785cce2cbffc"/>

</step>

<step expr="&quot;The Year&quot; &amp; [Number]">

<element id="ea90f5dc-b836-4f70-a8b6-7845c3554725"/>

</step>

<step expr="[Number]">

<element id="a16993df-1c78-4f22-82f4-97c19e05c866"/>

</step>

</stage>

<stage stageid="37c0e39d-5c4f-42c9-8268-76b08497a751" name="Number" type="Data">

<subsheetsid>559839fa-4d8d-4b85-9a17-27950631ffe9</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>
```

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f7b275a1-5e24-4195-9f3e-7a8d867a6019" name="Terminate" type="SubSheetInfo">

<subsheetsid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

</stage>

<stage stageid="82be584e-0ed2-424a-bf9f-c838aee2f666" name="Start" type="Start">

<subsheetsid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>130cfe49-5c49-4164-98f4-6fa89b7fb8df</onsuccess>

</stage>

<stage stageid="50a6c35d-cbb4-478d-abc0-431046e454ff" name="End" type="End">

<subsheetid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

</stage>

<stage stageid="130cfe49-5c49-4164-98f4-6fa89b7fb8df" name="Navigate2" type="Navigate">

<subsheetid>d447b3a2-a95d-4723-af2c-e45513e6ae00</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>50a6c35d-cbb4-478d-abc0-431046e454ff</onsuccess>

<step>

<element id="ea3ffe0a-8308-40c9-aac9-8ef413133be8"/>

<action>

<id>Terminate</id>

</action>

</step>


```
</stage>

<stage stageid="9a446e52-0417-41d1-a608-5992a5612a27" name="Document load timed out" type="Wait"

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8ae047ae-ad1f-416f-a53f-04efad76c572</groupid>

</stage>

<stage stageid="60e9991d-207e-4f0c-898b-b6a418a1c36c" name="Wait for document to load" type="Wait"

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>8ae047ae-ad1f-416f-a53f-04efad76c572</groupid>

<choices>

<choice reply="True">

<name>User Name Parent Document Loaded</name>
```

```
<distance>105</distance>

<ontrue>e4fc9ac1-d9c9-482f-8e35-44ee7de6d159</ontrue>

<element id="b72a2ba5-c8a5-4143-bf6f-b342ff6f5572"/>

<condition>

<id>HTMLCheckExistsAndDocumentLoaded</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="8c6b73c1-6f69-4cf3-b5f1-eb74f4ad0927" name="Test Invoke" type="SubSheetInfo">

<subsheetsid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0ce82d47-d7d1-426c-be05-fcc437507954" name="Start" type="Start">

<subsheetsid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f66dbb32-79c9-4d98-9452-c560860dcf88</onsuccess>

</stage>

<stage stageid="955b9f38-8fa1-4941-8d33-f43c8c16ad0c" name="End" type="End">

<subsheetid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f66dbb32-79c9-4d98-9452-c560860dcf88" name="Invoke" type="Navigate">

<subsheetid>775a0a4c-678c-4b8d-9566-9dd388acc3f7</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>955b9f38-8fa1-4941-8d33-f43c8c16ad0c</onsuccess>

<step>

<element id="cb3e5dba-2f88-4dd6-bc23-c3121c247c44"/>

<action>

<id>HTMLInvokeJavascriptMethod</id>

<arguments>

<argument>

<id>MethodName</id>

<value>"test_invoke"</value>

</argument>

<argument>

<id>Arguments</id>

<value>"[{testvalue:7}]"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="38034b1b-2fdd-4203-a1dd-e6a06725f866" name="Port" type="Data">

<subsheetid>0297ea50-5508-4ba9-8b6a-e776e4b94013</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>
```

```
<datatype>number</datatype>

<initialvalue>8089</initialvalue>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="HTML Timing Test" version="1.0" narrative="Test timing of HTML" preferredid="6056e28

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="12a07621-21a4-4a19-90ba-af300ee5b14c" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>014869ed-d403-42f2-b7b5-f1cf6e2a7d96</onsuccess>

</stage>
```

```
<stage stageid="69a4c541-61b9-4765-a03d-24daedebe6d7" name="End" type="End">

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="a2d8beb5-aba2-4f2a-884a-0bdef3a7561b" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7ba60a2a-a462-419d-ba87-b09a5a55653c" name="Get Start Time" type="Calculation">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d91d5088-d227-49f2-8408-01d00e4696cd</onsuccess>

<calculation expression="Now()" stage="Data1"/>

</stage>

<stage stageid="a63e9dc0-e7b7-4c6a-a1e3-75a421576dfc" name="Data1" type="Data">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>datetime</datatype>

<initialvalue>0001-01-01 00:00:00Z</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="084f5c08-bc05-4cc4-9d0f-aa86aee1f9b6" name="Data2" type="Data">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>datetime</datatype>
```

<initialvalue>0001-01-01 00:00:00Z</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d91d5088-d227-49f2-8408-01d00e4696cd" name="Do Test" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>dc2bd75b-659d-44ce-8c0b-8669fe29d4ce</onsuccess>

<resource object="HTML Timing Object" action="DoTest"/>

</stage>

<stage stageid="dc2bd75b-659d-44ce-8c0b-8669fe29d4ce" name="Get End Time" type="Calculation">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>3e71c73d-a76b-454a-8f40-934954c68ec9</onsuccess>


```
<calculation expression="Now()" stage="Data2"/>

</stage>

<stage stageid="3e71c73d-a76b-454a-8f40-934954c68ec9" name="Calculate Time Taken" type="Calculat

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>81562878-cb52-4ab1-bb50-1504e7d112ec</onsuccess>

<calculation expression="[Data2]-[Data1]" stage="Time Taken"/>

</stage>

<stage stageid="ab9da6b7-96b5-4090-a723-8e21d31b658d" name="Time Taken" type="Data">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>timespan</datatype>

<initialvalue>00:00:00</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="014869ed-d403-42f2-b7b5-f1cf6e2a7d96" name="Launch" type="Action">
```

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>7ba60a2a-a462-419d-ba87-b09a5a55653c</onsuccess>

<resource object="HTML Timing Object" action="Launch"/>

</stage>

<stage stageid="81562878-cb52-4ab1-bb50-1504e7d112ec" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<action/>

<inputs/>

<outputs/>

<onsuccess>69a4c541-61b9-4765-a03d-24daedebe6d7</onsuccess>

<resource object="HTML Timing Object" action="Terminate"/>

</stage>

```
</process>

<process name="HTML Timing Test 2" version="1.0" bpversion="6.3.0.2933" narrative="HTML Timing" pre

<view>

<camerax>-117</camerax>

<cameray>105</cameray>

<zoom version="2">0.9375</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="8cd248f1-6695-43c2-af78-b78d6d4c49e7" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-300</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d27d6199-3e5b-4455-9ffb-af5b6ea22d5b" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>
```

```
<input type="number" name="Port" narrative="Port to launch against" expr="[Port]"/>

</inputs>

<onsuccess>c8a5aca5-3f5f-47cb-bf45-9626f706091c</onsuccess>

<resource object="HTML Timing Object 2" action="Launch"/>

</stage>

<stage stageid="e8e013e9-ea36-46ab-b3d7-be4b53625af1" name="Populate Form" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Number" expr="[Count]"/>

</inputs>

<onsuccess>415552ad-56e4-4cc4-9bda-94efcc762a8a</onsuccess>

<resource object="HTML Timing Object 2" action="Populate"/>

</stage>

<stage stageid="81287ea9-cd5f-46f1-8def-c5a491a9a3f1" name="Count" type="Data">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>number</datatype>

<initialvalue>100</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c683176-0bda-4bce-97c7-c4d9561a45fa" name="Count Down" type="Calculation">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e8b51cee-30bb-4572-9312-3e08a37c5d12</onsuccess>

<calculation expression="[Count]-1" stage="Count"/>

</stage>

<stage stageid="e8b51cee-30bb-4572-9312-3e08a37c5d12" name="Finished?" type="Decision">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count]=0"/>

<ontrue>9c4f7427-4b9e-4151-bd45-60bff26fc683</ontrue>

<onfalse>ca56f86a-97a6-45ba-90c7-ad0b20f29bca</onfalse>
```

</stage>

<stage stageid="ca56f86a-97a6-45ba-90c7-ad0b20f29bca" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>b4f4469d-bafd-4272-a912-21b3348cf3bd</onsuccess>

</stage>

<stage stageid="b4f4469d-bafd-4272-a912-21b3348cf3bd" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>e8e013e9-ea36-46ab-b3d7-be4b53625af1</onsuccess>

</stage>

<stage stageid="af6956a4-ad2d-467c-ab8a-09bc356dba7a" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>c83ac089-b8d0-4405-a4b5-eb16554395cb</onsuccess>

<resource object="HTML Timing Object 2" action="Terminate"/>

</stage>

<stage stageid="aa57b494-96ef-4686-b9ca-d5be0fda7a24" name="Start Time" type="Data">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>330</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<datatype>datetime</datatype>

<initialvalue>0001-01-01 00:00:00Z</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e5f0df9e-3811-4c03-8de9-d46c3e4905c1" name="End Time" type="Data">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>375</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<datatype>datetime</datatype>

```
<initialvalue>0001-01-01 00:00:00Z</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c8a5aca5-3f5f-47cb-bf45-9626f706091c" name="Set Start Time" type="Calculation">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e8e013e9-ea36-46ab-b3d7-be4b53625af1</onsuccess>

<calculation expression="Now()" stage="Start Time"/>

</stage>

<stage stageid="9c4f7427-4b9e-4151-bd45-60bff26fc683" name="Set End Time" type="Calculation">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>af6956a4-ad2d-467c-ab8a-09bc356dba7a</onsuccess>

<calculation expression="Now()" stage="End Time"/>

</stage>

<stage stageid="175835df-6258-4351-92fc-556042525065" name="Time Taken" type="Data">
```


<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>420</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<datatype>timespan</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c83ac089-b8d0-4405-a4b5-eb16554395cb" name="Calculate Time" type="Calculation">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>348856e4-88fc-4018-aaf1-f0082e777e5e</onsuccess>

<calculation expression="[End Time]-[Start Time]" stage="Time Taken"/>

</stage>

<stage stageid="415552ad-56e4-4cc4-9bda-94efcc762a8a" name="Invoke Javascript" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>2c683176-0bda-4bce-97c7-c4d9561a45fa</onsuccess>

<resource object="HTML Timing Object 2" action="Test Invoke"/>

</stage>

<stage stageid="76144c5a-71fd-47f1-ae09-1d40423a14b3" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a0ea339b-ef6b-4ead-91b0-819037e3d268</onsuccess>

</stage>

<stage stageid="c83eaace-157b-4a3b-ad7c-a61918d9e1e0" name="Kill Cassini" type="Process">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

```
<input type="number" name="PID" narrative="What will be the PID of the process you are searching for, b
</inputs>

<onsuccess>cf990077-c68d-421d-8918-f09a748e77b7</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="550cf77b-7c90-4ffe-9da0-1cd80fb3a026" name="Launch Cassini" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>51f02a59-2cc9-4aa4-a5b5-b2007254f188</onsuccess>

<resource object="Cassini" action="Launch Cassini"/>

</stage>

<stage stageid="51f02a59-2cc9-4aa4-a5b5-b2007254f188" name="Input Parameters " type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Application Dirtectory" narrative="Application Directory value, default to C:\BlueP

<input type="number" name="Server Port" narrative="Server port value, default to 8089" expr="[Port]"/>
```

<input type="text" name="Virtual Root" narrative="Virtual Root value, default to /" expr=""/>

</inputs>

<onsuccess>bd175569-4ee0-46e9-aebd-b50904461f7e</onsuccess>

<resource object="Cassini" action="Input Cassini Parameters"/>

</stage>

<stage stageid="bd175569-4ee0-46e9-aebd-b50904461f7e" name="Start Cassini" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Port" narrative="Value of the Port, default to 8089" expr="""

</inputs>

<onsuccess>d27d6199-3e5b-4455-9ffb-af5b6ea22d5b</onsuccess>

<resource object="Cassini" action="Press Start"/>

</stage>

<stage stageid="40025e3f-6b84-4ee8-9027-6af2afc54540" name="Process to seach for" type="Collection">

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-345</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>


```
<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Process Name" type="text" namespace=""/>

<field name="PID" type="number" namespace=""/>

</collectioninfo>

<initialvalue>

<row>

<field name="Process Name" type="text" value="CassiniWebServer"/>

<field name="PID" type="number" value=""/>

</row>

</initialvalue>

</stage>

<stage stageid="a0ea339b-ef6b-4ead-91b0-819037e3d268" name="Processes" type="LoopStart">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c83eaace-157b-4a3b-ad7c-a61918d9e1e0</onsuccess>

<groupid>ea9a1046-61c1-4ed9-9629-8473b3381b58</groupid>

<looptype>ForEach</looptype>

<loopdata>Process to search for</loopdata>

</stage>
```

<stage stageid="cf990077-c68d-421d-8918-f09a748e77b7" name="Processes" type="LoopEnd">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>550cf77b-7c90-4ffe-9da0-1cd80fb3a026</onsuccess>

<groupid>ea9a1046-61c1-4ed9-9629-8473b3381b58</groupid>

</stage>

<stage stageid="0c651d60-bb0b-4bb0-a0b2-f39db52e3148" name="Block1" type="Block">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-45</displayy>

<displaywidth>180</displaywidth>

<displayheight>60</displayheight>

</stage>

<stage stageid="55c99e60-4a30-4979-a935-d3f0de6a2d5d" name="Recover2" type="Recover">

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>bd029d4f-fa53-4c67-8eea-e925ef49b450</onsuccess>

</stage>

<stage stageid="bd029d4f-fa53-4c67-8eea-e925ef49b450" name="Port Unavailable?" type="Decision">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="InStr(ExceptionDetail(), &quot;failed to start listening on port&quot;) &am

<ontrue>a572fb50-7232-4f35-92d6-e52538bf5e09</ontrue>

<onfalse>907713b3-0a0d-4de7-90e0-c995bdd631cd</onfalse>

</stage>

<stage stageid="651b10e1-66f1-4bfa-8a16-ea268e143017" name="RetryCount" type="Data">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="a572fb50-7232-4f35-92d6-e52538bf5e09" name="RetryCount++" type="Calculation">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f76dba4e-0af5-458e-bd1f-559ff782e2f8</onsuccess>

<calculation expression="[RetryCount] + 1" stage="RetryCount"/>

</stage>

<stage stageid="f76dba4e-0af5-458e-bd1f-559ff782e2f8" name="Retry?" type="Decision">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[RetryCount] &lt;=10"/>

<ontrue>493468c7-fb55-446b-bdc0-fea491755570</ontrue>

<onfalse>a2ab372b-3bec-433a-924c-d7217d3f7cbb</onfalse>

</stage>

<stage stageid="66054fea-7b31-4d62-9aae-95aeb35b4730" name="Port--" type="Calculation">

<narrative>

</narrative>
```



```
<displayx>90</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>6152e737-3f48-43fc-a91b-b70d4509f931</onsuccess>

<calculation expression="[Port] - 1" stage="Port"/>

</stage>

<stage stageid="f363da24-32a0-4e8a-9f76-ea1e99603601" name="Port" type="Data">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>8089</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6152e737-3f48-43fc-a91b-b70d4509f931" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-345</displayy>

<displaywidth>10</displaywidth>
```

```
<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a0ea339b-ef6b-4ead-91b0-819037e3d268</onsuccess>

</stage>

<stage stageid="907713b3-0a0d-4de7-90e0-c995bdd631cd" name="Bubble Up" type="Exception">

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="" usecurrent="yes"/>

</stage>

<stage stageid="493468c7-fb55-446b-bdc0-fea491755570" name="Resume1" type="Resume">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>66054fea-7b31-4d62-9aae-95aeb35b4730</onsuccess>

</stage>

<stage stageid="a2ab372b-3bec-433a-924c-d7217d3f7cbb" name="Anchor2" type="Anchor">

<narrative>

</narrative>
```

<displayx>195</displayx>

<displayy>-120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<onsuccess>907713b3-0a0d-4de7-90e0-c995bdd631cd</onsuccess>

</stage>

<stage stageid="70d2a414-a40d-42df-a211-3ba0d9347adb" name="Port Selection" type="Block">

<narrative>

</narrative>

<displayx>-300</displayx>

<displayy>-300</displayy>

<displaywidth>150</displaywidth>

<displayheight>105</displayheight>

</stage>

<stage stageid="1c4c2eff-b86f-47cf-98c4-43fe9316cc34" name="Recover1" type="Recover">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e8b9bf67-9d39-47b5-8c4c-5d1091cad358</onsuccess>

</stage>

<stage stageid="4af185ac-db59-4621-b9e4-9a2ceb62409c" name="Kill Cassini" type="Process">

```
<narrative>

</narrative>

<displayx>90</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

<input type="number" name="PID" narrative="WHat will be the PID of the process you are searching for, b

</inputs>

<onsuccess>2df8a47a-c29b-4fb9-a86b-dd256d035b78</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="e8b9bf67-9d39-47b5-8c4c-5d1091cad358" name="Processes" type="LoopStart">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>4af185ac-db59-4621-b9e4-9a2ceb62409c</onsuccess>

<groupid>e236f554-0a75-424d-84e0-7292675b0b8f</groupid>

<looptype>ForEach</looptype>

<loopdata>Process to seach for</loopdata>

</stage>
```

<stage stageid="2df8a47a-c29b-4fb9-a86b-dd256d035b78" name="Processes" type="LoopEnd">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>e8d12bb3-e8a1-40a7-b566-8fa09f76d924</onsuccess>

<groupid>e236f554-0a75-424d-84e0-7292675b0b8f</groupid>

</stage>

<stage stageid="e8d12bb3-e8a1-40a7-b566-8fa09f76d924" name="Bubble Up" type="Exception">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<exception type="" detail="" usecurrent="yes"/>

</stage>

<stage stageid="7e58c4a6-29f3-43d6-a101-e414d410c550" name="Catch Fail" type="Block">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>195</displaywidth>

<displayheight>405</displayheight>

</stage>

<stage stageid="6a985386-3c91-42fe-a342-54b1037740bb" name="End" type="End">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>645</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<outputs>

<output type="timespan" name="Time Taken" stage="Time Taken"/>

</outputs>

</stage>

<stage stageid="a19c8eb3-c47d-49bb-b412-89ecf9d5b6dc" name="Kill Cassini" type="Process">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

<input type="number" name="PID" narrative="WHat will be the PID of the process you are searching for, b

</inputs>

<onsuccess>4230a2f9-3902-40cd-9311-bf91ce955fb5</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="348856e4-88fc-4018-aaf1-f0082e777e5e" name="Processes" type="LoopStart">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>465</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>a19c8eb3-c47d-49bb-b412-89ecf9d5b6dc</onsuccess>

<groupid>acc08dc9-d164-4654-bd8e-b83070d3027b</groupid>

<looptype>ForEach</looptype>

<loopdata>Process to seach for</loopdata>

</stage>

<stage stageid="4230a2f9-3902-40cd-9311-bf91ce955fb5" name="Processes" type="LoopEnd">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>585</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<onsuccess>6a985386-3c91-42fe-a342-54b1037740bb</onsuccess>

<groupid>acc08dc9-d164-4654-bd8e-b83070d3027b</groupid>

</stage>

</process>

</Root>