

<?xml version='1.0' encoding='UTF-8'?>

<Root>

<process name="HTML Timing Test 3" version="1.0" bpversion="6.3.0.2933" narrative="HTML Timing" pre

<view>

<camerax>0</camerax>

<cameray>-477</cameray>

<zoom version="2">0.9375</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="1039e082-4f55-420d-95a5-a516eeb3995d" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-705</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9f33ed32-4bc5-4709-9163-eb0ec6499363</onsuccess>

</stage>

<stage stageid="cc51de4d-571d-49da-86e9-f28c2e574600" name="End" type="End">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="timespan" name="Time Taken" stage="Time Taken"/>

</outputs>

</stage>

<stage stageid="8cd248f1-6695-43c2-af78-b78d6d4c49e7" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-240</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d27d6199-3e5b-4455-9ffb-af5b6ea22d5b" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Port" narrative="Port to launch against." expr="[Port]"/>

</inputs>

<onsuccess>c8a5aca5-3f5f-47cb-bf45-9626f706091c</onsuccess>

<resource object="HTML Timing Object 3" action="Launch"/>

</stage>

<stage stageid="e8e013e9-ea36-46ab-b3d7-be4b53625af1" name="Populate Form" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Number" expr="[Count]"/>

</inputs>

<onsuccess>415552ad-56e4-4cc4-9bda-94efcc762a8a</onsuccess>

<resource object="HTML Timing Object 3" action="Populate"/>

</stage>

<stage stageid="81287ea9-cd5f-46f1-8def-c5a491a9a3f1" name="Count" type="Data">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>100</initialvalue>

<private/>

<alwaysinit/>

```
</stage>

<stage stageid="2c683176-0bda-4bce-97c7-c4d9561a45fa" name="Count Down" type="Calculation">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e8b51cee-30bb-4572-9312-3e08a37c5d12</onsuccess>

<calculation expression="[Count]-1" stage="Count"/>

</stage>

<stage stageid="e8b51cee-30bb-4572-9312-3e08a37c5d12" name="Finished?" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count]=0"/>

<ontrue>9c4f7427-4b9e-4151-bd45-60bff26fc683</ontrue>

<onfalse>ca56f86a-97a6-45ba-90c7-ad0b20f29bca</onfalse>

</stage>

<stage stageid="ca56f86a-97a6-45ba-90c7-ad0b20f29bca" name="anchor1" type="Anchor">

<narrative>

</narrative>
```

<displayx>105</displayx>

<displayy>0</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b4f4469d-bafd-4272-a912-21b3348cf3bd</onsuccess>

</stage>

<stage stageid="b4f4469d-bafd-4272-a912-21b3348cf3bd" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-135</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e8e013e9-ea36-46ab-b3d7-be4b53625af1</onsuccess>

</stage>

<stage stageid="af6956a4-ad2d-467c-ab8a-09bc356dba7a" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c83ac089-b8d0-4405-a4b5-eb16554395cb</onsuccess>

<resource object="HTML Timing Object 3" action="Terminate"/>

</stage>

<stage stageid="aa57b494-96ef-4686-b9ca-d5be0fda7a24" name="Start Time" type="Data">

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-105</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>datetime</datatype>

<initialvalue>0001-01-01 00:00:00Z</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e5f0df9e-3811-4c03-8de9-d46c3e4905c1" name="End Time" type="Data">

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-60</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>datetime</datatype>

<initialvalue>0001-01-01 00:00:00Z</initialvalue>

<private/>

<alwaysinit/>

</stage>

```
<stage stageid="c8a5aca5-3f5f-47cb-bf45-9626f706091c" name="Set Start Time" type="Calculation">
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>-180</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>e8e013e9-ea36-46ab-b3d7-be4b53625af1</onsuccess>
<calculation expression="Now()" stage="Start Time"/>
</stage>

<stage stageid="9c4f7427-4b9e-4151-bd45-60bff26fc683" name="Set End Time" type="Calculation">
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>60</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>af6956a4-ad2d-467c-ab8a-09bc356dba7a</onsuccess>
<calculation expression="Now()" stage="End Time"/>
</stage>

<stage stageid="175835df-6258-4351-92fc-556042525065" name="Time Taken" type="Data">
<narrative>
</narrative>
<displayx>-240</displayx>
<displayy>-15</displayy>
```

```
<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>timespan</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c83ac089-b8d0-4405-a4b5-eb16554395cb" name="Calculate Time" type="Calculation">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>42ff6c5a-5663-47bc-974d-0dc75283e9ec</onsuccess>

<calculation expression="[End Time]-[Start Time]" stage="Time Taken"/>

</stage>

<stage stageid="415552ad-56e4-4cc4-9bda-94efcc762a8a" name="Invoke Javascript" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```



```
<onsuccess>2c683176-0bda-4bce-97c7-c4d9561a45fa</onsuccess>

<resource object="HTML Timing Object 3" action="Test Invoke"/>

</stage>

<stage stageid="a87b1da5-17e1-49ef-a0b2-68fc1f252e14" name="Kill Cassini" type="Process">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-600</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

<input type="number" name="PID" narrative="WHat will be the PID of the process you are searching for, b

</inputs>

<onsuccess>5e09eccd-f3a0-44ed-95fc-e677706bc2d7</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="e8e096ba-86ee-4b12-bd86-cb06576f33c9" name="Launch Cassini" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>0fc8ca30-dabf-48f4-9cb9-7a0cacf985b2</onsuccess>
```

```
<resource object="Cassini" action="Launch Cassini"/>

</stage>

<stage stageid="0fc8ca30-dabf-48f4-9cb9-7a0cacf985b2" name="Input Parameters " type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-420</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Application Dirrectory" narrative="Application Directory value, default to C:\BlueP

<input type="number" name="Server Port" narrative="Server port value, default to 8089" expr="[Port]"/>

<input type="text" name="Virtual Root" narrative="Virtual Root value, default to /" expr=""/>

</inputs>

<onsuccess>7e8aa732-b780-49e4-8195-ae23c9632105</onsuccess>

<resource object="Cassini" action="Input Cassini Parameters"/>

</stage>

<stage stageid="7e8aa732-b780-49e4-8195-ae23c9632105" name="Start Cassini" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>
```

```
<input type="text" name="Port" narrative="Value of the Port, default to 8089" expr="&quot;&quot;
</inputs>

<onsuccess>d27d6199-3e5b-4455-9ffb-af5b6ea22d5b</onsuccess>

<resource object="Cassini" action="Press Start"/>

</stage>

<stage stageid="3c86b339-2fd0-4b5d-b50b-e49d08f184ca" name="Process to seach for" type="Collection
<narrative>

</narrative>

<displayx>-135</displayx>

<displayy>-660</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<collectioninfo>

<field name="Process Name" type="text" namespace=""/>

<field name="PID" type="number" namespace=""/>

</collectioninfo>

<initialvalue>

<row>

<field name="Process Name" type="text" value="CassiniWebServer"/>

<field name="PID" type="number" value=""/>

</row>

</initialvalue>

</stage>
```

```
<stage stageid="9f33ed32-4bc5-4709-9163-eb0ec6499363" name="Processes" type="LoopStart">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-660</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a87b1da5-17e1-49ef-a0b2-68fc1f252e14</onsuccess>

<groupid>e95b3ff1-63f1-4024-92df-5ab518af1140</groupid>

<looptype>ForEach</looptype>

<loopdata>Process to seach for</loopdata>

</stage>

<stage stageid="5e09eccd-f3a0-44ed-95fc-e677706bc2d7" name="Processes" type="LoopEnd">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e8e096ba-86ee-4b12-bd86-cb06576f33c9</onsuccess>

<groupid>e95b3ff1-63f1-4024-92df-5ab518af1140</groupid>

</stage>

<stage stageid="1f0b50d6-522b-4799-8486-265b7debadb9" name="Catch" type="Block">

<narrative>

</narrative>
```

```
<displayx>-75</displayx>

<displayy>-255</displayy>

<displaywidth>210</displaywidth>

<displayheight>405</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="81783236-7e61-4570-9f34-72954f422464" name="Recover1" type="Recover">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>c78bf967-b45b-4f1f-b27b-601d7e0d0e90</onsuccess>

</stage>

<stage stageid="e9e59b40-3ec6-4261-b908-719165426563" name="Kill Cassini" type="Process">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

<input type="number" name="PID" narrative="WHat will be the PID of the process you are searching for, b
```

</inputs>

<onsuccess>1c08b371-044d-41b7-a1e6-dd78530fd5ec</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="c78bf967-b45b-4f1f-b27b-601d7e0d0e90" name="Processes" type="LoopStart">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e9e59b40-3ec6-4261-b908-719165426563</onsuccess>

<groupid>57e5f5dc-9911-4f12-a09e-1184c7b20e92</groupid>

<looptype>ForEach</looptype>

<loopdata>Process to seach for</loopdata>

</stage>

<stage stageid="1c08b371-044d-41b7-a1e6-dd78530fd5ec" name="Processes" type="LoopEnd">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>f9f2dc2b-ec63-4dcb-ac56-f2d51add5197</onsuccess>

<groupid>57e5f5dc-9911-4f12-a09e-1184c7b20e92</groupid>

```
</stage>

<stage stageid="f9f2dc2b-ec63-4dcb-ac56-f2d51add5197" name="Bubble Up" type="Exception">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="" usecurrent="yes"/>

</stage>

<stage stageid="74e16c36-f30a-494d-9c73-20c4219b1440" name="Kill Cassini" type="Process">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Process Name" narrative="The name of the process to search for in memory" ex

<input type="number" name="PID" narrative="WHat will be the PID of the process you are searching for, b

</inputs>

<onsuccess>2f65be23-a2b3-4f8f-915e-06533f8d450c</onsuccess>

<processid>7e02d20c-9445-45b7-beaf-f1dbaad4be33</processid>

</stage>

<stage stageid="42ff6c5a-5663-47bc-974d-0dc75283e9ec" name="Processes" type="LoopStart">
```

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>74e16c36-f30a-494d-9c73-20c4219b1440</onsuccess>

<groupid>b46f6dae-2a1b-4c33-ad13-065ee66dd5b6</groupid>

<looptype>ForEach</looptype>

<loopdata>Process to seach for</loopdata>

</stage>

<stage stageid="2f65be23-a2b3-4f8f-915e-06533f8d450c" name="Processes" type="LoopEnd">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>cc51de4d-571d-49da-86e9-f28c2e574600</onsuccess>

<groupid>b46f6dae-2a1b-4c33-ad13-065ee66dd5b6</groupid>

</stage>

<stage stageid="3a72fa60-a8c2-4202-b748-106d0080753e" name="Block1" type="Block">

<narrative>

</narrative>

<displayx>-60</displayx>



```
<display>-360</display>

<displaywidth>180</displaywidth>

<displayheight>75</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

</stage>

<stage stageid="722815e7-df96-4d95-bd26-3ad9c2d4ad3c" name="Recover2" type="Recover">

<narrative>

</narrative>

<displayx>60</displayx>

<display>-315</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>91de3f05-4b97-414f-8831-c58881d30cbf</onsuccess>

</stage>

<stage stageid="91de3f05-4b97-414f-8831-c58881d30cbf" name="Port Unavailable?" type="Decision">

<narrative>

</narrative>

<displayx>180</displayx>

<display>-315</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="InStr(ExceptionDetail(), &quot;failed to start listening on port&quot;) &amp;

<ontrue>f6b22111-fcac-474d-a2e3-443f9793f586</ontrue>

<onfalse>a49edac0-cca5-4cf8-bf79-2860e42f65b2</onfalse>

</stage>
```

```
<stage stageid="848f5316-849d-482e-ade7-77a20df89fd2" name="RetryCount" type="Data">
<narrative>
</narrative>
<displayx>-345</displayx>
<displayy>-540</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<datatype>number</datatype>
<initialvalue>0</initialvalue>
<private/>
<alwaysinit/>
</stage>

<stage stageid="f6b22111-fcac-474d-a2e3-443f9793f586" name="RetryCount++" type="Calculation">
<narrative>
</narrative>
<displayx>180</displayx>
<displayy>-375</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Segoe UI" size="10" style="Regular" color="000000"/>
<onsuccess>d909ce01-1c00-41dc-971f-d82d09ab686c</onsuccess>
<calculation expression="[RetryCount] + 1" stage="RetryCount"/>
</stage>

<stage stageid="d909ce01-1c00-41dc-971f-d82d09ab686c" name="Retry?" type="Decision">
<narrative>
</narrative>
```

<displayx>180</displayx>

<displayy>-435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<decision expression="[RetryCount] &lt;=10"/>

<ontrue>89d9d0f5-abf7-441d-8b7e-a47b03b106da</ontrue>

<onfalse>04b12b74-c8d6-48ee-a2e5-0f5b73facf36</onfalse>

</stage>

<stage stageid="e31aae5d-ab53-4db6-bc36-23706ce51e49" name="Port--" type="Calculation">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-555</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>2d4dabd7-1dac-4de0-b196-9ee5fc8b767e</onsuccess>

<calculation expression="[Port] - 1" stage="Port"/>

</stage>

<stage stageid="5aad973d-835c-4cda-832a-1bdf4cc12fa3" name="Port" type="Data">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>8089</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2d4dabd7-1dac-4de0-b196-9ee5fc8b767e" name="Anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-660</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>9f33ed32-4bc5-4709-9163-eb0ec6499363</onsuccess>

</stage>

<stage stageid="a49edac0-cca5-4cf8-bf79-2860e42f65b2" name="Bubble Up" type="Exception">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<exception type="" detail="" usecurrent="yes"/>

</stage>

<stage stageid="89d9d0f5-abf7-441d-8b7e-a47b03b106da" name="Resume1" type="Resume">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-495</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>e31aae5d-ab53-4db6-bc36-23706ce51e49</onsuccess>

</stage>

<stage stageid="04b12b74-c8d6-48ee-a2e5-0f5b73facf36" name="Anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-435</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="000000"/>

<onsuccess>a49edac0-cca5-4cf8-bf79-2860e42f65b2</onsuccess>

</stage>

<stage stageid="061886b3-3c65-49fe-a2eb-d30731bbecad" name="Port Selection" type="Block">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-600</displayy>

<displaywidth>150</displaywidth>

<displayheight>105</displayheight>

<font family="Segoe UI" size="10" style="Regular" color="7FB2E5"/>

```
</stage>

</process>

<process name="IBMTestObject" version="1.0" bpversion="6.7.0.16843" narrative="IBM Interface Object f

<appdef>

<element name="IBM Personal Communications">

<id>74848e9d-2f6c-4be6-876d-bc7304e2d2f5</id>

<element name="Screen Text Login">

<id>e6b8fba6-8462-486d-bd76-f1c26cb894ff</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```

```
</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="login"/>

</attribute>

</attributes>

</element>

<element name="Screen Text Main Menu">

<id>08db2738-c1f6-456e-87ce-a06c8a2363b2</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="37"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="45"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```

```
</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="MAIN MENU"/>

</attribute>

</attributes>

</element>

<element name="Screen Text Search Page">

<id>f0a5985c-1825-4fc9-8495-e317f5d0617d</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```



```
</attribute>

<attribute name="FieldText" inuse="True">

<ProcessValue datatype="text" value="Subject Heading"/>

</attribute>

</attributes>

</element>

<element name="Menu Selection">

<id>6f980e3e-fbc3-4804-878b-1863a016e791</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="55"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```

```
</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<element name="Login ID">

<id>7f892d31-abf1-4f38-ad7f-7e4511ffd6c8</id>

<type>TerminalField</type>

<basetype>TerminalField</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="StartX" inuse="True">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="StartY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="EndX" inuse="True">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="EndY" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="FieldType" inuse="True">

<ProcessValue datatype="text" value="Rectangular"/>
```

</attribute>

<attribute name="FieldText">

<ProcessValue datatype="text" value=""/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>MainframeIBM</id>

<parameters>

<parameter>

<name>Path</name>

<value>hostSHU.ws</value>

</parameter>

<parameter>

<name>Session ID</name>

<value>A</value>

</parameter>

<parameter>

<name>WaitSleepTime</name>

<value>250</value>

</parameter>

<parameter>

<name>WaitTimeout</name>

<value>30</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;"/>

<subsheet subsheetid="704d2411-3199-4ae6-8c78-38529781a406" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="2d91b51b-493e-4dc6-bede-6c30df1424f4" type="Normal" published="True">

<name>Start Mainframe Session</name>

<view>

<camerax>224</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="e8845adb-f745-456a-8809-d309d84d7f4d" type="Normal" published="True">

<name>Logon to SHU</name>

<view>

<camerax>-20</camerax>

<cameray>25</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b4386229-bd6c-4798-99d9-eb2405860ea6" type="Normal" published="True">

<name>Select menu Item</name>

<view>

<camerax>131</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5b780aa7-d9c1-427d-afb5-ecf0a0c438cf" type="Normal" published="True">

<name>Close Session</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="e62003ac-d188-4616-a322-8cc9555c861e" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6fb73427-f221-4969-b028-6f6d2cca9800</onsuccess>

</stage>

<stage stageid="6fb73427-f221-4969-b028-6f6d2cca9800" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4bce1d20-7302-47ad-8cb2-036676548bd8" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="f53eb9b7-449a-44d8-aa4d-3bcb43615dda" name="Clean Up" type="SubSheetInfo">

<subsheetsid>704d2411-3199-4ae6-8c78-38529781a406</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bcf0be97-a429-4011-a965-23807e1eb287" name="Start" type="Start">

<subsheetsid>704d2411-3199-4ae6-8c78-38529781a406</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>



<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f81e3fd3-eca3-421f-9bf9-1e9c29493ac0</onsuccess>

</stage>

<stage stageid="f81e3fd3-eca3-421f-9bf9-1e9c29493ac0" name="End" type="End">

<subsheetsid>704d2411-3199-4ae6-8c78-38529781a406</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="281f0ffd-98ee-4b61-9e1c-cf6c5a14ead7" name="Start Mainframe Session" type="SubShe

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="-210" y="-150" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="59ec7307-61cf-405b-ae69-e6b803905a77" name="Start" type="Start">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="15" y="-180"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Session ID" stage="Session ID"/>

</inputs>

<onsuccess>7b8761b9-d336-4028-ae22-903ac852f319</onsuccess>

</stage>

<stage stageid="7ee9a1ed-6790-4b75-bc5d-9eb565a8a26d" name="End" type="End">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="360" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<outputs>

<output type="flag" name="Start Session Success" stage="Start Session Success"/>

</outputs>

</stage>

<stage stageid="a8d23a61-e2be-4aa0-9e2a-393c0c8f063a" name="new" type="Note">

<subsheetid>704d2411-3199-4ae6-8c78-38529781a406</subsheetid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<display x="-180" y="60" w="180" h="230"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="315981c4-3bac-4773-af8f-7e3f2d2db4e1" name="new" type="Note">

<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

```
<display x="-180" y="60" w="180" h="230"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="44788fa6-aba4-4397-81f1-49191bdc1db7" name="Logon to SHU" type="SubSheetInfo">

<subsheetsid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetsid>

<display x="-285" y="-165" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="824774e3-45dc-40dd-9674-4706d9c2b570" name="Start" type="Start">

<subsheetsid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetsid>

<display x="15" y="-120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Login ID" stage="LoginID"/>

</inputs>

<onsuccess>1f0fb577-e225-48be-b8d6-b4f096c8ba6a</onsuccess>

</stage>

<stage stageid="5804850a-eb22-461d-b78d-fea0160a7617" name="End" type="End">

<subsheetsid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetsid>

<loginhibit/>

<display x="255" y="120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Login Success" stage="Login Success"/>

</outputs>

</stage>

<stage stageid="c9ced113-e111-4bd8-bf90-7c3f5b9deade" name="Time Out1" type="WaitEnd">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<loginhibit/>

<display x="225" y="0" w="30" h="30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b8ec4774-c9f3-4ad8-a1e4-3a3880a8484e</onsuccess>
<groupid>cdccdbb3-d575-42c0-87b9-9afcbc285502</groupid>
</stage>

<stage stageid="dda33281-27cc-4a55-acb3-c06e44ac3f16" name="Wait for Login Prompt" type="WaitStar
<subsheetid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetid>

<display x="105" y="0" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>7ee9a1ed-6790-4b75-bc5d-9eb565a8a26d</onsuccess>
<groupid>cdccdbb3-d575-42c0-87b9-9afcbc285502</groupid>

<choices>

<choice reply="True">

<name>Screen Text Login Check Exists</name>

<distance>60</distance>

<ontrue>94d6cf9c-57a8-49c6-b88c-1b8e83a31f18</ontrue>

<element id="e6b8fba6-8462-486d-bd76-f1c26cb894ff"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>60</timeout>

</stage>

<stage stageid="d0b6db2c-180c-4af1-a565-96c8e399af0f" name="Start PCom Session" type="Navigate">
<subsheetid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetid>

<display x="105" y="-75"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dda33281-27cc-4a55-acb3-c06e44ac3f16</onsuccess>

<step>

<element id="74848e9d-2f6c-4be6-876d-bc7304e2d2f5"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>"hostshu.ws"</value>

</argument>

<argument>

<id>Session ID</id>

<value>[Session ID]</value>

</argument>

<argument>

<id>newtext</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="ae2b10b0-ce76-4461-b1b2-a11f3f45ad38" name="Session ID" type="Data">

<subsheetid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetid>

<loginhibit/>
```

```
<display x="-225" y="-30" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="547b3784-4f28-4504-8a4c-6c9a4a1063b1" name="Start Session Success" type="Data">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="-225" y="15" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="94d6cf9c-57a8-49c6-b88c-1b8e83a31f18" name="Set success" type="Calculation">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="165" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7ee9a1ed-6790-4b75-bc5d-9eb565a8a26d</onsuccess>

<calculation expression="True" stage="Start Session Success"/>

</stage>

<stage stageid="b8ec4774-c9f3-4ad8-a1e4-3a3880a8484e" name="Set Failure" type="Calculation">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="360" y="0"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>7ee9a1ed-6790-4b75-bc5d-9eb565a8a26d</onsuccess>

<calculation expression="False" stage="Start Session Success"/>

</stage>

<stage stageid="918b4a1d-5737-472d-9b91-9c931b34251f" name="Time Out2" type="WaitEnd">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<loginhibit/>

<display x="180" y="-75" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d0b6db2c-180c-4af1-a565-96c8e399af0f</onsuccess>

<groupid>d07793d1-8299-48b8-9396-f2c52395c94f</groupid>

</stage>

<stage stageid="53bba073-b309-459b-ae45-fd70898cf30b" name="Wait 5 secs" type="WaitStart">

<subsheetsid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetsid>

<display x="180" y="-180" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>d07793d1-8299-48b8-9396-f2c52395c94f</groupid>

<choices/>

<timeout>5</timeout>

</stage>

<stage stageid="1f0fb577-e225-48be-b8d6-b4f096c8ba6a" name="Input Login ID" type="Write">

<subsheetsid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetsid>

<display x="15" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>54f03833-8d1f-461e-b797-14a21ec50ce3</onsuccess>

<step expr="[LoginID]">

<element id="7f892d31-abf1-4f38-ad7f-7e4511ffd6c8"/>

</step>

</stage>

<stage stageid="dece8d87-62a7-4cd7-b80d-861b37f50069" name="LoginID" type="Data">

<subsheetid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetid>

<loginhibit/>

<display x="-225" y="-75" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">OPAC</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="54f03833-8d1f-461e-b797-14a21ec50ce3" name="Enter" type="Navigate">

<subsheetid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetid>

<display x="15" y="0"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1fd4a988-b68f-473d-8e60-bf7383d19c8b</onsuccess>

<step>

<element id="74848e9d-2f6c-4be6-876d-bc7304e2d2f5"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"[newline]"</value>

</argument>

</arguments>

</action>



</step>

</stage>

<stage stageid="6d8e7dd2-655b-41f0-bcea-f956c4a8ec06" name="Time Out3" type="WaitEnd">

<subsheetsid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetsid>

<loginhibit/>

<display x="165" y="60" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c649aca4-9642-4bdc-bcc5-3dc782e7ee47</onsuccess>

<groupid>7a106692-081b-41b8-9f6c-53833e84496d</groupid>

</stage>

<stage stageid="1fd4a988-b68f-473d-8e60-bf7383d19c8b" name="Wait for Menu" type="WaitStart">

<subsheetsid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetsid>

<display x="15" y="60" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>7a106692-081b-41b8-9f6c-53833e84496d</groupid>

<choices>

<choice reply="True">

<name>Screen Text Main Menu Check Exists</name>

<distance>75</distance>

<ontrue>e6d5f605-81b0-4427-84ff-c671d912dd89</ontrue>

<element id="08db2738-c1f6-456e-87ce-a06c8a2363b2"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="2fc8f289-bb3c-451e-a2ea-405c881c0be0" name="Login Success" type="Data">

<subsheetid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetid>

<display x="-225" y="-30" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e6d5f605-81b0-4427-84ff-c671d912dd89" name="Set Success" type="Calculation">

<subsheetid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetid>

<display x="90" y="120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5804850a-eb22-461d-b78d-fea0160a7617</onsuccess>

<calculation expression="True" stage="Login Success"/>

</stage>

<stage stageid="c649aca4-9642-4bdc-bcc5-3dc782e7ee47" name="Set Failure" type="Calculation">

<subsheetid>e8845adb-f745-456a-8809-d309d84d7f4d</subsheetid>

<display x="255" y="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5804850a-eb22-461d-b78d-fea0160a7617</onsuccess>

<calculation expression="False" stage="Login Success"/>

</stage>

<stage stageid="f91cebdd-4685-498c-a165-7ac9ca9de0f2" name="Select menu Item" type="SubSheetInfo">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4781168f-65a0-4733-8a81-0dd1c234b66f" name="Start" type="Start">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="60" y="-165"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Menu Item" stage="Menu Item"/>

</inputs>

<onsuccess>7e249ff3-ecad-4ada-b76f-468528965f5d</onsuccess>

</stage>

<stage stageid="399af24f-404a-4f0e-9d8d-a8fe0af6946a" name="End" type="End">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="150" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Select Menu Success" stage="Select Menu Success"/>

</outputs>

</stage>

<stage stageid="dbcafa07-05c2-4057-8e05-ef4fc935ab2e" name="Menu Item" type="Data">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="-165" y="-15" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">D</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fd10cf0d-6aae-4279-8d9d-aaafbcdbd8570" name="Select Menu Success" type="Data">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="-165" y="45" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="7e249ff3-ecad-4ada-b76f-468528965f5d" name="Menu Item" type="ChoiceStart">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="60" y="-120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>6a2c57e5-d499-4d5c-bf08-c2a7463eee98</groupid>

<choices>

<choice expression="[Menu Item]=&quot;Y&quot;">

<name>Main Media or Serials</name>

<distance>45</distance>

<ontrue>a1f2564a-30fc-4e6a-937b-faa0634c1401</ontrue>

</choice>

<choice expression="[Menu Item]=&quot;G&quot;">

<name>General Keyword Search</name>

<distance>90</distance>

```
<ontrue>ade696ae-e8d0-470f-b183-99aadde48424</ontrue>

</choice>

<choice expression="[Menu Item]=&quot;D&quot;">

<name>Subject Search</name>

<distance>135</distance>

<ontrue>bd2e0f3b-2745-4aea-bb85-f401452d74ac</ontrue>

</choice>

<choice expression="[Menu Item]=&quot;A&quot;">

<name>Disconnect</name>

<distance>180</distance>

<ontrue>100851f3-55a4-4cb4-bd89-c2ef9a2b2817</ontrue>

</choice>

</choices>

</stage>

<stage stageid="65bc2a86-0bf7-49e7-b047-92e21269c321" name="Otherwise1" type="ChoiceEnd">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="60" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e843f70-7aa4-4ae7-8bf6-0631ee6d9543</onsuccess>

<groupid>6a2c57e5-d499-4d5c-bf08-c2a7463eee98</groupid>

</stage>

<stage stageid="bd2e0f3b-2745-4aea-bb85-f401452d74ac" name="Input D" type="Write">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="150" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5ec911e9-a158-4745-a996-a1df0a36ea54</onsuccess>

<step expr="&quot;D&quot;">
```

```
<element id="6f980e3e-fbc3-4804-878b-1863a016e791"/>

</step>

</stage>

<stage stageid="25ecc6fa-bd48-4e6e-a69d-f598c817806f" name="Enter" type="Navigate">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="255" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>88d4fe80-9dc6-4ba7-96fa-22c81a19e4ec</onsuccess>

<step>

<element id="74848e9d-2f6c-4be6-876d-bc7304e2d2f5"/>

<action>

<id>SendKeys</id>

<arguments>

<argument>

<id>newtext</id>

<value>"[newline]"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="3e843f70-7aa4-4ae7-8bf6-0631ee6d9543" name="anchor1" type="Anchor">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="60" y="165" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d1995b1f-0267-4cfe-a3ce-3a94233e9e7e</onsuccess>
```

</stage>

<stage stageid="100851f3-55a4-4cb4-bd89-c2ef9a2b2817" name="anchor2" type="Anchor">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="-45" y="60" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5554ea12-6cce-4a81-8ded-65dbb9235bed</onsuccess>

</stage>

<stage stageid="a1f2564a-30fc-4e6a-937b-faa0634c1401" name="anchor3" type="Anchor">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="-45" y="-75" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ade696ae-e8d0-470f-b183-99aadde48424</onsuccess>

</stage>

<stage stageid="ade696ae-e8d0-470f-b183-99aadde48424" name="anchor4" type="Anchor">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="-45" y="-30" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>100851f3-55a4-4cb4-bd89-c2ef9a2b2817</onsuccess>

</stage>

<stage stageid="d1995b1f-0267-4cfe-a3ce-3a94233e9e7e" name="Set Failure" type="Calculation">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="150" y="165"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>399af24f-404a-4f0e-9d8d-a8fe0af6946a</onsuccess>

<calculation expression="False" stage="Select Menu Success"/>

</stage>

<stage stageid="98fba469-37a7-4058-a87f-73830bcd206e" name="Time Out4" type="WaitEnd">

<subsheetsid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetsid>

<loginhibit/>

<display x="360" y="165" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d1995b1f-0267-4cfe-a3ce-3a94233e9e7e</onsuccess>

<groupid>e97e245a-6e21-4c14-a35b-45c000888dcf</groupid>

</stage>

<stage stageid="88d4fe80-9dc6-4ba7-96fa-22c81a19e4ec" name="Search Page" type="WaitStart">

<subsheetsid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetsid>

<display x="360" y="15" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>e97e245a-6e21-4c14-a35b-45c000888dcf</groupid>

<choices>

<choice reply="True">

<name>Screen Text Search Page Check Exists</name>

<distance>75</distance>

<ontrue>2e11a036-a460-4b75-8fbe-aa94680ad47d</ontrue>

<element id="f0a5985c-1825-4fc9-8495-e317f5d0617d"/>

<condition>

<id>CheckField</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>



<timeout>30</timeout>

</stage>

<stage stageid="5554ea12-6cce-4a81-8ded-65dbb9235bed" name="anchor5" type="Anchor">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="-45" y="165" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e843f70-7aa4-4ae7-8bf6-0631ee6d9543</onsuccess>

</stage>

<stage stageid="2e11a036-a460-4b75-8fbe-aa94680ad47d" name="Set Success" type="Calculation">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<display x="255" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>399af24f-404a-4f0e-9d8d-a8fe0af6946a</onsuccess>

<calculation expression="True" stage="Select Menu Success"/>

</stage>

<stage stageid="bd4bce26-b8fd-4a50-9bab-c080fd58ea0e" name="Close Session" type="SubSheetInfo">

<subsheetid>5b780aa7-d9c1-427d-afb5-ecf0a0c438cf</subsheetid>

<display x="-195" y="-135" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="befd9c09-7cb6-45a0-bbc0-3cd3bfe4f455" name="Start" type="Start">

<subsheetid>5b780aa7-d9c1-427d-afb5-ecf0a0c438cf</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>df1b9ccd-41cb-4bf2-9266-80457e41afa4</onsuccess>

</stage>

<stage stageid="a6f7824a-a706-424c-b066-c4594756aaa1" name="End" type="End">

<subsheetid>5b780aa7-d9c1-427d-afb5-ecf0a0c438cf</subsheetid>

<loginhibit/>

<display x="15" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="df1b9ccd-41cb-4bf2-9266-80457e41afa4" name="Close Session" type="Navigate">

<subsheetid>5b780aa7-d9c1-427d-afb5-ecf0a0c438cf</subsheetid>

<display x="15" y="-45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a6f7824a-a706-424c-b066-c4594756aaa1</onsuccess>

<step>

<element id="74848e9d-2f6c-4be6-876d-bc7304e2d2f5"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="262d5c83-f018-4c5f-b1a4-8305417b2ee9" name="Time Out5" type="WaitEnd">

<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="255" y="-30" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>25ecc6fa-bd48-4e6e-a69d-f598c817806f</onsuccess>

<groupid>3477a187-644d-4a6c-bdb4-173c1b877b47</groupid>

</stage>

```
<stage stageid="5ec911e9-a158-4745-a996-a1df0a36ea54" name="Wait 2 secs" type="WaitStart">
<subsheetid>b4386229-bd6c-4798-99d9-eb2405860ea6</subsheetid>

<loginhibit/>

<display x="150" y="-30" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>3477a187-644d-4a6c-bdb4-173c1b877b47</groupid>

<choices/>

<timeout>2</timeout>

</stage>

<stage stageid="7b8761b9-d336-4028-ae22-903ac852f319" name="Start batch file" type="Code">
<subsheetid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetid>

<display x="105" y="-180"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="QARoot" expr="[QA Root]"/>

</inputs>

<onsuccess>53bba073-b309-459b-ae45-fd70898cf30b</onsuccess>

<code>System.Diagnostics.Process.Start([QARoot]&amp;&amp;"\QA\Processes\Mainframe\SHU TracePlay

</code>

</stage>

<stage stageid="dcde625d-7a24-4feb-831d-7ac3d505a7b0" name="QA Root" type="Data">
<subsheetid>2d91b51b-493e-4dc6-bede-6c30df1424f4</subsheetid>

<loginhibit/>

<display x="-225" y="60" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>
```

```
<private/>

<alwaysinit/>

</stage>

</process>

<process name="IBM Test Process" version="1.0" narrative="Process to test IBM Pcom object and interface" />

<view>

  <camerax>0</camerax>

  <cameray>0</cameray>

  <zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="31bb091e-e183-4aa7-885c-67714c12a907" name="Start" type="Start">

  <narrative>

  </narrative>

  <displayx>0</displayx>

  <displayy>-180</displayy>

  <displaywidth>60</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <action/>

  <inputs>

    <input type="text" name="Session ID" stage="Session ID"/>

  </inputs>

  <outputs/>

  <onsuccess>fe364c43-7c53-4be1-aa46-be4dc414f447</onsuccess>

</stage>
```

<stage stageid="6290c3b5-234a-4c58-86fd-177f97a5a509" name="End" type="End">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="86f34d27-4554-4751-8df4-52cad894e64e" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-165</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="cd6a8d43-ea67-462d-b2c0-69b9c370360e" name="Session ID" type="Data">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>A</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fe364c43-7c53-4be1-aa46-be4dc414f447" name="Start Session" type="Action">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Session ID" expr="[Session ID]"/>

</inputs>

<outputs>

<output type="flag" name="Start Session Success" stage="Action Success"/>

</outputs>

<onsuccess>e47e24ee-132b-470a-b816-791e594bcb80</onsuccess>

<resource object="IBMTTestObject" action="Start Mainfame Session"/>

</stage>

<stage stageid="cca505ab-632c-4d8c-bbc3-5eca56919833" name="Action Success" type="Data">

<narrative>

```
</narrative>

<displayx>-270</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e47e24ee-132b-470a-b816-791e594bcb80" name="Success" type="Decision">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Action Success]=True"/>

<ontrue>7738f5c5-d95b-4c1d-8c62-d0767a72650e</ontrue>

<onfalse>26189e25-7aa1-48ff-868f-531f3c82917e</onfalse>

</stage>

<stage stageid="7738f5c5-d95b-4c1d-8c62-d0767a72650e" name="Logon" type="Action">

<narrative>

</narrative>

<displayx>0</displayx>
```

```
<display>15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Login ID" expr="&quot;opac&quot;"/>

</inputs>

<outputs>

<output type="flag" name="Login Success" stage="Action Success"/>

</outputs>

<onsuccess>ea65d004-b41f-46d9-a15d-3181365c0002</onsuccess>

<resource object="IBMTTestObject" action="Logon to SHU"/>

</stage>

<stage stageid="ea65d004-b41f-46d9-a15d-3181365c0002" name="Success" type="Decision">

<narrative>

</narrative>

<displayx>0</displayx>

<display>75</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Action Success]=True"/>

<ontrue>5fac22cf-e56d-4cf4-9059-6bc31f705b7c</ontrue>

<onfalse>64c1f9e4-2a8c-4042-8793-c43a076baf3b</onfalse>

</stage>

<stage stageid="5fac22cf-e56d-4cf4-9059-6bc31f705b7c" name="Select Subject Search" type="Action">
```



```
<narrative>

</narrative>

<displayx>0</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Menu Item" expr="&quot;D&quot;"/>

</inputs>

<outputs>

<output type="flag" name="Select Menu Success" stage="Action Success"/>

</outputs>

<onsuccess>7a56e3df-67e4-448a-bd91-c3c42209933b</onsuccess>

<resource object="IBMTTestObject" action="Select menu Item"/>

</stage>

<stage stageid="7a56e3df-67e4-448a-bd91-c3c42209933b" name="Success" type="Decision">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Action Success]=True"/>

<ontrue>91c49ab5-3706-4c96-b7b3-6893f548517f</ontrue>
```

<onfalse>0fcad58e-f443-4842-a2c5-700a124c1919</onfalse>

</stage>

<stage stageid="91c49ab5-3706-4c96-b7b3-6893f548517f" name="Close Session" type="Action">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>6290c3b5-234a-4c58-86fd-177f97a5a509</onsuccess>

<resource object="IBMTTestObject" action="Close Session"/>

</stage>

<stage stageid="26189e25-7aa1-48ff-868f-531f3c82917e" name="Failure to start session" type="Calculation">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<calculation expression="" stage=""/>

</stage>

<stage stageid="64c1f9e4-2a8c-4042-8793-c43a076baf3b" name="Failure to logon" type="Calculation">

```
<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<calculation expression="" stage=""/>

</stage>

<stage stageid="0fcad58e-f443-4842-a2c5-700a124c1919" name="Failure to access subject search" type=

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<calculation expression="" stage=""/>

</stage>

</process>

<process name="InputsOutputsLogging" version="1.0" narrative="Test for logging of inputs and outputs" ty

<appdef/>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>
```

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="85b21362-8ee0-4c3b-8532-1c194626a6e8" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="614aa69b-8430-4eb6-a622-0b338ddd4989" type="Normal" published="True">

<name>NoInNoOut</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="3bc806ad-6b98-426d-9927-b3f2e27bd3fa" type="Normal" published="True">

<name>InNoOut</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="95ffd2ca-94c7-4062-a0ce-f06eed94691c" type="Normal" published="True">

<name>NoInOut</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="86f75154-ca97-471c-a5cd-41a6d1220ca2" type="Normal" published="True">

<name>InOut</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="2faab887-d65c-4130-a9d8-6ae9ea994fc8" type="Normal" published="True">

<name>BigInOut</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="2ddd0ada-9e1e-497b-ad17-15b6d470b129" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>af91d94f-cbcf-46a8-b049-9bf468a3c773</onsuccess>

</stage>

<stage stageid="af91d94f-cbcf-46a8-b049-9bf468a3c773" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="9fe86820-5dcd-459e-9b91-01fb626f3ebc" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>
```

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

</references>

<imports>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="58b93fe4-6e87-497b-8fab-616c0382e706" name="Clean Up" type="SubSheetInfo">

<subsheetsid>85b21362-8ee0-4c3b-8532-1c194626a6e8</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8eee8320-5820-415a-8bec-97752281387a" name="Start" type="Start">

<subsheetsid>85b21362-8ee0-4c3b-8532-1c194626a6e8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>5f1c261d-779e-4a1c-9d15-7eb715ec3d45</onsuccess>

</stage>

<stage stageid="5f1c261d-779e-4a1c-9d15-7eb715ec3d45" name="End" type="End">

<subsheetid>85b21362-8ee0-4c3b-8532-1c194626a6e8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>



```
<stage stageid="4b8935d4-70e6-4bb8-a701-fede14a3098d" name="NoInNoOut" type="SubSheetInfo">
<subsheetsid>614aa69b-8430-4eb6-a622-0b338ddd4989</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="843609a2-8089-4b62-9296-515c5c09d23a" name="Start" type="Start">
<subsheetsid>614aa69b-8430-4eb6-a622-0b338ddd4989</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>2eee13f7-6eb8-4eb6-83ec-c0c9d44b9984</onsuccess>

</stage>

<stage stageid="2eee13f7-6eb8-4eb6-83ec-c0c9d44b9984" name="End" type="End">
<subsheetsid>614aa69b-8430-4eb6-a622-0b338ddd4989</subsheetsid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="7a8bec24-76d2-4591-a717-40b231a2d58f" name="new" type="Note">

<subsheetsid>85b21362-8ee0-4c3b-8532-1c194626a6e8</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="52652c24-9ddc-42ed-9d12-7987b8c6583c" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a page load.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7a0a5f79-243a-4083-ac31-a79735c48fb9" name="InNoOut" type="SubSheetInfo">

<subsheetsid>3bc806ad-6b98-426d-9927-b3f2e27bd3fa</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bce5fd25-74a8-476e-95e6-92522514246b" name="Start" type="Start">

<subsheetsid>3bc806ad-6b98-426d-9927-b3f2e27bd3fa</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="number" name="TestInput1" stage="Data1"/>

<input type="text" name="TestInput2" stage="Data2"/>

</inputs>

<outputs/>

<onsuccess>327783da-bd50-46b3-a5ae-200977bebffd</onsuccess>

</stage>

<stage stageid="327783da-bd50-46b3-a5ae-200977bebffd" name="End" type="End">

<subsheetid>3bc806ad-6b98-426d-9927-b3f2e27bd3fa</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

```
<outputs/>

</stage>

<stage stageid="a43747fb-10a7-4ac6-be5e-79254e3fc1fc" name="Data1" type="Data">

<subsheetsid>3bc806ad-6b98-426d-9927-b3f2e27bd3fa</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0214f1cb-6b0c-4dd4-acbc-6f0aab3cc8cd" name="Data2" type="Data">

<subsheetsid>3bc806ad-6b98-426d-9927-b3f2e27bd3fa</subsheetsid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

```
<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5b8eff9a-9d7b-4de3-bd66-19e5fb625cdd" name="NoInOut" type="SubSheetInfo">

<subsheetsid>95ffd2ca-94c7-4062-a0ce-f06eed94691c</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6dc84b5d-f45c-4dc5-9195-05d2cc38afbc" name="Start" type="Start">

<subsheetsid>95ffd2ca-94c7-4062-a0ce-f06eed94691c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>
```

```
<outputs/>

<onsuccess>dacf0410-0f82-4cc9-98c8-541199bb822b</onsuccess>

</stage>

<stage stageid="dacf0410-0f82-4cc9-98c8-541199bb822b" name="End" type="End">

<subsheetid>95ffd2ca-94c7-4062-a0ce-f06eed94691c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="number" name="TestOutput1" stage="Data3"/>

<output type="text" name="TestOutput2" stage="Data4"/>

</outputs>

</stage>

<stage stageid="5aa3bd66-8ef0-45bb-bbb5-3edd7f742e10" name="Data3" type="Data">

<subsheetid>95ffd2ca-94c7-4062-a0ce-f06eed94691c</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>114</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e754701d-ce01-44bf-a35c-cda4006eec35" name="Data4" type="Data">

<subsheetsid>95ffd2ca-94c7-4062-a0ce-f06eed94691c</subsheetsid>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>Output from NoInOut</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="09d93eb9-09a7-4b7f-9fe1-70d5a1a155b3" name="InOut" type="SubSheetInfo">

<subsheetsid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>
```



```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0ed6a7e7-add1-4608-9ea2-33a1b6b2f4a1" name="Start" type="Start">

<subsheetid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="TestInput1" stage="Data6"/>

<input type="number" name="TestInput2" stage="Data5"/>

</inputs>

<outputs/>

<onsuccess>9291fe74-8bcc-4110-851b-c7a06fc0f4d4</onsuccess>

</stage>

<stage stageid="9291fe74-8bcc-4110-851b-c7a06fc0f4d4" name="End" type="End">

<subsheetid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="TestOutput1" stage="Data8"/>

<output type="number" name="TestOutput2" stage="Data7"/>

</outputs>

</stage>

<stage stageid="d61d1318-f57e-4ae7-bd83-59cd7aaaa20d" name="Data5" type="Data">

<subsheetsid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>
```

<stage stageid="5c597425-e025-4a45-899d-26424a7345b6" name="Data6" type="Data">

<subsHEETid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsHEETid>

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4d85e9fc-a7a0-466d-a922-25d47cbc7bfd" name="Data7" type="Data">

<subsHEETid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsHEETid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>541</initialvalue>

<private/>

```
<alwaysinit/>

</stage>

<stage stageid="c90018fa-99df-4b4b-9c3b-9c33fdd1dd5a" name="Data8" type="Data">

<subsheetid>86f75154-ca97-471c-a5cd-41a6d1220ca2</subsheetid>

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>Output from InOut</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="96e5835e-598e-485b-9995-91fb5fb57860" name="BigInOut" type="SubSheetInfo">

<subsheetid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetid>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-135</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="03addc5e-951f-45bf-8083-fc19cd3204b8" name="Start" type="Start">
```

<subsheetid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="BigInput" stage="Data9"/>

<input type="number" name="Output Size Requested" stage="Output Size Requested"/>

</inputs>

<outputs/>

<onsuccess>f375e208-1700-4b14-b733-07356627264f</onsuccess>

</stage>

<stage stageid="f46bec9f-df8d-4b80-ae07-fe991f751d48" name="End" type="End">

<subsheetid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="BigOutput" stage="Data10"/>

</outputs>

</stage>

<stage stageid="d51c8756-b6b7-4bd3-b7ac-dbe2435eec9a" name="Data9" type="Data">

<subsHEETid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsHEETid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c8401c4-1ab0-454d-891e-64679c770723" name="Data10" type="Data">

<subsHEETid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsHEETid>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>105</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d3f29b8a-b95b-4d72-b135-bf2325f78509" name="Add 20 chars" type="Calculation">

<subsheetsid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a4288914-e5f4-4e35-8aae-3db4f960fef5</onsuccess>

<calculation expression="[Data10] &amp;&amp; &amp;quot;1234567890tententent&amp;quot;" stage="Data

</stage>

<stage stageid="670b2132-e223-46f4-9a9c-9600ea92e7b4" name="Count" type="Data">

<subsheetsid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>-90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f375e208-1700-4b14-b733-07356627264f" name="Set Count" type="Calculation">

<subsheetsid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d3f29b8a-b95b-4d72-b135-bf2325f78509</onsuccess>

<calculation expression="[Output Size Requested]/20" stage="Count"/>

</stage>

<stage stageid="64ac359c-95e6-4934-9649-e4728cb3e4cc" name="Finished?" type="Decision">

<subsheetsid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetsid>

<loginhibit/>

<narrative>
```



```
</narrative>

<displayx>-15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count]&lt;=0"/>

<ontrue>f46bec9f-df8d-4b80-ae07-fe991f751d48</ontrue>

<onfalse>ad6461a2-b288-41ad-a8f6-19fa12b2c03e</onfalse>

</stage>

<stage stageid="ad6461a2-b288-41ad-a8f6-19fa12b2c03e" name="anchor1" type="Anchor">

<subsheetid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0ccb5b00-27ca-4754-adc5-de2bbcf5d8d6</onsuccess>

</stage>

<stage stageid="0ccb5b00-27ca-4754-adc5-de2bbcf5d8d6" name="anchor2" type="Anchor">

<subsheetid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d3f29b8a-b95b-4d72-b135-bf2325f78509</onsuccess>

</stage>

<stage stageid="a4288914-e5f4-4e35-8aae-3db4f960fef5" name="Update Count" type="Calculation">

<subsheetsid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>64ac359c-95e6-4934-9649-e4728cb3e4cc</onsuccess>

<calculation expression="[Count]-1" stage="Count"/>

</stage>

<stage stageid="198fc8ef-9f0f-43df-bc10-89311faecb57" name="Output Size Requested" type="Data">

<subsheetsid>2faab887-d65c-4130-a9d8-6ae9ea994fc8</subsheetsid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-135</displayy>

<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>4000</initialvalue>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="InputsOutputsLoggingTest" version="1.0" narrative="Test for logging of inputs and output">

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="5ec27ca3-eb37-4153-9c4e-1a99f76b77aa" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>
```

<onsuccess>f237d841-e5a9-4a64-a416-10710e0f4fa6</onsuccess>

</stage>

<stage stageid="512a9e21-ca16-4909-bf65-c428ea55cc20" name="End" type="End">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="2bf3d39b-a4b0-4c2b-9650-2b1c495cc192" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-150</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f237d841-e5a9-4a64-a416-10710e0f4fa6" name="NoInNoOut" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<display>-135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>1142c404-fe92-48e1-8a0e-63a98063acf5</onsuccess>

<resource object="InputsOutputsLogging" action="NoInNoOut"/>

</stage>

<stage stageid="1142c404-fe92-48e1-8a0e-63a98063acf5" name="InNoOut" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<display>-90</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="number" name="TestInput1" expr="[NumVal]"/>

<input type="text" name="TestInput2" expr="[TextVal]"/>

</inputs>

<outputs/>

<onsuccess>58d9972d-e365-47f9-bb67-ffaf7407d2bc</onsuccess>

<resource object="InputsOutputsLogging" action="InNoOut"/>

</stage>

<stage stageid="58d9972d-e365-47f9-bb67-ffaf7407d2bc" name="NoInOut" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="number" name="TestOutput1" stage="NumVal"/>

<output type="text" name="TestOutput2" stage="TextVal"/>

</outputs>

<onsuccess>28163a06-5c2b-4353-9a3d-3c6214f8a59b</onsuccess>

<resource object="InputsOutputsLogging" action="NoInOut"/>

</stage>

<stage stageid="28163a06-5c2b-4353-9a3d-3c6214f8a59b" name="InOut" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

```
<input type="text" name="TestInput1" expr="[TextVal]"/>
<input type="number" name="TestInput2" expr="[NumVal]"/>
</inputs>
<outputs>
<output type="text" name="TestInput1" stage="TextVal"/>
<output type="number" name="TestInput2" stage="NumVal"/>
</outputs>
<onsuccess>5335502e-54e6-4923-a5ae-8c986d0624e3</onsuccess>
<resource object="InputsOutputsLogging" action="InOut"/>
</stage>
<stage stageid="5335502e-54e6-4923-a5ae-8c986d0624e3" name="BigInOut Small-3500" type="Action">
<narrative>
</narrative>
<displayx>-15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="text" name="BigInput" expr="[TextVal]"/>
<input type="number" name="Output Size Requested" expr="3500"/>
</inputs>
<outputs>
<output type="text" name="BigOutput" stage="TextVal"/>
</outputs>
<onsuccess>006280d2-1fc4-4d4e-8263-2489dc311c19</onsuccess>
```

<resource object="InputsOutputsLogging" action="BigInOut"/>

</stage>

<stage stageid="886768de-8ad9-439c-b48c-80c0265f7d17" name="NumVal" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="893499b3-9e51-42b4-96d0-eabff943f9ad" name="TextVal" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>First Input</initialvalue>

<private/>

<alwaysinit/>



```
</stage>

<stage stageid="006280d2-1fc4-4d4e-8263-2489dc311c19" name="BigInOut2 3500-3500" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="BigInput" expr="[TextVal]"/>

<input type="number" name="Output Size Requested" expr="3500"/>

</inputs>

<outputs>

<output type="text" name="BigOutput" stage="TextVal"/>

</outputs>

<onsuccess>d3b68932-eec9-4042-8f5d-181787b54d17</onsuccess>

<resource object="InputsOutputsLogging" action="BigInOut"/>

</stage>

<stage stageid="d3b68932-eec9-4042-8f5d-181787b54d17" name="BigInOut 3500-4500" type="Action">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="text" name="BigInput" expr="[TextVal]"/>
<input type="number" name="Output Size Requested" expr="4500"/>
</inputs>
<outputs>
<output type="text" name="BigOutput" stage="TextVal"/>
</outputs>
<onsuccess>ba78ff04-ff70-4c62-a408-f49b558c000b</onsuccess>
<resource object="InputsOutputsLogging" action="BigInOut"/>
</stage>
<stage stageid="ba78ff04-ff70-4c62-a408-f49b558c000b" name="BigInOut2 4500-4500" type="Action">
<narrative>
</narrative>
<displayx>75</displayx>
<displayy>135</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="text" name="BigInput" expr="[TextVal]"/>
<input type="number" name="Output Size Requested" expr="4500"/>
</inputs>
<outputs>
<output type="text" name="BigOutput" stage="TextVal"/>
```

</outputs>

<onsuccess>512a9e21-ca16-4909-bf65-c428ea55cc20</onsuccess>

<resource object="InputsOutputsLogging" action="BigInOut"/>

</stage>

</process>

<process name="Java AWT Demo" version="1.0" narrative="Java AWT Demo" type="object" runmode="E

<appdef>

<element name="BP AWT Demo">

<type>Application</type>

<basetype>Application</basetype>

<id>d05b4607-8b64-47e2-b6f1-ac1deff63aae</id>

<datatype>unknown</datatype>

<element name="Main Window">

<type>Java</type>

<basetype>Java</basetype>

<id>2a18a1b7-5cf6-4aac-90a2-f30fa0f5c22c</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>414</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>-1</value>

</ProcessValue>

</attribute>



<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>frame</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>1292</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>-19</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>195</value>

</ProcessValue>

</attribute>

</attributes>

<element name="Text Input Label">

<type>Java</type>

<basetype>Java</basetype>

<id>eefd5d28-7c08-4ed4-b261-09f8e538b98d</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>Text Input:</value>

</ProcessValue>



</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>label</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>69</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

```
<datatype>number</datatype>

<value>161</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>317</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Text Input Field">

<type>JavaEdit</type>

<basetype>JavaEdit</basetype>

<id>98d31c34-b768-410f-b0e8-fd63ce759fd4</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>
```

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>



<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>1</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>text</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>129</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>103</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Football Team Combo">

<type>JavaComboBox</type>

<basetype>JavaComboBox</basetype>

<id>f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

```
<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>
```

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>21</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">



<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

```
<ProcessValue>

<datatype>text</datatype>

<value>combo box</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>
```

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>77</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

```
<ProcessValue>

<datatype>number</datatype>

<value>386</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>92</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Radio Button 1">

<type>JavaCheckBox</type>

<basetype>JavaCheckBox</basetype>

<id>2282ddee-c010-4b45-80f7-892ad8f211a7</id>

<datatype>flag</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>
```

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>



</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>5</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>check box</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>65</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>578</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

</attributes>

</element>

```
<element name="Radio Button2">
  <type>JavaCheckBox</type>
  <basetype>JavaCheckBox</basetype>
  <id>adf76076-610e-4377-a897-01530469d3cb</id>
  <datatype>flag</datatype>
  <attributes>
    <attribute name="Active" dynamic="False" datatype="" inuse="False">
      <ProcessValue>
        <datatype>flag</datatype>
        <value>False</value>
      </ProcessValue>
    </attribute>
    <attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">
      <ProcessValue>
        <datatype>text</datatype>
        <value/>
      </ProcessValue>
    </attribute>
    <attribute name="Armed" dynamic="False" datatype="" inuse="False">
      <ProcessValue>
        <datatype>flag</datatype>
        <value>False</value>
      </ProcessValue>
    </attribute>
    <attribute name="Busy" dynamic="False" datatype="" inuse="False">
      <ProcessValue>
        <datatype>flag</datatype>
```

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

```
<attribute name="Editable" dynamic="False" datatype="" inuse="False">
<ProcessValue>
<datatype>flag</datatype>
<value>False</value>
</ProcessValue>
</attribute>
<attribute name="Enabled" dynamic="False" datatype="" inuse="False">
<ProcessValue>
<datatype>flag</datatype>
<value>True</value>
</ProcessValue>
</attribute>
<attribute name="Expandable" dynamic="False" datatype="" inuse="False">
<ProcessValue>
<datatype>flag</datatype>
<value>False</value>
</ProcessValue>
</attribute>
<attribute name="Expanded" dynamic="False" datatype="" inuse="False">
<ProcessValue>
<datatype>flag</datatype>
<value>False</value>
</ProcessValue>
</attribute>
<attribute name="Focusable" dynamic="False" datatype="" inuse="False">
<ProcessValue>
<datatype>flag</datatype>
```



<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>6</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>check box</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>57</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>653</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Radio Button 3">

<type>JavaCheckBox</type>

<basetype>JavaCheckBox</basetype>

<id>e8281654-db24-4afb-9a34-d7d9d34964cc</id>

<datatype>flag</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">



```
<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>
```

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

```
<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>7</value>
```

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>check box</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>105</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>720</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Liking Java Checkbox">

<type>JavaCheckBox</type>

<basetype>JavaCheckBox</basetype>

<id>e1978bff-70ab-408b-9f63-cce03a2c2070</id>

<datatype>flag</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>



</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>8</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>check box</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

```
<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>72</value>

</ProcessValue>
```

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>835</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>90</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Big Text Area">

<type>JavaEdit</type>

<basetype>JavaEdit</basetype>

<id>c099817c-0cfb-4e91-866b-b29cf4b87247</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>



<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>320</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>1</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>text</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>440</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>156</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>164</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="OK Button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>0c150cb8-7b1c-43c6-b157-ab77fa5e75bd</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>click</value>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">



<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

```
<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>
```

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

```
<ProcessValue>

<datatype>text</datatype>

<value>OK</value>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>
```

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>push button</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

```
<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>31</value>
```

```
</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>1167</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>312</value>

</ProcessValue>

</attribute>

</attributes>

</element>

<element name="Cancel Button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>18d4362d-ec87-4034-bf03-0aee01606b3b</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>
```



</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>click</value>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>23</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>Cancel</value>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>1</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>push button</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

```
<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>53</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>1208</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>312</value>

</ProcessValue>
```



</attribute>

</attributes>

</element>

<element name="Image Viewing Window">

<type>Java</type>

<basetype>Java</basetype>

<id>fab8c156-49ad-4974-9efd-7b0e72721f92</id>

<datatype>text</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>3</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>300</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>-1</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>frame</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>



<value>400</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

</attributes>

<element name="Vert Scrollbar">

<type>JavaScrollBar</type>

<basetype>JavaScrollBar</basetype>

<id>4d929261-a86a-4ef9-9ac0-26373d219548</id>

<datatype>number</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>249</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>2</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>scroll bar</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>



```
<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>17</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>379</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>30</value>

</ProcessValue>
```

</attribute>

</attributes>

</element>

<element name="Horiz Scrollbar">

<type>JavaScrollBar</type>

<basetype>JavaScrollBar</basetype>

<id>bdcf996c-5557-48f9-ac9a-0fe7eb56e0a5</id>

<datatype>number</datatype>

<attributes>

<attribute name="Active" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="AllowedActions" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Armed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Busy" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Checked" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="ChildCount" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>0</value>

</ProcessValue>

</attribute>

<attribute name="Collapsed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Description" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Editable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Enabled" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Expandable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Expanded" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Focusable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Focused" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Height" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>17</value>

</ProcessValue>

</attribute>

<attribute name="Horizontal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Iconified" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="KeyBindings" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Modal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultipleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="MultiSelectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Name" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value/>

</ProcessValue>

</attribute>

<attribute name="Opaque" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Ordinal" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

<value>1</value>

</ProcessValue>

</attribute>

<attribute name="Pressed" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Resizable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Role" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>text</datatype>

<value>scroll bar</value>

</ProcessValue>

</attribute>

<attribute name="Selectable" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Selected" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Showing" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>



<attribute name="SingleLine" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Transient" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Vertical" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>flag</datatype>

<value>False</value>

</ProcessValue>

</attribute>

<attribute name="Visible" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>flag</datatype>

<value>True</value>

</ProcessValue>

</attribute>

<attribute name="Width" dynamic="False" datatype="" inuse="True">

<ProcessValue>

<datatype>number</datatype>

```
<value>392</value>

</ProcessValue>

</attribute>

<attribute name="X" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>4</value>

</ProcessValue>

</attribute>

<attribute name="Y" dynamic="False" datatype="" inuse="False">

<ProcessValue>

<datatype>number</datatype>

<value>279</value>

</ProcessValue>

</attribute>

</attributes>

</element>

</element>

</element>

</element>

<apptypeinfo>

<id>JavaLaunch</id>

<name>My application is launched from an executable file</name>

<parameters>

<parameter>

<name>Path</name>

<type>File</type>
```

<values/>

<value>C:\BluePrism\QA\Code\Java\BPAWTDemo.jar</value>

<acceptsnull>False</acceptsnull>

<filefilter>Java Applications (\*.jar)|\*.jar</filefilter>

<helptext>Enter the path to the application's JAR file, or use the Browse button</helptext>

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value/>

<acceptsnull>True</acceptsnull>

<filefilter/>

<helptext>Enter the command line parameters (if any) to be passed to the target application</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="41dfd7c5-86c2-4692-bbb9-94c4b7533543" type="CleanUp" published="True">

<name>Clean Up</name>

```
<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheetid="2748c78b-5720-4750-88b9-0c5844a27240" type="Normal" published="True">

<name>Test Button Clicks</name>

<view>

<camerax>0</camerax>

<cameray>42</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheetid="f0be518c-1d50-4bb5-b93f-14ef427c5cd7" type="Normal" published="True">

<name>Test ComboBoxes</name>

<view>

<camerax>0</camerax>

<cameray>-60</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheetid="e1ec9f32-6b68-48a8-a833-32e45a4c2f25" type="Normal" published="True">

<name>Test Radio Buttons</name>

<view>

<camerax>0</camerax>

<cameray>-60</cameray>
```

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625" type="Normal" published="True">

<name>Test Text Areas</name>

<view>

<camerax>-2</camerax>

<cameray>-102</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="2f07793d-2700-4e8b-a6e3-7a353dc5aef5" type="Normal" published="True">

<name>Test Scroll bars</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</sheet>

<sheet sheetid="fcf3a140-3e08-4695-b144-8ec02c83a49e" type="Normal" published="True">

<name>Test Text Field</name>

<view>

<camerax>47</camerax>

<cameray>471</cameray>

<zoom>1</zoom>

</view>

</sheet>

<stage stageid="15d02335-24fc-48f8-bb3d-59302ea5ea50" name="Start" type="Start">

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>f4572cd3-61b4-496c-8369-d8f21f9ba3d8</onsuccess>

</stage>

<stage stageid="f4572cd3-61b4-496c-8369-d8f21f9ba3d8" name="End" type="End">

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="c13e777b-fecb-4c6a-9201-ca1e4364ca67" name="Stage1" type="ProcessInfo">

<narrative/>

```
<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="2355f3a1-e8ff-4bb2-9f93-1bd920241bfc" name="Clean Up" type="SubSheetInfo">

<subsheetsid>41dfd7c5-86c2-4692-bbb9-94c4b7533543</subsheetsid>
```

```
<narrative/>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="eb312aee-8cc9-4d7d-b938-e07469159b8d" name="Start" type="Start">

<subsheetid>41dfd7c5-86c2-4692-bbb9-94c4b7533543</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>b6b28819-5fa2-4da6-8366-4bb4b911f434</onsuccess>

</stage>

<stage stageid="b6b28819-5fa2-4da6-8366-4bb4b911f434" name="End" type="End">

<subsheetid>41dfd7c5-86c2-4692-bbb9-94c4b7533543</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>90</displayy>
```



```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="1bf8c2fd-00bd-4c04-9cf7-cd6c90dd00c9" name="Test Button Clicks" type="SubSheetInfo">

<subsheets>
<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>
<narrative/>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>

<stage stageid="5b114409-5ef6-4060-a5be-b0d62b1974ea" name="Start" type="Start">

<subsheets>
<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>-120</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs/>
```

<outputs/>

<onsuccess>6dda98c9-080c-4f25-ab13-9851c2148669</onsuccess>

</stage>

<stage stageid="1d4eab3f-eb29-484d-873a-94ac39696198" name="End" type="End">

<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="91c46163-e545-48a9-88a1-0a58671b098e" name="new" type="Note">

<subsheetid>41dfd7c5-86c2-4692-bbb9-94c4b7533543</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

```
<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7b462e83-d587-4e82-9065-920b68d819e8" name="new" type="Note">

<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a page load.

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6dda98c9-080c-4f25-ab13-9851c2148669" name="Click OK Button" type="Navigate">

<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>acac1528-0c6f-4eb7-96c0-41b00a72d1c7</onsuccess>

<step>

<element id="0c150cb8-7b1c-43c6-b157-ab77fa5e75bd"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="acac1528-0c6f-4eb7-96c0-41b00a72d1c7" name="Get Log Text" type="Read">

<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1362103e-a551-46fb-8187-150afe6a04da</onsuccess>

<step stage="Log Text">

<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>

<action>

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="3e7c4d49-b1a2-4a08-93b4-e8ff5d9f4911" name="Log Text" type="Data">

<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>

```
<narrative/>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1362103e-a551-46fb-8187-150afe6a04da" name="Verify log" type="Decision">

<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="EndsWith(Trim([Log Text]), &quot;OK clicked.&quot;)/>

<ontrue>6525051a-4df7-4f62-8df2-c5d87e540707</ontrue>

<onfalse>bb10a272-7a8a-428b-9fcb-5968d1b570d4</onfalse>

</stage>

<stage stageid="6525051a-4df7-4f62-8df2-c5d87e540707" name="Click Cancel Button" type="Navigate">

<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>

<loginhibit/>
```

```
<narrative/>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3edac57d-36bf-4015-a7da-c0b6aecf496b</onsuccess>

<step>

<element id="18d4362d-ec87-4034-bf03-0aee01606b3b"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="3edac57d-36bf-4015-a7da-c0b6aecf496b" name="Get Log Text" type="Read">

<subsheetsid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae9d4fae-8be3-4b8f-9f4f-a8553949c7d0</onsuccess>

<step stage="Log Text">

<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>

<action>
```

```
<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="ae9d4fae-8be3-4b8f-9f4f-a8553949c7d0" name="Verify log" type="Decision">

<subsheetsid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="EndsWith(Trim([Log Text]), &quot;Cancel clicked.&quot;)/>

<ontrue>1d4eab3f-eb29-484d-873a-94ac39696198</ontrue>

<onfalse>4e987b5b-fb59-4c7c-9873-ee11663e29b8</onfalse>

</stage>

<stage stageid="87b92546-b8ed-4e35-a6c2-f7d5aca2ee2f" name="Note1" type="Note">

<subsheetsid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetsid>

<loginhibit/>

<narrative>fail</narrative>

<displayx>120</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="4e987b5b-fb59-4c7c-9873-ee11663e29b8" name="anchor1" type="Anchor">
<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>
<loginhibit/>
<narrative/>
<displayx>120</displayx>
<displayy>180</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>87b92546-b8ed-4e35-a6c2-f7d5aca2ee2f</onsuccess>
</stage>
```

```
<stage stageid="bb10a272-7a8a-428b-9fcb-5968d1b570d4" name="anchor2" type="Anchor">
<subsheetid>2748c78b-5720-4750-88b9-0c5844a27240</subsheetid>
<loginhibit/>
<narrative/>
<displayx>120</displayx>
<displayy>30</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4e987b5b-fb59-4c7c-9873-ee11663e29b8</onsuccess>
</stage>
```

```
<stage stageid="8a25d305-0f35-45ad-945b-34fc9d49fa12" name="Test ComboBoxes" type="SubSheetInf
<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>
<narrative/>
<displayx>-195</displayx>
<displayy>-105</displayy>
```



```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c261f6ad-6250-4bd9-becc-0766f4f172dd" name="Start" type="Start">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>e0127c6f-3b06-4049-b761-c09b0537da2c</onsuccess>

</stage>

<stage stageid="41e0e810-fe34-4858-be07-471fc8bbb527" name="End" type="End">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>1140</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="e0127c6f-3b06-4049-b761-c09b0537da2c" name="Drop Down Combo" type="Navigate">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7c3b5a8c-5ed6-416b-aeb3-f3e09525678a</onsuccess>

<step>

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABShowDropdown</id>

</action>

</step>

</stage>

<stage stageid="7c3b5a8c-5ed6-416b-aeb3-f3e09525678a" name="Read Expanded Value" type="Read">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-15</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9c9fde1c-720f-48ae-b4d8-b6ed6de695db</onsuccess>

<step stage="Expanded">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABIsExpanded</id>

</action>

</step>

</stage>

<stage stageid="117b004b-1c41-4491-89b3-b86b53be78ae" name="Expanded" type="Data">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<narrative/>

<displayx>120</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9c9fde1c-720f-48ae-b4d8-b6ed6de695db" name="Check Expanded" type="Decision">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>
```

<narrative/>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Expanded]"/>

<ontrue>7da40bb7-3e92-4375-a827-8decbb018be4</ontrue>

<onfalse>79b26fe7-a31b-4c51-9f79-f5990ce6cdfb</onfalse>

</stage>

<stage stageid="7da40bb7-3e92-4375-a827-8decbb018be4" name="Close DropDown" type="Navigate">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ed12199b-17de-49c9-aa2a-7626f2c8cb8d</onsuccess>

<step>

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABHideDropdown</id>

</action>

</step>

</stage>

```
<stage stageid="ed12199b-17de-49c9-aa2a-7626f2c8cb8d" name="Read Expanded Value" type="Read">
<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>150</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>dc69ca6e-9a62-4cae-9f1d-f9176f695bba</onsuccess>
<step stage="Expanded">
<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>
<action>
<id>JABIsExpanded</id>
</action>
</step>
</stage>
<stage stageid="dc69ca6e-9a62-4cae-9f1d-f9176f695bba" name="Check Expanded" type="Decision">
<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Expanded] = False"/>
```

```
<ontrue>8186d4c5-f7d0-44dc-8731-874c50754fee</ontrue>

<onfalse>dcc76af6-cc34-4832-8bc8-e3bc163ee6d0</onfalse>

</stage>

<stage stageid="8186d4c5-f7d0-44dc-8731-874c50754fee" name="Select Item by Index" type="Navigate">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>801a5e92-eff1-4b2c-b9c1-e938b87121fd</onsuccess>

<step>

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABSelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>""</value>

</argument>

<argument>

<id>position</id>

<value>2</value>

</argument>

</arguments>
```

```
</action>

</step>

</stage>

<stage stageid="801a5e92-eff1-4b2c-b9c1-e938b87121fd" name="Read Current Value" type="Read">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>330</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>91052fdf-fa52-493f-8c47-e35995c37735</onsuccess>

<step stage="Current Text">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="21bd0cbb-9c92-4d08-87b7-a4c30d3cfe5e" name="Current Text" type="Data">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<narrative/>

<displayx>90</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="91052fdf-fa52-493f-8c47-e35995c37735" name="Verify Current Text" type="Decision">
<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>375</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Current Text] = &quot;MCFC&quot;"/>
<ontrue>ff14c3c1-5950-426a-94b8-95fa8999015b</ontrue>
<onfalse>0b6ab538-6e74-4da2-ba21-ebb4e086b11c</onfalse>
</stage>
<stage stageid="ff14c3c1-5950-426a-94b8-95fa8999015b" name="Select Item by Text" type="Navigate">
<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d11904d4-64f6-4b0e-b7aa-ead8f9a6b5d4</onsuccess>

<step>

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABSelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>"Port Vale"</value>

</argument>

<argument>

<id>position</id>

<value>-1</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="d11904d4-64f6-4b0e-b7aa-ead8f9a6b5d4" name="Read Current Value" type="Read">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>14ed38fd-faaa-4814-8b4f-198cf7b4be04</onsuccess>

<step stage="Current Text">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="14ed38fd-faaa-4814-8b4f-198cf7b4be04" name="Verify Current Text" type="Decision">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>570</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current Text] = &quot;Port Vale&quot;"/>

<ontrue>c978a1c4-865c-46e2-9c3a-f2abadff394f</ontrue>

<onfalse>991d83a6-1176-4328-8a2e-0297c68e385f</onfalse>

</stage>

<stage stageid="c978a1c4-865c-46e2-9c3a-f2abadff394f" name="Select Item by Writing" type="Write">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>
```

```
<display>645</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>14504b11-8434-4094-8d15-0af9cf8c0a3e</onsuccess>

<step expr="&quot;MUFC&quot;">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

</step>

</stage>

<stage stageid="14504b11-8434-4094-8d15-0af9cf8c0a3e" name="Read Current Value" type="Read">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<display>15</display>

<display>690</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ca926aaa-59e5-4f76-ae4a-059fe32c1863</onsuccess>

<step stage="Current Text">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="ca926aaa-59e5-4f76-ae4a-059fe32c1863" name="Verify Current Text" type="Decision">
```

```
<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>735</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current Text] = &quot;MUFC&quot;" />

<ontrue>7672cf47-8f33-403c-b64a-312e6d6ef159</ontrue>

<onfalse>ccfc71fd-9f21-4049-9adf-a589ddb628d8</onfalse>

</stage>

<stage stageid="7672cf47-8f33-403c-b64a-312e6d6ef159" name="Count Items" type="Read">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>825</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d69b1c6f-7c9e-4f02-b3c3-55389a55f5b1</onsuccess>

<step stage="Item Count">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABGetItemCount</id>

</action>
```

```
</step>

</stage>

<stage stageid="c2ba7d8f-2418-4f32-ab84-58f798e03a3a" name="Item Count" type="Data">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<narrative/>

<displayx>90</displayx>

<displayy>825</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d69b1c6f-7c9e-4f02-b3c3-55389a55f5b1" name="Verify Item Count" type="Decision">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>870</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Item Count] = 3"/>

<ontrue>771a6e1e-8d5b-4440-bb4b-ad516d729d4a</ontrue>

<onfalse>e5305de3-5020-45cc-be2d-093fc520dd40</onfalse>
```

</stage>

<stage stageid="771a6e1e-8d5b-4440-bb4b-ad516d729d4a" name="Get All Items" type="Read">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>960</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f6f5e34c-adec-4307-9fdf-f24b29fe7e85</onsuccess>

<step stage="All Items">

<element id="f85b8a58-60b1-4cdc-bc0a-f32ba3542ca5"/>

<action>

<id>JABGetAllItems</id>

</action>

</step>

</stage>

<stage stageid="e7e19306-1d30-4f2e-a42f-c069d51572da" name="All Items" type="Collection">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<narrative/>

<displayx>90</displayx>

<displayy>960</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<initialvalue/>

</stage>

<stage stageid="f6f5e34c-adec-4307-9fdf-f24b29fe7e85" name="Count Collection of Items" type="Action">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>1005</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Collection Name" expr="&quot;All Items&quot;"/>

</inputs>

<outputs>

<output type="number" name="Count" stage="Item Count"/>

</outputs>

<onsuccess>c9bb27b3-d3b7-4831-b5f4-e6359dfa2e72</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>

</stage>

<stage stageid="c9bb27b3-d3b7-4831-b5f4-e6359dfa2e72" name="Verify Item Count" type="Decision">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

```
<displayx>15</displayx>

<displayy>1050</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Item Count] = 3"/>

<ontrue>41e0e810-fe34-4858-be07-471fc8bbb527</ontrue>

<onfalse>37484273-115d-44ff-9b06-6aaae3460f27</onfalse>

</stage>

<stage stageid="37484273-115d-44ff-9b06-6aaae3460f27" name="anchor3" type="Anchor">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>1050</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>058b30d1-222c-40ab-9e6c-7ad2214af4d9</onsuccess>

</stage>

<stage stageid="e5305de3-5020-45cc-be2d-093fc520dd40" name="anchor4" type="Anchor">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>870</displayy>

<displaywidth>10</displaywidth>
```



<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>37484273-115d-44ff-9b06-6aaae3460f27</onsuccess>

</stage>

<stage stageid="ccfc71fd-9f21-4049-9adf-a589ddb628d8" name="anchor5" type="Anchor">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>735</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e5305de3-5020-45cc-be2d-093fc520dd40</onsuccess>

</stage>

<stage stageid="991d83a6-1176-4328-8a2e-0297c68e385f" name="anchor6" type="Anchor">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>570</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ccfc71fd-9f21-4049-9adf-a589ddb628d8</onsuccess>

</stage>

<stage stageid="0b6ab538-6e74-4da2-ba21-ebb4e086b11c" name="anchor7" type="Anchor">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>375</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>991d83a6-1176-4328-8a2e-0297c68e385f</onsuccess>

</stage>

<stage stageid="dcc76af6-cc34-4832-8bc8-e3bc163ee6d0" name="anchor8" type="Anchor">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0b6ab538-6e74-4da2-ba21-ebb4e086b11c</onsuccess>

</stage>

<stage stageid="79b26fe7-a31b-4c51-9f79-f5990ce6cdfb" name="anchor9" type="Anchor">

<subsheetid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dcc76af6-cc34-4832-8bc8-e3bc163ee6d0</onsuccess>

</stage>

<stage stageid="058b30d1-222c-40ab-9e6c-7ad2214af4d9" name="Note2" type="Note">

<subsheetsid>f0be518c-1d50-4bb5-b93f-14ef427c5cd7</subsheetsid>

<loginhibit/>

<narrative>fail</narrative>

<displayx>195</displayx>

<displayy>1140</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="68b6655d-ccf1-4499-a1d6-fc518cf4095f" name="Test Radio Buttons" type="SubSheetInfo">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<narrative/>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8b9adffe-4ba3-4fb1-9cbc-0dff2f18940d" name="Start" type="Start">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>303ba81f-0ba3-408b-9229-e4500d042d27</onsuccess>

</stage>

<stage stageid="5cfc9e96-20e0-4a65-8e95-ba3f45cd9649" name="End" type="End">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="c9fcf416-5069-415e-9277-ef0beea9b104" name="Press Radio1" type="Navigate">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

```
<narrative/>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fa617e18-e7c6-405e-b8eb-a1245c505f42</onsuccess>

<step>

<element id="2282dde-c010-4b45-80f7-892ad8f211a7"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="303ba81f-0ba3-408b-9229-e4500d042d27" name="Read Radio 1 Checked" type="Read">

<subsheetid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f3b90edf-19b2-4ce6-a6e0-34119714d733</onsuccess>

<step stage="Checked">

<element id="2282dde-c010-4b45-80f7-892ad8f211a7"/>

<action>
```

```
<id>JABGetChecked</id>

</action>

</step>

</stage>

<stage stageid="ba539f83-2d07-466b-aa7a-89894b682219" name="Checked" type="Data">

<subsheetid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetid>

<narrative/>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f3b90edf-19b2-4ce6-a6e0-34119714d733" name="Verify not Checked" type="Decision">

<subsheetid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked] = False"/>
```

<ontrue>c9fcf416-5069-415e-9277-ef0beea9b104</ontrue>

<onfalse>b8a51144-7028-4428-a840-98497e1c8d18</onfalse>

</stage>

<stage stageid="fa617e18-e7c6-405e-b8eb-a1245c505f42" name="Read Radio 1 Checked" type="Read">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>421825fe-ce16-4c73-b7ad-f62cdc5bd88d</onsuccess>

<step stage="Checked">

<element id="2282dde-c010-4b45-80f7-892ad8f211a7"/>

<action>

<id>JABGetChecked</id>

</action>

</step>

</stage>

<stage stageid="421825fe-ce16-4c73-b7ad-f62cdc5bd88d" name="Verify is now Checked" type="Decision">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>0249d60e-ae9c-4635-9e06-42bdd638da7d</ontrue>

</stage>

<stage stageid="0249d60e-ae9c-4635-9e06-42bdd638da7d" name="Check Radio 2" type="Write">

<subsheetid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e2341cb-b02e-42eb-9ff7-a076678ed32c</onsuccess>

<step expr="True">

<element id="adf76076-610e-4377-a897-01530469d3cb"/>

</step>

</stage>

<stage stageid="8e2341cb-b02e-42eb-9ff7-a076678ed32c" name="Read Radio1 and 2" type="Read">

<subsheetid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>77517205-01de-4d00-ad7f-9525f39eb492</onsuccess>

<step stage="Checked">

<element id="2282dde-c010-4b45-80f7-892ad8f211a7"/>

<action>

<id>JABGetChecked</id>

</action>

</step>

<step stage="Checked2">

<element id="adf76076-610e-4377-a897-01530469d3cb"/>

<action>

<id>JABGetChecked</id>

</action>

</step>

</stage>

<stage stageid="70ba0151-2460-45bb-8db9-7def4c24d195" name="Checked2" type="Data">

<subsheetid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetid>

<narrative/>

<displayx>90</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="77517205-01de-4d00-ad7f-9525f39eb492" name="Verify New Values" type="Decision">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>270</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="([Checked] = False) and [Checked2]"/>

<ontrue>3b5018ca-bf73-483b-a018-dceb3ea3e447</ontrue>

<onfalse>6fef1cc6-41b7-45f8-b84a-2fb455db49eb</onfalse>

</stage>

<stage stageid="3b5018ca-bf73-483b-a018-dceb3ea3e447" name="Read Radio Text" type="Read">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fc0fbecc-5d93-42aa-acfc-ddbf57c7d6a4</onsuccess>

<step stage="Text">

<element id="e8281654-db24-4afb-9a34-d7d9d34964cc"/>

<action>
```

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="6c6b37d4-e2b6-4d5e-a1c4-081dde5896a3" name="Text" type="Data">

<subsHEETid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsHEETid>

<narrative/>

<displayx>75</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fc0fbecc-5d93-42aa-acfc-ddbf57c7d6a4" name="Verify Text" type="Decision">

<subsHEETid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsHEETid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Text] = &quot;Don't forget me!&quot;"/>

<ontrue>5cfc9e96-20e0-4a65-8e95-ba3f45cd9649</ontrue>

<onfalse>43e61826-af51-4e97-b621-4850ffa44f82</onfalse>

</stage>

<stage stageid="43e61826-af51-4e97-b621-4850ffa44f82" name="anchor10" type="Anchor">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>165</displayx>

<displayy>405</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1309af62-4a27-4501-99d0-9d27e802970f</onsuccess>

</stage>

<stage stageid="6fef1cc6-41b7-45f8-b84a-2fb455db49eb" name="anchor11" type="Anchor">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>165</displayx>

<displayy>270</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>43e61826-af51-4e97-b621-4850ffa44f82</onsuccess>

</stage>

<stage stageid="0b73d708-f0fb-4db0-8456-1ed1fcbf9747" name="anchor12" type="Anchor">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

```
<loginhibit/>

<narrative/>

<displayx>165</displayx>

<displayy>120</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6fef1cc6-41b7-45f8-b84a-2fb455db49eb</onsuccess>

</stage>

<stage stageid="b8a51144-7028-4428-a840-98497e1c8d18" name="anchor13" type="Anchor">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>165</displayx>

<displayy>-15</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0b73d708-f0fb-4db0-8456-1ed1fcbf9747</onsuccess>

</stage>

<stage stageid="1309af62-4a27-4501-99d0-9d27e802970f" name="Note3" type="Note">

<subsheetsid>e1ec9f32-6b68-48a8-a833-32e45a4c2f25</subsheetsid>

<loginhibit/>

<narrative>fail

</narrative>

<displayx>165</displayx>

<displayy>465</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="35c54a0f-93c2-4268-8bcd-d60e92843226" name="Test Text Areas" type="SubSheetInfo">

<subsheetsid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetsid>

<narrative/>

<displayx>-195</displayx>

<displayy>-225</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d5339ed3-9e59-441f-98d7-68b0d641537a" name="Start" type="Start">

<subsheetsid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>f47bd899-c3eb-4931-8c91-29bab4506591</onsuccess>

</stage>
```

```
<stage stageid="0b6d8d8d-6c13-4479-9634-c33871cc45a4" name="End" type="End">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="c3bf5671-8dde-441c-8a77-be1b97646d94" name="Select Some Text" type="Navigate">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>54682e3a-6ddc-4488-a10d-06be4087dfcd</onsuccess>

<step>

<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>

<action>

<id>JABSelectText</id>
```

```
<arguments>
<argument>
<id>Position</id>
<value>2</value>
</argument>
<argument>
<id>Length</id>
<value>5</value>
</argument>
</arguments>
</action>
</step>
</stage>
<stage stageid="54682e3a-6ddc-4488-a10d-06be4087dfcd" name="Read Selected Text" type="Read">
<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>60</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>95b9dd09-f84c-4c81-b540-cdc96d9214cd</onsuccess>
<step stage="Selection">
<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>
<action>
<id>JABGetSelectedText</id>
```



```
</action>

</step>

</stage>

<stage stageid="cdab0485-41f7-425b-900e-1d156ffce603" name="Selection" type="Data">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<narrative/>

<displayx>105</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="95b9dd09-f84c-4c81-b540-cdc96d9214cd" name="Verify Selection" type="Decision">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Selection] = &quot;ello,&quot;"/>

<ontrue>59fc0a13-7e59-4000-a635-3702aee3959f</ontrue>
```

<onfalse>88881920-a6e3-442d-8e2c-ebb218714858</onfalse>

</stage>

<stage stageid="f47bd899-c3eb-4931-8c91-29bab4506591" name="Set Text" type="Write">

<subsHEETid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsHEETid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>982052aa-c758-4c30-97f4-e84e033bd7e1</onsuccess>

<step expr="[New Text]">

<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>

</step>

</stage>

<stage stageid="982052aa-c758-4c30-97f4-e84e033bd7e1" name="Read Text" type="Read">

<subsHEETid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsHEETid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2c66990f-fc1e-4b97-bc19-ac9885c4440b</onsuccess>

<step stage="Text">

```
<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>

<action>

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="9ad86138-8208-4d34-a64a-c59e46d3ff15" name="Text" type="Data">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<narrative/>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2c66990f-fc1e-4b97-bc19-ac9885c4440b" name="Verify Text" type="Decision">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Text] = [New Text]"/>
<ontrue>c3bf5671-8dde-441c-8a77-be1b97646d94</ontrue>
<onfalse>98a3f9cb-6978-4419-9d9c-f9c048adcb66</onfalse>
</stage>

<stage stageid="59fc0a13-7e59-4000-a635-3702aee3959f" name="Select All Text" type="Navigate">
<subsheetsid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetsid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>195</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>cf33572f-8eeb-49c7-af42-8942ae4ac795</onsuccess>
<step>
<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>
<action>
<id>JABSelectAllText</id>
</action>
</step>
</stage>

<stage stageid="ac596367-69ca-44c8-bc67-32120354c317" name="New Text" type="Data">
<subsheetsid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetsid>
<loginhibit/>
<narrative/>
<displayx>-180</displayx>
```

```
<display>-135</display>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>"Hello, this is a Blue Prism Test"</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cf33572f-8eeb-49c7-af42-8942ae4ac795" name="Read Selected Text" type="Read">

<subsheetsid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<display>240</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f9dd31ba-9341-47de-b466-b3648ae1beb1</onsuccess>

<step stage="Selection">

<element id="c099817c-0cfb-4e91-866b-b29cf4b87247"/>

<action>

<id>JABGetSelectedText</id>

</action>

</step>

</stage>

<stage stageid="f9dd31ba-9341-47de-b466-b3648ae1beb1" name="Verify Selection" type="Decision">
```

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Selection] = [New Text]"/>

<ontrue>0b6d8d8d-6c13-4479-9634-c33871cc45a4</ontrue>

<onfalse>cb36358f-1922-47ae-83ea-0a324b7d6520</onfalse>

</stage>

<stage stageid="cb36358f-1922-47ae-83ea-0a324b7d6520" name="anchor14" type="Anchor">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>180</displayx>

<displayy>285</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="88881920-a6e3-442d-8e2c-ebb218714858" name="anchor15" type="Anchor">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>180</displayx>

```
<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cb36358f-1922-47ae-83ea-0a324b7d6520</onsuccess>

</stage>

<stage stageid="98a3f9cb-6978-4419-9d9c-f9c048adcb66" name="anchor16" type="Anchor">

<subsheetid>0a7a1f3c-5fd7-4220-bc1b-495ad7d8a625</subsheetid>

<loginhibit/>

<narrative/>

<displayx>180</displayx>

<displayy>-60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>88881920-a6e3-442d-8e2c-ebb218714858</onsuccess>

</stage>

<stage stageid="297b8150-58bb-4771-a682-2110a63b92fc" name="Test Scroll bars" type="SubSheetInfo">

<subsheetid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsheetid>

<narrative/>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b5ba6740-8d31-4146-9b1a-4901c79cc40f" name="Start" type="Start">
```

<subsheetid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>e8bdc01d-ebf1-42a9-be64-d5426efb202b</onsuccess>

</stage>

<stage stageid="3b6a24e1-3cf6-4821-bbf1-01e7acb3d412" name="End" type="End">

<subsheetid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="e8bdc01d-ebf1-42a9-be64-d5426efb202b" name="Read Values" type="Read">



<subsheetid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f74c71be-915f-47bb-8f9f-40c05931dbbe</onsuccess>

<step stage="Max">

<element id="4d929261-a86a-4ef9-9ac0-26373d219548"/>

<action>

<id>JABGetMaxNumericValue</id>

</action>

</step>

<step stage="Current">

<element id="4d929261-a86a-4ef9-9ac0-26373d219548"/>

<action>

<id>JABGetNumericValue</id>

</action>

</step>

<step stage="Min">

<element id="4d929261-a86a-4ef9-9ac0-26373d219548"/>

<action>

<id>JABGetMinNumericValue</id>

</action>

</step>

</stage>

<stage stageid="7839b5e2-8dc3-4cfa-b3bb-d5fac3c20a14" name="Max" type="Data">

<subsHEETid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsHEETid>

<narrative/>

<displayx>-105</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="77741d6c-dc30-4a08-ad62-7ecabfd093e2" name="Min" type="Data">

<subsHEETid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsHEETid>

<narrative/>

<displayx>-105</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0fd71fa5-d72a-424c-a9a4-9e5d4f7a91c2" name="Current" type="Data">

<subsHEETid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsHEETid>

<narrative/>

<displayx>-105</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f74c71be-915f-47bb-8f9f-40c05931dbbe" name="Verify Values" type="Decision">

<subsHEETid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsHEETid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="([Current] = 0) and ([Max] = 776) and ([Min] = 0)"/>

<ontrue>3b6a24e1-3cf6-4821-bbf1-01e7acb3d412</ontrue>

<onfalse>35c0ee06-48a0-488a-88df-1d9bf0527df1</onfalse>

</stage>

<stage stageid="35c0ee06-48a0-488a-88df-1d9bf0527df1" name="Note4" type="Note">

<subsheetid>2f07793d-2700-4e8b-a6e3-7a353dc5aef5</subsheetid>

<loginhibit/>

<narrative>fail</narrative>

<displayx>150</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9e4378a7-0441-4ea4-932f-5b6a1f5c821f" name="Test Text Field" type="SubSheetInfo">

<subsheetid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<narrative/>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e7a1587c-ba6d-4441-9e3b-3ea3e9372531" name="Start" type="Start">

<subsheetid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<action/>

<inputs/>

<outputs/>

<onsuccess>153f3dc4-33d5-4c9f-8e0c-0e29efaa28da</onsuccess>

</stage>

<stage stageid="b057815c-2f8f-432f-9b39-027c83e51c81" name="End" type="End">

<subsheetid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="153f3dc4-33d5-4c9f-8e0c-0e29efaa28da" name="Read Text" type="Read">

<subsheetid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>49dadbc5-ad81-489c-82e4-a91a192cfc10</onsuccess>

<step stage="Text">

<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>

<action>

<id>JABGetText</id>

</action>

</step>

</stage>

<stage stageid="7659ce44-6dc6-4df0-98cc-c5a081c2487a" name="Text" type="Data">

<subsheetsid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<narrative/>

<displayx>105</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="994cee4d-1644-4ed0-a97d-a79b94ace479" name="Select Text" type="Navigate">

<subsheetsid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>225</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c624ad63-5bc1-47da-ba77-dc083eea24e9</onsuccess>

<step>

<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>

<action>

<id>JABSelectText</id>

<arguments>

<argument>

<id>Position</id>

<value>3</value>

</argument>

<argument>

<id>Length</id>

<value>4</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="63cddba1-de1d-456a-912b-037f0b8fd655" name="Write Text" type="Write">

<subsheetid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>60</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0caa8c6a-25e5-4757-a5be-e90d1cba8d4d</onsuccess>

<step expr="[New Text]">

<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>

</step>

</stage>

<stage stageid="8be4cfca-46f2-4c63-8b37-7ece4a0752b8" name="New Text" type="Data">

<subsheetid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>-255</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>"Hello, this is the second Blue Prism Test"</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c624ad63-5bc1-47da-ba77-dc083eea24e9" name="Read Selected Text" type="Read">

<subsheetid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>
```



```
<displayy>270</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0bbf348b-dc03-4ba6-b7c7-2d590d4ee321</onsuccess>

<step stage="Selected Text">

<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>

<action>

<id>JABGetSelectedText</id>

</action>

</step>

</stage>

<stage stageid="1bacbd9b-4784-4cd6-8a34-dd531f4dadd8" name="Selected Text" type="Data">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<narrative/>

<displayx>105</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="49dadbc5-ad81-489c-82e4-a91a192cfc10" name="Verify Blank" type="Decision">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>
```

```
<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Text] = &quot;&quot;"/>

<ontrue>63cddb1-de1d-456a-912b-037f0b8fd655</ontrue>

<onfalse>643e39d7-ca67-45a8-b67d-3f84c3a7fd7d</onfalse>

</stage>

<stage stageid="0caa8c6a-25e5-4757-a5be-e90d1cba8d4d" name="Read Text" type="Read">

<subsheetid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>348fff67-fd69-4607-9ceb-196ffe6b29ef</onsuccess>

<step stage="Text">

<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>

<action>

<id>JABGetText</id>

</action>

</step>
```

</stage>

<stage stageid="348fff67-fd69-4607-9ceb-196ffe6b29ef" name="Verify Text" type="Decision">

<subsHEETid>fCF3a140-3e08-4695-b144-8ec02c83a49e</subsHEETid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Text] = [New Text]"/>

<ontrue>994cee4d-1644-4ed0-a97d-a79b94ace479</ontrue>

<onfalse>01dd9f5f-06ea-4de0-b975-815192c50c69</onfalse>

</stage>

<stage stageid="0bbf348b-dc03-4ba6-b7c7-2d590d4ee321" name="Verify Selected Text" type="Decision">

<subsHEETid>fCF3a140-3e08-4695-b144-8ec02c83a49e</subsHEETid>

<loginhibit/>

<narrative/>

<displayx>15</displayx>

<displayy>315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Selected Text] = Mid([New Text], 3,4)"/>

<ontrue>fdb83fa3-f122-4a3a-93f8-6b0dcb2cd46f</ontrue>

<onfalse>7e9df24b-8028-4233-933d-41241bd77ec5</onfalse>

</stage>

```
<stage stageid="fdb83fa3-f122-4a3a-93f8-6b0dcb2cd46f" name="Select All Text" type="Navigate">
<subsheetsid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9f32c34a-c41f-48e2-afab-16b92fc1d837</onsuccess>
<step>
<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>
<action>
<id>JABSelectAllText</id>
<arguments>
<argument>
<id>Position</id>
<value>3</value>
</argument>
<argument>
<id>Length</id>
<value>4</value>
</argument>
</arguments>
</action>
</step>
</stage>
```

```
<stage stageid="9f32c34a-c41f-48e2-afab-16b92fc1d837" name="Read Selected Text" type="Read">
<subsheetsid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>435</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>fd8228dd-13a5-44e7-95c1-23ed2492e18d</onsuccess>
<step stage="Selected Text">
<element id="98d31c34-b768-410f-b0e8-fd63ce759fd4"/>
<action>
<id>JABGetSelectedText</id>
</action>
</step>
</stage>
```

```
<stage stageid="fd8228dd-13a5-44e7-95c1-23ed2492e18d" name="Verify Selected Text" type="Decision">
<subsheetsid>fcf3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>
<loginhibit/>
<narrative/>
<displayx>15</displayx>
<displayy>480</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Selected Text] = [New Text]"/>
```

<ontrue>b057815c-2f8f-432f-9b39-027c83e51c81</ontrue>

<onfalse>b50a6cf7-8641-471a-9592-cc8658c0bf02</onfalse>

</stage>

<stage stageid="643e39d7-ca67-45a8-b67d-3f84c3a7fd7d" name="anchor17" type="Anchor">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>-15</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>01dd9f5f-06ea-4de0-b975-815192c50c69</onsuccess>

</stage>

<stage stageid="01dd9f5f-06ea-4de0-b975-815192c50c69" name="anchor18" type="Anchor">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7e9df24b-8028-4233-933d-41241bd77ec5</onsuccess>

</stage>

<stage stageid="7e9df24b-8028-4233-933d-41241bd77ec5" name="anchor19" type="Anchor">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

```
<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>315</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b50a6cf7-8641-471a-9592-cc8658c0bf02</onsuccess>

</stage>

<stage stageid="b50a6cf7-8641-471a-9592-cc8658c0bf02" name="anchor20" type="Anchor">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<loginhibit/>

<narrative/>

<displayx>195</displayx>

<displayy>480</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d1556e18-a7be-4880-bcfc-c0ac46aadbb1</onsuccess>

</stage>

<stage stageid="d1556e18-a7be-4880-bcfc-c0ac46aadbb1" name="Note5" type="Note">

<subsheetsid>fcb3a140-3e08-4695-b144-8ec02c83a49e</subsheetsid>

<loginhibit/>

<narrative>fail</narrative>

<displayx>195</displayx>

<displayy>540</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="Java Web Test" version="1.0" narrative="Tests a java applet within a web page" type="object">

<appdef>

<element name="Java Web Test">

<type>Application</type>

<basetype>Application</basetype>

<id>3c909bd1-8320-421c-9f3d-67a7e98eb40f</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="&quot;One&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>5ebba7d3-4069-48cb-b7be-279c8db71a7c</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions" inuse="True">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="one"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="one"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="148"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="508"/>

</attribute>

</attributes>

</element>

<element name="&quot;Two&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>846cbf80-7e41-4fba-90b9-6c7047017fec</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="two"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name">

<ProcessValue datatype="text" value="two"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical">

<ProcessValue datatype="flag" value="False"/>



```
</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="33"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="188"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="508"/>

</attribute>

</attributes>

</element>

<element name="&quot;Three&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>30bfc4af-d6af-4eb7-a282-1732d4cb5aaf</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions" inuse="True">

<ProcessValue datatype="text" value="click"/>
```

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="three"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name">

<ProcessValue datatype="text" value="three"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="42"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="226"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="508"/>

```
</attribute>

</attributes>

</element>

<element name="&quot;Four&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>253fdcc4-7d1b-4a15-b0af-65edd0037c92</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>
```

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText">

<ProcessValue datatype="text" value="four"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="four"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="Vertical">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="35"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="273"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="508"/>

</attribute>

</attributes>

</element>

<element name="&quot;Five&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>ef737860-2bcf-4fe2-8034-e061aaf0cfdc</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>
```

</attribute>

<attribute name="AllowedActions">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="five"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="five"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="4"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="32"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="313"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="508"/>

</attribute>

</attributes>

</element>

<element name="&quot;Six&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>2388a7d1-d0c5-476c-af8d-cc1402a21cad</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="six"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="six"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="5"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="29"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="350"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="508"/>

</attribute>

</attributes>

</element>

<element name="&quot;First&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>beb65c67-59d4-471a-b746-d46ed87849e7</id>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions" inuse="True">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="first"/>

</attribute>

<attribute name="KeyBindings" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="first"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="number" value="34"/>
```

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="143"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="775"/>

</attribute>

</attributes>

</element>

<element name="&quot;Next&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>37da60c2-1d9c-4c23-8237-aa993a633c1f</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions" inuse="True">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="next"/>

</attribute>

<attribute name="KeyBindings" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="next"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing">

<ProcessValue datatype="flag" value="True"/>

```
</attribute>

<attribute name="SingleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="number" value="36"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="182"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="775"/>

</attribute>

</attributes>

</element>

<element name="&quot;Previous&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>
```

<id>e3fe3ba0-718a-4228-b356-a2f5ea4f7411</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions" inuse="True">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="previous"/>

</attribute>

<attribute name="KeyBindings" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="previous"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>



</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="number" value="61"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="223"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="775"/>

</attribute>

</attributes>

</element>

<element name="&quot;Last&quot; button">

<type>JavaButton</type>

<basetype>JavaButton</basetype>

<id>941aae10-6cd9-4665-81db-4ccd4ba9e6a5</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="AllowedActions" inuse="True">

<ProcessValue datatype="text" value="click"/>

</attribute>

<attribute name="Armed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ChildCount" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height" inuse="True">

<ProcessValue datatype="number" value="23"/>

</attribute>

<attribute name="Horizontal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText" inuse="True">

<ProcessValue datatype="text" value="last"/>

</attribute>

<attribute name="KeyBindings" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="last"/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="push button"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical" inuse="True">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width" inuse="True">

<ProcessValue datatype="number" value="34"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="289"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="775"/>

</attribute>

</attributes>

</element>

```
<element name="selection combobox">
<type>JavaComboBox</type>
<basetype>JavaComboBox</basetype>
<id>1650a8c0-338c-4860-8c91-d15027764366</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="Active">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="AllowedActions">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="Armed">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Busy">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="Checked">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
</attribute>
<attribute name="Collapsed">
<ProcessValue datatype="flag" value="False"/>
```

</attribute>

<attribute name="Description">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Editable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Expandable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="21"/>

</attribute>

<attribute name="Horizontal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Iconified">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="JavaText">

<ProcessValue datatype="text" value="?&#x12;P"/>

</attribute>

<attribute name="KeyBindings">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Modal">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultipleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="MultiSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Name">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Opaque">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="4"/>



</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Resizable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="combo box"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Showing">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="SingleLine">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Transient">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Vertical">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="56"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="328"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="777"/>

</attribute>

</attributes>

</element>

<element name="Element1">

<type>HTML</type>

<basetype>HTML</basetype>

<id>223947bf-ffc2-49fb-b7a1-c832b7af2871</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="10"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="86"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="400"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="300"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/APPLET(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="APPLET"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="HTML Body">

<type>HTML</type>

<basetype>HTML</basetype>

<id>496924cf-df78-4372-812d-d45739c04bc5</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="0"/>
```

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="649"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="476"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BODY"/>

</attribute>

<attribute name="ClassName">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType">

<ProcessValue datatype="text" value=""/>

&lt;/attribute&gt;

```
<attribute name="InputIdentifier">
```

```
<ProcessValue datatype="text" value=""/>
```

&lt;/attribute&gt;

&lt;attribute name="Value"&gt;

```
<ProcessValue datatype="text" value="Card Test (1.1)&#xA;&#xA;&#xA; &#xA;&#xA;&#xA;" />
```

&lt;/attribute&gt;

```
<attribute name="Enabled">
```

```
<ProcessValue datatype="flag" value="True"/>
```

&lt;/attribute&gt;

```
<attribute name="Checked">
```

```
<ProcessValue datatype="flag" value="False"/>
```

&lt;/attribute&gt;

```
<attribute name="pURL">
```

```
<ProcessValue datatype="text" value="http://localhost:8089/cardtest1.3/example1.html"/>
```

&lt;/attribute&gt;

&lt;/attributes&gt;

&lt;/element&gt;

&lt;/element&gt;

<apptypeinfo>

```
<id>HTMLLaunch</id>
```

<name>A browser that Automate will launch</name>

<parameters>

<parameter>

&lt;name&gt;Path&lt;/name&gt;

<type>File</type>

&lt;values/&gt;

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

<acceptsnull>False</acceptsnull>

<filefilter>Executable Files (\*.exe)|\*.exe</filefilter>

<helptext>Please enter the path to your browser</helptext>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>ExtNativeArch</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value><http://java.sun.com/applets/jdk/1.3/demo/applets/CardTest/example1.html></value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Please enter the URL of your start page, and any other command-line parameters.</helptext>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>ExtNativeArch</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<type>Boolean</type>

<values/>

<value>True</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enable java integration techniques</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="4bff7d25-9ea5-4022-b112-e8656cd98f28" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="b8177338-c281-4322-a312-a47dd18f908e" type="Normal" published="True">

<name>Launch</name>

<view>



<camerax>0</camerax>

<cameray>-63</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="f7d65c0b-ad65-4fc4-84b5-dce23ebe6df6" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="3d043cb2-c012-4582-9cd7-6a9c945c3a3c" type="Normal" published="True">

<name>Test Each Button</name>

<view>

<camerax>0</camerax>

<cameray>-54</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="3fcf1041-8550-4a35-ad05-d9c53be6aecf" type="Normal" published="False">

<name>Pause</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

```
</view>

</subsheet>

<stage stageid="7d27a03c-3725-4aec-85d1-513fcce3211f" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cda7e358-9aa9-426d-829f-aebad1b13226</onsuccess>

</stage>

<stage stageid="cda7e358-9aa9-426d-829f-aebad1b13226" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="300d1d99-e66b-4c67-ae8e-9de75860819b" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>
```

<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

</references>

<imports>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="dd9c4e30-ac78-41ca-ba87-41bc0a9d8196" name="Clean Up" type="SubSheetInfo">

<subsheetsid>4bff7d25-9ea5-4022-b112-e8656cd98f28</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c61cd84e-3e4f-4405-bf9e-3845234f9251" name="Start" type="Start">

<subsheetsid>4bff7d25-9ea5-4022-b112-e8656cd98f28</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1d069caa-f257-4d2d-8066-0f2051379e49</onsuccess>

</stage>

<stage stageid="1d069caa-f257-4d2d-8066-0f2051379e49" name="End" type="End">

<subsheetid>4bff7d25-9ea5-4022-b112-e8656cd98f28</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="083c7247-ab9d-4c60-9e1e-8813496a2348" name="Test Each Button" type="SubSheetIn">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d88dcb35-369c-4723-9f90-1b321d105623" name="Start" type="Start">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5fed243d-5c2f-4d24-8f1a-662f48bbb5ad</onsuccess>

</stage>

<stage stageid="e5502a51-4604-4d8b-82c2-ca76d9c79b0a" name="new" type="Note">

<subsheetid>4bff7d25-9ea5-4022-b112-e8656cd98f28</subsheetid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

```
<displayx>-180</displayx>

<displayy>60</displayy>
```

```
<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="78b57eb2-dd62-4e6b-bec7-b60610e6f09f" name="new" type="Note">

<narrative>Initialise Page
```

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a page load.

```
<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5fed243d-5c2f-4d24-8f1a-662f48bbb5ad" name="Press Two" type="Navigate">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1e7e1882-1c79-4162-b53e-65a5f053bbe0</onsuccess>

<step>

<element id="846cbf80-7e41-4fba-90b9-6c7047017fec"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="5e4ceaf5-9582-440d-a842-5b02c4df6832" name="Press Three" type="Navigate">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2817b5ba-49cf-42af-aa0f-15f024d8a358</onsuccess>

<step>

<element id="30bfc4af-d6af-4eb7-a282-1732d4cb5aaf"/>

<action>

<id>Press</id>

</action>

</step>

</stage>
```

```
<stage stageid="4796f439-90e9-4b85-b5e3-e0f31a9a6e39" name="Press Four" type="Navigate">
<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>8e421436-b764-44d1-8628-6589ff43ba44</onsuccess>
<step>
<element id="253fdcc4-7d1b-4a15-b0af-65edd0037c92"/>
<action>
<id>Press</id>
</action>
</step>
</stage>
<stage stageid="4ef61178-1527-40b4-acf0-0755e475a2ec" name="Get Bounds of 6" type="Read">
<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
```



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0dbb5058-68f4-429d-967a-f69bf8548eeb</onsuccess>

<step stage="Bounds">

<element id="2388a7d1-d0c5-476c-af8d-cc1402a21cad"/>

<action>

<id>GetElementBounds</id>

</action>

</step>

</stage>

<stage stageid="9a41bebc-a6c7-47ea-b8ce-9ed6e97770f5" name="Bounds" type="Collection">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<narrative>

</narrative>

<displayx>-240</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="0dbb5058-68f4-429d-967a-f69bf8548eeb" name="Check Bounds of 6" type="Decision">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Bounds.Width] = 332"/>

<ontrue>5e4ceaf5-9582-440d-a842-5b02c4df6832</ontrue>

<onfalse>33647786-5a4e-4fd5-a343-553b355784ff</onfalse>

</stage>

<stage stageid="33647786-5a4e-4fd5-a343-553b355784ff" name="anchor1" type="Anchor">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>0</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2095a979-13c2-4f12-8682-e2f2fdd45309</onsuccess>

</stage>

<stage stageid="438b8dc5-c46c-4126-9fb5-e361fb1e6ef4" name="Get Bounds of 6" type="Read">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8d29ee86-68d4-4b29-9b4c-2063ad966ba9</onsuccess>

<step stage="Bounds">

<element id="2388a7d1-d0c5-476c-af8d-cc1402a21cad"/>

<action>

<id>GetElementBounds</id>

</action>

</step>

</stage>

<stage stageid="8d29ee86-68d4-4b29-9b4c-2063ad966ba9" name="Check Bounds of 6" type="Decision">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Bounds.Width] = 133"/>

<ontrue>4796f439-90e9-4b85-b5e3-e0f31a9a6e39</ontrue>

<onfalse>2095a979-13c2-4f12-8682-e2f2fdd45309</onfalse>

</stage>

<stage stageid="2095a979-13c2-4f12-8682-e2f2fdd45309" name="anchor1" type="Anchor">
```

```
<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fc4221e7-d852-4d16-8334-f4d1fedd489d</onsuccess>

</stage>

<stage stageid="9c0e056c-ae6f-4c75-869f-58acab7fec21" name="Get Bounds of 6" type="Read">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>420</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fbf66769-4654-4b27-901d-ddd62d42d6c0</onsuccess>

<step stage="Bounds">

<element id="2388a7d1-d0c5-476c-af8d-cc1402a21cad"/>

<action>

<id>GetElementBounds</id>

</action>
```

```
</step>

</stage>

<stage stageid="fbf66769-4654-4b27-901d-ddd62d42d6c0" name="Check Bounds of 6" type="Decision">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>465</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Bounds.Width] = 312"/>

<ontrue>ebad19c9-2464-4615-afc1-1ecd2f0ad80d</ontrue>

<onfalse>fc4221e7-d852-4d16-8334-f4d1fedd489d</onfalse>

</stage>

<stage stageid="fc4221e7-d852-4d16-8334-f4d1fedd489d" name="anchor1" type="Anchor">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>465</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e82c45f0-e71e-441b-98b9-b71c0c2e50bc</onsuccess>
```

```
</stage>

<stage stageid="ebad19c9-2464-4615-afc1-1ecd2f0ad80d" name="Press Six" type="Navigate">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>570</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ac174b44-f10c-45bb-8878-1c3d8874da0c</onsuccess>

<step>

<element id="2388a7d1-d0c5-476c-af8d-cc1402a21cad"/>

<action>

<id>Press</id>

</action>

</step>

</stage>

<stage stageid="bf749502-4f44-487a-b985-1dbb0be8ba5a" name="Get Bounds of 6" type="Read">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>660</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f4c56bff-4515-4fd6-8487-7598d764cebc</onsuccess>

<step stage="Bounds">

<element id="2388a7d1-d0c5-476c-af8d-cc1402a21cad"/>

<action>

<id>GetElementBounds</id>

</action>

</step>

</stage>

<stage stageid="f4c56bff-4515-4fd6-8487-7598d764cebc" name="Check Bounds of 6" type="Decision">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>705</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Bounds.Width] = 126"/>

<ontrue>fc0dc9c4-7901-4751-9498-b1341ece4144</ontrue>

<onfalse>e82c45f0-e71e-441b-98b9-b71c0c2e50bc</onfalse>

</stage>

<stage stageid="e82c45f0-e71e-441b-98b9-b71c0c2e50bc" name="anchor1" type="Anchor">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>135</displayx>

<displayy>705</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b35a2128-216e-4e71-868b-e211fcb19184</onsuccess>

</stage>

<stage stageid="fc0dc9c4-7901-4751-9498-b1341ece4144" name="Press Five" type="Navigate">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>810</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d33aa8f1-cf4e-4c30-b3a0-13db451f35fc</onsuccess>

<step>

<element id="ef737860-2bcf-4fe2-8034-e061aaf0cfdc"/>

<action>

<id>Press</id>

</action>

</step>

</stage>
```



```
<stage stageid="eb10f74d-bfd7-4f6c-9b81-4c29418560ff" name="Get Bounds of 6" type="Read">
<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>900</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f0ad3a01-2d0a-4666-81b8-6207dee45c07</onsuccess>
<step stage="Bounds">
<element id="2388a7d1-d0c5-476c-af8d-cc1402a21cad"/>
<action>
<id>GetElementBounds</id>
</action>
</step>
</stage>
```

```
<stage stageid="f0ad3a01-2d0a-4666-81b8-6207dee45c07" name="Check Bounds of 6" type="Decision">
<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>945</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Bounds.Width] = 29"/>

<ontrue>7d5fea2f-08c4-4df8-baff-e02ecb57c044</ontrue>

<onfalse>b35a2128-216e-4e71-868b-e211fcb19184</onfalse>

</stage>

<stage stageid="b35a2128-216e-4e71-868b-e211fcb19184" name="anchor1" type="Anchor">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>945</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>79df7881-d238-4719-a118-3ccf2031cad7</onsuccess>

</stage>

<stage stageid="7d5fea2f-08c4-4df8-baff-e02ecb57c044" name="End1" type="End">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>1035</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="79df7881-d238-4719-a118-3ccf2031cad7" name="Note1" type="Note">

<subsHEETid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsHEETid>

<loginhibit/>

<narrative>new note</narrative>

<displayx>135</displayx>

<displayy>1035</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f1adb8ea-063b-4625-baef-b9901db3bf93" name="Pause" type="SubSheetInfo">

<subsHEETid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</subsHEETid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="26cf665c-b1f0-483a-82e5-bed56e856514" name="Start" type="Start">

<subsHEETid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<display>-120</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8f50df5a-e67b-413f-bfec-d5ee6a854e84</onsuccess>

</stage>

<stage stageid="a96c5294-f269-4dfc-bf01-1f3cfbffe6d2" name="End" type="End">

<subsheetid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<display>120</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="536b644f-c089-47d2-9f2c-c5f54ab9b81b" name="Time Out1" type="WaitEnd">

<subsheetid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<display>60</display>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a96c5294-f269-4dfc-bf01-1f3cfbffe6d2</onsuccess>

<groupid>3ea5a2f7-dace-47d4-95a5-9996853d855c</groupid>

</stage>

<stage stageid="8f50df5a-e67b-413f-bfec-d5ee6a854e84" name="Wait1" type="WaitStart">

<subsheetsid>3fcf1041-8550-4a35-ad05-d9c53be6aecd</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>3ea5a2f7-dace-47d4-95a5-9996853d855c</groupid>

<choices/>

<timeout>0.5</timeout>

</stage>

<stage stageid="1e7e1882-1c79-4162-b53e-65a5f053bbe0" name="Pause" type="SubSheet">

<subsheetsid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4ef61178-1527-40b4-acf0-0755e475a2ec</onsuccess>

<processid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</processid>

</stage>

<stage stageid="2817b5ba-49cf-42af-aa0f-15f024d8a358" name="Pause" type="SubSheet">

<subsheetsid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>438b8dc5-c46c-4126-9fb5-e361fb1e6ef4</onsuccess>

<processid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</processid>

</stage>

<stage stageid="8e421436-b764-44d1-8628-6589ff43ba44" name="Pause" type="SubSheet">

<subsheetsid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9c0e056c-ae6f-4c75-869f-58acab7fec21</onsuccess>

```
<processid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</processid>

</stage>

<stage stageid="ac174b44-f10c-45bb-8878-1c3d8874da0c" name="Pause" type="SubSheet">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bf749502-4f44-487a-b985-1dbb0be8ba5a</onsuccess>

<processid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</processid>

</stage>

<stage stageid="d33aa8f1-cf4e-4c30-b3a0-13db451f35fc" name="Pause" type="SubSheet">

<subsheetid>3d043cb2-c012-4582-9cd7-6a9c945c3a3c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>855</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eb10f74d-bfd7-4f6c-9b81-4c29418560ff</onsuccess>

<processid>3fcf1041-8550-4a35-ad05-d9c53be6aecf</processid>
```

```
</stage>

<stage stageid="1e222d14-4f68-42bd-86c3-98399f3c3be3" name="Launch" type="SubSheetInfo">

<subsheetsid>b8177338-c281-4322-a312-a47dd18f908e</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e91cea63-c4c7-4729-846e-f791339cf557" name="Start" type="Start">

<subsheetsid>b8177338-c281-4322-a312-a47dd18f908e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="JRE Version" stage="Version"/>

</inputs>

<onsuccess>25e2a534-584a-4b8c-aef4-8ee2580e9306</onsuccess>

</stage>

<stage stageid="885ba28e-24c7-4ffd-83f6-111b1fec3710" name="End" type="End">
```



<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="25e2a534-584a-4b8c-aef4-8ee2580e9306" name="Launch" type="Navigate">

<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>86fc8dba-fcd4-4f6f-bec9-c5e59e642c4c</onsuccess>

<step>

<element id="3c909bd1-8320-421c-9f3d-67a7e98eb40f"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>

</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>"http://localhost:8089/cardtest" &amp; [Version] &amp; "/example1.html"</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="0d404b3e-0efe-4c87-87bb-81096f42cbe2" name="Version" type="Data">

<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<narrative>Stores the version number - valid values are 1.3 and 1.4

See <http://java.sun.com/applets/jdk/></narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">1.3</initialvalue>

<private/>

<alwaysinit/>

</stage>

```
<stage stageid="aba3e5bc-b508-495c-bc65-caea454e0751" name="Loaded Timeout" type="WaitEnd">
<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>fd9ad765-13e6-4367-b08f-e3b11ab0eb85</groupid>

</stage>

<stage stageid="86fc8dba-fcd4-4f6f-bec9-c5e59e642c4c" name="Wait until Loaded" type="WaitStart">
<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>fd9ad765-13e6-4367-b08f-e3b11ab0eb85</groupid>

<choices>

<choice reply="True">

<name>HTML Body Parent Document Loaded</name>

<distance>60</distance>
```

```
<ontrue>5f12a15e-18c8-4051-b959-7422902a1d9b</ontrue>

<element id="496924cf-df78-4372-812d-d45739c04bc5"/>

<condition>

<id>HTMLCheckExistsAndDocumentLoaded</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>120</timeout>

</stage>

<stage stageid="7a729fe5-110c-47d9-b56f-0aedba21c4ef" name="Terminate" type="SubSheetInfo">

<subsheetsid>f7d65c0b-ad65-4fc4-84b5-dce23ebe6df6</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="b3b23e7c-4ef4-4832-910d-93e3859ebfca" name="Start" type="Start">

<subsheetsid>f7d65c0b-ad65-4fc4-84b5-dce23ebe6df6</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a41a5ef6-fbff-4b50-b168-7015a72f9c2a</onsuccess>

</stage>

<stage stageid="f7765be3-783c-4824-b005-7e5ce813184c" name="End" type="End">

<subsheetid>f7d65c0b-ad65-4fc4-84b5-dce23ebe6df6</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a41a5ef6-fbff-4b50-b168-7015a72f9c2a" name="Terminate" type="Navigate">

<subsheetid>f7d65c0b-ad65-4fc4-84b5-dce23ebe6df6</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f7765be3-783c-4824-b005-7e5ce813184c</onsuccess>

<step>

<element id="3c909bd1-8320-421c-9f3d-67a7e98eb40f"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="7c4caaa7-c7ea-40bb-bd91-3b5e2c92551a" name="Button1 Timeout" type="WaitEnd">

<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>1f952156-8de8-4f7a-a6c2-ad6ed947cf51</groupid>

</stage>

<stage stageid="3c1962f7-0ffd-4a8a-a240-7cb1d43b5e53" name="Wait for Button 1" type="WaitStart">

<subsheetid>b8177338-c281-4322-a312-a47dd18f908e</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>1f952156-8de8-4f7a-a6c2-ad6ed947cf51</groupid>

<choices>

<choice reply="True">

<name>"One" button Check Exists</name>

<distance>60</distance>

<ontrue>885ba28e-24c7-4ffd-83f6-111b1fec3710</ontrue>

<element id="5ebba7d3-4069-48cb-b7be-279c8db71a7c"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>120</timeout>

</stage>

<stage stageid="17335d8e-7ff0-4056-9484-e69897d78860" name="End Delay" type="WaitEnd">

<subsheetsid>b8177338-c281-4322-a312-a47dd18f908e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<onsuccess>3c1962f7-0ffd-4a8a-a240-7cb1d43b5e53</onsuccess>

<groupid>ce8cefb0-886d-40db-9bfd-1e92ae7f96a7</groupid>

</stage>

<stage stageid="5f12a15e-18c8-4051-b959-7422902a1d9b" name="Delay" type="WaitStart">

<subsheetsid>b8177338-c281-4322-a312-a47dd18f908e</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>ce8cefb0-886d-40db-9bfd-1e92ae7f96a7</groupid>

<choices/>

<timeout>5</timeout>

</stage>

</process>

<process name="Library Catalogue Maintenance Process (Attachmate Extra!)" version="1.0" narrative="R

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;&#xD;&#xA;"/>

<subsheets subsheetsid="96d692b7-e273-4282-ac0a-9ae33cf30c1b" type="Normal" published="False">
```



<name>Create Library Catalogue in Excel</name>

<view>

<camerax>15</camerax>

<cameray>45</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="8cab77df-17cf-4237-b21f-27617ac6957f" type="Normal" published="False">

<name>Add to "Later" Spreadsheet</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="e0ec601b-fc68-49b5-ad40-91b89d862343" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9f4a6c0f-083e-4656-af6c-df69fcb48e04</onsuccess>

</stage>

<stage stageid="efc8f805-d0f6-461c-b052-c93cc29b26c0" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>690</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="88caeb84-dcf6-4001-aa5c-df820d69e272" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>180</displaywidth>

<displayheight>150</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c6fe195-05e1-4725-bc01-0abd8d2af09b" name="Log In to OPAC" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

```
<onsuccess>b4218a6e-062e-4a30-8317-66bbdee52e91</onsuccess>

<resource object="First Metropolitan University OPAC (Attachmate Extra!)" action="Start OPAC and Log In" />

</stage>

<stage stageid="b4218a6e-062e-4a30-8317-66bbdee52e91" name="Dewey Search" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Dewey Reference" expr="[Dewey Ref]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Number of Hits"/>

</outputs>

<onsuccess>2f739fc2-51f9-4311-9a7e-71143ad16577</onsuccess>

<resource object="First Metropolitan University OPAC (Attachmate Extra!)" action="Dewey Search from Main Page" />

</stage>

<stage stageid="d1df7f15-e9ac-4045-a8c4-d73fa45bdcb5" name="Dewey Ref" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">304.23</initialvalue>

</stage>

<stage stageid="99c6f3ea-2afe-49d2-8754-1a7cca135595" name="Success" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

</stage>

<stage stageid="7e6c59bb-35b1-49d2-a389-0309081cfd97" name="Number of Hits" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>
```

```
<exposure>Statistic</exposure>

<private/>

</stage>

<stage stageid="351d371f-0af0-486f-b231-01a3370d3560" name="Processed" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>

<stage stageid="9d6c584e-a542-4ddc-bdad-466359aee090" name="Get Details" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" expr="[Book Summary]"/>

</inputs>
```

```
<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Book Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

<onsuccess>f0db71e6-11e2-4317-a98b-f67971d38a75</onsuccess>

<resource object="First Metropolitan University OPAC (Attachmate Extra!)" action="Return Book Details"/>

</stage>

<stage stageid="f8c53505-60a2-4f7e-bbca-cc9343c0a498" name="Update Books Processed" type="Calculation">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d473c2b5-717e-4e60-9aae-9bbf827499e8</onsuccess>

<calculation expression="[Processed] + 1" stage="Processed"/>

</stage>

<stage stageid="d473c2b5-717e-4e60-9aae-9bbf827499e8" name="All Done?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>450</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Processed] &gt;= [Number of Hits]"/>

<ontrue>9670c59c-ce69-4018-8b6b-af4a2213ee18</ontrue>

<onfalse>ec88185b-7a93-44cb-8975-cf47df963110</onfalse>

</stage>

<stage stageid="e1cca0c4-f729-4882-942f-23d22f317a1f" name="anchor5" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>210</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9d6c584e-a542-4ddc-bdad-466359aee090</onsuccess>

</stage>

<stage stageid="9f20ed3d-b6c5-496f-8ed0-a66ad05b0c3b" name="Book Summary" type="Collection">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>120</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>
```

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Author" type="text"/>

<field name="Published" type="text"/>

<field name="Pages Etc" type="text"/>

<field name="Notes" type="text"/>

<field name="Summary" type="text"/>

<field name="Name" type="text"/>

<field name="Contents" type="text"/>

<field name="Alt Title" type="text"/>

<field name="Add Title" type="text"/>

<field name="Add Name" type="text"/>

<field name="Edition" type="text"/>

<field name="Series" type="text"/>

<field name="Location" type="text"/>

<field name="Shelfmark" type="text"/>

<field name="Status" type="text"/>

</collectioninfo>

</stage>

<stage stageid="ec88185b-7a93-44cb-8975-cf47df963110" name="Next Record" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>450</displayy>



```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

<onsuccess>500a5704-9ec8-4ff1-8a77-c0d024955290</onsuccess>

<resource object="First Metropolitan University OPAC (Attachmate Extra!)" action="Browse Forward"/>

</stage>

<stage stageid="c7749085-9d80-4812-b297-30e0fcb86e47" name="No More Records" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

</stage>

<stage stageid="4c5469ec-6910-43f3-9ab9-00138de9936e" name="Create Library Catalogue in Excel" type="Data">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-105</displayy>
```

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1d9eee92-ecdf-49cf-9988-514bdeb406bd" name="Start" type="Start">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>adc470af-b090-41eb-9dca-4237b5d703b9</onsuccess>

</stage>

<stage stageid="841e9920-5389-4dcc-bf07-c474b2f0ba63" name="End" type="End">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8c058377-3319-4e32-9b74-48ec3c302f07" name="Add to Book Order" type="Action">

<narrative>
```

</narrative>

<displayx>-105</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Author" expr="[Subject]"/>

<input type="text" name="Title" expr="[Title]"/>

<input type="text" name="Publisher" expr="[Published]"/>

<input type="text" name="ISBN" expr="[ISBN]"/>

</inputs>

<onsuccess>f569d2fe-db8c-4e58-b8df-e8f55581253a</onsuccess>

<resource object="First Metropolitan Ordering System" action="Order Entry"/>

</stage>

<stage stageid="9670c59c-ce69-4018-8b6b-af4a2213ee18" name="Create Later Catalogue in Excel" type="Data">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>540</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b21873b4-aeaa-469a-8153-415467cf672d</onsuccess>

<processid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</processid>

</stage>

<stage stageid="eb171ef5-8b7a-4073-aedf-9aa8b18800ba" name="Book Status" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>555</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="2a9f60b6-ce11-46d1-827c-e10d3c8ba739" name="Populate Spreadsheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Cell Reference" narrative="The reference at which the collection should be written">

<input type="collection" name="Collection" narrative="The collection containing the data which should be written">

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the data should be written">

<input type="text" name="Workbook Name" narrative="The name of the workbook within which the data should be written">

<input type="text" name="Worksheet Name" narrative="The name of the worksheet on which the given data should be written">

<input type="flag" name="Include Column Names" narrative="True to indicate that the column names from the given data should be included in the collection">

```
</inputs>

<onsuccess>841e9920-5389-4dcc-bf07-c474b2f0ba63</onsuccess>

<resource object="MS Excel VBO" action="Write Collection"/>

</stage>

<stage stageid="922c197b-2d24-487a-919e-20a6e7c0d9f0" name="Set Window Size" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Width" narrative="The width to which the instance's window should be set" e

<input type="number" name="Height" narrative="The height to which the instance's window should be set."

<input type="number" name="handle" narrative="The integer handle specifying the instance on which the b

</inputs>

<onsuccess>66d3e261-6ba9-4bda-88aa-cb53e9517087</onsuccess>

<resource object="MS Excel VBO" action="Set Window Size"/>

</stage>

<stage stageid="66d3e261-6ba9-4bda-88aa-cb53e9517087" name="Move Window" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="X" narrative="The x co-ordinate to which the window should be moved." exp

<input type="number" name="Y" narrative="The y co-ordinate to which the window should be moved." exp

<input type="number" name="handle" narrative="The integer handle identifying the instance whose window

</inputs>

<onsuccess>2a9f60b6-ce11-46d1-827c-e10d3c8ba739</onsuccess>

<resource object="MS Excel VBO" action="Set Window Location"/>

</stage>

<stage stageid="adc470af-b090-41eb-9dca-4237b5d703b9" name="Create Catalogue Spreadsheet" type=

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v

</inputs>

<outputs>

<output type="text" name="Workbook Name" narrative="The name of the workbook that Excel has created

</outputs>

<onsuccess>323e1683-87c5-4760-b68b-1cf541e2935a</onsuccess>
```

```
<resource object="MS Excel VBO" action="Create Workbook"/>

</stage>

<stage stageid="323e1683-87c5-4760-b68b-1cf541e2935a" name="Create Worksheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v

<input type="text" name="Workbook Name" narrative="The name of the workbook in which the sheet shou

<input type="text" name="Worksheet Name" narrative="The name of the sheet which should be activated.

</inputs>

<onsuccess>196d8f94-7ed9-42e2-9851-22d725312fdf</onsuccess>

<resource object="MS Excel VBO" action="Create Worksheet"/>

</stage>

<stage stageid="196d8f94-7ed9-42e2-9851-22d725312fdf" name="Show" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance which should l

</inputs>

<onsuccess>922c197b-2d24-487a-919e-20a6e7c0d9f0</onsuccess>

<resource object="MS Excel VBO" action="Show"/>

</stage>

<stage stageid="b21873b4-aeaa-469a-8153-415467cf672d" name="Submit Order" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>600</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b87384cb-4005-4d31-ba92-cf54347f3eb1</onsuccess>

<resource object="First Metropolitan Ordering System" action="Submit Order"/>

</stage>

<stage stageid="a641894d-f370-4646-81bf-d8b9460ed6d6" name="Title" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>645</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```



```
<initialvalue/>

</stage>

<stage stageid="c12b6d49-7eda-4367-90e3-daf03999a4d3" name="Subject" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>615</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="504146ce-d5bd-4c48-92f5-cb468ca985a9" name="Published" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>675</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="b211dcdf-d945-4cba-9af6-8072acde1235" name="ISBN" type="Data">

<narrative>

</narrative>
```

<displayx>-150</displayx>

<displayy>585</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="f0db71e6-11e2-4317-a98b-f67971d38a75" name="Is Book Available?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Book Status] = &quot;NOT ON LOAN&quot;"/>

<ontrue>8c058377-3319-4e32-9b74-48ec3c302f07</ontrue>

<onfalse>b1251bb1-881c-4789-918e-d07393fcba29</onfalse>

</stage>

<stage stageid="7570006f-7c9a-4631-86a9-85480ced0e48" name="On Loan Summary" type="Collection">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>525</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Published" type="text"/>

</collectioninfo>

</stage>

<stage stageid="587cb19c-5ac0-4169-ad72-507bbde2330d" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>360</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="51b094c9-4810-45cd-8e26-57bc52221ee1" name="Add to &quot;Later&quot; S

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4f4256bc-e5fc-4771-8fa9-56e85fe879d8" name="Start" type="Start">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2df64606-5e78-4cca-9262-e9069d0fd96e</onsuccess>

</stage>

<stage stageid="84920bed-e848-4ab9-9e1d-a0a75b0177f9" name="End" type="End">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c18d8b55-e9f1-4955-aaf8-21e189cf3ccb" name="Title" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b382fc26-fac8-40d9-8d43-bfa4cea2e91c</onsuccess>

<calculation expression="[Title]" stage="On Loan Summary.Title"/>

</stage>

<stage stageid="b382fc26-fac8-40d9-8d43-bfa4cea2e91c" name="Subject" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>21030ed9-ec86-4450-a3ee-9c767f1d2303</onsuccess>

<calculation expression="[Subject]" stage="On Loan Summary.Subject"/>

</stage>

<stage stageid="21030ed9-ec86-4450-a3ee-9c767f1d2303" name="Published" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>
```

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>229044b9-fdb0-4e0c-9692-243fbbe843e0</onsuccess>

<calculation expression="[Published]" stage="On Loan Summary.Published"/>

</stage>

<stage stageid="229044b9-fdb0-4e0c-9692-243fbbe843e0" name="ISBN" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>84920bed-e848-4ab9-9e1d-a0a75b0177f9</onsuccess>

<calculation expression="[ISBN]" stage="On Loan Summary.ISBN"/>

</stage>

<stage stageid="2df64606-5e78-4cca-9262-e9069d0fd96e" name="Add Row" type="Action">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<inputs>

<input type="text" name="Collection Name" expr="&quot;On Loan Summary&quot;"/>

</inputs>

<onsuccess>c18d8b55-e9f1-4955-aaf8-21e189cf3ccb</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="b1251bb1-881c-4789-918e-d07393fcb29" name="Add to &quot;Later&quot; S

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>587cb19c-5ac0-4169-ad72-507bbde2330d</onsuccess>

<processid>8cab77df-17cf-4237-b21f-27617ac6957f</processid>

</stage>

<stage stageid="500a5704-9ec8-4ff1-8a77-c0d024955290" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>450</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e1cca0c4-f729-4882-942f-23d22f317a1f</onsuccess>

</stage>
```

<stage stageid="9f4a6c0f-083e-4656-af6c-df69fcb48e04" name="Start Order System" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>3c6fe195-05e1-4725-bc01-0abd8d2af09b</onsuccess>

<resource object="First Metropolitan Ordering System" action="Load Ordering System"/>

</stage>

<stage stageid="f569d2fe-db8c-4e58-b8df-e8f55581253a" name="Note1" type="Note">

<narrative>Add the book to the current order and move to the next record</narrative>

<displayx>-105</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="b87384cb-4005-4d31-ba92-cf54347f3eb1" name="Log Off" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>



<display>645</display>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ee6ee84a-e373-4f16-b6ed-9caddce685c7</onsuccess>

<resource object="First Metropolitan University OPAC (Attachmate Extra!)" action="Log Off"/>

</stage>

<stage stageid="2f739fc2-51f9-4311-9a7e-71143ad16577" name="Succeeded?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<display>150</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>9d6c584e-a542-4ddc-bdad-466359aee090</ontrue>

<onfalse>dd786c64-e23a-49d5-8686-8805afbff9df</onfalse>

</stage>

<stage stageid="0f401087-52f9-4055-b679-86232c4dfed9" name="Failed to do search" type="Note">

<narrative>Failed to do search</narrative>

<displayx>-195</displayx>

<display>180</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

```
<stage stageid="dd786c64-e23a-49d5-8686-8805afbff9df" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0f401087-52f9-4055-b679-86232c4dfed9</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

<stage stageid="ee6ee84a-e373-4f16-b6ed-9caddce685c7" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>660</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>efc8f805-d0f6-461c-b052-c93cc29b26c0</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

</process>

<process name="Library Catalogue Maintenance Process (Hummingbird)" version="1.0" bpversion="5.0.22">

<view>

<camerax>0</camerax>

<cameray>609</cameray>
```

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;&#xD;&#xA;"/>

<subsheet subsheetid="96d692b7-e273-4282-ac0a-9ae33cf30c1b" type="Normal" published="False">

<name>Create Library Catalogue in Excel</name>

<view>

<camerax>15</camerax>

<cameray>45</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8cab77df-17cf-4237-b21f-27617ac6957f" type="Normal" published="False">

<name>Add to "Later" Spreadsheet</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="e0ec601b-fc68-49b5-ad40-91b89d862343" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9f4a6c0f-083e-4656-af6c-df69fcb48e04</onsuccess>

</stage>

<stage stageid="efc8f805-d0f6-461c-b052-c93cc29b26c0" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>735</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="88caeb84-dcf6-4001-aa5c-df820d69e272" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>180</displaywidth>

<displayheight>150</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c6fe195-05e1-4725-bc01-0abd8d2af09b" name="Log In to OPAC" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>b4218a6e-062e-4a30-8317-66bbdee52e91</onsuccess>

<resource object="First Metropolitan University OPAC" action="Start OPAC and Log In"/>

</stage>

<stage stageid="b4218a6e-062e-4a30-8317-66bbdee52e91" name="Dewey Search" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Dewey Reference" expr="[Dewey Ref]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Number of Hits"/>

</outputs>

<onsuccess>9d6c584e-a542-4ddc-bdad-466359aee090</onsuccess>

<resource object="First Metropolitan University OPAC" action="Dewey Search from Main Menu"/>

</stage>

<stage stageid="d1df7f15-e9ac-4045-a8c4-d73fa45bdcb5" name="Dewey Ref" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">304.23</initialvalue>

</stage>

<stage stageid="99c6f3ea-2afe-49d2-8754-1a7cca135595" name="Success" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

</stage>

<stage stageid="7e6c59bb-35b1-49d2-a389-0309081cfd97" name="Number of Hits" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>120</displayy>

```
<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<exposure>Statistic</exposure>

<private/>

</stage>

<stage stageid="351d371f-0af0-486f-b231-01a3370d3560" name="Processed" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>150</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>

<stage stageid="9d6c584e-a542-4ddc-bdad-466359aee090" name="Get Details" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" expr="[Book Summary]"/>

</inputs>

<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Book Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

<onsuccess>f0db71e6-11e2-4317-a98b-f67971d38a75</onsuccess>

<resource object="First Metropolitan University OPAC" action="Return Book Details"/>

</stage>

<stage stageid="f8c53505-60a2-4f7e-bbca-cc9343c0a498" name="Update Books Processed" type="Calcula

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d473c2b5-717e-4e60-9aae-9bbf827499e8</onsuccess>

<calculation expression="[Processed] + 1" stage="Processed"/>

</stage>
```



```
<stage stageid="d473c2b5-717e-4e60-9aae-9bbf827499e8" name="All Done?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>450</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Processed] &gt;= [Number of Hits]"/>

<ontrue>9670c59c-ce69-4018-8b6b-af4a2213ee18</ontrue>

<onfalse>ec88185b-7a93-44cb-8975-cf47df963110</onfalse>

</stage>

<stage stageid="e1cca0c4-f729-4882-942f-23d22f317a1f" name="anchor5" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>210</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9d6c584e-a542-4ddc-bdad-466359aee090</onsuccess>

</stage>

<stage stageid="9f20ed3d-b6c5-496f-8ed0-a66ad05b0c3b" name="Book Summary" type="Collection">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>180</displayy>
```

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Author" type="text"/>

<field name="Published" type="text"/>

<field name="Pages Etc" type="text"/>

<field name="Notes" type="text"/>

<field name="Summary" type="text"/>

<field name="Name" type="text"/>

<field name="Contents" type="text"/>

<field name="Alt Title" type="text"/>

<field name="Add Title" type="text"/>

<field name="Add Name" type="text"/>

<field name="Edition" type="text"/>

<field name="Series" type="text"/>

<field name="Location" type="text"/>

<field name="Shelfmark" type="text"/>

<field name="Status" type="text"/>

</collectioninfo>

</stage>

<stage stageid="ec88185b-7a93-44cb-8975-cf47df963110" name="Next Record" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>450</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

<onsuccess>500a5704-9ec8-4ff1-8a77-c0d024955290</onsuccess>

<resource object="First Metropolitan University OPAC" action="Browse Forward"/>

</stage>

<stage stageid="c7749085-9d80-4812-b297-30e0fcb86e47" name="No More Records" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

</stage>

<stage stageid="4c5469ec-6910-43f3-9ab9-00138de9936e" name="Create Library Catalogue in Excel" type="Data">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1d9eee92-ecdf-49cf-9988-514bdeb406bd" name="Start" type="Start">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>adc470af-b090-41eb-9dca-4237b5d703b9</onsuccess>

</stage>

<stage stageid="841e9920-5389-4dcc-bf07-c474b2f0ba63" name="End" type="End">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8c058377-3319-4e32-9b74-48ec3c302f07" name="Add to Book Order" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Author" expr="[Subject]"/>

<input type="text" name="Title" expr="[Title]"/>

<input type="text" name="Publisher" expr="[Published]"/>

<input type="text" name="ISBN" expr="[ISBN]"/>

</inputs>

<onsuccess>f569d2fe-db8c-4e58-b8df-e8f55581253a</onsuccess>

<resource object="First Metropolitan Ordering System" action="Order Entry"/>

</stage>

<stage stageid="9670c59c-ce69-4018-8b6b-af4a2213ee18" name="Create Later Catalogue in Excel" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>540</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b21873b4-aeaa-469a-8153-415467cf672d</onsuccess>
<processid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</processid>
</stage>

<stage stageid="eb171ef5-8b7a-4073-aedf-9aa8b18800ba" name="Book Status" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>555</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="2a9f60b6-ce11-46d1-827c-e10d3c8ba739" name="Populate Spreadsheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Cell Reference" narrative="The reference at which the collection should be written" />

</inputs>

</stage>
```

```
<input type="collection" name="Collection" narrative="The collection containing the data which should be w
<input type="number" name="handle" narrative="The integer handle identifying the instance on which the s
<input type="text" name="Workbook Name" narrative="The name of the workbook within which the data sh
<input type="text" name="Worksheet Name" narrative="The name of the worksheet on which the given dat
<input type="flag" name="Include Column Names" narrative="True to indicate that the column names from
</inputs>

<onsuccess>841e9920-5389-4dcc-bf07-c474b2f0ba63</onsuccess>

<resource object="MS Excel VBO" action="Write Collection"/>

</stage>

<stage stageid="922c197b-2d24-487a-919e-20a6e7c0d9f0" name="Set Window Size" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Width" narrative="The width to which the instance's window should be set" e
<input type="number" name="Height" narrative="The height to which the instance's window should be set."
<input type="number" name="handle" narrative="The integer handle specifying the instance on which the b
</inputs>

<onsuccess>66d3e261-6ba9-4bda-88aa-cb53e9517087</onsuccess>

<resource object="MS Excel VBO" action="Set Window Size"/>

</stage>

<stage stageid="66d3e261-6ba9-4bda-88aa-cb53e9517087" name="Move Window" type="Action">
```

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="X" narrative="The x co-ordinate to which the window should be moved." exp

<input type="number" name="Y" narrative="The y co-ordinate to which the window should be moved." exp

<input type="number" name="handle" narrative="The integer handle identifying the instance whose window

</inputs>

<onsuccess>2a9f60b6-ce11-46d1-827c-e10d3c8ba739</onsuccess>

<resource object="MS Excel VBO" action="Set Window Location"/>

</stage>

<stage stageid="adc470af-b090-41eb-9dca-4237b5d703b9" name="Create Catalogue Spreadsheet" type=

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v



```
</inputs>

<outputs>

<output type="text" name="Workbook Name" narrative="The name of the workbook that Excel has created" />

</outputs>

<onsuccess>323e1683-87c5-4760-b68b-1cf541e2935a</onsuccess>

<resource object="MS Excel VBO" action="Create Workbook"/>

</stage>

<stage stageid="323e1683-87c5-4760-b68b-1cf541e2935a" name="Create Worksheet" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v" />

<input type="text" name="Workbook Name" narrative="The name of the workbook in which the sheet should be created" />

<input type="text" name="Worksheet Name" narrative="The name of the sheet which should be activated" />

</inputs>

<onsuccess>196d8f94-7ed9-42e2-9851-22d725312fdf</onsuccess>

<resource object="MS Excel VBO" action="Create Worksheet"/>

</stage>

<stage stageid="196d8f94-7ed9-42e2-9851-22d725312fdf" name="Show" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance which should I

</inputs>

<onsuccess>922c197b-2d24-487a-919e-20a6e7c0d9f0</onsuccess>

<resource object="MS Excel VBO" action="Show"/>

</stage>

<stage stageid="b21873b4-aeaa-469a-8153-415467cf672d" name="Submit Order" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>600</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b87384cb-4005-4d31-ba92-cf54347f3eb1</onsuccess>

<resource object="First Metropolitan Ordering System" action="Submit Order"/>

</stage>

<stage stageid="a641894d-f370-4646-81bf-d8b9460ed6d6" name="Title" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>
```

<displayy>645</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="c12b6d49-7eda-4367-90e3-daf03999a4d3" name="Subject" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>615</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="504146ce-d5bd-4c48-92f5-cb468ca985a9" name="Published" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>675</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="b211dcaf-d945-4cba-9af6-8072acde1235" name="ISBN" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>585</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="f0db71e6-11e2-4317-a98b-f67971d38a75" name="Is Book Available?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Book Status] = &quot;NOT ON LOAN&quot;"/>

<ontrue>8c058377-3319-4e32-9b74-48ec3c302f07</ontrue>

<onfalse>b1251bb1-881c-4789-918e-d07393fcb29</onfalse>

</stage>

<stage stageid="7570006f-7c9a-4631-86a9-85480ced0e48" name="On Loan Summary" type="Collection">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>525</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Published" type="text"/>

</collectioninfo>

</stage>

<stage stageid="587cb19c-5ac0-4169-ad72-507bbde2330d" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>360</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="51b094c9-4810-45cd-8e26-57bc52221ee1" name="Add to &quot;Later&quot; S

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

```
<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4f4256bc-e5fc-4771-8fa9-56e85fe879d8" name="Start" type="Start">

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2df64606-5e78-4cca-9262-e9069d0fd96e</onsuccess>

</stage>

<stage stageid="84920bed-e848-4ab9-9e1d-a0a75b0177f9" name="End" type="End">

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c18d8b55-e9f1-4955-aaf8-21e189cf3ccb" name="Title" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b382fc26-fac8-40d9-8d43-bfa4cea2e91c</onsuccess>

<calculation expression="[Title]" stage="On Loan Summary.Title"/>

</stage>

<stage stageid="b382fc26-fac8-40d9-8d43-bfa4cea2e91c" name="Subject" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>21030ed9-ec86-4450-a3ee-9c767f1d2303</onsuccess>

<calculation expression="[Subject]" stage="On Loan Summary.Subject"/>

</stage>

<stage stageid="21030ed9-ec86-4450-a3ee-9c767f1d2303" name="Published" type="Calculation">
```

<subsHEETid>8cab77df-17cf-4237-b21f-27617ac6957f</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>229044b9-fdb0-4e0c-9692-243fbbe843e0</onsuccess>

<calculation expression="[Published]" stage="On Loan Summary.Published"/>

</stage>

<stage stageid="229044b9-fdb0-4e0c-9692-243fbbe843e0" name="ISBN" type="Calculation">

<subsHEETid>8cab77df-17cf-4237-b21f-27617ac6957f</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>84920bed-e848-4ab9-9e1d-a0a75b0177f9</onsuccess>

<calculation expression="[ISBN]" stage="On Loan Summary.ISBN"/>

</stage>

<stage stageid="2df64606-5e78-4cca-9262-e9069d0fd96e" name="Add Row" type="Action">

<subsHEETid>8cab77df-17cf-4237-b21f-27617ac6957f</subsHEETid>

<narrative>

</narrative>



```
<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" expr="&quot;On Loan Summary&quot;"/>

</inputs>

<onsuccess>c18d8b55-e9f1-4955-aaf8-21e189cf3ccb</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="b1251bb1-881c-4789-918e-d07393fcb29" name="Add to &quot;Later&quot; S

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>587cb19c-5ac0-4169-ad72-507bbde2330d</onsuccess>

<processid>8cab77df-17cf-4237-b21f-27617ac6957f</processid>

</stage>

<stage stageid="500a5704-9ec8-4ff1-8a77-c0d024955290" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>450</displayy>
```

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e1cca0c4-f729-4882-942f-23d22f317a1f</onsuccess>

</stage>

<stage stageid="9f4a6c0f-083e-4656-af6c-df69fcb48e04" name="Start Order System" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>3c6fe195-05e1-4725-bc01-0abd8d2af09b</onsuccess>

<resource object="First Metropolitan Ordering System" action="Load Ordering System"/>

</stage>

<stage stageid="f569d2fe-db8c-4e58-b8df-e8f55581253a" name="Note1" type="Note">

<narrative>Add the book to the current order and move to the next record</narrative>

<displayx>-105</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

```
</stage>

<stage stageid="b87384cb-4005-4d31-ba92-cf54347f3eb1" name="Log Off" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>645</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b5de522a-0199-4b0e-9f26-e700c457e166</onsuccess>

<resource object="First Metropolitan University OPAC" action="Log Off"/>

</stage>

<stage stageid="b5de522a-0199-4b0e-9f26-e700c457e166" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>690</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>efc8f805-d0f6-461c-b052-c93cc29b26c0</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

</process>

<process name="Library Catalogue Maintenance Process (pcom)" version="1.0" narrative="Retrieves all li

<view>

<camerax>0</camerax>
```

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;&#xD;&#xA;"/>

<subsheet subsheetid="96d692b7-e273-4282-ac0a-9ae33cf30c1b" type="Normal" published="False">

<name>Create Library Catalogue in Excel</name>

<view>

<camerax>15</camerax>

<cameray>45</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="8cab77df-17cf-4237-b21f-27617ac6957f" type="Normal" published="False">

<name>Add to "Later" Spreadsheet</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="e0ec601b-fc68-49b5-ad40-91b89d862343" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Use Excel" narrative="Use Excel?" stage="Use Excel"/>

</inputs>

<onsuccess>9f4a6c0f-083e-4656-af6c-df69fcb48e04</onsuccess>

</stage>

<stage stageid="efc8f805-d0f6-461c-b052-c93cc29b26c0" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>690</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="88caeb84-dcf6-4001-aa5c-df820d69e272" name="" type="ProcessInfo">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>180</displaywidth>

<displayheight>150</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c6fe195-05e1-4725-bc01-0abd8d2af09b" name="Log In to OPAC" type="Action">

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>b4218a6e-062e-4a30-8317-66bbdee52e91</onsuccess>

<resource object="First Metropolitan University OPAC (pcom)" action="Start OPAC and Log In"/>

</stage>

<stage stageid="b4218a6e-062e-4a30-8317-66bbdee52e91" name="Dewey Search" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Dewey Reference" expr="[Dewey Ref]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Number of Hits"/>

</outputs>
```

<onsuccess>2f739fc2-51f9-4311-9a7e-71143ad16577</onsuccess>

<resource object="First Metropolitan University OPAC (pcom)" action="Dewey Search from Main Menu"/>

</stage>

<stage stageid="d1df7f15-e9ac-4045-a8c4-d73fa45bdcb5" name="Dewey Ref" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">304.23</initialvalue>

</stage>

<stage stageid="99c6f3ea-2afe-49d2-8754-1a7cca135595" name="Success" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

</stage>

<stage stageid="7e6c59bb-35b1-49d2-a389-0309081cfd97" name="Number of Hits" type="Data">

```
<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<exposure>Statistic</exposure>

<private/>

</stage>

<stage stageid="351d371f-0af0-486f-b231-01a3370d3560" name="Processed" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>

<stage stageid="9d6c584e-a542-4ddc-bdad-466359aee090" name="Get Details" type="Action">

<loginhibit/>

<narrative>
```



```
</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" expr="[Book Summary]"/>

</inputs>

<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Book Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

<onsuccess>f0db71e6-11e2-4317-a98b-f67971d38a75</onsuccess>

<resource object="First Metropolitan University OPAC (pcom)" action="Return Book Details"/>

</stage>

<stage stageid="f8c53505-60a2-4f7e-bbca-cc9343c0a498" name="Update Books Processed" type="Calcula

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>d473c2b5-717e-4e60-9aae-9bbf827499e8</onsuccess>
<calculation expression="[Processed] + 1" stage="Processed"/>
</stage>
<stage stageid="d473c2b5-717e-4e60-9aae-9bbf827499e8" name="All Done?" type="Decision">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>450</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Processed] &gt;= [Number of Hits]"/>
<ontrue>ab9fb9d1-5878-4a1e-82df-4bc07fa7be67</ontrue>
<onfalse>ec88185b-7a93-44cb-8975-cf47df963110</onfalse>
</stage>
<stage stageid="e1cca0c4-f729-4882-942f-23d22f317a1f" name="anchor5" type="Anchor">
<narrative>
</narrative>
<displayx>225</displayx>
<displayy>210</displayy>
<displaywidth>10</displaywidth>
<displayheight>10</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>9d6c584e-a542-4ddc-bdad-466359aee090</onsuccess>
</stage>
<stage stageid="9f20ed3d-b6c5-496f-8ed0-a66ad05b0c3b" name="Book Summary" type="Collection">
```

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>120</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Author" type="text"/>

<field name="Published" type="text"/>

<field name="Pages Etc" type="text"/>

<field name="Notes" type="text"/>

<field name="Summary" type="text"/>

<field name="Name" type="text"/>

<field name="Contents" type="text"/>

<field name="Alt Title" type="text"/>

<field name="Add Title" type="text"/>

<field name="Add Name" type="text"/>

<field name="Edition" type="text"/>

<field name="Series" type="text"/>

<field name="Location" type="text"/>

<field name="Shelfmark" type="text"/>

<field name="Status" type="text"/>

</collectioninfo>

</stage>

<stage stageid="ec88185b-7a93-44cb-8975-cf47df963110" name="Next Record" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>450</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="No More Records" stage="No More Records"/>

</outputs>

<onsuccess>500a5704-9ec8-4ff1-8a77-c0d024955290</onsuccess>

<resource object="First Metropolitan University OPAC (pcom)" action="Browse Forward"/>

</stage>

<stage stageid="c7749085-9d80-4812-b297-30e0fcb86e47" name="No More Records" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

```
<initialvalue>False</initialvalue>

<private/>

</stage>

<stage stageid="4c5469ec-6910-43f3-9ab9-00138de9936e" name="Create Library Catalogue in Excel" type="Diagram">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1d9eee92-ecdf-49cf-9988-514bdeb406bd" name="Start" type="Start">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>adc470af-b090-41eb-9dca-4237b5d703b9</onsuccess>

</stage>

<stage stageid="841e9920-5389-4dcc-bf07-c474b2f0ba63" name="End" type="End">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8c058377-3319-4e32-9b74-48ec3c302f07" name="Add to Book Order" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Author" expr="[Subject]"/>

<input type="text" name="Title" expr="[Title]"/>

<input type="text" name="Publisher" expr="[Published]"/>

<input type="text" name="ISBN" expr="[ISBN]"/>

</inputs>

<onsuccess>f569d2fe-db8c-4e58-b8df-e8f55581253a</onsuccess>

<resource object="First Metropolitan Ordering System" action="Order Entry"/>

</stage>

<stage stageid="9670c59c-ce69-4018-8b6b-af4a2213ee18" name="Create Later Catalogue in Excel" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>540</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b21873b4-aeaa-469a-8153-415467cf672d</onsuccess>

<processid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</processid>

</stage>

<stage stageid="eb171ef5-8b7a-4073-aedf-9aa8b18800ba" name="Book Status" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>555</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

</stage>

<stage stageid="2a9f60b6-ce11-46d1-827c-e10d3c8ba739" name="Populate Spreadsheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Cell Reference" narrative="The reference at which the collection should be written"/>
<input type="collection" name="Collection" narrative="The collection containing the data which should be written"/>
<input type="number" name="handle" narrative="The integer handle identifying the instance on which the data should be written"/>
<input type="text" name="Workbook Name" narrative="The name of the workbook within which the data should be written"/>
<input type="text" name="Worksheet Name" narrative="The name of the worksheet on which the given data should be written"/>
<input type="flag" name="Include Column Names" narrative="True to indicate that the column names from the workbook should be included"/>
<input type="text" name="Sheet Name" expr="[Dewey Ref]"/>
<input type="text" name="Cell Reference" expr="&quot;A1&quot;"/>
<input type="collection" name="Collection" expr="[On Loan Summary]"/>
<input type="flag" name="Include Column Headers" expr="True"/>

</inputs>

<onsuccess>841e9920-5389-4dcc-bf07-c474b2f0ba63</onsuccess>

<resource object="MS Excel VBO" action="Write Collection"/>

</stage>

<stage stageid="922c197b-2d24-487a-919e-20a6e7c0d9f0" name="Set Window Size" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>
```



```
<input type="number" name="Width" narrative="The width to which the instance's window should be set" e
<input type="number" name="Height" narrative="The height to which the instance's window should be set."
<input type="number" name="handle" narrative="The integer handle specifying the instance on which the b
</inputs>

<onsuccess>66d3e261-6ba9-4bda-88aa-cb53e9517087</onsuccess>

<resource object="MS Excel VBO" action="Set Window Size"/>

</stage>

<stage stageid="66d3e261-6ba9-4bda-88aa-cb53e9517087" name="Move Window" type="Action">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="X" narrative="The x co-ordinate to which the window should be moved." exp
<input type="number" name="Y" narrative="The y co-ordinate to which the window should be moved." exp
<input type="number" name="handle" narrative="The integer handle identifying the instance whose window
</inputs>

<onsuccess>2a9f60b6-ce11-46d1-827c-e10d3c8ba739</onsuccess>

<resource object="MS Excel VBO" action="Set Window Location"/>

</stage>

<stage stageid="adc470af-b090-41eb-9dca-4237b5d703b9" name="Create Catalogue Spreadsheet" type=
<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v

</inputs>

<outputs>

<output type="text" name="Workbook Name" narrative="The name of the workbook that Excel has created

</outputs>

<onsuccess>323e1683-87c5-4760-b68b-1cf541e2935a</onsuccess>

<resource object="MS Excel VBO" action="Create Workbook"/>

</stage>

<stage stageid="323e1683-87c5-4760-b68b-1cf541e2935a" name="Create Worksheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v

<input type="text" name="Workbook Name" narrative="The name of the workbook in which the sheet shou
```

```
<input type="text" name="Worksheet Name" narrative="The name of the sheet which should be activated.
</inputs>

<onsuccess>196d8f94-7ed9-42e2-9851-22d725312fdf</onsuccess>

<resource object="MS Excel VBO" action="Create Worksheet"/>

</stage>

<stage stageid="196d8f94-7ed9-42e2-9851-22d725312fdf" name="Show" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance which should I
</inputs>

<onsuccess>922c197b-2d24-487a-919e-20a6e7c0d9f0</onsuccess>

<resource object="MS Excel VBO" action="Show"/>

</stage>

<stage stageid="b21873b4-aeaa-469a-8153-415467cf672d" name="Submit Order" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>600</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>b87384cb-4005-4d31-ba92-cf54347f3eb1</onsuccess>
<resource object="First Metropolitan Ordering System" action="Submit Order"/>
</stage>

<stage stageid="a641894d-f370-4646-81bf-d8b9460ed6d6" name="Title" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>645</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="c12b6d49-7eda-4367-90e3-daf03999a4d3" name="Subject" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>615</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="504146ce-d5bd-4c48-92f5-cb468ca985a9" name="Published" type="Data">
```

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>675</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="b211dcaf-d945-4cba-9af6-8072acde1235" name="ISBN" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>585</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="f0db71e6-11e2-4317-a98b-f67971d38a75" name="Is Book Available?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Book Status] = &quot;NOT ON LOAN&quot;"/>

<ontrue>8c058377-3319-4e32-9b74-48ec3c302f07</ontrue>

<onfalse>b1251bb1-881c-4789-918e-d07393fcba29</onfalse>

</stage>

<stage stageid="7570006f-7c9a-4631-86a9-85480ced0e48" name="On Loan Summary" type="Collection">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>525</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Published" type="text"/>

</collectioninfo>

</stage>

<stage stageid="587cb19c-5ac0-4169-ad72-507bbde2330d" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>360</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="51b094c9-4810-45cd-8e26-57bc52221ee1" name="Add to &quot;Later&quot; S

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>-165</displayx>

<dislayy>-105</dislayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4f4256bc-e5fc-4771-8fa9-56e85fe879d8" name="Start" type="Start">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<dislayy>-135</dislayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2df64606-5e78-4cca-9262-e9069d0fd96e</onsuccess>

</stage>

<stage stageid="84920bed-e848-4ab9-9e1d-a0a75b0177f9" name="End" type="End">

<subsHEETid>8cab77df-17cf-4237-b21f-27617ac6957f</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c18d8b55-e9f1-4955-aaf8-21e189cf3ccb" name="Title" type="Calculation">

<subsHEETid>8cab77df-17cf-4237-b21f-27617ac6957f</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b382fc26-fac8-40d9-8d43-bfa4cea2e91c</onsuccess>

<calculation expression="[Title]" stage="On Loan Summary.Title"/>

</stage>

<stage stageid="b382fc26-fac8-40d9-8d43-bfa4cea2e91c" name="Subject" type="Calculation">

<subsHEETid>8cab77df-17cf-4237-b21f-27617ac6957f</subsHEETid>

<narrative>

</narrative>

<displayx>15</displayx>



```
<display>0</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>21030ed9-ec86-4450-a3ee-9c767f1d2303</onsuccess>

<calculation expression="[Subject]" stage="On Loan Summary.Subject"/>

</stage>

<stage stageid="21030ed9-ec86-4450-a3ee-9c767f1d2303" name="Published" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<display>45</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>229044b9-fdb0-4e0c-9692-243fbbe843e0</onsuccess>

<calculation expression="[Published]" stage="On Loan Summary.Published"/>

</stage>

<stage stageid="229044b9-fdb0-4e0c-9692-243fbbe843e0" name="ISBN" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<display>90</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>84920bed-e848-4ab9-9e1d-a0a75b0177f9</onsuccess>
<calculation expression="[ISBN]" stage="On Loan Summary.ISBN"/>
</stage>
<stage stageid="2df64606-5e78-4cca-9262-e9069d0fd96e" name="Add Row" type="Action">
<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>-90</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="text" name="Collection Name" expr="&quot;On Loan Summary&quot;"/>
</inputs>
<onsuccess>c18d8b55-e9f1-4955-aaf8-21e189cf3ccb</onsuccess>
<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>
</stage>
<stage stageid="b1251bb1-881c-4789-918e-d07393fcba29" name="Add to &quot;Later&quot; S
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>285</displayy>
<displaywidth>90</displaywidth>
<displayheight>60</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>587cb19c-5ac0-4169-ad72-507bbde2330d</onsuccess>

<processid>8cab77df-17cf-4237-b21f-27617ac6957f</processid>

</stage>

<stage stageid="500a5704-9ec8-4ff1-8a77-c0d024955290" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>450</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e1cca0c4-f729-4882-942f-23d22f317a1f</onsuccess>

</stage>

<stage stageid="9f4a6c0f-083e-4656-af6c-df69fcb48e04" name="Start Order System" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>3c6fe195-05e1-4725-bc01-0abd8d2af09b</onsuccess>

<resource object="First Metropolitan Ordering System" action="Load Ordering System"/>

</stage>

<stage stageid="f569d2fe-db8c-4e58-b8df-e8f55581253a" name="Note1" type="Note">

<narrative>Add the book to the current order and move to the next record</narrative>

<displayx>-105</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="b87384cb-4005-4d31-ba92-cf54347f3eb1" name="Log Off" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>645</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ee6ee84a-e373-4f16-b6ed-9caddce685c7</onsuccess>

<resource object="First Metropolitan University OPAC (pcom)" action="Log Off"/>

</stage>

<stage stageid="2f739fc2-51f9-4311-9a7e-71143ad16577" name="Succeeded?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>9d6c584e-a542-4ddc-bdad-466359aee090</ontrue>

<onfalse>dd786c64-e23a-49d5-8686-8805afbff9df</onfalse>

</stage>

<stage stageid="0f401087-52f9-4055-b679-86232c4dfed9" name="Failed to do search" type="Note">

<narrative>Failed to do search</narrative>

<displayx>-195</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="dd786c64-e23a-49d5-8686-8805afbff9df" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0f401087-52f9-4055-b679-86232c4dfed9</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

<stage stageid="ee6ee84a-e373-4f16-b6ed-9caddce685c7" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>660</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>efc8f805-d0f6-461c-b052-c93cc29b26c0</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

<stage stageid="ab9fb9d1-5878-4a1e-82df-4bc07fa7be67" name="Do Excel?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Use Excel]"/>

<ontrue>9670c59c-ce69-4018-8b6b-af4a2213ee18</ontrue>

<onfalse>b21873b4-aeaa-469a-8153-415467cf672d</onfalse>

</stage>

<stage stageid="5f023e59-1b14-44e2-ac2a-07d6f8a69310" name="Use Excel" type="Data">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue>False</initialvalue>
<private/>
<alwaysinit/>
</stage>
</process>
<process name="Library Catalogue Maintenance Process (rmd)" version="1.0" narrative="Retrieves all lite
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
<preconditions/>
<endpoint narrative="&#xD;&#xA;&#xD;&#xA;&#xD;&#xA;" />
<subsheet subsheetid="96d692b7-e273-4282-ac0a-9ae33cf30c1b" type="Normal" published="False">
<name>Create Library Catalogue in Excel</name>
<view>
<camerax>15</camerax>
<cameray>45</cameray>
<zoom>1</zoom>
</view>
</subsheet>
<subsheet subsheetid="8cab77df-17cf-4237-b21f-27617ac6957f" type="Normal" published="False">
<name>Add to "Later" Spreadsheet</name>
<view>
<camerax>0</camerax>
```

```
<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="e0ec601b-fc68-49b5-ad40-91b89d862343" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Use Excel" narrative="Use Excel?" stage="Use Excel"/>

</inputs>

<onsuccess>9f4a6c0f-083e-4656-af6c-df69fcb48e04</onsuccess>

</stage>

<stage stageid="efc8f805-d0f6-461c-b052-c93cc29b26c0" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>690</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="88caeb84-dcf6-4001-aa5c-df820d69e272" name="" type="ProcessInfo">
```



<narrative>

</narrative>

<displayx>210</displayx>

<displayy>90</displayy>

<displaywidth>180</displaywidth>

<displayheight>150</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c6fe195-05e1-4725-bc01-0abd8d2af09b" name="Log In to OPAC" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>a3bbba6b-f906-405c-9de4-52326883b291</onsuccess>

<resource object="First Metropolitan University OPAC (rmd)" action="Start OPAC and Log In"/>

</stage>

<stage stageid="b4218a6e-062e-4a30-8317-66bbdee52e91" name="Dewey Search" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

```
<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Dewey Reference" expr="[Dewey Ref]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="number" name="Number of Hits" stage="Number of Hits"/>

</outputs>

<onsuccess>2f739fc2-51f9-4311-9a7e-71143ad16577</onsuccess>

<resource object="First Metropolitan University OPAC (rmd)" action="Dewey Search from Main Menu"/>

</stage>

<stage stageid="d1df7f15-e9ac-4045-a8c4-d73fa45bdcb5" name="Dewey Ref" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">304.23</initialvalue>

</stage>

<stage stageid="99c6f3ea-2afe-49d2-8754-1a7cca135595" name="Success" type="Data">

<narrative>

</narrative>
```

```
<displayx>-150</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>True</initialvalue>

<private/>

</stage>

<stage stageid="7e6c59bb-35b1-49d2-a389-0309081cfd97" name="Number of Hits" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<exposure>Statistic</exposure>

<private/>

</stage>

<stage stageid="351d371f-0af0-486f-b231-01a3370d3560" name="Processed" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>90</displayy>
```

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>

<stage stageid="9d6c584e-a542-4ddc-bdad-466359aee090" name="Get Details" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="collection" name="Existing Book Collection" expr="[Book Summary]"/>

</inputs>

<outputs>

<output type="collection" name="Updated Book Summary" stage="Book Summary"/>

<output type="text" name="Book Status" stage="Book Status"/>

<output type="text" name="Title" stage="Title"/>

<output type="text" name="Subject" stage="Subject"/>

<output type="text" name="Published" stage="Published"/>

<output type="text" name="ISBN" stage="ISBN"/>

</outputs>

```
<onsuccess>f0db71e6-11e2-4317-a98b-f67971d38a75</onsuccess>

<resource object="First Metropolitan University OPAC (rmd)" action="Return Book Details"/>

</stage>

<stage stageid="f8c53505-60a2-4f7e-bbca-cc9343c0a498" name="Update Books Processed" type="Calcula

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d473c2b5-717e-4e60-9aae-9bbf827499e8</onsuccess>

<calculation expression="[Processed] + 1" stage="Processed"/>

</stage>

<stage stageid="d473c2b5-717e-4e60-9aae-9bbf827499e8" name="All Done?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>450</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Processed] &gt;= [Number of Hits]"/>

<ontrue>ab9fb9d1-5878-4a1e-82df-4bc07fa7be67</ontrue>

<onfalse>ec88185b-7a93-44cb-8975-cf47df963110</onfalse>

</stage>

<stage stageid="e1cca0c4-f729-4882-942f-23d22f317a1f" name="anchor5" type="Anchor">
```

```
<narrative>

</narrative>

<displayx>225</displayx>

<displayy>210</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9d6c584e-a542-4ddc-bdad-466359aee090</onsuccess>

</stage>

<stage stageid="9f20ed3d-b6c5-496f-8ed0-a66ad05b0c3b" name="Book Summary" type="Collection">

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Author" type="text"/>

<field name="Published" type="text"/>

<field name="Pages Etc" type="text"/>

<field name="Notes" type="text"/>
```

<field name="Summary" type="text"/>  
<field name="Name" type="text"/>  
<field name="Contents" type="text"/>  
<field name="Alt Title" type="text"/>  
<field name="Add Title" type="text"/>  
<field name="Add Name" type="text"/>  
<field name="Edition" type="text"/>  
<field name="Series" type="text"/>  
<field name="Location" type="text"/>  
<field name="Shelfmark" type="text"/>  
<field name="Status" type="text"/>  
</collectioninfo>  
</stage>  
<stage stageid="ec88185b-7a93-44cb-8975-cf47df963110" name="Next Record" type="Action">  
<loginhibit/>  
<narrative>  
</narrative>  
<displayx>135</displayx>  
<displayy>450</displayy>  
<displaywidth>90</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<outputs>  
<output type="flag" name="No More Records" stage="No More Records"/>  
</outputs>  
<onsuccess>500a5704-9ec8-4ff1-8a77-c0d024955290</onsuccess>  
<resource object="First Metropolitan University OPAC (rmd)" action="Browse Forward"/>

</stage>

<stage stageid="c7749085-9d80-4812-b297-30e0fcb86e47" name="No More Records" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

</stage>

<stage stageid="4c5469ec-6910-43f3-9ab9-00138de9936e" name="Create Library Catalogue in Excel" type="Data">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1d9eee92-ecdf-49cf-9988-514bdeb406bd" name="Start" type="Start">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>



<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>adc470af-b090-41eb-9dca-4237b5d703b9</onsuccess>

</stage>

<stage stageid="841e9920-5389-4dcc-bf07-c474b2f0ba63" name="End" type="End">

<subsheetid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8c058377-3319-4e32-9b74-48ec3c302f07" name="Add to Book Order" type="Action">

<narrative>

</narrative>

<displayx>-105</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Author" expr="[Subject]"/>

```
<input type="text" name="Title" expr="[Title]"/>

<input type="text" name="Publisher" expr="[Published]"/>

<input type="text" name="ISBN" expr="[ISBN]"/>

</inputs>

<onsuccess>f569d2fe-db8c-4e58-b8df-e8f55581253a</onsuccess>

<resource object="First Metropolitan Ordering System" action="Order Entry"/>

</stage>

<stage stageid="9670c59c-ce69-4018-8b6b-af4a2213ee18" name="Create Later Catalogue in Excel" type="Data">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>540</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b21873b4-aeaa-469a-8153-415467cf672d</onsuccess>

<processid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</processid>

</stage>

<stage stageid="eb171ef5-8b7a-4073-aedf-9aa8b18800ba" name="Book Status" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>555</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>
```

```
<initialvalue/>

<private/>

</stage>

<stage stageid="2a9f60b6-ce11-46d1-827c-e10d3c8ba739" name="Populate Spreadsheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Cell Reference" narrative="The reference at which the collection should be written"/>

<input type="collection" name="Collection" narrative="The collection containing the data which should be written"/>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the data should be written"/>

<input type="text" name="Workbook Name" narrative="The name of the workbook within which the data should be written"/>

<input type="text" name="Worksheet Name" narrative="The name of the worksheet on which the given data should be written"/>

<input type="flag" name="Include Column Names" narrative="True to indicate that the column names from the workbook should be included"/>

<input type="text" name="Sheet Name" expr="[Dewey Ref]"/>

<input type="text" name="Cell Reference" expr="&quot;A1&quot;"/>

<input type="collection" name="Collection" expr="[On Loan Summary]"/>

<input type="flag" name="Include Column Headers" expr="True"/>

</inputs>

<onsuccess>841e9920-5389-4dcc-bf07-c474b2f0ba63</onsuccess>

<resource object="MS Excel VBO" action="Write Collection"/>

</stage>
```

```
<stage stageid="922c197b-2d24-487a-919e-20a6e7c0d9f0" name="Set Window Size" type="Action">
<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Width" narrative="The width to which the instance's window should be set" e

<input type="number" name="Height" narrative="The height to which the instance's window should be set."

<input type="number" name="handle" narrative="The integer handle specifying the instance on which the b

</inputs>

<onsuccess>66d3e261-6ba9-4bda-88aa-cb53e9517087</onsuccess>

<resource object="MS Excel VBO" action="Set Window Size"/>

</stage>
```

```
<stage stageid="66d3e261-6ba9-4bda-88aa-cb53e9517087" name="Move Window" type="Action">
<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>
```

```
<input type="number" name="X" narrative="The x co-ordinate to which the window should be moved." exp
<input type="number" name="Y" narrative="The y co-ordinate to which the window should be moved." exp
<input type="number" name="handle" narrative="The integer handle identifying the instance whose window
</inputs>

<onsuccess>2a9f60b6-ce11-46d1-827c-e10d3c8ba739</onsuccess>

<resource object="MS Excel VBO" action="Set Window Location"/>

</stage>

<stage stageid="adc470af-b090-41eb-9dca-4237b5d703b9" name="Create Catalogue Spreadsheet" type=
<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v
</inputs>

<outputs>

<output type="text" name="Workbook Name" narrative="The name of the workbook that Excel has created
</outputs>

<onsuccess>323e1683-87c5-4760-b68b-1cf541e2935a</onsuccess>

<resource object="MS Excel VBO" action="Create Workbook"/>

</stage>

<stage stageid="323e1683-87c5-4760-b68b-1cf541e2935a" name="Create Worksheet" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance on which the v

<input type="text" name="Workbook Name" narrative="The name of the workbook in which the sheet shou

<input type="text" name="Worksheet Name" narrative="The name of the sheet which should be activated.

</inputs>

<onsuccess>196d8f94-7ed9-42e2-9851-22d725312fdf</onsuccess>

<resource object="MS Excel VBO" action="Create Worksheet"/>

</stage>

<stage stageid="196d8f94-7ed9-42e2-9851-22d725312fdf" name="Show" type="Action">

<subsheetsid>96d692b7-e273-4282-ac0a-9ae33cf30c1b</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="handle" narrative="The integer handle identifying the instance which should l

</inputs>
```

<onsuccess>922c197b-2d24-487a-919e-20a6e7c0d9f0</onsuccess>

<resource object="MS Excel VBO" action="Show"/>

</stage>

<stage stageid="b21873b4-aeaa-469a-8153-415467cf672d" name="Submit Order" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>600</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b87384cb-4005-4d31-ba92-cf54347f3eb1</onsuccess>

<resource object="First Metropolitan Ordering System" action="Submit Order"/>

</stage>

<stage stageid="a641894d-f370-4646-81bf-d8b9460ed6d6" name="Title" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>645</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="c12b6d49-7eda-4367-90e3-daf03999a4d3" name="Subject" type="Data">

<narrative>

```
</narrative>

<displayx>-150</displayx>

<displayy>615</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="504146ce-d5bd-4c48-92f5-cb468ca985a9" name="Published" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>675</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="b211dcaf-d945-4cba-9af6-8072acde1235" name="ISBN" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>585</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>
```



<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

</stage>

<stage stageid="f0db71e6-11e2-4317-a98b-f67971d38a75" name="Is Book Available?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Book Status] = &quot;NOT ON LOAN&quot;"/>

<ontrue>8c058377-3319-4e32-9b74-48ec3c302f07</ontrue>

<onfalse>b1251bb1-881c-4789-918e-d07393fcba29</onfalse>

</stage>

<stage stageid="7570006f-7c9a-4631-86a9-85480ced0e48" name="On Loan Summary" type="Collection">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>525</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<alwaysinit/>

<collectioninfo>

```
<field name="Title" type="text"/>

<field name="Subject" type="text"/>

<field name="ISBN" type="text"/>

<field name="Published" type="text"/>

</collectioninfo>

</stage>

<stage stageid="587cb19c-5ac0-4169-ad72-507bbde2330d" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>360</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="51b094c9-4810-45cd-8e26-57bc52221ee1" name="Add to &quot;Later&quot; S

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4f4256bc-e5fc-4771-8fa9-56e85fe879d8" name="Start" type="Start">
```

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2df64606-5e78-4cca-9262-e9069d0fd96e</onsuccess>

</stage>

<stage stageid="84920bed-e848-4ab9-9e1d-a0a75b0177f9" name="End" type="End">

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c18d8b55-e9f1-4955-aaf8-21e189cf3ccb" name="Title" type="Calculation">

<subsheetid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b382fc26-fac8-40d9-8d43-bfa4cea2e91c</onsuccess>

<calculation expression="[Title]" stage="On Loan Summary.Title"/>

</stage>

<stage stageid="b382fc26-fac8-40d9-8d43-bfa4cea2e91c" name="Subject" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>21030ed9-ec86-4450-a3ee-9c767f1d2303</onsuccess>

<calculation expression="[Subject]" stage="On Loan Summary.Subject"/>

</stage>

<stage stageid="21030ed9-ec86-4450-a3ee-9c767f1d2303" name="Published" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>229044b9-fdb0-4e0c-9692-243fbbe843e0</onsuccess>
```

```
<calculation expression="[Published]" stage="On Loan Summary.Published"/>

</stage>

<stage stageid="229044b9-fdb0-4e0c-9692-243fbbe843e0" name="ISBN" type="Calculation">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>84920bed-e848-4ab9-9e1d-a0a75b0177f9</onsuccess>

<calculation expression="[ISBN]" stage="On Loan Summary.ISBN"/>

</stage>

<stage stageid="2df64606-5e78-4cca-9262-e9069d0fd96e" name="Add Row" type="Action">

<subsheetsid>8cab77df-17cf-4237-b21f-27617ac6957f</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" expr="&quot;On Loan Summary&quot;"/>

</inputs>

<onsuccess>c18d8b55-e9f1-4955-aaf8-21e189cf3ccb</onsuccess>
```

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Add Row"/>

</stage>

<stage stageid="b1251bb1-881c-4789-918e-d07393fcb29" name="Add to &quot;Later&quot; S

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>587cb19c-5ac0-4169-ad72-507bbde2330d</onsuccess>

<processid>8cab77df-17cf-4237-b21f-27617ac6957f</processid>

</stage>

<stage stageid="500a5704-9ec8-4ff1-8a77-c0d024955290" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>450</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e1cca0c4-f729-4882-942f-23d22f317a1f</onsuccess>

</stage>

<stage stageid="9f4a6c0f-083e-4656-af6c-df69fcb48e04" name="Start Order System" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

```
<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

</outputs>

<onsuccess>3c6fe195-05e1-4725-bc01-0abd8d2af09b</onsuccess>

<resource object="First Metropolitan Ordering System" action="Load Ordering System"/>

</stage>

<stage stageid="f569d2fe-db8c-4e58-b8df-e8f55581253a" name="Note1" type="Note">

<narrative>Add the book to the current order and move to the next record</narrative>

<displayx>-105</displayx>

<displayy>360</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f8c53505-60a2-4f7e-bbca-cc9343c0a498</onsuccess>

</stage>

<stage stageid="b87384cb-4005-4d31-ba92-cf54347f3eb1" name="Log Off" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>645</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>ee6ee84a-e373-4f16-b6ed-9caddce685c7</onsuccess>

<resource object="First Metropolitan University OPAC (rmd)" action="Log Off"/>

</stage>

<stage stageid="2f739fc2-51f9-4311-9a7e-71143ad16577" name="Succeeded?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>9d6c584e-a542-4ddc-bdad-466359aee090</ontrue>

<onfalse>dd786c64-e23a-49d5-8686-8805afbff9df</onfalse>

</stage>

<stage stageid="0f401087-52f9-4055-b679-86232c4dfed9" name="Failed to do search" type="Note">

<narrative>Failed to do search</narrative>

<displayx>-210</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="dd786c64-e23a-49d5-8686-8805afbff9df" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>-120</displayx>



<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0f401087-52f9-4055-b679-86232c4dfed9</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

<stage stageid="ee6ee84a-e373-4f16-b6ed-9caddce685c7" name="Close Ordering System" type="Action">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>660</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>efc8f805-d0f6-461c-b052-c93cc29b26c0</onsuccess>

<resource object="First Metropolitan Ordering System" action="Close Ordering System"/>

</stage>

<stage stageid="ab9fb9d1-5878-4a1e-82df-4bc07fa7be67" name="Do Excel?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>540</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Use Excel]"/>

<ontrue>9670c59c-ce69-4018-8b6b-af4a2213ee18</ontrue>

<onfalse>b21873b4-aeaa-469a-8153-415467cf672d</onfalse>

</stage>

<stage stageid="5f023e59-1b14-44e2-ac2a-07d6f8a69310" name="Use Excel" type="Data">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a3bbba6b-f906-405c-9de4-52326883b291" name="Succeeded?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>b4218a6e-062e-4a30-8317-66bbdee52e91</ontrue>

<onfalse>dd786c64-e23a-49d5-8686-8805afbff9df</onfalse>

```
</stage>

</process>

<process name="Multiply" version="1.0" narrative="Multiply two numbers" preferredid="5a61da96-d4fc-4b7

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="185e356c-565c-4c38-a719-941f953308b7" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="number" name="Number1" stage="Number1"/>

<input type="number" name="Number2" stage="Number2"/>

</inputs>

<outputs/>

<onsuccess>1f48db7b-929e-4c83-bff5-0734ac50367e</onsuccess>

</stage>

<stage stageid="2fa7d5f1-32c2-473f-86fd-0ff55ab71256" name="End" type="End">
```

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="number" name="Result" stage="Result"/>

</outputs>

</stage>

<stage stageid="0847d908-87ff-49df-87d7-5604544a1cf6" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4a93572c-db27-4172-986f-3715b95cf9b6" name="Number1" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="70af97c9-f74e-40be-a291-5f0fe1ed8ce7" name="Number2" type="Data">

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="607a005e-a553-42e8-9b8d-d406b65a15c6" name="Result" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1f48db7b-929e-4c83-bff5-0734ac50367e" name="Multiply Them" type="Calculation">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2fa7d5f1-32c2-473f-86fd-0ff55ab71256</onsuccess>

<calculation expression="[Number1]*[Number2]" stage="Result"/>

</stage>

</process>

<process name="a" version="1.0" narrative="a">

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>
```

<stage stageid="d3a81c4e-8a85-46cb-857a-96f24eee108d" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>e0c3a92d-6545-476d-a26f-095f567961a5</onsuccess>

</stage>

<stage stageid="29bf081e-c024-4b39-a7ca-9b8b9d0b05de" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="2b5ff084-b18e-4d1d-9d9c-164ccbd904d1" name="Stage1" type="ProcessInfo">

<narrative>

```
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e0c3a92d-6545-476d-a26f-095f567961a5" name="action1" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>b2069913-e877-424e-818d-be41acb61b10</onsuccess>

<resource object="Automate v3.0.11" action="Start"/>

</stage>

<stage stageid="b2069913-e877-424e-818d-be41acb61b10" name="action2" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>
```



<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="username" expr="&quot;neil&quot;"/>

<input type="password" name="password" expr="&quot;n&quot;"/>

</inputs>

<outputs/>

<onsuccess>8b7a5260-e40a-4926-9845-b5cc8fdea5f1</onsuccess>

<resource object="Automate v3.0.11" action="Sign in"/>

</stage>

<stage stageid="8b7a5260-e40a-4926-9845-b5cc8fdea5f1" name="action3" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>5b095246-28ad-4ba1-8e24-82bf8c98bb6d</onsuccess>

<resource object="Automate v3.0.11" action="Navigate to Object Studio"/>

</stage>

<stage stageid="5b095246-28ad-4ba1-8e24-82bf8c98bb6d" name="action4" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>2a864743-e6ee-48fb-8270-2fe70dc82ec6</onsuccess>

<resource object="Automate v3.0.11" action="Select create new object"/>

</stage>

<stage stageid="2a864743-e6ee-48fb-8270-2fe70dc82ec6" name="action5" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Business object name" expr="&quot;b&quot;"/>

<input type="text" name="Business object description" expr="&quot;bdesc&quot;"/>

</inputs>

<outputs/>

<onsuccess>29bf081e-c024-4b39-a7ca-9b8b9d0b05de</onsuccess>

<resource object="Automate v3.0.11" action="Create new object"/>

</stage>

</process>

<process name="RPM Test Object" version="1.0" narrative="An object to run tests against a snapshot of the" />

<appdef>

<element name="RPM Test Object">

<type>Application</type>

<basetype>Application</basetype>

<id>b0d7fe74-d4ef-4140-b07d-532e8aba6b59</id>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

<element name="Name Field">

<type>HTMLEdit</type>

<basetype>HTMLEdit</basetype>

<id>fcfd287b-16db-41a0-b5d5-02d8b8bdf8fa</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="214"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/BODY(1)/BASE(1)/TABLE(1)/TBODY(1)/TR(1)/TD(4)/IFRAME(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="inputCellShadedCaps"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="text"/>

</attribute>

<attribute name="InputIdentifier2" inuse="True">

<ProcessValue datatype="text" value="clientEntityName"/>

</attribute>

```
<attribute name="Value">
<ProcessValue datatype="text" value="PRUDENTIAL ASSURANCE CO LIMITED"/>
</attribute>

<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>

<attribute name="Checked">
<ProcessValue datatype="flag" value="False"/>
</attribute>

<attribute name="pURL" inuse="True">
<ProcessValue datatype="text" value="http://localhost:8888/RPM/page.htm"/>
</attribute>
</attributes>
</element>

<element name="Blank Field">
<type>HTML</type>
<basetype>HTML</basetype>
<id>5d8cf8cd-206c-4252-a477-b8fa34ed30f9</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="X">
<ProcessValue datatype="number" value="682"/>
</attribute>

<attribute name="Y">
<ProcessValue datatype="number" value="158"/>
</attribute>
```

<attribute name="Width">

<ProcessValue datatype="number" value="208"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/TABLE(2)/TBODY(1)/TR(1)/TD(1)/TABLE(2)/TBOD

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="TD"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="InputIdentifier2" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://localhost:8888/RPM/page.htm"/>

</attribute>

</attributes>

</element>

<element name="Save Button">

<type>HTML</type>

<basetype>HTML</basetype>

<id>a40c93db-2e46-45f6-9fe5-71d92a48e4ee</id>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="47"/>

</attribute>
```

<attribute name="Y">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="48"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/TABLE(2)/TBODY(1)/TR(1)/TD(1)/TABLE(2)/TBOD

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="BUTTON"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>



```
<attribute name="InputType" inuse="True">
<ProcessValue datatype="text" value="button"/>
</attribute>
<attribute name="InputIdentifier2" inuse="True">
<ProcessValue datatype="text" value="Save"/>
</attribute>
<attribute name="Value">
<ProcessValue datatype="text" value="Save"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Checked">
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pURL" inuse="True">
<ProcessValue datatype="text" value="http://localhost:8888/RPM/page.htm"/>
</attribute>
</attributes>
</element>
<element name="Vat Reg Field">
<type>HTMLEdit</type>
<basetype>HTMLEdit</basetype>
<id>8715d386-68f4-460c-922b-e958ae4959fa</id>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
```

<attribute name="X">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="214"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="HTML/BODY(1)/TABLE(2)/TBODY(1)/TR(1)/TD(1)/TABLE(2)/TBOD

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="INPUT"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="inputCellCaps"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

```
<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value="text"/>

</attribute>

<attribute name="InputIdentifier2" inuse="True">

<ProcessValue datatype="text" value="vatRegNbr"/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" inuse="True">

<ProcessValue datatype="text" value="http://localhost:8888/RPM/page.htm"/>

</attribute>

</attributes>

</element>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<name>A browser that is launched from an executable file</name>
```

<parameters>

<parameter>

<name>Path</name>

<type>File</type>

<values/>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

<acceptsnull>False</acceptsnull>

<filefilter>Executable Files (\*.exe)|\*.exe</filefilter>

<helptext>Please enter the path to your browser</helptext>

</parameter>

<parameter>

<name>CommandLineParams</name>

<type>String</type>

<values/>

<value>http://localhost:8888/RPM/index.htm</value>

<acceptsnull>True</acceptsnull>

<filefilter>

</filefilter>

<helptext>Please enter the URL of your start page, and any other command-line parameters.</helptext>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<type>Boolean</type>

<values/>

<value>False</value>

<acceptsnull>False</acceptsnull>

<filefilter>

</filefilter>

<helptext>Enable java integration techniques</helptext>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="c480a1be-f2a2-4774-a4aa-d9191d9a699c" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="37e947ce-3f76-4266-8a78-7c31d24564eb" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

```
</view>

</subsheet>

<subsheet subsheetid="4d569b08-ed10-4aac-a5c3-b5bcf91ff1af" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="7d9b2d92-4a4d-48e6-bcca-2ada6f266289" type="Normal" published="True">

<name>Verify Paths With Base Tag</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="793e9345-08da-4fa7-8e7b-7a1e9d7e4e3b" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>05864911-77b4-44d9-8b0e-e2a5674da5ae</onsuccess>

</stage>

<stage stageid="05864911-77b4-44d9-8b0e-e2a5674da5ae" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2621f2c1-272d-4807-aa38-85a356f58151" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

```
<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="60ee4570-8ede-4e0e-8a33-a92de64c292c" name="Clean Up" type="SubSheetInfo">

<subsheetsid>37e947ce-3f76-4266-8a78-7c31d24564eb</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c9bf5d1c-bb0e-4fb0-b796-4664b81688fb" name="Start" type="Start">

<subsheetsid>37e947ce-3f76-4266-8a78-7c31d24564eb</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c467b87d-2301-47c3-b7d1-c9a6dcbeeb3c</onsuccess>
```



</stage>

<stage stageid="c467b87d-2301-47c3-b7d1-c9a6dcbeeb3c" name="End" type="End">

<subsheetid>37e947ce-3f76-4266-8a78-7c31d24564eb</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9abe2845-40b9-4c4a-89fa-315062999bf1" name="Launch" type="SubSheetInfo">

<subsheetid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="08ec763d-03a8-469f-85df-98f86e8601ad" name="Start" type="Start">

<subsheetid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>52a56a93-f6fa-4437-90b4-5a07058b2d2f</onsuccess>

</stage>

<stage stageid="a744a6c4-f3dc-4caf-99e2-8d5f9be6d06d" name="End" type="End">

<subsheetid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9dcdb9f0-db98-4c8a-a191-20c1ecca5c31" name="new" type="Note">

<subsheetid>37e947ce-3f76-4266-8a78-7c31d24564eb</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1e153f85-dbad-4efe-bbdf-2360d4c34371" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than after the business object is loaded.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="52a56a93-f6fa-4437-90b4-5a07058b2d2f" name="Launch" type="Navigate">

<subsheetid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>35afb2d1-e598-46e4-a155-e3f264c0099a</onsuccess>

<step>

<element id="b0d7fe74-d4ef-4140-b07d-532e8aba6b59"/>

<action>

<id>Launch</id>

</action>

</step>

</stage>

<stage stageid="59173dc1-73a0-4c19-b69c-37f2164a6e56" name="Time Out" type="WaitEnd">

<subsheetsid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>0</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>45dc9ae4-a82e-478b-b4cc-89ce3a808057</onsuccess>

<groupid>9dc83b24-8bcb-4534-9a9f-89a93db6a62b</groupid>

</stage>

<stage stageid="35afb2d1-e598-46e4-a155-e3f264c0099a" name="Wait For Page" type="WaitStart">

<subsheetsid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetsid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>9dc83b24-8bcb-4534-9a9f-89a93db6a62b</groupid>

<choices>

<choice reply="True">

<name>Name Field Check Exists</name>

<distance>60</distance>

<ontrue>f8ec6e81-343e-4e53-8a25-10eebe20ac90</ontrue>

<element id="fcfd287b-16db-41a0-b5d5-02d8b8bdf8fa"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>120</timeout>

</stage>

<stage stageid="f8ec6e81-343e-4e53-8a25-10eebe20ac90" name="anchor1" type="Anchor">

<subsheetid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

<displayx>75</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a744a6c4-f3dc-4caf-99e2-8d5f9be6d06d</onsuccess>

</stage>

<stage stageid="45dc9ae4-a82e-478b-b4cc-89ce3a808057" name="Exception1" type="Exception">

<subsheetid>4d569b08-ed10-4aac-a5c3-b5bcf91ff1af</subsheetid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Timeout" detail="&quot;Timed out waiting for page to load&quot;"/>

</stage>

<stage stageid="536ceaea-31dc-4f27-b156-c21388500479" name="Verify Paths With Base Tag" type="Su

<subsheetid>7d9b2d92-4a4d-48e6-bcca-2ada6f266289</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
</stage>

<stage stageid="f4ffcf98-001f-4006-8d0b-415c5a130d82" name="Start" type="Start">

<subsheetid>7d9b2d92-4a4d-48e6-bcca-2ada6f266289</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6262d150-7d0e-4924-8c92-e9c708cf5116</onsuccess>

</stage>

<stage stageid="65d51202-a4df-4dc3-af93-3525c953fd0e" name="End" type="End">

<subsheetid>7d9b2d92-4a4d-48e6-bcca-2ada6f266289</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6262d150-7d0e-4924-8c92-e9c708cf5116" name="Verify Fields" type="Navigate">

<subsheetid>7d9b2d92-4a4d-48e6-bcca-2ada6f266289</subsheetid>

<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>65d51202-a4df-4dc3-af93-3525c953fd0e</onsuccess>

<step>

<element id="fcfd287b-16db-41a0-b5d5-02d8b8bdf8fa"/>

<action>

<id>Verify</id>

<arguments>

<argument>

<id>highlight</id>

<value>True</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="5d8cf8cd-206c-4252-a477-b8fa34ed30f9"/>

<action>

<id>Verify</id>

<arguments>

<argument>

<id>newtext</id>
```



<value>

</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

<argument>

<id>highlight</id>

<value>True</value>

</argument>

</arguments>

</action>

</step>

<step>

<element id="a40c93db-2e46-45f6-9fe5-71d92a48e4ee"/>

<action>

<id>Verify</id>

<arguments>

<argument>

<id>highlight</id>

<value>True</value>

</argument>

</arguments>

</action>

</step>

```
<step>

<element id="8715d386-68f4-460c-922b-e958ae4959fa"/>

<action>

<id>Verify</id>

<arguments>

<argument>

<id>highlight</id>

<value>True</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="b3c05f06-98d0-4846-8a29-c58d6f85d523" name="Terminate" type="SubSheetInfo">

<subsheetsid>c480a1be-f2a2-4774-a4aa-d9191d9a699c</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2026c409-84e5-4921-a866-1d312050b9e6" name="Start" type="Start">

<subsheetsid>c480a1be-f2a2-4774-a4aa-d9191d9a699c</subsheetsid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>82172359-9e6c-4b79-9408-777dbbeb579a</onsuccess>

</stage>

<stage stageid="10cbeb1d-0fc5-489d-93ed-f470f973a483" name="End" type="End">

<subsheetsid>c480a1be-f2a2-4774-a4aa-d9191d9a699c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="82172359-9e6c-4b79-9408-777dbbeb579a" name="Terminate" type="Navigate">

<subsheetsid>c480a1be-f2a2-4774-a4aa-d9191d9a699c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>10cbeb1d-0fc5-489d-93ed-f470f973a483</onsuccess>

<step>

<element id="b0d7fe74-d4ef-4140-b07d-532e8aba6b59"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

</process>

<process name="RPM Test Process" version="1.0" narrative="." preferredid="526e9917-b2fb-4005-8f83-c<

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="4f269ea0-66ee-41ec-bf6e-fda06c98106e" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>9187415f-982e-4341-a44a-5d2bfb22c518</onsuccess>

</stage>

<stage stageid="4518ee6d-25c0-49b8-bc75-a4209335b569" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="869408b0-d270-4504-a5d2-61a401025850" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9187415f-982e-4341-a44a-5d2bfb22c518" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>040b544f-f664-4f65-a7c6-c7b985dfaf05</onsuccess>  
<resource object="RPM Test Object" action="Launch"/>  
</stage>  
<stage stageid="040b544f-f664-4f65-a7c6-c7b985dfaf05" name="Verify" type="Action">  
<narrative>  
</narrative>  
<displayx>15</displayx>  
<displayy>-15</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>ca9de5b9-d90d-4a10-863c-0062ad72640e</onsuccess>  
<resource object="RPM Test Object" action="Verify Paths With Base Tag"/>  
</stage>  
<stage stageid="ca9de5b9-d90d-4a10-863c-0062ad72640e" name="Terminate" type="Action">  
<narrative>  
</narrative>  
<displayx>15</displayx>  
<displayy>30</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>4518ee6d-25c0-49b8-bc75-a4209335b569</onsuccess>  
<resource object="RPM Test Object" action="Terminate"/>  
</stage>  
</process>

```
<process name="Smalltalk Dolphin Button Process" version="1.0" narrative="." preferredid="727638a8-55
<view>
<camerax>0</camerax>
<cameray>0</cameray>
<zoom>1</zoom>
</view>
<preconditions/>
<endpoint narrative=""/>
<stage stageid="0d21d3cb-31fb-40f8-8dcc-620291ecdd8c" name="Stage1" type="ProcessInfo">
<narrative>
</narrative>
<displayx>-195</displayx>
<displayy>-105</displayy>
<displaywidth>150</displaywidth>
<displayheight>90</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="150197e1-eb55-40e7-9860-6ad6a3ec1f63" name="Start" type="Start">
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>-105</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs/>
```

<outputs/>

<onsuccess>cd350ac4-48ec-42fd-a34e-3d4832bce5ec</onsuccess>

</stage>

<stage stageid="0920dc49-7fbd-441e-8ba0-c554bc71dbed" name="press button" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Button Pressed"/>

</outputs>

<onsuccess>4101c95d-f1cc-4936-aeb1-7340e2002c6a</onsuccess>

<resource object="Smalltalk Dolphin" action="Press button"/>

</stage>

<stage stageid="cc4ed6f7-296e-4b3a-b29f-ee35016e848f" name="Use Win32" type="Calculation">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>



<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0920dc49-7fbd-441e-8ba0-c554bc71dbed</onsuccess>

<calculation expression="False" stage="Use AA"/>

</stage>

<stage stageid="93536a76-6b46-4f4a-bdc2-65e7b2bc6d22" name="press button" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Button Pressed"/>

</outputs>

<onsuccess>4124f48e-5879-4ff0-9bb1-ed552abc499</onsuccess>

<resource object="Smalltalk Dolphin" action="Press button"/>

</stage>

<stage stageid="61306768-beed-4349-88e2-eadd5b6219f8" name="Use AA" type="Calculation">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>93536a76-6b46-4f4a-bdc2-65e7b2bc6d22</onsuccess>

<calculation expression="True" stage="Use AA"/>

</stage>

<stage stageid="790e7a06-73ce-43a6-bba3-428d03d22517" name="Button Pressed" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4101c95d-f1cc-4936-aeb1-7340e2002c6a" name="Pressed?" type="Decision">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<decision expression="[Button Pressed]"/>  
<ontrue>e2e1c5a1-73b1-4ee3-ac6c-c132a64a63ed</ontrue>  
<onfalse>ee97904e-c5c5-49a1-80dd-49a585c1eee8</onfalse>  
</stage>  
<stage stageid="4124f48e-5879-4ff0-9bb1-ed552abc499" name="Pressed?" type="Decision">  
<narrative>  
</narrative>  
<displayx>270</displayx>  
<displayy>210</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<decision expression="[Button Pressed]"/>  
<ontrue>6a316425-fdfd-4422-a4bc-a4d102c093be</ontrue>  
<onfalse>9f24745b-9879-46cb-904e-15d8a626efea</onfalse>  
</stage>  
<stage stageid="ee97904e-c5c5-49a1-80dd-49a585c1eee8" name="Note1" type="Note">  
<narrative>win32 button press failed</narrative>  
<displayx>270</displayx>  
<displayy>-60</displayy>  
<displaywidth>90</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>da556947-5498-4b00-9f3f-ad3e93fbecc4</onsuccess>  
</stage>  
<stage stageid="9f24745b-9879-46cb-904e-15d8a626efea" name="Note1" type="Note">

<narrative>AA button press failed</narrative>

<displayx>270</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>249e72da-14e0-48de-9bee-522aae0384cc</onsuccess>

</stage>

<stage stageid="da556947-5498-4b00-9f3f-ad3e93fbecc4" name="anchor13" type="Anchor">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f37a6324-022e-4313-aef3-af189d327828</onsuccess>

</stage>

<stage stageid="249e72da-14e0-48de-9bee-522aae0384cc" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>98400aff-5ae7-4226-bdb4-6b53a385ea67</onsuccess>

</stage>

<stage stageid="4fdf3ba3-2d6c-48ae-86c7-908103711206" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>540</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>631c0ec2-adbf-43a0-b7c3-8ade312c2225</onsuccess>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="631c0ec2-adbf-43a0-b7c3-8ade312c2225" name="End2" type="End">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

```
<stage stageid="cd350ac4-48ec-42fd-a34e-3d4832bce5ec" name="launch" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>cc4ed6f7-296e-4b3a-b29f-ee35016e848f</onsuccess>

<resource object="Smalltalk Dolphin" action="Launch"/>

</stage>

<stage stageid="22962834-f88d-4e31-bd66-11212fefe0a9" name="Use AA" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>
```

<stage stageid="b1d97c3b-ce4b-42c4-9d89-1660e7fc8036" name="anchor8" type="Anchor">

<narrative>

</narrative>

<displayx>450</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>816ac8b0-de64-4ae5-b649-6ee5d47d0ed6</onsuccess>

</stage>

<stage stageid="816ac8b0-de64-4ae5-b649-6ee5d47d0ed6" name="anchor10" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>61306768-beed-4349-88e2-eadd5b6219f8</onsuccess>

</stage>

<stage stageid="e2e1c5a1-73b1-4ee3-ac6c-c132a64a63ed" name="get text" type="Action">

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="flag" name="Use AA" expr="[Use AA]"/>
</inputs>
<outputs>
<output type="text" name="Text" stage="button text"/>
</outputs>
<onsuccess>f7c1e3f9-7e5e-42e9-9476-402177680548</onsuccess>
<resource object="Smalltalk Dolphin" action="Get Button Text"/>
</stage>
<stage stageid="f7c1e3f9-7e5e-42e9-9476-402177680548" name="got text?" type="Decision">
<narrative>
</narrative>
<displayx>450</displayx>
<displayy>0</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[button text]=&quot;Folder&quot;"/>
<ontrue>b1d97c3b-ce4b-42c4-9d89-1660e7fc8036</ontrue>
<onfalse>0cf47ca5-7d21-4b50-bd55-aaae3c549d37</onfalse>
</stage>
<stage stageid="0cf47ca5-7d21-4b50-bd55-aaae3c549d37" name="Note4" type="Note">
<narrative>win32 failed to get button text</narrative>
<displayx>450</displayx>
<displayy>-60</displayy>
```



<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f37a6324-022e-4313-aef3-af189d327828</onsuccess>

</stage>

<stage stageid="f37a6324-022e-4313-aef3-af189d327828" name="anchor30" type="Anchor">

<narrative>

</narrative>

<displayx>450</displayx>

<displayy>-105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>24444996-1046-4997-b876-eda6963899ae</onsuccess>

</stage>

<stage stageid="27d194e3-067c-4896-9e71-2f9f538e131e" name="got text?" type="Decision">

<narrative>

</narrative>

<displayx>450</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[button text]=&quot;Folder&quot;"/>

<ontrue>4fdf3ba3-2d6c-48ae-86c7-908103711206</ontrue>

<onfalse>637e467b-07d1-492e-86b3-1fb734a815cb</onfalse>

</stage>

<stage stageid="637e467b-07d1-492e-86b3-1fb734a815cb" name="Note4" type="Note">

<narrative>AA failed to get button text</narrative>

<displayx>450</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>98400aff-5ae7-4226-bdb4-6b53a385ea67</onsuccess>

</stage>

<stage stageid="98400aff-5ae7-4226-bdb4-6b53a385ea67" name="anchor30" type="Anchor">

<narrative>

</narrative>

<displayx>450</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>48b27387-858f-441c-abe9-0e48a6e02db0</onsuccess>

</stage>

<stage stageid="6a316425-fdfd-4422-a4bc-a4d102c093be" name="get text" type="Action">

<narrative>

</narrative>

<displayx>360</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="button text"/>

</outputs>

<onsuccess>27d194e3-067c-4896-9e71-2f9f538e131e</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Button Text"/>

</stage>

<stage stageid="48b27387-858f-441c-abe9-0e48a6e02db0" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>540</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="24444996-1046-4997-b876-eda6963899ae" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>540</displayx>

```
<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="3e9c2a2e-0421-4cc6-9704-e4e108f61a7b" name="button text" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Smalltalk Dolphin Checkbox Process" version="1.0" narrative="." preferredid="138deb3c

<view>

<camerax>0</camerax>
```

```
<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="f206a2d3-bab4-4a34-8633-8bc7c6305f8c" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="912f8677-4efd-4ce2-b49d-9a5d0e7bd553" name="Start" type="Start">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>47f4593b-1921-48ab-85e7-62f7ad0d178c</onsuccess>

</stage>
```

<stage stageid="6a9f8ad9-514b-44d9-991d-a92425f636d7" name="End" type="End">

<narrative>

</narrative>

<displayx>1275</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="eda9fffb-5bd3-4eb6-bec9-14094c3681d9" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

```
<onsuccess>2023a68f-226c-42df-90b1-ed246efad8de</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="9f29a25a-3391-4829-ad63-149abec25993" name="set checkbox" type="Action">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="flag" name="Checked" expr="True"/>

</inputs>

<outputs/>

<onsuccess>7d0ad21d-94be-4de9-8e9f-65297a88780d</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Checkbox"/>

</stage>

<stage stageid="7d0ad21d-94be-4de9-8e9f-65297a88780d" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>d14e988e-2100-4750-a911-27dae3f9ca3b</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="2023a68f-226c-42df-90b1-ed246efad8de" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>6c046ebb-6273-4c58-860e-042b5e473fc1</ontrue>

<onfalse>9f29a25a-3391-4829-ad63-149abec25993</onfalse>

</stage>

<stage stageid="d14e988e-2100-4750-a911-27dae3f9ca3b" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>480</displayx>
```



<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>5a510cb9-b8c4-40ef-b40b-a086e6fa1bcf</ontrue>

<onfalse>102854a9-0277-4312-8b3b-6ca667d4cc23</onfalse>

</stage>

<stage stageid="6c046ebb-6273-4c58-860e-042b5e473fc1" name="Note1" type="Note">

<narrative>win32 checkbox should be unchecked</narrative>

<displayx>240</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9f8c3071-63c3-4f4e-ba35-028fdb8d0afe</onsuccess>

</stage>

<stage stageid="102854a9-0277-4312-8b3b-6ca667d4cc23" name="Note1" type="Note">

<narrative>win32 checkbox should be checked</narrative>

<displayx>480</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c7416418-4c3e-4a08-aae8-99b66031a380</onsuccess>

</stage>

<stage stageid="5a510cb9-b8c4-40ef-b40b-a086e6fa1bcf" name="set checkbox" type="Action">

<narrative>

</narrative>

<displayx>570</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="flag" name="Checked" expr="False"/>

</inputs>

<outputs/>

<onsuccess>536b480e-bbc2-45c5-b827-f919915e78b5</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Checkbox"/>

</stage>

<stage stageid="536b480e-bbc2-45c5-b827-f919915e78b5" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>645</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>fecb1e62-d7fe-4bc2-958d-c15b629cd914</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="fecb1e62-d7fe-4bc2-958d-c15b629cd914" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>9a4f64e8-348e-40b7-b016-b6b935699166</ontrue>

<onfalse>c781cfb3-3cd9-4951-8033-00e2f6b6404d</onfalse>

</stage>

<stage stageid="9a4f64e8-348e-40b7-b016-b6b935699166" name="Note1" type="Note">

<narrative>win32 checkbox should be unchecked</narrative>

<displayx>720</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>531fc123-32dc-4529-ae92-4cd34c77a6d0</onsuccess>

</stage>

<stage stageid="f28caabe-50ab-4074-8819-02c67b48080d" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d46e6fe5-86e9-4e19-9927-0bde2f04e5c9</onsuccess>

</stage>

<stage stageid="2f099300-dee2-4c33-84b9-cca9f8f1d77d" name="Use Win32" type="Calculation">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eda9fffb-5bd3-4eb6-bec9-14094c3681d9</onsuccess>

<calculation expression="False" stage="Use AA"/>

</stage>

<stage stageid="fdb5b380-9725-49c4-99c2-a1d7457e17de" name="Use AA" type="Calculation">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>89fb7dee-2b80-41ee-98a2-857a9315fb2b</onsuccess>

<calculation expression="True" stage="Use AA"/>

</stage>

<stage stageid="138a6ba4-12c8-4eae-a41b-9d3022313f21" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>7d7bfb89-25dd-44cb-9542-29f2e4f2d4b2</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="cb48c630-481e-48ed-bf68-147af7a43200" name="set checkbox" type="Action">

<narrative>

</narrative>

$$570$$

$$165$$

$$60$$

$$30$$

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="flag" name="Checked" expr="True"/>

</inputs>

<outputs/>

<onsuccess>b89347c4-036f-4935-9e2e-64edbbb970d9</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Checkbox"/>

</stage>

<stage stageid="b89347c4-036f-4935-9e2e-64edbbb970d9" name="get checkbox" type="Action">

<narrative>

</narrative>

$$645$$

$$165$$

$$60$$

$$30$$

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>625c67f8-3508-41c5-8a7f-610da9b68ded</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="7d7bfb89-25dd-44cb-9542-29f2e4f2d4b2" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>480</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>b67a0d92-1f92-4885-8d85-1f1ef7c88a2e</ontrue>

<onfalse>cb48c630-481e-48ed-bf68-147af7a43200</onfalse>

</stage>

<stage stageid="625c67f8-3508-41c5-8a7f-610da9b68ded" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>c21cbda4-ce40-4db5-89fa-f6c8aa69166a</ontrue>

```
<onfalse>8cca8b36-5781-46ab-8c8c-deb075f62fb4</onfalse>

</stage>

<stage stageid="b67a0d92-1f92-4885-8d85-1f1ef7c88a2e" name="Note1" type="Note">

<narrative>AA checkbox should be unchecked</narrative>

<displayx>480</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e5c62c5-0510-4a39-aba0-0a54a519514c</onsuccess>

</stage>

<stage stageid="8cca8b36-5781-46ab-8c8c-deb075f62fb4" name="Note1" type="Note">

<narrative>AA checkbox should be checked</narrative>

<displayx>720</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>54ff9cb7-4877-4ceb-87cb-0f5c8fe0fb35</onsuccess>

</stage>

<stage stageid="c21cbda4-ce40-4db5-89fa-f6c8aa69166a" name="set checkbox" type="Action">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="flag" name="Checked" expr="False"/>

</inputs>

<outputs/>

<onsuccess>f07f6745-4c3d-4d31-a91c-d6c3be54b00f</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Checkbox"/>

</stage>

<stage stageid="f07f6745-4c3d-4d31-a91c-d6c3be54b00f" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>885</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>fb2f0ac6-6612-4fd6-8b0b-84accf1ecc1e</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>
```

```
</stage>

<stage stageid="fb2f0ac6-6612-4fd6-8b0b-84accf1ecc1e" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>7434b3c1-a6d0-455d-8ee5-8127cb5337d7</ontrue>

<onfalse>f5d19867-6d6c-4083-a016-605b2a29c918</onfalse>

</stage>

<stage stageid="7434b3c1-a6d0-455d-8ee5-8127cb5337d7" name="Note1" type="Note">

<narrative>AA checkbox should be unchecked</narrative>

<displayx>960</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0e765d40-6577-4443-8076-7e3856444683</onsuccess>

</stage>

<stage stageid="c781cfb3-3cd9-4951-8033-00e2f6b6404d" name="set checkbox" type="Action">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>0</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="flag" name="Checked" expr="True"/>

</inputs>

<outputs/>

<onsuccess>36bd8338-fc83-49d3-a8cf-5d9bb160b48c</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Checkbox"/>

</stage>

<stage stageid="36bd8338-fc83-49d3-a8cf-5d9bb160b48c" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>885</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>61b89aab-9a3b-4c29-a09a-e3a49b19c80d</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="61b89aab-9a3b-4c29-a09a-e3a49b19c80d" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>e6e29427-8573-4603-b247-f4c6455bfd25</ontrue>

<onfalse>cc801852-be07-43a9-9d15-187291e7c778</onfalse>

</stage>

<stage stageid="cc801852-be07-43a9-9d15-187291e7c778" name="Note1" type="Note">

<narrative>win32 checkbox should be checked</narrative>

<displayx>960</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>68c52819-2cde-4ff7-9d20-3659370667b7</onsuccess>

</stage>

<stage stageid="89fb7dee-2b80-41ee-98a2-857a9315fb2b" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="flag" name="Checked" stage="Checked"/>

</outputs>

<onsuccess>84c2c104-0c61-42cc-bf93-816d02ec906b</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox"/>

</stage>

<stage stageid="84c2c104-0c61-42cc-bf93-816d02ec906b" name="checked?" type="Decision">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Checked]"/>

<ontrue>384f66a0-3e40-4d18-bf5a-a111162d968c</ontrue>

<onfalse>dca644aa-3d17-4483-b9ab-e933ce8b483b</onfalse>

</stage>

```
<stage stageid="dca644aa-3d17-4483-b9ab-e933ce8b483b" name="Note1" type="Note">

<narrative>AA checkbox should be checked</narrative>

<displayx>240</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e6a0789-1e91-400c-8f86-7647c922ce6e</onsuccess>

</stage>

<stage stageid="384f66a0-3e40-4d18-bf5a-a111162d968c" name="set checkbox" type="Action">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="flag" name="Checked" expr="False"/>

</inputs>

<outputs/>

<onsuccess>138a6ba4-12c8-4eae-a41b-9d3022313f21</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Checkbox"/>

</stage>

<stage stageid="9f8c3071-63c3-4f4e-ba35-028fdb8d0afe" name="anchor13" type="Anchor">
```

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c7416418-4c3e-4a08-aae8-99b66031a380</onsuccess>

</stage>

<stage stageid="c7416418-4c3e-4a08-aae8-99b66031a380" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>480</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>531fc123-32dc-4529-ae92-4cd34c77a6d0</onsuccess>

</stage>

<stage stageid="531fc123-32dc-4529-ae92-4cd34c77a6d0" name="anchor15" type="Anchor">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>68c52819-2cde-4ff7-9d20-3659370667b7</onsuccess>

</stage>

<stage stageid="68c52819-2cde-4ff7-9d20-3659370667b7" name="anchor16" type="Anchor">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6959eb79-08e7-4d4c-b750-8097f4c89cf1</onsuccess>

</stage>

<stage stageid="73d6e098-20db-4faa-8d9f-a4194bc75399" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1200</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="3e6a0789-1e91-400c-8f86-7647c922ce6e" name="anchor13" type="Anchor">

<narrative>



</narrative>

<displayx>240</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8e5c62c5-0510-4a39-aba0-0a54a519514c</onsuccess>

</stage>

<stage stageid="8e5c62c5-0510-4a39-aba0-0a54a519514c" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>480</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>54ff9cb7-4877-4ceb-87cb-0f5c8fe0fb35</onsuccess>

</stage>

<stage stageid="54ff9cb7-4877-4ceb-87cb-0f5c8fe0fb35" name="anchor15" type="Anchor">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0e765d40-6577-4443-8076-7e3856444683</onsuccess>

</stage>

<stage stageid="0e765d40-6577-4443-8076-7e3856444683" name="anchor16" type="Anchor">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>190817a8-66eb-4945-a631-084f619afeed</onsuccess>

</stage>

<stage stageid="d83cebc5-bc88-409c-9ac0-311078397e05" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1200</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="fc3a8e88-5c1e-40d5-9aaa-ccd4b9617372" name="Use AA" type="Data">

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="47f4593b-1921-48ab-85e7-62f7ad0d178c" name="launch" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>2f099300-dee2-4c33-84b9-cca9f8f1d77d</onsuccess>

<resource object="Smalltalk Dolphin" action="Launch"/>

</stage>

<stage stageid="b1be89b1-dfb1-4959-9e44-5f18c8d5b52e" name="Checked" type="Data">

<narrative>

</narrative>

```
<displayx>-45</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="90cc6b10-1fea-4553-873f-411130467351" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1200</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>6a9f8ad9-514b-44d9-991d-a92425f636d7</onsuccess>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="d46e6fe5-86e9-4e19-9927-0bde2f04e5c9" name="anchor7" type="Anchor">

<narrative>
```

```
</narrative>

<displayx>90</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fdb5b380-9725-49c4-99c2-a1d7457e17de</onsuccess>

</stage>

<stage stageid="e6e29427-8573-4603-b247-f4c6455bfd25" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>1050</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="checkbox text"/>

</outputs>

<onsuccess>4e7246b4-cbe3-4ecb-8221-9da192fa93a2</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox Text"/>

</stage>

<stage stageid="ab5609ef-82d0-45d7-a6aa-4a1ef40d4b83" name="checkbox text" type="Data">
```

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>15</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="4e7246b4-cbe3-4ecb-8221-9da192fa93a2" name="got text?" type="Decision">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[checkbox text]=&quot;Show folders in list&quot;"/>

<ontrue>f28caabe-50ab-4074-8819-02c67b48080d</ontrue>

<onfalse>aa0319fa-4628-4233-8b3b-ea6e5a91735d</onfalse>

</stage>

<stage stageid="aa0319fa-4628-4233-8b3b-ea6e5a91735d" name="Note1" type="Note">

<narrative>win32 failed to get checkbox text</narrative>

<displayx>1125</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6959eb79-08e7-4d4c-b750-8097f4c89cf1</onsuccess>

</stage>

<stage stageid="6959eb79-08e7-4d4c-b750-8097f4c89cf1" name="anchor16" type="Anchor">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>73d6e098-20db-4faa-8d9f-a4194bc75399</onsuccess>

</stage>

<stage stageid="de673d20-7f99-49c3-b8a1-59180a0e684c" name="Note1" type="Note">

<narrative>AA failed to get checkbox text</narrative>

<displayx>1125</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>190817a8-66eb-4945-a631-084f619afeed</onsuccess>

</stage>

<stage stageid="190817a8-66eb-4945-a631-084f619afeed" name="anchor16" type="Anchor">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d83cebc5-bc88-409c-9ac0-311078397e05</onsuccess>

</stage>

<stage stageid="f5d19867-6d6c-4083-a016-605b2a29c918" name="get checkbox" type="Action">

<narrative>

</narrative>

<displayx>1050</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="checkbox text"/>

</outputs>

<onsuccess>52d04550-81d4-433f-baca-99a8ed913590</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Checkbox Text"/>

</stage>



<stage stageid="52d04550-81d4-433f-baca-99a8ed913590" name="got text?" type="Decision">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[checkbox text]=&quot;Show folders in list&quot;"/>

<ontrue>90cc6b10-1fea-4553-873f-411130467351</ontrue>

<onfalse>de673d20-7f99-49c3-b8a1-59180a0e684c</onfalse>

</stage>

</process>

<process name="Smalltalk Dolphin Combobox Process" version="1.0" narrative="." preferredid="9418ac24">

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="0bd583c9-b7f8-4445-af9a-ab26a823ae1a" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="93cc95e1-524d-4af4-a004-7e5f1f7dbb72" name="Start" type="Start">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>69c0c4fa-2431-4ad0-9320-48113403bc9d</onsuccess>

</stage>

<stage stageid="4e8b9552-e160-4acd-82cb-a2158a6b3f0e" name="End" type="End">

<narrative>

</narrative>

<displayx>1185</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>
```

```
</stage>

<stage stageid="5c46a16f-54a1-4a63-af4e-cfbb36f10330" name="get combo" type="Action">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Combo item count text"/>

<output type="text" name="Current Item" stage="Combo current value"/>

<output type="collection" name="Items" stage="Combo Items"/>

</outputs>

<onsuccess>7bda45dd-0bc4-4c61-99ad-d01fef488e97</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Combo"/>

</stage>

<stage stageid="eb56cda0-a44b-454a-8e52-d842dbd5a128" name="Combo item count text" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2b4f3fdf-a3aa-41ea-a5c5-f1028281d862" name="Combo current value" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>135</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9f5e41c8-4f1b-4244-a275-697fd3ca5c10" name="Combo Items" type="Collection">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>180</displayy>
```

```
<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<initialvalue/>

</stage>

<stage stageid="7bda45dd-0bc4-4c61-99ad-d01fef488e97" name="Current Value?" type="Decision">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo current value]=&quot;Tab separated, no quotes&quot;"/>

<ontrue>7d60909b-8471-4bde-abc2-0cf14ad2fe3e</ontrue>

<onfalse>1ced9164-4a2d-40ad-bb05-98d9c31a8619</onfalse>

</stage>

<stage stageid="7d60909b-8471-4bde-abc2-0cf14ad2fe3e" name="Count?" type="Decision">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo item count text]=&quot;9&quot;"/>

<ontrue>334ee32b-ae12-475b-b6bb-dbb5b404a552</ontrue>

<onfalse>5ca6e4be-70b2-4b3d-b6de-b78c9a70faba</onfalse>

</stage>

<stage stageid="1cadf857-1485-4e18-9108-34586fb4666e" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo item count]=0"/>

<ontrue>a9e2748f-b5c3-43c8-891f-6b05a5d4ea08</ontrue>

<onfalse>2496d4af-30af-443a-9b65-47cadd921a95</onfalse>

</stage>

<stage stageid="04445fb1-ba10-4c38-a10c-4c22799228f1" name="Combo items" type="LoopStart">

<narrative>

</narrative>

<displayx>510</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>759c4311-7aa9-4a3e-a703-46f1b10c176b</onsuccess>

<groupid>1da47b41-8934-404d-a235-3f69514e4f5a</groupid>

<looptype>ForEach</looptype>

<loopdata>Combo Items</loopdata>

</stage>

<stage stageid="3483b431-5dfc-4acd-af7e-3648e995fb28" name="Loop End1" type="LoopEnd">

<narrative>

</narrative>

<displayx>510</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1cadf857-1485-4e18-9108-34586fb4666e</onsuccess>

<groupid>1da47b41-8934-404d-a235-3f69514e4f5a</groupid>

</stage>

<stage stageid="759c4311-7aa9-4a3e-a703-46f1b10c176b" name="Count down" type="Calculation">

<narrative>

</narrative>

<displayx>510</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3baa2bf6-e29a-491d-9a7f-4b5b1fb0a6cc</onsuccess>

<calculation expression="[Combo item count]-1" stage="Combo item count"/>

</stage>

<stage stageid="334ee32b-ae12-475b-b6bb-dbb5b404a552" name="Calc Count" type="Calculation">

<narrative>

```
</narrative>

<displayx>420</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>04445fb1-ba10-4c38-a10c-4c22799228f1</onsuccess>

<calculation expression="[Combo item count text]" stage="Combo item count"/>

</stage>

<stage stageid="86aa074b-2016-40f9-b7b2-778403562af3" name="Combo item count" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>45</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1ced9164-4a2d-40ad-bb05-98d9c31a8619" name="Note2" type="Note">

<narrative>win32 combo incorrect current value</narrative>

<displayx>240</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>
```



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d19fb2f0-fba2-4769-9619-742468f8e534</onsuccess>

</stage>

<stage stageid="5ca6e4be-70b2-4b3d-b6de-b78c9a70faba" name="Note2" type="Note">

<narrative>win32 combo incorrect item count</narrative>

<displayx>330</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fbccf87e-52ac-40b9-9c72-985e463e3c54</onsuccess>

</stage>

<stage stageid="2496d4af-30af-443a-9b65-47cadd921a95" name="Note2" type="Note">

<narrative>win32 combo incorrect item collection</narrative>

<displayx>630</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dc1d73dc-edbb-4d54-8ade-7076cec92431</onsuccess>

</stage>

<stage stageid="c8b61e0b-f71d-4dc5-81b7-559398248d42" name="set combo" type="Action">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>90</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Template based&quot;"/>

<input type="number" name="Item Number" expr="1"/>

</inputs>

<outputs/>

<onsuccess>af9b0b37-dc08-42f8-926e-62daeb8f9cef</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Combo Item"/>

</stage>

<stage stageid="af9b0b37-dc08-42f8-926e-62daeb8f9cef" name="get combo" type="Action">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Combo item count text"/>

```
<output type="text" name="Current Item" stage="Combo current value"/>

<output type="collection" name="Items" stage="Combo Items"/>

</outputs>

<onsuccess>f91cad75-00fb-4ed5-b74d-ed43f227032b</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Combo"/>

</stage>

<stage stageid="f91cad75-00fb-4ed5-b74d-ed43f227032b" name="Current Value?" type="Decision">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo current value]=&quot;Template based&quot;"/>

<ontrue>98e2766a-c9f7-4fea-8203-bb848e6afd26</ontrue>

<onfalse>240a5246-f471-409f-a570-825b90e618ac</onfalse>

</stage>

<stage stageid="240a5246-f471-409f-a570-825b90e618ac" name="Note2" type="Note">

<narrative>win32 combo incorrect current value</narrative>

<displayx>810</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>08d9e611-d2f9-4f97-a241-0ffd9782e5ae</onsuccess>

</stage>
```

<stage stageid="b3cf127d-c4a4-499e-9042-65c590e5cf07" name="anchor5" type="Anchor">

<narrative>

</narrative>

<displayx>1050</displayx>

<displayy>165</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e8ab3701-8079-43cc-b06e-aa8691d367b9</onsuccess>

</stage>

<stage stageid="98e2766a-c9f7-4fea-8203-bb848e6afd26" name="set combo" type="Action">

<narrative>

</narrative>

<displayx>900</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Tab separated, single quotes&quot;"/>

<input type="number" name="Item Number" expr="8"/>

</inputs>

<outputs/>

<onsuccess>792a943c-5814-4dd5-9dca-9776e22d1584</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Combo Item"/>

</stage>

<stage stageid="792a943c-5814-4dd5-9dca-9776e22d1584" name="get combo" type="Action">

<narrative>

</narrative>

<displayx>975</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Combo item count text"/>

<output type="text" name="Current Item" stage="Combo current value"/>

<output type="collection" name="Items" stage="Combo Items"/>

</outputs>

<onsuccess>d0dc4409-5d77-41ed-91e7-fd762e504f18</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Combo"/>

</stage>

<stage stageid="d0dc4409-5d77-41ed-91e7-fd762e504f18" name="Current Value?" type="Decision">

<narrative>

</narrative>

<displayx>975</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo current value]=&quot;Tab separated, single quotes&quot;"/>

<ontrue>bff22add-4aba-4996-886f-eccba1d79680</ontrue>

<onfalse>cf8a660a-3c1c-4171-8670-7fe4bbb37271</onfalse>

</stage>

<stage stageid="cf8a660a-3c1c-4171-8670-7fe4bbb37271" name="Note2" type="Note">

<narrative>win32 combo incorrect current value</narrative>

<displayx>975</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f1dd29f4-1cd9-46ce-95bc-40a10f5fa326</onsuccess>

</stage>

<stage stageid="bff22add-4aba-4996-886f-eccba1d79680" name="anchor6" type="Anchor">

<narrative>

</narrative>

<displayx>1050</displayx>

<displayy>0</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b3cf127d-c4a4-499e-9042-65c590e5cf07</onsuccess>

</stage>

<stage stageid="4cc460ba-38d5-4a5c-9848-94280ff3df5a" name="Use Win32" type="Calculation">

<narrative>
```

```
</narrative>

<displayx>90</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5c46a16f-54a1-4a63-af4e-cfbb36f10330</onsuccess>

<calculation expression="False" stage="Use AA"/>

</stage>

<stage stageid="29c3b9b2-9e1f-468c-a9e6-339a04f7d064" name="Use AA" type="Calculation">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>52517256-db16-463b-bf54-0243cd0f64f7</onsuccess>

<calculation expression="True" stage="Use AA"/>

</stage>

<stage stageid="e8ab3701-8079-43cc-b06e-aa8691d367b9" name="anchor9" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>165</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>29c3b9b2-9e1f-468c-a9e6-339a04f7d064</onsuccess>

</stage>

<stage stageid="52517256-db16-463b-bf54-0243cd0f64f7" name="get combo" type="Action">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Combo item count text"/>

<output type="text" name="Current Item" stage="Combo current value"/>

<output type="collection" name="Items" stage="Combo Items"/>

</outputs>

<onsuccess>b87ed5dd-c368-493c-80d9-31ca83258c98</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Combo"/>

</stage>

<stage stageid="8b7ba050-5234-4029-be6d-80cd97e139f2" name="Count?" type="Decision">

<narrative>

</narrative>

<displayx>330</displayx>



<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo item count text]=&quot;9&quot;"/>

<ontrue>7bb15094-d4e1-45b0-b1d3-98b75f31e088</ontrue>

<onfalse>c684bb2c-d7bc-4fd2-9f95-65e20e4802d8</onfalse>

</stage>

<stage stageid="cc241dde-1004-4899-a1ff-b3ac2f00832d" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo item count]=0"/>

<ontrue>7a02efff-a7c9-45b9-8eb1-978a3ff5e9ff</ontrue>

<onfalse>ea570528-4a46-470d-849d-a8a988046c70</onfalse>

</stage>

<stage stageid="5f0bb89b-bec6-467b-a2af-40a1080d1113" name="Combo items" type="LoopStart">

<narrative>

</narrative>

<displayx>510</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>25d96b2f-e8dc-4557-b93a-83dfe7bcca66</onsuccess>  
<groupid>3487d3e9-eff6-4a47-9b7a-539dd4b4f8b2</groupid>  
<looptype>ForEach</looptype>  
<loopdata>Combo Items</loopdata>  
</stage>  
<stage stageid="8969101a-2763-4890-ae28-2f61f5f56128" name="Loop End1" type="LoopEnd">  
<narrative>  
</narrative>  
<displayx>510</displayx>  
<displayy>420</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>cc241dde-1004-4899-a1ff-b3ac2f00832d</onsuccess>  
<groupid>3487d3e9-eff6-4a47-9b7a-539dd4b4f8b2</groupid>  
</stage>  
<stage stageid="25d96b2f-e8dc-4557-b93a-83dfe7bcca66" name="Count down" type="Calculation">  
<narrative>  
</narrative>  
<displayx>510</displayx>  
<displayy>330</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>d6ac9110-0513-497b-8ed5-f9ebea93b94a</onsuccess>  
<calculation expression="[Combo item count]-1" stage="Combo item count"/>

```
</stage>

<stage stageid="7bb15094-d4e1-45b0-b1d3-98b75f31e088" name="Calc Count" type="Calculation">

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5fb8b38d-a797-45ed-b080-bdb416db28e7</onsuccess>

<calculation expression="[Combo item count text]" stage="Combo item count"/>

</stage>

<stage stageid="3c057867-60d2-43a1-a2f1-1915b7092b65" name="Note2" type="Note">

<narrative>AA combo incorrect current value</narrative>

<displayx>240</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b775a205-05cc-47dd-85d2-0e790f124047</onsuccess>

</stage>

<stage stageid="c684bb2c-d7bc-4fd2-9f95-65e20e4802d8" name="Note2" type="Note">

<narrative>AA combo incorrect item count</narrative>

<displayx>330</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>73156fc2-fbe1-4f9b-9385-e5db982bb932</onsuccess>

</stage>

<stage stageid="ea570528-4a46-470d-849d-a8a988046c70" name="Note2" type="Note">

<narrative>AA combo incorrect item collection</narrative>

<displayx>630</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7dab59bf-6189-4057-823b-a5502543f05d</onsuccess>

</stage>

<stage stageid="0defe152-0f1d-47c1-bbce-8368a90a6cb3" name="set combo" type="Action">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Template based&quot;"/>

<input type="number" name="Item Number" expr="1"/>

</inputs>

<outputs/>

```
<onsuccess>6c7b8e57-d404-4758-bb1c-32f693bf7e2d</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Combo Item"/>

</stage>

<stage stageid="6c7b8e57-d404-4758-bb1c-32f693bf7e2d" name="get combo" type="Action">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Combo item count text"/>

<output type="text" name="Current Item" stage="Combo current value"/>

<output type="collection" name="Items" stage="Combo Items"/>

</outputs>

<onsuccess>13d61dea-8252-40cf-81d0-2012ba37cfef</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Combo"/>

</stage>

<stage stageid="13d61dea-8252-40cf-81d0-2012ba37cfef" name="Current Value?" type="Decision">

<narrative>

</narrative>

<displayx>810</displayx>
```

```
<display>285</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo current value]=&quot;Template based&quot;"/>

<ontrue>12b3e2fc-9968-4b4a-8e60-a5cfa075bc52</ontrue>

<onfalse>ca4b655d-1caf-40d2-b8fb-067edc3568b3</onfalse>

</stage>

<stage stageid="ca4b655d-1caf-40d2-b8fb-067edc3568b3" name="Note2" type="Note">

<narrative>AA combo incorrect current value</narrative>

<displayx>810</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d9cb5754-3a1d-49ee-8f24-efa59e291ad2</onsuccess>

</stage>

<stage stageid="12b3e2fc-9968-4b4a-8e60-a5cfa075bc52" name="set combo" type="Action">

<narrative>

</narrative>

<displayx>900</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>
```

```
<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Tab separated, no quotes&quot;"/>

<input type="number" name="Item Number" expr="8"/>

</inputs>

<outputs/>

<onsuccess>d63de831-6983-4b92-91b9-ee8af78c2a88</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Combo Item"/>

</stage>

<stage stageid="d63de831-6983-4b92-91b9-ee8af78c2a88" name="get combo" type="Action">

<narrative>

</narrative>

<displayx>975</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Combo item count text"/>

<output type="text" name="Current Item" stage="Combo current value"/>

<output type="collection" name="Items" stage="Combo Items"/>

</outputs>

<onsuccess>13c73c07-2484-4262-b859-a9fc55292de6</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Combo"/>
```

</stage>

<stage stageid="13c73c07-2484-4262-b859-a9fc55292de6" name="Current Value?" type="Decision">

<narrative>

</narrative>

<displayx>975</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo current value]=&quot;Tab separated, no quotes&quot;"/>

<ontrue>f509b957-b8d9-4912-aa33-579b08859a43</ontrue>

<onfalse>7c4c0750-451a-4f64-b850-a43e616ecdc1</onfalse>

</stage>

<stage stageid="7c4c0750-451a-4f64-b850-a43e616ecdc1" name="Note2" type="Note">

<narrative>AA combo incorrect current value</narrative>

<displayx>975</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1c651302-3f74-4062-ba9f-dc74a34d7a3a</onsuccess>

</stage>

<stage stageid="b87ed5dd-c368-493c-80d9-31ca83258c98" name="Current Value?" type="Decision">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>285</displayy>



```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo current value]=&quot;Tab separated, single quotes&quot;"/>

<ontrue>8b7ba050-5234-4029-be6d-80cd97e139f2</ontrue>

<onfalse>3c057867-60d2-43a1-a2f1-1915b7092b65</onfalse>

</stage>

<stage stageid="d19fb2f0-fba2-4769-9619-742468f8e534" name="anchor13" type="Anchor">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fbccf87e-52ac-40b9-9c72-985e463e3c54</onsuccess>

</stage>

<stage stageid="fbccf87e-52ac-40b9-9c72-985e463e3c54" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dc1d73dc-edbb-4d54-8ade-7076cec92431</onsuccess>

</stage>
```

```
<stage stageid="dc1d73dc-edbb-4d54-8ade-7076cec92431" name="anchor15" type="Anchor">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>11bfea25-e6c4-4289-b142-a2c1546c4244</onsuccess>

</stage>

<stage stageid="dab26625-73de-4605-8183-17eb421a68ff" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1110</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="08d9e611-d2f9-4f97-a241-0ffd9782e5ae" name="anchor17" type="Anchor">

<narrative>

</narrative>

<displayx>810</displayx>
```

$$-90$$

$$10$$

$$10$$

$$-90$$

$$10$$

$$975$$

$$-90$$

$$10$$

$$10$$

$$-90$$

$$10$$

$$240$$

$$195$$

$$10$$

$$10$$

$$-90$$

$$10$$

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7dab59bf-6189-4057-823b-a5502543f05d</onsuccess>

</stage>

<stage stageid="7dab59bf-6189-4057-823b-a5502543f05d" name="anchor15" type="Anchor">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>48f25ad3-a77e-4fbc-9129-95640b81e1b6</onsuccess>

</stage>

<stage stageid="db84ce26-d423-408d-a403-0f3727c08f51" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1110</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="d9cb5754-3a1d-49ee-8f24-efa59e291ad2" name="anchor17" type="Anchor">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1c651302-3f74-4062-ba9f-dc74a34d7a3a</onsuccess>

</stage>

<stage stageid="1c651302-3f74-4062-ba9f-dc74a34d7a3a" name="anchor18" type="Anchor">

<narrative>

</narrative>

<displayx>975</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>db84ce26-d423-408d-a403-0f3727c08f51</onsuccess>

</stage>

<stage stageid="d6504f88-e83b-46b9-93ce-4d2bd403d38f" name="Use AA" type="Data">

<narrative>

```
</narrative>

<displayx>-60</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="69c0c4fa-2431-4ad0-9320-48113403bc9d" name="launch" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>4cc460ba-38d5-4a5c-9848-94280ff3df5a</onsuccess>

<resource object="Smalltalk Dolphin" action="Launch"/>

</stage>

<stage stageid="f509b957-b8d9-4912-aa33-579b08859a43" name="terminate" type="Action">

<narrative>
```

```
</narrative>

<displayx>1110</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>4e8b9552-e160-4acd-82cb-a2158a6b3f0e</onsuccess>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="1075b78a-a35e-4d9c-b442-394660f9d7d2" name="Combo item text concat" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>240</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d6ac9110-0513-497b-8ed5-f9ebea93b94a" name="concat" type="Calculation">
```

<narrative>

</narrative>

<displayx>510</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8969101a-2763-4890-ae28-2f61f5f56128</onsuccess>

<calculation expression="[Combo item text concat]&amp;[Combo Items.Item Text] &amp;&amp;

</stage>

<stage stageid="5fb8b38d-a797-45ed-b080-bdb416db28e7" name="reset concat" type="Calculation">

<narrative>

</narrative>

<displayx>420</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5f0bb89b-bec6-467b-a2af-40a1080d1113</onsuccess>

<calculation expression="&quot;&quot;" stage="Combo item text concat"/>

</stage>

<stage stageid="7a02efff-a7c9-45b9-8eb1-978a3ff5e9ff" name="concat?" type="Decision">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo item text concat]=&quot;Template based|MySql insert statements|Cor

<ontrue>0defe152-0f1d-47c1-bbce-8368a90a6cb3</ontrue>

<onfalse>7cbfb5bd-0df4-4cf4-9461-c508abf7ec7f</onfalse>

</stage>

<stage stageid="7cbfb5bd-0df4-4cf4-9461-c508abf7ec7f" name="Note2" type="Note">

<narrative>AA combo incorrect item collection text</narrative>

<displayx>720</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>48f25ad3-a77e-4fbc-9129-95640b81e1b6</onsuccess>

</stage>

<stage stageid="48f25ad3-a77e-4fbc-9129-95640b81e1b6" name="anchor17" type="Anchor">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d9cb5754-3a1d-49ee-8f24-efa59e291ad2</onsuccess>

</stage>

<stage stageid="a9e2748f-b5c3-43c8-891f-6b05a5d4ea08" name="concat?" type="Decision">

<narrative>
```

```
</narrative>

<displayx>720</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Combo item text concat]=&quot;Template based|MySql insert statements|Cor

<ontrue>c8b61e0b-f71d-4dc5-81b7-559398248d42</ontrue>

<onfalse>70d97a47-8ffe-4cc6-862a-5f6af390e08d</onfalse>

</stage>

<stage stageid="70d97a47-8ffe-4cc6-862a-5f6af390e08d" name="Note2" type="Note">

<narrative>win32 combo incorrect item collection text</narrative>

<displayx>720</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>11bfea25-e6c4-4289-b142-a2c1546c4244</onsuccess>

</stage>

<stage stageid="11bfea25-e6c4-4289-b142-a2c1546c4244" name="anchor17" type="Anchor">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>-90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>08d9e611-d2f9-4f97-a241-0ffd9782e5ae</onsuccess>

</stage>

<stage stageid="3baa2bf6-e29a-491d-9a7f-4b5b1fb0a6cc" name="concat" type="Calculation">

<narrative>

</narrative>

<displayx>510</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3483b431-5dfc-4acd-af7e-3648e995fb28</onsuccess>

<calculation expression="[Combo item text concat]&amp;&amp; [Combo Items.Item Text] &amp;&amp; &amp;

</stage>

</process>

<process name="Smalltalk Dolphin Label Process" version="1.0" narrative="." preferredid="2539fe51-0212

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&amp;#xD;&amp;#xA;"/>

<stage stageid="61494acc-a919-43d5-93a4-adbe3ecc09b8" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-90</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1d05a0a7-941d-4b81-b929-e9640198dda0" name="Start" type="Start">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>d377bcb7-0399-48cf-a718-8709f13ac518</onsuccess>

</stage>

<stage stageid="c162c940-2f8b-4a67-a759-4dbfb2ea347e" name="get label" type="Action">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Label text"/>

</outputs>

<onsuccess>a327ae24-a2a1-447c-a048-61d3c07f453a</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Label"/>

</stage>

<stage stageid="8a92750d-bb99-4cb0-acf5-a5d870bf1f5d" name="Use Win32" type="Calculation">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c162c940-2f8b-4a67-a759-4dbfb2ea347e</onsuccess>

<calculation expression="False" stage="Use AA"/>

</stage>

<stage stageid="53eb6a71-ec3a-434b-af74-316bbe619628" name="Label text" type="Data">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>0</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a327ae24-a2a1-447c-a048-61d3c07f453a" name="got label?" type="Decision">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Label text]=&quot;Portions Copyright © by Object Arts for Dolphin Smalltalk, F

<ontrue>b0da5cfa-0650-47e5-aafd-05837feaf193</ontrue>

<onfalse>5d6115ea-8e63-4487-8132-fe48b1e18857</onfalse>

</stage>

<stage stageid="5d6115ea-8e63-4487-8132-fe48b1e18857" name="Note4" type="Note">

<narrative>win32 failed to get label text</narrative>

<displayx>225</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2386789b-4b52-4fc3-a1a4-abb0fb1f51ef</onsuccess>

</stage>
```

<stage stageid="2386789b-4b52-4fc3-a1a4-abb0fb1f51ef" name="anchor30" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1f77bce5-87cc-444c-a923-8b0571e2f0ad</onsuccess>

</stage>

<stage stageid="774961d0-270b-4396-8418-af658f81ff2e" name="anchor32" type="Anchor">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e580a6a5-b9bb-4cb0-b56d-44235aa9f631</onsuccess>

</stage>

<stage stageid="1f77bce5-87cc-444c-a923-8b0571e2f0ad" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="636053e6-87eb-4be6-95d1-0b9c0aef61eb" name="get label" type="Action">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Label text"/>

</outputs>

<onsuccess>d181c555-5d91-40bc-956c-c9d8ae98211a</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Label"/>

</stage>

<stage stageid="e580a6a5-b9bb-4cb0-b56d-44235aa9f631" name="Use AA" type="Calculation">

<narrative>

</narrative>



```
<displayx>75</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0518332a-4209-46be-8929-71aff1f60909</onsuccess>

<calculation expression="True" stage="Use AA"/>

</stage>

<stage stageid="d181c555-5d91-40bc-956c-c9d8ae98211a" name="got label?" type="Decision">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Label text]=&quot;Portions Copyright © by Object Arts for Dolphin Smalltalk, F

<ontrue>025addcd-74bb-4e64-8d1e-8034d8270c98</ontrue>

<onfalse>0013381d-940c-4751-845b-612d1e1077aa</onfalse>

</stage>

<stage stageid="0013381d-940c-4751-845b-612d1e1077aa" name="Note4" type="Note">

<narrative>AA failed to get label text</narrative>

<displayx>225</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>ec8f5dc8-6741-41f7-9284-604aec5a2a9a</onsuccess>

</stage>

<stage stageid="ec8f5dc8-6741-41f7-9284-604aec5a2a9a" name="anchor30" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cee401fe-a4a9-4c84-89ec-62c81bc23f4c</onsuccess>

</stage>

<stage stageid="cee401fe-a4a9-4c84-89ec-62c81bc23f4c" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="5271efe5-a687-453a-a3bd-9f5af50dc202" name="Use AA" type="Data">

<narrative>

```
</narrative>

<displayx>-75</displayx>

<displayy>45</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d377bcb7-0399-48cf-a718-8709f13ac518" name="launch" type="Action">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>8a92750d-bb99-4cb0-acf5-a5d870bf1f5d</onsuccess>

<resource object="Smalltalk Dolphin" action="Launch"/>

</stage>

<stage stageid="b0da5cfa-0650-47e5-aafd-05837feaf193" name="anchor1" type="Anchor">

<narrative>
```

```
</narrative>

<displayx>225</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>774961d0-270b-4396-8418-af658f81ff2e</onsuccess>

</stage>

<stage stageid="ed63b29e-95d5-4930-b6bf-ddbf89e9dede" name="End1" type="End">

<narrative>

</narrative>

<displayx>435</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="025addcd-74bb-4e64-8d1e-8034d8270c98" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>ed63b29e-95d5-4930-b6bf-ddbf89e9dede</onsuccess>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="0518332a-4209-46be-8929-71aff1f60909" name="Reset text" type="Calculation">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>636053e6-87eb-4be6-95d1-0b9c0aef61eb</onsuccess>

<calculation expression="&quot;&quot;" stage="Label text"/>

</stage>

</process>

<process name="Smalltalk Dolphin Listbox Process" version="1.0" narrative="." preferredid="6dd28d34-2c

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>
```

<stage stageid="01e95fe8-601d-4fb7-8b2b-9f9a7bcb946" name="Start" type="Start">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>362654d5-dd90-4793-b01c-46a2935bd605</onsuccess>

</stage>

<stage stageid="5aba7a37-7c90-42c9-9323-63c09a7d6802" name="End" type="End">

<narrative>

</narrative>

<displayx>1515</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="70357c1b-f32a-4fa4-8e00-ca532f3840af" name="Stage1" type="ProcessInfo">

<narrative>

```
</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3a106144-2ec7-4952-83a7-8a7ac822ed38" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1515</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>5aba7a37-7c90-42c9-9323-63c09a7d6802</onsuccess>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="99624d68-0823-4e4a-aa8e-350106d9d6e7" name="Use Win32" type="Calculation">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e17c17b8-e99d-4ba9-94e5-521a8643c0d9</onsuccess>

<calculation expression="False" stage="Use AA"/>

</stage>

<stage stageid="e17c17b8-e99d-4ba9-94e5-521a8643c0d9" name="get listbox" type="Action">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Listbox count text"/>

<output type="collection" name="Items" stage="Listbox items"/>

<output type="text" name="Selected Item" stage="Listbox selected item"/>

<output type="text" name="Selected Item Count" stage="Listbox selected count text"/>

<output type="collection" name="Selected Items" stage="Listbox selected items"/>

</outputs>

<onsuccess>3790e0e7-f9d1-42e5-b3a2-c7d1d5896fed</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Listbox"/>

</stage>



```
<stage stageid="f5e94dbd-2a33-4812-8b2d-098aff4fe23a" name="Listbox count text" type="Data">
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>195</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue>
</initialvalue>
<private/>
<alwaysinit/>
</stage>

<stage stageid="19cb5cb8-ad6a-48e8-a009-13bf45370ab2" name="Listbox items" type="Collection">
<narrative>
</narrative>
<displayx>-150</displayx>
<displayy>15</displayy>
<displaywidth>120</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>collection</datatype>
<private/>
<alwaysinit/>
<initialvalue/>
</stage>
```

```
<stage stageid="82b00c3a-55c9-44b4-86b1-3ad0952ea684" name="Listbox selected item" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>150</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2db8b365-bcd6-479d-902a-629ffd51deb7" name="Listbox selected count text" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>105</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="e02e8c86-dda3-45b5-b42e-7969244bcf98" name="Listbox selected items" type="Collection">

  <narrative>

  </narrative>

  <displayx>-150</displayx>

  <displayy>60</displayy>

  <displaywidth>120</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <datatype>collection</datatype>

  <private/>

  <alwaysinit/>

  <initialvalue/>

</stage>

<stage stageid="9aaf8c88-0e44-4575-9893-acef178a20ab" name="Listbox capacity text" type="Data">

  <narrative>

  </narrative>

  <displayx>-150</displayx>

  <displayy>285</displayy>

  <displaywidth>120</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <datatype>text</datatype>

  <initialvalue>

  </initialvalue>

  <private/>

  <alwaysinit/>
```

</stage>

<stage stageid="5546d967-0e30-4b18-a52f-41f0a04eab8b" name="Listbox item count" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>240</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>-1</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="72038c2b-38c2-4242-bc34-dc2ba723e0dd" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=0"/>

<ontrue>cf28c99e-5240-4987-8d88-e2cce272f4a3</ontrue>

<onfalse>a9aa4361-0238-4549-b06a-65a1c3b49bff</onfalse>

</stage>

<stage stageid="a9aa4361-0238-4549-b06a-65a1c3b49bff" name="Note3" type="Note">

<narrative>win32 listbox failed to get items</narrative>

<displayx>300</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1c965ee9-c2b2-4514-a5ad-aeb8c69ae115</onsuccess>

</stage>

<stage stageid="da5d0f43-c724-4589-876b-b6fa8f04317a" name="Count down" type="Calculation">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6150cd50-431d-46d5-8c98-a32d38054e66</onsuccess>

<calculation expression="[Listbox item count]-1" stage="Listbox item count"/>

</stage>

<stage stageid="8bf33a93-1518-456d-9e85-3f7e055edbed" name="Calc Count" type="Calculation">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<onsuccess>fce95802-9e89-4300-afcf-efc67f633fc3</onsuccess>

<calculation expression="[Listbox count text]" stage="Listbox item count"/>

</stage>

<stage stageid="3790e0e7-f9d1-42e5-b3a2-c7d1d5896fed" name="Count?" type="Decision">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox count text]=&quot;3&quot;"/>

<ontrue>8bf33a93-1518-456d-9e85-3f7e055edbed</ontrue>

<onfalse>53365e67-7d8d-4e52-a588-2c6793331913</onfalse>

</stage>

<stage stageid="53365e67-7d8d-4e52-a588-2c6793331913" name="Note3" type="Note">

<narrative>win32 listbox incorrect item count</narrative>

<displayx>150</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>852aac85-7cd1-4d27-a6de-aa6012e7dd0e</onsuccess>

</stage>

<stage stageid="fce95802-9e89-4300-afcf-efc67f633fc3" name="Listbox items" type="LoopStart">

<narrative>

</narrative>
```

<displayx>225</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>da5d0f43-c724-4589-876b-b6fa8f04317a</onsuccess>

<groupid>9b8b23d8-c3a0-492f-9c38-6b0c57f14488</groupid>

<looptype>ForEach</looptype>

<loopdata>Listbox items</loopdata>

</stage>

<stage stageid="29ccb6e7-6eba-4640-9a54-59124dd06317" name="Loop End2" type="LoopEnd">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>72038c2b-38c2-4242-bc34-dc2ba723e0dd</onsuccess>

<groupid>9b8b23d8-c3a0-492f-9c38-6b0c57f14488</groupid>

</stage>

<stage stageid="6c30ce87-d3c6-4a8f-b304-c435510bfe9d" name="0 Selected?" type="Decision">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox selected count text]=&quot;0&quot;"/>

<ontrue>2bc6ce9f-84fe-4ea6-b84e-69bf281785ea</ontrue>

<onfalse>0356ab8b-4694-4fe4-8552-a804882b00d7</onfalse>

</stage>

<stage stageid="0356ab8b-4694-4fe4-8552-a804882b00d7" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item count</narrative>

<displayx>465</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d0b28725-700f-4590-8a44-6ceb7a6588a0</onsuccess>

</stage>

<stage stageid="1a5d5e7e-826e-4b07-9088-1d42047f6723" name="select date modified" type="Action">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Date modified&quot;"/>
```



```
<input type="number" name="Item Number" expr="2"/>

</inputs>

<outputs/>

<onsuccess>f3e0d3f5-4497-42b1-8154-227d3cd41fb8</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Listbox Item"/>

</stage>

<stage stageid="f3e0d3f5-4497-42b1-8154-227d3cd41fb8" name="get listbox" type="Action">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Listbox count text"/>

<output type="collection" name="Items" stage="Listbox items"/>

<output type="text" name="Selected Item" stage="Listbox selected item"/>

<output type="text" name="Selected Item Count" stage="Listbox selected count text"/>

<output type="collection" name="Selected Items" stage="Listbox selected items"/>

</outputs>

<onsuccess>3a590776-0ac6-476a-8e94-589e8f9d8cd6</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Listbox"/>
```

```
</stage>

<stage stageid="779aa5bd-1aa0-4e10-98c2-0d3e017a1b5b" name="1 Selected?" type="Decision">

<narrative>

</narrative>

<displayx>885</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox selected count text]=&quot;1&quot;"/>

<ontrue>f7532407-f089-4179-ba81-6dd7987681e6</ontrue>

<onfalse>8cab70dc-d258-4296-89d3-87ccb4fcd301</onfalse>

</stage>

<stage stageid="8cab70dc-d258-4296-89d3-87ccb4fcd301" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item count</narrative>

<displayx>885</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7e203da6-1b93-4fcf-9e89-ff4c15e6f2c8</onsuccess>

</stage>

<stage stageid="f7532407-f089-4179-ba81-6dd7987681e6" name="Calc Count" type="Calculation">

<narrative>

</narrative>

<displayx>885</displayx>

<displayy>75</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>88366074-ffcc-4cf6-bb61-e86186e7f0fe</onsuccess>

<calculation expression="[Listbox selected count text]" stage="Listbox item count"/>

</stage>

<stage stageid="ac9e8f5f-a968-4b74-9368-28b774de5163" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>1035</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=0"/>

<ontrue>3a7adea6-58b8-4e43-9a2a-af5a079ba932</ontrue>

<onfalse>87406fa6-27fb-40e7-b547-dd2c0d6473f7</onfalse>

</stage>

<stage stageid="7326c683-b2b7-4fe5-a845-7432cc8cf696" name="Count down" type="Calculation">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dcbcb0fb0-36cc-46c4-a5d7-495c2ebbd14</onsuccess>

```
<calculation expression="[Listbox item count]-1" stage="Listbox item count"/>

</stage>

<stage stageid="88366074-ffcc-4cf6-bb61-e86186e7f0fe" name="Listbox selected items" type="LoopStart">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7326c683-b2b7-4fe5-a845-7432cc8cf696</onsuccess>

<groupid>af30bf22-f50c-46fe-8bae-6e7dc1f20df9</groupid>

<looptype>ForEach</looptype>

<loopdata>Listbox selected items</loopdata>

</stage>

<stage stageid="dcbc0fb0-36cc-46c4-a5d7-495c2ebbd14" name="Loop End4" type="LoopEnd">

<narrative>

</narrative>

<displayx>960</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ac9e8f5f-a968-4b74-9368-28b774de5163</onsuccess>

<groupid>af30bf22-f50c-46fe-8bae-6e7dc1f20df9</groupid>

</stage>

<stage stageid="87406fa6-27fb-40e7-b547-dd2c0d6473f7" name="Note3" type="Note">
```

<narrative>win32 listbox incorrect selected item collection</narrative>

<displayx>1035</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>061aaa7d-4566-48d2-a241-31a430d7d8fc</onsuccess>

</stage>

<stage stageid="603b4b42-2488-436b-86df-077a4f056b01" name="anchor12" type="Anchor">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ada559c8-2b2c-4feb-9657-abfd9e484d31</onsuccess>

</stage>

<stage stageid="3a7adea6-58b8-4e43-9a2a-af5a079ba932" name="select size" type="Action">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Size&quot;"/>

<input type="number" name="Item Number" expr="3"/>

</inputs>

<outputs/>

<onsuccess>e48e0857-e88d-4a1c-b532-fc1c0cfc6cda</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Listbox Item"/>

</stage>

<stage stageid="e48e0857-e88d-4a1c-b532-fc1c0cfc6cda" name="get listbox" type="Action">

<narrative>

</narrative>

<displayx>1125</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Listbox count text"/>

<output type="collection" name="Items" stage="Listbox items"/>

<output type="text" name="Selected Item" stage="Listbox selected item"/>

<output type="text" name="Selected Item Count" stage="Listbox selected count text"/>

<output type="collection" name="Selected Items" stage="Listbox selected items"/>

</outputs>

<onsuccess>6ef0fb19-6ad3-46e3-9c2f-0aff8817c0e3</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Listbox"/>

</stage>

<stage stageid="bdccdd36-e19a-44ec-8f12-f3953ef6aaff" name="1 Selected?" type="Decision">

<narrative>

</narrative>

<displayx>1290</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox selected count text]=&quot;1&quot;"/>

<ontrue>f59525d7-c785-41b0-8a2f-7e08ff74d439</ontrue>

<onfalse>9ccba11f-1cce-42b8-a661-086efe1439d4</onfalse>

</stage>

<stage stageid="9ccba11f-1cce-42b8-a661-086efe1439d4" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item count</narrative>

<displayx>1290</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ea9d6d14-8aea-47b8-8482-0fa7fe54d4b1</onsuccess>

</stage>

<stage stageid="f59525d7-c785-41b0-8a2f-7e08ff74d439" name="Calc Count" type="Calculation">

<narrative>

</narrative>

<displayx>1290</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7dae2598-066a-4cfb-a0a1-c477b22b122a</onsuccess>

<calculation expression="[Listbox selected count text]" stage="Listbox item count"/>

</stage>

<stage stageid="853a2139-d932-4b0d-902e-d012f6d522f5" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>1440</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=0"/>

<ontrue>325cc3ed-cdc9-4d06-93eb-e328e5140fa2</ontrue>

<onfalse>849c5820-3427-417c-805b-37da6f45cc8f</onfalse>

</stage>

<stage stageid="b2150ead-19ca-410a-b28f-918c0280c4a1" name="Count down" type="Calculation">

<narrative>

</narrative>

<displayx>1365</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2cc63f84-105b-4112-90a9-b8f96a0715f4</onsuccess>

<calculation expression="[Listbox item count]-1" stage="Listbox item count"/>

</stage>

<stage stageid="7dae2598-066a-4cfb-a0a1-c477b22b122a" name="Listbox selected items" type="LoopSta

<narrative>

</narrative>

<displayx>1365</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b2150ead-19ca-410a-b28f-918c0280c4a1</onsuccess>

<groupid>61b09f40-4201-4ad4-948b-a3a378dac592</groupid>

<looptype>ForEach</looptype>

<loopdata>Listbox selected items</loopdata>

</stage>

<stage stageid="2cc63f84-105b-4112-90a9-b8f96a0715f4" name="Loop End4" type="LoopEnd">

<narrative>

</narrative>

<displayx>1365</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>853a2139-d932-4b0d-902e-d012f6d522f5</onsuccess>
```

```
<groupid>61b09f40-4201-4ad4-948b-a3a378dac592</groupid>

</stage>

<stage stageid="849c5820-3427-417c-805b-37da6f45cc8f" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item collection</narrative>

<displayx>1440</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8411fc2f-4d86-45cb-9034-d58e6a55742a</onsuccess>

</stage>

<stage stageid="325cc3ed-cdc9-4d06-93eb-e328e5140fa2" name="anchor12" type="Anchor">

<narrative>

</narrative>

<displayx>1440</displayx>

<displayy>195</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>603b4b42-2488-436b-86df-077a4f056b01</onsuccess>

</stage>

<stage stageid="6ef0fb19-6ad3-46e3-9c2f-0aff8817c0e3" name="Selected item?" type="Decision">

<narrative>

</narrative>

<displayx>1215</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox selected item]=&quot;Size&quot;"/>

<ontrue>bdccdd36-e19a-44ec-8f12-f3953ef6aaff</ontrue>

<onfalse>040ae848-b05f-4338-8ef7-1101f4d74d2d</onfalse>

</stage>

<stage stageid="040ae848-b05f-4338-8ef7-1101f4d74d2d" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item</narrative>

<displayx>1215</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e65f4a6c-0165-4cd4-8f25-c4307693ad02</onsuccess>

</stage>

<stage stageid="3a590776-0ac6-476a-8e94-589e8f9d8cd6" name="Selected item?" type="Decision">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox selected item]=&quot;Date modified&quot;"/>

<ontrue>779aa5bd-1aa0-4e10-98c2-0d3e017a1b5b</ontrue>

<onfalse>42b7acd0-b151-4870-84ad-13358672aa03</onfalse>

</stage>

<stage stageid="42b7acd0-b151-4870-84ad-13358672aa03" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item</narrative>

<displayx>810</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ab7c395a-a0f8-4132-995b-bc70c89bba56</onsuccess>

</stage>

<stage stageid="852aac85-7cd1-4d27-a6de-aa6012e7dd0e" name="anchor19" type="Anchor">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1c965ee9-c2b2-4514-a5ad-aeb8c69ae115</onsuccess>

</stage>

<stage stageid="1c965ee9-c2b2-4514-a5ad-aeb8c69ae115" name="anchor20" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7fe2bd1f-ec2f-470d-a1b5-e60dc6660ce1</onsuccess>

</stage>

<stage stageid="d0b28725-700f-4590-8a44-6ceb7a6588a0" name="anchor21" type="Anchor">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>985c4818-392a-434f-a52f-531b1ae64381</onsuccess>

</stage>

<stage stageid="985c4818-392a-434f-a52f-531b1ae64381" name="anchor22" type="Anchor">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ab7c395a-a0f8-4132-995b-bc70c89bba56</onsuccess>

</stage>

<stage stageid="ab7c395a-a0f8-4132-995b-bc70c89bba56" name="anchor23" type="Anchor">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7e203da6-1b93-4fcf-9e89-ff4c15e6f2c8</onsuccess>

</stage>

<stage stageid="7e203da6-1b93-4fcf-9e89-ff4c15e6f2c8" name="anchor24" type="Anchor">

<narrative>

</narrative>

<displayx>885</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>061aaa7d-4566-48d2-a241-31a430d7d8fc</onsuccess>

</stage>

<stage stageid="061aaa7d-4566-48d2-a241-31a430d7d8fc" name="anchor25" type="Anchor">

<narrative>

</narrative>

<displayx>1035</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e65f4a6c-0165-4cd4-8f25-c4307693ad02</onsuccess>

</stage>

<stage stageid="e65f4a6c-0165-4cd4-8f25-c4307693ad02" name="anchor26" type="Anchor">

<narrative>

</narrative>

<displayx>1215</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ea9d6d14-8aea-47b8-8482-0fa7fe54d4b1</onsuccess>

</stage>

<stage stageid="ea9d6d14-8aea-47b8-8482-0fa7fe54d4b1" name="anchor27" type="Anchor">

<narrative>

</narrative>

<displayx>1290</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8411fc2f-4d86-45cb-9034-d58e6a55742a</onsuccess>

</stage>

<stage stageid="8411fc2f-4d86-45cb-9034-d58e6a55742a" name="anchor28" type="Anchor">

<narrative>

</narrative>

<displayx>1440</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a458d0c5-6b95-472c-8379-0b6c938834e7</onsuccess>

</stage>

<stage stageid="a458d0c5-6b95-472c-8379-0b6c938834e7" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1515</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="ada559c8-2b2c-4feb-9657-abfd9e484d31" name="Use AA" type="Calculation">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1a9057e1-0893-47e9-b560-96b66de5b6a8</onsuccess>

<calculation expression="True" stage="Use AA"/>

</stage>

<stage stageid="1a9057e1-0893-47e9-b560-96b66de5b6a8" name="get listbox" type="Action">

<narrative>



```
</narrative>

<displayx>75</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Listbox count text"/>

<output type="collection" name="Items" stage="Listbox items"/>

<output type="text" name="Selected Item" stage="Listbox selected item"/>

<output type="text" name="Selected Item Count" stage="Listbox selected count text"/>

<output type="collection" name="Selected Items" stage="Listbox selected items"/>

</outputs>

<onsuccess>01b07d77-8d78-4e6d-b68f-00d18aead617</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Listbox"/>

</stage>

<stage stageid="6436bed5-0ea8-48c8-ad1e-42c199b3706b" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=0"/>

<ontrue>c236ba4b-60e9-40f9-a927-8243cd428db3</ontrue>

<onfalse>ad7bb261-6b7b-42f5-92de-0b1fb72216b1</onfalse>

</stage>

<stage stageid="ad7bb261-6b7b-42f5-92de-0b1fb72216b1" name="Note3" type="Note">

<narrative>AA listbox failed to get items</narrative>

<displayx>300</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e20d6d8e-f5d2-4a27-a02a-6e411499958e</onsuccess>

</stage>

<stage stageid="307fcb59-01bb-4393-a300-2dada779a487" name="Count down" type="Calculation">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7037805e-3df4-476f-8329-16ca64f66854</onsuccess>

<calculation expression="[Listbox item count]-1" stage="Listbox item count"/>

</stage>

<stage stageid="06da0f82-8b9a-4d07-abc3-8ef68cc1e39a" name="Calc Count" type="Calculation">

<narrative>

```
</narrative>

<displayx>150</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>327d7a40-d0c4-457e-b718-ecb6ec627fe4</onsuccess>

<calculation expression="[Listbox count text]" stage="Listbox item count"/>

</stage>

<stage stageid="01b07d77-8d78-4e6d-b68f-00d18aead617" name="Count?" type="Decision">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox count text]='&quot;3&quot;'"/>

<ontrue>06da0f82-8b9a-4d07-abc3-8ef68cc1e39a</ontrue>

<onfalse>a2fec5db-6e55-4828-879e-82bbec9f1c61</onfalse>

</stage>

<stage stageid="a2fec5db-6e55-4828-879e-82bbec9f1c61" name="Note3" type="Note">

<narrative>AA listbox incorrect item count</narrative>

<displayx>150</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4317af37-5a2e-4a60-b04a-dde6554686b5</onsuccess>

</stage>

<stage stageid="f81dcca3-95c5-4508-af96-634369bb8c46" name="Listbox items" type="LoopStart">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>307fcb59-01bb-4393-a300-2dada779a487</onsuccess>

<groupid>028f9941-a53b-41d9-9216-b0d1aeb0662c</groupid>

<looptype>ForEach</looptype>

<loopdata>Listbox items</loopdata>

</stage>

<stage stageid="afbd7aca-9cac-4f5e-867b-430f2efeddb3" name="Loop End2" type="LoopEnd">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6436bed5-0ea8-48c8-ad1e-42c199b3706b</onsuccess>

<groupid>028f9941-a53b-41d9-9216-b0d1aeb0662c</groupid>

</stage>

<stage stageid="0c39bc96-fc55-48c8-9004-ea35de76e031" name="Selected Item?" type="Decision">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox selected item] = &quot;Size&quot;"/>

<ontrue>63f257be-5e87-47f6-bc5c-7a70d1fee42d</ontrue>

<onfalse>f888e8c6-9a71-47e1-8eb3-284e44ca4053</onfalse>

</stage>

<stage stageid="f888e8c6-9a71-47e1-8eb3-284e44ca4053" name="Note3" type="Note">

<narrative>AA listbox incorrect selected item count</narrative>

<displayx>465</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0f82e5c7-3efc-4a17-8725-3fccaec0c75</onsuccess>

</stage>

<stage stageid="8f65acc0-944c-4ea5-9e40-4325b364c13b" name="select by text" type="Action">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Item Text" expr="&quot;Date modified&quot;"/>

<input type="number" name="Item Number" expr="0"/>

</inputs>

<outputs/>

<onsuccess>e00ea8f5-e8cf-448c-87f4-3268d85fcf04</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Listbox Item"/>

</stage>

<stage stageid="e00ea8f5-e8cf-448c-87f4-3268d85fcf04" name="get listbox" type="Action">

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Listbox count text"/>

<output type="collection" name="Items" stage="Listbox items"/>
```

```
<output type="text" name="Selected Item" stage="Listbox selected item"/>
<output type="text" name="Selected Item Count" stage="Listbox selected count text"/>
<output type="collection" name="Selected Items" stage="Listbox selected items"/>
</outputs>
<onsuccess>40d74b90-2097-4026-89f8-376ee28a925e</onsuccess>
<resource object="Smalltalk Dolphin" action="Get Listbox"/>
</stage>
<stage stageid="5f5e5e91-170e-459e-8b7a-963f1996a2db" name="select by number" type="Action">
<narrative>
</narrative>
<displayx>1080</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="flag" name="Use AA" expr="[Use AA]"/>
<input type="text" name="Item Text" expr=""/>
<input type="number" name="Item Number" expr="3"/>
</inputs>
<outputs/>
<onsuccess>2e38a4d6-7985-4893-a73b-958616ac7bd4</onsuccess>
<resource object="Smalltalk Dolphin" action="Set Listbox Item"/>
</stage>
<stage stageid="2e38a4d6-7985-4893-a73b-958616ac7bd4" name="get listbox" type="Action">
<narrative>
```

</narrative>

<displayx>1080</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Item Count" stage="Listbox count text"/>

<output type="collection" name="Items" stage="Listbox items"/>

<output type="text" name="Selected Item" stage="Listbox selected item"/>

<output type="text" name="Selected Item Count" stage="Listbox selected count text"/>

<output type="collection" name="Selected Items" stage="Listbox selected items"/>

</outputs>

<onsuccess>27882e84-2753-4f37-8ed0-5d845f722a8e</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Listbox"/>

</stage>

<stage stageid="27882e84-2753-4f37-8ed0-5d845f722a8e" name="Selected item?" type="Decision">

<narrative>

</narrative>

<displayx>1170</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Listbox selected item]='&quot;Size&quot;"/>
<ontrue>5b5072a2-6c5d-4e07-b062-b6302aa48d52</ontrue>
<onfalse>c3b7c744-4fef-47ae-b2e7-2f022eaaa45c</onfalse>
</stage>

<stage stageid="c3b7c744-4fef-47ae-b2e7-2f022eaaa45c" name="Note3" type="Note">
<narrative>AA listbox incorrect selected item</narrative>
<displayx>1170</displayx>
<displayy>270</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>4fb11ece-7d8b-434e-9e44-4a5694f6fd60</onsuccess>
</stage>

<stage stageid="40d74b90-2097-4026-89f8-376ee28a925e" name="Selected item?" type="Decision">
<narrative>
</narrative>
<displayx>810</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Listbox selected item]='&quot;Date modified&quot;"/>
<ontrue>dd41bb98-5cde-427c-9195-b2a216ef05a7</ontrue>
<onfalse>1a131156-24af-4181-9189-45071be55db5</onfalse>
</stage>

<stage stageid="1a131156-24af-4181-9189-45071be55db5" name="Note3" type="Note">
```

<narrative>AA listbox incorrect selected item</narrative>

<displayx>810</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>acd25930-88de-4145-a945-3e47440bf4cb</onsuccess>

</stage>

<stage stageid="4317af37-5a2e-4a60-b04a-dde6554686b5" name="anchor19" type="Anchor">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e20d6d8e-f5d2-4a27-a02a-6e411499958e</onsuccess>

</stage>

<stage stageid="e20d6d8e-f5d2-4a27-a02a-6e411499958e" name="anchor20" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f850b472-269d-4511-aaed-be8c950b1ab5</onsuccess>

</stage>

<stage stageid="0f82e5c7-3efc-4a17-8725-3fccaeec0c75" name="anchor21" type="Anchor">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>52aa0356-3d58-4acb-9f71-2fa07ec18d04</onsuccess>

</stage>

<stage stageid="acd25930-88de-4145-a945-3e47440bf4cb" name="anchor23" type="Anchor">

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae2cd550-10ae-400f-8b01-8a743fa6ca5d</onsuccess>

</stage>

<stage stageid="4fb11ece-7d8b-434e-9e44-4a5694f6fd60" name="anchor26" type="Anchor">

<narrative>

</narrative>

<displayx>1170</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2b9542b1-76ae-4205-8e87-a5316b4f64b0</onsuccess>

</stage>

<stage stageid="2b241d03-10af-4c19-8bd8-ef7739562b44" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1515</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="79bc17e7-1a51-44bc-a4d5-4d4ceeb237d8" name="Use AA" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-30</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="362654d5-dd90-4793-b01c-46a2935bd605" name="launch" type="Action">

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>99624d68-0823-4e4a-aa8e-350106d9d6e7</onsuccess>

<resource object="Smalltalk Dolphin" action="Launch"/>

</stage>

<stage stageid="96d64c85-1c0f-42e8-a185-99c857951089" name="Listbox item text concat" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>330</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

```
</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6150cd50-431d-46d5-8c98-a32d38054e66" name="concat" type="Calculation">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>29ccb6e7-6eba-4640-9a54-59124dd06317</onsuccess>

<calculation expression="[Listbox item text concat]&amp;amp; [Listbox items.Item Text] &amp;amp; &amp;";

</stage>

<stage stageid="cf28c99e-5240-4987-8d88-e2cce272f4a3" name="concat?" type="Decision">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item text concat]=&amp;quot;File name|Date modified|Size|&amp;quot;"/>

<ontrue>6c30ce87-d3c6-4a8f-b304-c435510bfe9d</ontrue>

<onfalse>b91e011b-f8bd-4cb7-b0b8-ee5054bb84e6</onfalse>

</stage>
```

<stage stageid="b91e011b-f8bd-4cb7-b0b8-ee5054bb84e6" name="Note2" type="Note">

<narrative>win32 listbox incorrect item collection text</narrative>

<displayx>375</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7fe2bd1f-ec2f-470d-a1b5-e60dc6660ce1</onsuccess>

</stage>

<stage stageid="7fe2bd1f-ec2f-470d-a1b5-e60dc6660ce1" name="anchor17" type="Anchor">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>-75</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d0b28725-700f-4590-8a44-6ceb7a6588a0</onsuccess>

</stage>

<stage stageid="7037805e-3df4-476f-8329-16ca64f66854" name="concat" type="Calculation">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<onsuccess>afbd7aca-9cac-4f5e-867b-430f2efeddb3</onsuccess>

<calculation expression="[Listbox item text concat]&amp;amp; [Listbox items.Item Text] &amp;amp; &amp;
</stage>

<stage stageid="c236ba4b-60e9-40f9-a927-8243cd428db3" name="concat?" type="Decision">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item text concat]=&amp;quot;File name|Date modified|Size&amp;quot;"/>

<ontrue>0c39bc96-fc55-48c8-9004-ea35de76e031</ontrue>

<onfalse>fb639e44-4701-436c-adc5-857c20af501a</onfalse>

</stage>

<stage stageid="fb639e44-4701-436c-adc5-857c20af501a" name="Note2" type="Note">

<narrative>AA listbox incorrect item collection text</narrative>

<displayx>375</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f850b472-269d-4511-aaed-be8c950b1ab5</onsuccess>

</stage>

<stage stageid="f850b472-269d-4511-aaed-be8c950b1ab5" name="anchor17" type="Anchor">

<narrative>

</narrative>
```



<displayx>375</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0f82e5c7-3efc-4a17-8725-3fccaeec0c75</onsuccess>

</stage>

<stage stageid="327d7a40-d0c4-457e-b718-ecb6ec627fe4" name="reset concat" type="Calculation">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f81dcca3-95c5-4508-af96-634369bb8c46</onsuccess>

<calculation expression="&quot;&quot;" stage="Listbox item text concat"/>

</stage>

<stage stageid="5996ac7d-6549-463d-88c4-36a19be857df" name="Listbox selected items" type="LoopSta

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b5ba0c8b-ae6b-40b0-85cd-95eb5e8e593a</onsuccess>

<groupid>fb976323-febd-4650-92a3-4c8d60baada3</groupid>

<looptype>ForEach</looptype>

<loopdata>Listbox selected items</loopdata>

</stage>

<stage stageid="07d2f479-203d-480a-8113-965e71a4638e" name="Loop End5" type="LoopEnd">

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e3e7956f-df87-48cf-af04-7f7d0d71cce5</onsuccess>

<groupid>fb976323-febd-4650-92a3-4c8d60baada3</groupid>

</stage>

<stage stageid="2bc6ce9f-84fe-4ea6-b84e-69bf281785ea" name="Calc Count" type="Calculation">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5996ac7d-6549-463d-88c4-36a19be857df</onsuccess>

<calculation expression="[Listbox selected count text]" stage="Listbox item count"/>

</stage>

<stage stageid="e3e7956f-df87-48cf-af04-7f7d0d71cce5" name="Zero?" type="Decision">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=0"/>

<ontrue>1a5d5e7e-826e-4b07-9088-1d42047f6723</ontrue>

<onfalse>97a04c9d-8e49-40c9-9e23-73d861760389</onfalse>

</stage>

<stage stageid="b5ba0c8b-ae6b-40b0-85cd-95eb5e8e593a" name="Count down" type="Calculation">

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>07d2f479-203d-480a-8113-965e71a4638e</onsuccess>

<calculation expression="[Listbox item count]-1" stage="Listbox item count"/>

</stage>

<stage stageid="97a04c9d-8e49-40c9-9e23-73d861760389" name="Note3" type="Note">

<narrative>win32 listbox incorrect selected item collection</narrative>

<displayx>630</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>985c4818-392a-434f-a52f-531b1ae64381</onsuccess>

</stage>

<stage stageid="63f257be-5e87-47f6-bc5c-7a70d1fee42d" name="Reset Count" type="Calculation">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>379b13c4-84bf-4b04-88da-15cabf903ff2</onsuccess>

<calculation expression="0" stage="Listbox item count"/>

</stage>

<stage stageid="33ad12a4-187f-474c-8349-7d0eb372b0cc" name="1?" type="Decision">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=1"/>

<ontrue>8f65acc0-944c-4ea5-9e40-4325b364c13b</ontrue>

<onfalse>c9986750-909f-4015-9504-26db50d9a8bb</onfalse>

</stage>

<stage stageid="3de17a34-4d81-4a7e-ac3a-f83671737bdb" name="Count up" type="Calculation">

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>712b0550-983d-407b-b157-0be0447cb150</onsuccess>

<calculation expression="[Listbox item count]+1" stage="Listbox item count"/>

</stage>

<stage stageid="c9986750-909f-4015-9504-26db50d9a8bb" name="Note3" type="Note">

<narrative>AA listbox incorrect selected item collection</narrative>

<displayx>630</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>52aa0356-3d58-4acb-9f71-2fa07ec18d04</onsuccess>

</stage>

<stage stageid="379b13c4-84bf-4b04-88da-15cabf903ff2" name="Listbox selected" type="LoopStart">

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>3de17a34-4d81-4a7e-ac3a-f83671737bdb</onsuccess>  
<groupid>c90792c2-447b-4e07-a787-72fdddb8c7db</groupid>  
<looptype>ForEach</looptype>  
<loopdata>Listbox selected items</loopdata>  
</stage>  
<stage stageid="712b0550-983d-407b-b157-0be0447cb150" name="Loop End3" type="LoopEnd">  
<narrative>  
</narrative>  
<displayx>555</displayx>  
<displayy>450</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>33ad12a4-187f-474c-8349-7d0eb372b0cc</onsuccess>  
<groupid>c90792c2-447b-4e07-a787-72fdddb8c7db</groupid>  
</stage>  
<stage stageid="52aa0356-3d58-4acb-9f71-2fa07ec18d04" name="anchor2" type="Anchor">  
<narrative>  
</narrative>  
<displayx>630</displayx>  
<displayy>225</displayy>  
<displaywidth>10</displaywidth>  
<displayheight>10</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<onsuccess>acd25930-88de-4145-a945-3e47440bf4cb</onsuccess>  
</stage>

```
<stage stageid="dd41bb98-5cde-427c-9195-b2a216ef05a7" name="Reset Count" type="Calculation">
<narrative>
</narrative>
<displayx>810</displayx>
<displayy>390</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>f4bca531-c4e9-46ab-b8b4-1880f9c40b7b</onsuccess>
<calculation expression="0" stage="Listbox item count"/>
</stage>

<stage stageid="74e658f3-b59d-43f0-9f0a-f27d28a306a0" name="1?" type="Decision">
<narrative>
</narrative>
<displayx>990</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Listbox item count]=1"/>
<ontrue>5f5e5e91-170e-459e-8b7a-963f1996a2db</ontrue>
<onfalse>52fe2159-ca93-4d10-8a13-9131159d0080</onfalse>
</stage>

<stage stageid="87bf9a11-7396-41bf-a9e9-272b1ae684cb" name="Count up" type="Calculation">
<narrative>
</narrative>
<displayx>900</displayx>
```

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e5d00fa4-7c5f-4e38-b937-35f702c77449</onsuccess>

<calculation expression="[Listbox item count]+1" stage="Listbox item count"/>

</stage>

<stage stageid="52fe2159-ca93-4d10-8a13-9131159d0080" name="Note3" type="Note">

<narrative>AA listbox incorrect selected item collection</narrative>

<displayx>990</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae2cd550-10ae-400f-8b01-8a743fa6ca5d</onsuccess>

</stage>

<stage stageid="f4bca531-c4e9-46ab-b8b4-1880f9c40b7b" name="Selected Items" type="LoopStart">

<narrative>

</narrative>

<displayx>900</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>87bf9a11-7396-41bf-a9e9-272b1ae684cb</onsuccess>

<groupid>6ebf3574-d7d7-4254-8422-f75d79b8d9e0</groupid>

<looptype>ForEach</looptype>



```
<loopdata>Listbox selected items</loopdata>

</stage>

<stage stageid="e5d00fa4-7c5f-4e38-b937-35f702c77449" name="Loop End6" type="LoopEnd">

<narrative>

</narrative>

<displayx>900</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>74e658f3-b59d-43f0-9f0a-f27d28a306a0</onsuccess>

<groupid>6ebf3574-d7d7-4254-8422-f75d79b8d9e0</groupid>

</stage>

<stage stageid="5b5072a2-6c5d-4e07-b062-b6302aa48d52" name="Reset Count" type="Calculation">

<narrative>

</narrative>

<displayx>1170</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6b53dc7d-1b4b-4ba3-a405-11c73c6f3b52</onsuccess>

<calculation expression="0" stage="Listbox item count"/>

</stage>

<stage stageid="b9a732f9-de89-4c14-ab4a-aef294058456" name="1?" type="Decision">

<narrative>

</narrative>
```

<displayx>1365</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Listbox item count]=1"/>

<ontrue>3a106144-2ec7-4952-83a7-8a7ac822ed38</ontrue>

<onfalse>578b64f1-b996-4e29-b22f-604f3dbef0cd</onfalse>

</stage>

<stage stageid="1114d379-5771-4514-a0cb-adceb6f2c070" name="Count up" type="Calculation">

<narrative>

</narrative>

<displayx>1260</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cb78971d-7611-45ac-8228-ffccf72047f1</onsuccess>

<calculation expression="[Listbox item count]+1" stage="Listbox item count"/>

</stage>

<stage stageid="578b64f1-b996-4e29-b22f-604f3dbef0cd" name="Note3" type="Note">

<narrative>AA listbox incorrect selected item collection</narrative>

<displayx>1365</displayx>

<displayy>270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2b9542b1-76ae-4205-8e87-a5316b4f64b0</onsuccess>

</stage>

<stage stageid="6b53dc7d-1b4b-4ba3-a405-11c73c6f3b52" name="Selected Items" type="LoopStart">

<narrative>

</narrative>

<displayx>1260</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1114d379-5771-4514-a0cb-adceb6f2c070</onsuccess>

<groupid>ae191d3c-e0bc-4e2d-85cb-4adbd187520c</groupid>

<looptype>ForEach</looptype>

<loopdata>Listbox selected items</loopdata>

</stage>

<stage stageid="cb78971d-7611-45ac-8228-ffccf72047f1" name="Loop End7" type="LoopEnd">

<narrative>

</narrative>

<displayx>1260</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b9a732f9-de89-4c14-ab4a-aef294058456</onsuccess>

<groupid>ae191d3c-e0bc-4e2d-85cb-4adbd187520c</groupid>

</stage>

<stage stageid="2b9542b1-76ae-4205-8e87-a5316b4f64b0" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>1365</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2b241d03-10af-4c19-8bd8-ef7739562b44</onsuccess>

</stage>

<stage stageid="ae2cd550-10ae-400f-8b01-8a743fa6ca5d" name="anchor11" type="Anchor">

<narrative>

</narrative>

<displayx>990</displayx>

<displayy>225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4fb11ece-7d8b-434e-9e44-4a5694f6fd60</onsuccess>

</stage>

</process>

<process name="Smalltalk Dolphin Textbox Process" version="1.0" narrative="." preferredid="35ef3449-a4

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

```
<endpoint narrative=""/>

<stage stageid="7f077026-56e9-4638-9433-ab874e4aa3e2" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1c2d962d-96be-4ab9-9955-0b740d2e98e8" name="Start" type="Start">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>6f67c8c8-fa81-4f18-b34a-b7195e1791b1</onsuccess>

</stage>

<stage stageid="09d8709d-ac7c-475b-a1ff-301d0f08bac2" name="End" type="End">

<narrative>

</narrative>

<displayx>1125</displayx>
```

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="b3cd550d-b359-4175-bc8c-7f0fc9729948" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>

<onsuccess>6149107f-2cb6-4f94-b861-9053334355f7</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="6149107f-2cb6-4f94-b861-9053334355f7" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;&quot;"/>

<ontrue>58073e2f-8c12-47f4-b60a-bc219d228c3e</ontrue>

<onfalse>bc7f5bc2-5f48-40e7-80a3-fce66d4a8ec5</onfalse>

</stage>

<stage stageid="bc7f5bc2-5f48-40e7-80a3-fce66d4a8ec5" name="Note2" type="Note">

<narrative>win32 textbox should be blank</narrative>

<displayx>225</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d40b8493-c252-437a-9966-56dd3e6a5851</onsuccess>

</stage>

<stage stageid="58073e2f-8c12-47f4-b60a-bc219d228c3e" name="set textbox" type="Action">

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="flag" name="Use AA" expr="[Use AA]"/>
<input type="text" name="Text" expr="&quot;hello&quot;"/>
</inputs>
<outputs/>
<onsuccess>9ee56252-39e8-41dc-91ea-91cf84f23970</onsuccess>
<resource object="Smalltalk Dolphin" action="Set Textbox"/>
</stage>
<stage stageid="9ee56252-39e8-41dc-91ea-91cf84f23970" name="get textbox" type="Action">
<narrative>
</narrative>
<displayx>390</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs>
<input type="flag" name="Use AA" expr="[Use AA]"/>
</inputs>
<outputs>
<output type="text" name="Text" stage="Textbox"/>
</outputs>
<onsuccess>6c69debb-e180-4395-90e3-19bd60bdfda1</onsuccess>
<resource object="Smalltalk Dolphin" action="Get Textbox"/>
```



</stage>

<stage stageid="6c69debb-e180-4395-90e3-19bd60bdfda1" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;hello&quot;"/>

<ontrue>84e6852c-f11e-4407-85ba-25015e60ece5</ontrue>

<onfalse>5cb5d928-fb43-4377-a5bd-7aff743babf0</onfalse>

</stage>

<stage stageid="5cb5d928-fb43-4377-a5bd-7aff743babf0" name="Note2" type="Note">

<narrative>win32 textbox should be 'hello'</narrative>

<displayx>465</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e69408b-7437-4ab4-9412-59c6420ae350</onsuccess>

</stage>

<stage stageid="84e6852c-f11e-4407-85ba-25015e60ece5" name="set textbox" type="Action">

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>45</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Text" expr="&quot;goodbye&quot;"/>

</inputs>

<outputs/>

<onsuccess>e1600669-303a-4536-b3f2-5627c132c4a3</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Textbox"/>

</stage>

<stage stageid="e1600669-303a-4536-b3f2-5627c132c4a3" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>
```

<onsuccess>7e9689e5-eec1-4e96-8811-67a7d614b317</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="7e9689e5-eec1-4e96-8811-67a7d614b317" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>705</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;goodbye&quot;"/>

<ontrue>8f03cbac-d3b3-492a-9bde-35ef65767df8</ontrue>

<onfalse>4b8a82d6-d6c3-4083-87b2-7a613eaab3ad</onfalse>

</stage>

<stage stageid="4b8a82d6-d6c3-4083-87b2-7a613eaab3ad" name="Note2" type="Note">

<narrative>win32 textbox should be 'goodbye'</narrative>

<displayx>705</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>da46a7ab-5283-4d67-b12f-b0b267f579d7</onsuccess>

</stage>

<stage stageid="8f03cbac-d3b3-492a-9bde-35ef65767df8" name="set textbox" type="Action">

<narrative>

</narrative>

<displayx>795</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Text" expr="&quot;&quot;"/>

</inputs>

<outputs/>

<onsuccess>e9be5e45-4fbc-492c-95c6-cfb870581f3c</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Textbox"/>

</stage>

<stage stageid="e9be5e45-4fbc-492c-95c6-cfb870581f3c" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>

<onsuccess>e84df9a5-1e2f-4d26-a93f-d7968c10a316</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="e84df9a5-1e2f-4d26-a93f-d7968c10a316" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>945</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;&quot;"/>

<ontrue>1a352ae9-f3ef-4699-b642-92a32da3f0f1</ontrue>

<onfalse>45f01f00-81ad-4cc9-b7a2-c4e5797d85f0</onfalse>

</stage>

<stage stageid="45f01f00-81ad-4cc9-b7a2-c4e5797d85f0" name="Note2" type="Note">

<narrative>win32 textbox should be blank</narrative>

<displayx>945</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2ef447d5-8c7e-4ddb-bd3f-fc2b42210049</onsuccess>

</stage>

<stage stageid="1a352ae9-f3ef-4699-b642-92a32da3f0f1" name="anchor3" type="Anchor">

<narrative>

</narrative>

<displayx>945</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cfc423c2-c5ca-40c8-9027-8ea3494f9d2a</onsuccess>

</stage>

<stage stageid="dc496513-f339-4ac8-8d72-25a1d97a588c" name="Use Win32" type="Calculation">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b3cd550d-b359-4175-bc8c-7f0fc9729948</onsuccess>

<calculation expression="False" stage="Use AA"/>

</stage>

<stage stageid="264c185a-e766-4b73-90a4-145d75395a2f" name="Use AA" type="Calculation">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>69fdeb8d-a24c-4cf1-a79d-a082b0ef126e</onsuccess>

<calculation expression="True" stage="Use AA"/>

</stage>

<stage stageid="cfc423c2-c5ca-40c8-9027-8ea3494f9d2a" name="anchor9" type="Anchor">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>90</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>264c185a-e766-4b73-90a4-145d75395a2f</onsuccess>

</stage>

<stage stageid="69fdeb8d-a24c-4cf1-a79d-a082b0ef126e" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>

<onsuccess>7fd1c6d8-857b-4b05-942d-bc93039e773c</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="7fd1c6d8-857b-4b05-942d-bc93039e773c" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;&quot;"/>

<ontrue>427fb55b-aa9f-425e-af83-76038a62043b</ontrue>

<onfalse>982c137f-e1e3-4730-9296-3e0051616831</onfalse>

</stage>

<stage stageid="982c137f-e1e3-4730-9296-3e0051616831" name="Note2" type="Note">

<narrative>AA textbox should be blank</narrative>

<displayx>225</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d758f8eb-194e-4d8c-aa9f-a8b739f3f469</onsuccess>

</stage>

<stage stageid="427fb55b-aa9f-425e-af83-76038a62043b" name="set textbox" type="Action">



<narrative>

</narrative>

<displayx>315</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Text" expr="&quot;hello&quot;"/>

</inputs>

<outputs/>

<onsuccess>8055e735-c795-4e63-bc6a-608d9752e273</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Textbox"/>

</stage>

<stage stageid="8055e735-c795-4e63-bc6a-608d9752e273" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>

<onsuccess>cddaf900-206b-47be-a515-ac8533680b2b</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="cddaf900-206b-47be-a515-ac8533680b2b" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;hello&quot;"/>

<ontrue>2b12f6a6-31a0-401e-8e20-dfe49bffc014</ontrue>

<onfalse>ac584f43-38c2-4c9d-a90f-b77eab8f2cd2</onfalse>

</stage>

<stage stageid="ac584f43-38c2-4c9d-a90f-b77eab8f2cd2" name="Note2" type="Note">

<narrative>AA textbox should be 'hello'</narrative>

<displayx>465</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>12c3331a-c70b-4e99-a791-514fce008346</onsuccess>

</stage>

<stage stageid="2b12f6a6-31a0-401e-8e20-dfe49bffc014" name="set textbox" type="Action">

<narrative>

</narrative>

<displayx>555</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Text" expr="&quot;goodbye&quot;"/>

</inputs>

<outputs/>

<onsuccess>cdb3548c-7934-4e7d-ba6d-a354b33df143</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Textbox"/>

</stage>

<stage stageid="cdb3548c-7934-4e7d-ba6d-a354b33df143" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>

<onsuccess>47557423-4d74-4be4-888d-a2fedddb5094</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="47557423-4d74-4be4-888d-a2fedddb5094" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>705</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]=&quot;goodbye&quot;"/>

<ontrue>f95c421a-c7a1-4f79-9d2d-1823e05a6f69</ontrue>

<onfalse>ce4bfb72-5611-4fc6-bece-24974402acab</onfalse>

</stage>

<stage stageid="ce4bfb72-5611-4fc6-bece-24974402acab" name="Note2" type="Note">

<narrative>AA textbox should be 'goodbye'</narrative>

<displayx>705</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>153e0868-d5b4-4e01-ae87-f577f59fcdf8</onsuccess>

</stage>

<stage stageid="f95c421a-c7a1-4f79-9d2d-1823e05a6f69" name="set textbox" type="Action">

<narrative>

</narrative>

<displayx>795</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

<input type="text" name="Text" expr="&quot;&quot;"/>

</inputs>

<outputs/>

<onsuccess>cf5d8d29-a20c-42ee-89cb-5e65acd0e4e5</onsuccess>

<resource object="Smalltalk Dolphin" action="Set Textbox"/>

</stage>

<stage stageid="cf5d8d29-a20c-42ee-89cb-5e65acd0e4e5" name="get textbox" type="Action">

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Use AA" expr="[Use AA]"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Textbox"/>

</outputs>

<onsuccess>dc4b6c03-6aca-4906-82b7-8340fae66b5d</onsuccess>

<resource object="Smalltalk Dolphin" action="Get Textbox"/>

</stage>

<stage stageid="dc4b6c03-6aca-4906-82b7-8340fae66b5d" name="text?" type="Decision">

<narrative>

</narrative>

<displayx>945</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Textbox]='&quot;&quot;"/>

<ontrue>acfc7cec-bb74-449a-833c-a534c8291c50</ontrue>

<onfalse>3aac5412-e85e-47a6-b726-1d8c6dd84e81</onfalse>

</stage>

<stage stageid="3aac5412-e85e-47a6-b726-1d8c6dd84e81" name="Note2" type="Note">

<narrative>AA textbox should be blank</narrative>

<displayx>945</displayx>

<displayy>135</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6d74fa1e-38b6-4f44-a868-c9196bea4040</onsuccess>

</stage>

<stage stageid="d40b8493-c252-437a-9966-56dd3e6a5851" name="anchor13" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3e69408b-7437-4ab4-9412-59c6420ae350</onsuccess>

</stage>

<stage stageid="3e69408b-7437-4ab4-9412-59c6420ae350" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>-45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>da46a7ab-5283-4d67-b12f-b0b267f579d7</onsuccess>

</stage>

<stage stageid="da46a7ab-5283-4d67-b12f-b0b267f579d7" name="anchor15" type="Anchor">

<narrative>

</narrative>

<displayx>705</displayx>

<displayy>-45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2ef447d5-8c7e-4ddb-bd3f-fc2b42210049</onsuccess>

</stage>

<stage stageid="2ef447d5-8c7e-4ddb-bd3f-fc2b42210049" name="anchor16" type="Anchor">

<narrative>

</narrative>

<displayx>945</displayx>

<displayy>-45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>335aabf3-8d0a-48af-b4f9-c0a31cb31488</onsuccess>

</stage>

<stage stageid="335aabf3-8d0a-48af-b4f9-c0a31cb31488" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1035</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>



<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="d758f8eb-194e-4d8c-aa8b739f3f469" name="anchor13" type="Anchor">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>12c3331a-c70b-4e99-a791-514fce008346</onsuccess>

</stage>

<stage stageid="12c3331a-c70b-4e99-a791-514fce008346" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>153e0868-d5b4-4e01-ae87-f577f59fcdf8</onsuccess>

</stage>

<stage stageid="153e0868-d5b4-4e01-ae87-f577f59fcdf8" name="anchor15" type="Anchor">

<narrative>

</narrative>

<displayx>705</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6d74fa1e-38b6-4f44-a868-c9196bea4040</onsuccess>

</stage>

<stage stageid="6d74fa1e-38b6-4f44-a868-c9196bea4040" name="anchor16" type="Anchor">

<narrative>

</narrative>

<displayx>945</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9af8493d-bd2f-40c0-a2dc-b6f0a084a0bf</onsuccess>

</stage>

<stage stageid="9af8493d-bd2f-40c0-a2dc-b6f0a084a0bf" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1035</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<resource object="Smalltalk Dolphin" action="Terminate"/>

</stage>

<stage stageid="758f692f-df5d-452d-94fc-e70600d95716" name="Use AA" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>90</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="6f67c8c8-fa81-4f18-b34a-b7195e1791b1" name="launch" type="Action">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>dc496513-f339-4ac8-8d72-25a1d97a588c</onsuccess>

<resource object="Smalltalk Dolphin" action="Launch"/>

</stage>

<stage stageid="33834327-32ac-4006-b52f-86662eac1cfa" name="Textbox" type="Data">

<narrative>

</narrative>

<displayx>-60</displayx>

<displayy>45</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="acfc7cec-bb74-449a-833c-a534c8291c50" name="terminate" type="Action">

<narrative>

</narrative>

<displayx>1035</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>09d8709d-ac7c-475b-a1ff-301d0f08bac2</onsuccess>

```
<resource object="Smalltalk Dolphin" action="Terminate"/>
```

&lt;/stage&gt;

&lt;/process&gt;

```
<process name="SQL Server" version="1.0" narrative="SQL Server interaction object." type="object" runm
```

<appdef/>

&lt;view&gt;

&lt;camerax&gt;0&lt;/camerax&gt;

&lt;cameray&gt;0&lt;/cameray&gt;

<zoom>1</zoom>

&lt;/view&gt;

```
</preconditions>
```

```
<endpoint narrative="&#xD;&#xA;&#xD;&#xA;&#xD;&#xA;&#xD;&#xA;"
```

<subsheet subsheetid="cfb6da91-518b-40a3-8e0e-115ff0252ea7" type="CleanUp" published="True">

<name>Clean Up</name>

&lt;view&gt;

<camerax>-161</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

&lt;/subsheet&gt;

<subsheet subsheetid="90429413-7792-4513-8bc0-d6d079aa08b9" type="Normal" published="True">

&lt;name&gt;Set Connection&lt;/name&gt;

&lt;view&gt;

&lt;camerax&gt;0&lt;/camerax&gt;

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="459569f2-c792-4948-8884-5c2a0917cc16" type="Normal" published="True">

<name>Open</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5" type="Normal" published="True">

<name>Close</name>

<view>

<camerax>86</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="3ee937ec-012f-445c-9b2b-ebbc6d3614d" type="Normal" published="True">

<name>Begin Transaction</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="ba712d56-697c-48af-bc96-85e49eb968fc" type="Normal" published="True">

<name>Commit Transaction</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="4b6e35c6-8ec4-4fbe-b9d7-d43c48492695" type="Normal" published="True">

<name>Rollback Transaction</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="c07ae8a2-a04f-46f2-8919-ec4da73d5b25" type="Normal" published="True">

<name>Execute</name>

<view>

<camerax>-11</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="a45f6098-73e2-4639-a002-31592645bfa5" type="Normal" published="True">

<name>Get Records Affected</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="12d7c91f-29ac-4711-9614-7ab992dc4b1f" type="Normal" published="True">

<name>Get Number</name>

<view>

<camerax>78</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="18349d7d-79b1-4397-a8a0-490ab27f459f" type="Normal" published="True">

<name>Get Text</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="780529b8-393d-4d1d-bc5f-34f383fe53ec" type="Normal" published="True">

<name>Get Collection</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>



</view>

</subsheet>

<subsheet subsheetid="defba919-6085-4a2f-9b02-0e15b7160ee4" type="Normal" published="True">

<name>Get User Name</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<subsheet subsheetid="64e09bd7-e59a-4c7f-97eb-0d7afdb74f1f" type="Normal" published="True">

<name>Get Machine Name</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

</subsheet>

<stage stageid="f3bf5e12-d2cf-4c5d-bda5-0deae3c26316" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>d16cc64f-d5d1-4aaf-bea5-f814e1f2657b</onsuccess>

</stage>

<stage stageid="d16cc64f-d5d1-4aaf-bea5-f814e1f2657b" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="0efcc61e-6916-4463-ae94-c24edb2adc75" name="Stage1" type="ProcessInfo">

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\System.Data.dll</reference>

<reference>C:\WINDOWS\Microsoft.NET\Framework\v2.0.50727\System.XML.dll</reference>

</references>

<imports>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

Private moConnection As System.Data.SqlClient.SqlConnection

Private moTransaction As System.Data.SqlClient.SqlTransaction

Private moDataTable As System.Data.DataTable

</code>

</stage>

<stage stageid="fd95e8ae-614b-4bae-a0f9-cbd04cef37ce" name="Clean Up" type="SubSheetInfo">

<subsheetsid>cfb6da91-518b-40a3-8e0e-115ff0252ea7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e91da0c2-e60f-4eae-a108-bd99aaff046f" name="Start" type="Start">

<subsheetsid>cfb6da91-518b-40a3-8e0e-115ff0252ea7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>88b89098-8bb2-42fc-8e43-bad5b1e4f400</onsuccess>

</stage>

<stage stageid="91836284-14a0-4c0f-b9d5-8cd74b4d1632" name="End" type="End">

<subsheetsid>cfb6da91-518b-40a3-8e0e-115ff0252ea7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="cf7a7a0d-0c2b-4a9e-8a52-19bdf46ef4cc" name="Set Connection" type="SubSheetInfo">

<subsHEETid>90429413-7792-4513-8bc0-d6d079aa08b9</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5395eb12-61a3-4005-88a3-ceda307cf9b1" name="Start" type="Start">

<subsHEETid>90429413-7792-4513-8bc0-d6d079aa08b9</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

```
<inputs>

<input type="text" name="Server" stage="Server"/>

<input type="text" name="Database" stage="Database"/>

<input type="text" name="User" stage="User"/>

<input type="password" name="Password" stage="Password"/>

</inputs>

<outputs/>

<onsuccess>db11541e-1f1d-48f5-a64e-e1d44d23ecf6</onsuccess>

</stage>

<stage stageid="823a5018-5ad8-483c-a6c1-8c527bf7bc00" name="End" type="End">

<subsheetid>90429413-7792-4513-8bc0-d6d079aa08b9</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="78309214-2fb3-4bd9-8433-ca0f0fc31bd4" name="new" type="Note">

<subsheetid>cfb6da91-518b-40a3-8e0e-115ff0252ea7</subsheetid>

<loginhibit/>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7bb7dcd7-acf2-4a7a-a96d-756830b2e54f" name="new" type="Note">

<loginhibit/>

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d666ce88-be59-4711-8698-025945395207" name="Server" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-105</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

</stage>

<stage stageid="b9720411-39cf-4e79-8fe9-af8e7581970a" name="Database" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-60</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

</stage>

<stage stageid="d1d97b89-18c2-40ab-8f43-0cd0ce45f5b7" name="User" type="Data">



<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-15</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

</stage>

<stage stageid="1c8bc019-fa8a-4593-b435-81216f908452" name="Password" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>30</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

</stage>

<stage stageid="c9568fbf-1fca-4ce7-aa27-2309731df7f5" name="Connection String" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>75</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

</stage>

<stage stageid="db11541e-1f1d-48f5-a64e-e1d44d23ecf6" name="Set connection" type="Calculation">

<subsheetsid>90429413-7792-4513-8bc0-d6d079aa08b9</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>823a5018-5ad8-483c-a6c1-8c527bf7bc00</onsuccess>

<calculation expression="&quot;database=&quot; &amp; [Database] &amp; &quot;">

</stage>

<stage stageid="8ed153e9-383f-4acf-9e86-3d058f27a895" name="Open" type="SubSheetInfo">

<subsheetsid>459569f2-c792-4948-8884-5c2a0917cc16</subsheetsid>

<loginhibit/>

```
<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c501978-f53e-419d-ab66-c3cbef5cf598" name="Start" type="Start">

<subsheetid>459569f2-c792-4948-8884-5c2a0917cc16</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>c57babb2-f4b2-42dd-95c7-a8155b854975</onsuccess>

</stage>

<stage stageid="7295054b-4d97-4891-ab69-23416df80d09" name="End" type="End">

<subsheetid>459569f2-c792-4948-8884-5c2a0917cc16</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="c57babb2-f4b2-42dd-95c7-a8155b854975" name="Open" type="Code">

<subsheetid>459569f2-c792-4948-8884-5c2a0917cc16</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="ConnectionString" expr="[Connection String]"/>

</inputs>
```

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>7295054b-4d97-4891-ab69-23416df80d09</onsuccess>

<code> Success = False

Message = ""

If moConnection Is Nothing Then

Try

moConnection = New System.Data.SqlClient.SqlConnection(ConnectionString)

moConnection.Open()

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try

Else

Success = True

End If</code>

</stage>

<stage stageid="24f2742e-2541-4680-a355-1783c4e2f2f2" name="Execute" type="SubSheetInfo">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="05448135-b8ce-4a88-9d5c-eb85fea9d352" name="Start" type="Start">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Query" stage="SQL"/>

</inputs>

<outputs/>

<onsuccess>3753873b-7231-4b1f-947e-e6b87deac3d8</onsuccess>

</stage>

<stage stageid="ae52987e-a251-42ff-ab5f-f83a000393e7" name="End" type="End">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>
```

```
<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="22e10c68-07d1-4cc4-9072-7c9b0b0c97cf" name="SQL" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>120</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

</stage>

<stage stageid="3810933f-d93a-482c-a0d8-20796ecd3049" name="Execute" type="Code">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>
```

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="SQL" expr="[SQL]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

<output type="number" name="Records Affected" stage="Records Affected"/>

</outputs>

<onsuccess>2631d241-e7fb-4a03-87f8-846c6443206f</onsuccess>

<code>

Dim oCommand As System.Data.SqlClient.SqlCommand

Success = False

Message = ""

Try

oCommand = New System.Data.SqlClient.SqlCommand

oCommand.Connection = moConnection

oCommand.CommandType = System.Data.CommandType.Text



oCommand.CommandText = SQL

If Not moTransaction Is Nothing Then

oCommand.Transaction = moTransaction

End If

Records\_Affected = CDec(oCommand.ExecuteNonQuery)

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try</code>

</stage>

<stage stageid="3753873b-7231-4b1f-947e-e6b87deac3d8" name="Open" type="SubSheet">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

```
<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>1ac9d798-c898-4a5a-8b07-f435dc0500d4</onsuccess>

<processid>459569f2-c792-4948-8884-5c2a0917cc16</processid>

</stage>

<stage stageid="1ac9d798-c898-4a5a-8b07-f435dc0500d4" name="Success?" type="Decision">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>3810933f-d93a-482c-a0d8-20796ecd3049</ontrue>

<onfalse>ae52987e-a251-42ff-ab5f-f83a000393e7</onfalse>

</stage>

<stage stageid="4a78a3ea-35e5-4496-bfe0-509900dc5137" name="Close" type="SubSheetInfo">

<subsheetid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6bd7feeb-d610-4f7b-9646-df99afade77a" name="Start" type="Start">

<subsheetid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>f5aab680-3f4a-4cb2-9873-7c2aa718133f</onsuccess>

</stage>

<stage stageid="b9924b3b-5eea-41f5-9d73-8f4624ba22fe" name="End" type="End">

<subsheetid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<action/>  
<inputs/>  
<outputs>  
<output type="flag" name="Success" stage="Success"/>  
<output type="text" name="Message" stage="Message"/>  
</outputs>  
</stage>  
<stage stageid="f5aab680-3f4a-4cb2-9873-7c2aa718133f" name="Close" type="Code">  
<subsheetid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</subsheetid>  
<loginhibit/>  
<narrative>  
</narrative>  
<displayx>0</displayx>  
<displayy>-60</displayy>  
<displaywidth>60</displaywidth>  
<displayheight>30</displayheight>  
<font family="Tahoma" size="10" style="Regular" color="000000"/>  
<action/>  
<inputs/>  
<outputs>  
<output type="flag" name="Success" stage="Success"/>  
<output type="text" name="Message" stage="Message"/>  
</outputs>  
<onsuccess>b9924b3b-5eea-41f5-9d73-8f4624ba22fe</onsuccess>  
<code>  
Success = False

Message = ""

If moConnection Is Nothing Then

Success = True

Else

Try

moConnection.Close()

moConnection.Dispose()

moConnection = Nothing

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try

End If</code>

</stage>

<stage stageid="b0d71d51-0e09-4333-a7e8-e16c11d5cc2c" name="Close" type="SubSheet">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

```
<outputs/>

<onsuccess>28719a2d-9d55-4414-8a91-4f3c8ce10cba</onsuccess>

<processid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</processid>

</stage>

<stage stageid="2f46d078-5aeb-4c4a-a493-e807b2c7a995" name="Get Number" type="SubSheetInfo">

<subsheetsid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f2d1ef6c-115c-4900-9a62-d8bac04b0b09" name="Start" type="Start">

<subsheetsid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>
```

```
<input type="text" name="Query" stage="SQL"/>

</inputs>

<outputs/>

<onsuccess>05b0b107-7095-4e9d-bc37-924f6b11869d</onsuccess>

</stage>

<stage stageid="3098273a-9d5f-43bd-8f67-dd5fa306c621" name="End" type="End">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="number" name="Result" stage="Number Result"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="17da1b91-9f66-4fe1-b2e3-ff423f3f827a" name="Execute Return Number" type="Code">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>105</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="SQL" expr="[SQL]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

<output type="number" name="Result" stage="Number Result"/>

</outputs>

<onsuccess>12f14b00-5eb3-4995-afa2-e3eeeadcb5c0</onsuccess>

<code>

Dim oCommand As System.Data.SqlClient.SqlCommand

Success = False

Message = ""

Try

oCommand = New System.Data.SqlClient.SqlCommand

oCommand.Connection = moConnection

oCommand.CommandType = System.Data.CommandType.Text

oCommand.CommandText = SQL



Result = CDec(oCommand.ExecuteScalar)

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try</code>

</stage>

<stage stageid="05b0b107-7095-4e9d-bc37-924f6b11869d" name="Open" type="SubSheet">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>4f04e547-353a-4b31-9d76-06f4a406e438</onsuccess>

<processid>459569f2-c792-4948-8884-5c2a0917cc16</processid>

</stage>

<stage stageid="4f04e547-353a-4b31-9d76-06f4a406e438" name="Success?" type="Decision">

```
<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>17da1b91-9f66-4fe1-b2e3-ff423f3f827a</ontrue>

<onfalse>3098273a-9d5f-43bd-8f67-dd5fa306c621</onfalse>

</stage>

<stage stageid="06bce91a-1f23-4c23-acdf-19564c453382" name="Number Result" type="Data">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

</stage>
```



```
</stage>

<stage stageid="5c3b4cc9-288d-4fae-b9d3-dca1f01d452c" name="End" type="End">

<subsheetid>a45f6098-73e2-4639-a002-31592645bfa5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="number" name="Records Affected" stage="Records Affected"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="98ced6bf-c219-4b6f-8788-428ae730dffa" name="Records Affected" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>165</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

</stage>

<stage stageid="ec1e523c-2d7f-49ab-bdbf-97c9629d4f0b" name="Execute" type="SubSheet">

<subsheetsid>a45f6098-73e2-4639-a002-31592645bfa5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Query" expr="[SQL]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>5c3b4cc9-288d-4fae-b9d3-dca1f01d452c</onsuccess>

<processid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</processid>

</stage>

<stage stageid="b302f1fb-5a49-4ea5-a4f3-1dadc0ab9051" name="Get Text" type="SubSheetInfo">

<subsheetsid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetsid>

```
<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1841a582-8544-4daa-ace7-1e0e40837056" name="Start" type="Start">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Query" stage="SQL"/>

</inputs>

<outputs/>

<onsuccess>eb060128-54bc-417e-9d48-71beda3e0d4d</onsuccess>

</stage>

<stage stageid="281eca77-1f39-4ace-8815-a8145727a1e3" name="End" type="End">
```

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="Result" stage="Text Result"/>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

</stage>

<stage stageid="9f94c434-d4c4-43a6-9393-df126ab0c0ca" name="Execute Return Text" type="Code">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="SQL" expr="[SQL]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

<output type="text" name="Result" stage="Text Result"/>

</outputs>

<onsuccess>d689a9ea-0ae1-4208-b0ca-ece39ddd838f</onsuccess>

<code>

Dim oCommand As System.Data.SqlClient.SqlCommand

Success = False

Message = ""

Try

oCommand = New System.Data.SqlClient.SqlCommand

oCommand.Connection = moConnection

oCommand.CommandType = System.Data.CommandType.Text

oCommand.CommandText = SQL

Result = CStr(oCommand.ExecuteScalar)

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try</code>



</stage>

<stage stageid="eb060128-54bc-417e-9d48-71beda3e0d4d" name="Open" type="SubSheet">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>9c17dfa7-6435-4b40-a7db-533bfe76902f</onsuccess>

<processid>459569f2-c792-4948-8884-5c2a0917cc16</processid>

</stage>

<stage stageid="9c17dfa7-6435-4b40-a7db-533bfe76902f" name="Success?" type="Decision">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>9f94c434-d4c4-43a6-9393-df126ab0c0ca</ontrue>

<onfalse>281eca77-1f39-4ace-8815-a8145727a1e3</onfalse>

</stage>

<stage stageid="8fa93518-b432-4252-bf80-0a9c96171faa" name="Text Result" type="Data">

<subsheetsid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

</stage>

<stage stageid="88b89098-8bb2-42fc-8e43-bad5b1e4f400" name="Close" type="SubSheet">

<subsheetsid>cfb6da91-518b-40a3-8e0e-115ff0252ea7</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>91836284-14a0-4c0f-b9d5-8cd74b4d1632</onsuccess>

<processid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</processid>

</stage>

<stage stageid="8eebcae5-eab4-4d0d-98ac-60bb9a4f645c" name="Begin Transaction" type="SubSheetIn">

<subsheetsid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="110c04fd-0f65-422a-ad21-bdb7db8a4a96" name="Start" type="Start">

<subsheetsid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>eac4efa0-7168-4dee-a333-0923f422d458</onsuccess>

</stage>

<stage stageid="eac4efa0-7168-4dee-a333-0923f422d458" name="Begin Transaction" type="Code">

<subsheetid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>0441a51b-0a7c-49e6-8305-4a877c32cc8a</onsuccess>
```

```
<code>Success = False
```

```
Message = ""
```

```
If Not moConnection Is Nothing AndAlso moConnection.State = System.Data.ConnectionState.Open Then
```

```
Try
```

```
moTransaction = moConnection.BeginTransaction()
```

```
Success = True
```

```
Catch ex As System.Exception
```

```
Message = ex.Message
```

```
End Try
```

```
End If</code>
```

```
</stage>
```

```
<stage stageid="8069fcae-0f9d-4ef0-8094-bf37e2f0001f" name="End" type="End">
```

```
<subsheetid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetid>
```

```
<loginhibit/>
```

```
<narrative>
```

```
</narrative>
```

```
<displayx>15</displayx>
```

```
<displayy>90</displayy>
```

```
<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<action/>
```

```
<inputs/>
```

```
<outputs>
```

```
<output type="flag" name="Success" stage="Success"/>
```

```
<output type="text" name="Message" stage="Message"/>
```

</outputs>

</stage>

<stage stageid="faff14a4-e148-47ec-8e4d-fc4e4bc1519d" name="Commit Transaction" type="SubSheetIn

<subsheetid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="dcca40c4-f5b7-4875-b4b4-1c8c50a4be99" name="Start" type="Start">

<subsheetid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>01c9256c-c4e8-47d0-8bce-cbb4f916399d</onsuccess>

```
</stage>

<stage stageid="f45ab532-d1c3-40b4-9ccd-00088a39791e" name="End" type="End">

<subsheetid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="01c9256c-c4e8-47d0-8bce-cbb4f916399d" name="Commit Transaction" type="Code">

<subsheetid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>
```

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>f26aaae6-36b1-4739-9465-1e208144a8bf</onsuccess>

<code>Success = False

Message = ""

Try

If Not moTransaction Is Nothing Then

moTransaction.Commit()

moTransaction = Nothing

End If

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try

</code>

</stage>

<stage stageid="e2cc64c2-12bd-4614-bca3-0650718ccfee" name="Rollback Transaction" type="SubSheet">

<subsheets><subsheetid>4b6e35c6-8ec4-4fbc-b9d7-d43c48492695</subsheetid>

</loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>



```
<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="245c9f37-0f51-4fd3-aaa9-480630d4ac3f" name="Start" type="Start">

<subsheetid>4b6e35c6-8ec4-4fbe-b9d7-d43c48492695</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>921f479a-2714-4314-b394-c5c941b281e8</onsuccess>

</stage>

<stage stageid="5194d654-8af1-4946-b6df-c181211cddb" name="End" type="End">

<subsheetid>4b6e35c6-8ec4-4fbe-b9d7-d43c48492695</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="921f479a-2714-4314-b394-c5c941b281e8" name="Rollback Transaction" type="Code">

<subsheetsid>4b6e35c6-8ec4-4fbe-b9d7-d43c48492695</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>7c11fab5-28c4-48fd-b752-cbeac0598534</onsuccess>

<code>Success = False

Message = ""

Try

If Not moTransaction Is Nothing Then

moTransaction.Rollback()

moTransaction = Nothing

End If

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try

</code>

</stage>

<stage stageid="2631d241-e7fb-4a03-87f8-846c6443206f" name="Transaction?" type="Decision">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[In Transaction]"/>

<ontrue>ae52987e-a251-42ff-ab5f-f83a000393e7</ontrue>

<onfalse>b0d71d51-0e09-4333-a7e8-e16c11d5cc2c</onfalse>

</stage>

<stage stageid="f3d61e3c-3094-4c38-9370-3d142d7448c1" name="In Transaction" type="Data">

<loginhibit/>

```
<narrative>

</narrative>

<displayx>180</displayx>

<displayy>225</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

</stage>

<stage stageid="0441a51b-0a7c-49e6-8305-4a877c32cc8a" name="In Transaction" type="Calculation">

<subsheetid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8069fcae-0f9d-4ef0-8094-bf37e2f0001f</onsuccess>

<calculation expression="[Success]" stage="In Transaction"/>

</stage>

<stage stageid="f26aaae6-36b1-4739-9465-1e208144a8bf" name="Not In Transaction" type="Calculation">

<subsheetid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f45ab532-d1c3-40b4-9ccd-00088a39791e</onsuccess>

<calculation expression="[Success]=False" stage="In Transaction"/>

</stage>

<stage stageid="7c11fab5-28c4-48fd-b752-cbeac0598534" name="Not In Transaction" type="Calculation">

<subsheetsid>4b6e35c6-8ec4-4fbe-b9d7-d43c48492695</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5194d654-8af1-4946-b6df-c181211cd dbd</onsuccess>

<calculation expression="[Success]=False" stage="In Transaction"/>

</stage>

<stage stageid="28719a2d-9d55-4414-8a91-4f3c8ce10cba" name="anchor1" type="Anchor">

<subsheetsid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetsid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>15</displayx>

<displayy>150</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae52987e-a251-42ff-ab5f-f83a000393e7</onsuccess>

</stage>

<stage stageid="269b8cc6-856b-426a-ba48-b362a98fc752" name="Close" type="SubSheet">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>7943d127-6266-43fc-94d3-61d52b24a12a</onsuccess>

<processid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</processid>

</stage>

<stage stageid="12f14b00-5eb3-4995-afa2-e3eeeadcb5c0" name="Transaction?" type="Decision">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>
```

```
</narrative>

<displayx>105</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[In Transaction]"/>

<ontrue>3098273a-9d5f-43bd-8f67-dd5fa306c621</ontrue>

<onfalse>269b8cc6-856b-426a-ba48-b362a98fc752</onfalse>

</stage>

<stage stageid="7943d127-6266-43fc-94d3-61d52b24a12a" name="anchor1" type="Anchor">

<subsheetid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>165</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3098273a-9d5f-43bd-8f67-dd5fa306c621</onsuccess>

</stage>

<stage stageid="ffd23eb7-b1b9-4f82-ad2f-05d4db50bcd2" name="Close" type="SubSheet">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>90</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>5df19072-5ff9-4031-88a9-fac8cc60e43b</onsuccess>

<processid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</processid>

</stage>

<stage stageid="d689a9ea-0ae1-4208-b0ca-ece39ddd838f" name="Transaction?" type="Decision">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[In Transaction]"/>

<ontrue>281eca77-1f39-4ace-8815-a8145727a1e3</ontrue>

<onfalse>ffd23eb7-b1b9-4f82-ad2f-05d4db50bcd2</onfalse>

</stage>

<stage stageid="5df19072-5ff9-4031-88a9-fac8cc60e43b" name="anchor1" type="Anchor">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>
```



```
<loginhibit/>

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>165</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>281eca77-1f39-4ace-8815-a8145727a1e3</onsuccess>

</stage>

<stage stageid="221cc4f2-f3b6-4a62-985a-350066ad7c79" name="Get Collection" type="SubSheetInfo">

<subsheetsid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="76ba8075-200c-47f3-a5b0-81d2a545b93b" name="Start" type="Start">

<subsheetsid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>
```

```
<display>-135</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="SQL" stage="SQL"/>

</inputs>

<outputs/>

<onsuccess>98267e1e-20b7-4ce9-a0b8-847c18c1976f</onsuccess>

</stage>

<stage stageid="469b68e3-523f-4723-ab11-b47348bbdf33" name="End" type="End">

<subsheetid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<display>60</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

<output type="collection" name="Results" stage="Results"/>
```

</outputs>

</stage>

<stage stageid="897f736f-bc15-4938-9d97-b4c1065dd5e1" name="Get Data Table" type="Code">

<subsheetid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="SQL" expr="[SQL]"/>

</inputs>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

<output type="collection" name="Results" stage="Results"/>

</outputs>

<onsuccess>6247786f-c914-40c2-9acb-156178f5b62d</onsuccess>

<code>

Dim oCommand As System.Data.SqlClient.SqlCommand

Dim oDataAdapter As System.Data.SqlClient.SqlDataAdapter

Dim oDataSet As System.Data.DataSet

Success = False

Message = ""

Try

oCommand = New System.Data.SqlClient.SqlCommand

oCommand.Connection = moConnection

oCommand.CommandType = System.Data.CommandType.Text

oCommand.CommandText = SQL

oDataAdapter = New System.Data.SqlClient.SqlDataAdapter

oDataAdapter .SelectCommand = oCommand

oDataset = New System.Data.DataSet

oDataAdapter.Fill(oDataset)

Results = oDataSet.Tables(0)

Success = True

Catch ex As System.Exception

Message = ex.Message

End Try</code>

</stage>

<stage stageid="98267e1e-20b7-4ce9-a0b8-847c18c1976f" name="Open" type="SubSheet">

<subsheetid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-75</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Success" stage="Success"/>

<output type="text" name="Message" stage="Message"/>

</outputs>

<onsuccess>1c0c847f-0d0a-4f0d-9c66-25a64b4c477f</onsuccess>

<processid>459569f2-c792-4948-8884-5c2a0917cc16</processid>

</stage>

<stage stageid="1c0c847f-0d0a-4f0d-9c66-25a64b4c477f" name="Success?" type="Decision">

<subsheetid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Success]"/>

<ontrue>897f736f-bc15-4938-9d97-b4c1065dd5e1</ontrue>

<onfalse>469b68e3-523f-4723-ab11-b47348bbdf33</onfalse>

</stage>

<stage stageid="71604ec6-dbf3-40c1-b400-8a5eea8eda3f" name="Results" type="Collection">
```

<subsheetsid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>30</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<initialvalue/>

</stage>

<stage stageid="6247786f-c914-40c2-9acb-156178f5b62d" name="anchor2" type="Anchor">

<subsheetsid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>469b68e3-523f-4723-ab11-b47348bbdf33</onsuccess>

</stage>

<stage stageid="99f0a166-b905-44ab-ba9d-1fa79b71f6f6" name="Success" type="Data">

<subsheetid>459569f2-c792-4948-8884-5c2a0917cc16</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e981674b-56d4-4624-8c36-d156009e2a52" name="Message" type="Data">

<subsheetid>459569f2-c792-4948-8884-5c2a0917cc16</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

```
<private/>

<alwaysinit/>

</stage>

<stage stageid="f81f3fe8-65f8-4b08-928d-1e9b3a2d8db1" name="Success" type="Data">

<subsheetid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-135</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="728d45f7-0717-4872-ab22-b9ae8a142957" name="Message" type="Data">

<subsheetid>7ee7ad42-e017-40ff-92aa-3cfc5c6dd0e5</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>
```



<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="67c3cea7-7915-4e88-9e86-a1355e251b7d" name="Success" type="Data">

<subsheetid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="71de5830-7d23-4ba9-8354-30f54dacdff4" name="Message" type="Data">

<subsheetid>3ee937ec-012f-445c-9b2b-ebbc6d3614d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>150</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d5b51384-618c-4c4a-8510-baa7b99b6e20" name="Success" type="Data">

<subsheetsid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="29a89d90-a1e6-4a7d-8586-d40cb4c63a97" name="Message" type="Data">
```

<subsheetid>ba712d56-697c-48af-bc96-85e49eb968fc</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="235b42fd-91d3-4351-bef7-4e7407a29ffe" name="Success" type="Data">

<subsheetid>4b6e35c6-8ec4-4fbe-b9d7-d43c48492695</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="92878142-4175-4d93-90d4-7ea4dd84f1da" name="Message" type="Data">

<subsheetsid>4b6e35c6-8ec4-4fbe-b9d7-d43c48492695</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b50d625f-a5cd-464b-bc26-3a94288c485e" name="Success" type="Data">

<subsheetsid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="8eeb44dd-6e76-4f9d-9988-c3638cc5916c" name="Message" type="Data">

<subsheetid>c07ae8a2-a04f-46f2-8919-ec4da73d5b25</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="a1938177-269a-461e-b3fa-7cb2714659a8" name="Success" type="Data">

<subsheetid>a45f6098-73e2-4639-a002-31592645bfa5</subsheetid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>135</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="079adbce-1d95-4720-b83f-0567741a0749" name="Message" type="Data">

<subsheetsid>a45f6098-73e2-4639-a002-31592645bfa5</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>
```

<stage stageid="8ac84956-cd26-456e-a622-6b3426601f4a" name="Success" type="Data">

<subsHEETid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c40edd8e-a34c-49ad-ad39-9025a0f9b946" name="Message" type="Data">

<subsHEETid>12d7c91f-29ac-4711-9614-7ab992dc4b1f</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="34a8e2f0-1a6b-4bdc-b2d2-46fed237de50" name="Success" type="Data">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f2ebc91f-7722-42d3-907c-6bf37b0cd1e7" name="Message" type="Data">

<subsheetid>18349d7d-79b1-4397-a8a0-490ab27f459f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="20e595a2-0799-4731-b244-c3cf6be8d791" name="Success" type="Data">

<subsheetid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="97efd2f3-8f58-454f-b7ef-db9e6bef8aea" name="Message" type="Data">

<subsheetid>780529b8-393d-4d1d-bc5f-34f383fe53ec</subsheetid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>-180</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3f1a0ec2-f57f-43ae-8fb2-41c941232264" name="Get User Name" type="SubSheetInfo">

<subsheetsid>defba919-6085-4a2f-9b02-0e15b7160ee4</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="559003cb-b36a-48ee-8d39-4b95c6829ec8" name="Start" type="Start">

<subsheetsid>defba919-6085-4a2f-9b02-0e15b7160ee4</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>88067859-26dd-4103-af2f-22326e7d7fef</onsuccess>

</stage>

<stage stageid="ec820594-2403-4c5c-8c8a-dcd63b7c1e7c" name="End" type="End">

<subsheetid>defba919-6085-4a2f-9b02-0e15b7160ee4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="user name" stage="user name"/>

</outputs>

</stage>

<stage stageid="a51da8a6-4f6a-4f6f-bced-ea801081ffbe" name="Get Machine Name" type="SubSheetInfo
```

<subsheetid>64e09bd7-e59a-4c7f-97eb-0d7afdb74f1f</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7753f7e7-0ddf-44c5-b6a2-7f8c2c259d0b" name="Start" type="Start">

<subsheetid>64e09bd7-e59a-4c7f-97eb-0d7afdb74f1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>e398ff12-5b7c-4957-9648-fd4411dc71b3</onsuccess>

</stage>

<stage stageid="b17b5eed-1fee-4cb5-95be-1ae8fd5d20e5" name="End" type="End">

<subsheetid>64e09bd7-e59a-4c7f-97eb-0d7afdb74f1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="machine name" stage="machine name"/>

</outputs>

</stage>

<stage stageid="88067859-26dd-4103-af2f-22326e7d7fef" name="get user name" type="Code">

<subsheetid>defba919-6085-4a2f-9b02-0e15b7160ee4</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="user name" stage="user name"/>

</outputs>

<onsuccess>ec820594-2403-4c5c-8c8a-dcd63b7c1e7c</onsuccess>

<code>

user\_name = System.Environment.UserName</code>

</stage>

<stage stageid="04677e30-ae3d-45c3-8e37-e4e37387f3f4" name="user name" type="Data">

<subsheetid>defba919-6085-4a2f-9b02-0e15b7160ee4</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e398ff12-5b7c-4957-9648-fd4411dc71b3" name="get machine name" type="Code">

<subsheetid>64e09bd7-e59a-4c7f-97eb-0d7afdb74f1f</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="machine name" stage="machine name"/>

</outputs>

<onsuccess>b17b5eed-1fee-4cb5-95be-1ae8fd5d20e5</onsuccess>

<code>

machine_name = System.Environment.MachineName</code>

</stage>

<stage stageid="430a9fc7-7a45-48e0-99fe-e914d799a099" name="machine name" type="Data">

<subsheetsid>64e09bd7-e59a-4c7f-97eb-0d7afdb74f1f</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>
```

```
</process>

<process name="Test Add Letters" version="1.0" narrative="Process to test Add Letters which was causing

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;"/>

<stage stageid="df17c1b6-a37b-41dc-b4ed-28ec13e26213" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>0e9581a4-591b-42e8-9304-030d01cb2d7b</onsuccess>

</stage>

<stage stageid="0b0d4909-ec41-41b1-adc8-b1fe55044196" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>
```



<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="9d4a0702-2a36-487a-a8e7-333a2751da02" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0e9581a4-591b-42e8-9304-030d01cb2d7b" name="action1" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="Database Server" expr="&quot;10.25.224.178&quot;"/>

<input type="text" name="Database Name" expr="&quot;BP\_Excess&quot;"/>

<input type="text" name="Database User ID" expr="&quot;automateuser&quot;"/>

<input type="password" name="Database User Password" expr="&quot;\*\*\*\*\*&quot;"/>

<input type="text" name="Letter Code" expr="&quot;CM31&quot;"/>

<input type="text" name="Process" expr="&quot;Excess-ExtraCashminder&quot;"/>

<input type="text" name="Sort Code" expr="&quot;089249&quot;"/>

<input type="text" name="Account Number" expr="&quot;02161060&quot;"/>

<input type="text" name="Account Type" expr="&quot;00&quot;"/>

<input type="text" name="Customer Number" expr=""/>

<input type="text" name="VISA Account" expr=""/>

<input type="text" name="Application Number" expr=""/>

<input type="text" name="Applicant Number" expr=""/>

<input type="text" name="Product Code" expr=""/>

<input type="number" name="Fee Value" expr="0"/>

<input type="text" name="Operator ID" expr="&quot;bpvar1&quot;"/>

<input type="text" name="Output Type" expr=""/>

<input type="text" name="Salutation" expr="&quot;MISS POUNDS&quot;"/>

<input type="text" name="Mailing Name" expr="&quot;MISS C L POUNDS&quot;"/>

<input type="text" name="Mailing Address 1" expr="&quot;5 COPPICE MEWS&quot;"/>

<input type="text" name="Mailing Address 2" expr="&quot;WARWICK ROAD&quot;"/>

<input type="text" name="Mailing Address 3" expr="&quot;BASINGSTOKE&quot;"/>

<input type="text" name="Mailing Address 4" expr="&quot;HAMPSHIRE&quot;"/>

<input type="text" name="Mailing Postcode" expr="&quot;RG23 8DS&quot;"/>

<input type="text" name="Email Address" expr=""/>

<input type="text" name="Mobile Phone Number" expr=""/>

<input type="text" name="LetterVariable1Name" expr=""/>

<input type="text" name="LetterVariable1Value" expr=""/>

<input type="text" name="LetterVariable2Name" expr=""/>  
<input type="text" name="LetterVariable2Value" expr=""/>  
<input type="text" name="LetterVariable3Name" expr=""/>  
<input type="text" name="LetterVariable3Value" expr=""/>  
<input type="text" name="LetterVariable4Name" expr=""/>  
<input type="text" name="LetterVariable4Value" expr=""/>  
<input type="text" name="LetterVariable5Name" expr=""/>  
<input type="text" name="LetterVariable5Value" expr=""/>  
<input type="text" name="LetterVariable6Name" expr=""/>  
<input type="text" name="LetterVariable6Value" expr=""/>  
<input type="text" name="LetterVariable7Name" expr=""/>  
<input type="text" name="LetterVariable7Value" expr=""/>  
<input type="text" name="LetterVariable8Name" expr=""/>  
<input type="text" name="LetterVariable8Value" expr=""/>  
<input type="text" name="LetterVariable9Name" expr=""/>  
<input type="text" name="LetterVariable9Value" expr=""/>  
<input type="text" name="LetterVariable10Name" expr=""/>  
<input type="text" name="LetterVariable10Value" expr=""/>  
<input type="text" name="LetterVariable11Name" expr=""/>  
<input type="text" name="LetterVariable11Value" expr=""/>  
<input type="text" name="LetterVariable12Name" expr=""/>  
<input type="text" name="LetterVariable12Value" expr=""/>  
<input type="text" name="LetterVariable13Name" expr=""/>  
<input type="text" name="LetterVariable13Value" expr=""/>  
<input type="text" name="LetterVariable14Name" expr=""/>  
<input type="text" name="LetterVariable14Value" expr=""/>  
<input type="text" name="LetterVariable15Name" expr=""/>

```
<input type="text" name="LetterVariable15Value" expr=""/>
<input type="text" name="LetterVariable16Name" expr=""/>
<input type="text" name="LetterVariable16Value" expr=""/>
<input type="text" name="LetterVariable17Name" expr=""/>
<input type="text" name="LetterVariable17Value" expr=""/>
<input type="text" name="LetterVariable18Name" expr=""/>
<input type="text" name="LetterVariable18Value" expr=""/>
<input type="text" name="LetterVariable19Name" expr=""/>
<input type="text" name="LetterVariable19Value" expr=""/>
<input type="text" name="LetterVariable20Name" expr=""/>
<input type="text" name="LetterVariable20Value" expr=""/>
<input type="text" name="Reason" expr=""/>
<input type="text" name="Status" expr="&quot;PENDING&quot;"/>
</inputs>
<outputs>
<output type="flag" name="Success" stage=""/>
</outputs>
<onsuccess>0b0d4909-ec41-41b1-adc8-b1fe55044196</onsuccess>
<resource object="CommonAutomation.clsTest" action="Add Letter"/>
</stage>
</process>
<process name="Test Bug #3709 Object" version="1.0" bpversion="6.7.0.16843" narrative="Test for bug #
<appdef>
<element name="Test Bug #3709">
<id>a65e5abe-fb42-4db3-97fc-465d6db2bbbc</id>
<element name="Clear Filter Button">
<id>c90721e3-4233-4199-832f-7608e116af8e</id>
```

<type>HTML</type>

<basetype>HTML</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="X">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Path" inuse="True">

<ProcessValue datatype="text" value="/HTML/FRAMESET(1)/FRAME(4)/HTML/BODY(1)/DIV(1)/IFRAME(1)"/>

</attribute>

<attribute name="TagName" inuse="True">

<ProcessValue datatype="text" value="BUTTON"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="buttons"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="imgBtn2\_button"/>

</attribute>

<attribute name="Title" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Link" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputType" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="InputIdentifier" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Value">

<ProcessValue datatype="text" value="Clear Filter"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pURL" comparisontype="dynamic" inuse="True">

<ProcessValue datatype="text" value="file:///C:/BluePrism/QA/Code/pdmweb/CAisd/pdmweb.exe\_grid.html"/>

</attribute>

</attributes>

</element>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>

</element>

<apptypeinfo>

<id>HTMLLaunch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\Program Files\Internet Explorer\iexplore.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>C:\BluePrism\QA\Code\pdmweb\CAisd\pdmweb.exe.html</value>

</parameter>

<parameter>

<name>ActiveTabOnly</name>

<value>False</value>

</parameter>

<parameter>

<name>UseJavaInBrowser</name>

<value>False</value>

</parameter>

<parameter>

<name>ExcludeHTC</name>

```
<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="99085ae8-52aa-4274-ab3b-803483c84f53" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>
```



</subsheet>

<subsheet subsheetid="51b33065-0a4d-4a74-ab6c-0a5c8eec30e7" type="Normal" published="True">

<name>Test Bug</name>

<view>

<camerax>0</camerax>

<cameray>42</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="73ffd195-68c2-4ca2-aa2a-673f1f3d3361" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>364338a6-2873-4b9a-99f1-dd6090de45c0</onsuccess>

</stage>

<stage stageid="364338a6-2873-4b9a-99f1-dd6090de45c0" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f6290444-a1db-4d09-84ac-cffe58eddfa3" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Drawing.dll</reference>

</references>

<imports>

<import>System</import>

<import>System.Drawing</import>

</imports>

<language>visualbasic</language>

<globalcode>

</globalcode>

<code>

</code>

</stage>

<stage stageid="24db359f-f509-4d67-8685-42661db9c455" name="Clean Up" type="SubSheetInfo">

<subsHEETid>99085ae8-52aa-4274-ab3b-803483c84f53</subsHEETid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="43b7b558-93b5-45dd-994c-e5e0b0c97fee" name="Start" type="Start">

<subsHEETid>99085ae8-52aa-4274-ab3b-803483c84f53</subsHEETid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dd6b3170-8c80-4f82-ac7a-f198df63ec3c</onsuccess>

</stage>

<stage stageid="dd6b3170-8c80-4f82-ac7a-f198df63ec3c" name="End" type="End">

<subsHEETid>99085ae8-52aa-4274-ab3b-803483c84f53</subsHEETid>

```
<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ab816cc8-5d87-484e-a359-004a79b5e01a" name="Test Bug" type="SubSheetInfo">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7f2a9115-9ab6-42c1-a2ab-a4642710cf9e" name="Start" type="Start">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>03218f0d-5ff0-4c0a-9379-faa0bb9d1727</onsuccess>

</stage>

<stage stageid="69808da4-96df-44b6-ae6a-f2d2960def96" name="End" type="End">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<loginhibit/>

<display x="15" y="225"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8320d0fa-e927-4629-8954-b96fab0f46fc" name="new" type="Note">

<subsheetsid>99085ae8-52aa-4274-ab3b-803483c84f53</subsheetsid>

<narrative>Clean Up Page
```

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically immediately after closing your business object at the end of

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="74ee633a-8129-46cd-a340-c12024f4a694" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business o

The initialise action will be called automatically immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="be836b6c-85e6-415e-a238-9164a1d6d2ca" name="Launch" type="Navigate">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="15" y="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a90e0144-d0d8-44cb-a093-6cccae64add3</onsuccess>

<step>

<element id="a65e5abe-fb42-4db3-97fc-465d6db2bbbc"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root]&amp;amp;"\Code\pdmweb\CAisd\pdmweb.exe.html"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>ActiveTabOnly</id>

<value>

</value>

</argument>

<argument>

<id>UseJavaInBrowser</id>

<value>

</value>

</argument>

<argument>

<id>ExcludeHTC</id>

<value>

</value>

</argument>

<argument>

```
<id>ProcessMode</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="0c7f9344-3eba-4aca-bd68-ac817d68b2ad" name="Time Out1" type="WaitEnd">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="60" y="90" w="60" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a8e9e667-d22b-4b7f-97ab-fafc7979fc11</onsuccess>

<groupid>1fdda852-f3df-420e-b0b8-b0c9da775b01</groupid>

</stage>

<stage stageid="a90e0144-d0d8-44cb-a093-6cccae64add3" name="Wait For Clear Filter" type="WaitStart">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="-30" y="90" w="60" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>1fdda852-f3df-420e-b0b8-b0c9da775b01</groupid>

<choices>

<choice reply="True">

<name>Clear Filter Button Check Exists</name>

<distance>45</distance>

<ontrue>9b27feee-b55f-4cdd-b793-4b0d345b34fe</ontrue>
```

```
<element id="c90721e3-4233-4199-832f-7608e116af8e">
  <elementparameter>
    <name>pURL</name>
    <expression>"file:/// &amp;&amp;[QA Root]&amp;&amp;"\Code\pdmweb\CAisd\pdmweb.exe_grid.html"</expression>
    <datatype>text</datatype>
    <comparisontype>Equal</comparisontype>
  </elementparameter>
</element>

<condition>
  <id>CheckExists</id>
</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="9b27feee-b55f-4cdd-b793-4b0d345b34fe" name="Terminate" type="Navigate">
  <subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>
  <loginhibit/>
  <display x="15" y="180"/>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>69808da4-96df-44b6-ae6a-f2d2960def96</onsuccess>
</step>

<element id="a65e5abe-fb42-4db3-97fc-465d6db2bbbc"/>
  <action>
    <id>Terminate</id>
  </action>
```

</step>

</stage>

<stage stageid="03218f0d-5ff0-4c0a-9379-faa0bb9d1727" name="Connected?" type="Read">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="15" y="-60" w="90" h="30"/>

<onsuccess>e741836b-f4fe-4b96-9114-a33113d6b9df</onsuccess>

<step stage="Connected">

<element id="a65e5abe-fb42-4db3-97fc-465d6db2bbbc"/>

<action>

<id>IsConnected</id>

</action>

</step>

</stage>

<stage stageid="d1ef7d79-013a-4db5-9ba1-1d539987874d" name="Connected" type="Data">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="135" y="-60" w="90" h="30"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e741836b-f4fe-4b96-9114-a33113d6b9df" name="Is Connected?" type="Decision">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="15" y="-15" w="90" h="30"/>



<decision expression="[Connected]=True"/>

<ontrue>cf01c2e4-e1ee-492f-a17f-6345a4e42173</ontrue>

<onfalse>be836b6c-85e6-415e-a238-9164a1d6d2ca</onfalse>

</stage>

<stage stageid="a8e9e667-d22b-4b7f-97ab-fafc7979fc11" name="Attempts +1" type="Calculation">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<loginhibit/>

<display x="135" y="90"/>

<onsuccess>98212925-8a57-4652-801d-7c1b42eb2de0</onsuccess>

<calculation expression="[Attempts]+1" stage="Attempts"/>

</stage>

<stage stageid="98212925-8a57-4652-801d-7c1b42eb2de0" name="Max Attempts?" type="Decision">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<loginhibit/>

<display x="135" y="45"/>

<decision expression="[Attempts]=5"/>

<ontrue>a78fd0ea-5bcb-486f-ab91-9a142540dba3</ontrue>

<onfalse>80b4eac9-6c79-457d-a244-f7aebc657ec8</onfalse>

</stage>

<stage stageid="1f8e9de2-2030-4e40-9b14-6354e8ec6daa" name="Anchor3" type="Anchor">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<loginhibit/>

<display x="-90" y="90" w="10" h="10"/>

<onsuccess>a90e0144-d0d8-44cb-a093-6cccae64add3</onsuccess>

</stage>

<stage stageid="cf01c2e4-e1ee-492f-a17f-6345a4e42173" name="Anchor4" type="Anchor">

<subsheetsid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetsid>

<loginhibit/>

<display x="-90" y="-15" w="10" h="10"/>

<onsuccess>1f8e9de2-2030-4e40-9b14-6354e8ec6daa</onsuccess>

</stage>

<stage stageid="80b4eac9-6c79-457d-a244-f7aebc657ec8" name="Connected?" type="Read">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="135" y="-15" w="90" h="30"/>

<onsuccess>e741836b-f4fe-4b96-9114-a33113d6b9df</onsuccess>

<step stage="Connected">

<element id="a65e5abe-fb42-4db3-97fc-465d6db2bbbc"/>

<action>

<id>IsConnected</id>

</action>

</step>

</stage>

<stage stageid="a78fd0ea-5bcb-486f-ab91-9a142540dba3" name="FAIL" type="Exception">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<display x="210" y="45"/>

<exception type="Attach" detail="&quot;IE is not attached after 5 attempts&quot;"/>

</stage>

<stage stageid="ee13d80d-b69a-409a-bd88-e981d8542729" name="Attempts" type="Data">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="210" y="90"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c71d82d8-9af9-4426-9191-df70e0b8bc16" name="QA Root" type="Data">

<subsheetid>51b33065-0a4d-4a74-ab6c-0a5c8eec30e7</subsheetid>

<loginhibit/>

<display x="-195" y="-30" w="120" h="30"/>

<datatype>text</datatype>

<initialvalue/>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Test Bug #3709 Process" version="1.0" narrative="Test Bug #3709" preferredid="35f942">

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="f1f3a079-cf81-4a78-a3ad-d2c30f9439df" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>7858df84-de7c-44f7-a974-5a093270349a</onsuccess>

</stage>

<stage stageid="af9eca24-1e03-4e5a-8370-e8a3c52ccdf2" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="00b4f0bc-387a-44ca-9691-821bc7c7c5a2" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7858df84-de7c-44f7-a974-5a093270349a" name="Test Bug" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>af9eca24-1e03-4e5a-8370-e8a3c52ccdf2</onsuccess>

<resource object="Test Bug #3709 Object" action="Test Bug"/>

</stage>

</process>

<process name="Test Java in Web Page" version="1.0" narrative="Basic Tests for Java Web Applets" pref

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="1a680605-ae81-42f3-ba56-7db2a7d5864d" name="Start" type="Start">

<narrative>
```

```
</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>42af1332-e935-4cf1-b24d-dcfb23759d54</onsuccess>

</stage>

<stage stageid="312b8240-75a6-4327-be83-d401a8f770cf" name="End" type="End">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="1334020e-a5da-415e-b5fd-ce74509fa791" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>
```

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="42af1332-e935-4cf1-b24d-dcfb23759d54" name="Launch 1.3" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="JRE Version" expr="1.3"/>

</inputs>

<outputs/>

<onsuccess>2d72747e-9aa7-4eb9-97ec-e89f60121c02</onsuccess>

<resource object="Java Web Test" action="Launch"/>

</stage>

<stage stageid="2d72747e-9aa7-4eb9-97ec-e89f60121c02" name="Do Test" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>0bbad946-480b-4a29-b1fc-6918146f967a</onsuccess>

<resource object="Java Web Test" action="Test Each Button"/>

</stage>

<stage stageid="0bbad946-480b-4a29-b1fc-6918146f967a" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>d46aaa6a-a6e1-42d0-9841-5cd2af2b9057</onsuccess>

<resource object="Java Web Test" action="Terminate"/>

</stage>

<stage stageid="d46aaa6a-a6e1-42d0-9841-5cd2af2b9057" name="Launch 1.4" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>30</displayy>



<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="JRE Version" expr="1.4"/>

</inputs>

<outputs/>

<onsuccess>4194df13-6e4e-4ac5-96e6-b89bb95dda82</onsuccess>

<resource object="Java Web Test" action="Launch"/>

</stage>

<stage stageid="4194df13-6e4e-4ac5-96e6-b89bb95dda82" name="Do Test" type="Action">

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>e75354f9-9621-4c58-a31d-4707a52236cb</onsuccess>

<resource object="Java Web Test" action="Test Each Button"/>

</stage>

<stage stageid="e75354f9-9621-4c58-a31d-4707a52236cb" name="Terminate" type="Action">

<narrative>

```
</narrative>

<displayx>120</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>312b8240-75a6-4327-be83-d401a8f770cf</onsuccess>

<resource object="Java Web Test" action="Terminate"/>

</stage>

</process>

<process name="Test VB6 checkbox controls" version="1.0" narrative="Test VB6 checkboxes" preferredid

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>33ab70dd-d66a-4795-8b97-e4dcceea0b3f</onsuccess>

<resource object="VB6 Controls" action="Launch"/>

</stage>

<stage stageid="33ab70dd-d66a-4795-8b97-e4dcceea0b3f" name="Set checkbox to True using win32" type="Dec

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Checkbox value" expr="True"/>

</inputs>

<outputs/>

<onsuccess>018d7adf-3204-47ba-bdd5-2cda80f1c77f</onsuccess>

<resource object="VB6 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="17754343-8887-4de4-b94e-817cf351fe92" name="Is the checkbox value True" type="Dec

<narrative>it should be</narrative>

<displayx>285</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=True"/>

```
<ontrue>5b602cc0-9b87-40a1-b90f-3ecfb7990e6e</ontrue>

<onfalse>073218e6-0582-4ea4-90bc-4b18a80dc6a9</onfalse>

</stage>

<stage stageid="018d7adf-3204-47ba-bdd5-2cda80f1c77f" name="Get checkbox value using win32" type=

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>17754343-8887-4de4-b94e-817cf351fe92</onsuccess>

<resource object="VB6 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="3fed08ee-0060-44a0-aa7c-bf07c2b20e50" name="Current checkbox value" type="Data">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<datatype>flag</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="073218e6-0582-4ea4-90bc-4b18a80dc6a9" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>390</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c65f9101-62f1-43c9-9356-3ddaa6ecea5" name="Set checkbox value to false using win3

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="Checkbox value" expr="False"/>

</inputs>

<outputs/>

<onsuccess>361a3b84-3c3d-4893-9f0a-ca84ca476e23</onsuccess>

<resource object="VB6 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="361a3b84-3c3d-4893-9f0a-ca84ca476e23" name="Get checkbox value using win32" type="Action"/>

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>01828d6f-93a7-4190-9929-e64933075dea</onsuccess>

<resource object="VB6 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="01828d6f-93a7-4190-9929-e64933075dea" name="Is checkbox value false" type="Decision"/>

<narrative>...it should be</narrative>

<displayx>285</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=False"/>

```
<ontrue>4bd6229a-b905-47cd-a087-01aba06e5863</ontrue>

<onfalse>565fa8ac-f370-460a-a230-ab0412d50e57</onfalse>

</stage>

<stage stageid="565fa8ac-f370-460a-a230-ab0412d50e57" name="Note2" type="Note">

<narrative>Checkbox value should be false</narrative>

<displayx>375</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ac9c858c-9b35-43b3-a51c-9f30016178bd" name="Set checkbox to True using win32" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>315</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="checkbox" name="Checkbox value" value="True"/>

</inputs>

<outputs/>

<onsuccess>cc856e45-fa43-4e65-89f5-10ea83ad87a6</onsuccess>

<resource object="VB6 Controls" action="Set Checkbox - Win32"/>

</stage>
```



```
<stage stageid="150fc4ad-e6ed-4a30-a696-8a3785921c06" name="Is the checkbox value True" type="Decision">
  <narrative>it should be</narrative>

  <displayx>300</displayx>
  <displayy>315</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <decision expression="[Current checkbox value]=True"/>
  <ontrue>e6c5366e-96fa-41d8-8188-71137b9f89c7</ontrue>
  <onfalse>25ded9b2-0c54-4f4a-a43b-8543dded4b7e</onfalse>
</stage>

<stage stageid="cc856e45-fa43-4e65-89f5-10ea83ad87a6" name="Get checkbox value using win32" type="Action">
  <narrative>
  </narrative>
  <displayx>195</displayx>
  <displayy>315</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <action/>
  <inputs/>
  <outputs>
  <output type="flag" name="Checkbox value" stage="Current checkbox value"/>
  </outputs>
  <onsuccess>150fc4ad-e6ed-4a30-a696-8a3785921c06</onsuccess>
  <resource object="VB6 Controls" action="Get Checkbox value - Win32"/>
</stage>
```

<stage stageid="25ded9b2-0c54-4f4a-a43b-8543dded4b7e" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>390</displayx>

<displayy>315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="50251ffa-9a71-48d3-869e-eba6b1b93260" name="Set checkbox value to false using win32" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="checkbox" name="Checkbox value" expr="False"/>

</inputs>

<outputs/>

<onsuccess>d489a5b9-8cd2-4b0d-9f39-f884a8c0723a</onsuccess>

<resource object="VB6 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="d489a5b9-8cd2-4b0d-9f39-f884a8c0723a" name="Get checkbox value using win32" type="Action">

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>0c17fc38-a778-4108-b4ef-00cde8d8db43</onsuccess>

<resource object="VB6 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="0c17fc38-a778-4108-b4ef-00cde8d8db43" name="Is checkbox value false" type="Decision">

<narrative>...it should be</narrative>

<displayx>285</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=False"/>

<ontrue>bb6330b2-6daa-4690-bb50-6d588051bd74</ontrue>

<onfalse>2e42ecc1-3db1-4b50-8140-773173f23685</onfalse>

</stage>

<stage stageid="2e42ecc1-3db1-4b50-8140-773173f23685" name="Note2" type="Note">

<narrative>Checkbox value should be false</narrative>

<displayx>390</displayx>

```
<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="97593d44-10bd-49d7-b3ae-bb6f9f4c6dec" name="Set checkbox to True using win32" type="Action" />

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>420</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="checkbox" name="Checkbox value" checked="" />

</inputs>

<outputs/>

<onsuccess>70be4a07-b1e0-46c0-8c51-27619fca1701</onsuccess>

<resource object="VB6 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="c50ef6af-964e-4ff0-8f13-9b9d3ec17c3f" name="Is the checkbox value True" type="Decision" />

<narrative>it should be</narrative>

<displayx>285</displayx>

<displayy>420</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Current checkbox value]=True"/>
<ontrue>e09791ee-4cb5-4879-b9ad-6c9c7028f654</ontrue>
<onfalse>024fe1b2-e240-4239-a362-6fc1ce9cbe4e</onfalse>
</stage>

<stage stageid="70be4a07-b1e0-46c0-8c51-27619fca1701" name="Get checkbox value using win32" type="Stage">
  <narrative>
  </narrative>
  <displayx>195</displayx>
  <displayy>420</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <action/>
  <inputs/>
  <outputs>
    <output type="flag" name="Checkbox value" stage="Current checkbox value"/>
  </outputs>
  <onsuccess>c50ef6af-964e-4ff0-8f13-9b9d3ec17c3f</onsuccess>
  <resource object="VB6 Controls" action="Get Checkbox value - Win32"/>
</stage>

<stage stageid="024fe1b2-e240-4239-a362-6fc1ce9cbe4e" name="Note1" type="Note">
  <narrative>Checkbox value should be true</narrative>
  <displayx>390</displayx>
  <displayy>420</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5b602cc0-9b87-40a1-b90f-3ecfb7990e6e" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ef590c05-caad-49b2-aa2f-761ff8cb62ac</onsuccess>

</stage>

<stage stageid="ef590c05-caad-49b2-aa2f-761ff8cb62ac" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>60</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c65f9101-62f1-43c9-9356-3ddaa6ecea5</onsuccess>

</stage>

<stage stageid="4bd6229a-b905-47cd-a087-01aba06e5863" name="anchor3" type="Anchor">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ba7c2534-105d-49ff-a1d5-7fbcb3b0f1a</onsuccess>

</stage>

<stage stageid="ba7c2534-105d-49ff-a1d5-7fbcb3b0f1a" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>180</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>50251ffa-9a71-48d3-869e-eba6b1b93260</onsuccess>

</stage>

<stage stageid="bb6330b2-6daa-4690-bb50-6d588051bd74" name="anchor5" type="Anchor">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>270</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bc273b9e-779a-420d-bd27-b1fc1a902cce</onsuccess>

</stage>

<stage stageid="bc273b9e-779a-420d-bd27-b1fc1a902cce" name="anchor6" type="Anchor">

<narrative>

```
</narrative>

<displayx>90</displayx>

<displayy>270</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ac9c858c-9b35-43b3-a51c-9f30016178bd</onsuccess>

</stage>

<stage stageid="e6c5366e-96fa-41d8-8188-71137b9f89c7" name="anchor7" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>375</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fd3710c5-ce96-4e6b-a627-cc1431bae700</onsuccess>

</stage>

<stage stageid="fd3710c5-ce96-4e6b-a627-cc1431bae700" name="anchor8" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>375</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>97593d44-10bd-49d7-b3ae-bb6f9f4c6dec</onsuccess>
```



</stage>

<stage stageid="3e790fa1-d86c-4649-84e5-b9b4c5eed871" name="Note3" type="Note">

<narrative>Set to true from the default</narrative>

<displayx>-75</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="81a086d1-2b04-448e-b78d-ad75658726db" name="Note4" type="Note">

<narrative>Set to false from true</narrative>

<displayx>-75</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2397d39f-87ea-4781-b619-8af4bc8934ea" name="Note5" type="Note">

<narrative>Set to false from false</narrative>

<displayx>-75</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="47e10912-e635-4da4-8be0-f5f95afeea27" name="Note6" type="Note">

<narrative>Set to true from false</narrative>

<displayx>-75</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8a7af2c8-dfea-48fe-8b5f-48876422f5ed" name="Note7" type="Note">

<narrative>Set to true from true</narrative>

<displayx>-75</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ffa27226-1cae-42f8-a9a0-60d47802baa5" name="Note8" type="Note">

<narrative>Set and get using win32</narrative>

<displayx>-330</displayx>

<displayy>210</displayy>

<displaywidth>180</displaywidth>

<displayheight>420</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="09b85e96-636a-487e-a5ff-e95ac4d5e031" name="End1" type="End">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>600</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="e09791ee-4cb5-4879-b9ad-6c9c7028f654" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>510</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>09b85e96-636a-487e-a5ff-e95ac4d5e031</onsuccess>

<resource object="VB6 Controls" action="Terminate"/>

</stage>

</process>

<process name="Test VB6 ComboBox Control" version="1.0" narrative="Test a VB6 ComboBox Control us

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="ff120dd3-bc55-45fc-bece-bd035ca9f712" name="Start" type="Start">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>acf1c335-8af8-4a47-a7cc-272cf84c0571</onsuccess>

</stage>

<stage stageid="5c7b1378-717b-4049-9282-e247abd80ebb" name="End" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

```
</stage>

<stage stageid="bb74eb7b-3659-4148-bbe9-6bb7b5427ab1" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="acf1c335-8af8-4a47-a7cc-272cf84c0571" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>8e20b5b6-df47-445a-8117-3efa9dfcb1e2</onsuccess>

<resource object="VB6 Controls" action="Launch"/>

</stage>

<stage stageid="a40cfa42-a93b-45ca-a77d-1602db03500e" name="Terminate" type="Action">

<narrative>

</narrative>
```

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>5c7b1378-717b-4049-9282-e247abd80ebb</onsuccess>

<resource object="VB6 Controls" action="Terminate"/>

</stage>

<stage stageid="8e20b5b6-df47-445a-8117-3efa9dfcb1e2" name="Set ComboBox" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="ComboBox Item" expr="[ComboBox Value In]"/>

</inputs>

<outputs/>

<onsuccess>a5f028c9-d55a-4a7c-809f-c11d8a5169d3</onsuccess>

<resource object="VB6 Controls" action="Set Combo Box - Win32"/>

</stage>

```
<stage stageid="a5f028c9-d55a-4a7c-809f-c11d8a5169d3" name="Get ComboBox" type="Action">
<narrative>
</narrative>
<displayx>15</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<action/>
<inputs/>
<outputs>
<output type="text" name="ComboBox Value" stage="ComboBox Value Out"/>
</outputs>
<onsuccess>380a8021-a085-4992-91f4-1151b6f9a047</onsuccess>
<resource object="VB6 Controls" action="Get ComboBox - Win32"/>
</stage>
```

```
<stage stageid="1760740a-07d5-499b-8a78-a97863a04d5d" name="ComboBox Value Out" type="Data">
<narrative>
</narrative>
<displayx>135</displayx>
<displayy>45</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue>
</initialvalue>
```

<private/>

<alwaysinit/>

</stage>

<stage stageid="380a8021-a085-4992-91f4-1151b6f9a047" name="Decision1" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ComboBox Value Out]=[ComboBox Value In]"/>

<ontrue>70facd00-0768-4757-8dc0-1537faa5a8e1</ontrue>

<onfalse>72245dce-6188-460d-80ea-1ef2d505f6d3</onfalse>

</stage>

<stage stageid="5805b8b1-7b0a-44e7-9505-affac52facf0" name="ComboBox Value In" type="Data">

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>My combobox item at row 1</initialvalue>

<private/>

<alwaysinit/>



</stage>

<stage stageid="72245dce-6188-460d-80ea-1ef2d505f6d3" name="Note1" type="Note">

<narrative>new note</narrative>

<displayx>-90</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="896d478b-baff-41f5-bee8-4bad822b90ad" name="Set ComboBox" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="ComboBox Item" expr="[ComboBox Value In]"/>

</inputs>

<outputs/>

<onsuccess>2bbed7e1-af6d-48d5-9673-ec8cbc19454e</onsuccess>

<resource object="VB6 Controls" action="Set Combo Box - Win32"/>

</stage>

<stage stageid="2bbed7e1-af6d-48d5-9673-ec8cbc19454e" name="Get ComboBox" type="Action">

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="ComboBox Value" stage="ComboBox Value Out"/>

</outputs>

<onsuccess>2089a3f8-47fb-42a7-9e99-13bbf81eeb46</onsuccess>

<resource object="VB6 Controls" action="Get ComboBox - Win32"/>

</stage>

<stage stageid="2089a3f8-47fb-42a7-9e99-13bbf81eeb46" name="Decision1" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ComboBox Value Out]=[ComboBox Value In]"/>

<ontrue>a40cfa42-a93b-45ca-a77d-1602db03500e</ontrue>

<onfalse>3250c7b2-09b1-481c-8772-42fed1a2f986</onfalse>

</stage>

<stage stageid="3250c7b2-09b1-481c-8772-42fed1a2f986" name="Note2" type="Note">
```

```
<narrative>new note</narrative>

<displayx>-90</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="70facd00-0768-4757-8dc0-1537faa5a8e1" name="Calc1" type="Calculation">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>896d478b-baff-41f5-bee8-4bad822b90ad</onsuccess>

<calculation expression="&quot;&quot;" stage="ComboBox Value In"/>

</stage>

</process>

<process name="VB6 Controls" version="1.0" bpversion="6.3.0.4051" narrative="VB6 Controlds" byrefcolle

<appdef>

<element name="VB6 Controls">

<id>e4250a95-a3b4-4c1b-a150-bf63ceb5b761</id>

<element name="Main Window">

<id>a3ed6523-64f9-4bc4-a2e7-7e57da46eb37</id>

<type>Window</type>

<basetype>Window</basetype>
```

```
<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ThunderRT6FormDC"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="44"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="58"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>
```

```
<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

<group name="Checkbox">

<id>fb966aea-2fc6-4d3c-8464-f77e2ff12d18</id>

<element name="Checkbox_win32">

<id>10f3cc34-0020-4f33-b0a7-0ce550f6ed56</id>

<type>CheckBox</type>

<basetype>Button</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="My Checkbox"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X">
```

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

</group>

<group name="Listbox">

<id>2db33d04-802f-4637-829f-702795fbfd83</id>

<element name="Listbox\_win32">

<id>b23606c9-5a48-4fa2-9b54-d0a78d2a0eca</id>

<type>ListBox</type>

<basetype>ListBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="Visible" inuse="True">



```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="82"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="109"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">
```

```
<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

</attributes>

</element>

<element name="Listbox confirmation_win32">

<id>0f89793f-aa8a-40d4-a690-4983395a2d37</id>

<type>Edit</type>

<basetype>Edit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="No list box item selected"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X" inuse="True">
```

<ProcessValue datatype="number" value="200"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="104"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="194"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="44"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="58"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

</attributes>

</element>

<element name="Listbox\_Row1\_AA">

<id>6e9491d8-5fa7-497a-ad8c-b1ed54e7d09d</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>  
</attribute>  
<attribute name="Y">  
<ProcessValue datatype="number" value="96"/>  
</attribute>  
<attribute name="Width">  
<ProcessValue datatype="number" value="178"/>  
</attribute>  
<attribute name="Height">  
<ProcessValue datatype="number" value="70"/>  
</attribute>  
<attribute name="aX">  
<ProcessValue datatype="number" value="2"/>  
</attribute>  
<attribute name="aY">  
<ProcessValue datatype="number" value="2"/>  
</attribute>  
<attribute name="aWidth">  
<ProcessValue datatype="number" value="156"/>  
</attribute>  
<attribute name="aHeight">  
<ProcessValue datatype="number" value="13"/>  
</attribute>  
<attribute name="Name" inuse="True">  
<ProcessValue datatype="text" value="My listbox item at row 1"/>  
</attribute>  
<attribute name="Description" inuse="True">

```
<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="1"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">
```

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focused">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Pressed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Checked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Mixed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="ReadOnly">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Hottracked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Default">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Expanded">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Collapsed">



<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Selectable">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="Linked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Traversed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Multiselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Extselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_low">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_medium">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

```
<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">
```

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pCollapsed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pBusy">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFloating">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMarqueed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAnimated">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pInvisible">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pOffscreen">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pLinked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pTraversed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMultiselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pExtselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAlert\_low">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAlert\_medium">

```
<ProcessValue datatype="flag" value="False"/>
</attribute>
<attribute name="pAlert_high">
<ProcessValue datatype="flag" value="False"/>
</attribute>
</attributes>
</element>
<element name="Listbox_Row2_AA">
<id>1315e7ba-42fb-40f2-893c-0a9696ee0882</id>
<type>AAElement</type>
<basetype>AAElement</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="ListBox"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
```



<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="aWidth">

```
<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 2"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">
```

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Sizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Moveable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="SelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Selectable">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="Linked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Traversed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Multiselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Extselectable">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">
```

```
<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">
```

<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pDefaultAction" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pElementCount">  
<ProcessValue datatype="text" value="7"/>  
</attribute>  
<attribute name="pUnavailable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelected">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocused">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pPressed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pChecked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMixed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pReadOnly">



<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox_Row3_AA">

<id>4d902468-b6f1-4817-b6f8-38d00060e4ef</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

```
<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 3"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="3"/>

</attribute>

<attribute name="State">
```

```
<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">
```

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Mixed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="ReadOnly">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Hottracked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Default">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Expanded">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Collapsed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Busy">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Floating">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Animated">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Invisible">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Offscreen">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Sizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Moveable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="SelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Selectable">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="Linked">



```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">
```

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

```
<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">
```

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMarqueed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAnimated">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pInvisible">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pOffscreen">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMoveable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelectable">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox_Row4_AA">

<id>74d8cf8f-d3d8-40ff-aef2-8912f0d01ecb</id>
```

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>  
</attribute>  
<attribute name="Y">  
<ProcessValue datatype="number" value="96"/>  
</attribute>  
<attribute name="Width">  
<ProcessValue datatype="number" value="178"/>  
</attribute>  
<attribute name="Height">  
<ProcessValue datatype="number" value="70"/>  
</attribute>  
<attribute name="aX">  
<ProcessValue datatype="number" value="2"/>  
</attribute>  
<attribute name="aY">  
<ProcessValue datatype="number" value="41"/>  
</attribute>  
<attribute name="aWidth">  
<ProcessValue datatype="number" value="156"/>  
</attribute>  
<attribute name="aHeight">  
<ProcessValue datatype="number" value="13"/>  
</attribute>  
<attribute name="Name" inuse="True">  
<ProcessValue datatype="text" value="My listbox item at row 4"/>  
</attribute>  
<attribute name="Description" inuse="True">



```
<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="4"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">
```

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Selectable">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="Linked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Traversed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Multiselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Extselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_low">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_medium">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pDescription" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pRole" inuse="True">  
<ProcessValue datatype="text" value="Window"/>  
</attribute>  
<attribute name="pID" inuse="True">  
<ProcessValue datatype="text" value="Self"/>  
</attribute>  
<attribute name="pState">  
<ProcessValue datatype="text" value="normal"/>  
</attribute>  
<attribute name="pValue" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pKeyboardShortcut" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pDefaultAction" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pElementCount">  
<ProcessValue datatype="text" value="7"/>  
</attribute>  
<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">



<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pLinked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pTraversed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMultiselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pExtselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAlert\_low">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAlert\_medium">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox_Row5_AA">

<id>90b0f09e-46b2-4da3-92a8-1fbfb0540a6d</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">
```

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="54"/>

</attribute>

<attribute name="aWidth">

```
<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 5"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="5"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">
```

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">
```



<ProcessValue datatype="number" value="96"/>  
</attribute>  
<attribute name="paWidth">  
<ProcessValue datatype="number" value="177"/>  
</attribute>  
<attribute name="paHeight">  
<ProcessValue datatype="number" value="69"/>  
</attribute>  
<attribute name="pName" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pDescription" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pRole" inuse="True">  
<ProcessValue datatype="text" value="Window"/>  
</attribute>  
<attribute name="pID" inuse="True">  
<ProcessValue datatype="text" value="Self"/>  
</attribute>  
<attribute name="pState">  
<ProcessValue datatype="text" value="normal"/>  
</attribute>  
<attribute name="pValue" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pDefaultAction" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pElementCount">  
<ProcessValue datatype="text" value="7"/>  
</attribute>  
<attribute name="pUnavailable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelected">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocused">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pPressed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pChecked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMixed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pHottracked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pDefault">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pExpanded">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pCollapsed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pBusy">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFloating">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMarqueed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAnimated">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox confirmation_AA">

<id>758e1ef9-d191-4229-9d01-5bcb5b723ad1</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="My listbox item at row 5"/>

</attribute>

<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="200"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="104"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="194"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="189"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>  
</attribute>  
<attribute name="Value" inuse="True">  
<ProcessValue datatype="text" value="My listbox item at row 5"/>  
</attribute>  
<attribute name="KeyboardShortcut" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="DefaultAction" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="ElementCount" inuse="True">  
<ProcessValue datatype="text" value="0"/>  
</attribute>  
<attribute name="Unavailable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Selected">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focused">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Pressed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Checked">



<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">
```

<ProcessValue datatype="number" value="1"/>  
</attribute>  
<attribute name="pChildCount">  
<ProcessValue datatype="number" value="9"/>  
</attribute>  
<attribute name="paX">  
<ProcessValue datatype="number" value="200"/>  
</attribute>  
<attribute name="paY">  
<ProcessValue datatype="number" value="104"/>  
</attribute>  
<attribute name="paWidth">  
<ProcessValue datatype="number" value="193"/>  
</attribute>  
<attribute name="paHeight">  
<ProcessValue datatype="number" value="19"/>  
</attribute>  
<attribute name="pName" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pDescription" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="pRole" inuse="True">  
<ProcessValue datatype="text" value="Window"/>  
</attribute>  
<attribute name="pID" inuse="True">

```
<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">
```

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMarqueed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAnimated">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pInvisible">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pOffscreen">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMoveable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocusable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelectable">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<group name="Radio Buttons">
```



<id>4c9511d4-58f8-4da1-ac64-70863df7af25</id>

<element name="Option1\_win32">

<id>f05bf132-6c7b-4ced-8371-6f6ba81556ac</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Option1"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="184"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="138"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="Visible" inuse="True">

```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">
```

```
<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

<element name="Option2_win32">

<id>0e9626a0-b643-4f64-baf1-35b7c9098cef</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Option2"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X">
```

<ProcessValue datatype="number" value="168"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="184"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="154"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

</group>

<group name="TextBox">

<id>265ec4f0-d010-4a1d-bdae-77e1b77b6957</id>

<element name="Textbox\_win32">

<id>d28fc185-09d9-4c66-8039-b5e05ca66534</id>

<type>Edit</type>

<basetype>Edit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="My text box"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="240"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="226"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Visible" inuse="True">

```
<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">
```

```
<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

</group>

<group name="ComboBox">

<id>acacd33b-783b-4b32-b6ed-c903d3f4dfca</id>

<element name="ComboBox_win32">

<id>fb8b3095-10c2-41a9-9129-ceab8cb722bc</id>

<type>ComboBox</type>

<basetype>ComboBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="ClassName" inuse="True">
```



<ProcessValue datatype="text" value="ComboBox"/>

</attribute>

<attribute name="CtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="200"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="136"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="194"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>  
</attribute>  
<attribute name="ChildCount">  
<ProcessValue datatype="number" value="1"/>  
</attribute>  
<attribute name="pWindowText">  
<ProcessValue datatype="text" value="VB6 Automated Test App"/>  
</attribute>  
<attribute name="pCtrlID" inuse="True">  
<ProcessValue datatype="number" value="0"/>  
</attribute>  
<attribute name="pX">  
<ProcessValue datatype="number" value="154"/>  
</attribute>  
<attribute name="pY">  
<ProcessValue datatype="number" value="203"/>  
</attribute>  
<attribute name="pWidth">  
<ProcessValue datatype="number" value="701"/>  
</attribute>  
<attribute name="pHeight">  
<ProcessValue datatype="number" value="381"/>  
</attribute>  
<attribute name="pActive">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="pOrdinal">

```
<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

</attributes>

</element>

<element name="ComboBox_AA">

<id>67d44e08-8e81-42df-bae2-7fa087498a67</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="CtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">
```

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="171"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

```
<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="170"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">
```

<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="DefaultAction" inuse="True">  
<ProcessValue datatype="text" value=""/>  
</attribute>  
<attribute name="ElementCount" inuse="True">  
<ProcessValue datatype="text" value="0"/>  
</attribute>  
<attribute name="Unavailable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Selected">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focused">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Pressed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Checked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Mixed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Offscreen">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Sizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Moveable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="SelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Focusable">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="Selectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Linked">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Traversed">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Multiselectable">



<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Extselectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_low">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_medium">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="Alert\_high">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pWindowText">  
<ProcessValue datatype="text" value="No combo box item selected"/>  
</attribute>  
<attribute name="pCtrlID" inuse="True">  
<ProcessValue datatype="number" value="0"/>  
</attribute>  
<attribute name="pActive">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="pOrdinal">  
<ProcessValue datatype="number" value="2"/>  
</attribute>  
<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="170"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pAnimated">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pInvisible">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pOffscreen">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSizeable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pMoveable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pSelfVoicing">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pFocusable">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="pSelectable">  
<ProcessValue datatype="flag" value="False"/>  
</attribute>  
<attribute name="pLinked">

```
<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<type>Application</type>

<basetype>Application</basetype>

<datatype>unknown</datatype>

<diagnose>False</diagnose>
```

</element>

<apptypeinfo>

<id>Win32Launch</id>

<parameters>

<parameter>

<name>Path</name>

<value>C:\BluePrism\QA\Code\VB6 App\VB6AutomatedTestApp.exe</value>

</parameter>

<parameter>

<name>CommandLineParams</name>

<value>

</value>

</parameter>

<parameter>

<name>WorkingDirectory</name>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>True</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Internal</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="14152cbf-964b-4f14-808d-2cfa2f1dec78" type="Normal" published="True">

<name>Get ComboBox - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5f45c088-6c82-4037-bb47-2dc25151bb0a" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>



<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="39bf39c2-048e-49d1-8499-6601a1745814" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a86bb644-dd28-419c-abd3-dba7b7dae00d" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b33b68b2-66f5-458d-9b74-70b06b3e2d5c" type="Normal" published="True">

<name>Set Checkbox - Win32</name>

<view>

<camerax>0</camerax>

<cameray>4</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="37c1e978-9321-4d9b-847d-27accaee7f65" type="Normal" published="True">

<name>Get Checkbox value - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c611e341-492f-4f12-b59f-e1ea0034b388" type="Normal" published="True">

<name>Set Combo Box - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7a07382e-2bc0-4025-ae32-788b6c246e46" type="Normal" published="True">

<name>Write ComboBox - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="955b508c-2fbd-4a7c-abee-3ae383cb8849" type="Normal" published="True">

<name>Get listbox current value - win32</name>

<view>

<camerax>303</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="26343d36-766e-4255-a611-35b1d8aef873" type="Normal" published="True">

<name>Set listbox - win32</name>

<view>

<camerax>-5</camerax>

<cameray>-108</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8d669ec1-4b06-45c6-b5d8-fdce190a313d" type="Normal" published="True">

<name>Set listbox - AA</name>

<view>

<camerax>137</camerax>

<cameray>237</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d8a514e5-2322-4019-b5a4-8674949ccfc8" type="Normal" published="True">

<name>Get radio buttons value - win32</name>

<view>

<camerax>276</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8413f850-cc6d-4042-a007-ace01cf540ae" type="Normal" published="True">

<name>Set radio buttons - win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8955c5dd-8a8d-4466-992c-d8d32615afc3" type="Normal" published="True">

<name>Set Text box - win32</name>

<view>

<camerax>5</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a707f6c1-8c87-436f-a5ff-0ef3f0fde710" type="Normal" published="True">

<name>Get text box - win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<stage stageid="ce217320-2f18-43ba-8494-eb8e1e007691" name="Start" type="Start">

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4a6fb64e-746c-4830-9129-7068c098d75a</onsuccess>

</stage>

<stage stageid="4a6fb64e-746c-4830-9129-7068c098d75a" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a3fa776e-3aef-40cf-9187-7babbcc29ba9" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>







```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

```
<reference>System.Data.dll</reference>
```

```
<reference>System.Xml.dll</reference>
```

&lt;/references&gt;

```
<imports>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

```
<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="5ff85ab7-0c14-4e12-99f4-32589a524540" name="Clean Up" type="SubSheetInfo">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a4809dd1-651e-4603-93c1-9b52a89d7130" name="Start" type="Start">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fea24c27-9dd6-4ada-ba19-0491832a459d</onsuccess>

</stage>

<stage stageid="fea24c27-9dd6-4ada-ba19-0491832a459d" name="End" type="End">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="289de0b6-e0c5-4771-8eb0-74392e9ded0b" name="Launch" type="SubSheetInfo">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ecc14fe2-d5c9-473f-8e0c-aaed899cae02" name="Start" type="Start">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1a2c3a9a-b9d0-42ab-b0bc-15b454549de4</onsuccess>

</stage>

<stage stageid="32be968e-b95f-453a-b9ce-5c81a8265d72" name="End" type="End">

<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>0</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6f981412-9a8b-4c94-b883-7adcdd81c53f" name="new" type="Note">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1c65dd31-6f31-4e61-b1c9-146f63528a42" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business object is loaded.

The initialise action will be called automatically by Automate immediately after loading your business object.

You will not be able to call this action from a business process, nor will it be called at any other time than a page load.

<displayx>-180</displayx>

<displayy>60</displayy>

<displaywidth>180</displaywidth>

<displayheight>230</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1a2c3a9a-b9d0-42ab-b0bc-15b454549de4" name="Start Controls Form" type="Navigate">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dee799e7-b36a-4e90-a0e3-213b93d0eb75</onsuccess>

<step>

<element id="e4250a95-a3b4-4c1b-a150-bf63ceb5b761"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] &amp; "&#92;Code\VB6 App\VB6AutomatedTestApp.exe"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>



<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="a92cadae-95ea-4425-b950-12fa6dcf714a" name="Set Checkbox - Win32" type="SubShe

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bc7efcc7-d3f3-4c80-a4a4-bb5d05300871" name="Start" type="Start">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>-30</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" stage="checkbox value"/>

</inputs>

<onsuccess>bfbaca8-2926-4615-aaf0-85c6417b1a3e</onsuccess>

</stage>

<stage stageid="e0d44a92-ae7b-4b76-82b8-0c033ca852c2" name="End" type="End">

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="cebf3cf6-9fff-448c-b4c5-ddb86b82a605" name="Time Out1" type="WaitEnd">

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>
```

```
<displayy>-135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8dfa036d-4c40-470e-9575-56026ca4e93b</onsuccess>

<groupid>99373bbf-10f1-4e85-97cb-6313c35343a0</groupid>

</stage>

<stage stageid="bfabaca8-2926-4615-aaf0-85c6417b1a3e" name="Wait for form to appear" type="WaitSta

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>-135</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>99373bbf-10f1-4e85-97cb-6313c35343a0</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>af1d63b6-e253-4b70-b6d8-77fe8a719547</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>
```

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="8dfa036d-4c40-470e-9575-56026ca4e93b" name="Note1" type="Note">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>165</displayx>

<displayy>-225</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="af1d63b6-e253-4b70-b6d8-77fe8a719547" name="Set Checkbox value" type="Write">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0d44a92-ae7b-4b76-82b8-0c033ca852c2</onsuccess>

<step expr="[checkbox value]">

<element id="10f3cc34-0020-4f33-b0a7-0ce550f6ed56"/>

</step>

</stage>

<stage stageid="4da62b47-4602-4813-a9f2-09842e1c2135" name="checkbox value" type="Data">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<narrative>

</narrative>

<displayx>-30</displayx>

<displayy>-60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="67bc9530-74f9-43a4-9804-a6a0a941a674" name="Get Checkbox value - Win32" type="S

<subsheetsid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7067f6bc-517b-4f68-b50f-067066179e15" name="Start" type="Start">

<subsHEETid>37c1e978-9321-4d9b-847d-27accaee7f65</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>160</displayx>

<displayy>-102</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1d1c9b45-9ec5-4fef-b30e-9ec1325bee0a</onsuccess>

</stage>

<stage stageid="d379bf1d-5eed-4d00-8e24-98bcfd907900" name="End" type="End">

<subsHEETid>37c1e978-9321-4d9b-847d-27accaee7f65</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>295</displayx>

<displayy>63</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Checkbox value"/>

</outputs>

</stage>

<stage stageid="ec82c9f5-6eac-4f72-ad50-7507beca9a8f" name="Time Out1" type="WaitEnd">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>340</displayx>

<displayy>-102</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a74d90cf-57c0-442a-9dfe-385baede87b6</onsuccess>

<groupid>183ff472-ca4f-43ea-9b9b-867825a49e18</groupid>

</stage>

<stage stageid="1d1c9b45-9ec5-4fef-b30e-9ec1325bee0a" name="Wait for form to appear" type="WaitSta

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>250</displayx>

<displayy>-102</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>183ff472-ca4f-43ea-9b9b-867825a49e18</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

```
<ontrue>35d85aa0-b3ae-4dd0-a24d-180d73cf733c</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="a74d90cf-57c0-442a-9dfe-385baede87b6" name="Note1" type="Note">

<subsheetsid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>344</displayx>

<displayy>-186</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="73e0b10a-9cb9-4b50-8554-de338f3efa2d" name="Checkbox value" type="Data">

<subsheetsid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetsid>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>
```



```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="35d85aa0-b3ae-4dd0-a24d-180d73cf733c" name="Get checkbox value" type="Read">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d379bf1d-5eed-4d00-8e24-98bcfd907900</onsuccess>

<step stage="Checkbox value">

<element id="10f3cc34-0020-4f33-b0a7-0ce550f6ed56"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="8bd3918a-e948-4992-b6f2-f41df976ff18" name="Time Out2" type="WaitEnd">

<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>
```

```
<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eeb14d0f-750c-4e0a-ad95-881cb49587a0</onsuccess>

<groupid>f33db3aa-7f3c-42d1-9de3-a1a8a5e022bf</groupid>

</stage>

<stage stageid="dee799e7-b36a-4e90-a0e3-213b93d0eb75" name="Wait for window to appear" type="Wait">

<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-45</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>f33db3aa-7f3c-42d1-9de3-a1a8a5e022bf</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>67.5</distance>

<ontrue>32be968e-b95f-453a-b9ce-5c81a8265d72</ontrue>
```

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>25</timeout>

</stage>

<stage stageid="eeb14d0f-750c-4e0a-ad95-881cb49587a0" name="Note2" type="Note">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<narrative>App didn't launch within 50 secs</narrative>

<displayx>225</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d1e78199-9faf-4b9a-a370-20f059a7b070" name="Get listbox current value - win32" type="

<subsheetsid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c7077487-934b-47fb-a77e-5e8d744ccd54" name="End" type="End">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Listbox current value" stage="Listbox current value"/>

</outputs>

</stage>

<stage stageid="93e32e7d-b1cc-45b3-9fa3-92d9c4ac1939" name="Start" type="Start">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9b6c458a-9ad5-46a1-9dac-60db82e002f5</onsuccess>

</stage>

<stage stageid="c3c0c158-be77-4889-9e0f-99ba7fe272dc" name="Time Out1" type="WaitEnd">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>337</displayx>

<displayy>-101</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7ec8b981-8991-4428-b0e4-7009ee36e046</onsuccess>

<groupid>72b891a5-2859-4154-894d-847d539c63f1</groupid>

</stage>

<stage stageid="9b6c458a-9ad5-46a1-9dac-60db82e002f5" name="Wait for form to appear" type="WaitSt

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>247</displayx>

<displayy>-101</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>72b891a5-2859-4154-894d-847d539c63f1</groupid>

<choices>

<choice reply="True">

```
<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>6a93a5c4-1b30-4318-bc65-fd3e35445937</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="7ec8b981-8991-4428-b0e4-7009ee36e046" name="Note1" type="Note">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>341</displayx>

<displayy>-185</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6a93a5c4-1b30-4318-bc65-fd3e35445937" name="Read current value" type="Read">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>300</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c7077487-934b-47fb-a77e-5e8d744ccd54</onsuccess>

<step stage="listbox collection">

<element id="b23606c9-5a48-4fa2-9b54-d0a78d2a0eca"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="0082ce6a-0c09-4051-9533-b3395dab8ffb" name="Listbox current value" type="Data">

<subsheetsid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetsid>

<narrative>

</narrative>

<displayx>450</displayx>

<displayy>0</displayy>

<displaywidth>180</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>
```

```
<stage stageid="a962953a-e4dd-4c84-a730-ee3d64af6a0d" name="Get radio buttons value - win32" type=
<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bf2e9683-61c1-4367-a156-fd021a0402b9" name="End" type="End">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="radio 1 value"/>

<output type="flag" name="radio 2 value"/>

</outputs>

</stage>

<stage stageid="6fdbebac-7894-4c85-ad2a-fc6ee016d594" name="Start" type="Start">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>
```



<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f06adfca-c545-49cf-9a68-8ab14dccd1fb</onsuccess>

</stage>

<stage stageid="b570918a-cd76-485c-a834-083788d25e1c" name="Time Out1" type="WaitEnd">

<subsheetsid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>337</displayx>

<displayy>-56</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0ed5a644-3596-47e9-a30a-ed12b7cd6102</onsuccess>

<groupid>97965768-48a8-4056-918b-10367f702979</groupid>

</stage>

<stage stageid="f06adfca-c545-49cf-9a68-8ab14dccd1fb" name="Wait for form to appear" type="WaitStart">

<subsheetsid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>247</displayx>

<displayy>-56</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>97965768-48a8-4056-918b-10367f702979</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>bc78ed98-5e9f-47b6-a8f4-17d031aacf04</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="0ed5a644-3596-47e9-a30a-ed12b7cd6102" name="Note1" type="Note">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>341</displayx>

<displayy>-140</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bc78ed98-5e9f-47b6-a8f4-17d031aacf04" name="read radio values" type="Read">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>255</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bf2e9683-61c1-4367-a156-fd021a0402b9</onsuccess>

<step stage="radio 1 value">

<element id="f05bf132-6c7b-4ced-8371-6f6ba81556ac"/>

<action>

<id>GetWindowText</id>

</action>

</step>

<step stage="radio 2 value">

<element id="0e9626a0-b643-4f64-baf1-35b7c9098cef"/>

<action>

<id>GetWindowText</id>

</action>

</step>
```

</stage>

<stage stageid="e335c6fd-b3a6-48c8-b0de-06ca12808bf6" name="radio 1 value" type="Data">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="37721dc6-ce84-495e-8da6-74ba7b7f256a" name="radio 2 value" type="Data">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

```
<alwaysinit/>

</stage>

<stage stageid="c0e09b41-a571-46c3-8a23-fd59776b710a" name="Set radio buttons - win32" type="SubS

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5343e2ad-0217-414d-963a-224de72e4668" name="Start" type="Start">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="radio 1 " stage="radio 1 value"/>

<input type="flag" name="radio 2" stage="radio 2 value"/>

</inputs>

<onsuccess>03ed7c66-ebf0-49dc-b1f6-b92edb165052</onsuccess>
```

</stage>

<stage stageid="76e5ce40-4cd3-4fbe-a9f0-575aadd2b7b7" name="End" type="End">

<subsHEETid>8413f850-cc6d-4042-a007-ace01cf540ae</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5bd2a086-aa24-4ff7-8adf-c5271f53bdf2" name="radio 1 value" type="Data">

<subsHEETid>8413f850-cc6d-4042-a007-ace01cf540ae</subsHEETid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b71ea28d-52ca-43f6-b332-0fb6b8f204e4" name="radio 2 value" type="Data">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b3bf491d-2fef-4c66-ad82-2019456c7cfb" name="Time Out1" type="WaitEnd">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>315</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>42200150-616f-4a5c-b8ce-6a4e3dcee1c5</onsuccess>

<groupid>5ba3fc02-3b7c-45d8-a119-10ce3a457b49</groupid>

</stage>

<stage stageid="03ed7c66-ebf0-49dc-b1f6-b92edb165052" name="Wait for form to appear" type="WaitSta

```
<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-90</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>5ba3fc02-3b7c-45d8-a119-10ce3a457b49</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>4806bd73-a947-4ba6-9ef5-b5a11acaa6d9</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="42200150-616f-4a5c-b8ce-6a4e3dcee1c5" name="Note1" type="Note">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>
```



<narrative>Automated Test Form for controls was not present</narrative>

<displayx>319</displayx>

<displayy>-174</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4806bd73-a947-4ba6-9ef5-b5a11acaa6d9" name="Set radio group" type="Write">

<subsheetsid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>76e5ce40-4cd3-4fbe-a9f0-575aadd2b7b7</onsuccess>

<step expr="[radio 1 value]">

<element id="f05bf132-6c7b-4ced-8371-6f6ba81556ac"/>

</step>

<step expr="[radio 2 value]">

<element id="0e9626a0-b643-4f64-baf1-35b7c9098cef"/>

</step>

</stage>

<stage stageid="979349b0-94f8-4441-9e46-425183d06a0a" name="Set Text box - win32" type="SubSheet">

<subsheetsid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="98ce391c-c0e9-45b5-878f-7ec31d1c1447" name="Start" type="Start">

<subsHEETid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="text box value" stage="text box value"/>

</inputs>

<onsuccess>21edc8f2-4f32-4da7-92e8-b2c63570f6e7</onsuccess>

</stage>

<stage stageid="7be9fd50-bfef-44e0-8cfd-9e32f00be54a" name="End" type="End">

<subsHEETid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsHEETid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d7d86167-84ae-4a84-b846-071848bea63c" name="Time Out1" type="WaitEnd">

<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>390</displayx>

<displayy>-60</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>44e0ecc6-5334-4aed-8218-4e895a0f94c7</onsuccess>

<groupid>b9afc5b2-fc54-4e1a-af98-54f821c3cf32</groupid>

</stage>

<stage stageid="21edc8f2-4f32-4da7-92e8-b2c63570f6e7" name="Wait for form to appear" type="WaitSta

<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>-60</displayy>

```
<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>b9afc5b2-fc54-4e1a-af98-54f821c3cf32</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>a6352537-c625-46f9-a0c7-31bd2c630789</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="44e0ecc6-5334-4aed-8218-4e895a0f94c7" name="Note1" type="Note">

<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>394</displayx>

<displayy>-144</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="a6352537-c625-46f9-a0c7-31bd2c630789" name="Set text box" type="Write">

<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>330</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7be9fd50-bfef-44e0-8cfd-9e32f00be54a</onsuccess>

<step expr="[text box value]">

<element id="d28fc185-09d9-4c66-8039-b5e05ca66534"/>

</step>

</stage>

<stage stageid="b02076d1-3eec-4021-b3e7-b4a947d2213c" name="Get text box - win32" type="SubSheet">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bf1bda63-ea3f-4e18-9b53-463dfef1fe8e" name="Start" type="Start">

```
<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0ae101a1-0bce-4da9-acfe-dd385b773f9c</onsuccess>

</stage>

<stage stageid="1971b064-78c3-4cd8-96d6-2e2fb1445b5e" name="End" type="End">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="text value" stage="text value"/>

</outputs>

</stage>

<stage stageid="90cee447-83d0-4fb3-8aa0-8d7728c34590" name="Time Out1" type="WaitEnd">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>
```

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>-75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>81b400bb-5a65-40db-88f9-e41c26c187b1</onsuccess>

<groupid>3cbe55b7-3bdb-4f7c-a1a0-69fc428dd330</groupid>

</stage>

<stage stageid="0ae101a1-0bce-4da9-acfe-dd385b773f9c" name="Wait for form to appear" type="WaitSta

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-75</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>3cbe55b7-3bdb-4f7c-a1a0-69fc428dd330</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>f3a2c10a-c8c5-41e6-befe-a98bb7817ddf</ontrue>

```
<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="81b400bb-5a65-40db-88f9-e41c26c187b1" name="Note1" type="Note">

<subsheetsid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>379</displayx>

<displayy>-159</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="904e5f13-ca1b-4519-91f6-6800c3c3beeb" name="text value" type="Data">

<subsheetsid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetsid>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```



```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>
<stage stageid="f3a2c10a-c8c5-41e6-befe-a98bb7817ddf" name="get rich text value" type="Read">
<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>
<loginhibit/>
<narrative>
</narrative>
<displayx>300</displayx>
<displayy>15</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>1971b064-78c3-4cd8-96d6-2e2fb1445b5e</onsuccess>
<step stage="text value">
<element id="d28fc185-09d9-4c66-8039-b5e05ca66534"/>
<action>
<id>GetWindowText</id>
</action>
</step>
</stage>
<stage stageid="bd31e596-4534-47f2-bd96-10d508739cb7" name="text box value" type="Data">
<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>
<narrative>
```

</narrative>

<displayx>150</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="44266a79-a58b-4c66-b6ba-9ef40bf78196" name="Set listbox - win32" type="SubSheetInt"

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<narrative>

</narrative>

<displayx>-285</displayx>

<displayy>-255</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4fbf2549-61c3-4c8b-8f40-cdb2d75ce8e8" name="Start" type="Start">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

```
<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="list box item" stage="list box item to select"/>

</inputs>

<onsuccess>a8d40264-0e6b-42df-8ea0-8b54959f90e6</onsuccess>

</stage>

<stage stageid="b647af25-6312-4423-92f2-89e753560063" name="End" type="End">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="147cb1fc-7ede-40f9-9c0f-4dbe7720098e" name="Time Out1" type="WaitEnd">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-195</displayy>
```

```
<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bb5e1700-a872-4580-93f8-15deddb49f41</onsuccess>

<groupid>bed907c2-104c-4be9-8142-c66b35d76924</groupid>

</stage>

<stage stageid="a8d40264-0e6b-42df-8ea0-8b54959f90e6" name="Wait for form to appear" type="WaitSta

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-195</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>bed907c2-104c-4be9-8142-c66b35d76924</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>fb3246c1-ba5f-4ecc-ac92-7ab14acf7bb3</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>
```

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="bb5e1700-a872-4580-93f8-15deddb49f41" name="Note1" type="Note">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>214</displayx>

<displays>-279</displays>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0761ed65-a570-4a66-9d8a-ccd510264da0" name="list box item to select" type="Data">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<narrative>

</narrative>

<displayx>15</displayx>

<displays>-150</displays>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My listbox item at row 2</initialvalue>

<private/>

</stage>

```
<stage stageid="81beafbd-c03d-4420-bb00-77f27cef5ea2" name="Read confirmation field" type="Read">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>135</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>113d3c82-6afa-4980-9733-64a1a343d834</onsuccess>

<step stage="listbox selected item check">

<element id="0f89793f-aa8a-40d4-a690-4983395a2d37"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="e6ddda16-4c4d-4742-8f1c-f201d4fbfd0f" name="listbox selected item check" type="Data">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>0</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="113d3c82-6afa-4980-9733-64a1a343d834" name="Set what we wanted to?" type="Decision">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>-45</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[list box item to select]=[listbox selected item check]"/>

<ontrue>b647af25-6312-4423-92f2-89e753560063</ontrue>

<onfalse>3d35d4aa-f1a7-47b3-bf21-1f427fc4710e</onfalse>

</stage>

<stage stageid="3d35d4aa-f1a7-47b3-bf21-1f427fc4710e" name="Note4" type="Note">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>Unsuccesfully set the list box item</narrative>

<displayx>-195</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0e27e9f9-fd1f-45d2-a062-90a2ea34860f" name="listbox collection" type="Collection">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<narrative>

</narrative>

<displayx>345</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fb3246c1-ba5f-4ecc-ac92-7ab14acf7bb3" name="select listbox item" type="Navigate">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>81beafbd-c03d-4420-bb00-77f27cef5ea2</onsuccess>

<step>



<element id="b23606c9-5a48-4fa2-9b54-d0a78d2a0eca"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>[list box item to select]</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2ce651c4-4b81-4571-a76d-05808cd6df11" name="Set listbox - AA" type="SubSheetInfo".

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0c21b743-f78b-4de6-a63c-9c6dc7d595f9" name="Start" type="Start">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

```
<displayx>135</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="list box item" stage="list box item to select"/>

</inputs>

<onsuccess>3f482db7-c3c8-4ce2-97b6-48b8719e838e</onsuccess>

</stage>

<stage stageid="3a17caa0-1ba6-4c6f-ac8c-e511a1132b8f" name="End" type="End">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="8d649224-a5b7-45f5-995d-33ef82325c3a" name="Time Out1" type="WaitEnd">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>330</displayx>
```

```
<displayy>-105</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1b047902-19ed-4d62-a0b8-fbb0984c9059</onsuccess>

<groupid>05b24920-03af-47ff-871f-3f742f639404</groupid>

</stage>

<stage stageid="3f482db7-c3c8-4ce2-97b6-48b8719e838e" name="Wait for form to appear" type="WaitSta

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>-105</displayy>

<displaywidth>30</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>05b24920-03af-47ff-871f-3f742f639404</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>4f09c425-f7be-4bf6-bec4-8b7d625ce799</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>
```

```
<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="1b047902-19ed-4d62-a0b8-fbb0984c9059" name="Note1" type="Note">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<displayx>334</displayx>

<displayy>-189</displayy>

<displaywidth>90</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c516908-2d3d-47db-88eb-1db2961c1170" name="list box item to select" type="Data">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>45</displayy>

<displaywidth>210</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My listbox item at row 1</initialvalue>

<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="504e42f3-d513-4634-b38a-42c262dbda11" name="Read confirmation field" type="Read">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>540</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aa6a6cc5-365a-4fac-bd07-0fe60315942b</onsuccess>

<step stage="listbox selected item check">

<element id="0f89793f-aa8a-40d4-a690-4983395a2d37"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="84d6e381-e285-460e-ad57-8aafe0ce212c" name="listbox selected item check" type="Data">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<narrative>

</narrative>

<displayx>540</displayx>

<displayy>420</displayy>

<displaywidth>150</displaywidth>
```

```
<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="aa6a6cc5-365a-4fac-bd07-0fe60315942b" name="Set what we wanted to?" type="Decision">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[list box item to select]=[listbox selected item check]"/>

<ontrue>3a17caa0-1ba6-4c6f-ac8c-e511a1132b8f</ontrue>

<onfalse>caee2333-7bb3-4284-bef3-4104d3eaceed</onfalse>

</stage>

<stage stageid="caee2333-7bb3-4284-bef3-4104d3eaceed" name="Note4" type="Note">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>Unsuccesfully set the list box item</narrative>

<displayx>150</displayx>

<displayy>255</displayy>
```

```
<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4f09c425-f7be-4bf6-bec4-8b7d625ce799" name="Choice1" type="ChoiceStart">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>f0908b20-f8e2-49c4-9772-e161bd9e9e74</groupid>

<choices>

<choice expression="[list box item to select]=&quot;My listbox item at row 1&quot;">

<name>row 1</name>

<distance>52.5</distance>

<ontrue>4722c2bd-4b85-4c77-8ba9-303ff02d71f5</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 2&quot;">

<name>row 2</name>

<distance>105</distance>

<ontrue>13133007-4fc4-4bb5-859e-53a557832ae1</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 3&quot;">
```

<name>row 3</name>

<distance>157.5</distance>

<ontrue>7fd02713-8a51-4bcc-8608-480b6fbb9fca</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 4&quot;">

<name>row 4</name>

<distance>210</distance>

<ontrue>f5ba4730-a450-46de-a29d-afc5c4abd67c</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 5&quot;">

<name>row 5</name>

<distance>262.5</distance>

<ontrue>bc18ce12-d6db-4dab-b715-f15d59aa5614</ontrue>

</choice>

</choices>

</stage>

<stage stageid="bf7fe46f-fca4-4f9e-aff8-62a1bf47e799" name="Otherwise1" type="ChoiceEnd">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>caee2333-7bb3-4284-bef3-4104d3eaceed</onsuccess>



```
<groupid>f0908b20-f8e2-49c4-9772-e161bd9e9e74</groupid>

</stage>

<stage stageid="4722c2bd-4b85-4c77-8ba9-303ff02d71f5" name="default action on row 1" type="Navigation" >

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>480</displayx>

<displayy>-15</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>70d2fd0d-20bd-49e9-9c3d-16e7a04f5357</onsuccess>

<step>

<element id="6e9491d8-5fa7-497a-ad8c-b1ed54e7d09d"/>

<action>

<id>Default</id>

</action>

</step>

</stage>

<stage stageid="13133007-4fc4-4bb5-859e-53a557832ae1" name="default action on row 2" type="Navigation" >

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>480</displayx>

<displayy>45</displayy>
```

```
<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>de5a2bad-d1e8-48bc-ad96-c1550ee6b2f3</onsuccess>

<step>

<element id="1315e7ba-42fb-40f2-893c-0a9696ee0882"/>

<action>

<id>Default</id>

</action>

</step>

</stage>

<stage stageid="7fd02713-8a51-4bcc-8608-480b6fbb9fca" name="default action on row 3" type="Navigate

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>480</displayx>

<displayy>105</displayy>

<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fd842c6d-35e1-418d-8c15-36b50a0dca8a</onsuccess>

<step>

<element id="4d902468-b6f1-4817-b6f8-38d00060e4ef"/>

<action>

<id>Default</id>

</action>
```

```
</step>

</stage>

<stage stageid="f5ba4730-a450-46de-a29d-afc5c4abd67c" name="default action on row 4" type="Navigation"
  <subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>
  <loginhibit/>
  <narrative>
  </narrative>
  <displayx>480</displayx>
  <displayy>165</displayy>
  <displaywidth>180</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>05af8f9a-a09f-45e6-a56e-f61caa85f0f0</onsuccess>
  <step>
  <element id="74d8cf8f-d3d8-40ff-aef2-8912f0d01ecb"/>
  <action>
  <id>Default</id>
  </action>
  </step>
</stage>

<stage stageid="bc18ce12-d6db-4dab-b715-f15d59aa5614" name="default action on row 5" type="Navigation"
  <subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>
  <loginhibit/>
  <narrative>
  </narrative>
  <displayx>480</displayx>
  <displayy>210</displayy>
```

```
<displaywidth>180</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d8cffbe3-66d2-4128-8cb9-863708c7ff16</onsuccess>

<step>

<element id="90b0f09e-46b2-4da3-92a8-1fbfb0540a6d"/>

<action>

<id>Default</id>

</action>

</step>

</stage>

<stage stageid="70d2fd0d-20bd-49e9-9c3d-16e7a04f5357" name="anchor1" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>645</displayx>

<displayy>-15</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>de5a2bad-d1e8-48bc-ad96-c1550ee6b2f3</onsuccess>

</stage>

<stage stageid="de5a2bad-d1e8-48bc-ad96-c1550ee6b2f3" name="anchor2" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>645</displayx>

<displayy>45</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fd842c6d-35e1-418d-8c15-36b50a0dca8a</onsuccess>

</stage>

<stage stageid="fd842c6d-35e1-418d-8c15-36b50a0dca8a" name="anchor3" type="Anchor">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>645</displayx>

<displayy>105</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>05af8f9a-a09f-45e6-a56e-f61caa85f0f0</onsuccess>

</stage>

<stage stageid="05af8f9a-a09f-45e6-a56e-f61caa85f0f0" name="anchor4" type="Anchor">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>645</displayx>

<displayy>165</displayy>

```
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d8cffbe3-66d2-4128-8cb9-863708c7ff16</onsuccess>

</stage>

<stage stageid="d8cffbe3-66d2-4128-8cb9-863708c7ff16" name="anchor5" type="Anchor">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>645</displayx>

<displayy>210</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ec14357a-6fa2-41b4-9c5c-2b4adb3a3839</onsuccess>

</stage>

<stage stageid="ec14357a-6fa2-41b4-9c5c-2b4adb3a3839" name="anchor6" type="Anchor">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>645</displayx>

<displayy>330</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

<onsuccess>504e42f3-d513-4634-b38a-42c262dbda11</onsuccess>

</stage>

<stage stageid="1cb08a65-57fa-4e4a-a0df-411d51d260e5" name="Set Combo Box - Win32" type="SubSh

<subsheetsid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="83998ec3-63fd-41b7-9c14-8e00619c79ee" name="Start" type="Start">

<subsheetsid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="ComboBox Item" stage="ComboBox\_Item"/>

</inputs>

<onsuccess>7148255c-54f8-4d0e-b9a0-a4be66fbe115</onsuccess>

</stage>

```
<stage stageid="8aeb6143-6af3-4bd0-83ab-b5024f1e681a" name="End" type="End">

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7148255c-54f8-4d0e-b9a0-a4be66fbe115" name="Select Item" type="Navigate">

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8aeb6143-6af3-4bd0-83ab-b5024f1e681a</onsuccess>

<step>

<element id="fb8b3095-10c2-41a9-9129-ceab8cb722bc"/>

<action>

<id>SelectItem</id>

<arguments>
```



```
<argument>

<id>newtext</id>

<value>[ComboBox_Item]</value>

</argument>

<argument>

<id>position</id>

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="c44f4c51-5a8e-4d72-b3fc-fb766b9bf2c8" name="ComboBox_Item" type="Data">

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>120</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>
```

```
</stage>

<stage stageid="13158b66-484d-4570-808b-b3f39416ab79" name="Terminate" type="SubSheetInfo">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7bcb43b4-9e12-455f-9f6c-6537514e6bd7" name="Start" type="Start">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6deda559-8fea-48d2-993d-3f07ff1fff5e</onsuccess>

</stage>

<stage stageid="f1b7c3c5-df47-4268-bcbc-e0b4ba2dfa57" name="End" type="End">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<loginhibit/>

<narrative>
```

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6deda559-8fea-48d2-993d-3f07ff1fff5e" name="Terminate" type="Navigate">

<subsheetid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f1b7c3c5-df47-4268-bcbc-e0b4ba2dfa57</onsuccess>

<step>

<element id="e4250a95-a3b4-4c1b-a150-bf63ceb5b761"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="d83bdffd-2d20-4175-896b-9970e87fbcbf" name="Write ComboBox - Win32" type="SubSh

<subsheetid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetid>

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1b622d37-304d-4698-9e41-2af7868f9669" name="Start" type="Start">

<subsheetsid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="ComboBox Item" stage="ComboBox Item"/>

</inputs>

<onsuccess>1620e74e-0c94-4663-92f2-c4474791b852</onsuccess>

</stage>

<stage stageid="b31742bb-c5e8-4ab9-a373-149a9c080209" name="End" type="End">

<subsheetsid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetsid>

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1620e74e-0c94-4663-92f2-c4474791b852" name="Writer1" type="Write">

<subsheetsid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b31742bb-c5e8-4ab9-a373-149a9c080209</onsuccess>

<step>

<element id="fb8b3095-10c2-41a9-9129-ceab8cb722bc"/>

</step>

</stage>

<stage stageid="6345d60a-56cc-4c94-98a9-a8bfd57aa028" name="ComboBox Item" type="Data">

<subsheetsid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetsid>

<narrative>

</narrative>

<displayx>90</displayx>
```

```
<display>-105</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c3fbf36e-ead4-46f3-a92d-6d4bda417764" name="Get ComboBox - Win32" type="SubSheet">

<subsheetsid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetsid>

<narrative>

</narrative>

<displayx>-195</displayx>

<display>-105</display>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="040af2c4-7dbd-45de-9e3d-a08178d96f0b" name="Start" type="Start">

<subsheetsid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetsid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>-105</display>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aa2f1164-c5bb-4bee-891d-1e85b76c3060</onsuccess>

</stage>

<stage stageid="d62bb816-334d-4cd8-a0d8-8017734ff0a2" name="End" type="End">

<subsheetid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="ComboBox Value" stage="Value from ComboBox\_win32"/>

</outputs>

</stage>

<stage stageid="aa2f1164-c5bb-4bee-891d-1e85b76c3060" name="Reader1" type="Read">

<subsheetid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetid>

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d62bb816-334d-4cd8-a0d8-8017734ff0a2</onsuccess>

<step stage="Value from ComboBox\_win32">

<element id="fb8b3095-10c2-41a9-9129-ceab8cb722bc"/>

<action>

<id>GetSelectedItemText</id>

</action>

</step>

</stage>

<stage stageid="a8a09179-6afa-4a77-b179-0119a7c371de" name="Value from ComboBox\_win32" type="

<subsheetid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetid>

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3058649f-0213-40b5-8e73-d3ce1d08725b" name="QA Root" type="Data">

<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>

<loginhibit/>

<narrative>



```
</narrative>

<displayx>-165</displayx>

<displayy>-15</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Test VB6 Grids" version="1.0" narrative="Test VB6 Grids" preferredid="6676dccf-29b9-4-

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e99908c7-5d18-46c4-8e0d-9537adcac0c1</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-60</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0542995e-423d-487a-92fc-9e347daa91b3" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ee77713d-5bb1-48e0-a410-bdef71f980f8</onsuccess>

<resource object="VB6 Grids" action="Terminate"/>

</stage>

<stage stageid="e99908c7-5d18-46c4-8e0d-9537adcac0c1" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-270</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cdcf4118-2f61-4d94-971d-6b2f74d40482</onsuccess>

<resource object="VB6 Grids" action="Launch"/>

</stage>

<stage stageid="cdc4118-2f61-4d94-971d-6b2f74d40482" name="Read grid" type="Action">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Contents" stage="Contents"/>

</outputs>

<onsuccess>0542995e-423d-487a-92fc-9e347daa91b3</onsuccess>

<resource object="VB6 Grids" action="Read Apex Grid"/>

</stage>

<stage stageid="3a72b745-b492-4026-bcaf-fa81f492e551" name="Contents" type="Collection">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-165</displayy>

<displaywidth>240</displaywidth>

<displayheight>120</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

<initialvalue/>

</stage>

<stage stageid="ee77713d-5bb1-48e0-a410-bdef71f980f8" name="Loop Start1" type="LoopStart">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c3a8c122-f679-4052-9892-94ef12325da2</onsuccess>

<groupid>bdaae251-67e4-43df-acef-12169d79c836</groupid>

<looptype>ForEach</looptype>

<loopdata>Contents</loopdata>

</stage>

<stage stageid="32a6b10d-f315-4b58-b75b-dd59c47cb9c1" name="Loop End1" type="LoopEnd">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2a2f89a7-0dea-4d18-a363-fdb13d77bedd</onsuccess>

<groupid>bdaae251-67e4-43df-acef-12169d79c836</groupid>

</stage>

<stage stageid="b67f9da3-7b6a-42e9-ac42-52451d66c1ab" name="AllNames" type="Data">

<narrative>

</narrative>

<displayx>-150</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c3a8c122-f679-4052-9892-94ef12325da2" name="Append names" type="Calculation">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>32a6b10d-f315-4b58-b75b-dd59c47cb9c1</onsuccess>

<calculation expression="[AllNames] &amp;&amp; [Contents.Column0] &amp;&amp; &amp;quot; &amp;quot;

</stage>

<stage stageid="2a2f89a7-0dea-4d18-a363-fdb13d77bedd" name="Names correct?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[AllNames] = &amp;quot;Peter Walker Giles Bathgate Ciaran Gultnieks David Moss

<ontrue>0c36bcfe-45b0-486d-8da2-501a912ac930</ontrue>

<onfalse>cf34aead-5231-469b-ad7b-82a64c952484</onfalse>

</stage>

<stage stageid="cf34aead-5231-469b-ad7b-82a64c952484" name="Note1" type="Note">

<narrative>Names did not match</narrative>

<displayx>15</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0c36bcfe-45b0-486d-8da2-501a912ac930" name="Launch Big Grid" type="Action">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>572a8245-cd5b-4f23-90c8-964a75e3fb87</onsuccess>

<resource object="VB6 Big Grid" action="Launch"/>

</stage>

<stage stageid="572a8245-cd5b-4f23-90c8-964a75e3fb87" name="Read" type="Action">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Contents" stage="Contents"/>

</outputs>

<onsuccess>1397e54f-a061-43c9-939c-31f646e5e5c9</onsuccess>

```
<resource object="VB6 Big Grid" action="Read MsFlexGrid"/>

</stage>

<stage stageid="1397e54f-a061-43c9-939c-31f646e5e5c9" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5b7c3a99-580e-49dd-8faa-0b60b15f3ab2</onsuccess>

<resource object="VB6 Big Grid" action="Terminate"/>

</stage>

<stage stageid="13a9015a-0009-4954-8c25-acbd4f39eb64" name="Check" type="Decision">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Rows]=301"/>

<ontrue>5ee325d9-62ea-4017-986f-fe2d552c8aba</ontrue>

<onfalse>61270abb-7a9f-441e-88cb-6225721fb27d</onfalse>

</stage>

<stage stageid="61270abb-7a9f-441e-88cb-6225721fb27d" name="Exception1" type="Exception">

<narrative>
```



```
</narrative>

<displayx>180</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;Row count of &quot; &amp; [Rows] &amp;

</stage>

<stage stageid="862712c9-cdab-465e-89fd-f7edcef55096" name="Rows" type="Data">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="5b7c3a99-580e-49dd-8faa-0b60b15f3ab2" name="Count Rows" type="Action">

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Collection Name" expr="&quot;Contents&quot;"/>

</inputs>

<outputs>

<output type="number" name="Count" stage="Rows"/>

</outputs>

<onsuccess>13a9015a-0009-4954-8c25-acbd4f39eb64</onsuccess>

<resource object="Blueprism.AutomateProcessCore.clsCollectionActions" action="Count Rows"/>

</stage>

</process>

<process name="VB6 Grids" version="1.0" bpversion="7.2.0.1727" narrative="VB6 Grids test" byrefcollecti

<appdef>

<element name="VB6 Controls">

<id>e4250a95-a3b4-4c1b-a150-bf63ceb5b761</id>

<element name="Main Window">

<id>a3ed6523-64f9-4bc4-a2e7-7e57da46eb37</id>

<type>Window</type>

<basetype>Window</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="ThunderRT6FormDC"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="44"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="58"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

```
<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

<group name="Checkbox">

<id>fb966aea-2fc6-4d3c-8464-f77e2ff12d18</id>

<element name="Checkbox_win32">

<id>10f3cc34-0020-4f33-b0a7-0ce550f6ed56</id>

<type>CheckBox</type>

<basetype>Button</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="My Checkbox"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>
```

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="6"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

```
</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

</group>

<group name="Listbox">

<id>2db33d04-802f-4637-829f-702795fbfd83</id>

<element name="Listbox_win32">

<id>b23606c9-5a48-4fa2-9b54-d0a78d2a0eca</id>

<type>ListBox</type>

<basetype>ListBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="82"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="109"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>



</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

</attributes>

</element>

<element name="Listbox confirmation\_win32">

<id>0f89793f-aa8a-40d4-a690-4983395a2d37</id>

<type>Edit</type>

<basetype>Edit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="No list box item selected"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="200"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="104"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="194"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="44"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="58"/>

```
</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

</attributes>

</element>

<element name="Listbox_Row1_AA">

<id>6e9491d8-5fa7-497a-ad8c-b1ed54e7d09d</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>
```

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 1"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="1"/>

```
</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>
```

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>



</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

```
<element name="Listbox_Row2_AA">
<id>1315e7ba-42fb-40f2-893c-0a9696ee0882</id>
<type>AAElement</type>
<basetype>AAElement</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="ListBox"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="8"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
```

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 2"/>



</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="2"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_low">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox_Row3_AA">

<id>4d902468-b6f1-4817-b6f8-38d00060e4ef</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>
```

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="28"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 3"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="3"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

```
</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>
```

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>



</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox_Row4_AA">

<id>74d8cf8f-d3d8-40ff-aef2-8912f0d01ecb</id>

<type>AAElement</type>

<basetype>AAElement</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value=""/>
```

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ListBox"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="41"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 4"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="4"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>



```
<element name="Listbox_Row5_AA">
<id>90b0f09e-46b2-4da3-92a8-1fbfb0540a6d</id>
<type>AAElement</type>
<basetype>AAElement</basetype>
<datatype>text</datatype>
<diagnose>False</diagnose>
<attributes>
<attribute name="WindowText" inuse="True">
<ProcessValue datatype="text" value=""/>
</attribute>
<attribute name="ClassName" inuse="True">
<ProcessValue datatype="text" value="ListBox"/>
</attribute>
<attribute name="Visible" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Enabled" inuse="True">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Active">
<ProcessValue datatype="flag" value="True"/>
</attribute>
<attribute name="Ordinal">
<ProcessValue datatype="number" value="8"/>
</attribute>
<attribute name="ChildCount">
<ProcessValue datatype="number" value="0"/>
```

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="178"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="70"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="54"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="156"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="13"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 5"/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="ListItem"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="5"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="selectable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value="Double Click"/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="8"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="96"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="177"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="69"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>



</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

<element name="Listbox confirmation\_AA">

<id>758e1ef9-d191-4229-9d01-5bcb5b723ad1</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="My listbox item at row 5"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="7"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="200"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="104"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="194"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="189"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="My listbox item at row 5"/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>



</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="9"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="200"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="104"/>

</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="193"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="19"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="normal"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<group name="Radio Buttons">

<id>4c9511d4-58f8-4da1-ac64-70863df7af25</id>

<element name="Option1_win32">

<id>f05bf132-6c7b-4ced-8371-6f6ba81556ac</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Option1"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="184"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="138"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="18"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>



</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

<element name="Option2\_win32">

<id>0e9626a0-b643-4f64-baf1-35b7c9098cef</id>

<type>Button</type>

<basetype>Button</basetype>

<datatype>flag</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText" inuse="True">

<ProcessValue datatype="text" value="Option2"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Button"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="168"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="184"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="154"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="26"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

```
</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

</group>

<group name="TextBox">

<id>265ec4f0-d010-4a1d-bdae-77e1b77b6957</id>

<element name="Textbox_win32">

<id>d28fc185-09d9-4c66-8039-b5e05ca66534</id>

<type>Edit</type>

<basetype>Edit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>
```

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="My text box"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="X" inuse="True">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="240"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="226"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="20"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal" inuse="True">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="110"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="145"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="466"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

```
</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="6"/>

</attribute>

</attributes>

</element>

</group>

<group name="ComboBox">

<id>acacd33b-783b-4b32-b6ed-c903d3f4dfca</id>

<element name="ComboBox_win32">

<id>fb8b3095-10c2-41a9-9129-ceab8cb722bc</id>

<type>ComboBox</type>

<basetype>ComboBox</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="ComboBox"/>

</attribute>

<attribute name="CtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="200"/>
```

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="136"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="194"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="22"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="VB6 Automated Test App"/>



</attribute>

<attribute name="pCtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pX">

<ProcessValue datatype="number" value="154"/>

</attribute>

<attribute name="pY">

<ProcessValue datatype="number" value="203"/>

</attribute>

<attribute name="pWidth">

<ProcessValue datatype="number" value="701"/>

</attribute>

<attribute name="pHeight">

<ProcessValue datatype="number" value="381"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="11"/>

</attribute>

</attributes>

</element>

```
<element name="ComboBox_AA">

<id>67d44e08-8e81-42df-bae2-7fa087498a67</id>

<type>AAEdit</type>

<basetype>AAEdit</basetype>

<datatype>text</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="ClassName" inuse="True">

<ProcessValue datatype="text" value="Edit"/>

</attribute>

<attribute name="CtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="Visible" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Enabled" inuse="True">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="1"/>
```

</attribute>

<attribute name="ChildCount">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Y" inuse="True">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="171"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="16"/>

</attribute>

<attribute name="aX">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aY">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="aWidth">

<ProcessValue datatype="number" value="170"/>

</attribute>

<attribute name="aHeight">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="Name" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Description" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="Role" inuse="True">

<ProcessValue datatype="text" value="Text"/>

</attribute>

<attribute name="ID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="State">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="Value" inuse="True">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="KeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="DefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ElementCount" inuse="True">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="Unavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Selected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Pressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Checked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Mixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="ReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Hottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Default">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Expanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Collapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Busy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Floating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Marqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Animated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Invisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Offscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Sizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Moveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="SelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Focusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Selectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Linked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Traversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Multiselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Extselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Alert\_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pWindowText">

<ProcessValue datatype="text" value="No combo box item selected"/>

</attribute>

<attribute name="pCtrlID" inuse="True">

<ProcessValue datatype="number" value="0"/>

</attribute>

<attribute name="pActive">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pOrdinal">

<ProcessValue datatype="number" value="2"/>

</attribute>

<attribute name="pChildCount">

<ProcessValue datatype="number" value="1"/>

</attribute>

<attribute name="paX">

<ProcessValue datatype="number" value="3"/>

</attribute>

<attribute name="paY">

<ProcessValue datatype="number" value="3"/>



</attribute>

<attribute name="paWidth">

<ProcessValue datatype="number" value="170"/>

</attribute>

<attribute name="paHeight">

<ProcessValue datatype="number" value="15"/>

</attribute>

<attribute name="pName" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDescription" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pRole" inuse="True">

<ProcessValue datatype="text" value="Window"/>

</attribute>

<attribute name="pID" inuse="True">

<ProcessValue datatype="text" value="Self"/>

</attribute>

<attribute name="pState">

<ProcessValue datatype="text" value="focusable"/>

</attribute>

<attribute name="pValue" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pKeyboardShortcut" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pDefaultAction" inuse="True">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="pElementCount">

<ProcessValue datatype="text" value="7"/>

</attribute>

<attribute name="pUnavailable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelected">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocused">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pPressed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pChecked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMixed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pReadOnly">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pHottracked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pDefault">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pExpanded">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pCollapsed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pBusy">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFloating">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMarqueed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAnimated">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pInvisible">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pOffscreen">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSizeable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMoveable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pSelfVoicing">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pFocusable">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="pSelectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pLinked">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pTraversed">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pMultiselectable">

<ProcessValue datatype="flag" value="False"/>

```
</attribute>

<attribute name="pExtselectable">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_low">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_medium">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="pAlert_high">

<ProcessValue datatype="flag" value="False"/>

</attribute>

</attributes>

</element>

</group>

<element name="ApexGrid">

<id>17c2f1d7-12c5-47f5-8c90-d5e0cac23e96</id>

<type>ApexGrid</type>

<basetype>ApexGrid</basetype>

<datatype>collection</datatype>

<diagnose>False</diagnose>

<attributes>

<attribute name="WindowText">

<ProcessValue datatype="text" value=""/>

</attribute>

<attribute name="ClassName" inuse="True">
```

<ProcessValue datatype="text" value="ApexGrid.19"/>

</attribute>

<attribute name="CtrlID">

<ProcessValue datatype="text" value="0"/>

</attribute>

<attribute name="X">

<ProcessValue datatype="number" value="24"/>

</attribute>

<attribute name="Y">

<ProcessValue datatype="number" value="360"/>

</attribute>

<attribute name="Width">

<ProcessValue datatype="number" value="282"/>

</attribute>

<attribute name="Height">

<ProcessValue datatype="number" value="130"/>

</attribute>

<attribute name="Visible">

<ProcessValue datatype="text" value="True"/>

</attribute>

<attribute name="Enabled">

<ProcessValue datatype="flag" value="True"/>

</attribute>

<attribute name="Active">

<ProcessValue datatype="flag" value="False"/>

</attribute>

<attribute name="Ordinal">

<ProcessValue datatype="number" value="3"/>  
</attribute>  
<attribute name="ChildCount">  
<ProcessValue datatype="number" value="6"/>  
</attribute>  
<attribute name="pWindowText" inuse="True">  
<ProcessValue datatype="text" value="VB6 Automated Test App"/>  
</attribute>  
<attribute name="pCtrlID">  
<ProcessValue datatype="text" value="0"/>  
</attribute>  
<attribute name="pX">  
<ProcessValue datatype="number" value="-253"/>  
</attribute>  
<attribute name="pY">  
<ProcessValue datatype="number" value="-214"/>  
</attribute>  
<attribute name="pWidth">  
<ProcessValue datatype="number" value="701"/>  
</attribute>  
<attribute name="pHeight">  
<ProcessValue datatype="number" value="531"/>  
</attribute>  
<attribute name="pActive">  
<ProcessValue datatype="flag" value="True"/>  
</attribute>  
<attribute name="pOrdinal">

```
<ProcessValue datatype="number" value="2"/>
</attribute>
<attribute name="pChildCount">
<ProcessValue datatype="number" value="15"/>
</attribute>
</attributes>
</element>
<type>Application</type>
<basetype>Application</basetype>
<datatype>unknown</datatype>
<diagnose>False</diagnose>
</element>
<apptypeinfo>
<id>Win32Launch</id>
<parameters>
<parameter>
<name>Path</name>
<value>C:\BluePrism\QA\Code\VB6 App\VB6AutomatedTestApp.exe</value>
</parameter>
<parameter>
<name>CommandLineParams</name>
<value>
</value>
</parameter>
<parameter>
<name>WorkingDirectory</name>
<value>
```



</value>

</parameter>

<parameter>

<name>NonInvasive</name>

<value>False</value>

</parameter>

<parameter>

<name>ProcessMode</name>

<value>Ext32bit</value>

</parameter>

<parameter>

<name>ExternalProcessTimeout</name>

<value>0</value>

</parameter>

<parameter>

<name>Options</name>

<value>

</value>

</parameter>

</parameters>

</apptypeinfo>

</appdef>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<subsheet subsheetid="14152cbf-964b-4f14-808d-2cfa2f1dec78" type="Normal" published="True">

<name>Get ComboBox - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="5f45c088-6c82-4037-bb47-2dc25151bb0a" type="CleanUp" published="True">

<name>Clean Up</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="39bf39c2-048e-49d1-8499-6601a1745814" type="Normal" published="True">

<name>Launch</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="a86bb644-dd28-419c-abd3-dba7b7dae00d" type="Normal" published="True">

<name>Terminate</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="b33b68b2-66f5-458d-9b74-70b06b3e2d5c" type="Normal" published="True">

<name>Set Checkbox - Win32</name>

<view>

<camerax>0</camerax>

<cameray>4</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="37c1e978-9321-4d9b-847d-27accaee7f65" type="Normal" published="True">

<name>Get Checkbox value - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="c611e341-492f-4f12-b59f-e1ea0034b388" type="Normal" published="True">

<name>Set Combo Box - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="7a07382e-2bc0-4025-ae32-788b6c246e46" type="Normal" published="True">

<name>Write ComboBox - Win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="955b508c-2fbd-4a7c-abee-3ae383cb8849" type="Normal" published="True">

<name>Get listbox current value - win32</name>

<view>

<camerax>303</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="26343d36-766e-4255-a611-35b1d8aef873" type="Normal" published="True">

<name>Set listbox - win32</name>

<view>

<camerax>-5</camerax>

<cameray>-108</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8d669ec1-4b06-45c6-b5d8-fdce190a313d" type="Normal" published="True">

<name>Set listbox - AA</name>

<view>

<camerax>137</camerax>

<cameray>237</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="d8a514e5-2322-4019-b5a4-8674949ccfc8" type="Normal" published="True">

<name>Get radio buttons value - win32</name>

<view>

<camerax>276</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8413f850-cc6d-4042-a007-ace01cf540ae" type="Normal" published="True">

<name>Set radio buttons - win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</subsheet>

<subsheet subsheetid="8955c5dd-8a8d-4466-992c-d8d32615afc3" type="Normal" published="True">

<name>Set Text box - win32</name>

```
<view>

<camerax>5</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet sheetid="a707f6c1-8c87-436f-a5ff-0ef3f0fde710" type="Normal" published="True">

<name>Get text box - win32</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<sheet sheetid="5839af8e-871e-4407-a40e-b230aaee79ce" type="Normal" published="True">

<name>Read Apex Grid</name>

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom version="2">1.25</zoom>

</view>

</sheet>

<stage stageid="ce217320-2f18-43ba-8494-eb8e1e007691" name="Start" type="Start">

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4a6fb64e-746c-4830-9129-7068c098d75a</onsuccess>
```

</stage>

<stage stageid="4a6fb64e-746c-4830-9129-7068c098d75a" name="End" type="End">

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a3fa776e-3aef-40cf-9187-7babbcc29ba9" name="Stage1" type="ProcessInfo">

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<references>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>









<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

<reference>System.Data.dll</reference>

<reference>System.Xml.dll</reference>

</references>

<imports>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>
```

```
<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

<import>System</import>

</imports>

<language>visualbasic</language>

<globalcode></globalcode>

<code></code>

</stage>

<stage stageid="5ff85ab7-0c14-4e12-99f4-32589a524540" name="Clean Up" type="SubSheetInfo">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a4809dd1-651e-4603-93c1-9b52a89d7130" name="Start" type="Start">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fea24c27-9dd6-4ada-ba19-0491832a459d</onsuccess>

</stage>

<stage stageid="fea24c27-9dd6-4ada-ba19-0491832a459d" name="End" type="End">

<subsheetid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetid>

<loginhibit/>

<display x="15" y="90"/>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="289de0b6-e0c5-4771-8eb0-74392e9ded0b" name="Launch" type="SubSheetInfo">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ecc14fe2-d5c9-473f-8e0c-aaed899cae02" name="Start" type="Start">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1a2c3a9a-b9d0-42ab-b0bc-15b454549de4</onsuccess>

</stage>

<stage stageid="32be968e-b95f-453a-b9ce-5c81a8265d72" name="End" type="End">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<display x="0" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6f981412-9a8b-4c94-b883-7adcdd81c53f" name="new" type="Note">

<subsheetsid>5f45c088-6c82-4037-bb47-2dc25151bb0a</subsheetsid>

<narrative>Clean Up Page

This is an optional page where you might choose to perform some finalisation (or "cleanup") tasks as your

The cleanup action will be called automatically by Automate immediately after closing your business object

You will not be able to call this action from a business process, nor will it be called at any other time than b

<display x="-180" y="60" w="180" h="230"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1c65dd31-6f31-4e61-b1c9-146f63528a42" name="new" type="Note">

<narrative>Initialise Page

This is an optional page where you might choose to perform some initialisation tasks after your business ob

The initialise action will be called automatically by Automate immediately after loading your business objec

You will not be able to call this action from a business process, nor will it be called at any other time than a

<display x="-180" y="60" w="180" h="230"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1a2c3a9a-b9d0-42ab-b0bc-15b454549de4" name="Start Controls Form" type="Navigate">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<display x="15" y="-45" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>dee799e7-b36a-4e90-a0e3-213b93d0eb75</onsuccess>

<step>

<element id="e4250a95-a3b4-4c1b-a150-bf63ceb5b761"/>

<action>

<id>Launch</id>

<arguments>

<argument>

<id>Path</id>

<value>[QA Root] &amp; "&#92;Code\VB6 App\VB6AutomatedTestApp.exe"</value>

</argument>

<argument>

<id>CommandLineParams</id>

<value>

</value>

</argument>

<argument>

<id>WorkingDirectory</id>

<value>

</value>

</argument>

<argument>

<id>NonInvasive</id>

<value>

</value>

</argument>

<argument>

<id>ProcessMode</id>

<value>

</value>

</argument>

<argument>

<id>Options</id>

<value>



```
</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="a92cadae-95ea-4425-b950-12fa6dcf714a" name="Set Checkbox - Win32" type="SubShe
<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bc7efcc7-d3f3-4c80-a4a4-bb5d05300871" name="Start" type="Start">

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<display x="-30" y="-135"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" stage="checkbox value"/>

</inputs>

<onsuccess>bfabaca8-2926-4615-aaf0-85c6417b1a3e</onsuccess>

</stage>

<stage stageid="e0d44a92-ae7b-4b76-82b8-0c033ca852c2" name="End" type="End">

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<display x="120" y="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>
```

```
<stage stageid="cebf3cf6-9fff-448c-b4c5-ddb86b82a605" name="Time Out1" type="WaitEnd">

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<display x="165" y="-135" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8dfa036d-4c40-470e-9575-56026ca4e93b</onsuccess>

<groupid>99373bbf-10f1-4e85-97cb-6313c35343a0</groupid>

</stage>

<stage stageid="bfabaca8-2926-4615-aaf0-85c6417b1a3e" name="Wait for form to appear" type="WaitSta

<subsheetid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetid>

<loginhibit/>

<display x="75" y="-135" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>99373bbf-10f1-4e85-97cb-6313c35343a0</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>af1d63b6-e253-4b70-b6d8-77fe8a719547</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>
```

</stage>

<stage stageid="8dfa036d-4c40-470e-9575-56026ca4e93b" name="Note1" type="Note">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="165" y="-225" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="af1d63b6-e253-4b70-b6d8-77fe8a719547" name="Set Checkbox value" type="Write">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<loginhibit/>

<display x="120" y="-45" w="60" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e0d44a92-ae7b-4b76-82b8-0c033ca852c2</onsuccess>

<step expr="[checkbox value]">

<element id="10f3cc34-0020-4f33-b0a7-0ce550f6ed56"/>

</step>

</stage>

<stage stageid="4da62b47-4602-4813-a9f2-09842e1c2135" name="checkbox value" type="Data">

<subsheetsid>b33b68b2-66f5-458d-9b74-70b06b3e2d5c</subsheetsid>

<display x="-30" y="-60" w="120" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="67bc9530-74f9-43a4-9804-a6a0a941a674" name="Get Checkbox value - Win32" type="S

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7067f6bc-517b-4f68-b50f-067066179e15" name="Start" type="Start">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<display x="160" y="-102"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1d1c9b45-9ec5-4fef-b30e-9ec1325bee0a</onsuccess>

</stage>

<stage stageid="d379bf1d-5eed-4d00-8e24-98bcfd907900" name="End" type="End">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<display x="295" y="63"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Checkbox value"/>

</outputs>

</stage>

<stage stageid="ec82c9f5-6eac-4f72-ad50-7507beca9a8f" name="Time Out1" type="WaitEnd">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<display x="340" y="-102" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a74d90cf-57c0-442a-9dfe-385baede87b6</onsuccess>

```
<groupid>183ff472-ca4f-43ea-9b9b-867825a49e18</groupid>

</stage>

<stage stageid="1d1c9b45-9ec5-4fef-b30e-9ec1325bee0a" name="Wait for form to appear" type="WaitSta

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<display x="250" y="-102" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>183ff472-ca4f-43ea-9b9b-867825a49e18</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>35d85aa0-b3ae-4dd0-a24d-180d73cf733c</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="a74d90cf-57c0-442a-9dfe-385baede87b6" name="Note1" type="Note">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="344" y="-186" w="90" h="90"/>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="73e0b10a-9cb9-4b50-8554-de338f3efa2d" name="Checkbox value" type="Data">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<display x="150" y="-15" w="90" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="35d85aa0-b3ae-4dd0-a24d-180d73cf733c" name="Get checkbox value" type="Read">

<subsheetid>37c1e978-9321-4d9b-847d-27accaee7f65</subsheetid>

<loginhibit/>

<display x="300" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d379bf1d-5eed-4d00-8e24-98bcfd907900</onsuccess>

<step stage="Checkbox value">

<element id="10f3cc34-0020-4f33-b0a7-0ce550f6ed56"/>

<action>

<id>GetChecked</id>

</action>

</step>

</stage>

<stage stageid="8bd3918a-e948-4992-b6f2-f41df976ff18" name="Time Out2" type="WaitEnd">

<subsheetid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetid>

<loginhibit/>

```
<display x="135" y="90" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eeb14d0f-750c-4e0a-ad95-881cb49587a0</onsuccess>

<groupid>f33db3aa-7f3c-42d1-9de3-a1a8a5e022bf</groupid>

</stage>

<stage stageid="dee799e7-b36a-4e90-a0e3-213b93d0eb75" name="Wait for window to appear" type="Wait">

<subsheets>39bf39c2-048e-49d1-8499-6601a1745814</subsheets>

<loginhibit/>

<display x="135" y="-45" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>f33db3aa-7f3c-42d1-9de3-a1a8a5e022bf</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>67.5</distance>

<ontrue>32be968e-b95f-453a-b9ce-5c81a8265d72</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>25</timeout>

</stage>

<stage stageid="eeb14d0f-750c-4e0a-ad95-881cb49587a0" name="Note2" type="Note">

<subsheets>39bf39c2-048e-49d1-8499-6601a1745814</subsheets>
```

<loginhibit/>

<narrative>App didn't launch within 50 secs</narrative>

<display x="225" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d1e78199-9faf-4b9a-a370-20f059a7b070" name="Get listbox current value - win32" type="Get listbox current value - win32">

<subsHEETid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsHEETid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c7077487-934b-47fb-a77e-5e8d744ccd54" name="End" type="End">

<subsHEETid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsHEETid>

<loginhibit/>

<display x="165" y="0"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Listbox current value" stage="Listbox current value"/>

</outputs>

</stage>

<stage stageid="93e32e7d-b1cc-45b3-9fa3-92d9c4ac1939" name="Start" type="Start">

<subsHEETid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsHEETid>

<loginhibit/>

<display x="135" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9b6c458a-9ad5-46a1-9dac-60db82e002f5</onsuccess>

</stage>

<stage stageid="c3c0c158-be77-4889-9e0f-99ba7fe272dc" name="Time Out1" type="WaitEnd">



<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<display x="337" y="-101" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7ec8b981-8991-4428-b0e4-7009ee36e046</onsuccess>

<groupid>72b891a5-2859-4154-894d-847d539c63f1</groupid>

</stage>

<stage stageid="9b6c458a-9ad5-46a1-9dac-60db82e002f5" name="Wait for form to appear" type="WaitSt

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<loginhibit/>

<display x="247" y="-101" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>72b891a5-2859-4154-894d-847d539c63f1</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>6a93a5c4-1b30-4318-bc65-fd3e35445937</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

```
<stage stageid="7ec8b981-8991-4428-b0e4-7009ee36e046" name="Note1" type="Note">
<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>
<loginhibit/>
<narrative>Automated Test Form for controls was not present</narrative>
<display x="341" y="-185" w="90" h="90"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="6a93a5c4-1b30-4318-bc65-fd3e35445937" name="Read current value" type="Read">
<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>
<loginhibit/>
<display x="300" y="0"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>c7077487-934b-47fb-a77e-5e8d744ccd54</onsuccess>
<step stage="listbox collection">
<element id="b23606c9-5a48-4fa2-9b54-d0a78d2a0eca"/>
<action>
<id>GetAllItems</id>
</action>
</step>
</stage>
<stage stageid="0082ce6a-0c09-4051-9533-b3395dab8ffb" name="Listbox current value" type="Data">
<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>
<display x="450" y="0" w="180" h="120"/>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>text</datatype>
<initialvalue/>
<private/>
```

```
<alwaysinit/>

</stage>

<stage stageid="a962953a-e4dd-4c84-a730-ee3d64af6a0d" name="Get radio buttons value - win32" type=
<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bf2e9683-61c1-4367-a156-fd021a0402b9" name="End" type="End">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="radio 1 value"/>

<output type="flag" name="radio 2 value"/>

</outputs>

</stage>

<stage stageid="6fdbebac-7894-4c85-ad2a-fc6ee016d594" name="Start" type="Start">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<loginhibit/>

<display x="135" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f06adfca-c545-49cf-9a68-8ab14dccd1fb</onsuccess>

</stage>

<stage stageid="b570918a-cd76-485c-a834-083788d25e1c" name="Time Out1" type="WaitEnd">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<loginhibit/>
```

```
<display x="337" y="-56" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0ed5a644-3596-47e9-a30a-ed12b7cd6102</onsuccess>

<groupid>97965768-48a8-4056-918b-10367f702979</groupid>

</stage>

<stage stageid="f06adfca-c545-49cf-9a68-8ab14dccd1fb" name="Wait for form to appear" type="WaitStart">

<subsheets>
<sheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</sheetid>

<loginhibit/>

<display x="247" y="-56" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>97965768-48a8-4056-918b-10367f702979</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>bc78ed98-5e9f-47b6-a8f4-17d031aacf04</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="0ed5a644-3596-47e9-a30a-ed12b7cd6102" name="Note1" type="Note">

<subsheets>
<sheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</sheetid>
```

```
<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="341" y="-140" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bc78ed98-5e9f-47b6-a8f4-17d031aacf04" name="read radio values" type="Read">

<subsheetsid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetsid>

<loginhibit/>

<display x="255" y="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bf2e9683-61c1-4367-a156-fd021a0402b9</onsuccess>

<step stage="radio 1 value">

<element id="f05bf132-6c7b-4ced-8371-6f6ba81556ac"/>

<action>

<id>GetWindowText</id>

</action>

</step>

<step stage="radio 2 value">

<element id="0e9626a0-b643-4f64-baf1-35b7c9098cef"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="e335c6fd-b3a6-48c8-b0de-06ca12808bf6" name="radio 1 value" type="Data">

<subsheetsid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetsid>

<display x="330" y="30"/>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="37721dc6-ce84-495e-8da6-74ba7b7f256a" name="radio 2 value" type="Data">

<subsheetid>d8a514e5-2322-4019-b5a4-8674949ccfc8</subsheetid>

<display x="330" y="75"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>False</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c0e09b41-a571-46c3-8a23-fd59776b710a" name="Set radio buttons - win32" type="SubS

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5343e2ad-0217-414d-963a-224de72e4668" name="Start" type="Start">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="radio 1 " stage="radio 1 value"/>
```

<input type="flag" name="radio 2" stage="radio 2 value"/>

</inputs>

<onsuccess>03ed7c66-ebf0-49dc-b1f6-b92edb165052</onsuccess>

</stage>

<stage stageid="76e5ce40-4cd3-4fbe-a9f0-575aadd2b7b7" name="End" type="End">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5bd2a086-aa24-4ff7-8adf-c5271f53bdf2" name="radio 1 value" type="Data">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<display x="90" y="-195"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b71ea28d-52ca-43f6-b332-0fb6b8f204e4" name="radio 2 value" type="Data">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<display x="165" y="-165"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

```
</stage>

<stage stageid="b3bf491d-2fef-4c66-ad82-2019456c7cfb" name="Time Out1" type="WaitEnd">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<display x="315" y="-90" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>42200150-616f-4a5c-b8ce-6a4e3dcee1c5</onsuccess>

<groupid>5ba3fc02-3b7c-45d8-a119-10ce3a457b49</groupid>

</stage>

<stage stageid="03ed7c66-ebf0-49dc-b1f6-b92edb165052" name="Wait for form to appear" type="WaitSta

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<display x="225" y="-90" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>5ba3fc02-3b7c-45d8-a119-10ce3a457b49</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>4806bd73-a947-4ba6-9ef5-b5a11acaa6d9</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```



<timeout>5</timeout>

</stage>

<stage stageid="42200150-616f-4a5c-b8ce-6a4e3dcee1c5" name="Note1" type="Note">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="319" y="-174" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4806bd73-a947-4ba6-9ef5-b5a11acaa6d9" name="Set radio group" type="Write">

<subsheetid>8413f850-cc6d-4042-a007-ace01cf540ae</subsheetid>

<loginhibit/>

<display x="225" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>76e5ce40-4cd3-4fbe-a9f0-575aadd2b7b7</onsuccess>

<step expr="[radio 1 value]">

<element id="f05bf132-6c7b-4ced-8371-6f6ba81556ac"/>

</step>

<step expr="[radio 2 value]">

<element id="0e9626a0-b643-4f64-baf1-35b7c9098cef"/>

</step>

</stage>

<stage stageid="979349b0-94f8-4441-9e46-425183d06a0a" name="Set Text box - win32" type="SubShee

<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="98ce391c-c0e9-45b5-878f-7ec31d1c1447" name="Start" type="Start">

<subsHEETid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsHEETid>

<loginhibit/>

<display x="150" y="-75"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="text box value" stage="text box value"/>

</inputs>

<onsuccess>21edc8f2-4f32-4da7-92e8-b2c63570f6e7</onsuccess>

</stage>

<stage stageid="7be9fd50-bfef-44e0-8cfd-9e32f00be54a" name="End" type="End">

<subsHEETid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsHEETid>

<loginhibit/>

<display x="150" y="120"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d7d86167-84ae-4a84-b846-071848bea63c" name="Time Out1" type="WaitEnd">

<subsHEETid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsHEETid>

<loginhibit/>

<display x="390" y="-60" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>44e0ecc6-5334-4aed-8218-4e895a0f94c7</onsuccess>

<groupid>b9afc5b2-fc54-4e1a-af98-54f821c3cf32</groupid>

</stage>

<stage stageid="21edc8f2-4f32-4da7-92e8-b2c63570f6e7" name="Wait for form to appear" type="WaitSta

<subsHEETid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsHEETid>

<loginhibit/>

<display x="300" y="-60" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>b9afc5b2-fc54-4e1a-af98-54f821c3cf32</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>a6352537-c625-46f9-a0c7-31bd2c630789</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="44e0ecc6-5334-4aed-8218-4e895a0f94c7" name="Note1" type="Note">

<subsheetsid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="394" y="-144" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a6352537-c625-46f9-a0c7-31bd2c630789" name="Set text box" type="Write">

<subsheetsid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetsid>

<loginhibit/>

<display x="330" y="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7be9fd50-bfef-44e0-8cfd-9e32f00be54a</onsuccess>

<step expr="[text box value]">

<element id="d28fc185-09d9-4c66-8039-b5e05ca66534"/>

</step>

</stage>

<stage stageid="b02076d1-3eec-4021-b3e7-b4a947d2213c" name="Get text box - win32" type="SubShee

<subsheetsid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="bf1bda63-ea3f-4e18-9b53-463dfef1fe8e" name="Start" type="Start">

<subsheetsid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetsid>

<loginhibit/>

<display x="135" y="-90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0ae101a1-0bce-4da9-acfe-dd385b773f9c</onsuccess>

</stage>

<stage stageid="1971b064-78c3-4cd8-96d6-2e2fb1445b5e" name="End" type="End">

<subsheetsid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetsid>

<loginhibit/>

<display x="135" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="text value" stage="text value"/>

</outputs>

```
</stage>

<stage stageid="90cee447-83d0-4fb3-8aa0-8d7728c34590" name="Time Out1" type="WaitEnd">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<display x="375" y="-75" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>81b400bb-5a65-40db-88f9-e41c26c187b1</onsuccess>

<groupid>3cbe55b7-3bdb-4f7c-a1a0-69fc428dd330</groupid>

</stage>

<stage stageid="0ae101a1-0bce-4da9-acfe-dd385b773f9c" name="Wait for form to appear" type="WaitSta

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<display x="285" y="-75" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>3cbe55b7-3bdb-4f7c-a1a0-69fc428dd330</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>f3a2c10a-c8c5-41e6-befe-a98bb7817ddf</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

<timeout>5</timeout>

</stage>

<stage stageid="81b400bb-5a65-40db-88f9-e41c26c187b1" name="Note1" type="Note">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="379" y="-159" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="904e5f13-ca1b-4519-91f6-6800c3c3beeb" name="text value" type="Data">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<display x="210" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f3a2c10a-c8c5-41e6-befe-a98bb7817ddf" name="get rich text value" type="Read">

<subsheetid>a707f6c1-8c87-436f-a5ff-0ef3f0fde710</subsheetid>

<loginhibit/>

<display x="300" y="15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1971b064-78c3-4cd8-96d6-2e2fb1445b5e</onsuccess>

<step stage="text value">

<element id="d28fc185-09d9-4c66-8039-b5e05ca66534"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="bd31e596-4534-47f2-bd96-10d508739cb7" name="text box value" type="Data">

<subsheetid>8955c5dd-8a8d-4466-992c-d8d32615afc3</subsheetid>

<display x="150" y="-30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="44266a79-a58b-4c66-b6ba-9ef40bf78196" name="Set listbox - win32" type="SubSheetIn

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<display x="-285" y="-255" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4fbf2549-61c3-4c8b-8f40-cdb2d75ce8e8" name="Start" type="Start">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<display x="15" y="-195"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="list box item" stage="list box item to select"/>

</inputs>

<onsuccess>a8d40264-0e6b-42df-8ea0-8b54959f90e6</onsuccess>

</stage>

<stage stageid="b647af25-6312-4423-92f2-89e753560063" name="End" type="End">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<display x="45" y="-75"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="147cb1fc-7ede-40f9-9c0f-4dbe7720098e" name="Time Out1" type="WaitEnd">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<display x="210" y="-195" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bb5e1700-a872-4580-93f8-15deddb49f41</onsuccess>

<groupid>bed907c2-104c-4be9-8142-c66b35d76924</groupid>

</stage>

<stage stageid="a8d40264-0e6b-42df-8ea0-8b54959f90e6" name="Wait for form to appear" type="WaitSta

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<display x="120" y="-195" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>bed907c2-104c-4be9-8142-c66b35d76924</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>fb3246c1-ba5f-4ecc-ac92-7ab14acf7bb3</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>



<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>5</timeout>

</stage>

<stage stageid="bb5e1700-a872-4580-93f8-15deddb49f41" name="Note1" type="Note">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="214" y="-279" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0761ed65-a570-4a66-9d8a-ccd510264da0" name="list box item to select" type="Data">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<display x="15" y="-150" w="120" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My listbox item at row 2</initialvalue>

<private/>

</stage>

<stage stageid="81beafbd-c03d-4420-bb00-77f27cef5ea2" name="Read confirmation field" type="Read">

<subsheetsid>26343d36-766e-4255-a611-35b1d8aef873</subsheetsid>

<loginhibit/>

<display x="135" y="0"/>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>113d3c82-6afa-4980-9733-64a1a343d834</onsuccess>

<step stage="listbox selected item check">

<element id="0f89793f-aa8a-40d4-a690-4983395a2d37"/>

<action>

<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="e6ddda16-4c4d-4742-8f1c-f201d4fbfd0f" name="listbox selected item check" type="Data"

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<display x="285" y="0" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="113d3c82-6afa-4980-9733-64a1a343d834" name="Set what we wanted to?" type="Decision"

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<display x="-45" y="45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[list box item to select]=[listbox selected item check]"/>

<ontrue>b647af25-6312-4423-92f2-89e753560063</ontrue>

<onfalse>3d35d4aa-f1a7-47b3-bf21-1f427fc4710e</onfalse>

</stage>
```

```
<stage stageid="3d35d4aa-f1a7-47b3-bf21-1f427fc4710e" name="Note4" type="Note">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<narrative>Unsuccesfully set the list box item</narrative>

<display x="-195" y="45" w="90" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0e27e9f9-fd1f-45d2-a062-90a2ea34860f" name="listbox collection" type="Collection">

<subsheetid>955b508c-2fbd-4a7c-abee-3ae383cb8849</subsheetid>

<display x="345" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fb3246c1-ba5f-4ecc-ac92-7ab14acf7bb3" name="select listbox item" type="Navigate">

<subsheetid>26343d36-766e-4255-a611-35b1d8aef873</subsheetid>

<loginhibit/>

<display x="180" y="-90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>81beafbd-c03d-4420-bb00-77f27cef5ea2</onsuccess>

<step>

<element id="b23606c9-5a48-4fa2-9b54-d0a78d2a0eca"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>
```

```
<id>newtext</id>

<value>[list box item to select]</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="2ce651c4-4b81-4571-a76d-05808cd6df11" name="Set listbox - AA" type="SubSheetInfo">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0c21b743-f78b-4de6-a63c-9c6dc7d595f9" name="Start" type="Start">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<display x="135" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="list box item" stage="list box item to select"/>

</inputs>

<onsuccess>3f482db7-c3c8-4ce2-97b6-48b8719e838e</onsuccess>

</stage>

<stage stageid="3a17caa0-1ba6-4c6f-ac8c-e511a1132b8f" name="End" type="End">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<display x="150" y="450"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

```
</stage>

<stage stageid="8d649224-a5b7-45f5-995d-33ef82325c3a" name="Time Out1" type="WaitEnd">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="330" y="-105" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1b047902-19ed-4d62-a0b8-fbb0984c9059</onsuccess>

<groupid>05b24920-03af-47ff-871f-3f742f639404</groupid>

</stage>

<stage stageid="3f482db7-c3c8-4ce2-97b6-48b8719e838e" name="Wait for form to appear" type="WaitSta

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="240" y="-105" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>05b24920-03af-47ff-871f-3f742f639404</groupid>

<choices>

<choice reply="True">

<name>Main Window Check Exists</name>

<distance>45</distance>

<ontrue>4f09c425-f7be-4bf6-bec4-8b7d625ce799</ontrue>

<element id="a3ed6523-64f9-4bc4-a2e7-7e57da46eb37"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>
```

```
<timeout>5</timeout>

</stage>

<stage stageid="1b047902-19ed-4d62-a0b8-fbb0984c9059" name="Note1" type="Note">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>Automated Test Form for controls was not present</narrative>

<display x="334" y="-189" w="90" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3c516908-2d3d-47db-88eb-1db2961c1170" name="list box item to select" type="Data">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<display x="15" y="45" w="210" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">My listbox item at row 1</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="504e42f3-d513-4634-b38a-42c262dbda11" name="Read confirmation field" type="Read">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="540" y="330"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aa6a6cc5-365a-4fac-bd07-0fe60315942b</onsuccess>

<step stage="listbox selected item check">

<element id="0f89793f-aa8a-40d4-a690-4983395a2d37"/>

<action>
```

```
<id>GetWindowText</id>

</action>

</step>

</stage>

<stage stageid="84d6e381-e285-460e-ad57-8aafe0ce212c" name="listbox selected item check" type="Data" >

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<display x="540" y="420" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="aa6a6cc5-365a-4fac-bd07-0fe60315942b" name="Set what we wanted to?" type="Decision" >

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="150" y="330"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[list box item to select]=[listbox selected item check]"/>

<ontrue>3a17caa0-1ba6-4c6f-ac8c-e511a1132b8f</ontrue>

<onfalse>caee2333-7bb3-4284-bef3-4104d3eaceed</onfalse>

</stage>

<stage stageid="caee2333-7bb3-4284-bef3-4104d3eaceed" name="Note4" type="Note">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<narrative>Unsuccesfully set the list box item</narrative>

<display x="150" y="255" w="90" h="60"/>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4f09c425-f7be-4bf6-bec4-8b7d625ce799" name="Choice1" type="ChoiceStart">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="285" y="-60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>f0908b20-f8e2-49c4-9772-e161bd9e9e74</groupid>

<choices>

<choice expression="[list box item to select]=&quot;My listbox item at row 1&quot;">

<name>row 1</name>

<distance>52.5</distance>

<ontrue>4722c2bd-4b85-4c77-8ba9-303ff02d71f5</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 2&quot;">

<name>row 2</name>

<distance>105</distance>

<ontrue>13133007-4fc4-4bb5-859e-53a557832ae1</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 3&quot;">

<name>row 3</name>

<distance>157.5</distance>

<ontrue>7fd02713-8a51-4bcc-8608-480b6fbb9fca</ontrue>

</choice>

<choice expression="[list box item to select]=&quot;My listbox item at row 4&quot;">

<name>row 4</name>

<distance>210</distance>



```
<ontrue>f5ba4730-a450-46de-a29d-afc5c4abd67c</ontrue>

</choice>

<choice expression="[list box item to select]='&quot;My listbox item at row 5&quot;'">

<name>row 5</name>

<distance>262.5</distance>

<ontrue>bc18ce12-d6db-4dab-b715-f15d59aa5614</ontrue>

</choice>

</choices>

</stage>

<stage stageid="bf7fe46f-fca4-4f9e-aff8-62a1bf47e799" name="Otherwise1" type="ChoiceEnd">

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<display x="285" y="255"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>caee2333-7bb3-4284-bef3-4104d3eaceed</onsuccess>

<groupid>f0908b20-f8e2-49c4-9772-e161bd9e9e74</groupid>

</stage>

<stage stageid="4722c2bd-4b85-4c77-8ba9-303ff02d71f5" name="default action on row 1" type="Navigate

<subsheetsid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetsid>

<loginhibit/>

<display x="480" y="-15" w="180" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>70d2fd0d-20bd-49e9-9c3d-16e7a04f5357</onsuccess>

<step>

<element id="6e9491d8-5fa7-497a-ad8c-b1ed54e7d09d"/>

<action>

<id>Default</id>
```

```
</action>

</step>

</stage>

<stage stageid="13133007-4fc4-4bb5-859e-53a557832ae1" name="default action on row 2" type="Navigation"
  <subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>
  <loginhibit/>
  <display x="480" y="45" w="180" h="30"/>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>de5a2bad-d1e8-48bc-ad96-c1550ee6b2f3</onsuccess>
</step>

<element id="1315e7ba-42fb-40f2-893c-0a9696ee0882"/>

<action>

<id>Default</id>

</action>

</step>

</stage>

<stage stageid="7fd02713-8a51-4bcc-8608-480b6fbb9fca" name="default action on row 3" type="Navigation"
  <subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>
  <loginhibit/>
  <display x="480" y="105" w="180" h="30"/>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>fd842c6d-35e1-418d-8c15-36b50a0dca8a</onsuccess>
</step>

<element id="4d902468-b6f1-4817-b6f8-38d00060e4ef"/>

<action>

<id>Default</id>

</action>
```

```
</step>

</stage>

<stage stageid="f5ba4730-a450-46de-a29d-afc5c4abd67c" name="default action on row 4" type="Navigation"
  <subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>
  <loginhibit/>
  <display x="480" y="165" w="180" h="30"/>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>05af8f9a-a09f-45e6-a56e-f61caa85f0f0</onsuccess>
</stage>

<step>
  <element id="74d8cf8f-d3d8-40ff-aef2-8912f0d01ecb"/>
  <action>
    <id>Default</id>
  </action>
</step>

</stage>

<stage stageid="bc18ce12-d6db-4dab-b715-f15d59aa5614" name="default action on row 5" type="Navigation"
  <subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>
  <loginhibit/>
  <display x="480" y="210" w="180" h="30"/>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>d8cffbe3-66d2-4128-8cb9-863708c7ff16</onsuccess>
</stage>

<step>
  <element id="90b0f09e-46b2-4da3-92a8-1fbfb0540a6d"/>
  <action>
    <id>Default</id>
  </action>
</step>
```

</stage>

<stage stageid="70d2fd0d-20bd-49e9-9c3d-16e7a04f5357" name="anchor1" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="645" y="-15" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>de5a2bad-d1e8-48bc-ad96-c1550ee6b2f3</onsuccess>

</stage>

<stage stageid="de5a2bad-d1e8-48bc-ad96-c1550ee6b2f3" name="anchor2" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="645" y="45" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fd842c6d-35e1-418d-8c15-36b50a0dca8a</onsuccess>

</stage>

<stage stageid="fd842c6d-35e1-418d-8c15-36b50a0dca8a" name="anchor3" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="645" y="105" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>05af8f9a-a09f-45e6-a56e-f61caa85f0f0</onsuccess>

</stage>

<stage stageid="05af8f9a-a09f-45e6-a56e-f61caa85f0f0" name="anchor4" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="645" y="165" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d8cffbe3-66d2-4128-8cb9-863708c7ff16</onsuccess>

</stage>

<stage stageid="d8cffbe3-66d2-4128-8cb9-863708c7ff16" name="anchor5" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="645" y="210" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ec14357a-6fa2-41b4-9c5c-2b4adb3a3839</onsuccess>

</stage>

<stage stageid="ec14357a-6fa2-41b4-9c5c-2b4adb3a3839" name="anchor6" type="Anchor">

<subsheetid>8d669ec1-4b06-45c6-b5d8-fdce190a313d</subsheetid>

<loginhibit/>

<display x="645" y="330" w="10" h="10"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>504e42f3-d513-4634-b38a-42c262dbda11</onsuccess>

</stage>

<stage stageid="1cb08a65-57fa-4e4a-a0df-411d51d260e5" name="Set Combo Box - Win32" type="SubSh

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="83998ec3-63fd-41b7-9c14-8e00619c79ee" name="Start" type="Start">

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

```
<input type="text" name="ComboBox Item" stage="ComboBox_Item"/>

</inputs>

<onsuccess>7148255c-54f8-4d0e-b9a0-a4be66fbe115</onsuccess>

</stage>

<stage stageid="8aeb6143-6af3-4bd0-83ab-b5024f1e681a" name="End" type="End">

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7148255c-54f8-4d0e-b9a0-a4be66fbe115" name="Select Item" type="Navigate">

<subsheetid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8aeb6143-6af3-4bd0-83ab-b5024f1e681a</onsuccess>

<step>

<element id="fb8b3095-10c2-41a9-9129-ceab8cb722bc"/>

<action>

<id>SelectItem</id>

<arguments>

<argument>

<id>newtext</id>

<value>[ComboBox_Item]</value>

</argument>

<argument>

<id>position</id>
```

<value>

</value>

</argument>

</arguments>

</action>

</step>

</stage>

<stage stageid="c44f4c51-5a8e-4d72-b3fc-fb766b9bf2c8" name="ComboBox\_Item" type="Data">

<subsheetsid>c611e341-492f-4f12-b59f-e1ea0034b388</subsheetsid>

<loginhibit/>

<display x="120" y="-75"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="13158b66-484d-4570-808b-b3f39416ab79" name="Terminate" type="SubSheetInfo">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7bcb43b4-9e12-455f-9f6c-6537514e6bd7" name="Start" type="Start">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6deda559-8fea-48d2-993d-3f07ff1fff5e</onsuccess>

</stage>

<stage stageid="f1b7c3c5-df47-4268-bcbc-e0b4ba2dfa57" name="End" type="End">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6deda559-8fea-48d2-993d-3f07ff1fff5e" name="Terminate" type="Navigate">

<subsheetsid>a86bb644-dd28-419c-abd3-dba7b7dae00d</subsheetsid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f1b7c3c5-df47-4268-bcbc-e0b4ba2dfa57</onsuccess>

<step>

<element id="e4250a95-a3b4-4c1b-a150-bf63ceb5b761"/>

<action>

<id>Terminate</id>

</action>

</step>

</stage>

<stage stageid="d83bdffd-2d20-4175-896b-9970e87fbcfb" name="Write ComboBox - Win32" type="SubSh

<subsheetsid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1b622d37-304d-4698-9e41-2af7868f9669" name="Start" type="Start">



```
<subsheetid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="ComboBox Item" stage="ComboBox Item"/>

</inputs>

<onsuccess>1620e74e-0c94-4663-92f2-c4474791b852</onsuccess>

</stage>

<stage stageid="b31742bb-c5e8-4ab9-a373-149a9c080209" name="End" type="End">

<subsheetid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="1620e74e-0c94-4663-92f2-c4474791b852" name="Writer1" type="Write">

<subsheetid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b31742bb-c5e8-4ab9-a373-149a9c080209</onsuccess>

<step>

<element id="fb8b3095-10c2-41a9-9129-ceab8cb722bc"/>

</step>

</stage>

<stage stageid="6345d60a-56cc-4c94-98a9-a8bfd57aa028" name="ComboBox Item" type="Data">

<subsheetid>7a07382e-2bc0-4025-ae32-788b6c246e46</subsheetid>
```

```
<display x="90" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="c3fbf36e-ead4-46f3-a92d-6d4bda417764" name="Get ComboBox - Win32" type="SubSheet">

<subsheetsid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetsid>

<display x="-195" y="-105" w="150" h="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="040af2c4-7dbd-45de-9e3d-a08178d96f0b" name="Start" type="Start">

<subsheetsid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetsid>

<loginhibit/>

<display x="15" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aa2f1164-c5bb-4bee-891d-1e85b76c3060</onsuccess>

</stage>

<stage stageid="d62bb816-334d-4cd8-a0d8-8017734ff0a2" name="End" type="End">

<subsheetsid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetsid>

<loginhibit/>

<display x="15" y="90"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="ComboBox Value" stage="Value from ComboBox_win32"/>

</outputs>
```

```
</stage>

<stage stageid="aa2f1164-c5bb-4bee-891d-1e85b76c3060" name="Reader1" type="Read">

<subsheetid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetid>

<loginhibit/>

<display x="15" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d62bb816-334d-4cd8-a0d8-8017734ff0a2</onsuccess>

<step stage="Value from ComboBox_win32">

<element id="fb8b3095-10c2-41a9-9129-ceab8cb722bc"/>

<action>

<id>GetSelectedItemText</id>

</action>

</step>

</stage>

<stage stageid="a8a09179-6afa-4a77-b179-0119a7c371de" name="Value from ComboBox_win32" type="Text">

<subsheetid>14152cbf-964b-4f14-808d-2cfa2f1dec78</subsheetid>

<display x="90" y="-15"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="d5858454-630e-401c-b3e5-11f27bfc9c29" name="Read Apex Grid" type="SubSheetInfo">

<subsheetid>5839af8e-871e-4407-a40e-b230aeee79ce</subsheetid>

<narrative>Reads the entire contents of the ApexGrid control, returning the result as a collection.</narrative>

<display x="-195" y="-105" w="150" h="90"/>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="161b2779-77a7-4f70-a42b-1cac297d09d7" name="Start" type="Start">

<subsheetid>5839af8e-871e-4407-a40e-b230aeee79ce</subsheetid>

<loginhibit/>

<preconditions>

<condition narrative=""/>

</preconditions>

<display x="-60" y="-165"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>30f4d29f-b16e-4e57-89f5-fb95e03e3f29</onsuccess>

</stage>

<stage stageid="fde66d48-3caf-4447-bc89-2dd6744effb3" name="End" type="End">

<subsheetid>5839af8e-871e-4407-a40e-b230aeee79ce</subsheetid>

<loginhibit/>

<display x="105" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Contents" stage="Contents"/>

</outputs>

</stage>

<stage stageid="562d6963-4544-4b01-b011-9aac1bd7a6a7" name="Contents" type="Collection">

<subsheetid>5839af8e-871e-4407-a40e-b230aeee79ce</subsheetid>

<loginhibit/>

<display x="240" y="-45" w="120" h="60"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3f286f06-c3ec-4265-878b-5b1bd25520ab" name="Read Grid" type="Read">

<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>

<loginhibit/>

<display x="105" y="-45"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fde66d48-3caf-4447-bc89-2dd6744effb3</onsuccess>

<step stage="Contents">

<element id="17c2f1d7-12c5-47f5-8c90-d5e0cac23e96"/>

<action>

<id>GetAllItems</id>

</action>

</step>

</stage>

<stage stageid="0794a27e-f539-4a0e-bf2d-141120688f9a" name="Time Out3" type="WaitEnd">

<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>

<loginhibit/>

<display x="-60" y="30" w="30" h="30"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>61df3759-1322-4860-931f-eb14a3fe95ba</onsuccess>

<groupid>e70a5c09-723f-4402-a7f2-f0112251cef8</groupid>

</stage>

<stage stageid="30f4d29f-b16e-4e57-89f5-fb95e03e3f29" name="Check for grid" type="WaitStart">

<subsheetid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetid>

<loginhibit/>

```
<display x="-60" y="-105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<groupid>e70a5c09-723f-4402-a7f2-f0112251cef8</groupid>

<choices>

<choice reply="True">

<name>ApexGrid Check Exists</name>

<distance>60</distance>

<ontrue>3f286f06-c3ec-4265-878b-5b1bd25520ab</ontrue>

<element id="17c2f1d7-12c5-47f5-8c90-d5e0cac23e96"/>

<condition>

<id>CheckExists</id>

</condition>

<comparetype>Equal</comparetype>

</choice>

</choices>

<timeout>30</timeout>

</stage>

<stage stageid="61df3759-1322-4860-931f-eb14a3fe95ba" name="Exception1" type="Exception">

<subsheetsid>5839af8e-871e-4407-a40e-b230aaee79ce</subsheetsid>

<display x="-60" y="105"/>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<exception type="Test Failure" detail="&quot;Could not find grid before reading&quot;"/>

</stage>

<stage stageid="1e919073-47ee-41df-85b8-9e2ebfc2fb8d" name="QA Root" type="Data">

<subsheetsid>39bf39c2-048e-49d1-8499-6601a1745814</subsheetsid>

<loginhibit/>

<display x="-180" y="-15" w="150" h="30"/>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">H:\automate\qa</initialvalue>

<exposure>Environment</exposure>

<private/>

<alwaysinit/>

</stage>

</process>

<process name="Test VB6 Listbox control" version="1.0" narrative="Test VB6 listbox controls" preferredid=

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>9e8d7ad9-1be4-4e63-9031-174e034cc974</onsuccess>

<resource object="VB6 Controls" action="Launch"/>

</stage>

<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get listbox current value - win32" type="Ac

<narrative>



</narrative>

<displayx>-75</displayx>

<displayy>-90</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="Listbox current value" stage="Listbox current value"/>

</outputs>

<onsuccess>0542995e-423d-487a-92fc-9e347daa91b3</onsuccess>

<resource object="VB6 Controls" action="Get listbox current value - win32"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="3704028e-ed1d-47a3-a693-687cfd72822a" name="Listbox current value" type="Data">

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>15</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="9e8d7ad9-1be4-4e63-9031-174e034cc974" name="Set list box item - win32" type="Action"

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="list box item" expr="&quot;My listbox item at row 3&quot;"/>

</inputs>

<outputs/>

<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>

```
<resource object="VB6 Controls" action="Set listbox - win32"/>

</stage>

<stage stageid="0542995e-423d-487a-92fc-9e347daa91b3" name="Terminate" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>

<resource object="VB6 Controls" action="Terminate"/>

</stage>

</process>

<process name="Test VB6 Radio Control" version="1.0" narrative="Test VB6 Radio Controls">

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>
```

</narrative>

<displayx>-75</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>

<resource object="VB6 Controls" action="Launch"/>

</stage>

<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get radion button - win32" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-150</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="flag" name="radio 1 value" stage="r1"/>

<output type="flag" name="radio 2 value" stage="r2"/>

</outputs>

<onsuccess>46451729-a22d-4b42-83b5-4c8d78a52850</onsuccess>

<resource object="VB6 Controls" action="Get radio buttons value - win32"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>30</displayx>

<displayy>-315</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Set radio button - win32" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="flag" name="radio 1 " expr="True"/>

<input type="flag" name="radio 2" expr="False"/>

</inputs>

<outputs/>

<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>

<resource object="VB6 Controls" action="Set radio buttons - win32"/>

</stage>

<stage stageid="c1a5dac7-30db-4982-b3ac-1a39eaaf5d2a" name="r1" type="Data">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e0ea7e54-c8a5-414f-ae2b-568eca927cf4" name="r2" type="Data">

<narrative>

</narrative>

<displayx>75</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

```
<stage stageid="46451729-a22d-4b42-83b5-4c8d78a52850" name="Correctly set/read" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[r1]=True AND [r2]=True"/>

<ontrue>5ee325d9-62ea-4017-986f-fe2d552c8aba</ontrue>

<onfalse>453e61a5-ccfe-493b-b3dd-febbebd7985f</onfalse>

</stage>

<stage stageid="453e61a5-ccfe-493b-b3dd-febbebd7985f" name="Note1" type="Note">

<narrative>Either the get or set didn't work as expected for win32</narrative>

<displayx>-195</displayx>

<displayy>-300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="Test VB6 Text Box Control" version="1.0" narrative="Test VB6 Text Box Control">

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>
```



```
<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>
```

<displayx>-75</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>

<resource object="VB6 Controls" action="Launch"/>

</stage>

<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get text - Win32" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="text value" stage="text value"/>

</outputs>

<onsuccess>2a7d777a-dbf1-4fc8-8d93-4d27a22cf5a6</onsuccess>

<resource object="VB6 Controls" action="Get text box - win32"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Set text button" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs>

<input type="text" name="text box value" expr="&quot;my text set from the process&quot;"/>

</inputs>

<outputs/>

<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>

<resource object="VB6 Controls" action="Set Text box - win32"/>

</stage>

<stage stageid="8555c336-8d29-44da-ab49-8ee827e7f596" name="text value" type="Data">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue>

</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="2a7d777a-dbf1-4fc8-8d93-4d27a22cf5a6" name="Set and got text " type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[text value]=&quot;my text set from the process&quot;"/>

<ontrue>5ee325d9-62ea-4017-986f-fe2d552c8aba</ontrue>

<onfalse>ccf19572-f487-47c2-9d62-24c78cd20786</onfalse>

</stage>

<stage stageid="ccf19572-f487-47c2-9d62-24c78cd20786" name="Note1" type="Note">

<narrative>Failed to set and get text correctly using win32</narrative>

<displayx>-195</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="Test VS2005 Button Control" version="1.0" narrative="Test VS2005 Button Control" pref

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>de3da5f3-4aaf-4ce2-b188-edb6b1096800</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Press button" type="Action">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7872332d-afb0-4cda-b396-b984d02829c7</onsuccess>

<resource object="VS2005 Controls" action="Press Button Win32"/>

</stage>

<stage stageid="7872332d-afb0-4cda-b396-b984d02829c7" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2fc541e3-ed81-410a-9384-541e033dc0fe</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="4faf27cd-f984-47f9-8eac-8e1cb1c62400" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>210</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ac28cb9f-df7f-4358-8162-e1833db1a581</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="ac28cb9f-df7f-4358-8162-e1833db1a581" name="Press button" type="Action">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>255</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9eb93fc1-0c3d-4b25-8a0d-79c10b5e6998</onsuccess>

<resource object="VS2005 Controls" action="Press Button AA"/>

</stage>

<stage stageid="9eb93fc1-0c3d-4b25-8a0d-79c10b5e6998" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>300</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>



<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="3987ac90-8cb2-4238-bd3a-cab31b9be4e3" name="Note1" type="Note">

<narrative>AA</narrative>

<displayx>-180</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4faf27cd-f984-47f9-8eac-8e1cb1c62400</onsuccess>

</stage>

<stage stageid="de3da5f3-4aaf-4ce2-b188-edb6b1096800" name="Note2" type="Note">

<narrative>Win32</narrative>

<displayx>-180</displayx>

<displayy>-60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="2fc541e3-ed81-410a-9384-541e033dc0fe" name="Is Windows 2000?" type="Decision">

<narrative>

</narrative>

<displayx>-180</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersion()=&quot;Windows 2000&quot;"/>

<ontrue>1ef154c7-ef6d-4605-a4a0-11fc5e264a8f</ontrue>

<onfalse>3987ac90-8cb2-4238-bd3a-cab31b9be4e3</onfalse>

</stage>

<stage stageid="1ef154c7-ef6d-4605-a4a0-11fc5e264a8f" name="End2" type="End">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="Test VS2005 Checkbox Controls" version="1.0" narrative="Test get and set functions for

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>375</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>435</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a427c172-fe23-4eb9-834d-e1da86de7f28</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

```
<stage stageid="3fed08ee-0060-44a0-aa7c-bf07c2b20e50" name="Current checkbox value" type="Data">
<narrative>
</narrative>
<displayx>165</displayx>
<displayy>330</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<datatype>flag</datatype>
<initialvalue/>
<private/>
<alwaysinit/>
</stage>

<stage stageid="912dc0f4-cdd9-4e09-b2c6-7e7da40e4de3" name="Set checkbox to True using AA" type="
<narrative>
</narrative>
<displayx>90</displayx>
<displayy>510</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Checkbox value" expr="True"/>
</inputs>
<onsuccess>c5621685-5d39-46ac-9301-42fcfd0b86d3</onsuccess>
<resource object="VS2005 Controls" action="Set Checkbox - AA"/>
</stage>
```

```
<stage stageid="71ff0ed6-24c8-4e65-b6cc-1c86c92e3ccd" name="Is the checkbox value True" type="Decision">
  <narrative>it should be</narrative>

  <displayx>300</displayx>
  <displayy>510</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <decision expression="[Current checkbox value]=True"/>
  <ontrue>0f3de55f-50de-4ac9-b042-a1e7299c7d65</ontrue>
  <onfalse>8e2bf573-05da-4a30-8a62-6e1cc9b0a2dd</onfalse>
</stage>

<stage stageid="c5621685-5d39-46ac-9301-42fcfd0b86d3" name="Get checkbox value using AA" type="Action">
  <narrative>
  </narrative>
  <displayx>210</displayx>
  <displayy>510</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <outputs>
    <output type="flag" name="Checkbox value" stage="Current checkbox value"/>
  </outputs>
  <onsuccess>71ff0ed6-24c8-4e65-b6cc-1c86c92e3ccd</onsuccess>
  <resource object="VS2005 Controls" action="Get Checkbox value - AA"/>
</stage>

<stage stageid="8e2bf573-05da-4a30-8a62-6e1cc9b0a2dd" name="Note1" type="Note">
  <narrative>Checkbox value should be true</narrative>
```

<displayx>401</displayx>

<displayy>505</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5bf4b6e6-9644-4e94-adf2-cccd94b86b10" name="Set checkbox value to false using AA"

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>615</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" expr="False"/>

</inputs>

<onsuccess>30df623a-3638-4ad1-abcd-d78eb63d3580</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - AA"/>

</stage>

<stage stageid="30df623a-3638-4ad1-abcd-d78eb63d3580" name="Get checkbox value using AA" type=""

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>888c149a-a163-4c14-8470-64d796500d52</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - AA"/>

</stage>

<stage stageid="888c149a-a163-4c14-8470-64d796500d52" name="Is checkbox value false" type="Decision">

<narrative>...it should be</narrative>

<displayx>296</displayx>

<displayy>610</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=False"/>

<ontrue>4680c463-2496-4166-90cd-7377941b4630</ontrue>

<onfalse>460a8855-1e84-4d13-b222-a9315a919422</onfalse>

</stage>

<stage stageid="460a8855-1e84-4d13-b222-a9315a919422" name="Note2" type="Note">

<narrative>Checkbox value should be false</narrative>

<displayx>386</displayx>

<displayy>610</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="873c826c-6d6b-491b-8701-5b851aff8ec9" name="Set checkbox to True using AA" type="Action">

```
<narrative>

</narrative>

<displayx>60</displayx>

<displayy>810</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" expr="True"/>

</inputs>

<onsuccess>18e05510-7fc4-45bb-9f68-b143c6d5586e</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - AA"/>

</stage>

<stage stageid="1f5e82e2-4f04-4477-a043-e1f3795d3343" name="Is the checkbox value True" type="Decision">

<narrative>it should be</narrative>

<displayx>240</displayx>

<displayy>810</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=True"/>

<ontrue>f9ea1d6f-50ae-43f9-8447-7b1a90eaa7d4</ontrue>

<onfalse>bd2e69c2-7222-4593-bfe8-a9bd3bc488f1</onfalse>

</stage>

<stage stageid="18e05510-7fc4-45bb-9f68-b143c6d5586e" name="Get checkbox value using AA" type="Action">

<narrative>

</narrative>
```



<displayx>165</displayx>

<displayy>810</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>1f5e82e2-4f04-4477-a043-e1f3795d3343</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - AA"/>

</stage>

<stage stageid="bd2e69c2-7222-4593-bfe8-a9bd3bc488f1" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>525</displayx>

<displayy>810</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ea2fd8bb-85c3-46b2-864c-b852b63f205a" name="Set checkbox value to false using AA"

<narrative>

</narrative>

<displayx>101</displayx>

<displayy>715</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" expr="False"/>

</inputs>

<onsuccess>3d963919-58ed-4916-b43d-5b8d013d43ba</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - AA"/>

</stage>

<stage stageid="3d963919-58ed-4916-b43d-5b8d013d43ba" name="Get checkbox value using AA" type="

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>720</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>64ba854b-5a6e-48b2-b841-09cf11f08941</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - AA"/>

</stage>

<stage stageid="64ba854b-5a6e-48b2-b841-09cf11f08941" name="Is checkbox value false" type="Decision

<narrative>...it should be</narrative>

<displayx>296</displayx>

<displayy>715</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<decision expression="[Current checkbox value]=False"/>
<ontrue>2463ca44-d1fd-4a3e-afb6-446ad719225d</ontrue>
<onfalse>ed32385c-4ea4-4d9e-9495-14813ef58452</onfalse>
</stage>
<stage stageid="ed32385c-4ea4-4d9e-9495-14813ef58452" name="Note2" type="Note">
<narrative>Checkbox value should be false</narrative>
<displayx>401</displayx>
<displayy>715</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="3f610408-774b-48d1-a595-db64565c55c6" name="Set checkbox to True using AA" type="
<narrative>
</narrative>
<displayx>60</displayx>
<displayy>915</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Checkbox value" expr="True"/>
</inputs>
<onsuccess>86ef663a-af6a-4c3b-9789-507831de46ee</onsuccess>
<resource object="VS2005 Controls" action="Set Checkbox - AA"/>
</stage>
<stage stageid="bad05fc7-b751-47cc-84d9-ceb3a1a20300" name="Is the checkbox value True" type="De
```

<narrative>it should be</narrative>

<displayx>375</displayx>

<displayy>915</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=True"/>

<ontrue>416f00ac-d36f-4dc0-ac0d-08cd4dfb70a2</ontrue>

<onfalse>5a282ea6-7483-4f2a-859c-012fc7820a24</onfalse>

</stage>

<stage stageid="86ef663a-af6a-4c3b-9789-507831de46ee" name="Get checkbox value using AA" type="A

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>915</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>bad05fc7-b751-47cc-84d9-ceb3a1a20300</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - AA"/>

</stage>

<stage stageid="5a282ea6-7483-4f2a-859c-012fc7820a24" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>480</displayx>

<display>915</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0f3de55f-50de-4ac9-b042-a1e7299c7d65" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<display>555</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9179e030-e373-470e-a0e0-c9b2428f06fb</onsuccess>

</stage>

<stage stageid="9179e030-e373-470e-a0e0-c9b2428f06fb" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<display>555</display>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5bf4b6e6-9644-4e94-adf2-cccd94b86b10</onsuccess>

</stage>

<stage stageid="4680c463-2496-4166-90cd-7377941b4630" name="anchor3" type="Anchor">

<narrative>

</narrative>

<displayx>296</displayx>

<displayy>670</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>67dcd536-418d-44c4-8d67-7e54a9a5934b</onsuccess>

</stage>

<stage stageid="67dcd536-418d-44c4-8d67-7e54a9a5934b" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>101</displayx>

<displayy>670</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ea2fd8bb-85c3-46b2-864c-b852b63f205a</onsuccess>

</stage>

<stage stageid="2463ca44-d1fd-4a3e-afb6-446ad719225d" name="anchor5" type="Anchor">

<narrative>

</narrative>

<displayx>296</displayx>

<displayy>760</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ceb597d8-5910-4b0b-9244-08c82e91df41</onsuccess>

</stage>

<stage stageid="ceb597d8-5910-4b0b-9244-08c82e91df41" name="anchor6" type="Anchor">

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>765</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>873c826c-6d6b-491b-8701-5b851aff8ec9</onsuccess>

</stage>

<stage stageid="f9ea1d6f-50ae-43f9-8447-7b1a90eaa7d4" name="anchor7" type="Anchor">

<narrative>

</narrative>

<displayx>240</displayx>

<displayy>855</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>98c7b202-20e6-4567-aac4-0f7b1785611f</onsuccess>

</stage>

<stage stageid="98c7b202-20e6-4567-aac4-0f7b1785611f" name="anchor8" type="Anchor">

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>855</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3f610408-774b-48d1-a595-db64565c55c6</onsuccess>

</stage>

<stage stageid="faae5e52-4fc6-42dc-b44f-af90fa8ad905" name="Note3" type="Note">

<narrative>Set to true from the default</narrative>

<displayx>-64</displayx>

<displayy>505</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5f0964f3-3430-4117-b2d8-ac31d313e460" name="Note4" type="Note">

<narrative>Set to false from true</narrative>

<displayx>-64</displayx>

<displayy>610</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="cf0a1da9-ab7e-468e-a69e-977bca0e0d1b" name="Note5" type="Note">

<narrative>Set to false from false</narrative>

<displayx>-64</displayx>

<displayy>715</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>



</stage>

<stage stageid="b2a7424c-568d-46ed-9d50-6aaf9283b6c0" name="Note6" type="Note">

<narrative>Set to true from false</narrative>

<displayx>-64</displayx>

<displayy>790</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e81d8af1-1922-4ece-b56a-cadcd58f1e55" name="Note7" type="Note">

<narrative>Set to true from true</narrative>

<displayx>-64</displayx>

<displayy>880</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="584faba0-014f-44f2-b528-3ded010a2a67" name="Note8" type="Note">

<narrative>Set and get with AA</narrative>

<displayx>-315</displayx>

<displayy>705</displayy>

<displaywidth>180</displaywidth>

<displayheight>420</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="09b85e96-636a-487e-a5ff-e95ac4d5e031" name="End1" type="End">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>1620</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="71c26fb6-e9d1-4f11-bd7f-b8eea9a1a21d" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>1545</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>09b85e96-636a-487e-a5ff-e95ac4d5e031</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="fcc32bf5-3225-4afc-ae1e-496b4d55e0ac" name="Set checkbox to True using Win32" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>1065</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

```
<input type="flag" name="Checkbox value" expr="True"/>

</inputs>

<onsuccess>1eda46a0-35be-4dfd-81d4-d4e68a9da088</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="8269febf-d8f4-4c18-b7af-af69a2fca3de" name="Is the checkbox value True" type="Decision" >

  <narrative>it should be</narrative>

  <displayx>300</displayx>

  <displayy>1065</displayy>

  <displaywidth>60</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <decision expression="[Current checkbox value]=True"/>

  <ontrue>2e49301c-a2fb-4f96-b17d-43c27226e4f9</ontrue>

  <onfalse>9b7970e2-4df6-4cd9-97fe-ea10205d7d2a</onfalse>

</stage>

<stage stageid="1eda46a0-35be-4dfd-81d4-d4e68a9da088" name="Get checkbox value using Win32" type="Control" >

  <narrative>

  </narrative>

  <displayx>210</displayx>

  <displayy>1065</displayy>

  <displaywidth>60</displaywidth>

  <displayheight>30</displayheight>

  <font family="Tahoma" size="10" style="Regular" color="000000"/>

  <outputs>

  <output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>
```

<onsuccess>8269febf-d8f4-4c18-b7af-af69a2fca3de</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="9b7970e2-4df6-4cd9-97fe-ea10205d7d2a" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>401</displayx>

<displayy>1060</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f1d3a47c-92c3-40d2-9fe3-926ba459b229" name="Set checkbox value to false using Win32" type="Note">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>1170</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="checkbox" name="Checkbox value" expr="False"/>

</inputs>

<onsuccess>05237e90-cc2b-47d7-943c-966377df4c76</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="05237e90-cc2b-47d7-943c-966377df4c76" name="Get checkbox value using Win32" type="Note">

<narrative>

```
</narrative>

<displayx>210</displayx>

<displayy>1170</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>c6efe662-aab9-4758-bc3f-2b521cc00559</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="c6efe662-aab9-4758-bc3f-2b521cc00559" name="Is checkbox value false" type="Decision">

<narrative>...it should be</narrative>

<displayx>296</displayx>

<displayy>1165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=False"/>

<ontrue>a5b0024a-7bc1-4e01-a648-c2e375f84071</ontrue>

<onfalse>b692b023-7ddc-44eb-bec4-fde94f82d9b7</onfalse>

</stage>

<stage stageid="b692b023-7ddc-44eb-bec4-fde94f82d9b7" name="Note2" type="Note">

<narrative>Checkbox value should be false</narrative>

<displayx>386</displayx>

<displayy>1165</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="aab32874-0fd1-46f3-8fbf-3c5a84ad24c5" name="Set checkbox to True using Win32" type="Dec

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>1365</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" expr="True"/>

</inputs>

<onsuccess>2e23898c-fc22-4615-817b-eae36447c416</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="20ef28da-4825-4fa4-9e29-1812ab36d442" name="Is the checkbox value True" type="Dec

<narrative>it should be</narrative>

<displayx>240</displayx>

<displayy>1365</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=True"/>

<ontrue>fae48c4b-c57a-4c23-a3c8-7c3c5ede57e5</ontrue>

<onfalse>bf1f4694-7a04-4c5e-aaeb-572d3e5b9e93</onfalse>

</stage>

<stage stageid="2e23898c-fc22-4615-817b-eae36447c416" name="Get checkbox value using Win32" type="Get checkbox value using Win32">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>1365</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>20ef28da-4825-4fa4-9e29-1812ab36d442</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="bf1f4694-7a04-4c5e-aaeb-572d3e5b9e93" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>525</displayx>

<displayy>1365</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="6b062054-4194-46ef-9263-e97dbec30c53" name="Set checkbox value to false using Win32" type="Set checkbox value to false using Win32">

<narrative>

</narrative>

```
<displayx>90</displayx>

<displayy>1275</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" expr="False"/>

</inputs>

<onsuccess>7b24c778-b826-49bf-8ddd-c894187cc8ed</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="7b24c778-b826-49bf-8ddd-c894187cc8ed" name="Get checkbox value using Win32" type="Action" />

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>1275</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>9d387d8c-cc24-4cf3-b31f-b95167a1d35f</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="9d387d8c-cc24-4cf3-b31f-b95167a1d35f" name="Is checkbox value false" type="Decision" />

<narrative>...it should be</narrative>
```



<displayx>296</displayx>

<displayy>1270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=False"/>

<ontrue>f4f1e846-e9ce-40c7-88ae-dab9edc30d6d</ontrue>

<onfalse>6dff1df3-5b0f-443c-a55f-317afd1459c2</onfalse>

</stage>

<stage stageid="6dff1df3-5b0f-443c-a55f-317afd1459c2" name="Note2" type="Note">

<narrative>Checkbox value should be false</narrative>

<displayx>401</displayx>

<displayy>1270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="e1665cb0-c68d-43d4-a04c-29946499c90e" name="Set checkbox to True using Win32" ty

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>1470</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Checkbox value" expr="True"/>

</inputs>

<onsuccess>4516bd61-36d7-4fcf-8689-fa1da53cb3cb</onsuccess>

<resource object="VS2005 Controls" action="Set Checkbox - Win32"/>

</stage>

<stage stageid="ca46a7cc-c8cf-4d87-8689-d3399a78ef38" name="Is the checkbox value True" type="Dec

<narrative>it should be</narrative>

<displayx>375</displayx>

<displayy>1470</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Current checkbox value]=True"/>

<ontrue>71c26fb6-e9d1-4f11-bd7f-b8eea9a1a21d</ontrue>

<onfalse>831d4941-e569-47ea-a9cb-d16c617be83b</onfalse>

</stage>

<stage stageid="4516bd61-36d7-4fcf-8689-fa1da53cb3cb" name="Get checkbox value using Win32" type=

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>1470</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="flag" name="Checkbox value" stage="Current checkbox value"/>

</outputs>

<onsuccess>ca46a7cc-c8cf-4d87-8689-d3399a78ef38</onsuccess>

<resource object="VS2005 Controls" action="Get Checkbox value - Win32"/>

</stage>

<stage stageid="831d4941-e569-47ea-a9cb-d16c617be83b" name="Note1" type="Note">

<narrative>Checkbox value should be true</narrative>

<displayx>480</displayx>

<displayy>1470</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="2e49301c-a2fb-4f96-b17d-43c27226e4f9" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>300</displayx>

<displayy>1110</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>86006ab3-fa49-477a-b36c-e03cc99abe06</onsuccess>

</stage>

<stage stageid="86006ab3-fa49-477a-b36c-e03cc99abe06" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>1110</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f1d3a47c-92c3-40d2-9fe3-926ba459b229</onsuccess>

</stage>

<stage stageid="a5b0024a-7bc1-4e01-a648-c2e375f84071" name="anchor3" type="Anchor">

<narrative>

</narrative>

<displayx>296</displayx>

<displayy>1225</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>79f31e1e-5118-40e9-99ac-5692320345d3</onsuccess>

</stage>

<stage stageid="79f31e1e-5118-40e9-99ac-5692320345d3" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>1230</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6b062054-4194-46ef-9263-e97dbee30c53</onsuccess>

</stage>

<stage stageid="f4f1e846-e9ce-40c7-88ae-dab9edc30d6d" name="anchor5" type="Anchor">

<narrative>

</narrative>

<displayx>296</displayx>

$$1315$$

$$10$$

$$10$$

$$1320$$

$$1320$$

$$60$$

$$1320$$

$$10$$

$$10$$

$$1320$$

$$1320$$

$$240$$

$$1410$$

$$10$$

$$10$$

$$1320$$

$$1320$$

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>1410</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e1665cb0-c68d-43d4-a04c-29946499c90e</onsuccess>

</stage>

<stage stageid="cdd5d1ef-c153-4d50-9123-f1cb86a71833" name="Note3" type="Note">

<narrative>Set to true from the default</narrative>

<displayx>-64</displayx>

<displayy>1060</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="0bc97171-f7f0-4b86-9625-5ea637c33a73" name="Note4" type="Note">

<narrative>Set to false from true</narrative>

<displayx>-64</displayx>

<displayy>1165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="924f3a1a-cf9f-4222-8b3f-f66492d92b2f" name="Note5" type="Note">

<narrative>Set to false from false</narrative>

$$-64$$

1270

60

30

<stage stageid="5f0d320d-1d9d-46e9-bdde-540d7aad6a70" name="Note6" type="Note">

<narrative>Set to true from false</narrative>

$$-64$$

1345

60

30

<stage stageid="01b1a2c5-e90d-4368-9bb1-083f9e37a737" name="Note7" type="Note">

<narrative>Set to true from true</narrative>

$$-64$$

1435

60

30

<stage stageid="416f00ac-d36f-4dc0-ac0d-08cd4dfb70a2" name="anchor9" type="Anchor">

<narrative>

</narrative>

$$375$$

990

```
<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>41f5775a-44a9-455c-b6a0-ecb0056c751d</onsuccess>

</stage>

<stage stageid="b473fc3b-25b6-4547-ba3a-b2569ec151d2" name="anchor10" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>990</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fcc32bf5-3225-4afc-ae1e-496b4d55e0ac</onsuccess>

</stage>

<stage stageid="41f5775a-44a9-455c-b6a0-ecb0056c751d" name="note99" type="Note">

<narrative>Do it all again with Win32</narrative>

<displayx>255</displayx>

<displayy>990</displayy>

<displaywidth>90</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b473fc3b-25b6-4547-ba3a-b2569ec151d2</onsuccess>

</stage>

<stage stageid="a427c172-fe23-4eb9-834d-e1da86de7f28" name="Is Windows 2000?" type="Decision">

<narrative>

</narrative>
```



<displayx>210</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersion()=&quot;Windows 2000&quot;"/>

<ontrue>216fd93f-11bf-4645-9aba-867f8edc7a05</ontrue>

<onfalse>756e9b23-bb9a-4b84-8d89-dac40b72f30f</onfalse>

</stage>

<stage stageid="756e9b23-bb9a-4b84-8d89-dac40b72f30f" name="anchor11" type="Anchor">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>465</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cc337e9f-236f-4f3c-9ca3-07ef31e9c46f</onsuccess>

</stage>

<stage stageid="cc337e9f-236f-4f3c-9ca3-07ef31e9c46f" name="anchor12" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>465</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>912dc0f4-cdd9-4e09-b2c6-7e7da40e4de3</onsuccess>

</stage>

<stage stageid="5d1fd0b2-48b0-41fe-b51e-4eac684dce7f" name="anchor13" type="Anchor">

<narrative>

</narrative>

<displayx>600</displayx>

<displayy>990</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>416f00ac-d36f-4dc0-ac0d-08cd4dfb70a2</onsuccess>

</stage>

<stage stageid="216fd93f-11bf-4645-9aba-867f8edc7a05" name="anchor14" type="Anchor">

<narrative>

</narrative>

<displayx>600</displayx>

<displayy>435</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5d1fd0b2-48b0-41fe-b51e-4eac684dce7f</onsuccess>

</stage>

</process>

<process name="Test VS2005 ComboBox Control" version="1.0" bpversion="6.3.0.3927" narrative="Comb

<view>

<camerax>499</camerax>

<cameray>615</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>

<stage stageid="a60155c2-23f8-48e3-a413-b3181ec1789b" name="Start" type="Start">

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e33a74fb-ee1f-4878-acd9-f1af82587ad2</onsuccess>

</stage>

<stage stageid="aa31506d-7ddb-4792-840a-128e04ac965c" name="Stage1" type="ProcessInfo">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>-75</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="197426a7-d24b-4ff0-befa-8648b4bcc2f8" name="Launch" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>446314ab-450c-4484-b1ad-c923eb7b8c2b</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="127e2aa5-456c-4974-9f61-91232d87ac70" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>66c727c3-6c3f-413c-8cf6-6587d89e1edc</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="e33a74fb-ee1f-4878-acd9-f1af82587ad2" name="Note2" type="Note">

<loginhibit/>

<narrative>Win32</narrative>

<displayx>-120</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>197426a7-d24b-4ff0-befa-8648b4bcc2f8</onsuccess>

</stage>

<stage stageid="446314ab-450c-4484-b1ad-c923eb7b8c2b" name="Write Text" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Text" expr="&quot;mungo&quot;"/>

</inputs>

<onsuccess>7b70b43c-1e73-49a9-8341-0aa58638a644</onsuccess>

<resource object="VS2005 Controls" action="Write ComboBox Win32"/>

</stage>

<stage stageid="7b70b43c-1e73-49a9-8341-0aa58638a644" name="Get Text" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Text" stage="Get Text"/>

<output type="text" name="Selected Item" stage="Selected Item"/>

</outputs>

<onsuccess>cba6c865-b08f-44c4-be2a-01e49f52a3f5</onsuccess>

<resource object="VS2005 Controls" action="Get ComboBox Text Win32"/>

</stage>

<stage stageid="5270435a-6d7f-4dd4-b41c-2ebc1ab739e8" name="Set Text" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>30</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue xml:space="preserve">mungo</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="970831d3-0e57-4bba-b54a-5ec045c94358" name="Get Text" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>60</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fbbc27b7-8cf5-40a2-8c72-3fc57f45bfe1" name="Selected Item" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>90</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="cba6c865-b08f-44c4-be2a-01e49f52a3f5" name="Set?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Set Text]=[Get Text]"/>

<ontrue>830206b1-f2c2-414c-b4d7-f3ff67abbce3</ontrue>

<onfalse>945def0d-e8c0-4142-a93d-1a129763e1ec</onfalse>

</stage>

<stage stageid="830206b1-f2c2-414c-b4d7-f3ff67abbce3" name="Get Items" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Items" stage="Items"/>

<output type="number" name="Count" stage="Count"/>

<output type="text" name="Selected Item" stage="Selected Item"/>

</outputs>

<onsuccess>51cbd890-74a4-4b32-ae62-95b91e3b3a43</onsuccess>

<resource object="VS2005 Controls" action="Get ComboBox Items Win32"/>

</stage>



<stage stageid="0499d53d-518a-4395-9545-e0effb7761ec" name="Items" type="Collection">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>150</displayy>

<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="e667ecf4-9098-484d-befe-a4a0da16c0bd" name="Count" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>210</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f00ba41f-20e6-4e79-8b1f-7bd75d061b82" name="Items" type="LoopStart">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f7185cf5-c73d-41e1-8376-7059e3128b2c</onsuccess>

<groupid>8fcebbfa-4c24-4796-9ae3-83d3d13dc7b8</groupid>

<looptype>ForEach</looptype>

<loopdata>Items</loopdata>

</stage>

<stage stageid="1aec1ff8-d695-462d-9dc4-40c3f8d88a2f" name="Next" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e35195df-2917-4514-aa70-91cc71728704</onsuccess>

<groupid>8fcebbfa-4c24-4796-9ae3-83d3d13dc7b8</groupid>

</stage>

<stage stageid="f7185cf5-c73d-41e1-8376-7059e3128b2c" name="Count" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5edffb7b-bfd5-4f9f-a3fb-915ddef88c47</onsuccess>

<calculation expression="[Count]-1" stage="Count"/>

</stage>

<stage stageid="e35195df-2917-4514-aa70-91cc71728704" name="Zero?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count]=0"/>

<ontrue>146b3b7d-0794-48bc-8024-bb23e500e836</ontrue>

<onfalse>52b9af20-50b8-4d2c-bc47-0bb4b3a1ac52</onfalse>

</stage>

<stage stageid="5edffb7b-bfd5-4f9f-a3fb-915ddef88c47" name="Found?" type="Decision">

<loginhibit/>

<narrative>

```
</narrative>

<displayx>15</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Items.Item Text]=[Set Text]"/>

<ontrue>7bca34d3-acd4-4c3d-b39a-c1cf82c89398</ontrue>

<onfalse>1aec1ff8-d695-462d-9dc4-40c3f8d88a2f</onfalse>

</stage>

<stage stageid="7bca34d3-acd4-4c3d-b39a-c1cf82c89398" name="Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>105</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1aec1ff8-d695-462d-9dc4-40c3f8d88a2f</onsuccess>

<calculation expression="True" stage="Found"/>

</stage>

<stage stageid="99899a06-b637-4532-a2d3-8be8e1e6d809" name="Found" type="Data">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>
```

```
<display>255</display>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="146b3b7d-0794-48bc-8024-bb23e500e836" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<display>480</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Found]"/>

<ontrue>127e2aa5-456c-4974-9f61-91232d87ac70</ontrue>

<onfalse>e0944513-6ba8-4dfb-9674-95d43c1fcc21</onfalse>

</stage>

<stage stageid="d1b75f94-7a0b-47ca-bdc7-512b89b0c11c" name="Note3" type="Note">

<loginhibit/>

<narrative>Failed to set text Win32</narrative>

<displayx>-210</displayx>

<display>120</display>
```

$$60$$

$$30$$

$$10$$

Failed to count items Win32

Failed to count items Win32

$$-210$$

$$435$$

$$60$$

$$30$$

$$10$$

Failed to find text in items Win32

Failed to find text in items Win32

$$-210$$

$$480$$

$$60$$

$$30$$

$$10$$

Write Text

$$720$$

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Text" expr="&quot;mungo&quot;"/>

</inputs>

<onsuccess>3af94655-4f67-4f8b-90ad-b70f70958c4d</onsuccess>

<resource object="VS2005 Controls" action="Write ComboBox AA"/>

</stage>

<stage stageid="3af94655-4f67-4f8b-90ad-b70f70958c4d" name="Get Text" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Text" stage="Get Text"/>

</outputs>

<onsuccess>a0752280-8379-4aa1-9dbd-a3c1f6412009</onsuccess>

<resource object="VS2005 Controls" action="Get ComboBox Text AA"/>

</stage>

<stage stageid="a0752280-8379-4aa1-9dbd-a3c1f6412009" name="Set?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Set Text]=[Get Text]"/>

<ontrue>d54a4401-c877-4b66-87ef-516ec522d122</ontrue>

<onfalse>b89a60af-d7c3-4395-b087-c2da7188a700</onfalse>

</stage>

<stage stageid="d54a4401-c877-4b66-87ef-516ec522d122" name="Get Items" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Items" stage="Items"/>

<output type="number" name="Count" stage="Count"/>

<output type="collection" name="Selected Items" stage="Selected Items"/>

</outputs>

<onsuccess>ca418174-983f-40a6-ae9d-5241ad660254</onsuccess>

<resource object="VS2005 Controls" action="Get ComboBox Items AA"/>



```
</stage>

<stage stageid="549c2806-17dd-4431-930d-9f719e9e4143" name="Note3" type="Note">

<loginhibit/>

<narrative>Failed to set text AA</narrative>

<displayx>540</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="66c727c3-6c3f-413c-8cf6-6587d89e1edc" name="anchor1" type="Anchor">

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>525</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b701afa0-aecf-4154-a7a8-8309b1ff11a6</onsuccess>

</stage>

<stage stageid="c68a3188-11c2-4e3b-a392-2e09ed986bce" name="Selected Items" type="Collection">

<loginhibit/>

<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>330</displayy>
```

```
<displaywidth>150</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>collection</datatype>

<private/>

<alwaysinit/>

</stage>

<stage stageid="3d52f8aa-4dc0-48d0-9e0b-e1f5f8fe0d8e" name="End" type="End">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>840</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="51cbd890-74a4-4b32-ae62-95b91e3b3a43" name="Selected?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Set Text]=[Selected Item]"/>
```

<ontrue>f00ba41f-20e6-4e79-8b1f-7bd75d061b82</ontrue>

<onfalse>7e81a354-b1dd-431e-bdcf-a627e217f56d</onfalse>

</stage>

<stage stageid="bd652c7c-1196-4413-8737-0d100cadf2a3" name="Note4" type="Note">

<loginhibit/>

<narrative>Failed to select item Win32</narrative>

<displayx>-210</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d507e092-7ad0-4277-a6f5-0056a926354f" name="Get Items" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Items" stage="Items"/>

<output type="number" name="Count" stage="Count"/>

<output type="text" name="Selected Item" stage="Selected Item"/>

</outputs>

<onsuccess>591fcf15-9aaf-472f-92d0-c385a32e81b8</onsuccess>

```
<resource object="VS2005 Controls" action="Get ComboBox Items Win32"/>

</stage>

<stage stageid="00b1e025-ff54-4325-9127-b16fc5c0a399" name="Items" type="LoopStart">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5fb5db52-4b38-473c-b7b1-c0373b58988b</onsuccess>

<groupid>5eb1d448-a958-4338-bdf2-d9c8820a2074</groupid>

<looptype>ForEach</looptype>

<loopdata>Items</loopdata>

</stage>

<stage stageid="e999664a-32ac-4561-b429-c388b049eab7" name="Next" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>fd9c9c44-e576-4d64-a132-a88d2bd60ddf</onsuccess>

<groupid>5eb1d448-a958-4338-bdf2-d9c8820a2074</groupid>
```

</stage>

<stage stageid="5fb5db52-4b38-473c-b7b1-c0373b58988b" name="Count" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>25d502a8-51e5-4836-ba2a-642f17264219</onsuccess>

<calculation expression="[Count]-1" stage="Count"/>

</stage>

<stage stageid="fd9c9c44-e576-4d64-a132-a88d2bd60ddf" name="Zero?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count]=0"/>

<ontrue>51de73a7-b047-4407-8d00-1833dbe629ca</ontrue>

<onfalse>e35195df-2917-4514-aa70-91cc71728704</onfalse>

</stage>

<stage stageid="25d502a8-51e5-4836-ba2a-642f17264219" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Items.Item Text]=[Set Text]"/>

<ontrue>8bf44b37-6b10-4e08-bf01-39ab56b808bb</ontrue>

<onfalse>e999664a-32ac-4561-b429-c388b049eab7</onfalse>

</stage>

<stage stageid="8bf44b37-6b10-4e08-bf01-39ab56b808bb" name="Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>375</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e999664a-32ac-4561-b429-c388b049eab7</onsuccess>

<calculation expression="True" stage="Found"/>

</stage>

<stage stageid="51de73a7-b047-4407-8d00-1833dbe629ca" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Found]"/>

<ontrue>5865db82-83b6-4019-8ab9-2e475ad2419e</ontrue>

<onfalse>146b3b7d-0794-48bc-8024-bb23e500e836</onfalse>

</stage>

<stage stageid="591fcf15-9aaf-472f-92d0-c385a32e81b8" name="Selected?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Set Text]=[Selected Item]"/>

<ontrue>00b1e025-ff54-4325-9127-b16fc5c0a399</ontrue>

<onfalse>51cbd890-74a4-4b32-ae62-95b91e3b3a43</onfalse>

</stage>

<stage stageid="b5b74af8-a36f-4afd-91c6-394f25f8330c" name="Select Item" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Text" expr="[Set Text]"/>

</inputs>

<onsuccess>d507e092-7ad0-4277-a6f5-0056a926354f</onsuccess>

<resource object="VS2005 Controls" action="Select ComboBox Item Win32"/>

</stage>

<stage stageid="94824cd5-5094-4d7c-aae7-00d3f89dac8b" name="anchor1" type="Anchor">

<loginhibit/>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>525</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5a5805d5-deec-40f6-85e7-bf85abe35fb4</onsuccess>

</stage>

<stage stageid="288e0db8-82df-4564-8a9a-9e6c6d378884" name="Launch" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>



<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b5b74af8-a36f-4afd-91c6-394f25f8330c</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="5865db82-83b6-4019-8ab9-2e475ad2419e" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>285</displayx>

<display>525</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>94824cd5-5094-4d7c-aae7-00d3f89dac8b</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="c2671ddd-57a9-47f0-9797-8adba98fd53c" name="Launch" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<display>-15</display>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>aacc77e2-9065-48b9-876c-3ed9b53bacf8</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="e0944513-6ba8-4dfb-9674-95d43c1fcc21" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>480</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5c9294a5-6419-4880-9e9a-c5b428c78c88</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="52b9af20-50b8-4d2c-bc47-0bb4b3a1ac52" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b9830cf2-79a0-4f50-a0a2-8f03d4af6441</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="7e81a354-b1dd-431e-bdcf-a627e217f56d" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bd652c7c-1196-4413-8737-0d100cadf2a3</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="945def0d-e8c0-4142-a93d-1a129763e1ec" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>-120</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d1b75f94-7a0b-47ca-bdc7-512b89b0c11c</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="b89a60af-d7c3-4395-b087-c2da7188a700" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>549c2806-17dd-4431-930d-9f719e9e4143</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="3ed96d51-144f-4696-8add-30616727505f" name="Select Item" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Text" expr="&quot;norman&quot;"/>

</inputs>

<onsuccess>9dae8be8-ce0f-4d86-97c9-a2a670734a86</onsuccess>

<resource object="VS2005 Controls" action="Select ComboBox Item AA"/>

</stage>

<stage stageid="9dae8be8-ce0f-4d86-97c9-a2a670734a86" name="Get Items" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="collection" name="Items" stage="Items"/>

<output type="number" name="Count" stage="Count"/>

<output type="collection" name="Selected Items" stage="Selected Items"/>

</outputs>

<onsuccess>c49b6141-e6aa-4d23-9eb2-16efaffdd5f</onsuccess>

<resource object="VS2005 Controls" action="Get ComboBox Items AA"/>

</stage>

<stage stageid="5d4fc725-aa79-4a30-8386-d6b7c5a8d56c" name="Launch" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3ed96d51-144f-4696-8add-30616727505f</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

```
<stage stageid="4a628b0c-7a36-4cd4-b03c-01c43d79ed8b" name="anchor4" type="Anchor">

<loginhibit/>

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>795</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>710c337d-11b9-4d3c-8e4b-01bb076ddf75</onsuccess>

</stage>

<stage stageid="b701afa0-aecf-4154-a7a8-8309b1ff11a6" name="Reset Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>288e0db8-82df-4564-8a9a-9e6c6d378884</onsuccess>

<calculation expression="False" stage="Found"/>

</stage>

<stage stageid="1b473170-9ecb-4ab3-b913-afacfe56838e" name="Reset Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>465</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>82a1a57a-712e-4c01-abbb-b5b0537c7e8a</onsuccess>

<calculation expression="False" stage="Found"/>

</stage>

<stage stageid="ca49ce47-9216-41d8-8d6e-75f6b988917d" name="Reset Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5d4fc725-aa79-4a30-8386-d6b7c5a8d56c</onsuccess>

<calculation expression="False" stage="Found"/>

</stage>

<stage stageid="63136b4f-b88b-4935-b2ea-b1e40d39f1f5" name="Reset Text" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>
```

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1b473170-9ecb-4ab3-b913-afacfe56838e</onsuccess>

<calculation expression="&quot;&quot;" stage="Get Text"/>

</stage>

<stage stageid="c513bb09-3c72-4208-ba12-c0692a4496b6" name="Reset Item" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>465</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>63136b4f-b88b-4935-b2ea-b1e40d39f1f5</onsuccess>

<calculation expression="&quot;&quot;" stage="Selected Item"/>

</stage>

<stage stageid="82a1a57a-712e-4c01-abbb-b5b0537c7e8a" name="Note1" type="Note">

<loginhibit/>

<narrative>AA</narrative>

<displayx>630</displayx>

<displayy>-15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c2671ddd-57a9-47f0-9797-8adba98fd53c</onsuccess>

</stage>
```



<stage stageid="bcf54aac-d481-4b9f-8bed-53f2bc14e23b" name="Reset Text" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ca49ce47-9216-41d8-8d6e-75f6b988917d</onsuccess>

<calculation expression="&quot;&quot;" stage="Get Text"/>

</stage>

<stage stageid="6f75e68f-865b-4ba2-b306-56c0bd64f8a8" name="Reset Item" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>bcf54aac-d481-4b9f-8bed-53f2bc14e23b</onsuccess>

<calculation expression="&quot;&quot;" stage="Selected Item"/>

</stage>

<stage stageid="ca418174-983f-40a6-ae9d-5241ad660254" name="Selected Items" type="LoopStart">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>18c23e61-8bdf-42e2-a207-406b29f7bcc7</onsuccess>

<groupid>125172af-5a5d-4401-92b2-20d32a7d99fc</groupid>

<looptype>ForEach</looptype>

<loopdata>Selected Items</loopdata>

</stage>

<stage stageid="994ee094-8e70-4516-a2d9-1e793628fd0b" name="Next" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2b51b146-1063-4fb3-82db-e8941e7cf3a8</onsuccess>

<groupid>125172af-5a5d-4401-92b2-20d32a7d99fc</groupid>

</stage>

<stage stageid="57f5ecad-dd95-4a37-a813-edd8a26c3264" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Selected Items.Item Text]=[Set Text]"/>

<ontrue>d7d5c671-2ab1-4545-be39-b6b91d429888</ontrue>

<onfalse>994ee094-8e70-4516-a2d9-1e793628fd0b</onfalse>

</stage>

<stage stageid="d7d5c671-2ab1-4545-be39-b6b91d429888" name="Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>994ee094-8e70-4516-a2d9-1e793628fd0b</onsuccess>

<calculation expression="True" stage="Found"/>

</stage>

<stage stageid="18c23e61-8bdf-42e2-a207-406b29f7bcc7" name="Count" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>255</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>57f5ecad-dd95-4a37-a813-edd8a26c3264</onsuccess>

<calculation expression="[Selected Count]+1" stage="Selected Count"/>

</stage>

<stage stageid="638fe9c8-194f-4c91-baf4-d332cfd72086" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Found]"/>

<ontrue>ba99aad6-0c93-46c5-a3f2-5d72ee47ec45</ontrue>

<onfalse>f09fb048-7284-410c-a14f-fc56492ac428</onfalse>

</stage>

<stage stageid="afcc8480-b3e5-4dda-9c37-42842f8f99dc" name="Note3" type="Note">

<loginhibit/>

<narrative>Failed to find text in selected items AA</narrative>

<displayx>540</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>
```

</stage>

<stage stageid="2b51b146-1063-4fb3-82db-e8941e7cf3a8" name="One?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Selected Count]=1"/>

<ontrue>638fe9c8-194f-4c91-baf4-d332cfd72086</ontrue>

<onfalse>4eb9f4fc-08c5-4633-9118-6ca4d08c647d</onfalse>

</stage>

<stage stageid="b11b4582-ba27-48ea-ad1b-d6df27365599" name="Note3" type="Note">

<loginhibit/>

<narrative>Found more than one selected item AA</narrative>

<displayx>540</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="f09fb048-7284-410c-a14f-fc56492ac428" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>afcc8480-b3e5-4dda-9c37-42842f8f99dc</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="4eb9f4fc-08c5-4633-9118-6ca4d08c647d" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b11b4582-ba27-48ea-ad1b-d6df27365599</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="c49b6141-e6aa-4d23-9eb2-16efaffdd5f" name="Selected Items" type="LoopStart">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>210</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>e66b4c34-e1ec-4d6b-ba4e-a9c2adc4227a</onsuccess>

<groupid>cb4847bc-bbde-423c-8da8-026756431ee6</groupid>

<looptype>ForEach</looptype>

<loopdata>Selected Items</loopdata>

</stage>

<stage stageid="43807512-44af-4604-a206-603b8f477ae9" name="Next" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>345</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3fbf6520-967c-468c-bf40-a60275cb9a7c</onsuccess>

<groupid>cb4847bc-bbde-423c-8da8-026756431ee6</groupid>

</stage>

<stage stageid="85b17fe9-8e21-4a29-b13d-bed559d393f8" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>300</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Selected Items.Item Text]=&quot;norman&quot;"/>
<ontrue>e6e5d4ce-a857-44d8-885c-2c88d461afd7</ontrue>
<onfalse>43807512-44af-4604-a206-603b8f477ae9</onfalse>
</stage>
<stage stageid="e6e5d4ce-a857-44d8-885c-2c88d461afd7" name="Found" type="Calculation">
<loginhibit/>
<narrative>
</narrative>
<displayx>1095</displayx>
<displayy>300</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>43807512-44af-4604-a206-603b8f477ae9</onsuccess>
<calculation expression="True" stage="Found"/>
</stage>
<stage stageid="e66b4c34-e1ec-4d6b-ba4e-a9c2adc4227a" name="Count" type="Calculation">
<loginhibit/>
<narrative>
</narrative>
<displayx>1005</displayx>
<displayy>255</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>85b17fe9-8e21-4a29-b13d-bed559d393f8</onsuccess>
```



```
<calculation expression="[Selected Count]+1" stage="Selected Count"/>

</stage>

<stage stageid="1cd3cb88-4a60-45f0-b291-af07bfea4b69" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>435</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Found]"/>

<ontrue>6a12f9ec-ea2b-4f16-b45e-dad3f8dc2d2f</ontrue>

<onfalse>638fe9c8-194f-4c91-baf4-d332cfd72086</onfalse>

</stage>

<stage stageid="3fbf6520-967c-468c-bf40-a60275cb9a7c" name="One?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>390</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Selected Count]=1"/>

<ontrue>1cd3cb88-4a60-45f0-b291-af07bfea4b69</ontrue>

<onfalse>2b51b146-1063-4fb3-82db-e8941e7cf3a8</onfalse>
```

</stage>

<stage stageid="340b35c5-ec37-47b3-ba81-afab33ac0d44" name="Items" type="LoopStart">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4392ab67-710e-4553-9430-99dbcceaaa59</onsuccess>

<groupid>5b1978a3-b1ea-477e-8017-a8e89ce50ab8</groupid>

<looptype>ForEach</looptype>

<loopdata>Items</loopdata>

</stage>

<stage stageid="2d6ffbc1-ad27-45ca-96a0-8ff0860446c9" name="Next" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>660</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>ae19d834-154c-4084-b706-f1876083e54e</onsuccess>

<groupid>5b1978a3-b1ea-477e-8017-a8e89ce50ab8</groupid>

</stage>

```
<stage stageid="4392ab67-710e-4553-9430-99dbcceaaa59" name="Count" type="Calculation">
<loginhibit/>
<narrative>
</narrative>
<displayx>720</displayx>
<displayy>570</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>ac6f8585-33e9-473a-bda2-a4acfe9dc1d5</onsuccess>
<calculation expression="[Count]-1" stage="Count"/>
</stage>
<stage stageid="ae19d834-154c-4084-b706-f1876083e54e" name="Zero?" type="Decision">
<loginhibit/>
<narrative>
</narrative>
<displayx>720</displayx>
<displayy>705</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Count]=0"/>
<ontrue>87b8cb36-30f7-43d3-ad30-31eafed06f49</ontrue>
<onfalse>2965088e-df76-40b4-aeb3-f41388534987</onfalse>
</stage>
<stage stageid="ac6f8585-33e9-473a-bda2-a4acfe9dc1d5" name="Found?" type="Decision">
<loginhibit/>
```

```
<narrative>

</narrative>

<displayx>720</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Items.Item Text]=[Set Text]"/>

<ontrue>6d736817-f279-43f5-b093-de810947e31f</ontrue>

<onfalse>2d6ffbc1-ad27-45ca-96a0-8ff0860446c9</onfalse>

</stage>

<stage stageid="6d736817-f279-43f5-b093-de810947e31f" name="Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>810</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>2d6ffbc1-ad27-45ca-96a0-8ff0860446c9</onsuccess>

<calculation expression="True" stage="Found"/>

</stage>

<stage stageid="87b8cb36-30f7-43d3-ad30-31eafed06f49" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>720</displayx>
<displayy>750</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Found]"/>
<ontrue>41c71ef2-d722-4aa5-ae2a-bdeaf64d94f3</ontrue>
<onfalse>22809048-3350-432b-9b0f-edaea6962b18</onfalse>
</stage>
<stage stageid="02b19fbe-665f-4e60-acae-d907c4bbf7b2" name="Note3" type="Note">
<loginhibit/>
<narrative>Failed to count items AA</narrative>
<displayx>540</displayx>
<displayy>705</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
<stage stageid="f1423c55-9cba-4b45-b939-273036f85448" name="Note3" type="Note">
<loginhibit/>
<narrative>Failed to find text in items AA</narrative>
<displayx>540</displayx>
<displayy>750</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
</stage>
```

<stage stageid="22809048-3350-432b-9b0f-edaea6962b18" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>750</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f1423c55-9cba-4b45-b939-273036f85448</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="2965088e-df76-40b4-aeb3-f41388534987" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>630</displayx>

<displayy>705</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>02b19fbe-665f-4e60-acae-d907c4bbf7b2</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="0f5dfd56-92e3-4abc-a563-8bbd53a1e568" name="Items" type="LoopStart">

<loginhibit/>

<narrative>

```
</narrative>

<displayx>1005</displayx>

<displayy>525</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>607dca40-7667-4942-a7d6-f729488d921e</onsuccess>

<groupid>d9c6f1a2-5ce1-48f3-84c2-7becdab0bf2f</groupid>

<looptype>ForEach</looptype>

<loopdata>Items</loopdata>

</stage>

<stage stageid="eaf9fc8f-8b3b-43f6-98b7-f69d15b80163" name="Next" type="LoopEnd">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>660</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>a729557a-60fb-4ba8-8761-de5eb4b67551</onsuccess>

<groupid>d9c6f1a2-5ce1-48f3-84c2-7becdab0bf2f</groupid>

</stage>

<stage stageid="607dca40-7667-4942-a7d6-f729488d921e" name="Count" type="Calculation">

<loginhibit/>

<narrative>

</narrative>
```

```
<displayx>1005</displayx>

<displayy>570</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>0209cac7-b272-44fc-a61a-6468fd8872b2</onsuccess>

<calculation expression="[Count]-1" stage="Count"/>

</stage>

<stage stageid="a729557a-60fb-4ba8-8761-de5eb4b67551" name="Zero?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>705</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Count]=0"/>

<ontrue>4ea4dbfb-5802-4db8-9f14-b56dd4c7eb2a</ontrue>

<onfalse>ae19d834-154c-4084-b706-f1876083e54e</onfalse>

</stage>

<stage stageid="0209cac7-b272-44fc-a61a-6468fd8872b2" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>615</displayy>
```



```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Items.Item Text]=[Set Text]"/>

<ontrue>ab4b4d79-6fd5-4e11-bc4a-4b898bf23583</ontrue>

<onfalse>eaf9fc8f-8b3b-43f6-98b7-f69d15b80163</onfalse>

</stage>

<stage stageid="ab4b4d79-6fd5-4e11-bc4a-4b898bf23583" name="Found" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>1095</displayx>

<displayy>615</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>eaf9fc8f-8b3b-43f6-98b7-f69d15b80163</onsuccess>

<calculation expression="True" stage="Found"/>

</stage>

<stage stageid="4ea4dbfb-5802-4db8-9f14-b56dd4c7eb2a" name="Found?" type="Decision">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>750</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="[Found]"/>
<ontrue>dd8e5c1b-394f-40b2-b790-85e274ac3441</ontrue>
<onfalse>87b8cb36-30f7-43d3-ad30-31eafed06f49</onfalse>
</stage>
<stage stageid="ba99aad6-0c93-46c5-a3f2-5d72ee47ec45" name="Reset Found" type="Calculation">
<loginhibit/>
<narrative>
</narrative>
<displayx>720</displayx>
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>340b35c5-ec37-47b3-ba81-afab33ac0d44</onsuccess>
<calculation expression="False" stage="Found"/>
</stage>
<stage stageid="6a12f9ec-ea2b-4f16-b45e-dad3f8dc2d2f" name="Reset Found" type="Calculation">
<loginhibit/>
<narrative>
</narrative>
<displayx>1005</displayx>
<displayy>480</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<onsuccess>0f5dfd56-92e3-4abc-a563-8bbd53a1e568</onsuccess>
```

<calculation expression="False" stage="Found"/>

</stage>

<stage stageid="41c71ef2-d722-4aa5-ae2a-bdeaf64d94f3" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>720</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4a628b0c-7a36-4cd4-b03c-01c43d79ed8b</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="dd8e5c1b-394f-40b2-b790-85e274ac3441" name="Exit" type="Action">

<loginhibit/>

<narrative>

</narrative>

<displayx>1005</displayx>

<displayy>795</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d52f8aa-4dc0-48d0-9e0b-e1f5f8fe0d8e</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="ce24182f-cc6d-4b8a-af58-93fde618b455" name="Selected Count" type="Data">

```
<narrative>

</narrative>

<displayx>-405</displayx>

<displayy>390</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>number</datatype>

<initialvalue>0</initialvalue>

<private/>

<alwaysinit/>

</stage>

<stage stageid="710c337d-11b9-4d3c-8e4b-01bb076ddf75" name="Reset Selected Count" type="Calculation">

<loginhibit/>

<narrative>

</narrative>

<displayx>870</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>6f75e68f-865b-4ba2-b306-56c0bd64f8a8</onsuccess>

<calculation expression="0" stage="Selected Count"/>

</stage>

<stage stageid="61ed3040-fa65-499d-9b28-42878e864503" name="End2" type="End">

<narrative>

</narrative>
```

```
<displayx>570</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5a5805d5-deec-40f6-85e7-bf85abe35fb4" name="Is Windows 2000?" type="Decision">
<narrative>

</narrative>

<displayx>465</displayx>
<displayy>225</displayy>
<displaywidth>60</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<decision expression="GetOSVersion()=&quot;Windows 2000&quot;"/>
<ontrue>61ed3040-fa65-499d-9b28-42878e864503</ontrue>
<onfalse>c513bb09-3c72-4208-ba12-c0692a4496b6</onfalse>

</stage>

</process>

<process name="VS2005 Font Recognition Test" version="1.0" narrative="Font recognition test using VS2
<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative=""/>
```

<stage stageid="b7adb236-d0ab-4f77-a41c-48fdf600e492" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>7afa8cd8-2d8b-40ce-9059-7e12f397f8c2</onsuccess>

</stage>

<stage stageid="c69b21a1-f756-48b0-905b-233c00f521b7" name="End" type="End">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>495</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

</stage>

<stage stageid="7d60a874-0a54-45c5-89c4-29356dc72d1b" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7afa8cd8-2d8b-40ce-9059-7e12f397f8c2" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>7c3d3783-b399-4aa0-bbb6-4bb1a35d1c22</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="7c3d3783-b399-4aa0-bbb6-4bb1a35d1c22" name="Open Font Test Form" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>b07d3454-6c6a-4cf4-97da-113d15b4070d</onsuccess>

<resource object="VS2005 Controls" action="Open Font Tests"/>

</stage>

<stage stageid="b07d3454-6c6a-4cf4-97da-113d15b4070d" name="Recognise Text" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="Text" stage="Result"/>

</outputs>

<onsuccess>fca0f3ac-7266-41c1-86a9-2e09c974289b</onsuccess>

<resource object="VS2005 Controls" action="Read Barclays Balance Text"/>

</stage>

<stage stageid="166d26da-9370-43ae-9515-badc32def389" name="Result" type="Data">

<narrative>

</narrative>



```
<displayx>-165</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ce80f683-f6e6-4a3f-adb4-182c5a9a0680" name="Check Result" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Result]=&quot;£1,130.75DR&quot;"/>

<ontrue>4b27fdbb-a2f1-4c29-a1cb-e1936ebb9025</ontrue>

<onfalse>6286addd-6d97-4348-928c-c7fdad7b478b</onfalse>

</stage>

<stage stageid="6286addd-6d97-4348-928c-c7fdad7b478b" name="Note1" type="Note">

<narrative>It read the text wrong!!</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>
```

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9d12c3af-b410-4fc2-8361-aaad004a9b02" name="Result 2" type="Data">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fca0f3ac-7266-41c1-86a9-2e09c974289b" name="Recognise Other Text" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

```
<output type="text" name="Text" stage="Result 2"/>

</outputs>

<onsuccess>df60794a-61f1-499e-91bc-df9e30ebfb8d</onsuccess>

<resource object="VS2005 Controls" action="Read iPM Patient ID"/>

</stage>

<stage stageid="4b27fdbb-a2f1-4c29-a1cb-e1936ebb9025" name="Check Other Result" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Result 2]=&quot;V582059&quot;"/>

<ontrue>2621d7ac-7707-466c-a663-a26a57a8c70e</ontrue>

<onfalse>6286add-6d97-4348-928c-c7fdad7b478b</onfalse>

</stage>

<stage stageid="d0a97d39-16b9-4473-ad49-d3b78024c40e" name="ResultG" type="Data">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>120</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>
```

<private/>

<alwaysinit/>

</stage>

<stage stageid="df60794a-61f1-499e-91bc-df9e30ebfb8d" name="Recognise Griffiths" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs>

<output type="text" name="Result" stage="ResultG"/>

</outputs>

<onsuccess>ce80f683-f6e6-4a3f-adb4-182c5a9a0680</onsuccess>

<resource object="VS2005 Controls" action="Read Griffiths Text"/>

</stage>

<stage stageid="2621d7ac-7707-466c-a663-a26a57a8c70e" name="Check Griffiths" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

```
<decision expression="[ResultG]=&quot;Griffiths&quot;"/>
<ontrue>de7feda4-a127-4481-9142-b806f096051c</ontrue>
<onfalse>6286add-6d97-4348-928c-c7fdad7b478b</onfalse>
</stage>
<stage stageid="de7feda4-a127-4481-9142-b806f096051c" name="Verify Single Character Match" type="Action">
  <narrative>
  </narrative>
  <displayx>-15</displayx>
  <displayy>285</displayy>
  <displaywidth>90</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <action/>
  <inputs/>
  <outputs/>
  <onsuccess>f2737ec8-9a88-483a-a7cc-bfb8f1fbfd6c</onsuccess>
  <resource object="VS2005 Controls" action="Verify Single Character FontRec Match"/>
</stage>
<stage stageid="f2737ec8-9a88-483a-a7cc-bfb8f1fbfd6c" name="Verify Verdana Matching" type="Action">
  <narrative>
  </narrative>
  <displayx>-15</displayx>
  <displayy>345</displayy>
  <displaywidth>90</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <action/>
```

<inputs/>

<outputs/>

<onsuccess>23949bb0-bba5-4728-926d-3acd69774eb4</onsuccess>

<resource object="VS2005 Controls" action="Verify Verdana 8"/>

</stage>

<stage stageid="4b8ded03-c01f-4e98-b994-2ca054158635" name="Exit App" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>c69b21a1-f756-48b0-905b-233c00f521b7</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="23949bb0-bba5-4728-926d-3acd69774eb4" name="Close Fonts Form" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<action/>

<inputs/>

<outputs/>

<onsuccess>4b8ded03-c01f-4e98-b994-2ca054158635</onsuccess>

<resource object="VS2005 Controls" action="Close Font Tests"/>

</stage>

</process>

<process name="VS2005 Font Recognition Test DB" version="1.0" narrative="Copy of font recognition test" />

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="" />

<stage stageid="b7adb236-d0ab-4f77-a41c-48fdf600e492" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7afa8cd8-2d8b-40ce-9059-7e12f397f8c2</onsuccess>

</stage>

<stage stageid="c69b21a1-f756-48b0-905b-233c00f521b7" name="End" type="End">

<narrative>

```
</narrative>

<displayx>-15</displayx>

<displayy>495</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7d60a874-0a54-45c5-89c4-29356dc72d1b" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-195</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="7afa8cd8-2d8b-40ce-9059-7e12f397f8c2" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>7c3d3783-b399-4aa0-bbb6-4bb1a35d1c22</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>
```



<stage stageid="7c3d3783-b399-4aa0-bbb6-4bb1a35d1c22" name="Open Font Test Form" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-90</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b07d3454-6c6a-4cf4-97da-113d15b4070d</onsuccess>

<resource object="VS2005 Controls" action="Open Font Tests"/>

</stage>

<stage stageid="b07d3454-6c6a-4cf4-97da-113d15b4070d" name="Recognise Text" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Font" narrative="Font to use" expr="&quot;BarclaysCS\_d&quot;"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Result"/>

</outputs>

<onsuccess>fca0f3ac-7266-41c1-86a9-2e09c974289b</onsuccess>

<resource object="VS2005 Controls" action="Read Barclays Balance Text"/>

```
</stage>

<stage stageid="166d26da-9370-43ae-9515-badc32def389" name="Result" type="Data">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="ce80f683-f6e6-4a3f-adb4-182c5a9a0680" name="Check Result" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>135</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Result]=&quot;£1,130.75DR&quot;"/>

<ontrue>4b27fdbb-a2f1-4c29-a1cb-e1936ebb9025</ontrue>

<onfalse>6286addd-6d97-4348-928c-c7fdad7b478b</onfalse>

</stage>

<stage stageid="6286addd-6d97-4348-928c-c7fdad7b478b" name="Note1" type="Note">
```

<narrative>It read the text wrong!!</narrative>

<displayx>-135</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="9d12c3af-b410-4fc2-8361-aaad004a9b02" name="Result 2" type="Data">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="fca0f3ac-7266-41c1-86a9-2e09c974289b" name="Recognise Other Text" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>0</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Font" narrative="Font to use" expr="&quot;System_d&quot;"/>

</inputs>

<outputs>

<output type="text" name="Text" stage="Result 2"/>

</outputs>

<onsuccess>df60794a-61f1-499e-91bc-df9e30ebfb8d</onsuccess>

<resource object="VS2005 Controls" action="Read iPM Patient ID"/>

</stage>

<stage stageid="4b27fdbb-a2f1-4c29-a1cb-e1936ebb9025" name="Check Other Result" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>180</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Result 2]=&quot;V582059&quot;"/>

<ontrue>2621d7ac-7707-466c-a663-a26a57a8c70e</ontrue>

<onfalse>6286addd-6d97-4348-928c-c7fdad7b478b</onfalse>

</stage>

<stage stageid="d0a97d39-16b9-4473-ad49-d3b78024c40e" name="ResultG" type="Data">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>120</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="df60794a-61f1-499e-91bc-df9e30ebfb8d" name="Recognise Griffiths" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="Font" narrative="Font to use" expr="&quot;System\_d&quot;"/>

</inputs>

<outputs>

<output type="text" name="Result" stage="ResultG"/>

</outputs>

<onsuccess>ce80f683-f6e6-4a3f-adb4-182c5a9a0680</onsuccess>

<resource object="VS2005 Controls" action="Read Griffiths Text"/>

</stage>

<stage stageid="2621d7ac-7707-466c-a663-a26a57a8c70e" name="Check Griffiths" type="Decision">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[ResultG]=&quot;Griffiths&quot;"/>

<ontrue>de7feda4-a127-4481-9142-b806f096051c</ontrue>

<onfalse>6286add-6d97-4348-928c-c7fdad7b478b</onfalse>

</stage>

<stage stageid="de7feda4-a127-4481-9142-b806f096051c" name="Verify Single Character Match" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f2737ec8-9a88-483a-a7cc-bfb8f1fbfd6c</onsuccess>

<resource object="VS2005 Controls" action="Verify Single Character FontRec Match"/>

</stage>

<stage stageid="f2737ec8-9a88-483a-a7cc-bfb8f1fbfd6c" name="Verify Verdana Matching" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>345</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d7dbc9d-9981-4a5d-aba0-08b09f6c2837</onsuccess>

<resource object="VS2005 Controls" action="Verify Verdana 8"/>

</stage>

<stage stageid="4b8ded03-c01f-4e98-b994-2ca054158635" name="Exit App" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>450</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c69b21a1-f756-48b0-905b-233c00f521b7</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="23949bb0-bba5-4728-926d-3acd69774eb4" name="Close Fonts Form" type="Action">

<narrative>

</narrative>

<displayx>-15</displayx>

<displayy>405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>4b8ded03-c01f-4e98-b994-2ca054158635</onsuccess>

<resource object="VS2005 Controls" action="Close Font Tests"/>

</stage>

```
<stage stageid="3d7dbc9d-9981-4a5d-aba0-08b09f6c2837" name="Check new font stuff" type="Action">
  <narrative>
  </narrative>
  <displayx>120</displayx>
  <displayy>375</displayy>
  <displaywidth>60</displaywidth>
  <displayheight>30</displayheight>
  <font family="Tahoma" size="10" style="Regular" color="000000"/>
  <onsuccess>23949bb0-bba5-4728-926d-3acd69774eb4</onsuccess>
  <resource object="VS2005 Controls" action="Verify New Font Stuff"/>
</stage>
</process>
<process name="Test VS2005 Label Control" version="1.0" narrative="Set and get values of VS2005 label">
  <view>
    <camerax>0</camerax>
    <cameray>0</cameray>
    <zoom>1</zoom>
  </view>
  <preconditions/>
  <endpoint narrative="&#xD;&#xA;"/>
  <stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">
    <narrative>
    </narrative>
    <displayx>90</displayx>
    <displayy>-105</displayy>
    <displaywidth>60</displaywidth>
    <displayheight>30</displayheight>
```



<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8dd59cdd-001d-407a-8342-0bcfba5fa513</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="8dd59cdd-001d-407a-8342-0bcfba5fa513" name="Get label value using win32" type="Act

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-45</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Label value" stage="Label Value"/>

</outputs>

<onsuccess>c9020b2f-27b0-411e-a22b-cc25e5f5b261</onsuccess>

<resource object="VS2005 Controls" action="Get Label Value - Win32"/>

</stage>

<stage stageid="8de64626-ea9f-462d-ab78-2c26f5c16a9c" name="Label Value" type="Data">

<narrative>

</narrative>

<displayx>405</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f4c9db76-535c-4526-a799-4152a8a711e4" name="End1" type="End">

<narrative>

</narrative>

<displayx>270</displayx>

$$-465$$

$$60$$

$$30$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

stage stageid="c9020b2f-27b0-411e-a22b-cc25e5f5b261" name="Has label got the correct value" type="Note"

narrative

$$270$$

$$-135$$

$$60$$

$$30$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

decision expression="[Label Value]='&quot;My Label&quot;"/>

ontrue>ac8aee76-b7ed-4881-bb37-bde468a31bf7</ontrue>

onfalse>b67db059-8d2f-4a92-93ad-a6df694e2a8f</onfalse>

stage stageid="b67db059-8d2f-4a92-93ad-a6df694e2a8f" name="Note9" type="Note">

narrative>Label value should be 'My Label'</narrative>

$$405$$

$$-135$$

$$120$$

$$60$$

font family="Tahoma" size="10" style="Regular" color="000000"/>

stage stageid="44278129-180b-4c59-b587-ae88786d0ea1" name="Get label value using AA" type="Action"

narrative

```
</narrative>

<displayx>270</displayx>

<displayy>-270</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Label value" stage="Label Value"/>

</outputs>

<onsuccess>e743c824-3c09-419a-a1b3-00a88992a6f7</onsuccess>

<resource object="VS2005 Controls" action="Get Label Value - AA"/>

</stage>

<stage stageid="e743c824-3c09-419a-a1b3-00a88992a6f7" name="Has label got the correct value" type="

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Label Value]=&quot;My Label&quot;"/>

<ontrue>a3e9b2ec-1fba-4b4e-97f4-b4fd7c2ddf4a</ontrue>

<onfalse>01098e1d-bec7-4b92-bb80-553188449048</onfalse>

</stage>

<stage stageid="01098e1d-bec7-4b92-bb80-553188449048" name="Note9" type="Note">

<narrative>Label value should be 'My Label'</narrative>

<displayx>405</displayx>
```

<displayy>-330</displayy>

<displaywidth>120</displaywidth>

<displayheight>60</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="a3e9b2ec-1fba-4b4e-97f4-b4fd7c2ddf4a" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-405</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f4c9db76-535c-4526-a799-4152a8a711e4</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="ac8aee76-b7ed-4881-bb37-bde468a31bf7" name="Is Windows 2000?" type="Decision">

<narrative>

</narrative>

<displayx>270</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersion()=&quot;Windows 2000&quot;"/>

<ontrue>5f7cce16-f1cb-488f-aa2f-3e5aeaae8ec8</ontrue>

<onfalse>44278129-180b-4c59-b587-ae88786d0ea1</onfalse>

</stage>

<stage stageid="23da3aea-c9e2-4938-80f0-3ac06bc06bf4" name="End2" type="End">

<narrative>

</narrative>

<displayx>60</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5f7cce16-f1cb-488f-aa2f-3e5aeaae8ec8" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>23da3aea-c9e2-4938-80f0-3ac06bc06bf4</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

</process>

<process name="Test VS2005 Link Label Control" version="1.0" bpversion="5.2.0.1" narrative="Get, sets a

<view>

<camerax>0</camerax>

<cameray>510</cameray>

<zoom version="2">1.25</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-210</displayx>

<displayy>-180</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>62435e1a-97e7-4c8c-bfd0-a3e522c5677a</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="8de64626-ea9f-462d-ab78-2c26f5c16a9c" name="Label Value" type="Data">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>60</displayy>

<displaywidth>120</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="62435e1a-97e7-4c8c-bfd0-a3e522c5677a" name="Click link label - win32" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>



<inputs>

<input type="flag" name="Link Label Confirmation Present" expr="True"/>

</inputs>

<onsuccess>6aad64e7-ec2a-44c9-b046-0d22fa049e04</onsuccess>

<resource object="VS2005 Controls" action="Click Link Label - Win32"/>

</stage>

<stage stageid="6aad64e7-ec2a-44c9-b046-0d22fa049e04" name="Click link label - win32" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Link Label Confirmation Present" expr="False"/>

</inputs>

<onsuccess>3c2cb653-5af3-4acc-8bb4-c196f70716ed</onsuccess>

<resource object="VS2005 Controls" action="Click Link Label - Win32"/>

</stage>

<stage stageid="b8fd9c80-d1d9-459f-890e-b8db5d4cfc45" name="Get link label value - win32" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Label value" stage="Label Value"/>

</outputs>

<onsuccess>46abc795-844f-4fed-ad45-394b872c5ee3</onsuccess>

<resource object="VS2005 Controls" action="Get Link Label - Win32"/>

</stage>

<stage stageid="46abc795-844f-4fed-ad45-394b872c5ee3" name="Read link label text" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Label Value]=&quot;My Link Label&quot;"/>

<ontrue>dfa3c7d6-5a0a-48cd-8a93-96d2b28a8381</ontrue>

<onfalse>a4244f63-6330-4d16-b9ed-e5ec76248fec</onfalse>

</stage>

<stage stageid="a4244f63-6330-4d16-b9ed-e5ec76248fec" name="Note1" type="Note">

<narrative>Expected to read link label text as 'my link label' but this was not the case</narrative>

<displayx>45</displayx>

<displayy>105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

```
<stage stageid="061d1477-ebe0-4c5c-8910-db975b75c0bf" name="Read link label text" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>510</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Label Value]=&quot;My Link Label&quot;"/>

<ontrue>c459a867-863a-4077-8f3f-510e5b10fb15</ontrue>

<onfalse>9a73e0f0-e492-4bfb-b49b-4cd2e8f395a8</onfalse>

</stage>

<stage stageid="9a73e0f0-e492-4bfb-b49b-4cd2e8f395a8" name="Note1" type="Note">

<narrative>Expected to read link label text as 'my link label' but this was not the case</narrative>

<displayx>45</displayx>

<displayy>510</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="27f99307-00f5-4adf-acdf-71eac5afa60e" name="End2" type="End">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>600</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c459a867-863a-4077-8f3f-510e5b10fb15" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>555</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>27f99307-00f5-4adf-acdf-71eac5afa60e</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="3c2cb653-5af3-4acc-8bb4-c196f70716ed" name="Click link label - .NET" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-30</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Link Label Confirmation Present" expr="True"/>

</inputs>

<onsuccess>a023dc09-078b-4b4e-8ac5-2f6ba852e509</onsuccess>

<resource object="VS2005 Controls" action="Click Link Label - .Net"/>

</stage>

```
<stage stageid="a023dc09-078b-4b4e-8ac5-2f6ba852e509" name="Click link label - .NET" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>15</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Link Label Confirmation Present" expr="False"/>
</inputs>
<onsuccess>b8fd9c80-d1d9-459f-890e-b8db5d4cfc45</onsuccess>
<resource object="VS2005 Controls" action="Click Link Label - .Net"/>
</stage>

<stage stageid="5e35e967-119c-45ae-8115-9293469657fa" name="Click link label - AA" type="Action">
<narrative>
</narrative>
<displayx>-75</displayx>
<displayy>195</displayy>
<displaywidth>90</displaywidth>
<displayheight>30</displayheight>
<font family="Tahoma" size="10" style="Regular" color="000000"/>
<inputs>
<input type="flag" name="Label link label confirm" expr="True"/>
</inputs>
<onsuccess>c8e72124-d048-4b7c-8a60-681ba56405b3</onsuccess>
<resource object="VS2005 Controls" action="Click Link Label - AA"/>
```

</stage>

<stage stageid="f455304d-e4fa-49bf-8c2b-bc32257b64ba" name="Click link label - AA" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Label link label confirm" expr="False"/>

</inputs>

<onsuccess>9ac1a27c-9973-45e4-b1b5-7cae2936cb85</onsuccess>

<resource object="VS2005 Controls" action="Click Link Label - AA"/>

</stage>

<stage stageid="dfa3c7d6-5a0a-48cd-8a93-96d2b28a8381" name="Is Windows 2000?" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersion()=&quot;Windows 2000&quot;"/>

<ontrue>ce10436b-e458-435b-aa50-3ea22b5501b4</ontrue>

<onfalse>5e35e967-119c-45ae-8115-9293469657fa</onfalse>

</stage>

<stage stageid="ce10436b-e458-435b-aa50-3ea22b5501b4" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>150</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d902383d-dc70-40f4-882e-704559aa1e8b</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="d902383d-dc70-40f4-882e-704559aa1e8b" name="End1" type="End">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="c8e72124-d048-4b7c-8a60-681ba56405b3" name="Wait 2 bits" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>240</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

```
<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Milliseconds" narrative="The number of milliseconds to wait - default is 1 sec

</inputs>

<onsuccess>f455304d-e4fa-49bf-8c2b-bc32257b64ba</onsuccess>

<resource object="VS2005 Controls" action="Wait A Bit"/>

</stage>

<stage stageid="4f8d9649-6fdc-4de7-b4ad-c412c8808d1b" name="Get link label - AA" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>465</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Label value" stage="Label Value"/>

</outputs>

<onsuccess>061d1477-ebe0-4c5c-8910-db975b75c0bf</onsuccess>

<resource object="VS2005 Controls" action="Get Link Label - AA"/>

</stage>

<stage stageid="9ac1a27c-9973-45e4-b1b5-7cae2936cb85" name="Click link label - AA (Default)" type="A

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>330</displayy>

<displaywidth>90</displaywidth>
```



<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Label link label confirm" expr="True"/>

</inputs>

<onsuccess>468e3555-c45a-444c-8997-bd1195da5f3b</onsuccess>

<resource object="VS2005 Controls" action="Click Link Label - AA (Default)"/>

</stage>

<stage stageid="ad4ce427-4c42-4444-a896-84c1833c3665" name="Click link label - AA (Default)" type="A

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>420</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="flag" name="Label link label confirm" expr="False"/>

</inputs>

<onsuccess>4f8d9649-6fdc-4de7-b4ad-c412c8808d1b</onsuccess>

<resource object="VS2005 Controls" action="Click Link Label - AA (Default)"/>

</stage>

<stage stageid="468e3555-c45a-444c-8997-bd1195da5f3b" name="Wait 2 bits" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>375</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Milliseconds" narrative="The number of milliseconds to wait - default is 1 sec

</inputs>

<onsuccess>ad4ce427-4c42-4444-a896-84c1833c3665</onsuccess>

<resource object="VS2005 Controls" action="Wait A Bit"/>

</stage>

</process>

<process name="Test VS2005 Listbox Control" version="1.0" narrative="Test a listbox control" preferredid=

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>45</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>9e8d7ad9-1be4-4e63-9031-174e034cc974</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="7cfcf84d-df4f-4689-b6f0-cfda4fc07fec" name="Get listbox current value - win32" type="Ac

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-60</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="Listbox current value" stage="Listbox current value"/>

</outputs>

<onsuccess>d642a196-1a30-4f92-b608-061c24d276cb</onsuccess>

<resource object="VS2005 Controls" action="Get listbox current value - win32"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="3704028e-ed1d-47a3-a693-687cfd72822a" name="Listbox current value" type="Data">

<narrative>

</narrative>

<displayx>-225</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="171ebccb-ecff-4e99-969a-0baae189609c" name="Get list box current value - AA" type="A

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-225</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<outputs>

<output type="text" name="row 1" stage="lb r1"/>

<output type="text" name="row 2" stage="lb r2"/>

<output type="text" name="row 3" stage="lb r3"/>

<output type="text" name="row 4" stage="lb r4"/>

<output type="text" name="row 5" stage="lb r5"/>

</outputs>

<onsuccess>16025275-c83a-403d-8475-ee1a1432e88d</onsuccess>

<resource object="VS2005 Controls" action="Get listbox current value - AA"/>

</stage>

<stage stageid="9e8d7ad9-1be4-4e63-9031-174e034cc974" name="Set list box item - win32" type="Action

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-15</displayy>

<displaywidth>90</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="text" name="list box item" expr="&quot;My list box item at row 3&quot;"/>

</inputs>

<onsuccess>7cfcf84d-df4f-4689-b6f0-cfda4fc07fec</onsuccess>

<resource object="VS2005 Controls" action="Set listbox - win32"/>

</stage>

<stage stageid="12f74082-b76b-4e70-bcc0-b888668e1b73" name="Set listbox to item at row 4" type="Acti

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="row number" expr="4"/>

</inputs>

<onsuccess>171ebccb-ecff-4e99-969a-0baae189609c</onsuccess>

<resource object="VS2005 Controls" action="Set listbox - AA"/>

</stage>

<stage stageid="39cd421a-f8ae-4b83-8776-5f5021a425d4" name="lb r1" type="Data">

<narrative>

</narrative>

<displayx>165</displayx>

<displayy>-285</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="1b8c80de-abdd-4e23-9237-f1e0996e2860" name="lb r2" type="Data">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-255</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="096e2453-9084-4fc4-b8b8-1473e19a50e6" name="lb r3" type="Data">

<narrative>

</narrative>

<displayx>195</displayx>

<displayy>-225</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="b9cbd669-55a7-4f2f-bb02-ca97e02d300a" name="lb r4" type="Data">

<narrative>

</narrative>

<displayx>210</displayx>

<displayy>-195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="f5d16cfb-4bf3-4178-8c1c-c61ff806d9a2" name="lb r5" type="Data">

<narrative>

</narrative>

<displayx>225</displayx>

<displayy>-165</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```



<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>text</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="16025275-c83a-403d-8475-ee1a1432e88d" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-285</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="d642a196-1a30-4f92-b608-061c24d276cb" name="Is Windows 2000?" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersion()= &quot;Windows 2000&quot;"/>

<ontrue>2624bc22-9be0-42e9-aa1c-4bc9c4bc6b27</ontrue>

```
<onfalse>12f74082-b76b-4e70-bcc0-b888668e1b73</onfalse>

</stage>

<stage stageid="2624bc22-9be0-42e9-aa1c-4bc9c4bc6b27" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-105</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>cbd2030e-a479-4697-9638-8c53de98fea7</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="cbd2030e-a479-4697-9638-8c53de98fea7" name="End2" type="End">

<narrative>

</narrative>

<displayx>150</displayx>

<displayy>-105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

<process name="Test VS2005 Menus" version="1.0" narrative="Test menus and sub menus selection" pre

<view>

<camerax>0</camerax>

<cameray>0</cameray>
```

```
<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-210</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>756d52ff-c9c6-4922-95a4-c9cad69355dd</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-390</displayx>

<displayy>-105</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="756d52ff-c9c6-4922-95a4-c9cad69355dd" name="Start form with controls" type="Action">

<narrative>

</narrative>

<displayx>45</displayx>
```

<displayy>-165</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d131b64b-7fbc-4ff7-a65b-bfe96e1bd1df" name="Work with menus" type="Action">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-120</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>8fba444b-d956-4f15-b6bc-4482f22ed3f5</onsuccess>

<resource object="VS2005 Controls" action="Menu\_AA"/>

</stage>

<stage stageid="8fba444b-d956-4f15-b6bc-4482f22ed3f5" name="Close Application" type="Action">

<narrative>

</narrative>

<displayx>45</displayx>

<displayy>-75</displayy>

<displaywidth>90</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

</process>

<process name="Test VS2005 Radio Control" version="1.0" narrative="Test VS2005 Radio Control" prefer

<view>

<camerax>0</camerax>

<cameray>0</cameray>

<zoom>1</zoom>

</view>

<preconditions/>

<endpoint narrative="&#xD;&#xA;"/>

<stage stageid="b80a8b99-ec1f-45cf-aaae-9c1c25df8934" name="Start" type="Start">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-75</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>38a9a450-5e20-4114-8832-205b92e7902a</onsuccess>

</stage>

<stage stageid="8ec39d0b-8f8d-40be-bbc9-cfb1c4efa7fd" name="Stage1" type="ProcessInfo">

<narrative>

</narrative>

<displayx>-495</displayx>

<displayy>-45</displayy>

<displaywidth>150</displaywidth>

<displayheight>90</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="5ee325d9-62ea-4017-986f-fe2d552c8aba" name="End1" type="End">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>420</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="38a9a450-5e20-4114-8832-205b92e7902a" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>b43ed47c-fa90-4b54-8860-3b0e05b5e72e</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="9204c2e6-c469-42d7-b43f-3b12d849d3bf" name="Exit" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>c2a87209-4227-4a39-ab61-5ff9f58da012</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="b43ed47c-fa90-4b54-8860-3b0e05b5e72e" name="Press Radio 1" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

```
<onsuccess>a250308c-efd7-4d7c-99ec-3429885edeb9</onsuccess>

<resource object="VS2005 Controls" action="Press Radio Win32"/>

</stage>

<stage stageid="a250308c-efd7-4d7c-99ec-3429885edeb9" name="Get Radio 1" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 1"/>

</outputs>

<onsuccess>1ddafc09-0e24-4018-91fa-b6f16d17c98d</onsuccess>

<resource object="VS2005 Controls" action="Get Radio Win32"/>

</stage>

<stage stageid="1ddafc09-0e24-4018-91fa-b6f16d17c98d" name="Set?" type="Decision">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```



<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 1]"/>

<ontrue>5eae846-c43e-4df8-b5d9-9cc2245cb3ae</ontrue>

<onfalse>453e61a5-ccfe-493b-b3dd-febbebd7985f</onfalse>

</stage>

<stage stageid="5eae846-c43e-4df8-b5d9-9cc2245cb3ae" name="Press Radio 2" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="2"/>

</inputs>

<onsuccess>a14b74fd-9719-4d03-84d7-090d2df39737</onsuccess>

<resource object="VS2005 Controls" action="Press Radio Win32"/>

</stage>

<stage stageid="a14b74fd-9719-4d03-84d7-090d2df39737" name="Get Radio 2" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="2"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 2"/>

</outputs>

<onsuccess>87a864d7-0b47-403f-8295-477d3e993929</onsuccess>

<resource object="VS2005 Controls" action="Get Radio Win32"/>

</stage>

<stage stageid="87a864d7-0b47-403f-8295-477d3e993929" name="Set?" type="Decision">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 2]"/>

<ontrue>fbd0a1ef-6c76-465a-bf8a-7f107f7dbee1</ontrue>

<onfalse>14728eec-38a2-418b-b477-f7cc63f4615c</onfalse>

</stage>

<stage stageid="fbd0a1ef-6c76-465a-bf8a-7f107f7dbee1" name="Get Radio 1" type="Action">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

```
<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 1"/>

</outputs>

<onsuccess>76a6d911-1526-4b32-b545-8d29bc868b96</onsuccess>

<resource object="VS2005 Controls" action="Get Radio Win32"/>

</stage>

<stage stageid="76a6d911-1526-4b32-b545-8d29bc868b96" name="Not Set?" type="Decision">

<narrative>

</narrative>

<displayx>-255</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 1]=False"/>

<ontrue>9204c2e6-c469-42d7-b43f-3b12d849d3bf</ontrue>

<onfalse>261cdf2-ab86-4f79-8992-76a0b6793b15</onfalse>

</stage>

<stage stageid="453e61a5-ccfe-493b-b3dd-febbebd7985f" name="Failed to set radio Win32" type="Note">

<narrative>Failed to set radio Win32</narrative>

<displayx>-345</displayx>

<displayy>105</displayy>
```

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="d3512c06-a4e3-42a4-b94f-5acef6ad76f3" name="Radio 1" type="Data">

<narrative>

</narrative>

<displayx>-495</displayx>

<displayy>45</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="306868bd-24b0-4fe3-bbbb-3b4cab19f23a" name="Radio 2" type="Data">

<narrative>

</narrative>

<displayx>-495</displayx>

<displayy>75</displayy>

<displaywidth>150</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<datatype>flag</datatype>

<initialvalue/>

<private/>

<alwaysinit/>

</stage>

<stage stageid="319c6f4f-ecee-43ce-aa80-a99f7c988bab" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>19b826b6-46ed-4e6d-8a3d-125b2e65fd9e</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="19b826b6-46ed-4e6d-8a3d-125b2e65fd9e" name="Write Radio 1" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<onsuccess>1287bbd2-e57a-47d5-a910-0ec10de1e89b</onsuccess>

<resource object="VS2005 Controls" action="Write Radio AA"/>

</stage>

<stage stageid="1287bbd2-e57a-47d5-a910-0ec10de1e89b" name="Get Radio 1" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 1"/>

</outputs>

<onsuccess>6dbe20e2-2f36-4545-b644-4741f90d1d8a</onsuccess>

<resource object="VS2005 Controls" action="Get Radio AA"/>

</stage>

<stage stageid="6dbe20e2-2f36-4545-b644-4741f90d1d8a" name="Set?" type="Decision">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 1]"/>

<ontrue>26dab619-3bda-4579-88cb-37240204fe9b</ontrue>

<onfalse>608249be-0aba-4c9f-bf65-fd310dc26738</onfalse>

</stage>

<stage stageid="0ba6cf1f-ac6d-4faf-93a0-6265535d8854" name="Exit" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5ee325d9-62ea-4017-986f-fe2d552c8aba</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="26dab619-3bda-4579-88cb-37240204fe9b" name="Write Radio 2" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="2"/>

</inputs>

<onsuccess>4325fe74-c6f0-41d7-86d0-4853d227775c</onsuccess>

<resource object="VS2005 Controls" action="Write Radio AA"/>

</stage>

<stage stageid="4325fe74-c6f0-41d7-86d0-4853d227775c" name="Get Radio 2" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="2"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 2"/>

</outputs>

<onsuccess>aa4e7acf-6597-480d-b0e1-0b958be7696b</onsuccess>

<resource object="VS2005 Controls" action="Get Radio AA"/>

</stage>

<stage stageid="aa4e7acf-6597-480d-b0e1-0b958be7696b" name="Set?" type="Decision">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 2]"/>



```
<ontrue>21ba90f1-552a-417e-b4de-acdd2a90c6c8</ontrue>

<onfalse>58af1cb1-14af-46a8-9ca8-b7314434f011</onfalse>

</stage>

<stage stageid="21ba90f1-552a-417e-b4de-acdd2a90c6c8" name="Get Radio 1" type="Action">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 1"/>

</outputs>

<onsuccess>c3caeef9-0d9e-4644-90e9-98355611c1d6</onsuccess>

<resource object="VS2005 Controls" action="Get Radio AA"/>

</stage>

<stage stageid="c3caeef9-0d9e-4644-90e9-98355611c1d6" name="Not Set?" type="Decision">

<narrative>

</narrative>

<displayx>180</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>
```

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 1]=False"/>

<ontrue>0ba6cf1f-ac6d-4faf-93a0-6265535d8854</ontrue>

<onfalse>4ac8775c-ed7d-4cec-9302-8ac2d9063d07</onfalse>

</stage>

<stage stageid="58af1cb1-14af-46a8-9ca8-b7314434f011" name="Failed to set radio AA" type="Note">

<narrative>Failed to set radio AA

</narrative>

<displayx>270</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="4ac8775c-ed7d-4cec-9302-8ac2d9063d07" name="Failed to set radio AA" type="Note">

<narrative>Failed to set radio AA

</narrative>

<displayx>270</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="14728eec-38a2-418b-b477-f7cc63f4615c" name="Failed to set radio Win32" type="Note">

<narrative>Failed to set radio Win32</narrative>

<displayx>-345</displayx>

<displayy>240</displayy>

```
<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="261cdf2-ab86-4f79-8992-76a0b6793b15" name="Failed to set radio Win32" type="Note">

<narrative>Failed to set radio Win32</narrative>

<displayx>-345</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="608249be-0aba-4c9f-bf65-fd310dc26738" name="Failed to set radio AA" type="Note">

<narrative>Failed to set radio AA

</narrative>

<displayx>270</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

<stage stageid="ddf1968f-7dce-40af-8284-4e186875eafd" name="anchor1" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>375</displayy>

<displaywidth>10</displaywidth>
```

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>f333a48d-cb22-4a53-87d5-0bf58165dd56</onsuccess>

</stage>

<stage stageid="f333a48d-cb22-4a53-87d5-0bf58165dd56" name="anchor2" type="Anchor">

<narrative>

</narrative>

<displayx>90</displayx>

<displayy>-30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>319c6f4f-ecee-43ce-aa80-a99f7c988bab</onsuccess>

</stage>

<stage stageid="1320b6bc-475f-4104-85d6-40fb86238771" name="Launch" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>-30</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3076a0ba-bf7f-4fc3-9178-1cef402294b4</onsuccess>

<resource object="VS2005 Controls" action="Launch"/>

</stage>

<stage stageid="74c12bf5-52df-411d-8121-0585bc08ec39" name="Exit" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>3d5b4fc0-a57c-4da2-8a67-fdc8250a11c5</onsuccess>

<resource object="VS2005 Controls" action="Exit"/>

</stage>

<stage stageid="3076a0ba-bf7f-4fc3-9178-1cef402294b4" name="Write Radio 1" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>15</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<onsuccess>85cf18dd-d159-47e9-8c35-f9cb55716e2e</onsuccess>

<resource object="VS2005 Controls" action="Write Radio Win32"/>

</stage>

<stage stageid="85cf18dd-d159-47e9-8c35-f9cb55716e2e" name="Get Radio 1" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>60</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 1"/>

</outputs>

<onsuccess>9b645444-b5bf-4993-9b07-273f680e5333</onsuccess>

<resource object="VS2005 Controls" action="Get Radio Win32"/>

</stage>

<stage stageid="9b645444-b5bf-4993-9b07-273f680e5333" name="Set?" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>105</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 1]"/>

<ontrue>f829df3b-da69-41c1-ac52-c7ef0af5def8</ontrue>

<onfalse>1ddafc09-0e24-4018-91fa-b6f16d17c98d</onfalse>

</stage>

<stage stageid="f829df3b-da69-41c1-ac52-c7ef0af5def8" name="Write Radio 2" type="Action">

<narrative>

```
</narrative>

<displayx>-75</displayx>

<displayy>150</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="2"/>

</inputs>

<onsuccess>e1ead660-380a-4b2a-86d3-465eb1d1c2ac</onsuccess>

<resource object="VS2005 Controls" action="Write Radio Win32"/>

</stage>

<stage stageid="e1ead660-380a-4b2a-86d3-465eb1d1c2ac" name="Get Radio 2" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>195</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="2"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 2"/>

</outputs>

<onsuccess>bc375a7a-36ce-4ea4-ba4e-0ccf01215d1a</onsuccess>
```

<resource object="VS2005 Controls" action="Get Radio Win32"/>

</stage>

<stage stageid="bc375a7a-36ce-4ea4-ba4e-0ccf01215d1a" name="Set?" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>240</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 2]"/>

<ontrue>f9828cf4-3dff-4e9c-a939-6af3d6e83ec2</ontrue>

<onfalse>87a864d7-0b47-403f-8295-477d3e993929</onfalse>

</stage>

<stage stageid="0e0499d9-ac89-4e8b-ba5c-f5655d768c93" name="Not Set?" type="Decision">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>330</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="[Radio 1]=False"/>

<ontrue>74c12bf5-52df-411d-8121-0585bc08ec39</ontrue>

<onfalse>76a6d911-1526-4b32-b545-8d29bc868b96</onfalse>

</stage>

<stage stageid="5e0d097f-2e99-48ae-b3cd-99e163f293d9" name="anchor3" type="Anchor">



<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>-30</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>1320b6bc-475f-4104-85d6-40fb86238771</onsuccess>

</stage>

<stage stageid="c2a87209-4227-4a39-ab61-5ff9f58da012" name="anchor4" type="Anchor">

<narrative>

</narrative>

<displayx>-165</displayx>

<displayy>375</displayy>

<displaywidth>10</displaywidth>

<displayheight>10</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<onsuccess>5e0d097f-2e99-48ae-b3cd-99e163f293d9</onsuccess>

</stage>

<stage stageid="f9828cf4-3dff-4e9c-a939-6af3d6e83ec2" name="Get Radio 1" type="Action">

<narrative>

</narrative>

<displayx>-75</displayx>

<displayy>285</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<inputs>

<input type="number" name="Radio Number" expr="1"/>

</inputs>

<outputs>

<output type="flag" name="Radio Value" stage="Radio 1"/>

</outputs>

<onsuccess>0e0499d9-ac89-4e8b-ba5c-f5655d768c93</onsuccess>

<resource object="VS2005 Controls" action="Get Radio Win32"/>

</stage>

<stage stageid="3d5b4fc0-a57c-4da2-8a67-fdc8250a11c5" name="Is Windows 2000?" type="Decision">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>375</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

<decision expression="GetOSVersion()=&quot;Windows 2000&quot;"/>

<ontrue>1250844d-1eb3-4d2a-8ecc-e2b261f95055</ontrue>

<onfalse>ddf1968f-7dce-40af-8284-4e186875eafd</onfalse>

</stage>

<stage stageid="1250844d-1eb3-4d2a-8ecc-e2b261f95055" name="End1" type="End">

<narrative>

</narrative>

<displayx>15</displayx>

<displayy>420</displayy>

<displaywidth>60</displaywidth>

<displayheight>30</displayheight>

<font family="Tahoma" size="10" style="Regular" color="000000"/>

</stage>

</process>

</Root>