



THE PLAN

What we are building

This document says what MaternaLink is, what it is not, and what gets built first.

Status labels apply throughout: KNOWN, VERIFIED, ASSUMPTION, ESTIMATE, TO VALIDATE, PROPOSED. Nothing in this document claims traction, approvals, partners or revenue that do not exist. Governing file: FACTS_BASE.

PREPARED FOR

The Founder, Vytalix

DATE

8 September 2026

VERSION

1.0 · Confidential draft

This document says what MaternaLink is, what it is not, and what gets built first.

In one minute

- MaternaLink keeps a pregnant woman connected to a real midwife between appointments, and for a year after the birth.
- The old idea was an AI "risk score". It is parked. It is unproven and it would be a medical device.
- The first product is home blood-pressure monitoring for high-risk pregnancy, at one hospital.
- The software never diagnoses. It moves a reading to a named human, with a deadline to act.
- Everything here is PROPOSED (a plan, not a fact). MaternaLink is in development and is approved by nobody.

What to do

Action	Who	By when
Stop sending the 2025 AI deck to anyone; put the prototype behind a login	You	Day 3
Write the one-page intended-use statement and get a clinician to sign it	You	Day 14
Ask your regional Health Innovation Network (the NHS body that introduces new products to hospitals) which two hospitals want home blood-pressure monitoring	You	Week 2
Interview 10 midwives and obstetricians about what happens when blood pressure rises between appointments	You	Week 4
Get one hospital to sign a letter of intent for a 12-week evaluation	You	Month 2

The problem, in plain words

A pregnancy lasts about 280 days. A woman spends perhaps 10 to 15 hours of that in front of a clinician. Almost all of pregnancy happens where no clinician can see.

That is where women get into trouble. Blood pressure rises. Symptoms start. Nobody notices in time. The national reviews keep finding the same thing: women are not listened to, and escalation fails when it matters. Ockenden (2022) reviewed around 1,500 families' cases. Kirkup (2022) reviewed 202 cases in East Kent.

Black and Asian women are failed most. MBRRACE-UK is the UK national report into why mothers die. It is run by Oxford's National Perinatal Epidemiology Unit. Its report *Maternal mortality 2022-2024*, published on 8 January 2026, puts Black women at nearly three times the risk of White women, and Asian women at about 1.3 times. It reviewed 252 deaths. For 61% of them, better care might have changed the outcome. The overall maternal death rate rose about 20% between 2009-11 and 2022-24. **Always name the report and its year when you quote these. The figures move between reports, and the people who care about this subject will know the current ones.**

Care also stops too early. Midwives hand over at 10 to 28 days. Most late maternal deaths happen after that, in the year following birth, and mental-health causes lead them.

Why the old AI idea does not work yet

The 2025 deck proposed one AI score, the "Maternal Instability Score", predicting pre-eclampsia, sepsis, haemorrhage and blood clots. Six honest reasons it fails today.

#	Reason	What it means for you
1	The NHS already has an official early warning score	NHS England published a national Maternity Early Warning Score with the RCOG and RCM in 2023 to 2024. Midwives are told to use it. A rival score is a liability, not an advance.
2	No evidence that voice predicts these conditions	Voice has some published evidence in mental-health screening. It has none for predicting these physical obstetric emergencies.
3	One score for four conditions makes no clinical sense	Pre-eclampsia, haemorrhage, sepsis and clots differ in cause, timing and treatment. Clinicians will reject a single number that mixes them.
4	Rare events need tens of thousands of pregnancies	Each of these events is rare per pregnancy. A small pilot cohort cannot train or check such a model.
5	Ethnicity as a prediction input is being removed from medical tools	It has already been taken out of other calculators. Ethnicity belongs in checking who you are failing, not in the prediction itself.
6	It would be a medical device	Software that flags risk to inform care is regulated in the UK. ESTIMATE (our best guess, not a fact): 2 to 3 years and over £1m before a single sale.

And the finding that changes the design. The Oxford BUMP trials were published in JAMA in 2022. They found that home blood-pressure monitoring on its own did **not** speed up detection of high blood pressure. It did not improve control either, against usual care. The lesson is not that home monitoring fails. The lesson is that the reading is worth nothing on its own. The value sits in what happens after it: who is told, how fast, and what they do.

So the AI score is not deleted. It moves to the back of the plan, behind a research group of consented women, ethics approval and validation. It is the last thing built, not the first.


What we build instead

We build the in-between service: the part of care that happens when no clinician is in the room. Seven things.

#	The thing	What it means
1	A record she keeps	It follows her between hospitals, community, private care, and between countries. Consent is set by her, in tiers.
2	Contact that never goes silent	Check-ins by app, SMS or voice note. It works offline, on any phone, in her language.
3	Home readings when her risk warrants it	A validated arm cuff, a urine dipstick read by a phone camera, plus symptoms and medicines.
4	Rules the hospital owns	Thresholds set by the hospital's own clinicians, lined up with the national MEWS and NICE NG133. We ship the rule editor, not the rules.
5	A queue with a deadline	A named midwife is told, with a response time. Every reading, contact and outcome is logged.
6	The year after birth	Follow-up to 12 months: mood, blood pressure, bleeding, infection, feeding, and a proper handover to the GP.
7	Who care is failing	Anonymous reporting of who is reached, escalated, seen and missed, by ethnicity, deprivation and area.

What MaternaLink covers


From the first appointment to a year after the birth. The last part is where nobody else goes.



We cover the whole of her care, including the year after birth where no other product goes.

How it works

A person decides, not the software. That is what keeps it safe and legal.



The software never diagnoses, predicts or recommends treatment. It moves information to a human quickly.


A person decides, never the software. That is what keeps it safe and legal.

The watch

You asked about a maternity watch, issued at week 16 and returned after discharge. Here is the order to do it in.

Cuff now, watch later

Why the wrist device is not the first thing to build.



Start with the cuff someone else already got certified.

- **Arm cuff, now.** It is already approved for medical use. It costs about £40 to £100. Clinicians trust the readings and will act on them. You can start in months.

- **Rented certified watch, later.** Rent a device someone else has certified, so they carry the safety risk. ESTIMATE: £4 to £7 per month. Only after the software works. It adds convenience, not accuracy.
- **Never build your own.** You would become a device manufacturer. That is two years and over £1m before a sale. Wrist blood pressure is not accurate enough, and doctors will not act on it.

This is a fixed decision in `FACTS_BASE.md` (A11): a certified third-party wearable only, never a Vytalix-made device, and only after the v1 software is live.

What it is and is not

It is	It is not
A way to stay in contact between appointments	An app that tells a woman what is wrong with her
A place to put home readings so a human sees them	A machine that scores, predicts or interprets them
Rules written and owned by the hospital's clinicians	Our rules shipped into someone else's ward
A record that follows the woman	The hospital's legal maternity record
A service with a response time and an audit trail	A dashboard with suggested treatments
In development, pre-seed, no customers yet	Approved, validated or assessed by anyone

The five best ideas

Idea	What it does	Why nobody owns it	When
A. Maternity virtual ward, high blood pressure first	Home cuff, phone dipstick, symptom check-ins, hospital-set thresholds, an escalation queue with a response time	General virtual-ward suppliers have no maternity workflow. Maternity record suppliers have no home monitoring. Babyscripts is US-focused.	First. This is the MVP
B. The 365-day companion after birth	Check-ins on mood, blood pressure, bleeding, infection, pain, feeding and contraception, with a handover to the GP	The money sits in three separate budgets: maternity, GP and mental health. So no single team buys it.	v2
C. Woman-held record with graduated consent	A portable record she controls, readable anywhere with her permission, standing alone where no system exists	Making systems talk to each other is slow standards work. Existing suppliers build for institutions, not for women.	v1 into v2
D. Equity reporting for commissioners and ministries	Monthly anonymous figures on who care reaches and misses, instead of a report every few years	It needs continuous data across settings. Only a continuity layer holds that.	v2
E. A consented research group of women	A long-term, diverse group of pregnancies, UK and Nigeria, that universities and industry pay to study under strict rules	It takes years and trust to build. It is not a feature anyone can ship.	v3. The AI score lives here

How it grows

Version	What ships	What must be true before it starts
v1 (now to about 12 months)	Enrolment and consent; check-ins; education signed off by clinicians; secure messaging; home blood-pressure entry; hospital-set thresholds; escalation queue with a response time; handover summary; audit log; equity report; English plus one local language	The MaternaLink ownership agreement with David Agunede is signed. The intended-use statement is signed by a clinician. A DPIA and hazard log exist. A clinical safety officer is appointed. One hospital has signed a letter of intent.
v2 (about months 7 to 15)	The postpartum year; links to hospital systems (BadgerNet, K2, DHIS2); WhatsApp and USSD; partner access with safeguarding controls; blood-glucose diary; triage intake; mental-health questionnaires	A written MHRA classification opinion covers triage, glucose thresholds and questionnaire scoring. v1 has been evaluated at the first site with results written up.
v3 (month 15 and beyond)	The consented research group, and only then a regulated prediction model	Ethics approval, a data-sharing agreement with a hospital or university, retrospective then prospective validation, and an ISO 13485 quality system. ESTIMATE: 2 to 3 years and over £1m.

Words explained

Word	What it means
MEWS (Maternity Early Warning Score)	The official NHS chart that flags a pregnant woman whose vital signs are getting worse. Midwives are already required to use it.
Medical device	Anything, including software, whose purpose is to diagnose, predict or guide treatment. It is regulated by law and cannot be sold without approval.
MHRA	The UK government body that regulates medicines and medical devices.
Virtual ward	Patients looked after at home with monitoring, instead of in a hospital bed. The NHS funds this as a service.
MBRRACE-UK	The UK's national investigation into why mothers and babies die, run from Oxford.
NICE NG133	The national guideline on high blood pressure in pregnancy. Our thresholds must line up with it.
DTAC	The NHS checklist a digital product must pass before a hospital can buy it.
DPIA	A written check of the privacy risks in what you are building. It is required by law before you handle health data.
Hazard log	A list of every way the software could harm someone, and what you did about each one.
Clinical safety officer	A registered clinician who signs off that the software is safe to use. You must appoint one.
Letter of intent (LOI)	A signed letter saying a hospital intends to work with you. It is not yet a contract.
Pre-eclampsia	A pregnancy condition involving high blood pressure. It can become dangerous quickly.
PROPOSED / ESTIMATE / TO VALIDATE	A plan, not a fact / our best guess, not a fact / must be checked before you use it anywhere.