

```

CREATE DEFINER=`root`@`localhost` PROCEDURE `clean_shipment_query`() BEGIN -- 1.
select shipment_id, proper_case(trim(origin_warehouse)) as origin_warehouse,
proper_case(trim(destination_city)) as destination_city, ucase(trim(destination_state)) as
destination_state, proper_case(carrier) as carrier, proper_case(shipment_status) as
shipment_status, freight_cost, items_count, proper_case(damage_reported) as
damage_reported, -- 2. str_to_date(delivery_date, '%Y-%m-%d') as delivery_date,
str_to_date(ship_date, '%Y-%m-%d') as ship_date, -- 3. datediff(delivery_date,ship_date) as
totals_days, case when (delivery_date) < (ship_date) then 'Invalid' when (delivery_date) <
(ship_date) then 'Same Day Delivery' else 'Valid' end as delivery_flag, -- 4. case
when(weight_kg) < 0 then abs(weight_kg) else weight_kg end as weight_valid, -- 5.
row_number() over ( partition by origin_warehouse, destination_city, destination_state, carrier,
ship_date, convert(weight_kg, char), convert(freight_cost, char), shipment_status,
damage_reported order by shipment_id) as row_num from shipment_tbl; -- 6. remove duplicates
delete from shipment_tbl where shipment_id in ( select shipment_id from ( select shipment_id,
row_number() over ( partition by origin_warehouse, destination_city, destination_state, carrier,
ship_date, convert(weight_kg, char), convert(freight_cost, char), shipment_status,
damage_reported order by shipment_id ) from shipment_tbl ) as temp where row_num > 1 );
END

```