
CARD A02 - C_7H_{16}

Numbered Parent




Naming Trial

Parent: longest chain = 6C, so hexane
Numbering: up to right
(nearest to substituents)
Substituent: methyl on C3, so 3-methyl

My Name

3-methylhexane

The Alkane Check




3-methylhexane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A03 – C_7H_{16}

Numbered Parent




Naming Trial

Parent: longest chain = 4C, so pentane
Numbering: right to left
Substituent: methyl on C2, C3;
so, 2-3 dimethyl

My Name

2,3-dimethylpentane

The Alkane Check




2,3-dimethylpentane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A04 - C_9H_{20}

Numbered Parent




Naming Trial

Parent: longest chain = 6C, so hexane
Numbering: left to right
Substituent: methyl on C2, ethyl on C4, so 4-ethyl-2-methyl

My Name

4-ethyl-2-methylhexane

The Alkane Check




4-ethyl-2-methylhexane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A05 - C_8H_{18}

Numbered Parent




Naming Trial

Parent: longest chain = 5C, so pentane
Numbering: right to left
Substituent: 2 methyl on C2, methyl on C4, so 2,2,4-trimethyl

My Name

2,2,4-trimethylpentane


The Alkane Check



✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A06 - $C_5H_{11}Br$

Numbered Parent




Naming Trial

Parent: longest chain = 4C, so butane
Numbering: lower right to upper left (alphabetically)
Substituent: Bromo on C2, methyl on C3, so 2-Bromo-3-methyl

My Name

2-bromo-3-methylbutane

The Alkane Check




2-bromo-3-methylbutane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A07 - C_7H_{14}

Numbered Parent




Naming Trial

Parent: ring = 6C, so cyclohexane
Numbering: from connected methyl to the end of the ring
Substituent: methyl on C1, so methyl

My Name

methylcyclohexane

The Alkane Check




methylcyclohexane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A08 – C_9H_{18}

Numbered Parent




Naming Trial

Parent: ring = 6C, so cyclohexane
Numbering: from chain connected to ethyl to the nearest carbon connected to methyl to the end of the ring (alphabetical)
Substituent: ethyl on C1, methyl on C3, so 1-ethyl-3-methyl

My Name

1-ethyl-3-methylcyclohexane

The Alkane Check




1-ethyl-3-methylcyclohexane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A09 – $C_{10}H_{22}$

Numbered Parent




Naming Trial

Parent: longest chain = 6C, so hexane
Numbering: either left to right to start, for the functional group is in the center
Substituent: methyl on C2, propyl on c3, so 2-methyl-3-propyl

My Name

2-methyl-3-propylhexane

The Alkane Check




2-methyl-3-propylhexane

✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted

CARD A10 – C_7H_{14}

Numbered Parent



Naming Trial

Parent: Longest chain = 5C, so pentane.
Numbering: Start from right to left because the cyclopropyl substituent must receive the lowest possible number (C1)
Substituent: Cyclopropyl on C1

My Name

butylcyclopropane

The Alkane Check



✓ longest chain confirmed ✓ lowest locants ✓ alphabetical order ✓ punctuation ✓ formula counted