2021 March 18 Shift 1

EE24BTECH11020 - Ellanti Rohith

- 1) If $\lim_{x\to 0} \frac{\sin^{-1} x \tan^{-1} x}{3x^3}$ is equal to L, then the value of (6L + 1) is: (March 2021)
 - (a) $\frac{1}{2}$ (c) $\frac{1}{6}$ (d) 6
- 2) For all four circles M, N, O, and P, the following four equations are given: (March 2021)

Circle M :
$$x^2 + y^2 = 1$$

Circle N : $x^2 + y^2 - 2x = 0$
Circle O : $x^2 + y^2 - 2x - 2y + 1 = 0$
Circle P : $x^2 + y^2 - 2y = 0$

If the center of circle M is joined with the center of the circle N, further, the center of circle N is joined with the center of the circle O, the center of circle O is joined with the center of circle P, and lastly, the center of circle P is joined with the center of circle M, then these lines form the sides (March 2021) of a:

a) Rectangle

c) Parallelogram

b) Square

- d) Rhombus
- 3) Let $(1 + x + 2x^2)^{20} = a_0 + a_1x + a_2x^2 + \dots + a_{40}x^{40}$. Then, $a_1 + a_3 + a_5 + \dots + a_{37}$ is equal to:(March 2021)
 - a) $2^{20}(2^{20} + 21)$

c) $2^{20}(2^{20} - 21)$ d) $2^{19}(2^{20} - 21)$

b) $2^{19}(2^{20} + 21)$

- 4) Let $A + 2B = \begin{pmatrix} 1 & 2 & 0 \\ 6 & -3 & 3 \\ -5 & 3 & 1 \end{pmatrix}$ and $2A B = \begin{pmatrix} 2 & -1 & 5 \\ 2 & -1 & 6 \\ 0 & 1 & 2 \end{pmatrix}$ If Tr(A) denotes the sum of all diagonal elements of the matrix A, then Tr(A) - Tr(B) has value equal to: (March 2021)
 - a) 0

b) 1


c) 3

- d) 2
- 5) The equations of one of the straight lines which pass through the point (1,3) and make an angle $\tan^{-1} \sqrt{2}$ with the straight line $y + 1 = 3\sqrt{2}x$ is: (March 2021)
 - a) $5\sqrt{2}x + 4y 15 + 4\sqrt{2} = 0$ b) $4\sqrt{2}x 5y 5 + 4\sqrt{2} = 0$
- c) $4\sqrt{2}x + 5y 4\sqrt{2} = 0$ d) $4\sqrt{2}x + 5y (15 + 4\sqrt{2}) = 0$

- 6) The number of times digit 3 will be written when listing the integers from 1 to 1000 is (March 2021)
- 7) The equation of the planes parallel to the plane x 2y + 2z 3 = 0 which are at unit distance from the point (1,2,3) is ax + by + cz + d = 0. If (b-d) = K(c-a), then the positive value of K is _____ (March 2021)

- 8) Let f(x) and g(x) be two functions satisfying $f(x^2) + g(4 x) = 4x^3$ and g(4 x) + g(x) = 0, then the value of $\int_{-4}^{4} f(x^2) dx$ is _____ (March 2021)
- 9) The mean age of 25 teachers in a school is 40 years. A teacher retires at the age of 60 years and a new teacher is appointed in his place. If the mean age of the teachers in this school now is 39 years, then the age (in years) of the newly appointed teacher is _____ (March 2021)
- 10) A square ABCD has all its vertices on the curve $x^2y^2 = 1$. The midpoints of its sides also lie on the same curve. Then, the square of the area of ABCD is _____ (March 2021)

11) The missing value in the following figure is (March 2021)



- 12) Let z_1, z_2 be the roots of the equation $z^2 + az + 12 = 0$ and z_1, z_2 form an equilateral triangle with the origin. Then, the value of |a| is _____. (March 2021)
- 13) The number of solutions of the equation $|\cot x| = \cot x + \frac{1}{\sin x}$ in the interval $[0, 2\pi]$ is _____ (March 2021)
- 14) Let the plane ax + by + cz + d = 0 bisect the line joining the points (4, -3, 1) and (2, 3, -5) at right angles. If a, b, c, d are integers, then the minimum value of $(a^2 + b^2 + c^2 + d^2)$ is _____. (March 2021)
- 15) If $f(x) = \int \frac{5x^8 + 7x^6}{(x^2 + 1 + 2x^7)^2} dx$, $(x \ge 0)$, f(0) = 0 and $f(1) = \frac{1}{k}$, then the value of k is _____ (March 2021)