

landing.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600;700;800;900&display=block">
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/@material/snackbar/dist/snackbar.css" rel="stylesheet">
    <script type="module" src="https://cdn.jsdelivr.net/npm/@material/snackbar/dist/snackbar.js">
  </head>
  <body>
    <div>
      <h1>Welcome to ProjPlanner</h1>
      <h2>Planning</h2>
      <h3>Get Started</h3>
      <div>
        <button>Log In</button>
        <button>Sign Up</button>
        <button>Register</button>
      </div>
      <div>
        <h4>Welcome to ProjPlanner</h4>
        <p>At ProjPlanner, we understand that every project is unique, and planning is the key to success. Whether you're a seasoned project manager or embarking on your first venture, we've got you covered.</p>
        <p>Get started today by signing up for free and take your first step towards turning your ideas into reality.</p>
        <div>
          <button>Log In</button>
          <button>Sign Up</button>
          <button>Register</button>
        </div>
        <div>
          <small>Forgot password?</small>
          <small>Don't have an account?</small>
        </div>
      </div>
    </div>
  </body>
</html>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a `lang` attribute to the `<html>` start tag to declare the language of this document.
 Line 1, column 1 to line 1, column 23
`<html lang="en">`
 For further guidance, consult [Choosing language tags](#).
 If the HTML checker has misidentified the language of this document, please file an issue report or send an email to report the problem.

2. Error Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
 Line 1, column 1 to line 1, column 23
`<html>`

3. Error Element `head` is missing a required instance of child element `title`.
 Line 1, column 1 to line 1, column 23
`<head>`
 Content model for element `head`:
 If the document is [an XML document](#) or if title information is available from a higher-level protocol, zero or more elements of `title` or `titles`, of which no more than one is a `title` element and no more than one is a `base` element.
 Otherwise: One or more elements of `meta` or `link`, of which exactly one is a `title` element and no more than one is a `base` element.

4. Error Bad value `((asset('css/static/projects.css')))` for attribute `href` on element `link`: Illegal character in path segment: `((` is not allowed.
 Line 1, column 1 to line 1, column 73
`<link href="((asset('css/static/projects.css')))" rel="stylesheet">`

5. Error Bad value `((asset('css/landing.css')))` for attribute `href` on element `link`: Illegal character in path segment: `((` is not allowed.
 Line 1, column 1 to line 1, column 85
`<link href="((asset('css/landing.css')))" rel="stylesheet">`

6. Error Bad value `((asset('css/partials/snackbar.css')))` for attribute `href` on element `link`: Illegal character in path segment: `((` is not allowed.
 Line 1, column 1 to line 1, column 85
`<link href="((asset('css/partials/snackbar.css')))" rel="stylesheet">`

7. Error Bad value `((asset('js/landing.js')))` for attribute `src` on element `script`: Illegal character in path segment: `((` is not allowed.
 Line 10, column 1 to line 10, column 97
`<script type="module" src="((asset('js/landing.js')))" defer></script>`

8. Error A script element with a `dcf` attribute must not have a `type` attribute with the value `module`.
 Line 10, column 1 to line 10, column 97
`<script type="module" src="((asset('js/landing.js')))" dcf="script"></script>`

9. Error Bad value `((asset('js/snackbar.js')))` for attribute `src` on element `script`: Illegal character in path segment: `((` is not allowed.
 Line 11, column 1 to line 11, column 98
`<script type="module" src="((asset('js/snackbar.js')))" defer></script>`

10. Error A script element with a `defer` attribute must have a `type` attribute with the value `module`.
 Line 11, column 1 to line 11, column 98
`<script type="module" src="((asset('js/snackbar.js')))" defer></script>`

11. Warning Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).
 Line 11, column 12 to line 12, column 30
`<h1 class="shading">Welcome`

12. Warning Section lacks heading. Consider using `h2-h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.
 Line 25, column 16 to line 26, column 37
`<div>`

13. Error Bad value `((route('login')))` for attribute `href` on element `a`: Illegal character in path segment: `((` is not allowed.
 Line 28, column 13 to line 29, column 43
`Login`

14. Error The element `button` must not appear as a descendant of the `a` element.
 Line 28, column 13 to line 29, column 43
`Button`

15. Error Bad value `((route('register')))` for attribute `href` on element `a`: Illegal character in path segment: `((` is not allowed.
 Line 30, column 13 to line 30, column 46
`Button`

16. Error The element `button` must not appear as a descendant of the `a` element.
 Line 30, column 47 to line 30, column 54
`Button`

17. Warning Section lacks heading. Consider using `h2-h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.
 Line 31, column 16 to line 31, column 34
`<div>`

Document checking completed.

Image report

No images in the document.

Source

```
<html>
  <head>
    <meta charset="utf-8">
    <link href="(( asset('css/static/projects.css') ))" rel="stylesheet">
    <link href="(( asset('css/landing.css') ))" rel="stylesheet">
    <link href="(( asset('css/partials/snackbar.css') ))" rel="stylesheet">
  </head>
  <body>
    <div>
      <h1>Welcome to ProjPlanner</h1>
      <h2>Planning</h2>
      <h3>Get Started</h3>
      <div>
        <button>Log In</button>
        <button>Sign Up</button>
        <button>Register</button>
      </div>
      <div>
        <h4>Welcome to ProjPlanner</h4>
        <p>At ProjPlanner, we understand that every project is unique, and planning is the key to success. Whether you're a seasoned project manager or embarking on your first venture, we've got you covered.</p>
        <p>Get started today by signing up for free and take your first step towards turning your ideas into reality.</p>
        <div>
          <button>Log In</button>
          <button>Sign Up</button>
          <button>Register</button>
        </div>
        <div>
          <small>Forgot password?</small>
          <small>Don't have an account?</small>
        </div>
      </div>
    </div>
  </body>
</html>
```

Outline

- Welcome to ProjPlanner
- Get Started

Used the HTML5 parser

About this checker • Report an issue • Version: 20.12.19

home.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by textinput CSS
Extends('layouts.app')
@push('styles')
 <link href="{{ asset('css/static/projects.css') }}" rel="stylesheet">
 <link href="{{ asset('css/landing.css') }}" rel="stylesheet">
@endpush
@section('content')
 <section class="opening">
 <h1 class="shine">Welcome to ProjPlanner</h1>
 </section>

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `|lang` attribute to the `<html>` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 23
`Extends('layouts.app')<--@push`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing languages](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`
From line 1, column 1 to line 1, column 23
`@extends('layouts.app')<--@push`
3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 23
`@extends('layouts.app')<--@push`
Content model for element `head`:
If the document is an [HTML Strict document](#), or if title information is available from a higher-level protocol: Zero or more elements of `meta|title|base`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `meta|title|base`, of which exactly one is a `title` element and no more than one is a `base` element.
4. **Error** Bad value {{ asset('css/static/projects.css') }} for attribute `href` on element `link`: Illegal character in path segment: {{ is not allowed.
From line 5, column 5 to line 5, column 73
 `<link href="{{ asset('css/static/projects.css') }}" rel="stylesheet"><--@push`
5. **Error** Bad value {{ asset('css/landing.css') }} for attribute `href` on element `link`: Illegal character in path segment: {{ is not allowed.
From line 7, column 5 to line 7, column 63
 `<link href="{{ asset('css/landing.css') }}" rel="stylesheet"><--@push`
6. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).
From line 13, column 13 to line 13, column 30
 `<h1 class="shine">Welcome`
7. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 16, column 9 to line 16, column 37
 `<section class="home-center">`
8. **Error** Bad value {{ route('login') }} for attribute `href` on element `a`: Illegal character in path segment: {{ is not allowed.
From line 25, column 13 to line 25, column 43
 `Get Started`
9. **Error** The element `button` must not appear as a descendant of the `a` element.
From line 25, column 44 to line 25, column 51
 `Sign Up`
10. **Error** Bad value {{ route('register') }} for attribute `href` on element `a`: Illegal character in path segment: {{ is not allowed.
From line 26, column 13 to line 26, column 46
 `Register`
11. **Error** The element `button` must not appear as a descendant of the `a` element.
From line 29, column 47 to line 29, column 54
 `Get Started`
12. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 31, column 5 to line 31, column 34
 `<section class="home-content">`

Document checking completed.

Image report

No images in the document.

Source

```
1. @extends('layouts.app')<--  
2. @push('styles')<--  
3. @push('scripts')<--  
4. @->  
5.     <link href="{{ asset('css/static/projects.css') }}" rel="stylesheet"><--  
6.     <link href="{{ asset('css/landing.css') }}" rel="stylesheet"><--  
7. @endpush  
8. @->  
9. @section('content')<--  
10.    <section class="home-content"><--  
11.        <section class="opening"><--  
12.            <h1 class="shine">Welcome to ProjPlanner</h1><--  
13.        </section><--  
14.    <section class="home-center"><--  
15.        <p>Your Ultimate Project Planning Platform</p><--  
16.        <p>At ProjPlanner, we understand that every project is unique, and planning is the key to success. Whether you're a seasoned project manager or embarking on your first venture, we've got you covered.</p><--  
17.    <section class="get-started"><--  
18.        <p>Get started today by signing up for free and take your first step towards turning your ideas into reality.</p><--  
19.    </section><--  
20.    <section class="get-started"><--  
21.        <p>At ProjPlanner, we understand that every project is unique, and planning is the key to success. Whether you're a seasoned project manager or embarking on your first venture, we've got you covered.</p><--  
22.    </section><--  
23.    <div><--  
24.        <p>Get started today by signing up for free and take your first step towards turning your ideas into reality.</p><--  
25.        <a href="{{ route('login') }}>Get Started</a><--  
26.        <a href="{{ route('register') }}>Sign Up</a><--  
27.    </div><--  
28. </section><--  
29. @endsection
```

Outline

[Welcome to ProjPlanner](#)

[Get Started](#)

Used the HTML parser.

Total execution time: 18 milliseconds

faq.blade.php

No Html Checker

This is an experimental tool for checking and validating HTML code.

Showing results for content of test.html

Check Log

Start [Check](#) [Cancel](#) [Download](#) [Close](#)

Checked by [script](#) | [Logs](#)
[Statistics](#) | [Log](#)

Source code:

```
<html>
<head>
    <meta charset="UTF-8" />
    <title>Test</title>
    <script type="text/javascript"> alert("Hello World")</script>
</head>
<body>
    <h1>Hello World!</h1>
    <p>This is my first web page.</p>
</body>
</html>
```

Use the message to copy the code below. It is now pasted to memory, and it can be pasted to the browser's address bar or copied.

Message

1	Warning: This document appears to be written in English. Consider adding <code>lang="en"</code> (or similar) to the <code><html></code> starttag. Fix this issue Logs
2	Error: Non-ASCII character found while parsing a codepoint that exceeded [100000000]. Fix this issue Logs
3	Error: Element <code><foo></code> is missing a required instance of child element <code><table></code> . Fix this issue Logs
4	Error: Element <code><table></code> is missing a required instance of child element <code><tr></code> . Fix this issue Logs
5	Error: Element <code><tr></code> is missing a required instance of child element <code><td></code> . Fix this issue Logs
6	Error: Value "[<script> alert('Hello World') </script>]" for attribute <code>[rowspan]</code> on element <code><td></code> is illegal character in path segment. It is not allowed. Fix this issue Logs
7	Error: There are unexpected attribute values. Probably excess Attribute naming together with URL query string or unexpected base value. Fix this issue Logs
8	Error: There are unexpected attribute values. Probably excess Attribute naming together with URL query string or unexpected base value. Fix this issue Logs
9	Error: Bad value "[<script> alert('Hello World') </script>]" for attribute <code>[rowspan]</code> on element <code><td></code> . Illegal character in path segment. It is not allowed. Fix this issue Logs
10	Warning: The <code>type</code> attribute is unnecessary for JavaScript resources. Fix this issue Logs
11	Error: Attribute <code>[border]</code> is not allowed on element <code><td></code> in the post. Fix this issue Logs
12	Error: Element <code><td></code> is not allowed as child of element <code><tr></code> in the context (Suggesting further errors from this source). Fix this issue Logs
13	Error: Element <code><tr></code> is not allowed as child of element <code><table></code> in the context (Suggesting further errors from this source). Fix this issue Logs
14	Error: Element <code><tr></code> is not allowed as child of element <code><table></code> in the context (Suggesting further errors from this source). Fix this issue Logs
15	Error: Element <code><td></code> is not allowed as child of element <code><tr></code> in the context (Suggesting further errors from this source). Fix this issue Logs
16	Error: Element <code><td></code> is not allowed as child of element <code><tr></code> in the context (Suggesting further errors from this source). Fix this issue Logs
17	Error: Element <code><td></code> is not allowed as child of element <code><tr></code> in the context (Suggesting further errors from this source). Fix this issue Logs
18	Error: Value "[<script> alert('Hello World') </script>]" for attribute <code>[rowspan]</code> on element <code><td></code> is illegal character in path segment. It is not allowed. Fix this issue Logs

Perform a check again.

Image icon

contacts.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show Options...

Check by

```
<extends>'layouts.app'
<push>'styles'
  <link rel="stylesheet" href="{{ asset('css/static/contact.css') }}"/>
</push>

<section>'contact'
  <section class="container">
    
    <section class="contactInfo">
      <section>'info'
        <ul>'contacts'
          <li>'info'
            <div>''
        </li>
      </ul>
    </section>
  </section>
</section>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 23
`<extends>'layouts.app'><html>`
For further guidance, consult [Documenting the language of a page](#) and [Specifying language](#).
If the HTML encoder has misidentified the language of this document, please file an issue report or send a pull request to report the problem.

2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 23
`<extends>'layouts.app'><html>`

3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 23
`<extends>'layouts.app'><html>`
Cannot find model for element `head`:
If the document is an [inline encoded document](#) or if file information is available from a higher-level protocol, zero or more elements of `model::extContent`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `model::extContent`, of which exactly one is a `title` element, and no more than one is a `base` element.

4. **Error** Bad value `((asset('css/static/contact.css')))` for attribute `href` on element `link`: Illegal character in path segment: `((` is not allowed.
From line 4, column 3 to line 4, column 22
`<link rel="stylesheet" href="{{ asset('css/static/contact.css') }}"/>`

5. **Error** Bad value `((asset('img/expo.png')))` for attribute `src` on element `img`: Illegal character in path segment: `((` is not allowed.
From line 8, column 9 to line 9, column 58
``

6. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 9, column 9 to line 9, column 29
``

7. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).
From line 12, column 17 to line 12, column 20
`<h1>Contact</h1>`

8. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as ` `.)
At line 12, column 26
`<h1>Contact</h1>`

9. **Error** Bad value `((asset('img/mail.icon.png')))` for attribute `src` on element `img`: Illegal character in path segment: `((` is not allowed.
From line 16, column 20 to line 16, column 30
``

10. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as ` `.)
At line 16, column 26
``

11. **Error** Bad value `((asset('img/phone.icon.png')))` for attribute `src` on element `img`: Illegal character in path segment: `((` is not allowed.
From line 21, column 20 to line 21, column 30
``

12. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as ` `.)
At line 22, column 38
`&nbsp+361 224 119 0`

13. **Error** Bad value `((asset('img/phone.icon.png')))` for attribute `src` on element `img`: Illegal character in path segment: `((` is not allowed.
From line 26, column 20 to line 26, column 30
``

14. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as ` `.)
At line 27, column 38
`&nbsp+361 034 119 0`

15. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements are treated as top-level headings by many screen readers and other tools).
From line 32, column 17 to line 32, column 20
`<h1>Contact</h1>`

16. **Error** Named character reference was not terminated by a semicolon. (Or `&` should have been escaped as ` `.)
At line 32, column 26
`<h1>&nbspAddress</h1>`

17. **Warning** Section lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 38, column 4 to line 38, column 32
`<div>`

18. **Warning** Section lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 8, column 5 to line 8, column 31
`<div>`

Document checking completed.

Image report

The `img` elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match their definition.

Textual alternative available, not linked

The following images are not links and have no textual alternative available (no `alt` attribute), and are, therefore, not accessible to people who cannot see the images or understand the symbols in them.

An image belongs here if the image is significant (not decorative) and the markup generator doesn't have knowledge on what the image is about (available). For example, a photo gallery generator does not have textual alternatives available when the user relates to provide them.

Purely decorative images should have the `alt=""` string as the textual alternative (`alt=""`), so it's invisible for those to appear here. Also, when the manus writer knows what the images are about, (s)he should write textual alternatives.

Image Location
Not resolvable

From line 8, column 9 to line 9, column 58

Images with textual alternative

The following images have textual alternatives. Please review that the textual alternatives make sense considering the purpose of the image in the context of the page and that phrases like "Image of ..." are avoided.

Note that iconic images that are redundant with text next to them or purely decorative should have `alt=""` instead.

Image Textual alternative

Not resolvable default user icon

Not resolvable default user icon

Not resolvable default user icon

Source

```
1. <extends>'layouts.app'>
2. </>
3. <push>'styles'>
4.   <link rel="stylesheet" href="{{ asset('css/static/contact.css') }}"/>
5. </push>
```

about-us.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message history

1. **Warning**: Consider adding a `lang` attribute to the `<html>` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 10
Content: `<!DOCTYPE html><html>`
For further assistance, please see [Declaring the language of your document](#) or [Choosing language tags](#).
If the HTML checker has selected the language of this document, please [Unselect it](#), or [Select it](#) if you think it is correct.

2. **Error**: Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 10
Content: `<html><head><script>`
For further assistance, please see [Declaring the language of your document](#) or [Choosing language tags](#).

3. **Error**: Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 10
Content: `<html><head></head>`
If the document is an [XHTML strict document](#) or [HTML5 document](#), which no more than one `<title>` element and no more than one `<base>` element.
Otherwise, One or more elements in `<head>` must contain either one `<title>` element and/or one `<base>` element.

4. **Error**: Bad value `[[url('css/static/about.css')]]` for attribute `href` on element `link`; Illegal character in path segment: `[[` is not allowed.
From line 4, column 1 to line 4, column 10
Content: `<link href='[[url('css/static/about.css')]]> rel='stylesheet'>
`

5. **Error**: Quote '`'` in attribute name. Probable cause: Matching quote missing somewhere earlier.
At line 8, column 62
Content: `pt1 *:not([class])> span[1]'`

6. **Error**: A slash was not immediately followed by `>`.
At line 8, column 62
Content: `src='[[url('js/app.js')]]'>`

7. **Error**: Quote '`'` in attribute name. Probable cause: Matching quote missing somewhere earlier.
At line 8, column 67
Content: `url('js/app.js')>`

8. **Warning**: Attribute `url('js')` is not serializable as XML 1.0.
From line 8, column 67
Content: `url('js/app.js')>`

9. **Warning**: Attribute `app('js')` is not serializable as XML 1.0.
From line 8, column 68
Content: `app('js')>`

10. **Warning**: Attribute `[[` is not serializable as XML 1.0.
From line 8, column 68
Content: `[[url('js/app.js')]]>`

11. **Error**: Bad value `[[` for attribute `src` on element `script`; `[[` is not allowed.
From line 8, column 68 to line 8, column 68
Content: `[[script type='text/javascript' src='[[url('js/app.js')]]' defer></script>`

12. **Error**: Attribute `url('js')` is not allowed on element `script` at this point.
From line 8, column 68 to line 8, column 68
Content: `[[script type='text/javascript' src='[[url('js/app.js')]]' defer></script>`

Attributes for element `script`:
`crossorigin`
`src` — Address of the resource
`type` — Type of script
`crossorigin` — Prevents execution in case against that script [using CORS](#)
`async` — Execute script when available, without blocking while testing
`defer` — Other script execution
`crossorigin` — How the element handles incoming requests
`integrity` — Integrity metadata used in Content-Security-Policy checks [\[CSP\]](#)
`referrerpolicy` — Referrer policy for `fetch` initiated by the element
`nonce` — Whether the element is [script nonce checked](#)
`priority` — Gets the priority for `fetches` initiated by the element

13. **Error**: Attribute `app('js')` is not allowed on element `script` at this point.
From line 8, column 68 to line 8, column 68
Content: `[[script type='text/javascript' src='[[url('js/app.js')]]' defer></script>`

Attributes for element `script`:
`crossorigin`
`src` — Address of the resource
`type` — Type of script
`crossorigin` — Prevents execution in case against that script [using CORS](#)
`async` — Execute script when available, without blocking while testing
`defer` — Other script execution
`crossorigin` — How the element handles incoming requests
`integrity` — Integrity metadata used in Content-Security-Policy checks [\[CSP\]](#)
`referrerpolicy` — Referrer policy for `fetches` initiated by the element
`nonce` — Whether the element is [script nonce checked](#)
`priority` — Gets the priority for `fetches` initiated by the element

14. **Error**: Attribute `[[` is not allowed on element `script` at this point.
From line 8, column 68 to line 8, column 68
Content: `[[script type='text/javascript' src='[[url('js/app.js')]]' defer></script>`

Attributes for element `script`:
`crossorigin`
`src` — Address of the resource
`type` — Type of script
`crossorigin` — Prevents execution in case against that script [using CORS](#)
`integrity` — Integrity metadata used in Content-Security-Policy checks [\[CSP\]](#)
`referrerpolicy` — Referrer policy for `fetches` initiated by the element
`nonce` — Whether the element is [script nonce checked](#)
`priority` — Gets the priority for `fetches` initiated by the element

tags.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

- Checker Input

Show Source Report Options

Check by CSS

```
<html><partials><head><title>Tag</title>
<script></script>
<input class="hidden" type="text" name="title" value="(<tag>-title)">
<input type="submit">
<span class="arrow">></span>
</form>
</sections>
<@foreach
<@section>
</@section>
</@sections>
<@endsection>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `<html>` start tag to declare the language of this document.
From line 1 column 1 to line 1 column 38
File: C:\AppData\Project\Send.php-Dexie
For further guidance, consult [Defining the language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please file an issue report or send email to report the problem.
2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`
From line 1 column 1 to line 1 column 39
File: C:\AppData\Project\Send.php-Dexie
3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1 column 1 to line 1 column 39
File: C:\AppData\Project\Send.php-Dexie
Correct mode for element head:
If the document is an `<html>` document, no file information is available from a higher-level protocol. Zero or more elements of `measures content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise, one or more elements of `measures content`, of which exactly one is a `title` element and no more than one is a `base` element.
4. **Error** Bad value `{ asset('css/tags.css') }` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.
From line 4 column 5 to line 4 column 82
`<link rel="stylesheet" href="{{ asset('css/tags.css') }}>`
5. **Error** Bad value `{ asset('css/users.css') }` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.
From line 5 column 5 to line 5 column 63
`<link rel="stylesheet" href="{{ asset('css/users.css') }}>`
6. **Error** Bad value `{ asset('css/partials/cards.css') }` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.
From line 6 column 5 to line 6 column 27
`<link rel="stylesheet" href="{{ asset('css/partials/cards.css') }}>`
7. **Error** Bad value `{ asset('css/modal.css') }` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.
From line 7 column 5 to line 7 column 63
`<link rel="stylesheet" href="{{ asset('css/modal.css') }}>`
8. **Error** Bad value `{ asset('js/pages/tags.js') }` for attribute `src` on element `script`: Illegal character in path segment: `{` is not allowed.
From line 11 column 5 to line 11 column 30
`<script type="module" src="{{ asset('js/pages/tags.js') }}>`
9. **Error** A `script` element with a `defer` attribute must not have a `type` attribute with the value `module`.
From line 11 column 5 to line 11 column 26
`<script type="module" src="{{ asset('js/pages/tags.js') }}" defer>`
10. **Error** Character reference was not terminated by a semicolon.
At line 29 column 63
File: C:\AppData\Project\Send.php-Dexie
11. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 26 column 11 to line 26 column 18
`<input type="search" placeholder="64128288 search" aria-label="Search" id="search-bar"/>`
12. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 26 column 17 to line 26 column 40
`<section class="search">`
13. **Error** Bad value `{ route('add_tag', ['project' => $project]) }` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.
From line 28 column 49 to line 28 column 108
`<form method="POST" action="{{ route('add_tag', ['project' => $project]) }}>`
14. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 29 column 19 to line 29 column 27
`<section class="addingcontainer">`
15. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 29 column 17 to line 29 column 26
`<section>`
16. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 31 column 11 to line 31 column 29
`<section class="tagsection" id="tag{{ $tag->id }}>`
17. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 40 column 13 to line 40 column 24
`<section class="tags">`
18. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 42 column 9 to line 42 column 36
`<section class="tags-list">`
19. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 46 column 5 to line 46 column 30
`<ont>`

Document checking completed.

Image report

No Images in the document.

Source

```
1. @php use App\Models\Project; $sendph->
2. next();
3. @endphp
4. <html><partials>
5. <head>
6. <link rel="stylesheet" href="{{ asset('css/tag.css') }}>
7. <link rel="stylesheet" href="{{ asset('css/users.css') }}>
8. <link rel="stylesheet" href="{{ asset('css/partials/cards.css') }}>
9. <link rel="stylesheet" href="{{ asset('css/modal.css') }}>
10. <script>
11. <script type="module" src="{{ asset('js/pages/tags.js') }}>
```

profile.blade.php

Nu Html Checker

This page is an optional addendum to your HEDML checklist and its inclusion or omission is optional.

Strategic priorities for sustainable oil infrastructure expansion

Chapter 10

Page 34

[View all Blogs](#)

卷之三

- Warning: Consider adding a lang attribute to the html starttag to declare the language of this document.
Details | Source | Report as bug | Download | Open in new window | [Close](#) [Report as bug]

For further assistance, see [How to report bugs in XUL/RDF code](#) and [Code review guidelines](#).

The following bugs have been filed for this page. Please file a bug if you do not see your problem listed.

2 **Error**: Non-space characters found without seeing a doctype first. Expected: <!DOCTYPE html>.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

3 **Error**: Element `html` is missing a required instance of child element `title`.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

Report about this in [bug 626400](#)
This occurred because `html` node doesn't have any children available for it to assign and extend. Data or new elements of `textcontent` of which it has the child `title` elements are required for it to have a `title` element.

4 **Error**: Bad value {<script>foo</script>} for attribute href on element `link`. Illegal character in path segment: {< is not allowed.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

5 **Error**: Bad value {<script>foo</script>} for attribute href on element `a`. Illegal character in path segment: {< is not allowed.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

6 **Error**: Bad value {<script>foo</script>} for attribute href on element `a`. Illegal character in path segment: {< is not allowed.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

7 **Error**: Bad value {<script>foo</script>} for attribute href on element `a`. Illegal character in path segment: {< is not allowed.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

8 **Error**: Bad value {<String>} for attribute href on element `a`. Illegal character in path segment: {< is not allowed.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

9 **Error**: Bad character {<} after <. Possible cause: Unescaped <. Try escaping it as <.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

10 **Error**: Bad value {<script>task</script>>{<script>to \$task</script>}</task> => \$task[task[1]]} for attribute href on element `a`. Illegal character in path segment: {< is not allowed.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

11 **Error**: Non-space between attributes.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

12 **Error**: Non-space between attributes.
Details | Source | Report as bug | [Download](#) | [Open in new window](#) | [Close](#)

Document checking completed

www.raspbi

The diagrammatic elements of the page are shown below categorized by their type of visual information. Please review them in the Images. In each group, match the graphic definition with the corresponding element.

Images with textual alternatives

The following line of code makes sure that the user's alternative implementation is considering the position of the node in the course of the page and that it creates the image of the node at the right position.


Note that kinetic energy is the relevant metric here and is often only partially determined due to have a $\pm 1\%$ impact.

[View more details](#) [View map](#) [Book this room](#)

Source: <http://www.oecd-ilibrary.org/docstore/mjw10000.pdf>

8

edit-profile.blade.php



delete.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report | Options...

Check by text input CSS
@extends('layouts.app')
@push('styles')
 <link rel="stylesheet" href="{{ asset('css/delete_user.css') }}"/>
@endpush
 <section> (content)
 <div class="container-fluid d-flex justify-content-center">
 <div class="row">
 <div class="col-12 d-flex justify-content-center p-4 card">
 <div style="margin-top: 5%; text-align: center">
 <h3>Delete account</h3>
 <div class="col-12" style="margin-top: 3%;>
 <h2>Please enter your password to delete account</h2>
 </div>
 </div>
 </div>
 </div>
 </section>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.
Message Filtering

1. Warning Consider adding a `lang` attribute to the `<html>` start tag to declare the language of this document.
From line 1 column 1 to line 1 column 23
@extends('layouts.app')<-->
@push('')

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. Error Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1 column 1 to line 1 column 23
@extends('layouts.app')<-->
@push('')

3. Error Element `head` is missing a required instance of child element `title`.
From line 1 column 1 to line 1 column 23
@extends('layouts.app')<-->
Content model for element `head`:
 If the document is an `iframe srcdoc` document or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
 Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.

4. Error Bad value `{{{ asset('css/delete_user.css') }}}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.
From line 4 column 5 to line 4 column 69
 [`is'>` <link rel="stylesheet" href="{{ asset('css/delete_user.css') }}">></link>

5. Error Bad value `{{{ route('delete_user', ['user'=> Auth::user()]) }}}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.
From line 18 column 13 to line 18 column 105
 <form method="POST" class="row" action="{{ route('delete_user', ['user'=> Auth::user()]) }}><!--

6. Error No space between attributes.
At line 23 column 82
 <p><input type="button" value="Delete account" /></p>

7. Error Element `a` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)
From line 31 column 45 to line 31 column 47
 [`= 'W-180px'>` <button type="button" value="Delete account" />

Comments in which element `a` may be used:
 Where `allow` content is expected.
Content model for element `button`:
 Phrasing content, but there must be no `interactive content` descendant and no descendant with the `tabindex` attribute specified.

8. Error Bad value `{{{ route('profile', ['user'=>Auth::user()]) }}}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 37 column 17 to line 37 column 22
 Auth::user()]) }}>Go bac

Document checking completed.

Image report

No images in the document.

Source

```
1. @extends('layouts.app')<-->
2. <-->
3. @push('styles')<-->
4.     <link rel="stylesheet" href="{{ asset('css/delete_user.css') }}"/><-->
5. @endpush<-->
6. <!-->
7. <section> (content)<-->
8.     <div class="container-fluid d-flex justify-content-center"><-->
9.         <div class="row"><-->
10.             <div class="col-12 d-flex justify-content-center p-4 card"><-->
11.                 <div style="margin-top: 5%; text-align: center"><-->
12.                     <h3>Delete account</h3><-->
13.                     <div class="col-12" style="margin-top: 3%;><-->
14.                         <h2>Please enter your password to delete account</h2><-->
15.                         </div><-->
16.                     </div><-->
17.                 </div><-->
18.             <div class="col-12" style="margin-top: 3%;><-->
19.                 <form method="POST" class="row" action="{{ route('delete_user', ['user'=> Auth::user()]) }}><-->
20.                     <method='DELETE'><-->
21.                     <div class="form-group col-12 w-100"><-->
22.                         <div class="input-group mb-3"><-->
23.                             <input type="password" id="password" class="p-3 inputemail" name="password" placeholder=" Your password"><-->
24.                             <div class="error"><-->
25.                                 <span>{{ session('password') }}</span><-->
26.                             </div><-->
27.                         </div><-->
28.                     </div><-->
29.                     <div class="col-12" style="margin-top: 3%;><-->
30.                         <button class="W-100" type="button" value="Delete account" /></button><-->
31.                     </div><-->
32.                 </form><-->
33.             </div><-->
34.         </div><-->
35.     </div><-->
36.     <div class="col-12 text-center goback" ><-->
37.         <a href="{{ route('profile', ['user'=>Auth::user()]) }}>Go back to profile</a><-->
38.     </div><-->
39. </div><-->
40. </div><-->
41. </div><-->
42. </div><-->
43. @endsection
```

Outline

```
<input type="button" value="Delete account" />
<div class="col-12" style="margin-top: 3%;>
    <h2>Please enter your password to delete account</h2>
```

Used the HTML parser.
Total execution time 14 milliseconds.

userCard.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by: text input CSS JS

```
<section class="userCard {${$size}}">
  @isset($user->id)
    
  @else
    
  @endisset
  <section class="info">
    <h3>{{ $user->name }}</h3>
    <h5>{{ $user->email }}</h5>
  </section>
</section>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 36
`<section class="userCard {${$size}}">` 0

For further guidance, consult Declaring the overall language of a page and Choosing language tags.
If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. Error Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 36
`<section class="userCard {${$size}}">` 0

3. Error Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 36
`<section class="userCard {${$size}}">` 0

Content model for element `head`:
If the document is an `iframe srcdoc` document or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.

4. Error Bad value `{{ $user->image() }}` for attribute `src` on element `img`: Illegal character in path segment: `{{ }}` is not allowed.
From line 3, column 9 to line 3, column 84
`` 0

5. Error Bad value `{{ $user->image() }}` for attribute `src` on element `img`: Illegal character in path segment: `{{ }}` is not allowed.
From line 5, column 9 to line 5, column 82
`` 0

6. Warning Section lacks heading. Consider using `h2-h6` elements to add identifying headings to all sections, or else use a `div` element instead for any cases where no heading is needed.
From line 1, column 1 to line 1, column 36
`<section class="userCard {${$size}}">` 0

Document checking completed.

Image report

The `img` elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match that group's definition.

Images with textual alternative

The following images have textual alternatives. Please review that the textual alternatives make sense considering the purpose of the image in the context of the page and that phrases like "image of ..." are avoided.

Note that iconic images that are redundant with text next to them or purely decorative should have `alt=""` instead.

Image	Textual alternative	Location
Not resolvable	default user icon	From line 3, column 9 to line 3, column 84
Not resolvable	default user icon	From line 5, column 9 to line 5, column 82

Source

```
1. <section class="userCard {${$size}}">
2.   @isset($user->id)
3.     
4.   @else
5.     
6.   @endisset
7.   <section class="info">
8.     <h3>{{ $user->name }}</h3>
9.     <h5>{{ $user->email }}</h5>
10.   </section>
11. </section>
```

Outline

`icon` [missing]
`icon` [missing]
`icon` `[$user->name]`
`icon` [missing]
`icon` `[$user->email]`

Used the HTML parser.
Total execution time 5 milliseconds.

taskCard.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by text input CSS

```
<html>
  <head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0">
    <link href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@5.15.4/css/all.min.css" rel="stylesheet">
  </head>
  <body>
    <div>
      <h1>Project Manager</h1>
      <div>
        <ul>
          <li><a href="#">Dashboard</a></li>
          <li><a href="#">Tasks</a></li>
          <li><a href="#">Projects</a></li>
          <li><a href="#">Folders</a></li>
          <li><a href="#">Logs</a></li>
        </ul>
      </div>
      <div>
        <h2>Task List</h2>
        <table border="1">
          <thead>
            <tr>
              <th>Task ID</th>
              <th>Title</th>
              <th>Status</th>
              <th>Deadline</th>
              <th>Created By</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>1</td>
              <td>Design Website</td>
              <td>Open</td>
              <td>2023-10-15</td>
              <td>John Doe</td>
            </tr>
            <tr>
              <td>2</td>
              <td>Develop API</td>
              <td>Open</td>
              <td>2023-10-20</td>
              <td>Jane Smith</td>
            </tr>
            <tr>
              <td>3</td>
              <td>Test Software</td>
              <td>Closed</td>
              <td>2023-10-18</td>
              <td>John Doe</td>
            </tr>
            <tr>
              <td>4</td>
              <td>Create Documentation</td>
              <td>Open</td>
              <td>2023-10-22</td>
              <td>Jane Smith</td>
            </tr>
            <tr>
              <td>5</td>
              <td>Implement Features</td>
              <td>In Progress</td>
              <td>2023-10-25</td>
              <td>John Doe</td>
            </tr>
            <tr>
              <td>6</td>
              <td>Fix Bugs</td>
              <td>Open</td>
              <td>2023-10-28</td>
              <td>Jane Smith</td>
            </tr>
            <tr>
              <td>7</td>
              <td>Deploy Application</td>
              <td>Planned</td>
              <td>2023-11-05</td>
              <td>John Doe</td>
            </tr>
            <tr>
              <td>8</td>
              <td>Monitor Performance</td>
              <td>Open</td>
              <td>2023-11-10</td>
              <td>Jane Smith</td>
            </tr>
            <tr>
              <td>9</td>
              <td>Optimize Code</td>
              <td>In Progress</td>
              <td>2023-11-15</td>
              <td>John Doe</td>
            </tr>
            <tr>
              <td>10</td>
              <td>Finalize Project</td>
              <td>Planned</td>
              <td>2023-11-20</td>
              <td>Jane Smith</td>
            </tr>
          </tbody>
        </table>
        <div>
          <button>Add Task</button>
        </div>
      </div>
    </div>
  </body>
</html>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- 1 **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1 column 1 to line 1 column 26
`<section class="taskCard"><``
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
- 2 **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1 column 1 to line 1 column 26
`<section class="taskCard"><``
Error Element `head` is missing a required instance of child element `title`.
From line 1 column 1 to line 1 column 26
`<section class="taskCard"><``
Content model for element `head`:
If the document is an [iframe srcdoc](#) document or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.
Error Bad value `{[{route('task', {['project'=>$project, 'task'=>$task]}), 'for attribute href on element a; illegal character in path segment: [` is not allowed.`
From line 5 column 21 to line 5 column 24
`<h3>$project, 'task'=>$task]})}}>{[$task]`

Document checking completed.

Image report

No images in the document.

Source

```
1 <section class="taskCard">+
2   <ul>+
3     <li>+
4       <header>+
5         <h3><a href="{{route('task', {['project'=>$project, 'task'=>$task]})}}">{[$task->title}</a></h3>+
6           <div>+
7             <span class="status open"><i class="fa-solid fa-folder-open"></i> Open </span>+
8             <span class="status closed"><i class="fa-solid fa-folder-closed"></i> Closed </span>+
9             <span class="status cancelled"><i class="fa-solid fa-ban"></i> Cancelled </span>+
10            </div>+
11          </header>+
12          <li class="deadline"><i class="fa-regular fa-calendar"></i>+
13            <div>+
14              <span>There is no deadline<br>+
15              </span>+
16            </div>+
17          </li>+
18        <div>+
19          <h6>#{$task->id} Created by {{($task->created_by->name)} on {{ date('d-m-Y', strtotime($task->starttime)) }}</h6>+
20        </div>+
21      </li>+
22    </ul>+
23  </div>+
24 </div>+
25 </div>+
26 </div>+
27 </div>+
28 </div>+
29 </div>+
30 </div>+
31 </div>+
32 </div>+
33 </div>+
34 </div>+
35 </div>+
36 </div>+
37 </div>+
38 </div>+
39 </div>+
40 </div>+
41 </div>+
42 </div>+
43 </div>+
44 </div>+
45 </div>+
46 </div>+
47 </div>+
48 </div>+
49 </div>+
50 </div>+
51 </div>+
52 </div>+
53 </div>+
54 </div>+
55 </div>+
56 </div>+
57 </div>+
58 </div>+
59 </div>+
60 </div>+
61 </div>+
62 </div>+
63 </div>+
64 </div>+
65 </div>+
66 </div>+
67 </div>+
68 </div>+
69 </div>+
70 </div>+
71 </div>+
72 </div>+
73 </div>+
74 </div>+
75 </div>+
76 </div>+
77 </div>+
78 </div>+
79 </div>+
80 </div>+
81 </div>+
82 </div>+
83 </div>+
84 </div>+
85 </div>+
86 </div>+
87 </div>+
88 </div>+
89 </div>+
90 </div>+
91 </div>+
92 </div>+
93 </div>+
94 </div>+
95 </div>+
96 </div>+
97 </div>+
98 </div>+
99 </div>+
100 </div>+
101 </div>+
102 </div>+
103 </div>+
104 </div>+
105 </div>+
106 </div>+
107 </div>+
108 </div>+
109 </div>+
110 </div>+
111 </div>+
112 </div>+
113 </div>+
114 </div>+
115 </div>+
116 </div>+
117 </div>+
118 </div>+
119 </div>+
120 </div>+
121 </div>+
122 </div>+
123 </div>+
124 </div>+
125 </div>+
126 </div>+
127 </div>+
128 </div>+
129 </div>+
130 </div>+
131 </div>+
132 </div>+
133 </div>+
134 </div>+
135 </div>+
136 </div>+
137 </div>+
138 </div>+
139 </div>+
140 </div>+
141 </div>+
142 </div>+
143 </div>+
144 </div>+
145 </div>+
146 </div>+
147 </div>+
148 </div>+
149 </div>+
150 </div>+
151 </div>+
152 </div>+
153 </div>+
154 </div>+
155 </div>+
156 </div>+
157 </div>+
158 </div>+
159 </div>+
160 </div>+
161 </div>+
162 </div>+
163 </div>+
164 </div>+
165 </div>+
166 </div>+
167 </div>+
168 </div>+
169 </div>+
170 </div>+
171 </div>+
172 </div>+
173 </div>+
174 </div>+
175 </div>+
176 </div>+
177 </div>+
178 </div>+
179 </div>+
180 </div>+
181 </div>+
182 </div>+
183 </div>+
184 </div>+
185 </div>+
186 </div>+
187 </div>+
188 </div>+
189 </div>+
190 </div>+
191 </div>+
192 </div>+
193 </div>+
194 </div>+
195 </div>+
196 </div>+
197 </div>+
198 </div>+
199 </div>+
200 </div>+
201 </div>+
202 </div>+
203 </div>+
204 </div>+
205 </div>+
206 </div>+
207 </div>+
208 </div>+
209 </div>+
210 </div>+
211 </div>+
212 </div>+
213 </div>+
214 </div>+
215 </div>+
216 </div>+
217 </div>+
218 </div>+
219 </div>+
220 </div>+
221 </div>+
222 </div>+
223 </div>+
224 </div>+
225 </div>+
226 </div>+
227 </div>+
228 </div>+
229 </div>+
230 </div>+
231 </div>+
232 </div>+
233 </div>+
234 </div>+
235 </div>+
236 </div>+
237 </div>+
238 </div>+
239 </div>+
240 </div>+
241 </div>+
242 </div>+
243 </div>+
244 </div>+
245 </div>+
246 </div>+
247 </div>+
248 </div>+
249 </div>+
250 </div>+
251 </div>+
252 </div>+
253 </div>+
254 </div>+
255 </div>+
256 </div>+
257 </div>+
258 </div>+
259 </div>+
260 </div>+
261 </div>+
262 </div>+
263 </div>+
264 </div>+
265 </div>+
266 </div>+
267 </div>+
268 </div>+
269 </div>+
270 </div>+
271 </div>+
272 </div>+
273 </div>+
274 </div>+
275 </div>+
276 </div>+
277 </div>+
278 </div>+
279 </div>+
280 </div>+
281 </div>+
282 </div>+
283 </div>+
284 </div>+
285 </div>+
286 </div>+
287 </div>+
288 </div>+
289 </div>+
290 </div>+
291 </div>+
292 </div>+
293 </div>+
294 </div>+
295 </div>+
296 </div>+
297 </div>+
298 </div>+
299 </div>+
300 </div>+
301 </div>+
302 </div>+
303 </div>+
304 </div>+
305 </div>+
306 </div>+
307 </div>+
308 </div>+
309 </div>+
310 </div>+
311 </div>+
312 </div>+
313 </div>+
314 </div>+
315 </div>+
316 </div>+
317 </div>+
318 </div>+
319 </div>+
320 </div>+
321 </div>+
322 </div>+
323 </div>+
324 </div>+
325 </div>+
326 </div>+
327 </div>+
328 </div>+
329 </div>+
330 </div>+
331 </div>+
332 </div>+
333 </div>+
334 </div>+
335 </div>+
336 </div>+
337 </div>+
338 </div>+
339 </div>+
340 </div>+
341 </div>+
342 </div>+
343 </div>+
344 </div>+
345 </div>+
346 </div>+
347 </div>+
348 </div>+
349 </div>+
350 </div>+
351 </div>+
352 </div>+
353 </div>+
354 </div>+
355 </div>+
356 </div>+
357 </div>+
358 </div>+
359 </div>+
360 </div>+
361 </div>+
362 </div>+
363 </div>+
364 </div>+
365 </div>+
366 </div>+
367 </div>+
368 </div>+
369 </div>+
370 </div>+
371 </div>+
372 </div>+
373 </div>+
374 </div>+
375 </div>+
376 </div>+
377 </div>+
378 </div>+
379 </div>+
380 </div>+
381 </div>+
382 </div>+
383 </div>+
384 </div>+
385 </div>+
386 </div>+
387 </div>+
388 </div>+
389 </div>+
390 </div>+
391 </div>+
392 </div>+
393 </div>+
394 </div>+
395 </div>+
396 </div>+
397 </div>+
398 </div>+
399 </div>+
400 </div>+
401 </div>+
402 </div>+
403 </div>+
404 </div>+
405 </div>+
406 </div>+
407 </div>+
408 </div>+
409 </div>+
410 </div>+
411 </div>+
412 </div>+
413 </div>+
414 </div>+
415 </div>+
416 </div>+
417 </div>+
418 </div>+
419 </div>+
420 </div>+
421 </div>+
422 </div>+
423 </div>+
424 </div>+
425 </div>+
426 </div>+
427 </div>+
428 </div>+
429 </div>+
430 </div>+
431 </div>+
432 </div>+
433 </div>+
434 </div>+
435 </div>+
436 </div>+
437 </div>+
438 </div>+
439 </div>+
440 </div>+
441 </div>+
442 </div>+
443 </div>+
444 </div>+
445 </div>+
446 </div>+
447 </div>+
448 </div>+
449 </div>+
450 </div>+
451 </div>+
452 </div>+
453 </div>+
454 </div>+
455 </div>+
456 </div>+
457 </div>+
458 </div>+
459 </div>+
460 </div>+
461 </div>+
462 </div>+
463 </div>+
464 </div>+
465 </div>+
466 </div>+
467 </div>+
468 </div>+
469 </div>+
470 </div>+
471 </div>+
472 </div>+
473 </div>+
474 </div>+
475 </div>+
476 </div>+
477 </div>+
478 </div>+
479 </div>+
480 </div>+
481 </div>+
482 </div>+
483 </div>+
484 </div>+
485 </div>+
486 </div>+
487 </div>+
488 </div>+
489 </div>+
490 </div>+
491 </div>+
492 </div>+
493 </div>+
494 </div>+
495 </div>+
496 </div>+
497 </div>+
498 </div>+
499 </div>+
500 </div>+
501 </div>+
502 </div>+
503 </div>+
504 </div>+
505 </div>+
506 </div>+
507 </div>+
508 </div>+
509 </div>+
510 </div>+
511 </div>+
512 </div>+
513 </div>+
514 </div>+
515 </div>+
516 </div>+
517 </div>+
518 </div>+
519 </div>+
520 </div>+
521 </div>+
522 </div>+
523 </div>+
524 </div>+
525 </div>+
526 </div>+
527 </div>+
528 </div>+
529 </div>+
530 </div>+
531 </div>+
532 </div>+
533 </div>+
534 </div>+
535 </div>+
536 </div>+
537 </div>+
538 </div>+
539 </div>+
540 </div>+
541 </div>+
542 </div>+
543 </div>+
544 </div>+
545 </div>+
546 </div>+
547 </div>+
548 </div>+
549 </div>+
550 </div>+
551 </div>+
552 </div>+
553 </div>+
554 </div>+
555 </div>+
556 </div>+
557 </div>+
558 </div>+
559 </div>+
560 </div>+
561 </div>+
562 </div>+
563 </div>+
564 </div>+
565 </div>+
566 </div>+
567 </div>+
568 </div>+
569 </div>+
570 </div>+
571 </div>+
572 </div>+
573 </div>+
574 </div>+
575 </div>+
576 </div>+
577 </div>+
578 </div>+
579 </div>+
580 </div>+
581 </div>+
582 </div>+
583 </div>+
584 </div>+
585 </div>+
586 </div>+
587 </div>+
588 </div>+
589 </div>+
590 </div>+
591 </div>+
592 </div>+
593 </div>+
594 </div>+
595 </div>+
596 </div>+
597 </div>+
598 </div>+
599 </div>+
600 </div>+
601 </div>+
602 </div>+
603 </div>+
604 </div>+
605 </div>+
606 </div>+
607 </div>+
608 </div>+
609 </div>+
610 </div>+
611 </div>+
612 </div>+
613 </div>+
614 </div>+
615 </div>+
616 </div>+
617 </div>+
618 </div>+
619 </div>+
620 </div>+
621 </div>+
622 </div>+
623 </div>+
624 </div>+
625 </div>+
626 </div>+
627 </div>+
628 </div>+
629 </div>+
630 </div>+
631 </div>+
632 </div>+
633 </div>+
634 </div>+
635 </div>+
636 </div>+
637 </div>+
638 </div>+
639 </div>+
640 </div>+
641 </div>+
642 </div>+
643 </div>+
644 </div>+
645 </div>+
646 </div>+
647 </div>+
648 </div>+
649 </div>+
650 </div>+
651 </div>+
652 </div>+
653 </div>+
654 </div>+
655 </div>+
656 </div>+
657 </div>+
658 </div>+
659 </div>+
660 </div>+
661 </div>+
662 </div>+
663 </div>+
664 </div>+
665 </div>+
666 </div>+
667 </div>+
668 </div>+
669 </div>+
670 </div>+
671 </div>+
672 </div>+
673 </div>+
674 </div>+
675 </div>+
676 </div>+
677 </div>+
678 </div>+
679 </div>+
680 </div>+
681 </div>+
682 </div>+
683 </div>+
684 </div>+
685 </div>+
686 </div>+
687 </div>+
688 </div>+
689 </div>+
690 </div>+
691 </div>+
692 </div>+
693 </div>+
694 </div>+
695 </div>+
696 </div>+
697 </div>+
698 </div>+
699 </div>+
700 </div>+
701 </div>+
702 </div>+
703 </div>+
704 </div>+
705 </div>+
706 </div>+
707 </div>+
708 </div>+
709 </div>+
710 </div>+
711 </div>+
712 </div>+
713 </div>+
714 </div>+
715 </div>+
716 </div>+
717 </div>+
718 </div>+
719 </div>+
720 </div>+
721 </div>+
722 </div>+
723 </div>+
724 </div>+
725 </div>+
726 </div>+
727 </div>+
728 </div>+
729 </div>+
730 </div>+
731 </div>+
732 </div>+
733 </div>+
734 </div>+
735 </div>+
736 </div>+
737 </div>+
738 </div>+
739 </div>+
740 </div>+
741 </div>+
742 </div>+
743 </div>+
744 </div>+
745 </div>+
746 </div>+
747 </div>+
748 </div>+
749 </div>+
750 </div>+
751 </div>+
752 </div>+
753 </div>+
754 </div>+
755 </div>+
756 </div>+
757 </div>+
758 </div>+
759 </div>+
760 </div>+
761 </div>+
762 </div>+
763 </div>+
764 </div>+
765 </div>+
766 </div>+
767 </div>+
768 </div>+
769 </div>+
770 </div>+
771 </div>+
772 </div>+
773 </div>+
774 </div>+
775 </div>+
776 </div>+
777 </div>+
778 </div>+
779 </div>+
780 </div>+
781 </div>+
782 </div>+
783 </div>+
784 </div>+
785 </div>+
786 </div>+
787 </div>+
788 </div>+
789 </div>+
790 </div>+
791 </div>+
792 </div>+
793 </div>+
794 </div>+
795 </div>+
796 </div>+
797 </div>+
798 </div>+
799 </div>+
800 </div>+
801 </div>+
802 </div>+
803 </div>+
804 </div>+
805 </div>+
806 </div>+
807 </div>+
808 </div>+
809 </div>+
810 </div>+
811 </div>+
812 </div>+
813 </div>+
814 </div>+
815 </div>+
816 </div>+
817 </div>+
818 </div>+
819 </div>+
820 </div>+
821 </div>+
822 </div>+
823 </div>+
824 </div>+
825 </div>+
826 </div>+
827 </div>+
828 </div>+
829 </div>+
830 </div>+
831 </div>+
832 </div>+
833 </div>+
834 </div>+
835 </div>+
836 </div>+
837 </div>+
838 </div>+
839 </div>+
840 </div>+
841 </div>+
842 </div>+
843 </div>+
844 </div>+
845 </div>+
846 </div>+
847 </div>+
848 </div>+
849 </div>+
850 </div>+
851 </div>+
852 </div>+
853 </div>+
854 </div>+
855 </div>+
856 </div>+
8
```

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by text input CSS

```
<section class="tagCard">
  <section class="tagContainer"><span class="tag tag[{$tag->id%10}]">{$tag->title}</span></section>
  <span><i class="fa-solid fa-list-check"></i> {{count($tag->tasks)}} Tasks</span>
  <section class="actions">
    <span class="edit"><i class="fa-solid fa-pen-to-square"></i></span>
    <span class="delete"><i class="fa-solid fa-trash"></i></span>
  </section>
</section>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a <code>:lang</code> attribute to the <code><html></code> start tag to declare the language of this document. From line 1, column 1 to line 1, column 25 <code><section class="tagCard"></code>
For further guidance, consult Declaring the overall language of a page and Choosing language tags . If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
2. Error Start tag seen without seeing a doctype first. Expected <code><!DOCTYPE html></code> . From line 1, column 1 to line 1, column 25 <code><section class="tagCard"></code>
3. Error Element <code>head</code> is missing a required instance of child element <code>title</code> . From line 1, column 1 to line 1, column 25 <code><section class="tagCard"></code>
Content model for element <code>head</code> : If the document is an XHTML document or if title information is available from a higher-level protocol: Zero or more elements of <code>metadata content</code> , of which no more than one is a <code>title</code> element and no more than one is a <code>base</code> element. Otherwise: One or more elements of <code>metadata content</code> , of which exactly one is a <code>title</code> element and no more than one is a <code>base</code> element.
4. Warning Section lacks heading. Consider using <code>h2 - h6</code> elements to add identifying headings to all sections , or else use a <code>div</code> element instead for any cases where no heading is needed. From line 2, column 5 to line 2, column 34 <code>ard"></code>
5. Warning Section lacks heading. Consider using <code>h2 - h6</code> elements to add identifying headings to all sections , or else use a <code>div</code> element instead for any cases where no heading is needed. From line 4, column 5 to line 4, column 29 <code>span></code>
6. Warning Section lacks heading. Consider using <code>h2 - h6</code> elements to add identifying headings to all sections , or else use a <code>div</code> element instead for any cases where no heading is needed. From line 1, column 1 to line 1, column 25 <code><section class="tagCard"></code>

Document checking completed.

Image report

No images in the document.

Source

```
1. <section class="tagCard">
2.   <section class="tagContainer"><span class="tag tag[{$tag->id%10}]">{$tag->title}</span></section>
3.   <span><i class="fa-solid fa-list-check"></i> {{count($tag->tasks)}} Tasks</span>
4.   <section class="actions">
5.     <span class="edit"><i class="fa-solid fa-pen-to-square"></i></span>
6.     <span class="delete"><i class="fa-solid fa-trash"></i></span>
7.   </section>
8. </section>
```

Outline

Used the HTML parser.

Total execution time 6 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28

sort.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by text input CSS

```
<div class="dropdown">
  <button class="btn btn-sort dropdown-toggle" type="button" data-bs-toggle="dropdown" aria-expanded="false">
    <i class="fa-solid fa-sort"></i> Sort by
  </button>
  <ul class="dropdown-menu p-4">
    <li>
      <button class = "btn sort-btn" data-sort="name" data-type="up"> Sort by Name (A-Z) </button>
    </li>
    <li>
      <button class = "btn sort-btn" data-sort="name" data-type="down"> Sort by Name (Z-A) </button>
    </li>
    <li>
      <button class = "btn sort-btn" data-sort="date" data-type="up"> Sort by Most Recent </button>
    </li>
    <li>
  
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a <code>lang</code> attribute to the <code><html></code> start tag to declare the language of this document. From line 1 column 1 to line 1 column 22 <code><div class="dropdown"></code>
For further guidance, consult Declaring the overall language of a page and Choosing language tags . If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
2. Error Start tag seen without seeing a doctype first. Expected <code><!DOCTYPE html></code> . From line 1 column 1 to line 1 column 22 <code><div class="dropdown"></code>
3. Error Element <code>head</code> is missing a required instance of child element <code>title</code> . From line 1 column 1 to line 1 column 22 <code><div class="dropdown"></code>

Document checking completed.

Image report

No images in the document.

Source

```
1. <div class="dropdown">~
  2.   <button class="btn btn-sort dropdown-toggle" type="button" data-bs-toggle="dropdown" aria-expanded="false">~
  3.     <i class="fa-solid fa-sort"></i> Sort by<~
  4.   </button>~
  5.   <ul class="dropdown-menu p-4">~
  6.     <li>~
  7.       <button class = "btn sort-btn" data-sort="name" data-type="up"> Sort by Name (A-Z) </button>~
  8.     </li>~
  9.     <li>~
  10.       <button class = "btn sort-btn" data-sort="name" data-type="down"> Sort by Name (Z-A) </button>~
  11.     </li>~
  12.     <li>~
  13.       <button class = "btn sort-btn" data-sort="date" data-type="up"> Sort by Most Recent </button>~
  14.     </li>~
  15.   </ul>~
  16.   <button class = "btn sort-btn" data-sort="date" data-type="down"> Sort by Less Recent </button>~
  17. </div>~
```

Outline

Used the HTML parser.

Total execution time 5 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19

snackBar.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by CSS

```
Check by text input ✓ CSS
$icons = array(
    'error' => 'fa-circle-exclamation',
    'warning' => 'fa-triangle-exclamation',
    'info' => 'fa-circle-info',
    'success' => 'fa-circle-check',
)
@endphp
<div id="snackbar" class="snackbar-{{ $type }}><i class="fa-solid {{ $icons[$type] }}"></i> <p>{{ $content }}</p></div>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `<html>` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 4
`@php+` $`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 4
`@php+` $`
3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 4
`@php+` $`
Content model for element `head`:
If the document is an [iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.

Document checking completed.

Image report

No images in the document.

Source

```
1. @php+
2. $icons = array(
3.     'error' => 'fa-circle-exclamation',
4.     'warning' => 'fa-triangle-exclamation',
5.     'info' => 'fa-circle-info',
6.     'success' => 'fa-circle-check',
7. )
8. @endphp
9. <
10. <div id="snackbar" class="snackbar-{{ $type }}><i class="fa-solid {{ $icons[$type] }}"></i> <p>{{ $content }}</p></div>
```

Outline

Used the HTML parser.
Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28

projectCard.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by text input CSS

```
<section class="projectCard">
  <ul>
    <li>
      <header>
        <h3><a href="{{route('project', ['project'=>$project])}}>{{($project->title)}}</a></h3>
        @if($project->is_archived)
          <span class="status open"><i class="fa-solid fa-box-open"></i> Open </span>
        @else
          <span class="status archive"><i class="fa-solid fa-box-archive"></i> Archive </span>
        @endif
      </header>
      <li class="deadline"><i class="fa-regular fa-calendar"></i>
        @if($project->deadline) {{ date('d-m-Y', strtotime($project->deadline)) }}
        @else
          There is no deadline
        @endif
      </li>
    </li>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a lang attribute to the html start tag to declare the language of this document.
From line 1, column 1 to line 1, column 29
`<section class="projectCard"><``
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
- Error** Start tag seen without seeing a doctype first. Expected <!DOCTYPE html>.
From line 1, column 1 to line 1, column 29
`<section class="projectCard"><``
- Error** Element head is missing a required instance of child element title.
From line 1, column 1 to line 1, column 29
`<section class="projectCard"><``
Content model for element head:
If the document is an [iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.
Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.
- Error** Bad value {{route('project', ['project'=>\$project])}} for attribute href on element a: Illegal character in path segment: {{ is not allowed.
From line 5, column 21 to line 5, column 73
`<h3>$project])}}>{{($pro``

Document checking completed.

Image report

No images in the document.

Source

```
1. <section class="projectCard">
2.   <ul>
3.     <li>
4.       <header>
5.         <h3><a href="{{route('project', ['project'=>$project])}}>{{($project->title)}}</a></h3>
6.         @if($project->is_archived)
7.           <span class="status open"><i class="fa-solid fa-box-open"></i> Open </span>
8.         @else
9.           <span class="status archive"><i class="fa-solid fa-box-archive"></i> Archive </span>
10.        @endif
11.      </header>
12.      <li class="deadline"><i class="fa-regular fa-calendar"></i>
13.        @if($project->deadline) {{ date('d-m-Y', strtotime($project->deadline)) }}
14.        @else
15.          There is no deadline
16.        @endif
17.      </li>
18.      @if($is_admin and in_array($project->id, $favorites))
19.        <i class="bi bi-star-fill favorite-star" style="font-size:1.5em; color:orange;" data-project="{{($project->id)}}></i>
20.        @else
21.          <i class="bi bi-star-fill favorite-star" style="font-size:1.5em; color:grey;" data-project="{{($project->id)}}></i>
22.        @endif
23.      </li>
24.    </ul>
25.  </section>
```

Outline

outline (missing)
doctypes (missing)
head (\$project->title)
head (missing)
head (missing)
body #{{(\$project->id)}} Created on {{ date('d-m-Y', strtotime(\$project->creation)) }} and coordinate by {{(\$project->coordinator->name)}}

Used the HTML parser.

Total execution time 6 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28

postCard.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by text input CSS

```
<div class="post-content">
  <div class="post-body">
    <p class="content">{{ $post->content }}</p>
  </div>
  <div class="post-footer">
    <p class="date-post">
      @if ($post->last_edited != null)
        Last edited: {{ date('d-m-Y', strtotime($post->last_edited)) }}
      @else
        Posted: {{ date('d-m-Y', strtotime($post->submit_date)) }}
      @endif
    </p>
  </div>
</div>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a lang attribute to the <code><html></code> start tag to declare the language of this document. From line 1, column 1 to line 1, column 40 <code>@if (Auth::user()->id == \$post->user_id)...</code>
For further guidance, consult Declaring the overall language of a page and Choosing language tags . If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
2. Error Non-space characters found without seeing a doctype first. Expected <code><!DOCTYPE html></code> . From line 1, column 1 to line 1, column 40 <code>@if (Auth::user()->id == \$post->user_id)...</code>
3. Error Element <code>head</code> is missing a required instance of child element <code>title</code> . From line 1, column 1 to line 1, column 40 <code>@if (Auth::user()->id == \$post->user_id)...</code>
Content model for element <code>head</code> : If the document is an IFRAME srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of <code>metadata content</code> , of which no more than one is a <code>title</code> element and no more than one is a <code>base</code> element. Otherwise: One or more elements of <code>metadata content</code> , of which exactly one is a <code>title</code> element and no more than one is a <code>base</code> element.
4. Error Bad value <code>{} { route('delete_post', ['project' => \$project, 'post' => \$post]) }</code> for attribute <code>action</code> on element <code>form</code> : Illegal character in path segment: <code>{}</code> is not allowed. From line 13, column 37 to line 14, column 54 <code><form action="{{ route('delete_post', ['project' => \$project, 'post' => \$post]) }}"...</code> method="POST"...
5. Error End of file seen and there were open elements. From line 36, column 17 to line 36, column 22 <code></div></code>
6. Error Unclosed element <code>div</code> . From line 2, column 21 to line 2, column 61 <code><div class="own-post" id="{{(\$post->id)}}>...</code>

Document checking completed.

Image report

No images in the document.

Source

```
1. @if (Auth::user()->id == $post->user_id)...
2.   <div class="own-post" id="{{($post->id)}}>...
3.     @else...
4.       <div class="participants-post">...
5.         @endif...
6.         <div class="post-header">...
7.           <div class="post-user">...
8.             @include('partials.userCard', ['size' => '', 'user' => $post->user])...
9.           </div>...
10.          @if (Auth::user()->id == $post->user_id)...
11.            <div class="edit-post">...
12.              <button class="edit-post"><i class="fas fa-edit"></i></button>...
13.              <form action="{{ route('delete_post', ['project' => $project, 'post' => $post]) }}"...
14.                method="POST"...
15.                @method('DELETE')...
16.                <button class="delete-post" type="submit"><i class="fas fa-trash-alt"></i></button>...
17.              </form>...
18.            </div>...
19.          @endif...
20.        </div>...
21.      </div>...
22.      <div class="post-content">...
23.        <div class="post-body">...
24.          <p class="content">{{ $post->content }}</p>...
25.        </div>...
26.        <div class="post-footer">...
27.          <p class="date-post">...
28.            @if ($post->last_edited != null)...
29.              Last edited: {{ date('d-m-Y', strtotime($post->last_edited)) }}...
30.            @else...
31.              Posted: {{ date('d-m-Y', strtotime($post->submit_date)) }}...
32.            @endif...
33.          </p>...
34.        </div>...
35.      </div>...
36.    </div>...
```

Outline

Used the HTML parser.

Total execution time 7 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19

paginator.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

```
Show  source  outline  image report   
Check by  input  CSS  


```
<section class="pagination">
 previousPageUrl() }}><i class="fa fa-chevron-left"></i> Previous

 <section class="pages">

 Start = max(1, $paginator->currentPage() - 3);
 End = min($paginator->lastPage(), $paginator->currentPage() + 3);
 $endphp

 if($paginator->currentPage() > 4)
 url(1) }}>
 elseif($paginator->currentPage() == 1)
 url(1) }}>
 endif

 </section>
</section>
```


```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering:

1. **Warning**: Consider adding a `[lang]` attribute to the `<html>` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 28
`<section class="pagination">`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
2. **Error**: Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 28
`<section class="pagination">`
3. **Error**: Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 28
`<section class="pagination">`
Content model for element `head`:
 If the document is an [HTML strict document](#) or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
 Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.
4. **Error**: Bad value `[[$paginator->previousPageUrl()]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 2, column 6 to line 2, column 50
`previousPageUrl()]]><!`
5. **Error**: Bad value `[[$paginator->url(1)]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 11, column 13 to line 11, column 65
`url(1)]]>`
6. **Error**: Bad value `[[$paginator->url(1)]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 13, column 13 to line 13, column 66
`url(1)]]>`
7. **Error**: Bad character `=` after `<`. Probable cause: Unescaped `<`. Try escaping it as `\<`.
At line 72, column 37
`$start; $page < $end; $page |`
8. **Error**: Bad value `[[$paginator->url($page)]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 24, column 17 to line 24, column 76
`url($page)]]>`
9. **Error**: Bad value `[[$paginator->url($page)]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 26, column 17 to line 27, column 55
`currentPage() - $page) }}>{{ $paginator->url($page) }}>`
10. **Error**: Bad character `=` after `<`. Probable cause: Unescaped `<`. Try escaping it as `\<`.
At line 31, column 44
`$enPage() - 4 < $paginator->1a |`
11. **Error**: Bad character `=` after `<`. Probable cause: Unescaped `<`. Try escaping it as `\<`.
At line 37, column 44
`$enPage() - 3 < $paginator->1a |`
12. **Error**: Bad value `[[$paginator->url($paginator->lastPage())]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 38, column 13 to line 38, column 56
`url($paginator->lastPage())]]>`
13. **Error**: Bad value `[[$paginator->url($paginator->lastPage())]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 40, column 13 to line 40, column 57
`url($paginator->lastPage())]]>`
14. **Warning**: Section lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 4, column 5 to line 4, column 27
``
15. **Error**: Bad value `[[$paginator->nextPageUrl()]]` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 45, column 5 to line 44, column 48
`nextPageUrl()]]>Next <`
16. **Warning**: Section lacks heading. Consider using `h2`-`h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 1, column 1 to line 1, column 28
`<section class="pagination"><`

Document checking completed.

Image report

No images in the document.

Source

```
1. <section class="pagination">  
2.   <a href="[[ $paginator->previousPageUrl() ]]><i class="fa fa-chevron-left"></i> Previous</a>  
3.   <!--  
4.   <section class="pages">  
5.     <ul>  
6.       $start = max(1, $paginator->currentPage() - 3);  
7.       $end = min($paginator->lastPage(), $paginator->currentPage() + 3);  
8.       $endphp  
9.       if($paginator->currentPage() > 4)  
10.         <a class="page last" href="[[ $paginator->url(1) ]]></a>  
11.       elseif($paginator->currentPage() == 1)  
12.         <a class="page first" href="[[ $paginator->url(1) ]]></a>  
13.       endif  
14.       </li>  
15.     </ul>  
16.   </section>  
17.   <for($page = $start; $page <= $end; $page++)>  
18.     $isLast = $page == $paginator->lastPage();  
19.     $isFirst = $page == 1;  
20.     <span class="page priority"{{ abs($paginator->currentPage() - $page) }}>  
21.       <a class="page" href="[[ $paginator->url($page) ]]>{{ $page }}</a>  
22.     </span>  
23.   </for>  
24.   <!--  
25.   <if($paginator->currentPage() > 4 && $paginator->lastPage() > 1)>  
26.     <span class="page last" href="[[ $paginator->url($paginator->lastPage()) ]]></span>  
27.   </if>  
28.   <!--  
29.   <if($paginator->currentPage() == 1 && $paginator->lastPage() == 1)>  
30.     <span class="page first" href="[[ $paginator->url(1) ]]></span>  
31.   </if>  
32.   <!--  
33.   <if($paginator->currentPage() > 4 && $paginator->lastPage() > 1)>  
34.     <span class="page first" href="[[ $paginator->url($paginator->lastPage()) ]]></span>  
35.   </if>  
36.   <!--  
37.   <if($paginator->currentPage() > 4 && $paginator->lastPage() > 1)>  
38.     <span class="page last" href="[[ $paginator->url($paginator->lastPage()) ]]></span>  
39.   </if>  
40.   <!--  
41.   <span class="page first" href="[[ $paginator->url($paginator->lastPage()) ]]></span>
```

notificationsContainer.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by: text input CSS

```
<input id="notifications" type="checkbox" class="hidden">
<section class="notificationsContainer">
  <label for = "notifications"><i class="fa-solid fa-x"></i></label>
</section>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 57
`<input id="notifications" type="checkbox" class="hidden">`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. Error Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 57
`<input id="notifications" type="checkbox" class="hidden"><sect`

3. Error Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 57
`<input id="notifications" type="checkbox" class="hidden"><sect`
Content model for element `head`:
If the document is an [iframe](#) [srcdoc](#) document or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.

4. Warning Section lacks heading. Consider using `h2 - h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 2, column 1 to line 2, column 40
`"hidden"><section class="notificationsContainer"><`

Document checking completed.

Image report

No images in the document.

Source

```
1. <input id="notifications" type="checkbox" class="hidden">
2. <section class="notificationsContainer">
3.   <label for = "notifications"><i class="fa-solid fa-x"></i></label>
4. </section>
```

Outline

Used the HTML parser.
Total execution time 5 milliseconds.

notifications.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by text input CSS

```
<section class="notifications">
  <label for="notifications"><span class="number">4</span><i class="fa-solid fa-bell"></i></label>
</section>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 31
`<section class="notifications"><label for="notifications">4<i class="fa-solid fa-bell"></i></label>`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 31
`<section class="notifications"><label for="notifications">4<i class="fa-solid fa-bell"></i></label>`
3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 31
`<section class="notifications"><label for="notifications">4<i class="fa-solid fa-bell"></i></label>`
Content model for element `head`:
If the document is an [XFrame srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.
4. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 1, column 1 to line 1, column 31
`<section class="notifications"><label for="notifications">4<i class="fa-solid fa-bell"></i></label>`
5. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.
From line 2, column 5 to line 2, column 31
`ons"><label for="notifications">4<i class="fa-solid fa-bell"></i></label>`

Document checking completed.

Image report

No images in the document.

Source

```
1. <section class="notifications"><label for="notifications"><span class="number">4</span><i class="fa-solid fa-bell"></i></label>
2. </section>
```

Outline

Used the HTML parser.

Total execution time 4 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28

multiselector.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 41
`<section class="multiselector {{#data}}"></>`
For further guidance, consult [Declaring the overall language of a page and Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error** Start tag seen without seeing a doctype first. Expected: `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 41
`<section class="multiselector {{#data}}"></>`

3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 41
`<section class="multiselector {{#data}}"></>`
Content model for element `head`:
If the document is an [iframe embed document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** Duplicate ID `{{#user->id}}`.
From line 11, column 25 to line 11, column 109
`<input type="checkbox" name="{{#user->id}}" id="{{#user->id}}" value="{{#user->id}}"></>`

5. **Warning** The first occurrence of ID `{{#user->id}}` was here.
From line 9, column 25 to line 9, column 117
`<input type="checkbox" name="{{#user->id}}" id="{{#user->id}}" value="{{#user->id}}" checked></>`

6. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 7, column 17 to line 7, column 59
`<section class="item" id="assignment"></>`

7. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 5, column 9 to line 5, column 41
`><section class="dropdown hidden"></>`

8. **Error** Duplicate ID `{{#tag->id}}`.
From line 27, column 25 to line 27, column 106
`<input type="checkbox" name="{{#tag->id}}" id="{{#tag->id}}" value="{{#tag->id}}"></>`

9. **Warning** The first occurrence of ID `{{#tag->id}}` was here.
From line 25, column 25 to line 25, column 114
`<input type="checkbox" name="{{#tag->id}}" id="{{#tag->id}}" value="{{#tag->id}}" checked></>`

10. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 23, column 17 to line 23, column 38
`<section class="item"></>`

11. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 21, column 9 to line 21, column 41
`><section class="dropdown hidden"></>`

12. **Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 1, column 1 to line 1, column 41
`<section class="multiselector {{#data}}"></>`

Document checking completed.

Image report

No images in the document

Source

```

1 <section class="multiselector">[{{#data}}]>```
2   `<span class="fa fa-solid fa-user">/</i> Assign users <i class="fas fa-chevron-up "></i></span>`+
3     `{{#if($data->users)}}`+
4       `<span class="fa fa-solid fa-user">/<i class="fas fa-chevron-down hidden">/</i>`+
5         `{{#foreach($users as $user)}}`+
6           `{{#if($user->id)}}`+
7             `<section class="item" id="assign">`+
8               `{{#if($user->id)}}`+
9                 `{{#selected & $selected->pluck('id')->contains($user->id)}}`+`<input type="checkbox" name="{{($user->id)}" id="{{($user->id)}}" value="{{($user->id)}} checked>`+
10                `{{#else}}`+
11                  `{{#input type="checkbox" name="{{($user->id)}" id="{{($user->id)}}" value="{{($user->id)}}}}`+
12                `{{/endif}}`+
13            `{{/if}}`+
14            `<label form="{{($user->id)}}> {{include('partials.userCard', {size:'small'})}}</label>`+
15          `{{/foreach}}`+
16        `{{/if}}`+
17      `{{/foreach}}`+
18    `{{/if}}`+
19  `{{/if}}`+
20  `{{#if($data->tags)}}`+
21    `{{#foreach($tags as $tag)}}`+
22      `{{#if($tag->id)}}`+
23        `{{#selected & $selected->pluck('id')->contains($tag->id)}}`+
24          `<span class="fa fa-solid fa-tag">/<i class="fas fa-chevron-up "></i></span>`+
25            `{{#if($tag->id)}}`+
26              `{{#selected & $selected->pluck('id')->contains($tag->id)}}`+`<input type="checkbox" name="{{($tag->id)}" id="{{($tag->id)}}" value="{{($tag->id)}} checked>`+
27                `{{#else}}`+
28                  `{{#input type="checkbox" name="{{($tag->id)}" id="{{($tag->id)}}" value="{{($tag->id)}}}}`+
29                `{{/endif}}`+
30              `{{/if}}`+
31            `{{/foreach}}`+
32          `{{#foreach($tags as $tag)}}`+
33            `{{#if($tag->id)}}`+
34              `{{#selected & $selected->pluck('id')->contains($tag->id)}}`+`<span class="fa fa-solid fa-tag">/<i class="fas fa-chevron-up "></i></span>`+
35                `{{#if($tag->id)}}`+
36                  `{{#selected & $selected->pluck('id')->contains($tag->id)}}`+`<input type="checkbox" name="{{($tag->id)}" id="{{($tag->id)}}" value="{{($tag->id)}} checked>`+
37                    `{{#else}}`+
38                      `{{#input type="checkbox" name="{{($tag->id)}" id="{{($tag->id)}}" value="{{($tag->id)}}}}`+
39                    `{{/endif}}`+
40                  `{{/if}}`+
41                `{{/foreach}}`+
42            `{{/if}}`+
43          `{{/foreach}}`+
44        `{{/if}}`+
45      `{{/foreach}}`+
46    `{{/if}}`+
47  `{{#if ($errors->has($data))}}`+
48    `{{#span class="error"}}`+
49      `{{#errors->first($data)}}`+
50    `{{/span}}`+
51  `{{/endif}}`+

```

Outline

Used the HTML parser.
Total execution time: 9 milliseconds

modalOk.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by **textinput** css

```
@php
$icons = array(
    'myModal-error' => 'fa-circle-exclamation',
    'myModal-warning' => 'fa-triangle-exclamation',
    'myModal-info' => 'fa-circle-info',
    'myModal-success' => 'fa-circle-check',
)
@endphp

<dialog class="myModal {{ $type }}" data-open-form-id="{{ $openDialogClass }}>
    <div class="myModal-header">
        <div class="icon-title-wraper">
            <i class="fa {{ $icons[$type] }}></i>
            <h3>{{ $modalTitle }}</h3>
        </div>
    </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
From line 1, column 1 to line 1, column 4
`@php-- $`
For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 1, column 4
`@php-- $`

3. **Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 1, column 4
`@php-- $`
Content model for element `head`:
If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.

Document checking completed.

Image report

No images in the document.

Source

```
1. @php
$icons = array(
2.     'myModal-error' => 'fa-circle-exclamation',
3.     'myModal-warning' => 'fa-triangle-exclamation',
4.     'myModal-info' => 'fa-circle-info',
5.     'myModal-success' => 'fa-circle-check',
6. )
7. @endphp
8. </div>
9. </div>
10. <dialog class="myModal {{ $type }}" data-open-form-id="{{ $openDialogClass }}>
11.     <div class="myModal-header">
12.         <div class="icon-title-wraper">
13.             <i class="fa {{ $icons[$type] }}></i>
14.             <h3>{{ $modalTitle }}</h3>
15.         </div>
16.         <div class="fa-solid fa-x"></div>
17.     </div>
18.     <div class="myModal-body">
19.         {{ $modalBody }}
20.     </div>
21. </dialog>
```

Outline

`missing`
`missing`
`missing` `[[$modalTitle]]`

Used the HTML parser.

Total execution time 4 milliseconds.

modal.blade.php

display_users.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report Options...

Check by text input css

```
foreach($users as $user)
    <div class="user">
        <section class="name"> (!! $user->name !!) </section>
        <section class="email"> (!! $user->email !!) </section>
        &if($user->is_admin)
            <section class="role"> Admin </section>
        &else
            <section class="role"> User </section>
        &endif
        <section class="change"> <a href="{{ route('edit_profile', ['user'=>$user->id])}}><button> Edit </button></a> </section>
        <section class="change"> <a href="#"><button> Delete </button></a> </section>
    </div>
endforeach
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `<html>` start tag to declare the language of this document.
From line 1, column 1 to line 2, column 25
`<@foreach($users as $user)> <`
For further guidance, consult Declaring the overall language of a page and Choosing language tags.
If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
From line 1, column 1 to line 2, column 25
`<@foreach($users as $user)> <`
- Error** Element `head` is missing a required instance of child element `title`.
From line 1, column 1 to line 2, column 25
`<@foreach($users as $user)> <`
Content model for element `head`:
If the document is an `iframe srcdoc` document or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 4, column 9 to line 4, column 30
`> <section class="name"> (!! $`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 5, column 9 to line 5, column 31
`> <section class="email"> (!! $`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 7, column 13 to line 7, column 34
`> <section class="role"> Admin`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 9, column 13 to line 9, column 34
`> <section class="role"> User`
- Error** Bad value `{(route('edit_profile', ['user'=>$user->id]))}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
From line 11, column 34 to line 11, column 89
`> <change> $user->id])}}><button>`
- Error** The element `button` must not appear as a descendant of the `a` element.
From line 11, column 90 to line 11, column 97
`> >id))}}><button> Edit`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 11, column 9 to line 11, column 32
`> <section class="change"> <a hr`
- Error** The element `button` must not appear as a descendant of the `a` element.
From line 12, column 45 to line 12, column 52
`> a href="#"><button> Delete`
- Warning** Section lacks heading. Consider using `h2-h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 12, column 9 to line 12, column 32
`> <section class="change"> <a hr`

Document checking completed.

Image report

No images in the document.

Source

```
1. <@foreach($users as $user)>
2.     <div class="user">=
3.         <section class="name">=
4.             <section class="name"> (!! $user->name !!) </section>=
5.             <section class="email"> (!! $user->email !!) </section>=
6.             &if($user->is_admin)
7.                 <section class="role"> Admin </section>=
8.             &else
9.                 <section class="role"> User </section>=
10.            &endif
11.            <section class="change"> <a href="{{ route('edit_profile', ['user'=>$user->id])}}><button> Edit </button></a> </section>=
12.            <section class="change"> <a href="#"><button> Delete </button></a> </section>=
13.     </div>
14. endforeach
```

Outline

Used the HTML parser.

Total execution time 6 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19

commentCard.blade.php

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change.

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by text input CSS

```
Check (Auth::user()->id == $comment->user_id)
@if (Auth::user()->id == $comment->user_id)
    <div class="own-comment col-12 p-4" id="{{ $comment->id }}" style="margin-bottom: 10px;">
        @else
        <div class="participants-comment col-12 p-4" style="margin-bottom: 10px;">
            @endif
            <div class="row">
                <div class="comment-header col-12">
                    <div class="col vs-12 col-sm-12 col-md-12 col-lg-4 col-xl-4 userName">
                        @isset($comment->user->id)
                            
                        @else
                            
                        @endisset
                        <span>{{ $comment->user->name }}</span>
                    </div>
                </div>
            </div>
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a lang attribute to the html start tag to declare the language of this document.
From line 1, column 1 to line 1, column 43
`&if (Auth::user()->id == $comment->user_id)`
- For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail](#) to report the problem.
2. **Error** Non-space characters found without seeing a doctype first. Expected <!DOCTYPE html>
From line 1, column 1 to line 1, column 43
`&if (Auth::user()->id == $comment->user_id)`
3. **Error** Element head is missing a required instance of child element title.
From line 1, column 1 to line 1, column 43
`&if (Auth::user()->id == $comment->user_id)`
- Content model for element head:
If the document is an [frame srcdoc document](#), or if title information is available from a higher-level protocol: Zero or more elements of `metadata content`, of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of `metadata content`, of which exactly one is a `title` element and no more than one is a `base` element.
4. **Error** Bad value {{ \$comment->user->image() }} for attribute src on element img: Illegal character in path segment: { is not allowed.
From line 11, column 45 to line 11, column 127
``
5. **Error** Bad value {{ \$comment->user->image() }} for attribute src on element img: Illegal character in path segment: { is not allowed.
From line 13, column 45 to line 13, column 128
``
6. **Error** Bad value {{route('delete_comment',['project'=>\$project, 'task'=> \$task, 'comment'=>\$comment])}} for attribute action on element form: Illegal character in path segment: { is not allowed.
From line 20, column 37 to line 20, column 150
`<form action="{{route('delete_comment',['project'=>$project, 'task'=> $task, 'comment'=>$comment])}}" method="POST">`
7. **Error** End of file seen and there were open elements.
At line 45, column 1
`</div></div>`
8. **Error** Unclosed element div.
From line 2, column 21 to line 2, column 107
`<div class="own-comment col-12 p-4" id="{{ $comment->id }}" style="margin-bottom: 10px;">`

Document checking completed.

Image report

The img elements of the page are shown below categorized by their type of textual alternative. Please review that the images in each group match their group's definition.

Images with textual alternative

The following images have textual alternatives. Please review that the textual alternatives make sense considering the purpose of the image in the context of the page and that phrases like "image of ..." are avoided.

Note that iconic images that are redundant with text next to them or purely decorative should have alt="" instead.

Image	Textual alternative	Location
Not resolvable	default user icon	From line 11, column 45 to line 11, column 127
Not resolvable	default user icon	From line 13, column 45 to line 13, column 128

Source

```
1. &if (Auth::user()->id == $comment->user_id)
2.     <div class="own-comment col-12 p-4" id="{{ $comment->id }}" style="margin-bottom: 10px;">
3.         @else
4.             <div class="participants-comment col-12 p-4" style="margin-bottom: 10px;">
5.                 @endif
6.                 <div class="row">
7.                     <div class="comment-header col-12">
8.                         <div class="col vs-12 col-sm-12 col-md-12 col-lg-4 col-xl-4 userName">
9.                             @isset($comment->user->id)
10.                                
11.                                @else
12.                                    
13.                                @endisset
14.                                <span>{{ $comment->user->name }}</span>
15.                            </div>
16.                            @if (Auth::user()->id == $comment->user_id)
17.                                <div class="col xs-12 col-sm-12 col-md-12 col-lg-8 col-xl-8 col-12 d-flex justify-content-end">
18.                                    <button class="fas fa-edit" style="margin-right: 10px;"><i class="fas fa-edit"></i></button>
19.                                    <form action="{{route('delete_comment,['project'=>$project, 'task'=> $task, 'comment'=>$comment])}}" method="POST">
20.                                        <input type="submit" value="DELETE" />
21.                                    </form>
22.                                </div>
23.                            @endif
24.                        </div>
25.                    </div>
26.                </div>
27.            </div>
28.        </div class="comment-content col-12">
29.        <div class="comment-body">
30.            <p>{{ $comment->content }}</p>
31.            <div class="comment-footer d-flex justify-content-end">
32.                <div class="date-pool">
33.                    <span>Last edited {{ date('d-m-Y', strtotime($comment->last_edited)) }}</span>
34.                    @if ($comment->last_edited == null)
35.                        Last edited {{ date('d-m-Y', strtotime($comment->submit_date)) }}</span>
36.                    @else
37.                        Last edited {{ date('d-m-Y', strtotime($comment->submit_date)) }}</span>
38.                    @endif
39.                </div>
40.            </div>
41.        </div>
42.    </div>
43. </div></div>
```

Outline

Use the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.20

team.blade.php

Nu Html Checker

This tool is an ongoing improvement in static HTML checking and its behavior may be subject to change.

Showing results for contents of test-input area

Choose file:

Show

Check by URL or File

File:

Check by URL:

Check by file:

Check by content:

Check by code:

Output type: XML JSON Text Detailed Summary Both Detailed & Summary Both & Detailed Both & Summary Both & Detailed & Summary

Details:

[View](#)

See the W3C.org's [ErrorList](#) for more information on message levels and to see additional message meanings.

Message levels

Warning: Consider adding a <code>lang</code> attribute to the <code><html></code> element to declare the language of this document.
Detailed description Summary
Detailed description Summary
Error: Non-ASCII character found without using a decope first. Decope [[DOCTYPE] attr].
Detailed description Summary
Error: Element <code>[a]</code> is missing a required instance of child element <code>[title]</code> .
Detailed description Summary
Detailed description Summary
Error: Bad value (<code>[[a]]</code>) for attribute <code>from</code> on element <code>[a]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[a from="[[a]]]"</code>
Error: Bad value (<code>[[a]]</code>) for attribute <code>from</code> on element <code>[a]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[a from="[[a]]]"</code>
Error: Bad value (<code>[[a]]</code>) for attribute <code>from</code> on element <code>[a]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[a from="[[a]]]"</code>
Error: Bad value (<code>[[a]]</code>) for attribute <code>from</code> on element <code>[a]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[a from="[[a]]]"</code>
Error: Bad value (<code>[[a]]</code>) for attribute <code>from</code> on element <code>[a]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[a from="[[a]]]"</code>
Error: A script element with a <code>color</code> attribute must not have a <code>type</code> attribute with the value <code>text/javascript</code> .
Detailed description Summary
<code>[script color="red" type="text/javascript"]"</code>
Error: Bad value (<code>[[script]]</code>) for attribute <code>src</code> on element <code>[script]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[script src="[[script]]]"]"</code>
Error: A script element with a <code>color</code> attribute must not have a <code>type</code> attribute with the value <code>text/javascript</code> .
Detailed description Summary
<code>[script color="red" type="text/javascript"]"</code>
Error: Bad value (<code>[[script]]</code>) for attribute <code>src</code> on element <code>[script]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[script src="[[script]]]"]"</code>
Error: A script element with a <code>color</code> attribute must not have a <code>type</code> attribute with the value <code>text/javascript</code> .
Detailed description Summary
<code>[script color="red" type="text/javascript"]"</code>
Error: Bad value (<code>[[script]]</code>) for attribute <code>src</code> on element <code>[script]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[script src="[[script]]]"]"</code>
Error: Character reference was not terminated by a semicolon.
Detailed description Summary
<code>[&#x2002;]</code>
Info: Trailing dash on word elements has no effect and increases body whitespace unneeded.
Detailed description Summary
<code>[&#x2002;-]</code>
Warning: Section lacks heading. Consider using <code><h1></h1></code> elements to identify headings to all sections , or else use a <code><div></code> element instead for any cases where no heading is needed.
Detailed description Summary
<code>[&#x2002;-]</code>
Error: Bad value (<code>[[script]]</code>) for attribute <code>type</code> on element <code>[script]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[script type="[[script]]]"]"</code>
Warning: Section lacks heading. Consider using <code><h1></h1></code> elements to identify headings to all sections , or else use a <code><div></code> element instead for any cases where no heading is needed.
Detailed description Summary
<code>[&#x2002;-]</code>
Warning: Section lacks heading. Consider using <code><h2></h2></code> elements to identify headings to all sections , or else use a <code><div></code> element instead for any cases where no heading is needed.
Detailed description Summary
<code>[&#x2002;-]</code>
Error: Bad value (<code>[[h1]]</code>) for attribute <code>class</code> on element <code>[h1]</code> : No blank or console whitespace.
Detailed description Summary
<code>[h1 class="[[h1]]]"]"</code>
Error: Bad value (<code>[[h1]]</code>) for attribute <code>class</code> on element <code>[h1]</code> : Illegal character in path segment [<code>[[</code>] is not allowed.
Detailed description Summary
<code>[h1 class="[[h1]]]"]"</code>
Warning: Section lacks heading. Consider using <code><h2></h2></code> elements to identify headings to all sections , or else use a <code><div></code> element instead for any cases where no heading is needed.
Detailed description Summary
<code>[&#x2002;-]</code>

tasks.blade.php

task.blade.php