

TRT60 Golden Dataset - Human Review

Items 1-2 of 24

Golden 01 - PDF page 11

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 100.0% / width 7.0 m / area 360 deg

Expected: radius 2.3 m / boom 10.5 m / capacity 60.0 t / status AVAILABLE

Evidence: source page 11 / bbox (98.37, 287.7, 120.14, 298.66) / source text '60,00'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location



	10,5 m	13,8 m	17,0 m
m	t	t	t
2,3	60,00	-	-
2,5	55,00	-	-
3,0	50,00	17,20	16,80
3,5	45,00	17,40	17,00
4,0	41,60	17,70	17,10
4,5	37,70	18,10	17,30

Golden 02 - PDF page 11

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 100.0% / width 7.0 m / area 360 deg

Expected: radius 4.5 m / boom 26.6 m / capacity 13.6 t / status AVAILABLE

Evidence: source page 11 / bbox (285.86, 334.11, 307.63, 345.07) / source text '13,60'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
16,70	16,20	13,00	-	-
16,80	16,30	13,30	-	-
17,00	16,40	13,60	-	-
17,10	16,80	15,40	13,80	12,90
17,40	17,10	15,40	13,80	12,60
17,90	16,60	14,50	13,40	11,80
15,90	14,70	13,40	12,30	11,10
14,30	13,40	12,70	11,50	10,60

Golden 03 - PDF page 11

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 100.0% / width 7.0 m / area 360 deg
Expected: radius 16.0 m / boom 42.5 m / capacity 4.8 t / status AVAILABLE
Evidence: source page 11 / bbox (478.3, 426.63, 495.11, 437.59) / source text '4,80'
Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

9,60	8,70	8,00	9,0
8,80	8,10	7,50	10,0
8,30	7,70	7,20	11,0
7,50	7,10	6,70	12,0
6,20	5,90	5,70	14,0
5,20	5,00	4,80	16,0
4,40	4,30	4,10	18,0
3,60	3,60	3,40	20,0
2,85	2,85	2,80	22,0
2,25	2,30	2,30	24,0
1,80	1,80	1,80	26,0

Golden 04 - PDF page 11

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 100.0% / width 7.0 m / area 360 deg
Expected: radius 34.0 m / boom 20.2 m / capacity N/A / status NOT_AVAILABLE
Evidence: source page 11 / bbox (220.98, 509.21, 224.12, 520.18) / source text '-'
Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	-	-	2,9
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

TRT60 Golden Dataset - Human Review

Items 5-6 of 24

Golden 05 - PDF page 11

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 100.0% / width 7.0 m / area 360 deg

Expected: radius 2.5 m / boom 13.8 m / capacity N/A / status NOT_AVAILABLE

Evidence: source page 11 / bbox (145.98, 296.98, 149.12, 307.94) / source text '-'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

	10,5 m	13,8 m	17,0 m	20,2 m
n	t	t	t	t
3	60,00	-	-	-
5	55,00	-	-	-
0	50,00	17,20	16,80	-
5	45,00	17,40	17,00	16,1
0	41,60	17,70	17,10	16,8
5	37,70	18,10	17,30	17,0
0	33,50	18,40	17,60	17,1

Golden 06 - PDF page 12

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 50.0% / width 5.0 m / area 360 deg

Expected: radius 2.5 m / boom 10.5 m / capacity 49.2 t / status AVAILABLE

Evidence: source page 12 / bbox (98.37, 287.7, 120.14, 298.66) / source text '49,20'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

	10,5 m	13,8 m	17,0 m
m	t	t	t
2,5	49,20	-	-
3,0	43,80	17,20	16,80
3,5	39,60	17,40	17,00
4,0	36,00	17,70	17,10
4,5	33,00	18,10	17,30
5,0	29,95	18,40	17,60

TRT60 Golden Dataset - Human Review

Items 7-8 of 24

Golden 07 - PDF page 12

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 50.0% / width 5.0 m / area 360 deg

Expected: radius 5.0 m / boom 23.4 m / capacity 16.8 t / status AVAILABLE

Evidence: source page 12 / bbox (248.37, 334.01, 270.14, 344.98) / source text '16,80'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	-	-	-
16,80	-	-	-	-
17,00	16,70	16,20	13,00	-
17,10	16,80	16,30	13,30	-
17,30	17,00	16,40	13,60	-
17,60	17,10	16,80	15,40	13,80
18,10	17,40	17,10	15,40	13,80
15,60	15,60	15,55	14,50	13,40
12,35	12,35	12,35	12,25	12,20
9,90	9,95	9,95	9,95	9,95
8,20	8,20	8,25	8,25	8,25

Golden 08 - PDF page 12

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 50.0% / width 5.0 m / area 360 deg

Expected: radius 10.0 m / boom 36.2 m / capacity 8.2 t / status AVAILABLE

Evidence: source page 12 / bbox (403.31, 380.33, 420.13, 391.29) / source text '8,20'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

3,80	12,90	-	-	-
3,80	12,60	10,00	-	-
3,40	11,80	10,20	8,60	7,80
2,20	11,10	9,90	8,80	8,00
9,95	9,90	9,60	8,70	8,00
8,25	8,25	8,20	8,10	7,50
6,95	6,95	6,95	6,90	6,80
5,90	5,90	5,90	5,90	5,90
4,35	4,35	4,35	4,35	4,35
3,25	3,25	3,25	3,25	3,30
2,40	2,45	2,45	2,45	2,45

TRT60 Golden Dataset - Human Review

Items 9-10 of 24

Golden 09 - PDF page 12

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 50.0% / width 5.0 m / area 360 deg

Expected: radius 26.0 m / boom 20.2 m / capacity N/A / status NOT_AVAILABLE

Evidence: source page 12 / bbox (220.99, 463.08, 224.13, 474.04) / source text '-'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	3,10	3,20	3,30
-	-	-	2,35	2,40
-	-	-	1,70	1,80
-	-	-	-	1,90
-	-	-	-	0,80
-	-	-	-	-

Golden 10 - PDF page 12

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 50.0% / width 5.0 m / area 360 deg

Expected: radius 3.5 m / boom 17.0 m / capacity 17.0 t / status AVAILABLE

Evidence: source page 12 / bbox (173.36, 306.24, 195.13, 317.21) / source text '17,00'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

10,5 m	13,8 m	17,0 m	20,2 m	23,4 m
t	t	t	t	t
49,20	-	-	-	-
43,80	17,20	16,80	-	-
39,60	17,40	17,00	16,70	16,20
36,00	17,70	17,10	16,80	16,30
33,00	18,10	17,30	17,00	16,40
29,95	18,40	17,60	17,10	16,80
20,65	20,40	18,10	17,40	17,10
15,40	15,55	15,60	15,60	15,55

TRT60 Golden Dataset - Human Review

Items 11-12 of 24

Golden 11 - PDF page 13

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 0.0% / width 2.7 m / area 360 deg

Expected: radius 2.5 m / boom 10.5 m / capacity 38.8 t / status AVAILABLE

Evidence: source page 13 / bbox (98.37, 287.7, 120.14, 298.66) / source text '38,80'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location



	10,5 m	13,8 m	17,0 m
m	t	t	t
2,5	38,80	-	-
3,0	30,25	17,20	16,80
3,5	22,90	17,40	17,00
4,0	18,05	17,70	17,10
4,5	14,70	14,85	14,85
5,0	12,35	12,40	12,45

Golden 12 - PDF page 13

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 0.0% / width 2.7 m / area 360 deg

Expected: radius 5.0 m / boom 20.2 m / capacity 12.45 t / status AVAILABLE

Evidence: source page 13 / bbox (210.87, 333.94, 232.64, 344.9) / source text '12,45'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	-	-	-
17,20	16,80	-	-	-
17,40	17,00	16,70	16,20	13,00
17,70	17,10	16,80	16,30	13,30
14,85	14,85	14,80	14,70	13,60
12,40	12,45	12,45	12,40	12,35
9,10	9,20	9,20	9,20	9,15
6,95	7,00	7,05	7,10	7,10
5,40	5,50	5,55	5,55	5,60
4,20	4,35	4,40	4,45	4,45
3,30	3,45	3,50	3,55	3,60

TRT60 Golden Dataset - Human Review

Items 13-14 of 24

Golden 13 - PDF page 13

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 0.0% / width 2.7 m / area 360 deg

Expected: radius 10.0 m / boom 33.0 m / capacity 3.6 t / status AVAILABLE

Evidence: source page 13 / bbox (365.84, 380.22, 382.65, 391.18) / source text '3,60'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

2,35	11,80	11,40	-	-
9,15	9,00	8,80	8,40	-
7,10	7,05	6,90	6,60	6,35
5,60	5,60	5,50	5,30	5,00
4,45	4,45	4,45	4,25	4,10
3,60	3,60	3,60	3,40	3,20
2,90	2,95	2,95	2,80	2,60
2,35	2,35	2,40	2,30	2,20
1,45	1,50	1,50	1,50	1,40
0,80	0,85	0,85	0,85	0,80
Golden 14 - PDF page 13		-	0,40	-

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 0.0% / width 2.7 m / area 360 deg

Expected: radius 18.0 m / boom 17.0 m / capacity N/A / status NOT_AVAILABLE

Evidence: source page 13 / bbox (183.49, 426.12, 186.64, 437.08) / source text '-'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	3,30	3,45	3,50	3,5
-	2,60	2,75	2,80	2,8
-	-	2,15	2,25	2,3
-	-	1,25	1,35	1,4
-	-	-	0,70	0,7
-	-	-	-	-

TRT60 Golden Dataset - Human Review

Items 15-16 of 24

Golden 15 - PDF page 13

Configuration: OUTRIGGER / counterweight 6.0 t / outrigger 0.0% / width 2.7 m / area 360 deg

Expected: radius 4.0 m / boom 23.4 m / capacity 16.3 t / status AVAILABLE

Evidence: source page 13 / bbox (248.38, 315.53, 270.14, 326.5) / source text '16,30'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

17,0 m	20,2 m	23,4 m	26,6 m	29,8 m
t	t	t	t	t
-	-	-	-	-
16,80	-	-	-	-
17,00	16,70	16,20	13,00	-
17,10	16,80	16,30	13,30	-
14,85	14,80	14,70	13,60	-
12,45	12,45	12,40	12,35	11,80
9,20	9,20	9,20	9,15	9,00
7,00	7,05	7,10	7,10	7,05
5,50	5,55	5,55	5,60	5,60

Golden 16 - PDF page 14

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 3.5 m / boom 10.5 m / capacity 10.8 t / status AVAILABLE

Evidence: source page 14 / bbox (172.48, 287.75, 194.24, 298.71) / source text '10,80'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location



10,5 m	13,8 m
t	t
10,80	-
9,30	-
8,20	-
7,15	-
5,30	5,10
4,05	3,90

TRT60 Golden Dataset - Human Review

Golden 17 - PDF page 14

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES
Expected: radius 5.0 m / boom 13.8 m / capacity N/A / status NOT_AVAILABLE
Evidence: source page 14 / bbox (260.2, 315.44, 263.34, 326.41) / source text '-'
Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

5 m	13,8 m	17,
	t	
80	-	
30	-	
20	-	
15	-	
30	5,10	
05	3,90	3,
15	3,05	2,
	2,35	2,
	1,80	1,

Golden 18 - PDF page 14

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES
Expected: radius 9.0 m / boom 17.0 m / capacity 2.3 t / status AVAILABLE
Evidence: source page 14 / bbox (332.62, 352.36, 349.44, 363.32) / source text '2,30'
Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	-
-	-	-
5,10	-	-
3,90	3,80	-
3,05	2,95	-
2,35	2,30	2,20
1,80	1,75	1,70
1,35	1,30	1,30
-	0,95	0,95

TRT60 Golden Dataset - Human Review

Items 19-20 of 24

Golden 19 - PDF page 14

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 12.0 m / boom 20.2 m / capacity 0.95 t / status AVAILABLE

Evidence: source page 14 / bbox (410.21, 380.05, 427.02, 391.01) / source text '0,95'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

3,80	-
2,95	-
2,30	2,20
1,75	1,70
1,30	1,30
0,95	0,95

Golden 20 - PDF page 15

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 2.5 m / boom 10.5 m / capacity 13.6 t / status AVAILABLE

Evidence: source page 15 / bbox (145.62, 287.78, 167.38, 298.75) / source text '13,60'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

	10,5 m	13,8 m
n	t	t
5	13,60	-
0	11,90	12,00
5	10,60	10,70
0	9,40	9,60
5	8,50	8,60
0	7,60	7,80

TRT60 Golden Dataset - Human Review

Items 21-22 of 24

Golden 21 - PDF page 15

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 3.5 m / boom 23.4 m / capacity 10.9 t / status AVAILABLE

Evidence: source page 15 / bbox (427.95, 306.4, 449.72, 317.36) / source text '10,90'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

20,2 m	23,4 m	
t	t	
-	-	
-	-	
10,80	10,90	
9,70	9,70	
8,70	8,80	
7,90	7,90	
6,50	6,60	
5,50	5,50	

Golden 22 - PDF page 15

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 5.0 m / boom 20.2 m / capacity 7.9 t / status AVAILABLE

Evidence: source page 15 / bbox (362.32, 334.02, 379.14, 344.99) / source text '7,90'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

-	-	-
12,10	-	-
10,80	10,80	10,90
9,70	9,70	9,70
8,70	8,70	8,80
7,90	7,90	7,90
6,50	6,50	6,60
5,40	5,50	5,50
4,60	4,60	4,70
3,80	3,90	3,90
3,20	3,30	3,30

TRT60 Golden Dataset - Human Review

Items 23-24 of 24

Golden 23 - PDF page 15

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 10.0 m / boom 17.0 m / capacity 3.2 t / status AVAILABLE

Evidence: source page 15 / bbox (291.74, 380.09, 308.55, 391.06) / source text '3,20'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

7,80	7,90	7,90
6,40	6,50	6,50
5,30	5,40	5,50
4,50	4,60	4,60
3,80	3,80	3,90
3,10	3,20	3,30
2,60	2,70	2,80
-	2,30	2,40
-	1,60	1,70
-	-	1,10
Golden 24 - PDF page 15	-	-

Configuration: ON_TIRES / counterweight 6.0 t / outrigger n/a / width n/a / area ON_TIRES

Expected: radius 6.0 m / boom 20.2 m / capacity 6.5 t / status AVAILABLE

Evidence: source page 15 / bbox (362.32, 343.24, 379.14, 354.21) / source text '6,50'

Reviewer check: ☐ configuration ☐ axes ☐ capacity/status ☐ source location

12,10	-	-
10,80	10,80	10,90
9,70	9,70	9,70
8,70	8,70	8,80
7,90	7,90	7,90
6,50	6,50	6,60
5,40	5,50	5,50
4,60	4,60	4,70
3,80	3,90	3,90
3,20	3,30	3,30
2,70	2,80	2,80