



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100

METRICS

[Expand view](#)


▲ First Contentful Paint
3.4 s

▲ Total Blocking Time
4,420 ms

▲ Speed Index
8.1 s

▲ Largest Contentful Paint
10.8 s

Cumulative Layout Shift
0



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Render-blocking requests — Est savings of 1,200 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [FCP](#) [LCP](#) [Unscored](#)

☒ Show 3rd-party resources (1)

lagomnaturals.com	1st Party	314.3 KiB	2,100 ms
...jquery/jquery.min.js?ver=3.7.1	(lagomnaturals.com)	29.2 KiB	150 ms
...js-cookie/js.cookie.min.js?ver=2.1.4-wc.11.1.1	(lagomnaturals.com)	1.0 KiB	
...jquery-blockui/jquery.blockUI.min.js?ver=2.7.0-wc.11.1.1	(lagomnaturals.com)	3.5 KiB	
...js/points-rewards-for-woocommerce-public.min.js?ver=2.10.0	(lagomnaturals.com)	1.9 KiB	

...js/clipboard.min.js?ver=2.0.11 (lagomnaturals.com)	3.2 KiB	
...jquery/jquery-migrate.min.js?ver=3.4.1 (lagomnaturals.com)	4.8 KiB	
...css/post-10101.css?ver=7.9.0 (lagomnaturals.com)	0.5 KiB	
...css/post-771.css?ver=7.9.0 (lagomnaturals.com)	1.9 KiB	
...css/custom-apple-webkit.min.css?ver=178... (lagomnaturals.com)	0.7 KiB	
...css/ekiticons.css?ver=3.7.6 (lagomnaturals.com)	9.8 KiB	
...css/widget-social-icons.min.css?ver=4.0.7 (lagomnaturals.com)	1.3 KiB	
...css/custom-widget-icon-list.min.css?ver=178... (lagomnaturals.com)	1.2 KiB	
...css/post-10046.css?ver=7.9.0 (lagomnaturals.com)	1.0 KiB	
...styles/fadeIn.min.css?ver=4.0.7 (lagomnaturals.com)	0.3 KiB	
...css/post-10320.css?ver=178... (lagomnaturals.com)	5.1 KiB	
...css/playfairdisplay.css?ver=174... (lagomnaturals.com)	0.9 KiB	
...css/roboto.css?ver=174... (lagomnaturals.com)	2.1 KiB	
...single-post/modern.css?ver=7.9.0 (lagomnaturals.com)	0.8 KiB	
...type/modern.css?ver=7.9.0 (lagomnaturals.com)	1.1 KiB	
...other/woopage.css?ver=7.9.0 (lagomnaturals.com)	4.7 KiB	
...login-style/account-login.css?ver=7.9.0 (lagomnaturals.com)	1.1 KiB	
...assets/type-builder.css?ver=3.9.1 (lagomnaturals.com)	2.4 KiB	
...css/theme_shop.css?ver=7.9.0 (lagomnaturals.com)	13.1 KiB	
...porto_styles/dynamic_style.css?ver=7.9.0 (lagomnaturals.com)	7.3 KiB	150 ms
...porto-child/style.css?ver=7.1 (lagomnaturals.com)	0.6 KiB	
...css/theme_elementor.css?ver=7.9.0 (lagomnaturals.com)	1.9 KiB	
...porto_styles/shortcodes.css?ver=7.9.0 (lagomnaturals.com)	22.5 KiB	150 ms
...porto/style.css?ver=7.9.0 (lagomnaturals.com)	0.8 KiB	
...part/media-mobile-sidebar.css?ver=7.9.0 (lagomnaturals.com)	0.7 KiB	
...part/revslider.css?ver=7.9.0 (lagomnaturals.com)	1.0 KiB	
...part/side-nav-panel.css?ver=7.9.0 (lagomnaturals.com)	1.2 KiB	
...part/header-shop.css?ver=7.9.0 (lagomnaturals.com)	2.4 KiB	
...css/theme.css?ver=7.9.0 (lagomnaturals.com)	34.7 KiB	150 ms
...css/post-10236.css?ver=7.9.0 (lagomnaturals.com)	1.5 KiB	150 ms
...css/plugins_optimized.css?ver=7.9.0 (lagomnaturals.com)	10.9 KiB	150 ms
...porto_styles/bootstrap.css?ver=7.9.0 (lagomnaturals.com)	15.2 KiB	
...Simple-Line-Icons/Simple-Line-Icons.css?ver=7.9.0 (lagomnaturals.com)	2.0 KiB	
...custom-fonts/fonts.css?ver=175... (lagomnaturals.com)	0.4 KiB	
...porto_styles/theme_css_vars.css?ver=7.9.0 (lagomnaturals.com)	1.7 KiB	
...css/responsive.css?ver=3.7.6 (lagomnaturals.com)	3.0 KiB	
...css/widget-styles.css?ver=3.7.6 (lagomnaturals.com)	45.5 KiB	450 ms
...css/post-10187.css?ver=7.9.0 (lagomnaturals.com)	1.2 KiB	
...css/swiper.min.css?ver=8.4.5 (lagomnaturals.com)	4.4 KiB	
...part/revealDirRight.css?ver=7.9.0 (lagomnaturals.com)	0.4 KiB	
...modules/motion-fx.min.css?ver=3.30.0 (lagomnaturals.com)	0.5 KiB	
...part/fadeInLeft.css?ver=7.9.0 (lagomnaturals.com)	0.3 KiB	

...styles/zoomln.min.css?ver=4.0.7 (lagomnaturals.com)	0.3 KiB	
...css/widget-heading.min.css?ver=4.0.7 (lagomnaturals.com)	0.4 KiB	
...css/widget-image.min.css?ver=4.0.7 (lagomnaturals.com)	0.3 KiB	
...css/sl-bootstrap.css (lagomnaturals.com)	19.1 KiB	300 ms
...css/post-7380.css?ver=178... (lagomnaturals.com)	0.6 KiB	
...essential-addons-elementor/eael-10320.css?ver=178... (lagomnaturals.com)	3.7 KiB	
...view/general.min.css?ver=6.5.2 (lagomnaturals.com)	1.6 KiB	
...css/custom-frontend.min.css?ver=178... (lagomnaturals.com)	6.6 KiB	150 ms
...css/styles.css?ver=6.1.7 (lagomnaturals.com)	1.1 KiB	
...dist/main.css?ver=3.7.2 (lagomnaturals.com)	2.8 KiB	150 ms
...css/init.css?ver=4.11.15 (lagomnaturals.com)	0.3 KiB	
...css/style.css?ver=4.14.0 (lagomnaturals.com)	6.3 KiB	
...css/base.min.css?ver=1.3.0 (lagomnaturals.com)	4.1 KiB	
...css/framework.min.css?ver=1.3.0 (lagomnaturals.com)	0.8 KiB	
...woocommerce-shipping-progress-bar/shipping-progress-bar.css?... (lagomnaturals.com)	0.7 KiB	
...css/points-rewards-for-woocommerce-public.min.css?ver=2.10.0 (lagomnaturals.com)	5.1 KiB	
...css/prettyPhoto.css?ver=3.1.6 (lagomnaturals.com)	2.1 KiB	
...css/jquery.selectBox.css?ver=1.2.0 (lagomnaturals.com)	1.0 KiB	
...css/shortcodes.css?ver=5.19.0 (lagomnaturals.com)	4.8 KiB	150 ms
...css/fluent-forms-elementor-widget.css?ver=6.1.7 (lagomnaturals.com)	1.0 KiB	

URL	Transfer Size	Duration
/css?family=... (fonts.googleapis.com)	0.9 KiB	820 ms

▲ Font display — Est savings of 90 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

☒ Show 3rd-party resources (3)

URL	Est Savings
URL	Size Duration
...fontawesome_optimized/fa-brands-400.woff2 (lagomnaturals.com)	90 ms
...Neuehaasdisplayroman/Neuehaasdisplayroman.ttf (lagomnaturals.com)	80 ms
...fontawesome_optimized/fa-solid-900.woff2 (lagomnaturals.com)	40 ms
Google Fonts Cdn	
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	90 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	90 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	60 ms

▲ Improve image delivery — Est savings of 2,363 KiB



URL	Resource Size	Est Savings
lagomnaturals.com 1st Party	3,618.1 KiB	2,363.5 KiB

	URL	Resource Size	Est Savings
label.elementskit-single-image-accordion.ekit-image-accordion-item	...07/Lagom-4-products-02.jpg (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	481.4 KiB	325.2 KiB
			325.2 KiB
label.elementskit-single-image-accordion.ekit-image-accordion-item	...07/Lagom-4-products-03.jpg (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	473.7 KiB	317.5 KiB
			317.5 KiB
label.elementskit-single-image-accordion.ekit-image-accordion-item	...07/Lagom-4-products-04.jpg (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	462.2 KiB	305.9 KiB
			305.9 KiB
label.elementskit-single-image-accordion.ekit-image-accordion-item	...07/Lagom-4-products-01.jpg (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	359.1 KiB	202.8 KiB
			202.8 KiB
	...07/AdobeStock_129...-scaled.png (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	688.1 KiB	197.2 KiB
			197.2 KiB
img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	...02/Blueberry....png (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	167.9 KiB	156.7 KiB
			134.9 KiB
	This image file is larger than it needs to be (450x450) for its displayed dimensions (262x262). Use responsive images to reduce the image download size.		111.0 KiB
img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	...02/Berry-Mel....png (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could	152.1 KiB	140.9 KiB
			119.1 KiB
URL	Transfer Size	Duration	
	(450x450) for its displayed dimensions (262x262). Use responsive images to reduce the image download size.		100.5 KiB
img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	...02/Blueberry....png (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	140.4 KiB	129.2 KiB
			107.4 KiB
	This image file is larger than it needs to be (450x450) for its displayed dimensions (262x262). Use responsive images to reduce the image download size.		92.8 KiB
 img.attachment-full.size-full.wp-image-11023	...07/24k_Lamon....png (lagomnaturals.com) Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	191.4 KiB	129.2 KiB
			95.4 KiB

	URL	Resource Size	Est Savings
img	This image file is larger than it needs to be (768x768) for its displayed dimensions (618x618). Use responsive images to reduce the image download size.		67.5 KiB
	...06/clients-03.jpg (lagomnaturals.com)	108.2 KiB	104.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		88.6 KiB
img	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		86.0 KiB
	...06/clients-02.jpg (lagomnaturals.com)	72.1 KiB	68.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		52.5 KiB
img	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		57.3 KiB
	...07/Untitled-1-02.png (lagomnaturals.com)	64.5 KiB	60.5 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		44.9 KiB
img	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		51.3 KiB
	...06/clients-01.jpg (lagomnaturals.com)	64.1 KiB	60.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		44.6 KiB
img	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		51.0 KiB
	...07/Untitled-1-04.png (lagomnaturals.com)	51.9 KiB	47.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		32.3 KiB
img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		41.3 KiB
	...01/24K-Lemonade-1-450x450.png (lagomnaturals.com)	50.6 KiB	39.4 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		17.6 KiB
img	This image file is larger than it needs to be (450x450) for its displayed dimensions (262x262). Use responsive images to reduce the image download size.		33.4 KiB
	...06/clients-07.jpg (lagomnaturals.com)	36.2 KiB	32.2 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		16.7 KiB

	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		28.8 KiB
img	...07/Untitled-1-01.png (lagomnaturals.com)	33.9 KiB	29.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		14.4 KiB
	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		27.0 KiB
img	...07/Untitled-1-03-copy.png (lagomnaturals.com)	20.6 KiB	16.6 KiB
	This image file is larger than it needs to be (400x300) for its displayed dimensions (181x136). Use responsive images to reduce the image download size.		16.4 KiB

▲ Forced reflow
^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call	Total reflow time
frontend-modules.min.js?ver=4.0.7:2	42 ms

Source	Total reflow time
[unattributed]	398 ms
js?id=GT-TXZ453ZQ:853	0 ms
all.js?ver=3.7.2:2	62 ms
theme.min.js?ver=7.9.0:1	0 ms
loader.js?ver=1:1	0 ms
frontend.min.js?ver=4.0.7:1	57 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	6 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	1 ms
frontend.min.js?ver=3.30.0:2	7 ms
jquery.min.js?ver=3.7.1:2	2 ms
jquery.min.js?ver=3.7.1:2	5 ms
jquery.min.js?ver=3.7.1:2	2 ms
theme.min.js?ver=7.9.0:1	1 ms
frontend.min.js?ver=3.30.0:2	13 ms
jquery.min.js?ver=3.7.1:2	4 ms
swiper.min.js?ver=8.4.5:13	3 ms
swiper.min.js?ver=8.4.5:13	3 ms

Source	Total reflow time
swiper.min.js?ver=8.4.5:13	1 ms
theme.min.js?ver=7.9.0:1	1 ms
jquery.min.js?ver=3.7.1:2	0 ms

▲ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	450 ms
Resource load delay	1,280 ms
Resource load duration	540 ms
Element render delay	470 ms



div.porto_stretch_css.stretch_row_content_css.elementor-element.elementor-element-3f707ca.element...

▲ LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

fetchpriority=high should be applied

Request is discoverable in initial document

LCP resources should not use loading=lazy



div.porto_stretch_css.stretch_row_content_css.elementor-element.elementor-element-3f707ca.element...

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **4,950 ms**

Initial Navigation

https://lagomnaturals.com - **761 ms**, 40.83 KiB

...js/bootstrap.optimized.min.js?ver=5.0.1 (lagomnaturals.com) - **2,175 ms**, 17.33 KiB

/wp-admin/admin-ajax.php (lagomnaturals.com) - **4,950 ms**, 1.43 KiB

...feedback/schema (lagomnaturals.com) - **4,821 ms**, 0.55 KiB

...js/sign-in-with-google-15a07dd...js (lagomnaturals.com) - **1,568 ms**, 1.28 KiB

/gsi/style (accounts.google.com) - **3,173 ms**, 0.38 KiB

...css/plugins_optimized.css?ver=7.9.0 (lagomnaturals.com) - **1,279 ms**, 10.88 KiB

...fontawesome_optimized/fa-brands-400.woff2 (lagomnaturals.com) - **2,945 ms**, 8.03 KiB

...porto-font/porto.woff2 (lagomnaturals.com) - **2,370 ms**, 43.14 KiB

...fontawesome_optimized/fa-solid-900.woff2 (lagomnaturals.com) - **1,899 ms**, 10.25 KiB

...css/ekiticons.css?ver=3.7.6 (lagomnaturals.com) - **1,359 ms**, 9.79 KiB

...fonts/elementskit.woff?itek3h (lagomnaturals.com) - **2,857 ms**, 450.27 KiB

...js/elementor.js?ver=3.7.6 (lagomnaturals.com) - **2,657 ms**, 5.82 KiB

...js/animate-circle.min.js?ver=3.7.6 (lagomnaturals.com) - **2,655 ms**, 0.65 KiB

...js/elements-handlers.min.js?ver=3.30.0 (lagomnaturals.com) - **2,651 ms**, 10.22 KiB

...js/frontend.min.js?ver=3.30.0 (lagomnaturals.com) - **2,628 ms**, 6.38 KiB

...js/webpack-pro.runtime.min.js?ver=3.30.0 (lagomnaturals.com) - **2,624 ms**, 2.83 KiB

...js/wp-util.min.js?ver=7.1 (lagomnaturals.com) - **2,622 ms**, 0.94 KiB

/css?family=... (fonts.googleapis.com) - **1,347 ms**, 0.86 KiB

...v24/pxiByp8kv...woff2 (fonts.gstatic.com) - **2,596 ms**, 7.69 KiB

...v24/pxiByp8kv...woff2 (fonts.gstatic.com) - **2,381 ms**, 7.83 KiB

...v24/pxiByp8kv...woff2 (fonts.gstatic.com) - **2,376 ms**, 7.58 KiB

...js/woocommerce-theme.min.js?ver=7.9.0 (lagomnaturals.com) - **2,426 ms**, 13.96 KiB

...js/marquee.min.js?ver=7.9.0 (lagomnaturals.com) - **2,424 ms**, 2.31 KiB

...js/appearanimate.min.js?ver=7.9.0 (lagomnaturals.com) - **2,420 ms**, 1.53 KiB

...js/sticky-icon-bar.min.js?ver=7.9.0 (lagomnaturals.com) - **2,417 ms**, 0.52 KiB

...js/imagesloaded.min.js?ver=5.0.0 (lagomnaturals.com) - **2,415 ms**, 1.91 KiB

...js/theme.min.js?ver=7.9.0 (lagomnaturals.com) - **2,412 ms**, 17.94 KiB

...libs/owl.carousel.min.js?ver=2.3.4 (lagomnaturals.com) - **2,387 ms**, 10.92 KiB

...js/backbone.min.js?ver=1.6.1 (lagomnaturals.com) - **2,172 ms**, 7.86 KiB

...js/underscore.min.js?ver=1.13.8 (lagomnaturals.com) - **2,170 ms**, 7.31 KiB

...js/frontend.min.js?ver=4.0.7 (lagomnaturals.com) - **2,168 ms**, 10.06 KiB

...js/frontend-modules.min.js?ver=4.0.7 (lagomnaturals.com) - **2,166 ms**, 15.24 KiB

...ui/core.min.js?ver=1.14.2 (lagomnaturals.com) - **2,165 ms**, 6.38 KiB

...js/webpack.runtime.min.js?ver=4.0.7 (lagomnaturals.com) - **2,163 ms**, 2.49 KiB

...essential-addons-elementor/ea-el-10320.js?ver=178... (lagomnaturals.com) - **2,162 ms**, 0.24 KiB

...dist/age-gate.js?ver=3.7.2 (lagomnaturals.com) - **2,159 ms**, 28.48 KiB

...view/general.min.js?ver=6.5.2 (lagomnaturals.com) - **2,152 ms**, 4.07 KiB

...frontend/order-attribution.min.js?ver=11.1.1 (lagomnaturals.com) - **1,957 ms**, 1.26 KiB

...sourcebuster/sourcebuster.min.js?ver=11.1.1 (lagomnaturals.com) - **1,955 ms**, 4.76 KiB

...js/widget-scripts.js?ver=3.7.6 (lagomnaturals.com) - **1,952 ms**, 34.06 KiB

...js/frontend-script.js?ver=3.7.6 (lagomnaturals.com) - **1,950 ms**, 0.31 KiB

...js/googlesitekit-consent-mode-755f167...js (lagomnaturals.com) - **1,948 ms**, 24.84 KiB

...live-search/live-search.min.js?ver=7.9.0 (lagomnaturals.com) - **1,942 ms**, 4.81 KiB

...js/index.js?ver=6.1.7 (lagomnaturals.com) - **1,940 ms**, 4.17 KiB

...frontend/woocommerce.min.js?ver=11.1.1 (lagomnaturals.com) - **1,938 ms**, 1.62 KiB

...js/framework.min.js?ver=1.3.0 (lagomnaturals.com) - **1,934 ms**, 1.41 KiB

...js/index.js?ver=6.1.7 (lagomnaturals.com) - **1,929 ms**, 3.55 KiB

...dist/i18n.min.js?ver=1dfe7db... (lagomnaturals.com) - **1,925 ms**, 2.59 KiB

...custom-fonts/fonts.css?ver=175... (lagomnaturals.com) - **1,265 ms**, 0.40 KiB

...Neuehaasdisplayroman/Neuehaasdisplayroman.ttf (lagomnaturals.com) - **1,902 ms**, 98.40 KiB

...dist/hooks.min.js?ver=f0f1880... (lagomnaturals.com) - **1,720 ms**, 1.98 KiB

...selectWoo/selectWoo.full.min.js?ver=1.0.9-wc.11.1.1 (lagomnaturals.com) - **1,718 ms**, 19.90 KiB

...dist/simplebar.js?ver=3.7.2 (lagomnaturals.com) - **1,703 ms**, 6.87 KiB

...dist/all.js?ver=3.7.2 (lagomnaturals.com) - **1,701 ms**, 1.48 KiB

...js/jquery.yith-wcwl.min.js?ver=4.14.0 (lagomnaturals.com) - **1,701 ms**, 6.53 KiB

...prettyPhoto/jquery.prettyPhoto.min.js?ver=3.1.6 (lagomnaturals.com) - **1,696 ms**, 5.52 KiB

...js/jquery.selectBox.min.js?ver=1.2.0 (lagomnaturals.com) - **1,693 ms**, 3.68 KiB

...js/yith-wcan-shortcodes.min.js?ver=5.19.0 (lagomnaturals.com) - **1,691 ms**, 13.54 KiB

...accounting/accounting.min.js?ver=0.4.2 (lagomnaturals.com) - **1,679 ms**, 1.56 KiB

...css/fluentform-public-default.css?ver=6.1.7 (lagomnaturals.com) - **1,573 ms**, 1.27 KiB

...css/rs6.css?ver=6.7.29 (lagomnaturals.com) - **1,572 ms**, 11.87 KiB

...css/fluent-forms-public.css?ver=6.1.7 (lagomnaturals.com) - **1,559 ms**, 5.65 KiB

...css/weeconnect-public.css?ver=4.1.2 (lagomnaturals.com) - **1,557 ms**, 2.16 KiB

/gsi/client (accounts.google.com) - **1,442 ms**, 98.63 KiB

...jquery/jquery.min.js?ver=3.7.1 (lagomnaturals.com) - **1,392 ms**, 29.20 KiB

...js-cookie/js.cookie.min.js?ver=2.1.4-wc.11.1.1 (lagomnaturals.com) - **1,389 ms**, 1.01 KiB

...jquery-blockui/jquery.blockUI.min.js?ver=2.7.0-wc.11.1.1 (lagomnaturals.com) - **1,387 ms**, 3.47 KiB

...js/points-rewards-for-woocommerce-public.min.js?ver=2.10.0 (lagomnaturals.com) - **1,376 ms**, 1.91 KiB

...js/clipboard.min.js?ver=2.0.11 (lagomnaturals.com) - **1,376 ms**, 3.18 KiB

...jquery/jquery-migrate.min.js?ver=3.4.1 (lagomnaturals.com) - **1,374 ms**, 4.83 KiB

...css/post-10101.css?ver=7.9.0 (lagomnaturals.com) - **1,363 ms**, 0.46 KiB

...css/post-771.css?ver=7.9.0 (lagomnaturals.com) - **1,362 ms**, 1.90 KiB

...css/custom-apple-webkit.min.css?ver=178... (lagomnaturals.com) - **1,361 ms**, 0.71 KiB

...css/widget-social-icons.min.css?ver=4.0.7 (lagomnaturals.com) - **1,349 ms**, 1.27 KiB

...css/custom-widget-icon-list.min.css?ver=178... (lagomnaturals.com) - **1,348 ms**, 1.15 KiB

...css/playfairdisplay.css?ver=174... (lagomnaturals.com) - **1,344 ms**, 0.87 KiB

...css/post-10046.css?ver=7.9.0 (lagomnaturals.com) - **1,342 ms**, 1.05 KiB

...styles/fadeIn.min.css?ver=4.0.7 (lagomnaturals.com) - **1,342 ms**, 0.32 KiB

...css/post-10320.css?ver=178... (lagomnaturals.com) - **1,341 ms**, 5.13 KiB

...css/roboto.css?ver=174... (lagomnaturals.com) - **1,339 ms**, 2.09 KiB

...single-post/modern.css?ver=7.9.0 (lagomnaturals.com) - **1,334 ms**, 0.75 KiB

...type/modern.css?ver=7.9.0 (lagomnaturals.com) - **1,333 ms**, 1.14 KiB

...other/woopage.css?ver=7.9.0 (lagomnaturals.com) - **1,332 ms**, 4.67 KiB

...porto-child/style.css?ver=7.1 (lagomnaturals.com) - **1,330 ms**, 0.64 KiB

...login-style/account-login.css?ver=7.9.0 (lagomnaturals.com) - **1,327 ms**, 1.09 KiB

...assets/type-builder.css?ver=3.9.1 (lagomnaturals.com) - **1,326 ms**, 2.40 KiB

...porto_styles/dynamic_style.css?ver=7.9.0 (lagomnaturals.com) - **1,325 ms**, 7.29 KiB

...porto/style.css?ver=7.9.0 (lagomnaturals.com) - **1,322 ms**, 0.77 KiB

...css/theme_elementor.css?ver=7.9.0 (lagomnaturals.com) - **1,321 ms**, 1.92 KiB

...css/theme_shop.css?ver=7.9.0 (lagomnaturals.com) - **1,320 ms**, 13.09 KiB

...porto_styles/shortcodes.css?ver=7.9.0 (lagomnaturals.com) - **1,317 ms**, 22.48 KiB

...part/media-mobile-sidebar.css?ver=7.9.0 (lagomnaturals.com) - **1,306 ms**, 0.68 KiB

...part/revslider.css?ver=7.9.0 (lagomnaturals.com) - **1,305 ms**, 1.04 KiB

...css/post-10236.css?ver=7.9.0 (lagomnaturals.com) - **1,304 ms**, 1.46 KiB

...part/side-nav-panel.css?ver=7.9.0 (lagomnaturals.com) - **1,299 ms**, 1.18 KiB

...part/header-shop.css?ver=7.9.0 (lagomnaturals.com) - **1,297 ms**, 2.45 KiB

...css/theme.css?ver=7.9.0 (lagomnaturals.com) - **1,293 ms**, 34.68 KiB

...porto_styles/bootstrap.css?ver=7.9.0 (lagomnaturals.com) - **1,272 ms**, 15.18 KiB

...css/post-10187.css?ver=7.9.0 (lagomnaturals.com) - **1,266 ms**, 1.20 KiB

...Simple-Line-Icons/Simple-Line-Icons.css?ver=7.9.0 (lagomnaturals.com) - **1,265 ms**, 1.96 KiB

...porto_styles/theme_css_vars.css?ver=7.9.0 (lagomnaturals.com) - **1,263 ms**, 1.72 KiB

...css/responsive.css?ver=3.7.6 (lagomnaturals.com) - **1,263 ms**, 3.03 KiB

...css/widget-styles.css?ver=3.7.6 (lagomnaturals.com) - **1,261 ms**, 45.48 KiB

...css/swiper.min.css?ver=8.4.5 (lagomnaturals.com) - **1,236 ms**, 4.38 KiB

...part/revealDirRight.css?ver=7.9.0 (lagomnaturals.com) - **1,235 ms**, 0.37 KiB

...part/fadeInLeft.css?ver=7.9.0 (lagomnaturals.com) - **1,234 ms**, 0.35 KiB

...styles/zoomIn.min.css?ver=4.0.7 (lagomnaturals.com) - **1,234 ms**, 0.34 KiB

...modules/motion-fx.min.css?ver=3.30.0 (lagomnaturals.com) - **1,234 ms**, 0.46 KiB

...css/widget-image.min.css?ver=4.0.7 (lagomnaturals.com) - **1,231 ms**, 0.35 KiB

...css/widget-heading.min.css?ver=4.0.7 (lagomnaturals.com) - **1,231 ms**, 0.38 KiB

...css/sl-bootstrap.css (lagomnaturals.com) - **1,230 ms**, 19.10 KiB

...css/post-7380.css?ver=178... (lagomnaturals.com) - **1,192 ms**, 0.64 KiB

...essential-addons-elementor/ea-el-10320.css?ver=178... (lagomnaturals.com) - **1,191 ms**, 3.65 KiB

...view/general.min.css?ver=6.5.2 (lagomnaturals.com) - **1,189 ms**, 1.64 KiB

...css/custom-frontend.min.css?ver=178... (lagomnaturals.com) - **1,188 ms**, 6.64 KiB

...woocommerce-shipping-progress-bar/shipping-progress-bar.css?... (lagomnaturals.com) - **1,184 ms**, 0.68 KiB

...css/framework.min.css?ver=1.3.0 (lagomnaturals.com) - **1,184 ms**, 0.80 KiB

...css/base.min.css?ver=1.3.0 (lagomnaturals.com) - **1,184 ms**, 4.09 KiB

...css/points-rewards-for-woocommerce-public.min.css?ver=2.10.0 (lagomnaturals.com) - **1,181 ms**, 5.09 KiB

...css/styles.css?ver=6.1.7 (lagomnaturals.com) - **1,180 ms**, 1.14 KiB

...css/init.css?ver=4.11.15 (lagomnaturals.com) - **1,180 ms**, 0.29 KiB

...dist/main.css?ver=3.7.2 (lagomnaturals.com) - **1,179 ms**, 2.79 KiB

...css/style.css?ver=4.14.0 (lagomnaturals.com) - **1,178 ms**, 6.28 KiB

...css/prettyPhoto.css?ver=3.1.6 (lagomnaturals.com) - **1,174 ms**, 2.07 KiB

...css/jquery.selectBox.css?ver=1.2.0 (lagomnaturals.com) - **1,172 ms**, 1.01 KiB

...css/shortcodes.css?ver=5.19.0 (lagomnaturals.com) - **1,170 ms**, 4.76 KiB

...css/fluent-forms-elementor-widget.css?ver=6.1.7 (lagomnaturals.com) - **1,007 ms**, 1.01 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Use efficient cache lifetimes — Est savings of 24 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Request	Cache TTL	Transfer Size
trustindex.io		24 KiB
/loader.js?ver=1 (cdn.trustindex.io)	None	24 KiB

Legacy JavaScript — Est savings of 8 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

URL	Wasted bytes
lagomnaturals.com 1st Party	7.9 KiB
...js/theme.min.js?ver=7.9.0 (lagomnaturals.com)	7.9 KiB
theme.min.js?ver=7.9.0:1	String.prototype.endsWith
theme.min.js?ver=7.9.0:1	String.prototype.trim

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element
Total elements	
DOM depth	i.porto-icon-chevron-right
Most children	body.home.wp-singular.page-template.page-template-elementor_header_footer.page.page-id-10320....

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	190 KiB	288 ms
/gtag/js?id=GT-TXZ453ZQ (www.googletagmanager.com)	190 KiB	288 ms
Other Google APIs/SDKs Utility	99 KiB	60 ms
/gsi/client (accounts.google.com)	99 KiB	60 ms
/gsi/style (accounts.google.com)	0 KiB	0 ms
trustindex.io	24 KiB	33 ms
/loader.js?ver=1 (cdn.trustindex.io)	24 KiB	33 ms
Google Fonts Cdn	24 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
/css?family=... (fonts.googleapis.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 19.6 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Script Evaluation	5,886 ms
Style & Layout	5,679 ms
Other	5,372 ms
Parse HTML & CSS	1,268 ms
Script Parsing & Compilation	913 ms
Rendering	420 ms
Garbage Collection	70 ms

▲ Reduce JavaScript execution time — 6.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) TBT Unscored

☒ Show 3rd-party resources (3)

URL	Total CPU Time	Script Evaluation	Script Parse
lagomnaturals.com 1st Party	14,049 ms	4,358 ms	353 ms
https://lagomnaturals.com	7,169 ms	170 ms	56 ms
...jquery/jquery.min.js?ver=3.7.1 (lagomnaturals.com)	3,165 ms	2,570 ms	69 ms
...js/frontend.min.js?ver=3.30.0 (lagomnaturals.com)	1,346 ms	251 ms	7 ms
...v8/swiper.min.js?ver=8.4.5 (lagomnaturals.com)	640 ms	411 ms	27 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...dist/all.js?ver=3.7.2 (lagomnaturals.com)	263 ms	7 ms	1 ms
...js/sign-in-with-google-15a07dd...js (lagomnaturals.com)	222 ms	217 ms	1 ms
...js/theme.min.js?ver=7.9.0 (lagomnaturals.com)	158 ms	93 ms	11 ms
...dist/simplebar.js?ver=3.7.2 (lagomnaturals.com)	140 ms	40 ms	8 ms
...js/frontend-modules.min.js?ver=4.0.7 (lagomnaturals.com)	126 ms	103 ms	15 ms
...dist/age-gate.js?ver=3.7.2 (lagomnaturals.com)	111 ms	89 ms	22 ms
...css/widget-styles.css?ver=3.7.6 (lagomnaturals.com)	100 ms	0 ms	0 ms
...js/googlesitekit-consent-mode-755f167....js (lagomnaturals.com)	97 ms	63 ms	34 ms
...frontend/order-attribution.min.js?ver=11.1.1 (lagomnaturals.com)	94 ms	93 ms	1 ms
...js/widget-scripts.js?ver=3.7.6 (lagomnaturals.com)	87 ms	58 ms	29 ms
...selectWoo/selectWoo.full.min.js?ver=1.0.9-wc.11.1.1 (lagomnaturals.com)	74 ms	33 ms	41 ms
...js/shared-frontend-handlers.03caa53....bundle.min.js (lagomnaturals.com)	70 ms	64 ms	5 ms
...js/frontend.min.js?ver=4.0.7 (lagomnaturals.com)	68 ms	58 ms	9 ms
...css/theme.css?ver=7.9.0 (lagomnaturals.com)	64 ms	0 ms	0 ms
...js/elements-handlers.min.js?ver=3.30.0 (lagomnaturals.com)	53 ms	37 ms	15 ms
Unattributable	2,915 ms	26 ms	0 ms
Unattributable	2,915 ms	26 ms	0 ms
Google Tag Manager Tag-Manager	1,140 ms	941 ms	192 ms
/gtag/js?id=GT-TXZ453ZQ (www.googletagmanager.com)	1,140 ms	941 ms	192 ms
Other Google APIs/SDKs Utility	247 ms	133 ms	107 ms
/gsi/client (accounts.google.com)	247 ms	133 ms	107 ms
trustindex.io	99 ms	66 ms	31 ms
/loader.js?ver=1 (cdn.trustindex.io)	99 ms	66 ms	31 ms

Reduce unused JavaScript — Est savings of 122 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity.
[Learn how to reduce unused JavaScript.](#) (FCP) (LCP) (Unscored)

Consider reducing, or switching, the number of [WordPress plugins](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.

URL	Transfer Size	Est Savings
Other Google APIs/SDKs Utility	95.9 KiB	75.1 KiB
/gsi/client (accounts.google.com)	95.9 KiB	75.1 KiB
Google Tag Manager Tag-Manager	114.3 KiB	46.5 KiB
/gtag/js?id=GT-TXZ453ZQ (www.googletagmanager.com)	114.3 KiB	46.5 KiB

Avoid enormous network payloads — Total size was 5,972 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

 Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

☒ Show 3rd-party resources (1)

URL	Transfer Size
lagomnaturals.com 1st Party	3,479.2 KiB
...07/AdobeStock_129...-scaled.png (lagomnaturals.com)	689.1 KiB
...07/Lagom-4-products-02.jpg (lagomnaturals.com)	482.2 KiB
...07/Lagom-4-products-03.jpg (lagomnaturals.com)	474.5 KiB
...07/Lagom-4-products-04.jpg (lagomnaturals.com)	462.9 KiB
...fonts/elementskit.woff?itek3h (lagomnaturals.com)	450.3 KiB
...07/Lagom-4-products-01.jpg (lagomnaturals.com)	359.7 KiB
...10/Screenshot-2024-10-10-231953.png (lagomnaturals.com)	194.7 KiB
...07/24k_Lamon....png (lagomnaturals.com)	191.8 KiB
...04/brand-2-01.jpg (lagomnaturals.com)	174.1 KiB
Google Tag Manager Tag-Manager	189.7 KiB
/gtag/js?id=GT-TXZ453ZQ (www.googletagmanager.com)	189.7 KiB

☐ Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (3)

URL	Start Time	Duration
lagomnaturals.com 1st Party		4,621 ms
https://lagomnaturals.com	965 ms	705 ms
https://lagomnaturals.com	4,814 ms	393 ms
...jquery/jquery.min.js?ver=3.7.1 (lagomnaturals.com)	9,271 ms	385 ms

URL	Start Time	Duration
https://lagomnaturals.com	3,364 ms	361 ms
https://lagomnaturals.com	2,595 ms	353 ms
https://lagomnaturals.com	1,670 ms	332 ms
https://lagomnaturals.com	3,869 ms	327 ms
https://lagomnaturals.com	2,996 ms	315 ms
...js/sign-in-with-google-15a07dd...js (lagomnaturals.com)	6,912 ms	268 ms
...v8/swiper.min.js?ver=8.4.5 (lagomnaturals.com)	31,895 ms	205 ms
...jquery/jquery.min.js?ver=3.7.1 (lagomnaturals.com)	5,918 ms	182 ms
https://lagomnaturals.com	2,282 ms	174 ms
...v8/swiper.min.js?ver=8.4.5 (lagomnaturals.com)	31,565 ms	170 ms
https://lagomnaturals.com	2,074 ms	167 ms
https://lagomnaturals.com	4,307 ms	143 ms
...jquery/jquery.min.js?ver=3.7.1 (lagomnaturals.com)	9,023 ms	141 ms
Google Tag Manager Tag-Manager		1,100 ms
/gtag/js?id=GT-TXZ453ZQ (www.googletagmanager.com)	6,264 ms	648 ms
/gtag/js?id=GT-TXZ453ZQ (www.googletagmanager.com)	5,419 ms	452 ms
Other Google APIs/SDKs Utility		245 ms
/gsi/client (accounts.google.com)	4,569 ms	245 ms
Unattributable		148 ms
Unattributable	10,098 ms	148 ms

Avoid non-composited animations — 1 animated element found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS
Unscored

Element

section.header-main.elementor-section.elementor-top-section.elementor-element.elementor-element...

Unsupported CSS Property: box-shadow

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (12)

Hide

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Document request latency ^

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 444 ms)

Applies text compression

Duplicated JavaScript ^

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

○ INP breakdown ^

Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

Modern HTTP ^

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

Optimize viewport for mobile ^

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

Minify CSS ^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). FCP LCP Unscored



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your styles. You may also want to use a build process to do this minification up-front if possible.

Minify JavaScript ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP Unscored



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.

Reduce unused CSS ^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP Unscored



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

○ User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#). Unscored

Image elements have explicit `width` and `height` ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

Page didn't prevent back/forward cache restoration

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

Failing Elements

button

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements

a



div#main.column1.wide.clearfix.no-breadcrumbs

a



div#main.column1.wide.clearfix.no-breadcrumbs

a



div#main.column1.wide.clearfix.no-breadcrumbs

div.onhot

a



div#main.column1.wide.clearfix.no-breadcrumbs

input.wpcf7-form-control.wpcf7-email.wpcf7-validates-as-required.wpcf7-text.wpcf7-validates-as-ema...

These are opportunities to improve the legibility of your content.

▲ Touch targets do not have sufficient size or spacing.



Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Failing Elements

a

a.product-loop-title

a.product-loop-title

a

a

a.product-loop-title

a.product-loop-title

a

a

a.product-loop-title

a.product-loop-title

a

a

a.product-loop-title

a.product-loop-title

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

Failing Elements

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

▲ Document does not have a main landmark.



One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Failing Elements



html.yes-js.js_active.js.webkit.safari.safariundefined.iphone.mobile.touch

○ Identical links have the same purpose.



Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) (Unscored)

Failing Elements

a

a

Failing Elements
a
a

These items highlight common accessibility best practices.

ARIA

- ☐ ARIA IDs are unique
- ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) (Unscored)

Failing Elements
span#woocommerce_loop_add_to_cart_link_describedby_8988.screen-reader-text
span#woocommerce_loop_add_to_cart_link_describedby_8988.screen-reader-text

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- ☐ Interactive controls are keyboard focusable
- ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) (Unscored)

- ☐ Interactive elements indicate their purpose and state
- ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) (Unscored)

- ☐ The page has a logical tab order
- ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) (Unscored)

- ☐ Visual order on the page follows DOM order
- ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) (Unscored)

- ☐ User focus is not accidentally trapped in a region
- ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) (Unscored)

- ☐ The user's focus is directed to new content added to the page
- ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) (Unscored)

- ☐ HTML5 landmark elements are used to improve navigation
- ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) (Unscored)

- ☐ Offscreen content is hidden from assistive technology
- ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#) (Unscored)

○ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) (Unscored)

○ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) (Unscored)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (27)

Hide

[aria-*] attributes match their roles ^

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

Elements with an ARIA [role] that require children to contain a specific [role] have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#)

[role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#)

[role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

[aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Image elements have [alt] attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

`button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

`[aria-hidden="true"]` elements do not contain focusable descendants

Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

`<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

`<html>` element has a valid value for its `[lang]` attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

[lang] attributes have a valid value	^
Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn how to use the lang attribute.	
Heading elements appear in a sequentially-descending order	^
Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.	
Deprecated ARIA roles were not used	^
Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles.	
autocomplete attributes are used correctly	^
The autocomplete attribute values must be valid and correctly applied for screen readers to function correctly. Learn more about valid autocomplete values.	
Elements with role="none" or role="presentation" do not have conflicts	^
There are certain cases where the semantic role of an element with role="none" or role="presentation" does not resolve to none or presentation. To ensure the element remains removed from the accessibility tree, you should not add any global ARIA attributes to the element or make it focusable. Learn more about presentation role conflict.	
NOT APPLICABLE (30)	Hide
☐ [accesskey] values are unique	^
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. (Unscored)	
☐ Elements with role="dialog" or role="alertdialog" have accessible names.	^
ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. (Unscored)	
☐ ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. (Unscored)	
☐ ARIA meter elements have accessible names	^
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements. (Unscored)	
☐ ARIA progressbar elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. (Unscored)	
☐ Elements with the role=text attribute do not have focusable descendents.	^
Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the role=text attribute. (Unscored)	
☐ ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields. (Unscored)	

☐ ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) (Unscored)

☐ ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) (Unscored)

☐ The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) (Unscored)

☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) (Unscored)

☐ Definition list items are wrapped in `<dl>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) (Unscored)

☐ No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) (Unscored)

☐ `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#) (Unscored)

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) (Unscored)

☐ Input buttons have discernible text.

Adding discernible and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) (Unscored)

☐ `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) (Unscored)

☐ Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) (Unscored)

☐ The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

☐ `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey

meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

- ☐ Select elements have associated label elements. ^

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#) (Unscored)

- ☐ Skip links are focusable. ^

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) (Unscored)

- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) (Unscored)

- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) (Unscored)

- ☐ SVG elements with an `img` role have an accessible text alternative ^

Ensures SVG elements with an `img`, `graphics-document` or `graphics-symbol` role have an accessible text alternative. [Learn more about SVG alt text.](#) (Unscored)

- ☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) (Unscored)

- ☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) (Unscored)

- ☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) (Unscored)

- ☐ Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) (Unscored)



Best Practices



Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
Other Google APIs/SDKs Utility	
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
__Secure-OSID	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
COMPASS	/gsi/client (accounts.google.com)
LSOLH	/gsi/client (accounts.google.com)
__Secure-3PSID	/gsi/client (accounts.google.com)
__Host-3PLSID	/gsi/client (accounts.google.com)
__Secure-3PAPISID	/gsi/client (accounts.google.com)
__Secure-3PSIDTS	/gsi/client (accounts.google.com)
NID	/gsi/client (accounts.google.com)
__Secure-3PSIDCC	/gsi/client (accounts.google.com)



Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Issue type
Cookie
/gsi/client (accounts.google.com)
/gsi/style (accounts.google.com)

○ Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) (Unscored)

Name	Version
jQuery	3.7.1
jQuery UI	1.14.2
Backbone	1.6.1
Underscore	1.13.8
WordPress	7.1
core-js	core-js-global@3.46.0

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
No CSP found in enforcement mode		High

○ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) (Unscored)

Description	Directive	Severity
No HSTS header found		High

○ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

○ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from

embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

Mitigate DOM-based XSS with Trusted Types

The `require-trusted-types-for` directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) Unscored

Description	Severity
No 'Content-Security-Policy' header with Trusted Types directive found	High

BROWSER COMPATIBILITY

Baseline Features

Lists web features used on the page and their Baseline status as of 2026-07-15. [Learn more about Baseline.](#) Unscored

☒ Show 3rd-party resources (2)

Web-features	Baseline Status	Source
lagomnaturals.com 1st Party		
page-visibility-state	Limited Availability	(index):2
long-animation-frames	Limited Availability	(index):2
layout-instability	Limited Availability	(index):2
background-clip-text	Limited Availability	(index):-1
requestidlecallback	Limited Availability	(index):2
speculation-rules	Limited Availability	(index):-1
zstd	Newly Available (2026-02-11)	(index):-1
iterator-methods	Newly Available (2025-03-31)	frontend-modules.min.js? ver=4.0.7:1
fetch-priority	Newly Available (2024-10-29)	(index):-1
backdrop-filter	Newly Available (2024-09-16)	(index):-1
has	Widely Available (2023-12-19)	(index):-1
contain-intrinsic-size	Widely Available (2023-09-18)	(index):-1
outline	Widely Available (2023-03-27)	(index):-1
prefers-contrast	Widely Available (2022-05-31)	(index):-1

Web-features	Baseline Status	Source
focus-visible	Widely Available (2022-03-14)	(index):-1
appearance	Widely Available (2022-03-14)	(index):-1
logical-properties	Widely Available (2021-09-20)	(index):-1
file-selector-button	Widely Available (2021-04-26)	(index):-1
weak-references	Widely Available (2021-04-26)	(index):2
is	Widely Available (2021-01-21)	(index):-1
where	Widely Available (2021-01-21)	(index):-1
not	Widely Available (2021-01-21)	(index):-1
clip-path	Widely Available (2021-01-21)	(index):-1
nullish-coalescing	Widely Available (2020-09-16)	(index):1
logical-assignments	Widely Available (2020-09-16)	(index):1
string-replaceall	Widely Available (2020-08-27)	index.js?ver=6.1.7:1
line-break	Widely Available (2020-07-28)	(index):-1
revert-value	Widely Available (2020-07-27)	(index):-1
slot	Widely Available (2020-01-15)	jquery.min.js?ver=3.7.1:2
will-change	Widely Available (2020-01-15)	(index):-1
aborting	Widely Available (2019-03-25)	(index):2
intersection-observer	Widely Available (2019-03-25)	(index):2969
js-modules	Widely Available (2018-05-09)	(index):-1
border-image	Widely Available (2017-02-01)	(index):-1
template	Widely Available (2015-11-12)	(index):-1
flexbox	Widely Available (2015-09-30)	(index):-1

Web-features	Baseline Status	Source
text-indent	Widely Available (2015-07-29)	<code>(index):-1</code>
request-animation-frame	Widely Available (2015-07-29)	<code>theme.min.js?ver=7.9.0:1</code>
Google Tag Manager <code>Tag-Manager</code>		
ua-client-hints	Limited Availability	<code>js?id=GT-TXZ453ZQ:858</code>
scrollend	Newly Available (2025-12-12)	<code>js?id=GT-TXZ453ZQ:300</code>

PASSED AUDITS (11)

Hide

Uses HTTPS	^
All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content , where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.	
Avoids deprecated APIs	^
Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.	
Allows users to paste into input fields	^
Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.	
Avoids requesting the geolocation permission on page load	^
Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission. Also consider using the <code><geolocation></code> element.	
Avoids requesting the notification permission on page load	^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications.	
Displays images with correct aspect ratio	^
Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.	
Serves images with appropriate resolution	^
Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.	
Page has the HTML doctype	^
Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration.	
Properly defines charset	^
A character encoding declaration is required. It can be done with a <code><meta></code> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.	
No browser errors logged to the console	^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#). (Unscored)

☒ Show 3rd-party resources (1)

URL	Map URL
lagomnaturals.com 1st Party	
...v8/swiper.min.js?ver=8.4.5 (lagomnaturals.com)	...v8/swiper-bundle.min.js.map (lagomnaturals.com)
Error: Failed fetching source map (404)	
trustindex.io	
/loader.js?ver=1 (cdn.trustindex.io)	/loader.js.map (cdn.trustindex.io)

NOT APPLICABLE (1)

Hide

☐ Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#). (Unscored)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲ Links do not have descriptive text — 4 links found

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

Link destination	Link Text
lagomnaturals.com 1st Party	
/about-us/ (lagomnaturals.com)	Read More
/about-us/ (lagomnaturals.com)	Read More
/about-us/ (lagomnaturals.com)	Read More
/about-us/ (lagomnaturals.com)	Read More

Format your HTML in a way that enables crawlers to better understand your app's content.

CRAWLING AND INDEXING

▲ Links are not crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Uncrawlable Link

a.ekit-image-accordion--btn.elementskit-btn.whitespace--normal

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid



Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

Document has a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

robots.txt is valid



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Document has a valid hreflang



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

Document has a valid rel=canonical



Canonical links suggest which URL to show in search results. [Learn more about canonical links](#).

■ Captured at Sep 19, 2026, 5:48 AM CDT	■ <u>Emulated Moto G Power with Lighthouse 13.4.1</u>	■ <u>Single page session</u>
■ Initial page load	■ <u>Slow 4G throttling</u>	■ <u>Using Chromium 153.0.0.0 with devtools</u>

Generated by **Lighthouse** 13.4.1 | [File an issue](#)